



® GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE

AUTHORIZED FEDERAL SUPPLY SCHEDULE
CATALOG/PRICE LIST

MULTIPLE AWARD SCHEDULE

Security and Protection



Contract Number: 47QSWA18D007C

Period Covered by Contract: August 1, 2018 through July 31, 2023

Contract Administrator: Ms. Chris Newman

**Digital Monitoring Products
2500 N. Partnership Blvd
Springfield, MO 65803**

Tel: (417) 831-9362

Fax: (417) 863-9811

website: <http://www.dmp.com>

Effective through Modification PO-0016 dated 6-5-2020

Small Business

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is: <http://GSAAvantage.gov>

Table of Contents

Information for Ordering Activities2

General Terms and Conditions2

1a. Awarded Special Item Numbers (SIN)2

1b. Lowest Priced Model Number and Price.....2

1c. Hourly Labor Rates2

2. Maximum Order2

3. Minimum Order2

4. Geographic Coverage2

5. Points of Production2

6. Basic Discount.....2

7. Quantity/Volume Discount.....2

8. Prompt Payment Terms.....2

9a. Government Purchase Cards2

9b. Government Purchase Cards2

10. Foreign Items3

11a. Time of Delivery3

11b. Expedited Delivery3

11c. Overnight and 2-Day Delivery3

11d. Urgent Requirements3

12. FOB Point3

13. Ordering Address3

13b. Ordering Procedures.....3

14. Payment Address3

15. Warranty Provision3

16. Export Packing Charges3

17. Terms and Conditions of.....3

18. Terms and Conditions.....3

19. Terms and Conditions.....3

20. Terms and Conditions.....3

20a. Terms and Conditions3

21. List of Service and3

22. List of Participating Dealers3

23. Preventative Maintenance4

24a. Environmental Attributes4

24b. Section 508 Compliance4

25. DUNs Number4

26. SAM Database4

GSA Schedule Product Pricing.....5

Information for Ordering Activities

General Terms and Conditions:

1a. Awarded Special Item Numbers (SIN):

- COOP PURCH 334290 Security and Detection Systems - Includes security and detection systems and devices, such as gas detectors, pressure level monitoring, patient/detainee monitoring systems, etc. NOTE: Excludes vehicular alarms.
- COOP PURCH 334290L Includes physical access control systems (PACS), such as card-controlled access, biometrics, security barriers, etc.
- COOP PURCH 334512 Includes products to support facilities management systems, such as repair parts, surveillance systems, security functions, energy functions, building comfort systems, etc.
- COOP PURCH OLM Access Control Systems, Door entry control by card access, magnetic proximity including but not limited to Biometric

1b. Lowest Priced Model Number and Price:

<u>SIN</u>	<u>Part No.</u>	<u>GSA Net Price</u>
334290L	734N	\$172.04
334290	1346-RING	\$0.25
334512	395	\$15.72

- 1c. Hourly Labor Rates and Descriptions: Open Market pricing available contact contractor
- 2. Maximum Order: \$250,000.00 per order

If the “Best Value” selection places your order over this Maximum Order, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the Schedule contract in accordance with FAR 8.404.

- 3. Minimum Order: NONE
- 4. Geographic Coverage: Domestic 48 contiguous states, District of Columbia
- 5. Points of Production: Springfield, MO
- 6. Basic Discount: Prices shown herein are GSA Net (discount deducted)
- 7. Quantity/Volume Discount(s): None
- 8. Prompt Payment Terms: 1% 10 / Net 30 Days – Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.
- 9a. Government Purchase Cards: Government Purchase Cards are accepted at or below the Micro-purchase threshold (\$3,000).
- 9b. Government Purchase Cards: Government purchase cards are not accepted above the micro-purchase threshold.

Digital Monitoring Products.

- 10. Foreign Items: None
- 11a. Time of Delivery: 30 Days ARO.
- 11b. Expedited Delivery: Contact contractor for availability.
- 11c. overnight and 2-Day Delivery: Contact contractor for availability.
- 11d. Urgent Requirements: Contact contractor for availability.
- 12. FOB Point: Origin, Freight Prepaid and Add
- 13. Ordering Address: Same as Contractor
- 13b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules).
- 14. Payment Address: Same as Contractor
- 15. Warranty Provision: Standard Commercial Warranty. Please Contact Contractor
- 16. Export Packing Charges: Not Applicable
- 17. Terms and Conditions of Government Purchase Card Acceptance: No Special Terms
- 18. Terms and Conditions Applicable to Rental, Maintenance and Repair: Not Applicable
- 19. Terms and Conditions Applicable to Installation: Not Applicable
- 20. Terms and Conditions Applicable to Repair Parts: Not Applicable
- 20a. Terms and Conditions Applicable to any other Services: Not Applicable
- 21. List of Service and Distribution Points: Not Applicable
- 22. List of Participating Dealers:

Participating Dealer	Point of Contact Name	Address	Telephone	Fax	Email Address
ADS Security, LP	Craig Leyers	3001 Armory Drive, Suite 100 Nashville TN 37204	(615)695-6540	(615)383-5973	cleyers@adssecurity.com
Atlas Security Service	Jim Wade	1309-B Republic Road Springfield MO 65804	(417)831-2866	(417)831-1612	jd Wade@atlassecurity.com
Burtel Security & Fire	David Jablonski	2655 Duke St. Alexandria, VA 22314	(703)461-8100	(703)751-2520	davej@burtel.com
Central Monitoring Service, Inc.	Torrie Owens	P.O. Box 1162 Rapid Ciyt, SD 57709	(605)343-3333	(605)343-3333	torrie@knightsecurityinc.com
Certified Security – Spokane	Kate Roy	1420 N Pines Road Spokane, WA 99206	(509)922-9111	(509)922-2292	kate@certified-security.com
Deep Blue Integration, Inc	Curtis Streeter	3442 Empresa Drive, Suite C San Luis Obispo CA 93401	(888)600-0324	(805)791-2037	curtis@deepblueintegration.com
Ellijay Telephone Company	Jason Smith	224 Dalton St. Ellijay, GA 30540	(706)697-5576	(706)276-9888	jasons@ellijay.com
FiberPlus	Carol Dubbs	8240 Preston Ct, Suite C Jessup MD 20794	(301)957-2202	(301)317-8585	cdubs@fiberplusinc.com

Digital Monitoring Products.

Participating Dealer	Point of Contact Name	Address	Telephone	Fax	Email Address
Force Security Solutions, LLC	Ken Kocher	8508 Virginia Mesdows Drive Manassas, VA 20109	(703) 286-7205	(703) 995-0388	kenkocher@forcesecurity.com
Gilbertson Group	Jeff Gilbertson	101 Cheshire Court Costsвилle, PA 18320	(610)466-9600	(610)466-9018	jeff@gilbertsongroup.com
Hackett Security Inc.	Lisa McKinney	9811 South Forty Drive St. Louis, MO 63124	(314)432-4200	(314)432-7999	lmckinney@hackettsecurity.com
Harris Security	George Harris	P O Box 1182 Ozark AL 36361	(334)774-8564	(334)445-1341	gharris@harrissecurity.com
HCI Systems, Inc.	Jason Beardsley	1354 S. Parkside Place Ontario, CA 91761	(909)628-7773	(909)628-7774	jbeardsley@hcisystems.net
Industrial and Commercial Security Systems, Inc.	Steve Berniklau	2400 Comanche NE Albuquerque NM 87107	(505)888-2954	(505)888-2957	steveb@icssnm.com
Minuteman Security Technologies	John Mendonca	1 Connector Road Andover MA 01810	(978)783-0018	(978)7830019	johnm@minutemanst.com
Orion Management LLC	Jason Strohl	8003 Forbes Place, Suite 300 Springfield, VA 22151	(703)321-2190	(703)321-2195	jstrohl@orionmgt.com
S3 Integration	Mark Corbett	1530 Caton Cntr Dr. Ste N Baltimore, MD 21227	(410)536-1999	(410)536-4884	mcorbett@s3integration.com
Scarsdale Security Systems	David Raizen	132 Montgomery Avenue Scarsdale NY 10583	(914)722-2200	(914)722-2299	draizen@scarsdalesecurity.com
Security & Energy Technologies Corporation	Melissa Venegas	4200-Q Lafayette Center Drive Chantilly VA 20151	(703)968-0990	(703)968-7718	mvenegas@setecinc.com
SecurityHunter Inc.	Robert Thaggard	7249 Ambassador Road Baltimore, D 21244	(443)436-0700	(443)436-0450	rthaggard@securityhunter.com
Security Engineering, Inc.	Eric Pellak	8017 Dorsey Run Road, Suite D Jessup MD 20794	(443)755-0220	(443)755-0277	eric.pellak@sei-md.com
Security Signal Devices	Stephanie James	1740 N. Lemon Street Anaheim, CA 92801	(800)888-0444	(714)449-9595	sjames@ssdalarm.com
Signet Technologies, Inc.	Angela Pulliam	12300 Kiln Court, Suite E Beltsville MD 20705	(240)264-3295	(240)264-3296	angela.pulliam@signetinc.com
The Protection Bureau	Debbie Jakeman	197 Philips Road Exton PA 19341	(610)903-4900	(610)903-4915	debbiejakeman@protectionbureau.com
United Security & Communications, Inc	Deborah Matthews	5415 Southern Maryland Blvd Lothian MD 20711	(301)494-0288	(410)741-0654	debmatthews@usci.us
Versar Security Systems, LLC	Nayna Diehl	6850 Versar Center, Suite 201 Springfield, VA 22151	(703)642-6733	(703)642-6825	ndiehl@versar.com
Watchlight Corporation	Tara Sevilla-Cabal	111 S Marshall Avenue El Cajon CA 92020	(619)442-9595	(619)442-7171	taras@alarmrelay.com

23. Preventative Maintenance: Not Applicable
- 24a. Environmental Attributes, e.g., recycled, content, energy efficiency, and/or reduced Pollutants: Not Applicable
- 24b. Section 508 Compliance Information: Not Applicable
25. DUNs Number: 038295382
26. SAM Database: Registered

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
1100 WIRELESS SERIES									
BILL TRAP									
1141-W	Wireless Wall Button	WLS WALL BUTTON					334290	USA	\$26.15
1144-2P	Wireless Two Button Key Fob with Prox Patch	WLS 2-BUTTON KEY FOB, PROX					334290	USA	\$39.55
ACCESSORIES									
CR123/8	Battery	3V Lithium Battery					334290	USA	\$17.68
CR12600/8	Battery	3V Lithium Battery					334290	USA	\$40.91
DOOR & WINDOW SENSORS									
1101-HSG-B/10	WIRELESS TRANSMITTER HOUSING	Replacement Wireless Transmitter housing only (black). Pack of 10					334290	USA	\$15.52
1101-HSG-C/10	WIRELESS TRANSMITTER HOUSING	Replacement Wireless Transmitter housing only (brown). Pack of 10					334290	USA	\$15.52
1101-HSG-W/10	WIRELESS TRANSMITTER HOUSING	Replacement Wireless Transmitter housing only (white). Pack of 10					334290	USA	\$15.52
1101MAG-W/10	MAGNET WITH MOUNTING ACCESSORIES	Replacement White 1100 Series Magnet with Mounting Accessories (white). Pack of 10	x				334290	USA	\$29.62
1101-W	Universal Wireless Transmitter	The 1101 provides two internal magnetic reed switches and an on-board terminal block to allow for external contact wiring. Both sets of contacts, internal and external, can be programmed to operate at the same time allowing for two independent zones from one transmitter. Includes a 3V lithium battery. (CR123)	x				334290	USA	\$24.63
1102-W	Universal Transmitter External Contacts	Typically used for door/window applications, the 1102 Universal Transmitter is a single-input, two-way wireless transmitter that provides an on-board terminal block to allow for external contact wiring of Normally Open or Normally Closed devices. Includes a 3V lithium battery. (CR123)	x				334290	USA	\$23.02
1103-W	Universal Transmitter	This two-input transmitter is typically used in commercial burglary door/window applications. It includes an internal magnetic reed switch, an on-board terminal block for external contact wiring, and an end-of-line resistor. Both an internal case tamper switch and a wall tamper switch are provided. Includes a lithium battery and hardware pack. (CR123)					334290	USA	\$44.99
1107-W	Micro Window Transmitter	This low-profile transmitter is typically used for window applications. It contains a single reed switch that detects a magnet mounted on the window. The 1107 provides survey capability to allow one person to confirm transmitter communication with the receiver before installation. A 3V coin cell battery powers the transmitter. (CR2430)					334290	USA	\$28.77
1131MAG-W/10	Magnet with housing	Replacement 1131 recessed magnet with housing (white). Pack of 10	x				334290	USA	\$22.57
1131-W	Wireless Recessed Contact	The 1131 is a wireless recessed contact with a 3/8 to 1 gap. Includes one 3V lithium battery. (CR12600SE)	x				334290	USA	\$33.20
EXPANDERS & MODULES									
1114-W	4 Point Wireless Zone Expander	The 1114 is a wireless zone expander with 4 Class B zones. Comes with flush mount tamper magnet for added security. Includes singles latching relay output and EOL resistor. Includes a 3V lithium battery. (CR123) Can be powered by an optional Model 376 12VDC power supply.	x				334290	USA	\$88.21
1116-W	Wireless Relay Output	The 1116 is a wireless relay output with a single Form C relay. Can be programmed for any panel output option. Includes a case tamper switch. Includes a 3V Lithium Battery. (CR123) Can be powered from an optional Model 376 12VDC power supply.	x				334290	USA	\$88.21

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
1117R-W	Wireless LED Annunciator	The 1117R is a wireless LED annunciator that provides a remote red LED for visual indication of system status. Can be programmed for any panel output option. Includes a case tamper switch. Includes a 3V Lithium Battery. (White) (CR123) Can be powered from an optional Model 376 12VDC power supply.	x				334290	USA	\$38.84
1119-W	WIRELESS DOOR SOUNDER	The Model 1119 Wireless Door Sounder is a single-zone module equipped with a battery powered sounder. The zone input can be connected to a door contact, which when opened can trigger the sounder immediately without the need to receive an output command from the panel. The output allows the sounder to be silenced remotely from the panel as a standard output. Includes two 3V lithium batteries. (CR123)					334290	USA	\$99.45
1135-W	Wireless Siren	The Model 1135 is a wireless battery powered siren that follows the state of the panel bell output. The 1135 provides a cover tamper and survey LED. Includes two 3V lithium batteries. (CR123)					334290	USA	\$38.84
GLASSBREAK DETECTORS									
1128	Wireless Glassbreak Detector	The 1128 Wireless Glassbreak Detector is a fully-supervised, low current shock and glassbreak sensor that provides detection coverage up to 20 ft from framed glass mounted in an outside wall.					334290	ISR	\$45.79
PIRs									
1122	Wireless PIR	The 1122 DMP Wireless PIR provides 90 degree 40x40 detection range, pet immunity, and the battery saving disarm/disable feature. Includes one 3V lithium battery (CR123).					334290	IISR	\$43.83
1126R-W	Wireless 360 Ceiling Mount PIR	The 1126R 360 Ceiling Mount PIR is a compact, low profile ceiling mount detector. Remote configuration from the panel allows selectable sensitivity, pulse count selection and walk test mode. Includes two 3V lithium batteries. (CR123)	x				334290	USA	\$110.76
1127C-W	Wireless Wall Mount Curtain PIR	1127C-W is an 1100 Series Wireless Wall Mount Curtain PIR. Detection area is 50' curtain using a fresnel lens. The unit is tampered and includes functionality to allow sensor configuration wirelessly from the panel. DMP Exclusive Features include Sensitivity, Pulse Count, Walk Test, & Disarm Disable. Includes two 3V lithium batteries. (CR123)					334290	USA	\$103.02
1127-HSG-W	Wireless Wall Mount PIR Housing	Replacement White Wireless Wall Mount PIR housing only.					334290	USA	\$14.81
1127W-W	Wireless Wall Mount	1127W-W is an 1100 Series Wireless Wall Mount Wide Angle PIR. It is Pet Immune up to 40lbs. Detection area is 36' x 84° angle using a fresnel lens. The unit is tampered and includes functionality to allow sensor configuration wirelessly from the panel. DMP Exclusive Features include Sensitivity, Pulse Count, Walk Test, & Disarm Disable. Includes two 3V lithium batteries. (CR123)					334290	USA	\$99.80

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
RECEIVERS & REPEATERS									
1100DH-W	WIRELESS HIGH-POWER RECEIVER	The 1100DH High Power Wireless Receiver provides additional transmit and receive amplification for improved performance at greater distance or harsh building environments. For use with XT series panels	x				334290	USA	\$76.89
1100DI-W	WIRELESS IN-LINE RECEIVER	The 1100DI In-Line Wireless economical receiver provides the same basic features as the 1100D model but in a more compact unit. The compact design allows the receiver to be installed anywhere along the panel keypad bus, such as next to a keypad. For use with XT series panels	x				334290	USA	\$33.18
1100D-W	WIRELESS RECEIVER	The 1100D provides two-way, supervised communication using 900 MHz frequency hopping-spread-spectrum technology. The receiver and housing easily mount near the panel enclosure or in a remote location. For use with XT series panels	x				334290	USA	\$55.03
1100R-W	WIRELESS REPEATER	The 1100R Wireless Repeater provides increased communication range and is the perfect solution for hard to reach areas. Up to eight repeaters can be installed on a wireless system.	x				334290	USA	\$143.84
1100XH-W	WIRELESS HIGH-POWER RECEIVER	The 1100XH High Power Wireless Receiver provides additional transmit and receive amplification for improved performance at greater distance or harsh building environments. For use with XT series panels	x				334290	USA	\$88.21
1100XTANT/10	REPLACEMENT WIRELESS ANTENNA	Replacement antenna for built-on wireless receiver on the XT50 Series Control panels. Pack of 10.					334290	USA	\$9.14
1100X-W	WIRELESS RECEIVER	The 1100X provides two-way, supervised communication using 900 MHz frequency hopping-spread-spectrum technology. The receiver and housing easily mount near the panel enclosure or in a remote location. For use with XT series panels	x				334290	USA	\$66.26
REMOTE CONTROLS									
1142-B	2 Button Wireless Panic Device (black)	2 button hold-up transmitter designed for under the counter. Programmable LED feedback lets you know when panic alarm has been sent. Includes one 3V lithium battery (CR2032)				x	334290	USA	\$41.26
1142BC-B	Wireless 2-Button Hold Up Transmitter	The 1142BC Two-Button Hold Up Transmitter with Belt Clip is specifically designed to be worn on a belt when the belt clip is installed. Programmable LED feedback lets you know when Panic alarm has been sent. (Black) Includes one 3V lithium battery (CR2032)				x	334290	USA	\$41.26
1142BC-W	Wireless 2-Button Hold Up Transmitter	The 1142BC Two-Button Hold Up Transmitter with Belt Clip is specifically designed to be worn on a belt when the belt clip is installed. Programmable LED feedback lets you know when Panic alarm has been sent. (White) Includes one 3V lithium battery (CR2032)	x				334290	USA	\$41.26
1142-HSG-B/10	Wireless 2-Button Hold Up Transmitter	Replacement White 2-Button Hold up transmittier housing. Includes LED light pipe and buttons. (Black)					334290	USA	\$17.68
1142-HSG-W/10	Wireless 2-Button Hold Up Transmitter	Replacement White 2-Button Hold up transmittier housing. Includes LED light pipe and buttons					334290	USA	\$17.68
1142-W	Wireless 2-Button Hold Up Transmitter	The 1142 Two Button Hold-up Transmitter is specifically designed for installation under the counter. Programmable LED feedback lets you know when Panic alarm has been sent. Includes one 3V lithium battery (CR2032)	x				334290	USA	\$41.26
1144-1	Wireless 1-Button Key FOB	The 1145-1 is a One-Button Key Fob transmitter that is portable, water res istant, and designed to be clipped to a keychain or DMP 332 lanyard. Including one coin battery. (CR2032)					334290	USA	\$28.92

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price	
1144-1P	Wireless One Button Key Fob with Prox Patch	The 1145-1-BP is a 1-button wireless key fob transmitter that includes a built-in proximity credential for access control. This accessory now meets two requirements - controlling the system for such functions as arming, disarming or panic, as well as being able to arm or disarm via an access control system.		334290	USA	\$37.48
1144-2	Wireless 2-Button Key FOB	The 1146 is a Two-Button Key Fob transmitter that is portable, water resistant, and designed to be clipped to a keychain or DMP 332 lanyard. The 1145-2 provides two-button operation. Includes one coin battery (CR2032).		334290	USA	\$30.98
1144-4	Wireless 4-Button Key Fob	The 1145 is a Four-Button Key Fob transmitter that is portable, water resistant, and designed to be clipped to a keychain or DMP 332 lanyard. The 1145 provides four-button operation. Includes one coin battery (CR2032).		334290	USA	\$33.10
SMOKE / HEAT DETECTORS						
1183-135F	Wireless Heat Detector	The 1183-135F is a fixed temperature detector that reacts to heat by responding to the fixed 135° temperature setting. When activated, an alarm is sent to the control panel. The 1183-135F model has a black dot on the heat collector fin for identification.		334290	USA	\$43.73
1183-135R	Wireless Rate of Rise Heat Detector	The 1183-135R model is a combination rate-of-rise and fixed temperature detector that detects heat quickly by responding to a rapid temperature increase or a fixed 135° temperature setting. The element responds to a rapid rise in temperature and sends an alarm to the control panel when the ceiling temperature increases at a minimum rate of 15°F per minute. An alarm is also sent to the panel if the ceiling temperature reaches the fixed 135° setting if the rate-of-rise is not exceeded.		334290	USA	\$43.73
1184-W	Wireless Carbon Monoxide Detector	The 1184 is a 3V battery powered wireless carbon monoxide (CO) detector that provides early warning when the electrochemical sensing technology measures carbon monoxide levels in the air. The detector consists of an electrochemical carbon monoxide sensor assembly coupled with an 1100 Series wireless transmitter. The transmitter can send alarm, trouble, tamper and low battery condition messages to the alarm panel. The 1184 is an ideal carbon monoxide detector for difficult to wire locations, applications where room aesthetics are critical or where hazardous materials exist.		334290	USA	\$76.88
ACCESS CONTROL						
CREDENTIALS						
1306P/10	Prox Patch	The Prox Patch is a small, adhesive credential that adheres to nearly anything that you carry with you all the time. Containing a standard HID proximity device, it allows you to arm/disarm your alarm system or gain access to any DMP Security Command System (package of 10).	x	334290	USA	\$55.01
1306P-W/10	Prox Patch	Prox Patch Standard 26-bit Wiegand (package of 10)	x	334290	USA	\$55.01
1326/10	ProxCard II Card	ProxCard II Card (package of 10)	x	334290	USA	\$23.94
1326/100	ProxCard II Card	ProxCard II Card (package of 100)	x	334290	USA	\$239.80
1346/10	ProxKey II Access Device	ProxKey II Access Device (package of 10)	x	334290	USA	\$41.61
1346-RING	Keyring	Keyring for the 1346 ProxKey II Access Control keyfob.		334290	USA	\$0.25
1386/10	IsoProx II Card	Extremely thin, durable, and the size of a credit card. Passive, no-battery design allows an infinite number of reads. Provided blank for customization or badging applications (PKG of 10)	x	334290	USA	\$49.37
MODULES & ACCESSORIES						
333	TRANSIENT SUPPRESSOR	Provides transient suppression.		334290	USA	\$7.30

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
730	Network Switch	NETWORK SWITCH FOR ACCESS NETWORK					334290	USA	\$54.36
734	WIEGAND INTERFACE MODULE	The 734 Module allows you to connect Proximity Readers to DMP Panels to provide codeless entry, arming, and disarming using access control readers. Provides four programmable zones, a 10 Amp Form C (SPDT) Door Strike relay, built-in piezo with remote annunciation output, data to panel LED, and a 4-position terminal for connecting Wiegand format readers. (8.5-28.5 VDC)	x				334290	USA	\$86.05
734N	Network Wiegand Interface Module	The 734N Module provides codeless entry plus system arming and disarming using DMP access cards or credentials; or customizable for other credentials. Provides programmable door entry strike time allows for 1-250 seconds, two auxiliary relay outputs, 12/24 VDC Power and built-in 10 Amp Form C (SPDT) door release relay.					334290L	USA	\$172.04
Z-99100-077	Z-Wave Deadbolt Polished Brass	This one-touch locking motorized deadbolt replaces conventional deadbolts where keyed entry and security is needed. Simply enter your personalized code, and you can enter your home with the convenience of keyless entry and a backlit keypad for increased visibility. While its as easy to install and use, the Z-Wave Door Deadbolt					334290	MEX	\$173.10
CENTRAL STATION PRODUCTS									
RECEIVER PRODUCTS									
395	SCS-105 DATA CABLE	This data cable is used to connect a PC to the SCS-105 Receiver.					334512	USA	\$15.72
SCS-104	Receiver	The SCS-104 provides four digital dialer (DD) lines and a network connection for communication to DMP panels. Each card includes one shielded eight-pin modular connector (J1) for the digital data network connection. This allows the SCS-1R Receiver to accept alarm and system messages over a network from DMP panels. Each card also includes a non-shielded eight-pin modular connector (J3) that supports up to four digital dialer lines, when connected to a standard RJ61 jack.					334290	USA	\$876.42
SCS-105	SDLC Single Line Service Receiver	Provides one line of dialer or multiplex operation. Capable of proprietary receiver or remote uploading/downloading operations. Includes serial cable for connection to IBM or compatible computer using DMP Remote Link or System Link software.					334512	USA	\$233.00
SCS-110	Modem Power Card	Provides power to a maximum of five line cards through the receiver's backplane connectors. No additional cables are needed.					334512	USA	\$125.79
SCS-120	Multibus Power Card	Provides power to the main processor card (SCS-1062) through the receiver's backplane connectors. Monitors the condition of the processor card and the voltage output of the SCS-110 Modem Power Supply Card as well as its own internal voltages. No additional cables are needed.					334512	USA	\$341.21
SCS-130	Transformer Card	Powers the modem and multibus power supply cards. Terminals are provided for connecting 120 VAC to the system and a power cord is provided for connecting to the multibus rack cooling fan.					334512	USA	\$262.22
SCS-150	Main Processor Card	Used in the DMP SCS-1R Network Enabled Receivers, the SCS-150 provides a battery-backed 5000 event buffer, and the fast transmission speeds and high data integrity of the Serial 3 communications format. Install up to five line cards in the available slots, with complete flexibility to use either dialer or network cards in each slot.					334290	USA	\$866.80
SCS150/CONVERT	Conversion Kit for SCS-150	Required for the conversion from the SCS-1062 in the SCS-1R Receiver to the SCS-150 Processor Board.					334290	USA	\$866.80

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
SCS-1R	Network Enabled Receiver		334512	USA	\$2,690.68
		The SCS-1R Security Control Receiver is an advanced, highly reliable central station receiver that can monitor dialer, LAN/WAN or Internet accounts for alarm, trouble, user, and system reports. Full English readout on all alarm messages and optional output to a host computer. INCLUDES: SCS-RACK with multibus cage and fan, and membrane keypad with LCD display; SCS-150 Processor Card; SCS-104 Line Card; SCS-110 Modem Power Card; SCS-120 Multibus Power Supply Card; SCS-130 Transformer Card; SCS-203 Convenience Panel; SCS-208 Power Cord			
SCS1R-SPARES	Spare Board Kit		334512	USA	\$1,668.06
		Spare board kit. Includes: SCS-1R Keypad PCB; SCS-150 Processor Card; SCS-100 Dialer Line Card; SCS-101 Network Line Card; SCS-110 Modem Power Card; SCS-120 Multibus Power Supply Card; SCS-130 Transformer Card			
SCS-203	Convenience Panel		334290	USA	\$78.29
		Mounts on the back of the receiver and provides three cable connectors for attaching a local printer and host computer. Includes necessary cables for connecting to the receiver components.			
SCS-204	Host Cable		334512	USA	\$50.78
		Allows you to connect the receiver host output to the Remote Link computer. The SCS-204 is 25 ft. long with a DB-25 male and DB-25 female connector on each end.			
SCS-206	Keypad and Linecard Cables		334290	USA	\$53.65
		Connects the keypad and the linecard with the SCS-150 Processor Board.			
SCS-208	Power Cord		334512	USA	\$47.66
		Connects the various system voltages between the transformer card and the SCS-120 Multibus Power Supply Card.			
SOFTWARE					
ACCOUNT GROUPS 10	Account Groups Module Software		334512	USA	\$332.09
		The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-10 accounts)			
ACCOUNT GROUPS 100	Account Groups Module Software		334512	USA	\$1,109.62
		The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-100 accounts)			
ACCOUNT GROUPS 1000	Account Groups Module Software		334512	USA	\$2,442.37
		The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-1000 accounts)			
ACCOUNT GROUPS 50	Account Groups Module Software		334512	USA	\$609.77
		The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-50 accounts)			
ACCOUNT GROUPS 500	Account Groups Module Software		334512	USA	\$1,887.05
		The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-500 accounts)			

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
ADVANCED 10	Advanced Reporting Module Software		334512	USA	\$109.97
ADVANCED 100	Advanced Reporting Module Software		334512	USA	\$332.09
ADVANCED 1000	Advanced Reporting Module Software		334512	USA	\$776.37
ADVANCED 50	Advanced Reporting Module Software		334512	USA	\$198.84
ADVANCED 500	Advanced Reporting Module Software		334512	USA	\$554.16
ALRM MON 10	Alarm Monitoring Module Software		334512	USA	\$221.06
ALRM MON 100	Alarm Monitoring Module Software		334512	USA	\$887.51
LINK SERVER	Server Application Software		334512	USA	\$1,102.77
REMOTE LINK	Software		334512	USA	\$57.43
SCS-CTM	Check-in Table Manager Software		334512	USA	\$438.19
SQL MODULE	SQL Database Module		334512	USA	\$1,654.66

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
SYSTEM LINK	Software	This full-color brochure highlights the features of System Link, DMP's end-user alarm panel management software. System Link allows users to easily control their DMP system from their personal computer. Endusers are able to set-up new system users, configure new panel accounts, monitor system status, and more. Sold in packs of 25.		334512	USA	\$281.41
FIRE DEVICES						
PULL STATIONS						
850D/711	Dual Action Pull Station w/Zone Expander	The 850D dual-action manual pull station with SPST contacts, terminal strip connections, and gold plated contacts to avoid corrosion. Includes one 711 Zone Expander for addressable applications.		334290	USA	\$39.19
850S/711	Single Action Pull Station w/Zone Expander	The 850S single-action manual pull station with SPST contacts, terminal strip connections, and gold plated contacts to avoid corrosion. Includes one 711 Zone Expansion Module for addressable applications.		334290	USA	\$35.82
REMOTE ANNUNCIATORS						
630F-R	Remote Annunciator	The 32-Character LCD readout with full-text displays of system events and menu prompts. The 630F is protected by either keyswitch or code. The keyswitch enables single-button user operation of the Alarm Silence, System Reset, System Test and Fire Drill. Backbox and trim frame included. (8-16 VDC)		334290	USA	\$118.49
635F-R	Keypad Flush Mount Conduit Backbox	A 2.50" deep flush mount metal backbox for installation requiring conduit. The 635 provides five 3/4" x 3/4" knockouts and four mounting holes. Dimensions: 9.25" x 6.375 x 2.50"		334290	USA	\$16.88
INTRUSION DEVICES						
ACCESSORIES						
303	SILENCE/RESET PUSH BUTTON KIT	The DMP Model 303 Silence/Reset Push Button provides the ability to silence bells and reset sensors using a zone input on the DMP panel. Adding the push button switch allows the bells to be silenced and the sensors to be reset without using a keypad.		334290	USA	\$6.60
307	CLIP-ON TAMPER SWITCH	Clip-on tamper switch with harness and header connection.		334290	USA	\$8.21
308	10K OHM REPLACEMENT RESISTOR	10K Ohm Replacement EOL Resistor with wire leads		334290	USA	\$1.26
309	3.3K OHM REPLACEMENT RESISTOR	One replacement resistor for a 715 Zone Expansion module zone or the powered zone on a Command Processor panel.		334290	USA	\$1.26
310	1K OHM REPLACEMENT RESISTOR	1K Ohm Resistor with wire leads		334290	USA	\$1.26
319	3 AMP FUSE	3 Amp fuses (for use with SCS-1R Receiver), (pkg of 5)		334290	USA	\$3.12
330	PROGRAMMING CABLE	A dual-ended 4-wire cable that allows you to quickly and easily connect a variety of devices for programming and installation purposes.		334290	USA	\$4.03
390	STANDARD 462N DATA CABLE	Provides RS-232 connection from 462N Interface to Data Communication Equipment (DCE) type equipment. DB-25 connector.		334290	USA	\$15.72
393	PRINTER DATA CABLE	Use with Model 462P to provide printer output from the panel. Replacement data cable for Model 462P Printer Interface Card.DB-25 connector.		334290	USA	\$15.72
399	PROGRAMMING HARNESS	RS-232 DB-9 to 4-Wire connection to allow local uploading/downloading and flash updates.		334290	USA	\$19.45
431	OUTPUT HARNESS	6-wire harness that allows connection of devices to the panel's outputs.		334290	USA	\$3.93
572	INDICATOR LED	Remote indicator LED with a stainless steel plate. Mounts to any existing gang box.		334290	USA	\$7.61
307-S	Screw-on Tamper Switch	Screw-on tamper switch. Model 306 harness needed for connection to DMP panel.		334290	USA	\$2.67
310/25	1K Ohm Replacement Resistor	1K Ohm replacement resistor with wire leads. Pack of 25		334290	USA	\$31.49

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
330-4	4-Foot Programming Cable	A dual-ended 4-wire cable that allows you to quickly and easily connect a variety of devices for programming and installation purposes.		334290	USA	\$4.99
356-2	RJ Phone Cable	Telephone cable for connecting interface cards and panels to RJ31X and RJ38X telephone jacks. 2 feet.		334290	USA	\$1.96
356-7	RJ Phone Cable	Telephone cable for connecting interface cards and panels to RJ31X and RJ38X telephone jacks. 7 feet.		334290	USA	\$2.42
ACCESSORY PACK	Accessory Pack	The technician's accessory pack includes: One Panic Key label for DMP Keypads; Three Model 300 4-Wire Harnesses; Two Model 330 4-Wire Harnesses; One Model 300-7800-5 5-Wire Harness; One Model 300-7800-12 12-Wire Harness; Five Model 302 2-Pin Jumpers; Three Model 305 Relays; One Model 431 XR500 Output Harness; Three Long Plastic Standoffs; Three Short Plastic Stand-offs with Screws; Eight 1k EOL Resistors; One DMP		334290	USA	\$56.78
BANK & VAULT DETECTORS						
PSD100	Vault Audio Detector	Self-contained, solid state device that detects intrusion by selectively detecting the sound of the forcible breaking and entering, while ignoring the ambient sounds of normal environment.		334290	USA	\$64.18
GLASSBREAK DETECTORS						
PANIC & HOLDUP						
RP-44	Push Button	Satin Stainless Steel Plate with One D.P.D.T. (Double Pole, Double Throw) Latching Switch, Contacts Rated 2 Amps. Allows for N/O and N/C configurations.		334290	USA	\$13.65
PIR DETECTORS						
PA-450PI	Wide Angle PIR with Pet Immunity	Pet Immune up to 40lbs., 36 x 84° Wide angle, Fresnel lens, Pulse Count, Silent N/O or N/C selectable output, Tamper Circuit, LED on/off, Alarm Memory. 10 to 18VDC. UL Listed		334290	JAPAN	\$19.75
FX-360	Optex 360° PIR	This slim detector is less than 1.5" tall x 4.75" diameter and provides 25' - 40' pattern on 8' - 12' ceilings. The FX-360 also includes False Alarm Reduction features that give it unbeatable detection performance and the most reliability in its class. (12 VDC)		334290	JAPAN	\$41.61
OP-08CB	Motion detector	This high quality passive infrared sensor used for Request to Exit and security applications is compact and comes in an attractive housing. Offers an AC/DC universal power input, provides selectable Fail Safe or Fail Secure settings, and mounts on door moldings or ceilings up to 13 feet high. (12 or 24 VDC) BLACK		334290	JAPAN	\$64.89
OP-08CW	Motion detector	This high quality passive infrared sensor used for Request to Exit and security applications is compact and comes in an attractive housing. Offers an AC/DC universal power input, provides selectable Fail Safe or Fail Secure settings, and mounts on door moldings or ceilings up to 13 feet high. (12 or 24 VDC) WHITE		334290	JAPAN	\$72.59

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
KEYPADS						
ACCESSORIES						
697	KEYPAD BACKPLATE	Plastic keypad backplate for retrofit installations. Dimensions: 9" x 9"		334290	USA	\$10.63
698	KEYPAD BACKPLATE	Plastic keypad backplate for retrofit installations. Dimensions: 7.4" x 11"		334290	USA	\$11.08
699	KEYPAD DESKSTAND	Smoked plexiglass deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot long cord for plugging into RJ11 jack. Dimensions: 6.8" W x 4" H x 5" D		334290	USA	\$25.44
777	PROTECTIVE KEYPAD COVER	Clear thick polycarbonate cover with keylock for all DMP keypads. Dimensions: 9.75" W x 8.5" H x 2" D		334290	USA	\$52.75
780	PORTABLE KEYPAD DEMONSTRATOR MOD	This portable Keypad Demonstrator Module connects to any DMP 32-character LCD keypad. You can show—not just tell—how DMP keypads provide security in Area, All/Perimeter, or Home/Sleep/Away modes. Simulate arming and disarming to demonstrate ease of system operation. Keypad not included.		334290	USA	\$53.55
635-R	Keypad Surface Mount Conduit Backbox	A 1.75" deep metal backbox for installation requiring conduit or for mounting keypads on masonry walls or other penetrable surfaces. The 635 provides five 3/4" x 3/4" knockouts and four mounting holes. Dimensions: 10.25" x 6.88 x 1.74"		334290	USA	\$16.17
694-7800-W	Keypad Wall Plate	PLATE, KYPD WALL REPLACEMENT, WHITE		334290	USA	\$16.17
694-W	Keypad Wall Plate	PLATE, 7800 WALL REPLACEMENT, WHITE		334290	USA	\$16.17
695-B	Keypad Conduit Backbox	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5", Black		334290	USA	\$11.89
695-I	Keypad Conduit Backbox	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5", Ivory		334290	USA	\$15.26
695-W	Keypad Conduit Backbox	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5", White		334290	USA	\$15.26
696-B	Keypad Backbox	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5" Black		334290	USA	\$15.26
696-I	Keypad Backbox	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5" Ivory		334290	USA	\$15.26
696-W	Keypad Backbox	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5" White		334290	USA	\$15.26
699-W	Metal Keypad Deskstand	White powder-coated metal deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot longcord for plugging into RJ11 jack		334290	USA	\$21.85

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
AQUALITE SERIES™						
7060AN-W	Thinline Aqualite LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC) (White)		334290	USA	\$95.06
7060A-W	Thinline Aqualite LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC) (White)		334290	USA	\$95.06
7063AN-W	Thinline Aqualite LCD Keypad with Prox Re	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Blue backlit Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) White		334290	USA	\$123.48
7063A-W	Thinline Aqualite LCD Keypad with Prox Re	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Blue backlit Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) White		334290	USA	\$123.48
7063N-W	Thinline LCD Keypad with Prox Reader	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Built-in proximity card reader for codeless arming/disarming. Keypad turns red in alarm condition. (8.5-15 VDC)		334290	USA	\$106.50
7070AN-W	Thinline Aqualite LCD Keypad with 4 Zones	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC)		334290	USA	\$115.52
7070A-W	Thinline Aqualite LCD Keypad with 4 Zones	32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC) White		334290	USA	\$115.52
7073AN-W	Thinline LCD Keypad with 4 Zones	32-character LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)		334290	USA	\$169.27
7073A-W	Thinline LCD Keypad with 4 Zones	32-character LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)		334290	USA	\$169.27
GRAPHIC TOUCHSCREEN SERIES						

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
300-7800-12	Replacement 12 Wire Harness		334290	USA	\$6.35
300-7800-5	Replacement 5 Wire Harness		334290	USA	\$5.19
7872-B	Graphic Touchscreen Keypad		334290	USA	\$143.83
7872-W	Graphic Touchscreen Keypad		334290	USA	\$143.83
7873-B	Graphic Keypad w/4 Zones		334290	USA	\$175.62
7873-W	Graphic Keypad w/4 Zones		334290	USA	\$175.62
7873H-W	Touch LCD Keypad, 4 Zns, White	X	334290	USA	\$199.55
695-7800-B	In-Wall Mount Backbox		334290	USA	\$12.04
695-7800-W	In-Wall Mount Backbox		334290	USA	\$12.04
698-7800-B	Keypad Wall Cover		334290	USA	\$9.82
698-7800-W	Keypad Wall Cover		334290	USA	\$9.83
699-7800	Keypad Deskstand		334290	USA	\$27.51

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
REPLACEMENT HOUSING						
THIN7100-LCD-B/10	Thinline LCD Keypad Housing	Replacement keypad housing only. BLACK, 10 PKG		334290	USA	\$30.98
THIN-ICON-B/10	Thinline Icon Keypad Housing	Replacement black keypad housing only. Pack of 10.		334290	USA	\$20.45
THIN-ICON-I/10	Thinline Icon Keypad Housing	Replacement ivory keypad housing only. Pack of 10.		334290	USA	\$20.45
THIN-ICON-W/10	Thinline Icon Keypad Housing	Replacement white keypad housing only. Pack of 10.		334290	USA	\$20.45
THIN-LCD-B/10	Thinline LCD Keypad Housing	Replacement keypad housing only, BLACK, 10 PKG		334290	USA	\$25.34
THINLINE SERIES™						
7060-I	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC) Ivory		334290	USA	\$78.04
7060N-I	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC) Ivory		334290	USA	\$78.04
7060N-W	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC) White		334290	USA	\$78.04
7060-W	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC) White		334290	USA	\$78.04
7063-W	Thinline LCD Keypad with Prox Reader	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) White		334290	USA	\$106.50
7070N-W	Thinline LCD Keypad with 4 zones	32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). White		334290	USA	\$98.49
7070-W	Thinline LCD Keypad with 4 Zones	32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). White		334290	USA	\$98.49
7073N-W	Thinline LCD Keypad	32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)		334290	USA	\$152.39

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
7073-W	Thinline LCD Keypad with 4 Zones		334290	USA	\$152.39
7160-W	Thinline Series Keypad, Alternate Design		334290	USA	\$78.04
7173-W	Keypad, LCD Display, alternate design		334290	USA	\$152.39
7360-W	Thinline Icon Series Keypads		334290	USA	\$38.04
7363-W	Thinline Icon Series Keypads		334290	USA	\$63.48
WIRELESS KEYPADS					
9060-W	WIRELESS KEYPAD		334290	USA	\$110.78
9060-W/699	Wireless Keypad with Deskstand		334290	USA	\$130.53
9063-W	Wireless Proximity Keypad		334290	USA	\$138.29
9063-W/699	Wireless Proximity Keypad w/Deskstand		334290	USA	\$151.69

MODUES & EXPANDERS

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
AUXILIARY MODULES						
270	NETWORK TRANSIENT SUPPRESSOR	The Model 270 Transient Suppression Module provides surge suppression from the ethernet for the protection of DMP Panels. In UL applications, the Model 270 must be used if the switch is not installed in the same room as the panel.		334290	USA	\$14.11
277	COMMERCIAL FIRE BUZZER MODULE	The Model 277 Trouble Sounder is an audible trouble alert that may be installed in place of the Model 893A Module for XR150/XR350/XR550 Series control panels.		334290	USA	\$14.11
370	LIGHTNING SUPPRESSOR	External lightning suppressor for use with any DMP or other manufacturer's panel. Provides transient protection and RF isolation on both AC power and telephone lines. Phone, AC, and ground wires connect to on-board terminal strips.		334290	USA	\$42.07
860	RELAY OUTPUT MODULE	Can be used for electrical isolation between the alarm panel and other systems or for switching voltage to control various functions. Includes one relay and provides three additional sockets for expansion of up to four relays. (12 VDC)		334290	USA	\$18.59
861	POWER DISTRIBUTION/4 WIRE BUS MODU	Provides multiple auxiliary power terminals and additional Keypad and/or LX-Bus connectors for a clean installation. Maximum current handling capacity of 8 Amps on terminal J1. (12 VDC or 24 VDC)		334290	USA	\$22.07
865	STYLE W/X NOTIFICATION MODULE	Provides supervision for ground faults, opens, and shorts on notification appliance circuits. Suitable for use with 2 or 4-wire 12 or 24 VDC circuits. provides Trouble and Ground Fault LEDs, Bell Silence switch, and N/C dry contact trouble contacts. (9.6-14.2 VDC)		334290	USA	\$88.21
866	STYLE W NOTIFICATION MODULE	Supervises one Style W Notification circuit for opens, shorts and ground faults. Capable of switching 12 VDC internal or 24 VDC external power supply. Provides dry contact output for external bell trouble condition and manual bell silence switch. (12 VDC)		334290	USA	\$43.73
867	LX-BUS™ ADDRESSABLE NOTIFICATION MC	Provides one supervised Style W circuit for 12 or 24 VDC notification devices. The 867 connects to the LX-Bus™ and provides supervision for ground fault, open, and short conditions on the notification circuit. (12 VDC)		334290	USA	\$70.88
869	STYLE D INITIATING MODULE	Provides two Style D initiating 4-wire circuits for connecting waterflow switches and non-powered burglary and fire devices. The 869 supervises both zones for opens, shorts, and ground fault conditions. (8-25 VDC)		334290	USA	\$47.86
370RJ	Lightning Suppressor	External lightning suppressor for use with any DMP or other manufacturer's panel. Provides transient protection and RF isolation on both AC power and telephone lines. Phone lines connect to modular jacks while AC and ground wires connect to on-board terminal strips.		334290	USA	\$34.71
893A	Dual Phone Line Module	The 893A installs into the panel enclosure and connects to the panel through a wire harness and phone cord. The 893A supervises the main and backup phone lines for sustained drop in voltage and alerts users with a built-in sounder and indication at the keypad and central station. (12 VDC)		334290	USA	\$57.13
EXPANSION MODULES						
708	BUS EXTENDER MODULES	Use the 708 Modules in applications such as long wire runs between buildings, in noisy environments, or where the LX-Bus™ is run bundled with other wires, such as telephone company wire. Mounted in two-piece, high-impact ivory plastic case for easy installation. Two 708 Modules included. (8-15 VDC)		334290	USA	\$205.69

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
710	BUS SPLITTER/REPEATER MODULE		334290	USA	\$31.23
					Allows you to expand the typical LX-Bus™ or Keypad bus installation number of devices and the length of wire. As a splitter, the 710 provides superior mechanical wire connecting capability for up to three additional LX-Bus™ circuits. Mounted in two-piece, high-impact ivory plastic case for easy installation. (8-15 VDC)
711	ZONE EXPANSION MODULE		334290	USA	\$18.14
					Single-zone expander with rotary-switch addressing and convenient screw terminal connections. Mounted in twopiece, high-impact ivory plastic case for easy installation. Includes EOL resistors. (8-8-15 VDC)
714	ZONE EXPANSION MODULE		334290	USA	\$35.52
					Expander with four 5 VDC Class B zones and rotary-switch addressing. Mounted in high impact plastic case for easy installation. The module snaps into the cover allowing installation with base or directly onto a wall or switch plate. Includes EOL resistors and 12-wire harness.
715	ZONE EXPANSION MODULE		334290	USA	\$45.19
					Four 12 VDC Class B zones for 2-wire smoke detectors and other powered or non-powered devices. Rotary-switch addressing. The module snaps into cover for installation with base or directly onto wall or switch plate. Includes 3.3k EOL resistors and 12-wire harness. (8-8-15 VDC)
716	OUTPUT EXPANSION MODULE		334290	USA	\$59.29
					Four programmable Form C (SPDT) relays and four open collector annunciator outputs on one module. Use the outputs for remotezone and system annunciation or environmental control applications. Harness included. (8-8-15 VDC)
717	GRAPHIC ANNUNCIATOR MODULE		334290	USA	\$52.85
					Provides twenty annunciator outputs (open collector) that follow the armed or bypassed state of the panel's zones. Multiple 717 Modules can be installed to remotely annunciate every zone in the system. (8-8-15 VDC)
712-8	Zone Expansion Module		334290	USA	\$34.36
					Addressable expander with eight grounded burglary zones with dip switch addressing. Provides 3-hole pattern for simple installation in panel enclosureIncludes EOL resistors. (8.5-15 VDC)
714-16	Zone Expansion Module		334290	USA	\$130.88
					Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or 3/4" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)
714-16L-G	Zone Expansion Module		334290	USA	\$160.00
					Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or 3/4" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)
714-16L-R	Zone Expansion Module		334290	USA	\$160.00
					Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or 3/4" conduit knockouts. Includes 340 red enclosure with lock and key plus EOL resistors. (8.8-15 VDC)
714-16PCB	Zone Expansion Module		334290	USA	\$118.49
					Terminal block installation for sixteen burglary or class B non-powered fire devices. Includes EOL resistors. (8.8-15 VDC)
714-16-R	Zone Expansion Module		334290	USA	\$130.88
					Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or 3/4" conduit knockouts. Includes 340 re enclosure with lock and key plus EOL resistors. (8.8-15 VDC)
714-18T	Zone Expansion Module		334290	USA	\$43.58
					The 714 Zone Expansion Module with the 718T Plug-in Screw Terminal. Four 5 VDC powered zones, 12-wire harness, and rotary-switch addressing with screw-type terminal connection for 14 to 22-gauge device wiring. (8-8-15 VDC)

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
714-19T	Zone Expansion Module		334290	USA	\$51.89
714-8	Zone Expansion Module		334290	USA	\$77.23
714-8L-G	Zone Expansion Module		334290	USA	\$105.89
714-8L-R	Zone Expansion Module		334290	USA	\$105.89
714-8PCB	Zone Expansion Module		334290	USA	\$65.24
714-8-R	Zone Expansion Module		334290	USA	\$77.23
714-X	Zone Expansion Module		334290	USA	\$32.04
714-X-18T	4 Point Zone Expander w/ Terminal Block		334290	USA	\$37.58
715-16	Zone Expansion Module		334290	USA	\$160.50
715-16PCB	Zone Expansion Module		334290	USA	\$135.26
715-18T	Zone Expansion Module		334290	USA	\$51.89
715-20T	Zone Expansion Module		334290	USA	\$59.29
715-8	Zone Expansion Module		334290	USA	\$90.63
715-8PCB	Zone Expansion Module		334290	USA	\$71.34

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
718T	Plug-in Screw Terminal	Plugs onto 714 or 715 Zone Expansion Module header to provide a screwtype terminal connection for 14 to 22-gauge device wiring. To order with the 714 or 715 Modules, specify 714-18T or 715-18T		334290	USA	\$8.21
719T	Terminal Board	Dual terminal strips allow wiring from zones on 714 Zone Expanders and pass through wiring from panel's LX-Bus. Accommodates 14 to 22-gauge wire and provides individual 1K EOL resistors for zone termination and dual-ended 12-wire harness. To order with the 714, specify 714-19T.		334290	USA	\$16.42
721T	Terminal Block Module	Terminal strip for wiring from zones on the Command Processor panel. The terminal strip accommodates 14 to 22 gauge wire and provide individual EOL resistors for zone termination.		334290	USA	\$8.66
736P	Radionics™ Popit Interface Module	Allows existing POPIT, POPEX, and OctoPOPIT modules and wiring to be left while upgrading the Radionics control panel to a DMP panel. Supervises up to 100 POPIT zones from the DMP LX-Bus and up to 32 zones on the Keypad Bus. (12 VDC)		334290	USA	\$109.47
738A	Ademco™ Interface Module	Allows up to 32 zones of Ademco series 5800 wireless devices to DMP XT Series, XR100 and XR500 Series panels. Includes two Model 300 4-wire harnesses. (12 VDC)		334290	USA	\$31.23
738I	ITI™ Interface Module	Allows you to incorporate up to 96 zones of ITI wireless devices to DMP panels. Includes two Model 300 4-wire harnesses. (12 VDC)		334290	USA	\$31.23
INTERFACE CARD						
NETWORK PRODUCTS						
ACCESSORIES						
357-X	Cat-5 Cable	Five foot crossover Cat-5 cable for XR500 Series Command Processor panels. Allows programming directly from a laptop NIC card without a network.		334290	USA	\$5.64
357-X-10	Cat-5 Cable	Ten foot crossover Cat-5 cable for XR500 Series Command Processor panels. Allows programming directly from a laptop NIC card without a network.		334290	USA	\$5.89
PANELS						
XR150						
XR150DFC-R	Control Panel	XR150, DIALER, FIRE CONTROL		334290	USA	\$298.29
XR150DL-G	DIALER	142 ZONES,DIALER,350-G GREY ENCL (INC 50VA TRNSFR)		334290	USA	\$184.08
XR150DL-R	Control Panel	XR150, DIALER, LARGE RED ENC		334290	USA	\$218.64
XR150DNFC-R	Control Panel	XR150, DIALER, NETW, FIRE CONTROL		334290	USA	\$399.24
XR150DNL-G	DIALER/NET	142 ZONES,DIALER/NET,350-G ENCL INC 50VA TRNSFRMER		334290	USA	\$275.77
XR150DNL-R	Control Panel	XR150, DIALER, NETW, LARGE RED ENC		334290	USA	\$321.66
XR150DNPCB	DIALER/NETWORK BOARD	142 ZONES,DIALER/NETWORK BOARD ONLY,INCL 50VA TRNS		334290	USA	\$232.04
XR150DPCB	DIALER, BOARD	142 ZONES,DIALER, BOARD ONLY(INC 50 VA TRANSFORMER		334290	USA	\$140.35
XR150L-G	XR150	142ZONES, NO COMMUNICATION,350 ENCL (INC 50VA TRNS		334290	USA	\$172.85
XR150NL-G	XR150	142 ZONES,NETWORK,350-G ENCLOSURE(INC 50 VA TRANSF		334290	USA	\$264.53
XR150NPCB	XR150	142 ZONES,NETWORK, BOARD ONLY(INC 50 VA TRANSFORM		334290	USA	\$220.71
XR150PCB	XR150	142 ZONES,NO COMMUNICATION BOARD ONLY(INC 50VA TRF		334290	USA	\$129.02
XR550						
XR550DEL-G	XR550	574 ZONES,DIAL/NET,ENCRYP,350 ENCL,50VA TRNSFR		334290	USA	\$575.57
XR550DEPCB	XR550	574 ZONES,DIAL/NET,ENCRYPT, BOARD ONLY(50VA TRNSFR		334290	USA	\$531.74
XR550DNFC-R	XR550	XR550, DIALER, NETW, FIRE CONTROL		334290	USA	\$528.26

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
XR550DNL-R	XR550	XR550, DIALER, NETW, LARGE RED ENC		334290	USA	\$449.97
XR550DEPCBZ-108	XR550	XR550 DIALER, ENCRYP, PCB ONLY, NO TRNSFRMR, VER 108		334290	USA	\$527.56
XR550DL-G	XR550	574 ZONES, DIALER, 350-G ENCL, INC 50VA TRANSFORMR		334290	USA	\$299.80
XR550DNL-G	XR550	574 ZONES, DIALER/NET, 350-G ENCL, INC 50VA TRANSFORMR		334290	USA	\$403.43
XR550DNPCB	XR550	574 ZONES, DIALER/NET, BOARD ONLY, INC 50VA TRANSFORMR		334290	USA	\$358.99
XR550DPCB	XR550	574 ZONES, DIALER, BOARD ONLY (INC 50 VA TRANSFORMER)		334290	USA	\$255.97
ENCLOSURES						
341B	341 Battery Bracket with 318T Battery Hari	The 341B Battery Bracket mounts inside the lid of the 341 Kiosk enclosure providing two Model 364 1.3Ah batteries for battery backup. A 318T Dual Battery Harness is included for battery connection to the panel.		334290	USA	\$14.11
341-G	Panel Enclosure	Gray steel ATM size enclosure with dual .75" or .5" knockouts, and module mounting holes.		334290	USA	\$46.95
349S-G	Enclosure Shelf	Standard panel enclosure shelf. Room for two 7.7 Ah batteries.		334290	USA	\$12.14
350A-G	Grade A Panel Enclosure	The 350A is a large, Grade A, attack-resistant enclosure that has a heavy 16-gauge rolled steel door, tamper switches, and an inside mounting bracket for a wire-in transformer. Models 350B, 350C, and 350D can be added to provide for accessory module installations and additional conduit positions. UL listed. Dimensions: 17.5" W x 12.5" H x 2.75" D.		334290	USA	\$57.68
350B	Slide-In Bracket	The 350B is a slide-in bracket that provides a standard 3-hole pattern for auxiliary module installation.		334290	USA	\$5.19
350C-G	Conduit Backbox	350C is a Conduit backbox that attaches to the rear of the enclosure to provide additional conduit positions.		334290	USA	\$25.34
350D-92	Mounting Plate	Mounting plate that is easily installed in any enclosure to provide a standard 3-hole pattern for mounting DMP auxiliary modules. Also used with the iCOMSL and 377 Trouble Annunciator Module for UL Fire and Burglary applications.		334290	USA	\$14.56
350S-G	Enclosure Shelf	Standard panel enclosure shelf. Room for two 7.7 Ah batteries.		334290	USA	\$18.74
351-G	Universal Mounting Plate	The Universal Mounting Plate is a mounting skirt that allows you to upgrade older DMP 1812 series control panels without removing the enclosure and conduit from the wall. It will also quickly and easily allow you to upgrade all Radionics enclosures to any DMP XR Series Command Processor Panel.		334290	USA	\$34.01
352P-G	Enclosure	X-LRG ENCLOSURE, GRAY, 50S-12-G		334290	USA	\$331.49
352S-G	Extra Large Battery Enclosure	Extra Large enclosure with five shelves to hold batteries for standby power. Dimensions: 14.5" x 32" x 4" (lid add 0.5" on each side)		334290	USA	\$225.34
352X-G	Extra Large Panel Enclosure	Extra large enclosure with transformer and mounting plate to hold an XR Series panel, power supply, and one zone expander PCB. One battery shelf included. Dimensions: 14.5" x 32" x 4" (lid adds 0.5" on each side)		334290	USA	\$215.16
354A-G	Mounting Plate	This mounting plate allows you to install two 714 or 715 8 or 16 point zone expander PCBs without removing the enclosure and conduit from the wall.		334290	USA	\$30.53
354-G	Retrofit Plate	This mounting plate allows you to install a 714 or 715 8 or 16 point zone expander without removing the enclosure and conduit from the wall.		334290	USA	\$23.02
ES501	Plug-In Transformer Enclosure	Low voltage plug-in transformer enclosure. Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Dimensions: 4.25" x 5.625" x 2.5"		334290	USA	\$15.72

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
ES502	Transformer Enclosure	Low voltage plug-in transformer enclosure. Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Also used for physically protecting plug-in sure protectors. Dimensions: 4.75" x 5.625" x 3.75"		334290	USA	\$20.45
XT30						
XT30DM-G	XT30	42 ZONES,DIALER,349-G MED GREY ENCLOSURE		334290	USA	\$68.46
XT30DNM-G	XT30	42 ZONES,DIALER/NETWORK,349-G MED GREY ENCLOSURE		334290	USA	\$160.81
XT30DNPCB	Panel, Board only	Panel, Board only, with Dialer, Network		334290	USA	\$141.06
XT30DNS-G	Panel	Panel, in 340 enclosure, with Dialer, Network		334290	USA	\$148.81
XT30DPCB	XT30	42 ZONES, DIALER, BOARD ONLY		334290	USA	\$49.37
XT30DS-G	Panel	Panel, in 340 enclosure, with Dialer		334290	USA	\$57.12
XT30M-G	XT30	42 ZONES,NO COMMUNICATIONS,349-G MED GRY ENCLOSUR		334290	USA	\$64.89
XT30NM-G	XT30	42 ZONES,NETWORK, 349-G MEDIUM GRY ENCLOSURE		334290	USA	\$148.82
XT30NPCB	XT30	42 ZONES,NETWORK, BOARD ONLY		334290	USA	\$129.72
XT30NS-G	XT30	42 ZONES, NETWORK, 340-G SMALL GRAY ENCLOSURE		334290	USA	\$137.58
XT30PCB	XT30	42 ZONES, BOARD ONLY, NO COMMUNICATIONS ON BOARD		334290	USA	\$45.89
XT30S-G	XT30	42 ZONES, NO COMMUNICATION ONBOARD,SM 340-G ENCLSR		334290	USA	\$53.65
XT50						
XT50DM-G	XT50	58 ZONES,DIALER, WIRELESS RCVR, MED 349G ENCLSR		334290	USA	\$103.73
XT50DNM-G	XT50	58 ZONES,NETWORK/DIALER,WLS RCVR,MED 349-G ENCLOSUR		334290	USA	\$194.71
XT50DNPCB	XT50	58 ZONES,NETWORK/DIALER,WIRLESS RCVR, BOARD ONLY		334290	USA	\$171.34
XT50DNS-G	Panel	Panel, in 340 enclosure, with Dialer, Network and Wireless Receiver		334290	USA	\$183.38
XT50DPCB	XT50	58 ZONES,DIALER, WIRELESS RECEIVER, BOARD ONLY		334290	USA	\$80.35
XT50DS-G	Panel	Panel, in 340 enclosure, with Dialer and Wireless Receiver		334290	USA	\$92.38
XT50NM-G	XT50	XT50, NETWORK MED ENCLOSURE		334290	USA	\$183.38
XT50NPCB	XT50	XT50, NETWORK, PCB ONLY		334290	USA	\$160.15
XT50NS-G	XT50	XT50,NETWORK, SMALL ENC		334290	USA	\$172.04
XT50PCB	XT50	XT50, PCB ONLY		334290	USA	\$76.88
XT50S-G	XT50	58 ZONES,NO COMMUNICATION,WLS RCVR,SM GREY 340-G		334290	USA	\$88.92
POWER SUPPLIES & TRANSFORMERS						
BATTERIES						
318	Battery Harness	Allows you to connect two batteries to the panel. Suitable for use in fire applications.		334290	USA	\$7.51
318EXT	Battery Harness Extension	48" extension allows you to extend the panel battery wires.		334290	USA	\$9.02
318R	Battery Harness	Allows you to connect two batteries with ring-style battery leads to the panel. Suitable for use in fire applications.		334290	USA	\$7.51
505-12A-G	5 Amp Power Supply	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a heavy gauge metal enclosure. (115 VAC, 12 VDC)		334290	USA	\$188.01
505-12-G	5 Amp Power Supply	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a metal enclosure. (115 VAC, 12 VDC)		334290	USA	\$175.62
505-12L-G	5 Amp Power Supply	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a large metal enclosure. (115 VAC, 12 VDC)		334290	USA	\$176.68

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
505-12L-R	5 Amp Power Supply		334290	USA	\$176.68
505-12LX-G	5 Amp Power Supply		334290	USA	\$287.10
505-12LX-R	5 Amp Power Supply		334290	USA	\$287.10
505-12PCB	5 Amp Power Supply		334290	USA	\$74.11
505-12-R	Power Supply		334290	USA	\$175.62
325	TERMINAL STRIP WITH COVER		334290	USA	\$4.28
378	BARREL CONNECTOR WITH CORD		334290	USA	\$3.38