

General Services Administration

Authorized Federal Supply Schedule

Shipping, Packing, Packaging Supplies, Shipping Sacks, Bags,
Aluminum Foil, Packaging Services and New Technology
(Schedule 81 I B)



Pikes Peak Cargo Secure, Inc
4740 Forge Road, 112
Colorado Springs, CO 80907

Phone: (719) 579-0476

Fax: (719) 538-5935

www.pikespeakcargosecure.com

Contract Number: GS-02F-0065P

Contract Period: January 13, 2004 through January 12, 2009

Business Size: Servi

ce-Disabled Veteran-Owned Small Business



Customer Information

1a Special Item Numbers: SIN 617-8 New Technology

1b. Lowest priced model and lowest unit prices: Prices shown in pricelist are net.

1c. Labor Category Descriptions: Not Applicable.

2. Maximum Order: \$ 150,000. Orders exceeding the maximum order threshold may be placed in accordance with clause I-FSS-125, Requirements Exceeding the Maximum Order (SEP 1999).

3. Minimum Order: \$100

4. Geographic Coverage: 48 Contiguous States Including District of Columbia, Alaska, Hawaii, Puerto Rico, and to consolidation points or conus ports within the above for overseas deliveries.

5. Points of Production: Colorado Springs, CO

6. Statement on Net Price: Prices shown in pricelist are net.

7. Quantity Discounts: For orders \$150,000 or greater an 8% discount on all items offered off the Most Favorite Customer Pricing (Commercial Price List). Quantity discount offered on select items as stated in pricing.

8. Prompt Payment Terms: 1%, 10 days.

9a. Acceptance of Government purchase cards below micro-purchase threshold:

Pikes Peak Cargo Secure, Inc. accepts Government Purchase Cards below the micro-purchase threshold.

9b. Acceptance of Government purchase cards above micro-purchase threshold:

Pikes Peak Cargo Secure, Inc. accepts Government Purchase Cards above the micro-purchase threshold.

10. Foreign Items: N/A

11a. Time of Delivery: Normal delivery 14 days ARO for quantities less than 1,000. For quantities greater than 1,000 contractor and ordering agency to negotiate per each delivery order.

11b. Expedited Delivery: Contact Pikes Peak Cargo Secure, Inc. for expedited delivery. To be negotiated between contractor and ordering agency per each delivery order.

11c. Overnight and Two-day Delivery: Contact Pikes Peak Cargo Secure, Inc. for overnight and two-day delivery. To be negotiated between contractor and ordering agency per each delivery order.

11d. Urgent Requirements: Contact Pikes Peak Cargo Secure, Inc. contractor s representative for a faster delivery under the Urgent Requirements clause.

12. F.O.B Points: Pikes Peak Cargo Secure, Inc. s commercial policy for shipping is FOB origin. Orders can be shipped domestic or overseas through DoD transportation system if Government Bill of Lading (GBL) is provided. Contact Pikes Peak Cargo Secure, Inc. for more information.

13. Ordering Address:

Pikes Peak Cargo Secure, Inc.

4740 Forge Road

Colorado Springs, CO 80907

Attn: David J. Stanley, President

Phone: (719) 579-0476

Fax: (719) 538-5935

E-mail: judy.mattie@ppcsin.com

13b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules).

14. Payment Address:

Pikes Peak Cargo Secure, Inc.

4740 Forge Road, 112

Colorado Springs, CO 80907

Attn: David J. Stanley, President

15. Warranty Provision: Manufacturers Standard Warranty covers all products.

16. Export Packing Charges: N/A

17. Terms and conditions of Government commercial credit card acceptance:
N/A

18. Terms and conditions of Government rental, maintenance, and repair: N/A

19. Terms and conditions of installation: N/A

20. Terms and conditions of repair parts indicating date of parts price lists and any discount from list prices: N/A

20a. Terms and conditions for any other services: N/A

21. List of service and distribution points: N/A

22. List of participating dealers: N/A

23. Preventive Maintenance: N/A

24a. Environmental Attributes: N/A

24b. Section 508 Compliance: No

25. Data Universal Number (DUNS): 12-472-6220

26. Notification regarding registration in CCR database: Pikes Peak Cargo Secure, Inc. is registered in the Central Contractor Registration (CCR) database.

Corporate Overview

Pikes Peak Cargo Secure, Inc

Safety, common sense and education are the key words when using any cargo securement device. It is the users responsibility to always determine the suitability of a product for any particular use. When only the BEST will do, our products will stand up to the test for Quality, Innovation, Reliability and Strength.

David Stanley, President

Pikes Peak Cargo Secure, Inc.

Pikes Peak Cargo Secure, Inc. was founded by President, David Stanley, as a means for offering his unique design for a safe and efficient cargo securement and restraint system the Variable All Terrain Tiedown Systems VATTS . Pikes Peak Cargo Secure, Inc. is the designer and patent holder of VATTS which offers both commercial and government agencies a restraining cargo strap system designed to improve safety and portability of secured loads for small and large all-terrain vehicles.

What is VATTS ?

VATTS came about due to an increasing concern about the safety and efficiency of state-of-the-art methods of restraining in-transit cargo. This has led to increased government regulation and changing industry practice. It is recognized that continued reliance on past practices and currently available equipment has lead to the continuation of shifting loads, damaged goods and accidents resulting from freight/supplies falling onto a roadway from a transporting vehicle.

The majority of current cargo restraint systems consist of one or more belts that cover the load and are attached at each of their ends to anchoring attachments along the edge of or embedded in the surface of the bed of the transport device, whether rail, air or highway vehicle. Using more belts or straps to better secure the load is impractical because the number of anchor points on existing transports limits the number of belts and their effective spacing. In addition, as the height of the cargo increases, so does the instability and ineffectiveness of the restraining system. The current available straps do not allow for the proper retention of stacked cargo, that is, cargo that is piled onto cargo that is already secured with all of the means that are available. In addition, today s current

straps do not adequately support multiple load packages of divergent shapes, sizes and character that must be stacked one on top of the other. VATTS allows the user to have tie down points above the bed of the truck for soft cargo or the use of tie down points for loose heavy cargo.

Why VATTS ?

Safety, common sense and education are the key words when using any cargo securement device. It is the users responsibility to always determine the suitability of a product for any particular use. When only the BEST will do, VATTS will stand up to the test for Quality, Innovation, Reliability and Strength.

VATTS provides a cargo securement device, which is strong enough to supply the necessary restraining forces to prevent damage caused by shifting during transport. VATTS attains this through its ability to be connected to other straps. This allows your cargo to have multiple tiedown points from a single anchor point on the transport vehicle for hard and soft cargo combinations. VATTS also requires fewer tiedown locations.

Products Offered

SIN 617-8 New Technology

Pikes Peak Cargo Secure, Inc. provides government-ordering agencies the following VATTS products designed for specific applications based on load size.

MIL VATTS ~ Designed For Large All-Terrain Vehicles

The MIL VATTS provides users with a stable, versatile transport capability for all cargo over open developed roads and during off road maneuvers. The MIL VATTS is used with the standard web strap tie down assembly (4 required).

Each ratchet strap is staggered so that two housing assemblies are on each side as shown. Two personnel should always be used when securing loads to ensure that the cargo is being tensioned down evenly and to prevent crushing of the cargo.

The MIL VATTS is 31.5 inches bearing point to bearing point with (4) D rings rated break strength (BS) of 10,600 lb., 1 3/4 inch web strap rated (BS) 6800 lb., (1) anchor hook rated (BS) 6000 lb., (WLL 2000 lbs.).

HUM VATTS ~ Designed For Small All-Terrain Vehicles

The HUM VATTS is used with the HUM VATTS ratchet web strap tiedown assembly. (4 Required). Each ratchet strap is staggered so that two housing assemblies are on each side as shown. Two personnel should always be used when securing loads to ensure that the cargo is being tensioned down evenly and to prevent crushing of the cargo. When using the HUM VATTS (4 each) it is best to create his pattern (boxed X) with (4 each) ratchets, as it provides the maximum securement with each layer. This can usually be achieved on the HMMWV, Pickup, 3/4T Trailer and the 1-1/2T Trailer.

The HUM VATTS is 20 inches bearing point to bearing point with (4) D rings rated break strength (BS) of 6500 lb., 1 inch web strap rated (BS) 3800 lb., (1) anchor hook rated (BS) 5500 lb. (WLL 1267lbs.)

HUM VATTS PAC

The HUM VATTS PAC set includes eight 12-foot ratchet straps, four 20-inch HUM VATTS and two custom black ABS plastic containers.

Prices

Pikes Peak Cargo Secure, Inc. provides government ordering agencies the following pricing for VATTs products under SIN 617-8 New Technology.

CLIN	ITEM	Quantity	Price
001	MIL VATTs STRAP	All Quantities	\$38.53
002	HUM VATTs STRAP	All Quantities	\$34.94
003	HUM VATTs RATCHET	All Quantities	\$30.10
006	MIL VATTs 1 3/4" RATCHET	All Quantities	\$26.38
007	VATTs SAC KITS STORAGE BAG, SMALL	All Quantities	\$36.92
008	HUM VATTs 1" SAC KIT SM	All Quantities	\$417.46
009	MIL VATTs 1 3/4" SAC KIT SM	All Quantities	\$219.49
010	HUM VATTs 1" SAC KIT LARGE	All Quantities	\$790.48
011	MIL VATTs 1 3/4" SAC KIT LARGE	All Quantities	\$523.38
012	VERSA VATTs 2" SAC KIT	All Quantities	\$702.79
013	VERSA VATTs 4" SAC KIT	All Quantities	\$716.28

014	E-TRAC KIT	All Quantities	\$309.67
015	VATTS KIT FOR 20' MIL VAN	All Quantities	\$1313.86
016	FULL MIL VAN KIT	All Quantities	\$1623.53
017	E-TRAC 10' SECTION (CUT INTO 4 EA, 30" SECTIONS)	All Quantities	\$25.61
018	E-TRAC CLIP 6,000 LBS BS	All Quantities	\$6.94
019	CARGO/AMMO BELT (12" W x 108" L)	All Quantities	\$191.4
020	CARGO TIEDOWN CABLE (30,000 lbs. BS)	All Quantities	\$184.69
021	CORDURA SLEEVE 2" STRAP PROTECTOR	All Quantities	\$7.22
022	CORDURA SLEEVE 3" STRAP PROTECTOR	All Quantities	\$7.22
023	CORDURA SLEEVE 4" STRAP PROTECTOR	All Quantities	\$8.53
024	NYLON SLEEVE W/VELCRO CLOSURE 4"	All Quantities	\$34.14
025	NYLON SLEEVE 4"	All Quantities	\$20.91
026	POLY PAD (HEAVY DUTY 2")	All Quantities	\$6.34
027	POLY PAD (HEAVY DUTY 3" AND 4")	All Quantities	\$9.55
028	MOLDED PLASTIC CORNER PROTECTOR	All Quantities	\$1.61
029	1" SPIDER VATTS™ STRAP SYSTEM	All Quantities	\$222.64
030	1 3/4" SPIDER VATTS STRAP SYSTEM	All Quantities	\$278.30
031	3"AMMO BELT (3" W x 108" L)	All Quantities	\$64.78
032	6"AMMO BELT (6" W x 108" L)	All Quantities	\$107.27
033	STRAPPING SYSTEM KIT – 1" VATTS® STRAPPING KIT	All Quantities	\$166.10
034	STRAPPING SYSTEM KIT – 1 3/4" VATTS STRAPPING KIT	All Quantities	\$196.55
035	VERSA VATTS® 3" SAC KIT	All Quantities	\$659.67
036	VATTS® SAC KIT STORAGE BAG LARGE	All Quantities	\$37.95
037	VERSA VATTS® 2" STRAP SHORT	All Quantities	\$52.53
038	MONO VATTS® 2" RATCHET	All Quantities	\$41.58
039	MUTI VATTS® 1" STRAP	All Quantities	\$29.57
040	MUTI VATTS® 2" STRAP	All Quantities	\$130.63
041	MONO VATTS® 1" RATCHET	All Quantities	\$17.16
042	1" x 6' LEAD W/1" SNAP HOOK	All Quantities	\$6.38

043	1" x 12' LEAD W/1" SNAP HOOK	All Quantities	\$7.59
044	1" x 20' LEAD W/1" SNAP HOOK	All Quantities	\$9.88
045	HUM VATTS® STRAP SHORT W/1" SNAP HOOK	All Quantities	\$25.30
046	HUM VATTS® STRAP SHORT W/2" SNAP HOOK	All Quantities	\$25.30
047	MIL VATTS® STRAP SHORT W/2" SNAP HOOK	All Quantities	\$35.48
048	POLY LOOP ANCHOR 13,000 LB. BS	All Quantities	\$20.90
049	CHAIN ANCHOR ML 20,000 LB. BS	All Quantities	\$26.88
050	CHAIN ANCHOR GH 20,000 LB. BS	All Quantities	\$28.53
051	2" VEHICLE RECOVERY STRAP W/SHACKLES 32,000 LB. BS	All Quantities	\$150.15
052	3" VEHICLE RECOVERY STRAP W/SHACKLES 43,000 LB. BS	All Quantities	\$225.00
053	4" VEHICLE RECOVERY STRAP W/SHACKLES 57,000 LB. BS	All Quantities	\$290.60

Note:

1. For orders greater than \$150,000 client agency will receive an 8% discount off the Commercial Price List.
2. Pikes Peak Cargo Secure, Inc. accepts Blanket Purchase Agreements (BPAs).

Limited Warranty and Returns Policy

Pikes Peak Cargo Secure, Inc. (PPCS) agrees to replace any goods determined to be defective in material or workmanship within ninety (90) days from date of invoice/receipt, provided written notice is given immediately upon the discovery of such defect and the defective goods are promptly returned to 2812 Janitell Rd, Colorado Springs, CO. 80906. This shall not apply to any goods which have been subjected to misuse, negligence, accident, alteration or unauthorized repair. PPCS's sole obligation shall be the replacement of any goods which are defective. PPCS shall not be liable for special, incidental or consequential damage, delays directly or indirectly from the sale or use of the defective goods and will make no allowance for replacement without its

written consent. PPCS will accept returns of the product after ninety (90) days of the invoice/receipt provided that is returned within that time period and has not been used. No returns will be made after the time defined.