



Published GSA Price List


Urban
Operations
UOS / MOUT

Training
Support
Solutions

Specialized
Tactical
Training

Live
Fire
Solutions

Mobile
Training & Range
Support Facilities



GSA *Advantage!*[®]
Contract# GS-02F-0082U

Allied Container Systems, Inc.

201 North Civic Drive, Ste 180 • Walnut Creek, CA 94596 • 800-943-6510 • www.alliedcontainer.com

**GSA PRICE LIST
GENERAL SERVICES ADMINISTRATION**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through **GSA Advantage!**, a menu-driven procurement system. The INTERNET address for **GSA Advantage!** is: <http://www.gsa.gov>

CONTRACT NO.: GS-02F-0082U

CONTRACT PERIOD: April 18, 2008 through April 17, 2013

CONTRACTOR: Allied Container Systems, Inc.
201 N. Civic Drive, Suite 180
Walnut Creek, CA 94586


TELEPHONE NO.: (925) 944-7600

E-MAIL: gail.pierson@alliedcontainer.com
brenda.mcquiston@alliedcontainer.com

CONTRACT ADMINISTRATION SOURCE: Brenda McQuiston
Title: Director of Contracts
Telephone No.: (925) 944-7600
Fax: (925) 944-7601

BUSINESS SIZE: Woman Owned Small Business

- 1a. **Table of Awarded Special Item Numbers with Appropriate cross reference to Page Number(s):** FSC: 6910: SIN 874 4, SIN 874-9: See attached descriptions and pricing
- 1b. **Lowest Priced Model Number for Each Awarded Special Item Number(s):** This price is the Government price based on a unit of one, exclusive of any quantity/dollar volume, prompt payment, or any other concession affecting price.
- 1c. **Hourly Rates:** See attached Table of Services Offered.
- 2a. **MAXIMUM ORDER LIMITATION:** \$1,000,000.
- 2b. **ORDERS EXCEEDING THE MAXIMUM ORDER LIMITATION:** Allied Container Systems, Inc. reserves the right to negotiate mutually acceptable contract financing provisions pursuant to FAR Part 32 directly with the Ordering Agency applicable to all orders, or combinations of orders for installation at a single Government site, exceeding \$250,000 aggregate price.
3. **MINIMUM ORDER LIMITATION:** \$ 41.00
4. **GEOGRAPHIC COVERAGE (DELIVERY AREA):** Worldwide
5. **POINT OF PRODUCTION:** Walnut Creek, Contra Costa County, CA, United States
6. **DISCOUNTS FROM LIST PRICES:** Prices shown herein are NET (discounts have been deducted).
7. **QUANTITY DISCOUNTS:** Reference all items under SIN 874 9, the Published GSA Prices constitute a discount of 9.0% off commercial catalogue prices. Additional discounts from published prices are as follows:
 - a. For all units ordered concurrently and that are scheduled for delivery and installation at the same Government facility or site in quantities 1 ea. through 5 ea., no additional discount applies;
 - b. For all units ordered concurrently and that are scheduled for delivery and installation at the same Government facility or site in quantities 6 ea. through 10 ea., an additional 1.0% discount applies;




GSA MOBIS CONTRACT NO. GS-02F-0082U

- c. For all units ordered concurrently and that are scheduled for delivery and installation at the same Government facility or site in quantities in excess of 10 ea., an additional 3.0% discount applies;
- d. For all units ordered as “add-on orders” to an existing delivery order and that are scheduled for delivery and installation at the same Government facility or site concurrent with or contiguous to the existing order, an additional 3.0% discount applies, irrespective of the quantity ordered.

Reference all items covered under SIN 874 9, the **Published GSA Prices** constitute a discount of 9.0% off commercial catalogue prices. Additional discounts from published prices are as follows:

- a. For all orders placed in the amount of \$1.00 up to \$50,000 per delivery order for concurrent delivery at the same Government facility or site, no additional discount applies;
 - b. For all orders placed in excess of the amount of \$50,000 up to \$100,000 per delivery order for concurrent delivery at the same Government facility or site, an additional 1.0% discount applies irrespective of the quantity of units ordered;
 - c. For all orders placed in excess of the amount of \$100,000 per delivery order for concurrent delivery at the same Government facility or site, an additional 3.0% discount applies, irrespective of the quantity of units ordered.
8. **PROMPT PAYMENT TERMS:** NET 20 Days. Payments made electronically within 10 calendar days of submission of a proper invoice or final inspection and acceptance, whichever is later, shall be granted a prompt payment discount in the amount of one-half percent (0.5%) of the total invoice amount. Partial invoice payments are not subject to the prompt payment discount.
9. **GOVERNMENT COMMERCIAL CREDIT CARD:** Accepted
10. **FOREIGN ITEMS:** Not Applicable
11. **TIME OF DELIVERY:** Time of delivery to be negotiated between Allied Container Systems, Inc. and the Ordering Agency at the time of order placement. Delivery dates will be stipulated in number of days after the latest of receipt of order; completion of Environmental Assessment (EA) or Environmental Impact Statement (EIS), receipt of permits and export authorization, if required, to be furnished by the Government; completion of final site plan or completion of the Government Furnished Equipment & Services specified below.
- 11a. **EXPEDITED DELIVERY:** Not Applicable.
- 11b. **OVERNIGHT AND 2-DAY DELIVERY:** Not Applicable
- 11c. **URGENT REQUIREMENTS:** Not Applicable.
12. **FOB POINT(S):** Origin. Ordering Agency to specify Government Bill of Lading (GBL) or commercial freight. All freight charges are subject to contractor's handling fee as set forth elsewhere herein.
13. **ORDERING ADDRESS:**
Allied Container Systems, Inc.
Attn: GSA Orders
201 N. Civic Drive, Suite 180
Walnut Creek, CA 94586
TIN: 68-0285160 DUNS: 79-395-8943 CAGE: OUBK7
14. **PAYMENT ADDRESS:**
Allied Container Systems, Inc.
Attn: Accounts Payable
201 N. Civic Drive, Suite 180
Walnut Creek, CA 94586
15. **WARRANTY PROVISIONS:** Standard commercial warranty applies to domestic orders. Products are warranted to be free of defects in material and workmanship at the time of inspection and acceptance. No extended warranty is available on domestic orders. Pursuant to contract clause 552.246-73 Warranty-- Multiple Award Schedule (MAR 2000), ACS will furnish a 90 days post acceptance warranty for overseas deliveries subject to negotiation of a mutually acceptable price adjustment directly with the Ordering Agency at the time of order placement. Overseas warranty price adjustments shall be based on geographic location and size of the installation order.




GSA MOBIS CONTRACT NO. GS-02F-0082U

16. **EXPORT PACKING CHARGES:** Export shipping and delivery services may be available from Allied Container Systems, Inc. depending upon delivery location. Charges for export shipping and delivery services are to be negotiated between Allied Container Systems, Inc. and the Ordering Agency at the time of order placement.
17. **TERMS AND CONDITIONS OF GOVERNMENT COMMERCIAL CREDIT CARD ACCEPTANCE:** No additional discount for Government credit card orders.
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE AND REPAIR:** Not Applicable
19. **TERMS AND CONDITIONS OF INSTALLATION:**
 Notwithstanding any other terms, conditions, clauses or provisions set forth in or incorporated by reference into this contract, all product prices are offered F.O.B. Origin - Manufacturer's Plant and exclude special configuration engineering, site planning, site preparation and installation. Transportation to the installation site will be supplied by the contractor via common carrier commercial bill of lading. Ordering agencies may also specify transportation via Government Bill of Lading (GBL). Site planning, site preparation and installation services are required to be ordered on a time and materials (T&M) basis in accordance with the labor rates and handling charges set forth below. Orders for multiple items to be assembled into training environment configurations not expressly specified in this contract are subject to configuration engineering review and acceptance by ACS. ACS' engineering review is required to ensure structural integrity and functional compatibility. Configuration engineering review will be provided by ACS prior to order acceptance at no additional cost to the Government. All non-ACS labor and other direct costs associated with installation services, e.g., purchased labor and material, equipment rental, travel expenses, etc. are subject to a handling charge in the amount of 15% of actual cost. ACS will provide an estimate of such cost to the Ordering Agency for inclusion in the order at the time of placement. In addition, all prices are based upon ACS receipt of the following Government furnished items in the quantity and at such times as specified below:

GOVERNMENT FURNISHED EQUIPMENT & SERVICES

Item No.	Qty.	Description	Need Date
1	Lot	Unexploded Ordinance (UXO) sweeps and removal if required by base safety authorities	Schedule Note 1
2	Lot	Completed Environmental Assessment (EA) or Environmental Impact Statement (EIS), if required, for the planned installation site with determinations as follows: <ul style="list-style-type: none"> o No adverse findings for the selected site o No adverse Wetlands impact 	Schedule Note 1
3	Lot	State approved Storm Runoff and Drainage Plan, if required by state	Schedule Note 1
4	Lot	On site area to dump excavated soil materials or required fill materials (Borrow Pit)	Schedule Note 1
5	Lot	Concrete foundation and decking (if required)	Schedule Note 1
6	Lot	Installation site obstacle clearance (wooded areas including trees, above ground structures, etc.)	Schedule Note 1
7	Lot	Utility services, if necessary	Schedule Note 1
8	Lot	Access roads including turn around area for a 48' trailer plus tractor	Schedule Note 1
9	Lot	Installation site access during normal business hours (7AM-6PM, Mondays through Fridays, excluding holidays observed by the installation)	Schedule Note 1



GSA MOBIS CONTRACT NO. GS-02F-0082U

Schedule Notes:




1. Completion required prior to agreed schedule for initiation of ACS site installation.



Allied Container Systems, Inc. has not performed a comprehensive survey of the planned installation sites. Accordingly, the price offered herein is expressly conditioned upon each installation site conforming to the following topographic and geologic conditions:

REQUIRED SITE CONDITIONS



Elevation & Topography:	<ul style="list-style-type: none"> • Suitable for structure installation • No major drainage or filling required • Requires only simple "open" ditches with depths less than 3 feet
Soil & Terrain Characteristics:	<ul style="list-style-type: none"> • Clear of rock or rock outcroppings or any other in-place soil conditions that would preclude minimum excavation of in-place soil and installation of simple drainage structures • In place soils are satisfactory for structure installation

20. **TERMS AND CONDITIONS OF REPAIR PARTS:** Not Applicable:
21. **LIST OF SERVICE AND DISTRIBUTION POINTS:** Not Applicable
22. **LIST OF PARTICIPATING DEALERS:** Not Applicable
23. **PREVENTIVE MAINTENANCE:** Not Applicable
24. **ENVIRONMENTAL ATTRIBUTES (e.g., RECYCLED CONTENT, ENERGY EFFICIENCY, AND/OR REDUCED POLLUTANTS):** Not Applicable
- 24a. **ELECTRONIC AND INFORMATION TECHNOLOGY (EIT) DETAILS:** Not Applicable
25. **DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER:** 79-395-8943
26. **NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE:** CAGE Code 0UBK7. Registration valid until 07/26/2012.


ITEM NO.	IMAGE	ITEM DESCRIPTION
ACS -MODULE	 <p>ACS-MODULE</p> <p>Option: Railing</p> <p>Option: Window</p> <p>Option: Partition</p> <p>Option: Door</p> <p>Option: Container type</p> <p>COMPLETED STRUCTURE (CONSIST OF 4 ACS-MODULES)</p>	<p>ACS Configurable Urban Training System Module. Training structures can be configured to the customer's specification utilizing the ACS Module Options Table.</p>
AA-NLF-GSA		<p>Single Unit Non-Live Fire Urban Training Environment, 320 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training (Cut-away view, roof not shown)</p>
AA-1-NLF-GSA		<p>Single Unit Non-Live Fire Urban Training Environment 320 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training</p>
AB-NLF-GSA		<p>Double Unit Non-Live Fire Urban Training Environment 640 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.</p>
AC-NLF-GSA		<p>C Shaped, single-story Non-live Fire Urban Training Environment 1920 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.</p>
AD-NLF-GSA		<p>One-Story, L Shaped Non-Live Fire Urban Training Environment 640 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.</p>
AG-NLF-GSA		<p>One-Story, T Shaped Non-Live Fire Urban Training Environment 640 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.</p>
AH-NLF-GSA		<p>One-Story, C Shaped Non-Live Fire Urban Training Environment 1920 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown</p>
AJ-NLF-GSA		<p>Two-Story Non-Live Fire Urban Training Environment 960 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training</p>
AK-NLF-GSA		<p>Multi-Story Non-Live Fire Urban Training Environment 4160 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training</p>

ITEM NO.	IMAGE	ITEM DESCRIPTION
AL-NLF-GSA		Multi-Story H Shaped Non-Live Fire Urban Training Environment 2240 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
AN-NLF-GSA		Two-Story, L Shaped Non-Live Fire Urban Training Environment 1920 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
AP-NLF-GSA		Two-Story Non-Live Fire Urban Training Environment 1920 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
AQ-NLF-GSA		Two-Story, Non-Live Fire Urban Training Environment 1920 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
AR-NLF-GSA		Three-Story Non-Live Fire Urban Training Environment 1920 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
AW-1-NLF-GSA		One-Story, Non-Live Fire Urban Training Environment 960 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.
AW-3-NLF-GSA		Three-Story Urban Training Environment 2880 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
MKT-1-NLF-GSA		One Story, Marketplace style Non Live Fire Urban Training Environment 320 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.
BA-NLF-GSA		Single Unit, Non-Live Fire Urban Training Environment 160 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training
BB-NLF-GSA		Double Unit, Single Story Non Live Fire Urban Training Environment 320 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training Cut-away view, roof not shown.

GSA MOBIS CONTRACT NO. GS-02F-0082U

ITEM NO.	IMAGE	ITEM DESCRIPTION
CA-NLF-GSA		<p>Single Unit Non Live Fire Urban Training Environment 80 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training. Building is used in scenarios requiring a small market place, huts or group of small buildings</p>
GT-1-NLF-GSA		<p>Two-Story Guard Tower 160 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training.</p>
RHU-1-NLF-GSA		<p>Residential Housing Unit 80 sq. ft. Reconfigurable, mobile, modular training site designed for non live fire urban training.</p>
UAC-STN1-NLF-GSA		<p>Urban Assault Course Station 1 Non Live Fire Urban Training Environment 960 sq. ft. Designed to meet urban training requirements outlined in US Army Training Circular 90-1</p>
UAC-STN2-NLF-GSA		<p>Urban Assault Course Station 2 Non Live Fire Urban Training Environment 2400 sq. ft. Designed to meet urban training requirements outlined in US Army Training Circular 90-1</p>
MPT-ISO-500-GSA		<p>(top 4 stories shown) Multi Purpose Tower (MPT), 5 stories, non-live fire, with FRIES, Helo, climbing wall, and rappelling stations. 3,200 sq. ft., 42' 6" high Tower features include 15' perimeter fall protection pad, lightning protection, Office (HVAC, light/receptacle, data capability), breachable doors and windows, ACS Wet Weather System Prices do not include freight & delivery, permits, site preparation, concrete pads or foundations, and installation.</p>
AAR-MODS-2436-GSA		<p>Modular After Action Review (AAR) Building, 24' x 36' 864 sq. ft. Classroom and training space with separate control/server room, HVAC to both rooms, lighting and electrical, data and telecom ready. Options: HVAC upgrades, electrical upgrades, additional doors, windows, interior rooms, and furniture. Prices do not include freight & delivery, permits, site preparation, concrete pads or foundations, and installation.</p>
AAR-MODS-2460-GSA		<p>Modular After Action Review (AAR) Building, 24' x 60' 1,440 sq. ft. Classroom and training space with separate control/server room, HVAC to both rooms, lighting and electrical, data and telecom ready. Options: HVAC upgrades, electrical upgrades, additional doors, windows, interior rooms, and furniture.</p>
AAR-MODS-3660-GSA		<p>Modular After Action Review (AAR) Building, 36' x 60' 2,160 sq. ft. Classroom and training space with separate control/server room, HVAC to both rooms, lighting and electrical, data and telecom ready. Options: HVAC upgrades, electrical upgrades, additional doors, windows, interior rooms, and furniture.</p>


ITEM NO.	IMAGE	ITEM DESCRIPTION
CYW-GSA		Courtyard Walls in sections of 8'Hx5'W
PGATE-GSA		Steel Personnel Gate
VGATE-GSA		Steel Vehicle Gate
FAUX-EXT-GSA		ACS patent pending Faux Stucco Concrete Siding, sand finish for exteriors Provides a realistic appearance to ACS training structures. Price based on ACS factory installation.
FAUX-INT-GSA		ACS patent pending Faux Stucco Concrete Siding, smooth finish for interiors Provides a realistic appearance to ACS training structures. Price based on ACS factory installation.
ACS-IF-ASF00-FIELD		ACS Architectural Stone Finish for enhanced, in-theater realism on training structures. System is waterproof, fireproof, mold and mildew resistant, easily repairable, and contains no wood or foam materials. ASF00-FIELD System is designed to be field applied to any existing flat metal sided ISO container structure, or any concrete surface like courtyard walls or CMU buildings.
ACS-IF-ASF01-FACT		ACS Architectural Stone Finish for enhanced, in-theater realism on training structures. System is waterproof, fireproof, mold and mildew resistant, easily repairable, and contains no wood or foam materials. ASF01-FACT System includes factory application of ACS flat siding over standard ISO container corrugation.
ACS-IF-ASF01-FIELD		ACS Architectural Stone Finish for enhanced, in-theater realism on training structures. System is waterproof, fireproof, mold and mildew resistant, easily repairable, and contains no wood or foam materials. ASF01-FIELD System includes field installation of ACS flat metal siding over existing, good quality corrugated ISO container structures.



GSA MOBIS CONTRACT NO. GS-02F-0082U


ACS MODULE OPTIONS TABLE

SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	01.0 GENERAL	BASEMENT - 20' ISO CONTAINER	EA	\$ 13,720.26
874 9	01.0 GENERAL	BASEMENT - 40' ISO CONTAINER	EA	\$ 18,943.50
874 9	01.0 GENERAL	BASEMENT VENTILATION SYSTEM (SOLAR)	EA	\$ 4,073.71
874 9	01.0 GENERAL	10' DP ROOF ISO CONTAINER - New	EA	\$ 5,438.04
874 9	01.0 GENERAL	20' DP ROOF ISO CONTAINER - New	EA	\$ 5,438.04
874 9	01.0 GENERAL	20' STD HIGH CUBE CONTAINER - New	EA	\$ 5,184.73
874 9	01.0 GENERAL	20' STD ISO CONTAINER - New	EA	\$ 3,730.04
874 9	01.0 GENERAL	40' DP ROOF ISO CONTAINER - New	EA	\$ 8,892.54
874 9	01.0 GENERAL	40' STD HIGH CUBE CONTAINER - New	EA	\$ 9,628.78
874 9	01.0 GENERAL	40' STD ISO CONTAINER - New	EA	\$ 6,109.09
874 9	01.0 GENERAL	10' CONTAINER - New	EA	\$ 3,730.04
874 9	01.0 GENERAL	NEW 40'-0" PLATFORM ISO CONTAINER	EA	\$ 9,628.78
874 9	01.0 GENERAL	SACON BLOCKS 3'x3'x3'	EA	\$ 2,500.00
874 9	02.0 DOORS	ARCHED DOOR - 36 " X 78 "	EA	\$ 1,281.37
874 9	02.0 DOORS	HOLLOW CORE STEEL DOOR BETWEEN 2 CONTAINERS	EA	\$ 2,056.11
874 9	02.0 DOORS	EXTERIOR HOLLOW METAL DOOR 36"x80" - 16 ga. Frame, 18 ga. Door in 2 x 4 tube steel frame w/ lockset, threshold, door bottom and weather stripping	EA	\$ 1,865.02
874 9	02.0 DOORS	EXTERIOR HOLLOW METAL DOOR 72"x80"- 16 ga. Frame, 18 ga. Door in 2 x 4 tube steel frame w/ lockset, threshold, door bottom and weather stripping	EA	\$ 3,033.80
874 9	02.0 DOORS	JAIL DOOR - 36 " X 78 " DOOR FRAME + 4 STEEL BARS	EA	\$ 1,139.16
874 9	02.0 DOORS	Ext. Breachable Door Assembly - 36 " X 78 " (ACS Kick in / Mechanical) Installed	EA	\$ 853.26
874 9	02.0 DOORS	Ext. Breachable Door Assembly - 36 " X 78 " (ACS Kick in / Mechanical) Installed in Cargo Door End	EA	\$ 2,866.41
874 9	02.0 DOORS	Ext. Breachable Door Assembly - 72" X 78" (ACS Kick in / Mechanical) Installed	EA	\$ 1,413.21
874 9	02.0 DOORS	Int. BREACHABLE DOOR - 36 " X 78 " + PASS THRU (ACS KICK-IN / MECHANICAL) Installed	EA	\$ 1,263.59
874 9	02.0 DOORS	Pre-Hung Door - 36 " X 78 " (Standard)	EA	\$ 585.13
874 9	02.0 DOORS	ROLL-UP DOORS 16'W X 7'H w/ Tube Steel Frame & Threshold	EA	\$ 5,800.97
874 9	02.0 DOORS	ROLL-UP DOORS 5'W X 7'H w/ Tube Steel Frame & Threshold	EA	\$ 2,134.63
874 9	02.0 DOORS	ROLL-UP DOORS 8'W X 7'H w/ Tube Steel Frame & Threshold	EA	\$ 2,875.30
874 9	02.0 DOORS	Ext. Breachable Door Assembly - 36 " X 78 " (w/ BTI Shotgun Door) Installed	EA	\$ 7,399.34
874 9	02.0 DOORS	INTERIOR PASS-THROUGH - 36" X 80"	EA	\$ 472.55



GSA MOBIS CONTRACT NO. GS-02F-0082U
ACS MODULE OPTIONS TABLE (Cont'd)


SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	02.0 DOORS	VEHICLE GATE - 16' W X 6' H	EA	\$ 7,815.60
874 9	02.0 DOORS	PERSONNEL GATE - 4' W X 6' H	EA	\$ 1,990.93
874 9	02.0 DOORS	VEHICLE GATE - 8' W X 6' H	EA	\$ 3,981.87
874 9	02.0 DOORS	LIFT ARM GATE - 16' BARRIER CATCHER ARM	EA	\$ 5,312.12
874 9	02.0 DOORS	Ext. Door Cut Out - 36 " X 78 "	EA	\$ 148.14
874 9	02.0 DOORS	Ext Tube Steel Door Frame - 36 " X 78 " (No Door)	EA	\$ 237.02
874 9	03.0 WINDOWS	36x39 Glazed Sliding Windows w/Screen & Blinds, Installed	EA	\$ 715.49
874 9	03.0 WINDOWS	Ext. Window Assembly, Installed - 12" X 12" (No Glazing, No Shutters)	EA	\$ 133.32
874 9	03.0 WINDOWS	Ext. Window Assembly, Installed - 36" X 36" (No Glazing, No Shutters)	EA	\$ 359.97
874 9	03.0 WINDOWS	Ext. Window Assembly, Installed - 36" X 36" (No Glazing, No Shutters) in Cargo Door End	EA	\$ 888.81
874 9	03.0 WINDOWS	Ext. Window Assembly, Installed - 6" X 24" (No Glazing, No Shutters)	EA	\$ 155.54
874 9	03.0 WINDOWS	WINDOW ARCHED - 36" X 36"	EA	\$ 850.29
874 9	03.0 WINDOWS	WINDOW SHUTTER - 36" X 36" [HINGED OPERATION] 16 ga. Galvaneal w/ (2) handles per shutter, (1) latch on int., (1) latch on ext., (2) latches in the open position (Primed & Painted, No Faux Finish)	EA	\$ 315.53
874 9	03.0 WINDOWS	WINDOW SHUTTER - 36" X 36" [SLIDE OPERATION] 16 ga. Galvaneal w/ (2) handles per shutter, (1) latch on int., (1) latch on ext., (2) latches in the open position (Primed & Painted, No Faux Finish)	EA	\$ 511.07
874 9	04.0 PARTITIONS	PARTITION WALL - 8'x8' w/ ACS 36"x78" KICK-IN MECHANICAL DOOR	EA	\$ 1,897.61
874 9	04.0 PARTITIONS	PARTITION WALL - 2' X 8'	EA	\$ 423.67
874 9	04.0 PARTITIONS	PARTITION WALL - 4' X 8'	EA	\$ 537.73
874 9	04.0 PARTITIONS	PARTITION WALL - 8' X 8'	EA	\$ 1,019.17
874 9	04.0 PARTITIONS	PARTITION WALL - 8'x8' w/ ACS 12"x12" OPEN WINDOW (MOUSE HOLE)	EA	\$ 1,152.49
874 9	04.0 PARTITIONS	PARTITION WALL - 8'x8' w/ ACS 36"x36" OPEN WINDOW	EA	\$ 1,379.14
874 9	05.0 INTERIOR STAIRWAYS	INTERIOR STAIRWAY + RAILING 36" W	EA	\$ 2,617.55
874 9	05.0 INTERIOR STAIRWAYS	INTERIOR LADDER - 24"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER	EA	\$ 500.70
874 9	05.0 INTERIOR STAIRWAYS	INTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER	EA	\$ 822.15
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER - 1 STORY	EA	\$ 1,021.15
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER + SAFETY CAGE - 1 STORY	EA	\$ 1,879.91
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER - 2 STORY	EA	\$ 980.65
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER + SAFETY CAGE - 2 STORY	EA	\$ 2,836.79
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER - 3 STORY	EA	\$ 2,019.08
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR LADDER - 36"W, 3/4" REBAR RUNGS, 1/4" X 4' RUNNER + SAFETY CAGE - 3 STORY	EA	\$ 3,475.54



GSA MOBIS CONTRACT NO. GS-02F-0082U


ACS MODULE OPTIONS TABLE (Cont'd)

SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRS, LANDING AND RAILING TO 2nd FLOOR	EA	\$ 2,572.36
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRS, LANDING AND RAILING TO 3rd FLOOR	EA	\$ 5,523.95
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRS, LANDING AND RAILING TO 4th FLOOR	EA	\$ 9,196.22
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRWAY TO 2ND, 3RD, 4TH FLOOR & ROOF	EA	\$ 11,558.97
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRWAY TO 2ND, 3RD FLOOR & ROOF	EA	\$ 9,126.60
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRWAY TO 2ND FLOOR & ROOF	EA	\$ 5,158.06
874 9	06.0 EXTERIOR STAIRWAYS	EXTERIOR STAIRWAY TO 2ND, STRAIGHT TO 4TH FLOOR ROOF	EA	\$ 8,874.77
874 9	06.0 EXTERIOR STAIRWAYS	CATWALK x 4' WIDE	LF	\$ 185.17
874 9	06.0 EXTERIOR STAIRWAYS	CATWALK x 4' WIDE (CANTILEVERED)	LF	\$ 214.80
874 9	07.0 RAILING SHOOT PLATE	RAILING W/O Shoot Plate - 500# - 10' X 42" - All 40' CONTAINER	EA	\$ 636.98
874 9	07.0 RAILING SHOOT PLATE	RAILING W/O Shoot Plate - 500# - 6' X 42" - ALL 40' CONTAINER	EA	\$ 382.19
874 9	07.0 RAILING SHOOT PLATE	RAILING W/O Shoot Plate - 500#-7'-8" X 42" - DP 40' CONTAINER END	EA	\$ 509.58
874 9	07.0 RAILING SHOOT PLATE	RAILING W/O Shoot Plate - 500#-7'-8" X 42" - STD 40' CONTAINER END	EA	\$ 509.58
874 9	07.0 RAILING SHOOT PLATE	RAILING W/O Shoot Plate - 500# - 8' X 42" - ALL 40' CONTAINER SIDE	EA	\$ 509.58
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Castle Plate - 500# - 10' X 42" - ALL 40' CONTAINER	EA	\$ 814.74
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Castle Plate - 500# - 6' X 42" - ALL 40' CONTAINER	EA	\$ 488.85
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Castle Plate - 500#-7'-8" X 42" - DP 40' CONTAINER END	EA	\$ 651.79
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Castle Plate - 500#-7'-8" X 42" - STD 40' CONTAINER END	EA	\$ 651.79
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Castle Plate - 500# - 8' X 42" - ALL 40' CONTAINER SIDE	EA	\$ 651.79
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Shoot Plate - 500# - 10' X 42" - All 40' CONTAINER	EA	\$ 814.74
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Shoot Plate - 500# - 6' X 42" - ALL 40' CONTAINER	EA	\$ 488.85
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Shoot Plate - 500#-7'-8" X 42" - DP 40' CONTAINER END	EA	\$ 651.79
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Shoot Plate - 500#-7'-8" X 42" - STD 40' CONTAINER END	EA	\$ 651.79
874 9	07.0 RAILING SHOOT PLATE	RAILING W/ Shoot Plate - 500# - 8' X 42" - ALL 40' CONTAINER SIDE	EA	\$ 651.79
874 9	07.0 RAILING SHOOT PLATE	KICK PLATE - 4"	LF	\$ 5.93
874 9	08.0 HATCHES	ROOF BREACH 36" X 36" + LADDER 36"W, 3/4" REBAR RUNGS, 1/4" X 4" RUNNER	EA	\$ 3,367.11
874 9	08.0 HATCHES	FLOOR BREACH - 36" X 36" + Floor trap door RO 41"x41" Finish 38"x38"	EA	\$ 838.44
874 9	08.0 HATCHES	FLOOR BREACH - 36" X 36" + HALO SLEEVE (BASEMENT ONLY)	EA	\$ 1,337.66




GSA MOBIS CONTRACT NO. GS-02F-0082U
ACS MODULE OPTIONS TABLE (Cont'd)

SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	08.0 HATCHES	ROOF BREACH 36" X 30" - (NYSTRUM)	EA	\$ 2,694.58
874 9	08.0 HATCHES	ROOF BREACH 36" X 36" - (NYSTRUM)	EA	\$ 2,278.32
874 9	08.0 HATCHES	ROOF BREACH RAILING 36" X 36"	EA	\$ 466.63
874 9	08.0 HATCHES	ROOF BREACH 36" X 36"	EA	\$ 1,983.53
874 9	09.0 MISCELLANEOUS	RAPPEL STATION	EA	\$ 2,222.03
874 9	09.0 MISCELLANEOUS	COURTYARD WALLS - COBBLESTONE - 8' H	LF	\$ 185.17
874 9	09.0 MISCELLANEOUS	SPIDER HOLE EXCAVATION	EA	\$ 571.06
874 9	09.0 MISCELLANEOUS	Faux Gas Station Pump - GSM	EA	\$ 888.81
874 9	09.0 MISCELLANEOUS	GAS STATION PUMP, USED	EA	\$ 1,925.76
874 9	09.0 MISCELLANEOUS	SPIDER HOLE (6' Diam. X 6' Deep)	EA	\$ 2,665.69
874 9	09.0 MISCELLANEOUS	REMOVE CARGO DOORS AT END TO END CONTAINERS	EA	\$ 103.69
874 9	09.0 MISCELLANEOUS	WELD CARGO DOORS SHUT	EA	\$ 162.95
874 9	09.0 MISCELLANEOUS	10' CONTAINER INSULATE WALLS and CEILING	EA	\$ 1,296.18
874 9	09.0 MISCELLANEOUS	JERSEY BARRIER - 10' CONCRETE	EA	\$ 933.25
874 9	09.0 MISCELLANEOUS	HVAC 14,000 BTU PTAC w/HEAT STRIP	EA	\$ 2,073.89
874 9	09.0 MISCELLANEOUS	20' CONTAINER INSULATE WALLS and CEILING	EA	\$ 1,902.05
874 9	09.0 MISCELLANEOUS	HVAC, 20' CONTAINER w/2T BARD, 5KW HEAT STRIP	EA	\$ 3,698.93
874 9	09.0 MISCELLANEOUS	HVAC, 40' CONTAINER w/3T BARD, 5KW HEAT STRIP	EA	\$ 4,010.01
874 9	09.0 MISCELLANEOUS	40' CONTAINER INSULATE WALLS and CEILING	EA	\$ 2,774.57
874 9	09.0 MISCELLANEOUS	AR 500 PLATE - TARGET PROTECTION	EA	\$ 1,111.01
874 9	09.0 MISCELLANEOUS	CONDUIT/CONNECTING (EVERY 60')	EA	\$ 144.43
874 9	09.0 MISCELLANEOUS	FAA CERTIFIED INCANDESCENT RED STEADY LIGHT (SOLAR)	EA	\$ 518.47
874 9	09.0 MISCELLANEOUS	OVERHEAD CANOPY - 23" X 11"	EA	\$ 2,256.10
874 9	09.0 MISCELLANEOUS	PLYWOOD SHELF - 4' X 2'	EA	\$ 222.20
874 9	09.0 MISCELLANEOUS	PORCH LIGHTS (SOLAR)	EA	\$ 4,621.81
874 9	09.0 MISCELLANEOUS	RAPPEL FACE x 8' WIDE	EA	\$ 2,222.03
874 9	09.0 MISCELLANEOUS	10' CONTAINER WOOD PANELING - 2 X 3 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY	EA	\$ 2,463.49




GSA MOBIS CONTRACT NO. GS-02F-0082U
ACS MODULE OPTIONS TABLE (Cont'd)

SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	09.0 MISCELLANEOUS	10' CONTAINER WOOD PANELING - 2 X 3 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" BCX PLY	EA	\$ 2,300.54
874 9	09.0 MISCELLANEOUS	10' CONTAINER WOOD PANELING - 2 X 4 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY PT	EA	\$ 3,981.87
874 9	09.0 MISCELLANEOUS	10' CONTAINER WOOD PANELING - 2 X 4 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" CDX PLY PT	EA	\$ 3,670.79
874 9	09.0 MISCELLANEOUS	10' CONTAINER WOOD PANELING - 2 X 3 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY & WHITE FRP	EA	\$ 7,184.55
874 9	09.0 MISCELLANEOUS	10' CONTAINER WOOD PANELING - 2 X 3 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" BCX PLY & WHITE FRP	EA	\$ 6,941.61
874 9	09.0 MISCELLANEOUS	20' CONTAINER WOOD PANELING - 2 X 3 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY	EA	\$ 3,137.50
874 9	09.0 MISCELLANEOUS	20' CONTAINER WOOD PANELING - 2 X 3 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" BCX PLY	EA	\$ 2,933.07
874 9	09.0 MISCELLANEOUS	20' CONTAINER WOOD PANELING - 2 X 4 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY PT	EA	\$ 4,146.30
874 9	09.0 MISCELLANEOUS	20' CONTAINER WOOD PANELING - 2 X 4 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" CDX PLY PT	EA	\$ 4,146.30
874 9	09.0 MISCELLANEOUS	20' CONTAINER WOOD PANELING - 2 X 3 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY & WHITE FRP	EA	\$ 7,741.54
874 9	09.0 MISCELLANEOUS	20' CONTAINER WOOD PANELING - 2 X 3 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" BCX PLY & WHITE FRP	EA	\$ 7,537.11
874 9	09.0 MISCELLANEOUS	40' CONTAINER WOOD PANELING - 2 X 3 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY	EA	\$ 5,392.11
874 9	09.0 MISCELLANEOUS	40' CONTAINER WOOD PANELING - 2 X 3 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" BCX PLY	EA	\$ 5,026.22
874 9	09.0 MISCELLANEOUS	40' CONTAINER WOOD PANELING - 2 X 4 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY PT	EA	\$ 7,100.11
874 9	09.0 MISCELLANEOUS	40' CONTAINER WOOD PANELING - 2 X 4 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" CDX PLY PT	EA	\$ 7,100.11
874 9	09.0 MISCELLANEOUS	40' CONTAINER WOOD PANELING - 2 X 3 @ 16" OC & CEILING 2 X 4 @ 16" OC 3/4" BCX PLY & WHITE FRP	EA	\$ 13,378.07
874 9	09.0 MISCELLANEOUS	40' CONTAINER WOOD PANELING - 2 X 3 @ 24" OC & CEILING 2 X 4 @ 24" OC 3/4" BCX PLY & WHITE FRP	EA	\$ 13,015.14
874 9	09.0 MISCELLANEOUS	RUBBER PAD FOR FAST ROPE/RAPPEL	EA	\$ 2,962.70
874 9	09.0 MISCELLANEOUS	RAPPEL ANCHOR POINTS	EA	\$ 2,222.03
874 9	09.0 MISCELLANEOUS	WEAPONS CACHE - 3' X 3' METAL TRAY	EA	\$ 72.59
874 9	09.0 MISCELLANEOUS	(HDG) STABILIZER BASE FRAME OUTRIGGER SYSTEM FOR WIND BRACING	EA	\$ 2,222.03
874 9	09.0 MISCELLANEOUS ITEMS	PLUMBING SHOWER PACKAGE	EA	\$ 2,962.70
874 9	09.0 MISCELLANEOUS ITEMS	PLUMBING DRAIN PACKAGE	EA	\$ 2,962.70
874 9	09.0 MISCELLANEOUS ITEMS	PLUMBING SINK PACKAGE	EA	\$ 2,962.70
874 9	09.0 MISCELLANEOUS ITEMS	PLUMBING TOILET PACKAGE	EA	\$ 2,962.70
874 9	09.0 MISCELLANEOUS ITEMS	PLUMBING WATER HEATER PACKAGE	EA	\$ 2,962.70
874 9	09.0 MISCELLANEOUS ITEMS	AWNING (CANTILEVERED) - 12' X 4' CORRUGATED STEEL	EA	\$ 1,281.37
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (1) 20' ISO CONTAINER - NEMA 3R	EA	\$ 2,913.82
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (1) 40' ISO CONTAINER - NEMA 3R	EA	\$ 3,995.20



GSA MOBIS CONTRACT NO. GS-02F-0082U
ACS MODULE OPTIONS TABLE (Cont'd)


SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (2) 40' ISO CONTAINERS - NEMA 3R	EA	\$ 5,772.82
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (3) 40' ISO CONTAINERS - NEMA 3R	EA	\$ 7,551.92
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (6) 40' ISO CONTAINERS - NEMA 3R	EA	\$ 13,655.08
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (7) 40' ISO CONTAINERS - NEMA 3R	EA	\$ 15,623.80
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (13) 40' ISO CONTAINERS - NEMA 3R	EA	\$ 28,720.41
874 9	10.0 ELECTRICAL	ELECTRICAL FITTING - (23) 40' ISO CONTAINERS - NEMA 3R	EA	\$ 49,696.33
874 9	11.0 DATA	DATA PACKAGE - (1) 20' ISO CONTAINER - PREWIRED TO 4 RJ45 OUTLETS	EA	\$ 2,666.43
874 9	11.0 DATA	DATA PACKAGE - (1) 40' ISO CONTAINER - PREWIRED TO 4 RJ45 OUTLETS	EA	\$ 4,147.78
874 9	12.0 FINISH	REMOVE STICKERS AND MINOR TOUCH UP [EXT ONLY]	EA	\$ 162.95
874 9	12.0 FINISH	FRP SIMUNITION COVER OVER 5/8" PLY - 10' ISO CONTAINER	EA	\$ 1,462.09
874 9	12.0 FINISH	FRP SIMUNITION COVER OVER 5/8" PLY - 20' ISO CONTAINER	EA	\$ 2,408.68
874 9	12.0 FINISH	FRP SIMUNITION COVER OVER 5/8" PLY - 40' ISO CONTAINER	EA	\$ 4,261.84
874 9	12.0 FINISH	3/4" RUBBER FACING MATERIAL	SF	\$ 20.00
874 9	12.0 FINISH	Paint Color - Adobe Red RAL 3012	EA	\$ -
874 9	12.0 FINISH	Bldg Interior - Galvanneal Wall Paneling, Texture & Paint	LF	\$ 37.03
874 9	12.0 FINISH	VINYL COMPOSITION TILE	SF	\$ 7.41
874 9	12.0 FINISH	DEXCOAT FLOOR	SF	\$ 0.90
874 9	12.0 FINISH	DEXCOAT FLOOR - FAUX FINISH STEEL PLATE 2' X 6'	EA	\$ 84.44
874 9	12.0 FINISH	Paint Color - Desert Tan RAL 1001	EA	\$ -
874 9	12.0 FINISH	FAUX CONCRETE - INTERIOR CEILING - 20' X 8'	EA	\$ 651.79
874 9	12.0 FINISH	FAUX CONCRETE - INTERIOR CEILING - 40' X 8'	EA	\$ 1,303.59
874 9	12.0 FINISH	FAUX CONCRETE - (EXTERIOR)	LF	\$ 36.60
874 9	12.0 FINISH	FAUX CONCRETE - (EXTERIOR) SAND FINISH	LF	\$ 37.03
874 9	12.0 FINISH	FAUX CONCRETE - (INTERIOR) SAND FINISH	LF	\$ 37.03
874 9	12.0 FINISH	FAUX CONCRETE - (EXTERIOR) SAND FINISH + MARINE GRADE PRIMER	LF	\$ 42.13
874 9	12.0 FINISH	FAUX CONCRETE - (INTERIOR) SAND FINISH + MARINE GRADE PRIMER	LF	\$ 42.13
874 9	12.0 FINISH	FAUX CONCRETE - (INTERIOR)	LF	\$ 36.60
874 9	12.0 FINISH	FAUX CONCRETE - (INTERIOR ONLY)	LF	\$ 44.26
874 9	12.0 FINISH	FAUX CONCRETE - (EXTERIOR) + MARINE GRADE PRIMER	LF	\$ 41.48
874 9	12.0 FINISH	FAUX CONCRETE - (INTERIOR) + MARINE GRADE PRIMER	LF	\$ 41.48



GSA MOBIS CONTRACT NO. GS-02F-0082U

ACS MODULE OPTIONS TABLE (Cont'd)


SIN #	OPTION TYPE	OPTION DESCRIPTION	ITEM UOM	GSA ITEM UNIT CATALOG PRICE
874 9	12.0 FINISH	Paint Color - Golden Fleece BAL 1002	EA	\$ -
874 9	12.0 FINISH	Paint Color - Nacre White RAL 9010	EA	\$ -
874 9	12.0 FINISH	PAINT 4 SIDES CONTAINER, NO REPAIRS - 10'	EA	\$ 318.49
874 9	12.0 FINISH	PAINT 4 SIDES CONTAINER, NO REPAIRS - 20'	EA	\$ 562.91
874 9	12.0 FINISH	PAINT 4 SIDES CONTAINER, NO REPAIRS - 40'	EA	\$ 845.85
874 9	12.0 FINISH	PAINT:CHANGE COLOR TO OTHER THAN DESERT TAN	EA	\$ 37.03
874 9	12.0 FINISH	PAINT:INTERIOR TOUCH UP PAINTING AROUND OPENINGS ONLY	EA	\$ 125.91
874 9	12.0 FINISH	PAINT COLOR - CUSTOM	EA	\$ 37.03
874 9	12.0 FINISH	Paint Color - Grey RAL 7038	EA	\$ -
874 9	12.0 FINISH	Paint Color - Saddle Brown RAL 8024	EA	\$ -
874 9	13.0 MOSQUE DOMES	MOSQUE DOME 3'	EA	\$ 2,962.70
874 9	13.0 MOSQUE DOMES	MOSQUE DOME 6'	EA	\$ 5,184.73
874 9	13.0 MOSQUE DOMES	MOSQUE DOME 8'	EA	\$ 9,628.78
874 9	13.0 MOSQUE DOMES	MOSQUE DOME 12'	EA	\$ 12,621.10
874 9	14.0 ASSEMBLY MATERIALS	BRIDGE CONNECTOR [CONNECT TWO ISO SIDE TO SIDE]	EA	\$ 29.63
874 9	14.0 ASSEMBLY MATERIALS	ISO CORNER	EA	\$ 88.88
874 9	14.0 ASSEMBLY MATERIALS	L BRACKETS	EA	\$ 26.66
874 9	14.0 ASSEMBLY MATERIALS	Roof Flashing - 10' Flat GSM flashing	EA	\$ 148.14
874 9	14.0 ASSEMBLY MATERIALS	Roof Flashing - 20' Flat GSM flashing	EA	\$ 199.98
874 9	14.0 ASSEMBLY MATERIALS	Roof Flashing - 40' Flat GSM flashing	EA	\$ 259.24
874 9	14.0 ASSEMBLY MATERIALS	TWIST LOCK [CONNECT TWO ISO STACK]	EA	\$ 44.44
874 9	15.0 CLEARSPANS	CLEAR SPAN - 6'	EA	\$ 1,345.07
874 9	15.0 CLEARSPANS	CLEAR SPAN - 8'	EA	\$ 1,345.07
874 9	15.0 CLEARSPANS	CLEAR SPAN - 12'	EA	\$ 2,285.72
874 9	15.0 CLEARSPANS	CLEAR SPAN - 13'	EA	\$ 2,285.72
874 9	15.0 CLEARSPANS	CLEAR SPAN - 15' 7"	EA	\$ 3,578.94
874 9	15.0 CLEARSPANS	CLEAR SPAN - 18'	EA	\$ 3,601.16
874 9	15.0 CLEARSPANS	CLEAR SPAN - 24'	EA	\$ 3,898.91
874 9	15.0 CLEARSPANS	CLEAR SPAN - 13' 6" R CEILING OPENING	EA	\$ 4,153.71
874 9	15.0 CLEARSPANS	CLEAR SPAN - 13' 6" R FLOOR OPENING	EA	\$ 4,746.25



GSA MOBIS CONTRACT NO. GS-02F-0082U

Item Pricelist

SIN	ITEM Number	Item Description	Published GSA Price	Country of Origin
874 9	ACS MODULE	Custom Configuration	TBD	USA
874 9	AA-NLF-GSA	Single Unit Non-Live Fire Urban Training Environment	\$10,704	USA
874 9	AA-1-NLF-GSA	Single Unit Non-Live Fire Urban Training Environment	\$23,240	USA
874 9	AB-NLF-GSA	Double Unit Non-Live Fire Urban Training Environment	\$23,681	USA
874 9	AC-NLF-GSA	C Shaped, single-story Non-live Fire Urban Training Environment	\$62,120	USA
874 9	AD-NLF-GSA	One-Story, L Shaped Non-Live Fire Urban Training Environment	\$22,879	USA
874 9	AG-NLF-GSA	One-Story, T Shaped Non-Live Fire Urban Training Environment	\$22,386	USA
874 9	AH-NLF-GSA	One-Story, C Shaped Non-Live Fire Urban Training Environment	\$67,990	USA
874 9	AJ-NLF-GSA	Two-Story Non-Live Fire Urban Training Environment	\$41,614	USA
874 9	AK-NLF-GSA	Multi-Story Non-Live Fire Urban Training Environment	\$163,529	USA
874 9	AL-NLF-GSA	Multi-Story H Shaped Non-Live Fire Urban Training Environment	\$109,685	USA
874 9	AN-NLF-GSA	Two-Story, L Shaped Non-Live Fire Urban Training Environment	\$73,930	USA
874 9	AP-NLF-GSA	Two-Story Non-Live Fire Urban Training Environment	\$66,978	USA
874 9	AQ-NLF-GSA	Two-Story, Non-Live Fire Urban Training Environment	\$64,049	USA
874 9	AR-NLF-GSA	Three-Story Non-Live Fire Urban Training Environment	\$105,134	USA
874 9	AW-1-NLF-GSA	One-Story, Non-Live Fire Urban Training Environment	\$38,760	USA
874 9	AW-3-NLF-GSA	Three-Story Urban Training Environment	\$123,814	USA
874 9	MKT-1-NLF-GSA	One Story, Marketplace style Non Live Fire Urban Training Environment	\$15,488	USA
874 9	BA-NLF-GSA	Single Unit, Non-Live Fire Urban Training Environment	\$6,214	USA
874 9	BB-NLF-GSA	Double Unit, Single Story Non Live Fire Urban Training Environment	\$12,237	USA
874 9	CA-NLF-GSA	Single Unit Non Live Fire Urban Training Environment	\$5,317	USA
874 9	GT-1-NLF-GSA	Two-Story Guard Tower	\$16,204	USA
874 9	RHU-1-NLF-GSA	Residential Housing Unit	\$7,980	USA
874 9	FAUX-EXT-GSA	Faux Stucco Concrete Siding, Sand Finish	\$39.44 LF	USA
874 9	FAUX-INT-GSA	Faux Stucco Concrete Siding Smooth	\$35.85 LF	USA
874 9	UAC-STN1-NLF-GSA	Urban Assault Course Station 1 Non Live Fire Urban Training Environment	\$65,597	USA
874 9	UAC-STN2-NLF-GSA	Urban Assault Course Station 2 Non Live Fire Urban Training Environment	\$118,221	USA
874 9	MPT-ISO-500-GSA	Multi Purpose Tower (MPT), 5 stories, non-live fire, with FRIES, Helo, climbing wall, and rappelling stations.	\$285,724	USA
874 9	AAR-MODS-2436-GSA	Modular After Action Review (AAR) Building, 24' x 36'	\$120,085	USA
874 9	AR-MODS-2460-	Modular After Action Review (AAR) Building, 24' x 60'	\$169,635	USA



GSA MOBIS CONTRACT NO. GS-02F-0082U


SIN	ITEM Number	Item Description	Published GSA Price	Country of Origin
	GSA			
874 9	AAR-MODS-3660-GSA	Modular After Action Review (AAR) Building, 36' x 60'	\$239,899	USA
874 9	CYW-GSA	Molded Concrete Courtyard Walls	\$643 per 5' x 8' high section	USA
874 9	PGATE-GSA	Steel Personnel Gate	\$1,522	USA
874 9	VGATE-GSA	Steel Vehicle Gate	\$3,065	USA
874 9	ACS-IF-ASF00-FIELD	In-Theater Façade - Architectural Stone Finish System00 - Field Installed	\$12.60 Sq Ft	USA
874 9	ACS-IF-ASF01-FACT	In-Theater Façade - Architectural Stone Finish System01 - Factory Installed	\$8.80 Sq Ft	USA
874 9	ACS-IF-ASF01-FIELD	In-Theater Façade - Architectural Stone Finish System01 - Field Installed	\$15.40 Sq Ft	USA
874 9	F996RCWL051	CONCRETE WALL SECTION 10'x8' T-CORNER (RELOCATEABLE)	\$1,036.95 Ea	USA
874 9	F996RCWT101	CONCRETE WALL SECTION 10'x8' T-STANDARD (RELOCATEABLE)	\$1,036.95 Ea	USA
874 9	A9JW050010202	CONCRETE WALL SECTION 5'x8' T-CORNER (RELOCATEABLE)	\$540.69 Ea	USA
874 9	A9JW050010201	CONCRETE WALL SECTION 5'x8' T-STANDARD (RELOCATEABLE)	\$540.69 Ea	USA


Time and Material Labor Rates

SIN	ITEM Number	Title	Published GSA Rate	Country of Origin
874 4	PROGMAN-GSA	Program Manager	\$199	USA
874 4	PROJMAN-GSA	Project Manager	\$162	USA
874 4	SITEMAN-GSA	Site Manager	\$129	USA
874 4	SRENG-GSA	Sr. Engineer	\$162	USA
874 4	ENG-GSA	Engineer	\$108	USA
874 4	DRFT-GSA	Draftsman	\$91	USA
874 4	GRAPSPEC-GSA	Graphics Specialist	\$108	USA
874 4	TECH-GSA	Technician	\$54	USA
874 4	FSR-GSA	Field Service Representative	\$108	USA
874 4	TRNCON-GSA	Training Consultant	\$162	USA

Civilians On the Battlefield


GSA CATALOG






GSA MOBIS CONTRACT NO. GS-02F-0082U

SIN	ITEM Number	Title	GSA Base Hourly Rate	GSA Overtime Rate	GSA Doubletime Rate	Country of Origin	STD Hours Per Day
874 4	TSS-EF-ART-ASST	Art Assistant	31.46	47.19	62.92	USA	14
874 4	TSS-EF-ART-LEAD	Art/Set Design - Lead	49.35	74.02	98.69	USA	14
874 4	TSS-EF-DESIGN	Production Designer	81.80	122.69	163.59	USA	14
874 4	TSS-EF-SET	Set Designer	37.75	56.63	75.50	USA	14
874 4	TSS-EF-BFE-I	Battlefield Special Effects Tech Lead	119.55	179.32	239.09	USA	14
874 4	TSS-EF-BFE-II	Battlefield Special Effects Tech	94.38	141.57	188.76	USA	14
874 4	TSS-EF-BFE-III	Battle Effects III	81.80	122.69	163.59	USA	14
874 4	TSS-EF-CASTDIR	Cast Director	88.09	132.13	176.17	USA	14
874 4	TSS-EF-CAST2	Cast Assistant	18.09	27.14	36.19	USA	14
874 4	TSS-EF-TERP	Cast Interpreter	32.90	49.35	65.79	USA	14
874 4	TSS-EF-CATER	Catering	20.76	31.15	41.53	USA	14
874 4	TSS-EF-CATER-LEAD	Catering Lead	56.63	84.94	113.25	USA	14
874 4	TSS-CON-LBR-I	Construction Labor, Level I	24.67	37.01	49.35	USA	14
874 4	TSS-CON-LBR-II	Construction Labor, Level II	38.38	57.57	76.76	USA	14
874 4	TSS-CON-LBR-III	Construction Labor, Level III	65.79	98.69	131.59	USA	14
874 4	TSS-CO-APCL	ACS Project Corporate Lead	146.58			USA	8
874 4	TSS-CO-BDEV	Business Development	153.23			USA	8
874 4	TSS-CO-BMGR	Business Manager	179.86			USA	8
874 4	TSS-CO-PCONT	Project Controls	159.88			USA	8
874 4	TSS-CO-PCOOR	Project Coordinator	113.10			USA	8
874 4	TSS-EF-LABOR	Labor - General	21.93	32.90	43.86	USA	14
874 4	TSS-EF-ASST-LEAD	Assistant Lead	31.46	47.19	62.92	USA	14
874 4	TSS-EF-COOR	Coordinators	32.90	49.35	65.79	USA	14
874 4	TSS-EF-LEAD	Team Lead	38.38	57.57	76.76	USA	14
874 4	TSS-EF-MOUL-ASST	Moulage Assistant	25.17	37.75	50.34	USA	14
874 4	TSS-EF-MOUL-LEAD	Moulage Lead	81.80	122.69	163.59	USA	14
874 4	TSS-EF-SEM -LEAD	Special Effects/Makeup - Lead	60.31	90.47	120.62	USA	14
874 4	TSS-EF-STYL-I	Stylist, Level I	18.09	27.14	36.19	USA	14
874 4	TSS-EF-STYL-II	Stylist, Level II	21.93	32.90	43.86	USA	14
874 4	TSS-EF-CULT	Cultural Liason	44.04	66.07	88.09	USA	14
874 4	TSS-EF-FD-ASST	Field Directors, Assistant	56.63	84.94	113.25	USA	14
874 4	TSS-EF-FD-II	Field Directors, Level II	44.04	66.07	88.09	USA	14
874 4	TSS-EF-FD-I	Field Directors, Level I	32.90	49.35	65.79	USA	14
874 4	TSS-EF-LIAIS	Liaisons	32.90	49.35	65.79	USA	14
874 4	TSS-EF-INTERP	Interpreter	49.35	74.02	98.69	USA	14
874 4	TSS-EF-AMFD	Assistant Managing Field Director	81.80	122.69	163.59	USA	14
874 4	TSS-EF-ACCT	Accountant	54.83	82.24	109.66	USA	14
874 4	TSS-EF-ACCT-ASST	Assistant Accountant	32.90	49.35	65.79	USA	14
874 4	TSS-EF-ACO	Assistant Coordinator	25.17	37.75	50.34	USA	14




GSA MOBIS CONTRACT NO. GS-02F-0082U

SIN	ITEM Number	Title	GSA Base Hourly Rate	GSA Overtime Rate	GSA Doubletime Rate	Country of Origin	STD Hours Per Day
874 4	TSS-EF-APM	Assistant Project Manager	81.80	122.69	163.59	USA	14
874 4	TSS-EF-MFD	Managing Field Director	88.09	132.13	176.17	USA	14
874 4	TSS-EF-PA	Office PA	20.76	31.15	41.53	USA	14
874 4	TSS-EF-PERM	Personnel Manager (RP)	65.79	98.69	131.59	USA	14
874 4	TSS-EF-PM	Senior Project Manager	98.69	148.04	197.38	USA	14
874 4	TSS-EF-PM1	Project Manager	100.67	151.01	201.34	USA	14
874 4	TSS-EF-PROD-ASST	Production Assistant-II	27.41	41.12	54.83	USA	14
874 4	TSS-EF-RPC	Role Player Coordinator	49.35	74.02	98.69	USA	14
874 4	TSS-EF-SAFE	Safety & Health Manager	43.86	65.79	87.73	USA	14
874 4	TSS-EF-SEC	Security	35.64	53.46	71.28	USA	14
874 4	TSS-EF-COB	COBs	18.90	28.35	37.80	USA	12
874 4	TSS-EF-RP-I	Role Player , Level I	45.50	68.25	91.00	USA	12
874 4	TSS-EF-RP-II	Role Player, Level II	45.75	68.62	91.50	USA	12
874 4	TSS-EF-RP-III	Role Player, Level III	57.95	86.92	115.90	USA	12
874 4	TSS-EF-DRVR	Transportation/Logistics - Driver	25.17	37.75	50.34	USA	14
874 4	TSS-EF-DRVR-I	Transportation/Logistics - Driver-I	24.67	37.01	49.35	USA	14
874 4	TSS-EF-TRANS-ASST	Transportation/Logistics - Assistant	31.46	47.19	62.92	USA	14
874 4	TSS-EF-TRANS-LEAD	Transportation/Logistics - Lead	75.50	113.25	151.01	USA	14
874 4	TSS-EF-CAM-LEAD	Lead Camera	56.63	84.94	113.25	USA	14
874 4	TSS-EF-CAMO	Camera Operators	25.17	37.75	50.34	USA	14
874 4	TSS-EF-EDIT	Editors	30.16	45.23	60.31	USA	14
874 4	TSS-EF-PHOT	Photographer	54.83	82.24	109.66	USA	14
874 4	TSS-EF-WARD-ASST	Wardrobe Assistant	44.04	66.07	88.09	USA	14
874 4	TSS-EF-WARD-LEAD	Wardrobe - Lead	88.09	132.13	176.17	USA	14



**General Functional
Specifications Applicable
to
Products under SIN 874 9**

**Container Based Live Fire
and
Non-Live Fire Training Environments:**



General Design & Manufacture: All manufactured items will meet or exceed applicable ANSI, AWS, AISC, US Product and ASTM standards governing materials and fabrication. Capacities and dimensions may change with optional features specified.

Materials:

- Modified new ISO Containers (One Trip Only), 40', 20' and 10' long
- Structured steel A35
- Sheet steel A569 and A653

Minimum & Maximum Temperature:

- Operating & non-operating: 0 degrees F to 135 degrees F
- Relative Humidity: Operating & non-operating of 0% to 100%

Coatings:

- **ISO Containers:** SP2-3 with zinc based primer; top interior and exterior coating of 7dft chlorinated rubber commercial grade paint; designed for a 10 year life at sea.
- **Interior Finish:** Primed with commercial grade acrylic enamel and top coated with commercial grade acrylic enamel.
- **Exterior Finish:** Primed with commercial grade acrylic enamel and top coated with commercial grade acrylic enamel.
- Slip Resistant Floor
- **Subfloor:** Epoxy Elastomeric undercoat
- **Welded Parts:** All welded surfaces and/or steel parts installed shall have a prepared surface with a prime direct to metal coating and a finished top coat.

Standard Colors:

- Desert Tan
- Saddle Brown
- Tobacco Brown
- Charcoal Grey


Deliverable Data Items Included:

- O&M Manual, deliverable within 45 days of final customer acceptance
- Final "As-Built" drawings and operational data package of the integrated sites, deliverable within 45 days of final customer acceptance

Other proprietary specifications will be furnished to U.S. Government agencies upon request.

Additional Specifications for Container Based Live Fire Training Environments:

- Independently certified for ballistics, toxicity and noise safety based on US Army Aberdeen Test Center (ATC) testing and a survey by US Army Center for Health Protection and Preventative Medicine (CHPPM).
- Ballistics testing completed by H.P. White Laboratories, Street, MD.
- Independent certification of ballistics, toxicity and noise safety performed by Quantum International Research, Bel Aire, MD. Certified for 7.62mm NATO, 5.56mm green tip; 9mm; and .45 caliber weapons. An Operations and Maintenance Manual is provided for Live Fire Facilities which outlines recommended operations, safety and maintenance and repair procedures. ACS Live Fire designs are Patent Pending.



LIVE-FIRE PROTECTION:

- Protection system is designed to absorb 7.62mm NATO, 5.56mm, and 9mm rounds during training exercises assuming adherence to range standard operating procedures (SOP) and maintenance of the system. Each structure is lined with AR500 steel plate with attached Defender Ballistic Panels, a 3rd generation rubber facing designed to encapsulate ricochet materials.

Protection Material:

- The modular ballistic containment system allows steel plate and rubber facing to be easily removed and replaced as necessary.

Protected Surfaces:

- Steel plate and rubber facing provided on 6 interior container surfaces. Exterior non live-fire doors and windows, floor trap doors and roof ports installed with rolling bullet protection over each opening.

Ballistics Containment Safety:

- 3rd party ballistics testing:
 - HP White, Street, MD (durability/penetration) and Advantage Group, St Paul, MN (structural/containment)
 - Independent certification of ballistics testing by Quantum Research International, Bel Aire, MD

Toxicity and Noise Safety:

- Toxicity testing: (Pb, HCN, CO) - USAATC
- Survey and evaluation – USACHPPM
- Independent safety certification – Quantum Research International
- (1) exterior exhaust fan & one makeup air intake fan located opposite ends of each container are installed with bullet protection systems for the ventilation systems

Interior lighting:

- Incandescent lights are installed without protection along ceiling by a controlled and exterior dimmer and weather tight light switch.

Safety Light:

- An exterior red light with on/off switch is installed at one end of container a minimum 2' from the roof line of the container to indicate that a live fire exercise is in progress.

Live-Fire areas not protected:

- The following areas are not protected.
 - Interior Stairways
 - Interior Lighting

Other proprietary specifications will be furnished to U.S. Government agencies upon request.