

Federal Supply Service Authorized

Federal Supply Schedule Price List

“Prices shown herein are net (discount deducted)”.

Schedule For
Total Solutions for Law Enforcement, Security, Facilities Management, Fire
 Rescue, Clothing, Marine Craft, and Emergency/Disaster Response
 (FSC Group: 84)



Contractor:
DOOSUNG America, Inc.
 (dba: **PelikanCam**)

1243 Tracie Dr.,
 Brea, CA 92821
 Tel: 714-672-0333
 Fax: 713-672-0360
 Contact: Jean Lee
 (email: jean@pelikancam.com)

www.PelikanCam.com

| Contents | Page |
|--|------|
| Customer Information | 2 |
| <u>PelikanCam</u> - HD Camera | 3 |
| <u>CBC America (GANZ)</u> - CCTV Camera Lenses - CCTV Cameras & Monitors - IP Megapixel Cameras - NVR Software - Accessories | 3-10 |
| <u>PelikanCam</u> - Coax Video & Power Cables (25ft, 50ft, & 100ft) - RCA Video & Power Cables (30ft, 60ft, & 120ft) | 10 |
| <u>KBC Networks</u> - Wireless Ethernet Systems | 11 |

Contract No.: **GS-03F-0043T**

Contractor Since: **2007**

Current Contract Effective: through **2/28/2017**

On-line access to contract ordering information, terms and conditions, up to date pricing, and the option to create an on-line order are available through GSA Advantage! (www.GSAAdvantage.gov), a menu driven database system. For more information on ordering from Federal Supply Schedules visit fss.gsa.gov

CUSTOMER INFORMATION:

- 1a. Awarded special item number:** 426-4S Closed Circuit Surveillance Systems.
- 1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract.** This price is the Government price based on a unit of one, exclusive of any quantity/dollar volume, prompt payment, or any other concession affecting price.
- 1c. Hourly rates:** N/A
- 2. Maximum order:** \$200,000.00
- 3. Minimum order:** \$20.00
- 4. Geographic coverage (delivery area):** Domestic, including 48 contiguous states, Alaska, Hawaii, Puerto Rico, and US territories. (Overseas orders accepted only if the shipping address is domestic such as APO or to a consolidation point)
- 5. Point(s) of production:**
 - KBC Networks (All), PelikanCam (Cables), CBC America (Mounts & Housings): Made In USA
 - CBC America (Lenses, FC & ZC-D5000 Series Cameras): Made in Japan
 - All Others: Made in South Korea
- 6. Discount from list prices or statement of net price:** Prices shown herein are net.
- 7. Quantity discounts:** N/A
- 8. Prompt payment terms:** Net 30 Days
- 9a. Government purchase cards are accepted at or below** \$3,000.00
- 9b. Government purchase cards are also accepted above** \$3,000.00
- 10. Foreign items (list items by country of origin):** Refer to item number 5
- 11a. Time of delivery:** Within 28 Days (usually ships within 7 days)
- 11b. Expedited Delivery:** Within 7 Days
- 11c. Overnight and 2-day delivery:** Available. The schedule customer may contact the Contractor for rates for overnight and 2-day delivery.
- 11d. Urgent Requirements:** The customer may contact the Contractor to effect a faster delivery.
- 12. F.O.B. point:** Origin
- 13a. Ordering address:** Same as contractor address
- 13b. Ordering procedures:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.
- 14. Payment address:** Same as contractor address
- 15. Warranty provision:**
 - 3 Years (CBC America's Lenses, Standard CCD Cameras, PROPAK Kits, DVR's, and Multi-out Power Supply),
 - 2 Years (KBC Networks' All Items),
 - 1 Year (All Other Items).
- 16. Export packing charges:** N/A
- 17. Terms and conditions of Government purchase card acceptance:** N/A
- 18. Terms and conditions of rental, maintenance, and repair:** N/A
- 19. Terms and conditions of installation:** N/A
- 20. Terms and conditions of repair parts:** N/A
- 20a. Terms and conditions for any other services:** N/A
- 21. List of service and distribution points:** N/A
- 22. List of participating dealers:** N/A
- 23. Preventive maintenance:** N/A
- 24a. Special attributes such as environmental attributes:** N/A
- 24b. Section 508 compliance information:** N/A
- 25. Data Universal Number System (DUNS) number:** 011727547
- 26. Central Contractor Registration (CCR):** Registered

| Category | Model | Description | Price |
|---|--|---|----------|
| HD-SDI Camera  | Full HD Resolution by SMPTE 292M standard, 1/3" Panasonic Progressive CMOS CS/C-Mount lens accepted (Lens sold separately) OSD (On Screen Display) menu, Video Transmission over Coaxial Cable 12VDC (Power sold separately) * Former HCE840 was replaced by this HCE852. | | |
| | #HCE852 (HD-SDI & Analog outputs) | | \$188.41 |
| | Optional HD Lenses | | |
| | 1/3" 3-8mm f1.2, Day/Night IR, Manual Iris, 3 megapixel, CS-mount (# T3Z0312CS-MPIR) | | \$98.18 |
| 1/3" 12.5-50mm f1.4, Day/Night IR, DC Auto-iris, 3 megapixel, CS-mount (# AG4Z1214FCS-MPIR) | | \$197.48 | |
| Varifocal, Manual Iris (CS Mount) | | | |
|  | T2Z1816CS | 1/3" 1.8-3.6mm f1.6 w/iris & focus | \$142.19 |
| | T3Z2910CS | 1/3" 2.9-8.2mm f1.0 w/iris & focus | \$25.95 |
| | H3Z1014CS | 1/2" 10-30mm f1.4 w/iris & focus, Day/Night | \$137.67 |
| | T10Z0513CS | 1/3" 5-50mm f1.3 w/iris & focus | \$63.19 |
| Varifocal, Manual Iris, IR Series (CS Mount) | | | |
|  | T4Z2813CS-IR | 1/3" 2.8-12mm f1.3 w/iris & focus, Day/Night IR | \$39.50 |
| | T3Z2910CS-IR | 1/3" 2.9-8.2mm f1.0 w/iris & focus, Day/Night IR | \$37.24 |
| | T3Z3510CS-IR | 1/3" 3.5-10.5mm f1.0 w/iris & focus, Day/Night IR | \$68.84 |
| | T5Z8513CS-IR | 1/3" 8.5-40mm f1.3 w/iris & focus, Day/Night IR | \$77.86 |
| | H3Z4512CS-IR | 1/2" 4.5-12.5mm f1.2 w/iris & focus, Day/Night IR | \$89.15 |
| Varifocal, DC Auto Iris (CS Mount) | | | |
|  | TG2Z1816FCS | 1/3" 1.8-3.6mm f1.6 auto iris | \$154.60 |
| | TG3Z2910FCS | 1/3" 2.9-8.2mm f1.0 auto iris | \$25.95 |
| | HG3Z1014FCS | 1/2" 10-30mm f1.4 auto iris | \$182.81 |
| | TG10Z0513FCS | 1/3" 5-50mm f1.3 auto iris | \$63.19 |
| Varifocal, DC Auto Iris, IR Series (CS Mount) | | | |
|  | TG4Z2813FCS-IR | 1/3" 2.8-12mm f1.3 A/I, Day/Night IR | \$42.88 |
| | TG3Z2910FCS-IR | 1/3" 2.9-8.2mm f1.0 A/I, Day/Night IR | \$32.73 |
| | TG3Z3510FCS-IR | 1/3" 3.5-10.5mm f1.0 A/I, Day/Night IR | \$74.48 |
| | TG5Z8513FCS-IR | 1/3" 8.5-40mm f1.3 A/I, Day/Night IR | \$78.99 |
| | HG3Z4512FCS-IR | 1/2" 4.5-12.5mm f1.2 A/I, Day/Night IR | \$111.72 |
| Varifocal, Video Auto Iris (CS Mount) | | | |
|  | TG2Z1816AFCS | 1/3" 1.8-3.6mm f1.6 auto iris | \$190.71 |
| | TG3Z2910AFCS | 1/3" 2.9-8.2mm f1.0 auto iris | \$73.35 |
| | TG3Z3510AFCS | 1/3" 3.5-10.5mm f1.0 auto iris | \$78.99 |
| | TG4Z2813AFCS-IR | 1/3" 2.8-12mm f1.3 A/I, Day/Night IR | \$89.15 |
| | TG3Z2910AFCS-IR | 1/3" 2.9-8.2mm f1.0 A/I, Day/Night IR | \$77.86 |
| | TG3Z3510AFCS-IR | 1/3" 3.5-10.5mm f1.0 A/I, Day/Night IR | \$89.15 |
| | TG5Z8513AFCS-IR | 1/3" 8.5-40mm f1.3 A/I, Day/Night IR | \$145.57 |
| | HG3Z4512AFCS-IR | 1/2" 4.5-12.5mm f1.2 A/I, Day/Night IR | \$134.29 |
| | HG3Z1014AFCS | 1/2" 10-30mm f1.4 auto iris | \$199.74 |
| TG10Z0513AFCS | 1/3" 5-50mm f1.3 auto iris | \$170.40 | |
| Monofocal, 2/3" Format (C-mount) | | | |
| | M8513 | 2/3" 8.5mm f1.3 w/iris & focus | \$55.29 |
| | M1614 | 2/3" 16mm f1.4 w/o iris, w/focus | \$16.93 |
| Monofocal, 1/2" & 1/3" Format (CS-Mount) | | | |
|  | H1214FICS | 1/2" 12mm f1.4 w/iris & focus | \$44.01 |
| | T2314FICS | 1/3" 2.3 mm f1.4 w/iris & focus | \$82.38 |
| | T2616FICS | 1/3" 2.6mm f1.6 w/iris & focus | \$59.81 |
| | T0412FICS | 1/3" 4mm f1.2 w/iris & focus | \$44.01 |
| | T0812FICS | 1/3" 8mm f1.2 w/iris & focus | \$44.01 |

| Industrial/Megapixel, 1/2" & 2/3" Format | | | |
|---|------------------|--|------------|
|  | H0514-MP2 | 1/2" 5mm f1.4 w/locking iris & focus, 1.3 megapixel, C-mount | \$145.57 |
| | M0814-MP2 | 2/3" 8mm f1.4 w/locking iris & focus, 1.3 megapixel, C-mount | \$111.72 |
| | M1214-MP2 | 2/3" 12mm f1.4 w/locking iris & focus, 1.3 megapixel, C-mount | \$109.46 |
| | M1614-MP2 | 2/3" 16mm f1.4 w/locking iris & focus, 1.3 megapixel, C-mount | \$97.05 |
| | M2514-MP2 | 2/3" 25mm f1.4 w/locking iris & focus, 1.3 megapixel, C-mount | \$106.08 |
| | M3514-MP | 2/3" 35mm f1.4 w/locking iris & focus, 1.3 megapixel, C-mount | \$129.77 |
| | M5018-MP2 | 2/3" 50mm f1.8 w/locking iris & focus, 1.3 megapixel, C-mount | \$107.20 |
| | M7528-MP | 2/3" 75mm f2.8 w/locking iris & focus, 1.3 megapixel, C-mount | \$162.50 |
| | M1620-MPW2 | 2/3" 16mm f2.0, 5.0 megapixel Ultra low Distortion Lens | \$225.69 |
| | M2518-MPW2 | 2/3" 25mm f1.8, 5.0 megapixel Ultra low Distortion Lens | \$225.69 |
| | M3520-MPW2 | 2/3" 35mm f2.0, 5.0 megapixel Ultra low Distortion Lens | \$236.98 |
| | M5028-MPW2 | 2/3" 50mm f2.8, 5.0 megapixel Ultra low Distortion Lens | \$248.26 |
| | M2518-MPW | 2/3" 25mm f1.8, Ultra low Distortion Lens, 5 Megapixel, C-mount | \$282.12 |
| | T3Z0312CS-MPIR | 1/3" 3-8mm f1.2 , Day/Night IR, Manual Iris, 3 megapixel, CS-mount | \$98.18 |
| | A3Z3112CS-MPIR | 1/2.7" 3.1-8mm f1.2 manual iris, Day/Night IR, 3.0 megapixel | \$98.18 |
| | TG4Z2816FCS-MPIR | 1/3" 2.8-12mm f1.6, Day/Night IR, DC Auto-Iris, 1.3 megapixel, CS-mount | \$55.29 |
| | A4Z1214CS-MPIR | 1/2.7" 12.5-50mm f.14, manual iris, Day/Night IR, 3 megapixel, CS-mount | \$156.86 |
| | AG4Z1214FCS-MPIR | 1/2.7" 12.5-50mm f.14, DC auto iris, Day/Night IR, 3 megapixel, CS-mount | \$168.14 |
| | AG3Z3112FCS-MPIR | 1/2.7" 3.1-8mm f1.2 A/I, Day/Night IR, 3.0 megapixel | \$100.43 |
| | H2Z0414C-MP | 1/2" 4-8mm f1.4, Manual Iris, 1.3 megapixel, C-mount | \$119.62 |
| | HG2Z0414FC-MP | 1/2" 4-8mm f1.4, DC auto iris, 1.3 megapixel, C-mount | \$142.19 |
| | E3Z4518CS-MPIR | 1/1.8" 4.5-13.2mm f1.8, manual iris, Day/Night IR, 5.0 megapixel | \$197.48 |
| | MLM3X-MP | 2/3" 3.3X Macro Zoom, Manual Iris, 1.3 megapixel, C-mount | \$326.13 |
| | M3Z1228C-MP | 2/3" 12-36mm varifocal, Manual Iris, 1.3 megapixel, C-mount | \$165.88 |
| | MG3Z1228FC-MP | 2/3" 12-36mm varifocal, DC Auto Iris, 1.3 megapixel, C-mount | \$179.43 |
| | TEC-55 | 2/3" 55mm Telecentric Lens, C-mount | \$314.84 |
| | TEC-2X | 2/3" Extender (2X) for TEC-55 | \$111.72 |
| | TEC-75 | 2/3" Adapter (.75) for TEC-55 | \$89.15 |
| | TEC-V7X | 1.1" 5 Megapixel 7X Macro Zoom Telecentric Lens | \$2,594.34 |
| DC Auto-Iris Monofocal, CS, 4-pin Connector Short Cable | | | |
|  | TG2616FCS | 1/3" 2.6mm f1.6 | \$78.99 |
| | TG0412FCS | 1/3" 4.0mm f1.2 | \$66.58 |
| | TG0812FCS | 1/3" 8mm f1.2 | \$60.94 |
| | HG1214FCS | 1/2" 12mm f1.4 | \$72.22 |
| DC Auto-Iris Monofocal, CS, 4-pin Connector Long Cable | | | |
|  | TG2314FCS-L | 1/3" 2.3mm f1.4 | \$99.30 |
| | TG2616FCS-L | 1/3" 2.6mm f1.6 | \$78.99 |
| | TG0412FCS-L | 1/3" 4.0mm f1.2 | \$66.58 |
| | TG0812FCS-L | 1/3" 8.0mm f1.2 | \$60.94 |
| | HG1214FCS-L | 1/2" 12mm f1.4 | \$72.22 |
| Video Auto-iris Monofocal, CS, No Connector, Long Cable | | | |
|  | TG2314AFCS | 1/3" 2.3mm f1.4 | \$100.43 |
| | TG2616AFCS | 1/3" 2.6mm f1.6 | \$90.28 |
| | HG1214AFCS | 1/2" 12mm f1.4 | \$77.86 |
| Manual Zoom Lenses | | | |
|  | T6Z5710AIDC | 1/3" 5.7-34.2mm f1.0 manual zoom with A/I DC (CS-Mount) | \$306.94 |
| | H6Z0812 | 1/2" 8-48 mm f1.2 6X (C-Mount) | \$258.42 |
| | H6Z0812AIDC | 1/2" 8-48mm f1.2 manual zoom with A/I DC (C-Mount) | \$288.89 |
| | H6Z0812AIVD | 1/2" 8-48mm f1.2 manual zoom with A/I Video (C-Mount) | \$290.02 |
| | M6Z1212-3S | 2/3" 12.5-75mm f1.2 6X , with locking set screws (C-Mount) | \$269.70 |
| | MLH-10X | 1/2" 13-130mm 10X close-up manual (C-Mount) | \$264.06 |

**Pinhole Lens, CS-mount**

| | | |
|--------------|----------------------------------|----------|
| TG2625AFCS-P | 1/3", 2.6mm f2.5 Video auto iris | \$287.76 |
|--------------|----------------------------------|----------|

Motorized Zoom Lenses, 1/2" Format, C Mount

| | | |
|-----------------|---|-------------|
| H6Z0812M | 8-48mm f1.2 6X, 3 motors | \$371.26 |
| H6Z0812MS | 8-48mm f1.2 6X, 3 motors with spot | \$382.55 |
| H6Z0812AMS | 8-48mm f1.2 6X, auto iris with spot | \$416.40 |
| H6Z0812MP | 8-48mm f1.2 6X, 3 motors with preset | \$458.16 |
| H6Z0812MSP | 8-48mm f1.2 6X, 3 motors, spot & preset | \$471.70 |
| H6Z0812AMSP | 8-48mm f1.2 6X, auto iris with spot & preset | \$492.01 |
| H10Z0812M | 8-80mm f1.2 10X, 3 motors | \$566.49 |
| H10Z0812MS | 8-80mm f1.2 10X, 3 motors with spot | \$577.77 |
| H10Z0812AMS | 8-80mm f1.2 10X, auto iris with spot | \$585.67 |
| H10Z0812MP | 8-80mm f1.2 10X, 3 motors with preset | \$704.16 |
| H10Z0812MSP | 8-80mm f1.2 10X, 3 motors, spot & preset | \$704.16 |
| H10Z0812AMSP | 8-80mm f1.2 10X, auto iris with spot & preset | \$646.61 |
| H16Z7516AMS | 7.5-120mm f1.6, A/I with spot | \$695.13 |
| H16Z7516AMSP | 7.5-120mm f1.6, A/I with spot & preset | \$833.93 |
| H16Z7516AMSR | 7.5-120mm f1.6 A/I w/spot, manual override | \$749.30 |
| H16Z7516AMSPR | 7.5-120mm f1.6 A/I w/spot, presets, manual override | \$857.63 |
| H16Z7516AMS-IR | 7.5-120mm f1.6, A/I w/spot, infra-red sensitive | \$2,493.90 |
| H16Z7516AMSP-IR | 7.5-120mm f1.6, A/I w/spot, preset, infra-red sensitive | \$2,730.88 |
| H10Z1218M | 12-120mm f1.8 10X, 3 motors | \$563.10 |
| H10Z1218MS | 12-120mm f1.8 10X, 3 motors with spot | \$608.24 |
| H10Z1218AMS | 12-120mm f1.8 10X, A/I with spot | \$608.24 |
| H10Z1218MP | 12-120mm f1.8 10X, 3 motors with preset | \$651.12 |
| H10Z1218MSP | 12-120mm f1.8 10X, 3 motors, spot & preset | \$766.23 |
| H10Z1218AMSP | 12-120mm f1.8 10X, A/I with spot & preset | \$670.31 |
| H30Z1015AMS | 10-300mm f1.5, 30X, A/I with spot | \$2,207.27 |
| H30Z1015AMSP | 10-300mm f1.5, 30X, A/I with spot & preset (special order) | \$2,391.21 |
| H30Z1015AMSPR | 10-300mm f1.5, 30X, A/I w/spot, preset, and man. override (special order) | \$2,482.62 |
| H27Z1555AMS | 15-400mm f5.5, 27X, A/I with spot | \$2,922.72 |
| H27Z1970AMS | 19-513mm f7.0, 27X, A/I with spot | \$3,035.57 |
| H60Z1238A-IR * | 12.5-750mm f3.8 with 2X extender, IR corrected | \$11,623.17 |
| H60Z1238A-IRF * | 12.5-750mm f3.8 with 2X extender, IR, Visible light cut filter | \$13,203.02 |

* Special Order

Motorized Zoom Lenses, 1/3" Format, CS Mount

| | | |
|---------------|--|----------|
| T6Z5710M | 5.7-34.2mm f1.0 6X, 3 motors | \$411.89 |
| T6Z5710MS | 5.7-34.2mm f1.0 6X, 3 motors with spot | \$382.55 |
| T6Z5710AMS | 5.7-34.2mm f1.0 6X, A/I with spot | \$445.74 |
| T6Z5710MP | 5.7-34.2mm f1.0 6X, 3 motors with preset | \$487.50 |
| T6Z5710MSP | 5.7-34.2mm f1.0 6X, 3 motors, spot & preset | \$501.04 |
| T6Z5710AMSP | 5.7-34.2mm f1.0 6X, A/I with spot & preset | \$520.22 |
| T6Z5710DC-CS | 5.7-34.2mm f1.0 6X, A/I DC Type w/4 pin mini connector | \$427.69 |
| T6Z5710PDC-CS | 5.7-34.2mm f1.0 6X, A/I DC Type w/4 pin conn. & preset | \$507.81 |
| T10Z5712M | 5.7-57mm f1.2 10X, 3 motors | \$495.40 |
| T10Z5712MS | 5.7-57mm f1.2 10X, 3 motors with spot | \$466.06 |
| T10Z5712AMS | 5.7-57mm f1.2 10X, auto iris, with spot | \$452.51 |
| T10Z5712MP | 5.7-57mm f1.2 10X, 3 motors with preset | \$541.66 |
| T10Z5712MSP | 5.7-57mm f1.2 10X, 3 motors, spot & preset | \$568.75 |
| T10Z5712AMSP | 5.7-57mm f1.2 10X, A/I with spot & preset | \$593.57 |
| T10Z5712DC | 5.7-57mm f1.2 10X, A/I DC Type with 4 pin mini connector | \$438.97 |
| T21Z5816M | 5.8-121mm f1.8 21X, 3 motors | \$792.18 |

| | | | |
|--|--------------|--|------------|
| | T21Z5816MS | 5.8-121mm f1.8 21X, 3 motors with spot | \$727.86 |
| | T21Z5816AMS | 5.8-121mm f1.8 21X, A/I with spot | \$723.35 |
| | T21Z5816MP | 5.8-121mm f1.8 21X, 3 motors with preset | \$837.32 |
| | T21Z5816MSP | 5.8-121mm f1.8 21X, 3 motors, spot & preset | \$853.12 |
| | T21Z5816AMSP | 5.8-121mm f1.8 21X, A/I with spot & preset | \$871.17 |
| | T34Z5518AMS | 5.5-187mm f1.8 34X, A/I with spot | \$888.10 |
| | T34Z5518AMSP | 5.5-187mm f1.8 34X, A/I with spot & preset | \$1,008.85 |
| | T34Z5518AMSR | 5.5-187mm f1.8 34X, A/I w/spot, manual override. | \$938.88 |

Lens Accessories

| | | | |
|---|---------|------------------------------|----------|
|  | VM300 | Lens View Finder | \$159.11 |
| | VM400 | Extension Tube (5mm) | \$5.64 |
| | VM100 | Extension Tube Kit | \$28.21 |
| | EX2CS | Extender (2X) for CS-Mount | \$50.78 |
| | EX2C | Extender (2X) for C-Mount | \$50.78 |
| | EX1.5CS | Extender (1.5X) for CS-Mount | \$42.88 |
| | EX1.5C | Extender (1.5X) for C-Mount | \$42.88 |
| | CBZ24 | Zoom Lens Controller | \$220.05 |

Thermal Cameras

Thermal Imaging Cameras with Extended Micro bolometer Technology.



Thermal Camera
with 20mm Lens
ZT-M320



Thermal Camera
with 35mm Lens
ZT-M335



Outdoor Thermal
Camera w/ 20mm Lens
ZT-W320



Pan Tilt Thermal Camera
w/ 20mm Lens
ZT-PTS320

CS Mount Cameras

| | | | |
|--|-----------|--|----------|
| | YCX-05 | 1/3" Color, 700 TVL, Digital WDR, Digital D/N | \$134.29 |
| | YCX-05-BL | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, Black | \$134.29 |
| | YCX-05N | 1/3" Color, 700 TVL, Digital WDR, True D/N | \$179.43 |
| | YCX-05W | 1/3" Color, 700 TVL, True WDR, Digital D/N | \$201.99 |
| | YCX-05WN | 1/3" Color, 700 TVL, True WDR, True D/N | \$224.56 |
| | YCB-08 | 1/3" Color, 600 TVL, Digital Day/Night | \$111.72 |

** Power requirement for all above cameras is 12VDC or 24VAC (Dual Voltage).*

5000 X-Series 700TVL Indoor Dome Cameras with Integrated Varifocal Lenses

| | | | |
|--|-----------------|--|----------|
| | ZC-D5025NXA | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 2.3-5mm A/I varifocal | \$269.70 |
| | ZC-D5212NXA | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 2.8-12mm A/I varifocal | \$247.13 |
| | ZC-D5550NXA | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 5-50mm A/I varifocal | \$292.27 |
| | ZC-DN5212NXA | 1/3" Color, 700 TVL, Digital WDR, True D/N, 2.8-12mm A/I varifocal | \$280.99 |
| | ZC-DN5840NXA | 1/3" Color, 700 TVL, Digital WDR, True D/N, 8.5-40mm A/I varifocal | \$326.13 |
| | ZC-DW5212NXA | 1/3" Color, 700 TVL, WDR, Digital D/N, 2.8-12mm A/I varifocal | \$314.84 |
| | ZC-DW5212NXA-BL | 1/3" Color, 700 TVL, WDR, D-D/N, 2.8-12mm A/I varifocal, black housing | \$314.84 |
| | ZC-DW5550NXA | 1/3" Color, 700 TVL, WDR, Digital D/N, 5-50mm A/I varifocal | \$359.98 |
| | ZC-DWN5212NXA | 1/3" Color, 700 TVL, WDR, True D/N, 2.8-12mm A/I varifocal | \$337.41 |
| | ZC-D5000MM | Dummy Dome Camera for 5000 Series | \$32.73 |
| | ZCA-DCS50 | Smoked Dome Cover for 5000 Series | \$11.28 |

Technical Tip: C or CS Mount For CS mount cameras, both C and CS mount lenses can be used.

But for C mount lens, a 5mm ring is required between the camera and the lens to achieve a focused image. For a C mount camera, it is not possible to use a CS mount lens as it is not physically possible to get the lens close enough to the CCD to achieve focused

image. C mount adapter is usually included in the camera package.

| 5000 X-Series 700TVL Indoor Domes Cameras with Integrated Varifocal Lens & NVT transmitter | | | |
|---|------------------|--|----------|
|  | ZC-D5025NXAT | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 2.3-5mm A/I varifocal | \$292.27 |
| | ZC-D5212NXAT | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 2.8-12mm A/I varifocal | \$269.70 |
| | ZC-D5550NXAT | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 5-50mm A/I varifocal | \$314.84 |
| | ZC-DN5840NXAT | 1/3" Color, 700 TVL, Digital WDR, True D/N, 8.5-40mm A/I varifocal | \$348.70 |
| | ZC-DW5212NXAT | 1/3" Color, 700 TVL, WDR, Digital D/N, 2.8-12mm A/I varifocal | \$337.41 |
| | ZC-DW5212NXAT-BL | 1/3" Color, 700 TVL, WDR, D-D/N, 2.8-12mm A/I varifocal, black housing | \$337.41 |
| 8000 Series 600TVL Indoor Dome Cameras with Integrated Varifocal Lenses | | | |
|  | ZC-D8312NBA-BL | 1/3" Color, 600 TVL, D-D/N, D-WDR, 3.3-12mm A/I varifocal, black housing | \$152.34 |
| | ZC-D8312NBA | 1/3" Color, 600 TVL, D-D/N, D-WDR, 3.3-12mm A/I varifocal | \$152.34 |
| | ZC-D8000MM | Dummy Dome Camera for 8000 Series Domes | \$28.21 |
| 5000 X-Series 700TVL Outdoor Tamperproof Vandal-resistant Dome Cameras | | | |
|  | ZCOH5-D55NXA | 1/3" Color, 700 TVL, Digital WDR, Digital D/N, 5-50mm A/I varifocal | \$347.57 |
| | ZCOH5-DN21NXA | 1/3" Color, 700 TVL, Digital WDR, True D/N, 2.8-12mm A/I varifocal | \$336.28 |
| | ZCOH5-DN84NXA | 1/3" Color, 700 TVL, Digital WDR, True D/N, 8.5-40mm A/I varifocal | \$381.42 |
| Indoor and Outdoor Dome Accessories | | | |
|  | ZC-FM3 | Flush Mount adapter for 4000/5000/7000 series | \$28.21 |
| | ZC7-PM1 | Indoor Pendant Mount for 4000/5000/7000/9000 Series | \$25.95 |
| | ZC7-WM1 | Indoor Wall Mount for 4000/5000/7000/9000 Series | \$44.01 |
| | ZC5X-HTR | Heater for ZC-D5000 series, 24VAC only | \$45.14 |
| | ZCD5-NVT | NVT Module for 5000 Series Domes | \$22.57 |
| | ZC-OH5 | Outdoor Housing for 5000 Series Domes | \$55.29 |
| | ZC8-PM2 | Outdoor Pendant Mount for ZC-DT8000 Domes | \$28.21 |
| | ZC5-PM2 | Outdoor Pendant Mount for ZC-OH5 | \$32.73 |
| | ZC5-WM2A | Outdoor Wall Mount for ZC-OH5 | \$50.78 |
| | PMA2 | Pole Mount Adapter for ZC5-WM2A, ZC8-WM2A, HWB-1, HWB-2 | \$37.24 |
| Outdoor PTZ Dome Cameras | | | |
|  | PT112N-XT | 500TVL, 12X Optical, vandal proof, True D/N | \$709.80 |
| | PT127N-XT | 550TVL, 27X Optical, w/sunshield, wall bracket, True D/N | \$901.64 |
| | ZC-PT222N-XT | 480TVL, 22X Optical | \$732.37 |
| Controllers | | | |
|  | SC101 | 3 axis joystick controller (Pelco P & D only) | \$258.42 |
| Accessories for 100 Series PTZ Dome Cameras | | | |
|  | PMK3 | Indoor Pendant Mount Kit for PT110N | \$44.01 |
| | WMK3 | Indoor Wall Mount Kit for PT110N | \$44.01 |
| | FMK3 | Indoor Flush Mount Kit for PT110N | \$44.01 |
| | DCS3 | Smoked Dome cover for PT110N | \$28.21 |
| | PDM3 | Outdoor Pole Mount adapter for PT110N-XT & PT-127N-XT | \$44.01 |
| | CDM3 | Outdoor Corner Mount adapter for PT110N-XT & PT-127N-XT | \$44.01 |

Technical Tip: [Requirements for Coaxial Cable for CCTV](#)

- 1) 75 ohms impedance,
- 2) All-copper center conductor, and
- 3) All-copper braided shield with 95% braid coverage.

* Recommended cable run per each cable type;

- 1) RG59/U : up to 750ft
- 2) RG6/U : up to 1,000ft
- 3) RG11/U : up to 1,500ft

| Accessories for 200 Series PTZ Dome Cameras | | | |
|---|----------------------------|---|----------|
|  | ZCA-PMK | Indoor Pendant Mount Kit (includes ZCA-PMA-Q & ZCA-IPA) | \$73.35 |
| | ZCA-WMK | Indoor Wall Mount Kit (includes ZCA-IPA and ZCA-GT200) | \$118.49 |
| | ZCA-WMK1 | Straight indoor wall mount kit (ZCA-IPA and GT100) | \$107.20 |
| | ZCA-PMA-Q | Outdoor Pendant Mount | \$28.21 |
| | ZCA-GT100 | Outdoor wall mount (straight) | \$66.58 |
| | ZCA-TB200 | Indoor Flush Mount | \$62.07 |
| | ZCA-SB-5.4 | 5.4" indoor smoked dome cover | \$39.50 |
| | ZCA-SB-XT | Outdoor smoked dome cover | \$55.29 |
| | ZCA-CB | Connector Box | \$73.35 |
| | ZCA-CST | Outdoor Corner Mount Adapter | \$55.29 |
| | ZCA-PTDM | Pole Mount Adapter Kit | \$62.07 |
| ZCA-100-3.0A | AC24V 3.0 Amp Power Supply | \$62.07 | |
| Accessories for all Ganz PTZ Dome Cameras | | | |
|  | ZCA-DS4 | 4 camera line distributor | \$213.28 |
| | ZCA-DS8 | 8 camera line distributor | \$258.42 |
| | ZCA-DS16 | 16 camera line distributor | \$314.84 |
| | ZCA-PPT | Parapet Mount (use with ZCA-PMA-H for 22X and 23X series) | \$280.99 |
| | ZCA-PPTRA | Roof Adapter for ZCA-PPT | \$111.72 |
| Color Board Cameras (42x42mm), NTSC, 12VDC | | | |
|  | CMB712-CS | 600 TVL Color Board Camera w/CS Mount | \$100.43 |
| | CMB712-L25 | 600 TVL Color Board Camera w/2.5mm Lens | \$100.43 |
| | CMB712-L38 | 600 TVL Color Board Camera w/3.8mm Lens | \$100.43 |
| | CMB712-L60 | 600 TVL Color Board Camera w/6.0mm Lens | \$100.43 |
| Color Camera Kits | | | |
|  | YCB-08-KIT1 | YCB-08 with 2.9-8.2mm A/I lens, bracket | \$133.16 |
| | YCB-08-KIT2 | YCB-08 with 2.8-12mm A/I lens, bracket | \$154.60 |
| | YCB-08-KIT3 | YCB-08 with 5-50mm A/I lens, bracket | \$174.91 |
| Mounting Brackets | | | |
|  | CMB-1 | Camera mounting bracket, 6", Black | \$14.11 |
| | CMB-2 | Camera mounting bracket, 6", White | \$14.11 |
| | CMB-3 | Camera mounting bracket, 4", Black | \$8.91 |
| | CMB-4 | Camera mounting bracket, 4", White | \$8.91 |
| Power Supplies/NVT Module | | | |
|  | PS-411A | 4-output power supply, 100vA | \$55.29 |
| | PS-811A | 8-output power supply, 100vA | \$69.96 |
| | PS-821A | 8-output power supply, 175vA | \$95.92 |
| | PS-1621A | 16-output power supply, 200vA | \$123.00 |
| | NV-214A-M | NVT Transmitter for CS Mount Cameras | \$33.85 |
| Outdoor Housings and Accessories | | | |
|  | H-1 | Outdoor Housing | \$50.78 |
| | H-2 | Outdoor Housing with heater | \$73.35 |
| | HWB-1 | H-1 & WB-1 | \$75.61 |
| | HWB-2 | H-2 & WB-1 | \$98.18 |
| | HWB-4 | Large Housing w/heater & blower, wall bracket | \$152.34 |
| | JB-1 | Ceiling 'J' bracket | \$37.24 |
| | WB-1 | Wall bracket | \$24.83 |
| | SS-1 | Sunshield | \$21.44 |
| | PMA2 | Pole Mount Adapter for ZC5-WM2A, ZC8-WM2A, HWB-1, HWB-2 | \$37.24 |

| | | | |
|---|----------------|---|------------|
| Video Stabilizer | | | |
|  | ZS-STB1000 | Single Channel Video Stabilizer for Analog cameras | \$619.53 |
| LCD Test Monitor | | | |
|  | ZM-L35T | 3.5" LCD Test Monitor with Built-In Multi-meter | \$280.99 |
| PROPAK Camera Kit: YCX-05 Digital D/N Camera (700TVL), Auto Iris Lens, & Housing/Mount Kit | | | |
|  | HWB1-29A22 | HWB-1 w/ TG3Z2910FCS & YCX-05 (2.9-8.2mm DC A/I & hi-res Digital D/N) | \$252.78 |
| | HWB1-281A22 | HWB-1 w/ TG4Z2813FCS-IR & YCX-05 (2.8-12mm DC A/I & hi-res Digital D/N) | \$269.70 |
| | HWB1-5A22 | HWB-1 w/ TG10Z0513FCS & YCX-05 (5-50mm DC A/I & hi-res Digital D/N) | \$290.02 |
| | HWB2-29A22 | HWB-2 w/ TG3Z2910FCS & YCX-05 (2.9-8.2mm DC A/I & hi-res Digital D/N) | \$275.35 |
| | HWB2-281A22 | HWB-2 w/ TG4Z2813FCS-IR & YCX-05 (2.8-12mm DC A/I & hi-res Digital D/N) | \$292.27 |
| | HWB2-5A22 | HWB-2 w/ TG10Z0513FCS & YCX-05 (5-50mm DC A/I & hi-res Digital D/N) | \$312.58 |
| PROPAK Camera Kit: YCX-05N True D/N Camera (700TVL), Auto Iris Lens, & Housing/Mount Kit | | | |
|  | HWB1-29RA21 | HWB-1 w/ TG3Z2910FCS-IR & YCX-05N (2.9-8.2mm IR DC A/I & D/N) | \$315.97 |
| | HWB1-28RA21 | HWB-1 w/ TG4Z2813FCS-IR & YCX-05N (2.8-12mm DC A/I & D/N) | \$314.84 |
| | HWB1-84RA21 | HWB-1 w/ TG5Z8513FCS-IR & YCX-05N (8.5-40mm IR DC A/I & D/N) | \$371.26 |
| | HWB2-29RA21 | HWB-2 w/ TG3Z2910FCS-IR & YCX-05N (2.9-8.2mm DC A/I & D/N) | \$338.54 |
| | HWB2-28RA21 | HWB-2 w/ TG4Z2813FCS-IR & YCX-05N (2.8-12mm DC A/I & D/N) | \$337.41 |
| | HWB2-84RA21 | HWB-2 w/ TG5Z8513FCS-IR & YCX-05N (8.5-40mm IR DC A/I & D/N) | \$393.83 |
| NVR Software | | | |
|  | ZNS-BASIC | Supports 4 Cameras, & 1 Remote Client. | \$451.39 |
| | ZNS-PRO | Supports 9 Cameras, & 3 Remote Clients. | \$789.92 |
| | ZNS-ADVANCED | Supports 16 Cameras, & 5 Remote Clients. | \$1,128.46 |
| | ZNS-ENTERPRISE | Supports unlimited Cameras & Remote Clients Per Server. | \$2,256.93 |
| PixelPro Series H.264 VGA & Megapixel IP Cameras | | | |
|  | ZN-C1 | 1/2.5" VGA, True DN, SD, AI CS Mt, BNC, 12/24/POE | \$282.12 |
| | ZN-C1-281A | ZN-C1 packaged with TG4Z2813FCS-IR 2.8-12mm A/I IR lens | \$325.00 |
| | ZN-C1M | 1/2.5" HD 720p, True DN, SD, AI CS Mt, BNC, 12/24/POE | \$349.82 |
| | ZN-C1M-38A | ZN-C1M packaged with TG3Z0312FCS-MPIR 3-8mm MP AI IR lens | \$450.26 |
| | ZN-C2M | 1/2.5" HD 1080p, True DN, SD, AI CS Mt, BNC, 12/24/POE | \$473.95 |
| | ZN-C2M-38A | ZN-C2M packaged with TG3Z0312FCS-MPIR 3-8mm MP AI IR lens | \$574.39 |
| | ZN-DT1A | Outdoor Dome, VGA, True DN, AI 3.3-12mm, SD, BNC, 12/24/POE | \$361.11 |
| | ZNA-CA1 | Conduit Adapter/Pendant Cap for PixelPro Domes | \$44.01 |
| | ZNA-WM2 | Wall Mount Adapter for PixelPro Domes | \$66.58 |
| | PDM3 | Outdoor Pole Mount Adapter for ZNA-WM2 Wall Mount | \$44.01 |
| | CDM3 | Outdoor Corner Mount Adapter for ZNA-WM2 Wall Mount | \$44.01 |
| Video Server | | | |
|  | ZN-S1000VNE | H.264 1ch Video Encoder, PTZ, 12VDC, POE | \$337.41 |
| H.264 IP PTZ Dome Cameras & Accessories | | | |
|  | PT110-IP | Indoor 10X IP PTZ Dome, D1, 12VDC | \$754.94 |

PixelPro Housing Kits



| | | |
|---------------|---|----------|
| HWB1-28C1 | HWB1 w/ T4Z2813CS-IR (2.8-12mm IR MI) & ZN-C1 (VGA True DN) | \$424.30 |
| HWB1-38C1M | HWB1 w/ T3Z0312CS-MPIR (3-8mm IR MI) & ZN-C1M (HD 720p True DN) | \$546.18 |
| HWB1-413C1M | HWB1 w/ H3Z4518CS-MPIR (4.5-13.2mm M/I) & ZN-C1M (HD 720p True D/N) | \$622.91 |
| HWB1-38C2M | HWB1 w/ T3Z0312CS-MPIR (3-8mm IR MI) & ZN-C2M (HD 1080p True DN) | \$670.31 |
| HWB1-413C2M | HWB1 W/ H3Z4518CS-MPIR (4.5-13.2MM IR M/I) & ZN-C2M (HD 1080p True D/N) | \$747.04 |
| HWB2-28AC1 | HWB2 w/ TG4Z2813FCS-IR (2.8-12mm IR AI) & ZN-C1 (VGA True DN) | \$445.74 |
| HWB2-38AC1M | HWB2 w/ TG3Z0312FCS-MPIR (3-8mm IR AI) & ZN-C1M (HD 720p True DN) | \$571.00 |
| HWB2-413C1M | HWB2 w/ H3Z4518CS-MPIR (4.5-13.2mm M/I) & ZN-C1M (HD 720p True D/N) | \$645.48 |
| HWB2-1236C1M | HWB2 w/ M3Z1228C-MP (12-36mm M/I) & ZN-C1M (HD 720p True D/N) | \$636.45 |
| HWB2-1250C1M | HWB2 w/ A4Z1214CS-MPIR (12.5-50mm M/I) & ZN-C1M (HD 720p True D/N) | \$662.41 |
| HWB2-1250AC1M | HWB2 w/ AG4Z1214FCS-MPIR (12.5-50mm IR AI) & ZN-C1M (HD 720p True D/N) | \$668.05 |
| HWB2-38AC2M | HWB2 w/ TG3Z0312FCS-MPIR (3-8mm IR AI) & ZN-C2M (HD 1080p True DN) | \$695.13 |
| HWB2-413C2M | HWB2 W/ H3Z4518CS-MPIR (4.5-13.2MM IR M/I) & ZN-C2M (HD 1080p True D/N) | \$769.61 |
| HWB2-1236C2M | HWB2 w/ M3Z1228C-MP (12-36mm M/I) & ZN-C2M (HD 1080p True D/N) | \$760.58 |

Motion Detectors & Sensors



Perimeter Protection (outdoor)

| | | |
|----------|--|----------|
| ZI-AO20 | Short Range Photoelectric detector (20m) | \$100.43 |
| ZI-AO40 | Short Range Photoelectric detector (40m) | \$111.72 |
| ZI-AO60 | Short Range Photoelectric detector (60m) | \$159.11 |
| ZI-AO100 | Long Range Photoelectric detector (100m) | \$409.63 |
| ZI-AO200 | Long Range Photoelectric detector (200m) | \$477.34 |

Middle Area Protection (outdoor)

| | | |
|----------|---|----------|
| ZI-PO12 | Wide angel weatherized outdoor PIR detector (120°) | \$71.09 |
| ZI-POV12 | Multiple detection pattern outdoor PIR detector (90°) | \$135.42 |

Boundary Protection (outdoor)

| | | |
|---------|--|----------|
| ZI-PB24 | Outdoor PIR detector with 2 sided detector pattern | \$116.23 |
|---------|--|----------|

Passive Infrared Detectors (indoor)

| | | |
|------------|---|----------|
| ZI-PI360Z | 360 PIR detector with adjustable zoom function, ceiling mount | \$119.62 |
| ZI-PI12SA1 | PIR detector with small animal immunity, wall mount | \$21.44 |



Pre-assembled Coax Video & Power Cable Kits



Video/Power Cable Kit for Plug & Play, Custom made Siamese cable includes both RG-59 video coax with pre-assembled BNC connectors and power cable. Maximum recommended extension is total 750ft. Extension coupler(s) supplied free when ordered more than 2 ea per camera or upon request. 24VAC/20VA Power Supply included models available.

| | |
|--|---------|
| 25ft RG59 Coax Video/Power Cable Kit: #CP025K | \$20.01 |
| 50ft RG59 Coax Video/Power Cable Kit: #CP050K | \$33.91 |
| 100ft RG59 Coax Video/Power Cable Kit: #CP100K | \$61.29 |
| 25ft RG59 Coax Video/Power Cable & 24VAC Power Supply Kit: #CP025AK | \$25.45 |
| 50ft RG59 Coax Video/Power Cable & 24VAC Power Supply Kit: #CP050AK | \$39.36 |
| 100ft RG59 Coax Video/Power Cable & 24VAC Power Supply Kit: #CP100AK | \$66.73 |



Pre-assembled RCA Video & DC Power Cable Kits



Pre-assembled 30ft Video/Power Cable kit with 12VDC/500mA Power Supply, RCA Female & DC Power Male on one end, RCA Male & DC Power Female on the other end, RCA to BNC coupler supplied free upon request. Extendable each other (male to female connector). Maximum recommended extension is total 250ft.

| | |
|---|---------|
| 30ft with 12VDC Power Supply: #CY030DK | \$17.09 |
| 60ft with 12VDC Power Supply: #CY060DK | \$22.58 |
| 120ft with 12VDC Power Supply: #CY120DK | \$42.17 |

Wireless Ethernet Systems



Ethernet Cable Replacement. Secure Encryption. Connects to standard Ethernet devices such as Network Video Servers, Network DVR's, IP Cameras, Routers/Hubs, etc., Point-to-Point & Point-to-Multipoint. Package models come with devices for both TX (Client) & RX (Host) sites. Multiple connection systems should remain within the beam angle range of antennas used for the system.

Beam Angle (Horizontal, Elevation) of each Antenna:

- 5dBi omni directional antenna: 360°
- 9dBi directional antenna: 33°
- 17dBi directional antenna: 17°

Point-to-Point Package: comes with Host & Client

Up to 2.5 miles, with 17dBi antennas (5GHz): **#WESII-KT** \$784.28

Point-to-Multipoint Parts: all 5 GHZ systems

Multipoint Host module, with 5dBi omni directional antenna: **#WESII-AB-AA** \$541.66

Multipoint Host module, with 9dBi directional antenna: **#WESII-AB-BA** \$558.59

Client module, with 5dBi omni directional antenna: **#WESII-AC-AA** \$315.97

Client module, with 9dBi directional antenna: **#WESII-AC-BA** \$321.61

Client module, with 17dBi directional antenna: **#WESII-AC-CA** \$332.90

Distance range for each antenna combination: *line of sight required*

- 5dBi antenna to 5dBi antenna: up to 750 ft
- 5dBi antenna to 9dBi antenna: up to 900 ft
- 5dBi antenna to 17dBi antenna: up to 1500 ft
- 9dBi antenna to 9dBi antenna: up to 2500 ft
- 9dBi antenna to 17dBi antenna: up to 1 mile
- 17dBi antenna to 17dBi antenna: up to 2.5 miles

Technical Tip: **FCC Approval on Wireless Systems.**

The commercialized models are usually FCC approved by the manufacturers and you don't need to get a separate FCC approval, unless you want change or modify the specification.