



# SCHEDULE

General Services Administration  
Federal Supply Service  
Authorized Federal Supply Schedule Price List



**TRANSPORTATION & UTILITY VEHICLES**

Metro Golf Cars, Inc.  
4063 South Freeway  
Fort Worth, Texas 76110  
P: 817-921-5491  
P: 800-772-6507  
F: 817-924-0037  
[www.metrogolfcars.com](http://www.metrogolfcars.com)  
[ben@metrogolfcars.com](mailto:ben@metrogolfcars.com)

**FSG Schedule: 078**

Sports, Promotional, Outdoor, Recreational, Trophies and Signs (Sports)

**Special Item Numbers:**

**251 1:** Wheel and Track Vehicles

**251 6:** Utility Vehicle, Unlicensed, Off-Road, Automotive Design

**Contract Number: GS-03F-0059U**

**Contract Period: April 29, 2013 – April 30, 2018**

Supplement # PS-0050, dated June 28, 2016

**Business Size: Small**

**Federal Tax ID: 75-1287191**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is [GSAAdvantage.gov](http://GSAAdvantage.gov).

For more information on ordering from Federal Supply Schedules click on the FSS schedules button at [fss.gsa.gov](http://fss.gsa.gov)

## Customer Information

- 1a. Special Item Number: 251 1 Wheel and Track Vehicle  
251 6 Utility Vehicle, Unlicensed, Off-Road, Automotive Design
- 1b. Lowest Priced Model Number: CR-10 Columbia ParCar - Expediter 3 Wheel Car
- 1c. Hourly Rate: Not Applicable
2. Maximum Order: \$300,000.00
3. Minimum Order: \$100.00
4. Geographic Coverage: Continental US & Washington DC
5. Point of Production: City: Fort Worth  
County: Tarrant  
State: Texas
6. Discounts from List Prices: For SIN 251-1, the Government is offered a basic markup over cost of 10% on the following utility vehicles: Club Car XRT, Yamaha, and Columbia; and 1.5% on Kawasaki from the commercial list price provided by Metro Golf Cars. All discounts exclude the Industrial Funding Fee. Prices are for domestic deliveries within the Continental 48 United States and Washington DC and do not include cost related to crating and shipping.
7. Quantity Discounts: Not Applicable
8. Prompt Pay Terms: No Prompt Pay Discounts, Net 30 Days
- 9a. Government Purchase Cards Accepted at or below Micro-Purchase Threshold: Government Purchase Cards are accepted up to the micro-purchase threshold.
- 9b. Government Purchase Cards Accepted above the Micro-Purchase Threshold: Bank Transfer is preferred above the micro-purchase threshold.
10. Foreign Items: Not Applicable
- 11a. Time of Delivery: 45 days after receipt of order (ARO)
- 11b. Expedited Delivery: Not Applicable
- 11c. Overnight and 2-Day Delivery: Not Applicable
- 11d. Urgent Requirements: When the Federal Supply Schedule contract delivery period does not meet the bona fide urgent delivery requirements of an ordering agency, agencies are encouraged, if time permits, to contact the contractor for the purpose of obtaining accelerated delivery. The contractor shall reply to the inquiry within 3 workdays after receipt. (Telephonic replies shall be confirmed by the contractor in writing.) If the contractor offers an accelerated delivery time acceptable to the ordering agency, any order(s) placed pursuant to the agreed upon accelerated delivery time frame shall be delivered within this shorter delivery time and in accordance with all other terms and conditions of the contract.
12. F.O.B. Point: Origin
- 13a. Ordering Address: Contractor
- 13b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA), and a sample BPA can be found at the GSA/FSS Schedule homepage ([www.fss.gsa.gov/schedules](http://www.fss.gsa.gov/schedules)).
14. Payment Address: Metro Golf Cars, Inc., Accounts Receivable, 4063 South Freeway, Fort Worth, TX 76110
15. Warranty Provision: 1 year limited warranty on all mechanical parts and related labor.
16. Export Packing Charges:
17. Terms and Conditions of Government Purchase Card Acceptance: Contractor will accept government credit cards, but no additional discount will be granted.
18. Terms and Conditions of Rental, Not Applicable

- Maintenance, and Repair:
19. Terms and Conditions of Installation: Not Applicable
- 20a. Terms and Conditions of Repair Parts indicating Date of Parts Price Lists and any Discounts from List Prices: Not Applicable
- 20b. Terms and Conditions for any Other Services: Not Applicable
21. List of Service and Distribution Points: Not Applicable
22. List of Participating Dealers: Not Applicable
23. Preventive Maintenance: Not Applicable
- 24a. Special Attributes such as Environmental Attributes: Electric Vehicles are Ozone Safe.
- 24b. Section 508 Compliance: Not Applicable
25. DUNS Number: 097973994
26. Notification regarding registration in System of Award Management (SAM) Database: Cage Code: 1MPP2 – Registration Active.



METRO GOLF CARS, INC.  
GSA AWARDED PRICE LIST

SIN	MANUF / BRAND NAME	PART NUMBER	PRODUCT NAME/ PRODUCT DESCRIPTION	UOI	GSA AWARDED PRICE	QUANTITY/ VOLUME DISCOUNT	COO
251-1	Yamaha	YDRAP1W	The Drive Fleet Car-Gas Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure BRAKES: Self-adjusting rear drum Top Canopy MAX FORWARD SPEED (Gas): 24 km/h (15 mph)	EA	\$ 4,982.97	None	US
251-1	Yamaha	YDREP1W	The Drive Fleet Car Elec MOTOR: Hitachi 48-volt high-efficiency, shunt wound motor with internal solid state tachometer CHARGER: YAMAHA-built automatic BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries MAX FORWARD SPEED 24 km/h (15 mph) Top Canopy	EA	\$ 5,144.79	None	US
251-1	Yamaha	YT1AP1H	Adventurer One Utility 1 Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure Head Lights BRAKES: Self-adjusting rear drum Color Option: Green CARGO BED SIZE (LxWxH) (29.9 in) L x (43.9 in) W x (9.2 in) H CARGO BED CAPACITY 300 lbs	EA	\$ 5,870.73	None	US
251-1	Yamaha	YT1EP1HAC	Adventurer One Utility AC MOTOR: 48-volt AC MOTOR CONTROL UNIT: 350 amp AC BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries CHARGER: YAMAHA-built automatic FRAME: Rectangular tube structure BRAKES: Self-adjusting rear drum Color Option: Green CARGO BED SIZE (LxWxH) (29.9 in) L x (43.9 in) W x (9.2 in) H CARGO BED CAPACITY 300 lbs	EA	\$ 6,457.03	None	US
251-1	Yamaha	YT2AP1H	Adventurer Two Utility EFI Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure Head Lights BRAKES: Self-adjusting rear drum Color Option: Green CARGO BED SIZE (LxWxH) (43.5 in) L x (43.7 in) W x (9.0 in) H CARGO BED CAPACITY 363 kg (800 lbs)	EA	\$ 7,256.12	None	US
251-1	Yamaha	YT2EP1H	Adventurer Two Utility AC MOTOR: 48 Volt high-efficiency AC motor CONTROLLER: 48V AC 350 amp FRAME: Rectangular tube structure BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries Head Lights BRAKES: Self-adjusting rear drum Color Option: Green CARGO BED SIZE (LxWxH) (43.5 in) L x (43.7 in) W x (9.0 in) H CARGO BED CAPACITY 363 kg (800 lbs)	EA	\$ 8,189.32	None	US
251-1	Yamaha	YDRAPWSHLR	Super Hauler EFI-Gas Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure Head Lights CARGO BOX CAPACITY: 363 kg (800 lbs) CARGO BED SIZE: (72.0 in) L x (48.0 in) W x (7.0 in) H BRAKES: Self-adjusting rear drum Color Option: Glacier (White)	EA	\$ 9,263.27	None	US
251-1	Yamaha	YDREPWSHLRAC	Super Hauler AC-Electric MOTOR: 48 Volt high-efficiency AC motor BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries CONTROLLER: 48V AC 350 amp FRAME: Rectangular tube structure Head Lights BRAKES: Self-adjusting rear drum Color Option: Glacier (White) CARGO BOX CAPACITY: 363 kg (800 lbs) CARGO BED SIZE: (72.0 in) L x (48.0 in) W x (7.0 in) H	EA	\$ 9,550.33	None	US
251-1	Yamaha	YDRAP1WPT	The Drive PTV EFI 4 passenger Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure HeadLights, Tail Lights, Horn BRAKES: Self-adjusting rear drum Rear Facing Seat Optional Extended Top Canopy Available Color Option: Glacier (White)	EA	\$ 6,369.47	None	US
251-1	Yamaha	YDREP1WAP	The Drive PTV AC 4 passenger MOTOR: 48-volt AC MOTOR CONTROL UNIT: 350 amp AC BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries CHARGER: YAMAHA-built automatic FRAME: Rectangular tube structure BRAKES: Self-adjusting rear drum HeadLights, Tail Lights, Horn Equipped with Rear Facing Seat Optional Extended Top Canopy Available Color Option: Glacier (White)	EA	\$ 6,746.30	None	US
251-1	Yamaha	YDRAP1WSP	Adventurer Sport 2+2 EFI Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure Head Lights BRAKES: Self-adjusting rear drum Color Option: Glacier (White) Rear Facing Fold down Seat Brush Guard Off Road Tires Lift Suspension	EA	\$ 6,895.92	None	US
251-1	Yamaha	YDREP1WSPAC	Adventurer Sport 2+2 AC MOTOR: 48 Volt high-efficiency AC motor BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries CONTROLLER: 48V AC 350 amp FRAME: Rectangular tube structure Head Lights BRAKES: Self-adjusting rear drum Color Option: Glacier (White) Rear Facing Fold down Seat Brush Guard Off Road Tires Lift Suspension	EA	\$ 7,389.12	None	US
251-1	Yamaha	YDRAPW4P	Concierge 4 EFI- Gas 6 passenger Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure HeadLights, Tail Lights, Horn BRAKES: Self-adjusting rear drum Color Option: Glacier (White) Equipped with Rear Facing Seat	EA	\$ 8,221.46	None	US
251-1	Yamaha	YDREPW4PAC	Concierge 4 AC Electric 6 passenger MOTOR: 48-volt AC MOTOR CONTROL UNIT: 350 amp AC BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries CHARGER: YAMAHA-built automatic FRAME: Rectangular tube structure BRAKES: Self-adjusting rear drum HeadLights, Tail Lights, Horn Color Option: Glacier (White) Equipped with Rear Facing Seat	EA	\$ 8,342.27	None	US
251-1	Yamaha	YDRAPW6P	Concierge 6 EFI Gas 8 passenger Yamaha built, EFI low emission single cylinder 60° incline OHV, 357 cc, 11.4 HP FRAME: Rectangular tube structure HeadLights, Tail Lights, Horn BRAKES: Self-adjusting rear drum Color Option: Glacier (White) Equipped with Rear Facing Seat	EA	\$ 9,739.85	None	US
251-1	Yamaha	YDREPW6PAC	Concierge 6 AC- Electric 8 passenger MOTOR: 48-volt AC MOTOR CONTROL UNIT: 350 amp AC BATTERIES: STANDARD: Six 8-volt Trojan T875 Batteries CHARGER: YAMAHA-built automatic FRAME: Rectangular tube structure BRAKES: Self-adjusting rear drum HeadLights, Tail Lights, Horn Color Option: Glacier (White) Equipped with Rear Facing Seat	EA	\$ 10,182.07	None	US
251-1	Club Car	102811101	Club Car XRT 800 Electric - Power - 3.3 hp (2.5 kW) rated continuous; 13 hp (9.7 kW) rated peak motor Electrical System - 48-volt DC, reduced-speed reverse Halogen Headlights Vehicle Capacity - 800 lb (363 kg) Overall L x W x H - 100 x 45 x 47 in (255 x 114 x 119 cm) Speed - Up to 17 mph (27 kph) 48 Volt Charger Molded Plastic Bed with Tail Gate Color Option: Red or Green	EA	\$ 5,839.90	None	US
251-1	Club Car	105032801	Club Car XRT 800 EFI Gas - 14.0 hp (10.3 kW) rated, 404 cc, Subaru engine, with EFI Dash Instrumentation - Fuel gauge / Hour meter / Low oil warning light Halogen Headlights Vehicle Capacity - 800 lb (363 kg) Overall L x W x H - 100 x 45 x 47 in (255 x 114 x 119 cm) 4.6 gal (17.4 L) with Electronic Fuel Injection (EFI) Speed - 15-17 mph (24-27 km/h) Molded Plastic Tilt Bed with Tail Gate Color Option: Red or Green	EA	\$ 6,203.42	None	US
251-1	Club Car	103365101	14.0 hp (10.3 kW) rated, 404 cc, Subaru engine, with EFI Dash Instrumentation - Fuel gauge / Hour meter / Low oil warning light Halogen Headlights Vehicle Capacity - 800 lb (363 kg) Overall L x W x H - 100 x 45 x 47 in (255 x 114 x 119 cm) 4.6 gal (17.4 L) with Electronic Fuel Injection (EFI) Speed - 15-17 mph (24-27 km/h) Molded Plastic Tilt Bed with Tail Gate Color Option: Red or Green	EA	\$ 7,657.53	None	US
251-1	Club Car	105033201	Club Car XRT 850 Electric - Power - 3.3 hp (2.5 kW) rated continuous; 13 hp (9.7 kW) rated peak motor Electrical System - 48-volt DC, reduced-speed reverse Halogen Headlights Vehicle Capacity - 800 lb (363 kg) Speed - Up to 17 mph (27 kph) Overall L x W x H - 110 x 51 x 52 in (280 x 129 x 132 cm) 48 Volt Charger 4 Person Capacity - Rear Facing Fold Down Seat Color Option: Red or Green Chassis - Twin I-beam welded aluminum Tires - 22 x 11 - 10 in Ground Clearance - 6.3 in (16 cm)	EA	\$ 8,021.06	None	US

SIN	MANUF / BRAND NAME	PART NUMBER	PRODUCT NAME/ PRODUCT DESCRIPTION	UOI	GSA AWARDED PRICE	QUANTITY/ VOLUME DISCOUNT	COO
251-1	Club Car	105032001	Club Car XRT 850 SE Gas EFI - 14.0 hp (10.3 kW) rated, 404 cc, Subaru engine, with EFI Dash Instrumentation - Fuel gauge / Hour meter / Low oil warning light Headlights, Tail Lights, Brake Lights, Horn Vehicle Capacity - 1500 lbs. 6 Person Capacity - Rear Facing Fold Down Seat 4 Wheel Drum Brakes Chassis - Twin I-beam welded aluminum Overall L x W x H - 144 x 51 x 52 Color Option: Red or Green 4.6 gal (17.4 L) with Electronic Fuel Injection (EFI) Tires - 22 x 11 - 10 in Ground Clearance - 6.3 in (16 cm)	EA	\$ 10,491.23	None	US
251-1	Club Car	102836101	Club Car XRT 850 SE Electric - Power - 3.7 hp (2.7kW) rated, Peak 20 hp (14.9 kW) 500 Amp Controller Electrical System - 48-volt DC, reduced-speed reverse Headlights, Tail Lights, Brake Lights, Horn Vehicle Capacity - 1500 lbs. 6 Person Capacity - Rear Facing Fold Down Seat 4 Wheel Drum Brakes Chassis - Twin I-beam welded aluminum Overall L x W x H - 144 x 51 x 52 Color Option: Red or Green 48 Volt Charger Tires - 22 x 11 - 10 in Ground Clearance - 6.3 in (16 cm)	EA	\$ 9,779.19	None	US
251-1	Club Car	103179101	Club Car XRT 1550 Gas 4x4 - 20.1 hp (15 kW) rated, 675cc, air-cooled Kawasaki engine 4x4, IntelliTrak™ Full-time Automatic Brakes - 4-wheel hydraulic disc Chassis Rustproof, automotive-style aluminum box frame Tires - Standard Mud (MT) 25 x 11 - 12 in (635 x 279 - 305 mm) Dash Instrumentation - Fuel/hour gauge, low oil warning light Halogen Headlights Overall L x W x H - 122 x 59 x 82 in (310 x 149 x 209 cm) Ground Clearance - 8 in (21 cm) Forward Speed - Up to 25 mph (40 kph) Bed Size - 48 x 50 x 11 in (122 x 127 x 28 cm) Vehicle Capacity -1200 lb (544 kg) Seating - 2 ROPS (Roll-Over Protective Structure) with 4-point certified system with retractable seat belts 2" Receiver Hitch Color Option: Red or Green	EA	\$ 11,170.88	None	US
251-1	Club Car	103179201	Club Car XRT 1550 Diesel 4x4 - 20 hp (15 kW) rated, 719cc, liquid-cooled Kubota engine 4x4, IntelliTrak™ Full-time Automatic Brakes - 4-wheel hydraulic disc Chassis Rustproof, automotive-style aluminum box frame Tires - Standard Mud (MT) 25 x 11 - 12 in (635 x 279 - 305 mm) Dash Instrumentation - Fuel/hour gauge, low oil and coolant high temperature warning lights Halogen Headlights Overall L x W x H - 122 x 59 x 82 in (310 x 149 x 209 cm) Ground Clearance - 8 in (21 cm) Forward Speed - Up to 25 mph (40 kph) Bed Size - 48 x 50 x 11 in (122 x 127 x 28 cm) Vehicle Capacity -1200 lb (544 kg) Seating - 2 ROPS (Roll-Over Protective Structure) with 4-point certified system with retractable seat belts 2" Receiver Hitch Color Option: Red or Green	EA	\$ 12,761.31	None	US
251-1	Club Car	102827803	XRT 1550 IntelliTach Diesel - Rustproof aircraft grade aluminum frame Exclusive IntelliTrak™ Drive System: our automatic, full-time, 4-wheel drive system 4-wheel hydraulic disc brakes.	EA	\$ 16,214.81	None	US
251-1	Club Car	103179701	Club Car XRT 1550 SE Gas 4x4 - 20.1 hp (15 kW) rated, 675cc, air-cooled Kawasaki engine 4x4, IntelliTrak™ Full-time Automatic Brakes - 4-wheel hydraulic disc Chassis Rustproof, automotive-style aluminum box frame Tires - Standard Mud (MT) 25 x 11 - 12 in (635 x 279 - 305 mm) Dash Instrumentation - Fuel/hour gauge, low oil warning light Halogen Headlights Overall L x W x H - 154 x 59 x 80 in (391 x 149 x 204 cm) Ground Clearance - 8 in (21 cm) Forward Speed - Up to 25 mph (40 kph) Bed Size - 48 x 50 x 11 in (122 x 127 x 28 cm) Vehicle Capacity - 1600 lb (725.5 kg) Seating - 4 ROPS (Roll-Over Protective Structure) with 4-point certified system with retractable seat belts 2" Receiver Hitch Color Option: Red or Green	EA	\$ 13,715.56	None	US
251-1	Club Car	103179801	Club Car XRT 1550 SE Diesel 4x4 - 20 hp (15 kW) rated, 719cc, liquid-cooled Kubota engine 4x4, IntelliTrak™ Full-time Automatic Brakes - 4-wheel hydraulic disc Chassis Rustproof, automotive-style aluminum box frame Tires - Standard Mud (MT) 25 x 11 - 12 in (635 x 279 - 305 mm) Dash Instrumentation - Fuel/hour gauge, low oil and coolant high temperature warning lights Halogen Headlights Overall L x W x H - 154 x 59 x 80 in (391 x 149 x 204 cm) Ground Clearance - 8 in (21 cm) Forward Speed - Up to 25 mph (40 kph) Bed Size - 48 x 50 x 11 in (122 x 127 x 28 cm) Vehicle Capacity - 1600 lb (725.5 kg) Seating - 4 ROPS (Roll-Over Protective Structure) with 4-point certified system with retractable seat belts 2" Receiver Hitch Color Option: Red or Green	EA	\$ 15,305.99	None	US
251-1	Club Car	105031301	Club Car Precedent I2 Electric - HORSEPOWER - 3.3 hp (2.4 kW) rated; Peak 13 hp (9.6 kW) BATTERIES - (6) 8-volt, single point watering system CHARGER - E.R.I.C. Automatic, 48-volt; UL and CSA listed BRAKES - Self-adjusting, rear wheel mechanical drum BODY AND FINISH - Dupont Surlyn® Reflections with molded-in color LxWxH - 92 x 47 x 69 in (232 x 120 x 174 cm) FRAME TYPE AlumiCore™ - Ladder-style aluminum box beam CANOPY - Monsoon Top™ SPEED RANGE 12-15 mph (19-24 kph) standard; 19 mph (30 kph) with Xcelerator option Color Options: White, Beige, Green	EA	\$ 6,849.92	None	US
251-1	Club Car	105032401	Club Car Precedent I2 Gas EFI - ENGINE - 404 cc Subaru, 4-cycle, Overhead Cam with Electronic Fuel Injection HORSEPOWER - 14.0 hp (10.3 kW) rated @ 3600 RPM per SAE J1940 BRAKES - Self-adjusting, rear wheel mechanical drum BODY AND FINISH - Dupont Surlyn® Reflections with molded-in color LxWxH - 92 x 47 x 69 in (232 x 120 x 174 cm) FUEL TANK CAPACITY 6.0 gal (22.7 L) FRAME TYPE AlumiCore™ - Ladder-style aluminum box beam CANOPY - Monsoon Top™ SPEED RANGE 12-15 mph (19-24 kph) standard; 19 mph (30 kph) with Xcelerator option Color Options: White, Beige, Green	EA	\$ 7,255.57	None	US
251-1	Columbia Parcar	EU4-L-911	COLUMBIA PARCAR AMBULANCE VEHICLE- ELECTRIC - Columbia ParCar Ambulance Electric Standard Specifications: Rated Capacity - 1100 lbs, Speed - 18mph, Dimensions (L x W) 139" x 67", Body - White Color, Red upholstery, Power - 48 volt, 400 Amp Controller, Ferno cot mount included - model#175-3 for Model 93ES Squadmate Series, Standard Features - Dash mounted keyswitch, audible reverse warning, forward/reverse selector, built-in charger, battery discharge indicator, horn, red flashing light, ambulance cotdeck, oxygen tank mount, side retention rail, Ambulance decal across front hood with medical insignias on each side. Attendant seat immediately behind driver. (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 9,547.83	None	US
251-1	Columbia Parcar	BC2-L	COLUMBIA PARCAR BURDEN CARRIER - ELECTRIC - Columbia ParCar Burden Carrier Electric 36V Standard Specifications: Rated Capacity - 2200 lbs, Rated Speed - 14 - 17 mph, Rated Towing - 5500 lbs, Dimensions (L x W x H) 121" x 46" x 47" Cargo Deck Area - (L x W) 76"x45", Body - Industrial Orange Color, Steel Frame, Power - 36 volt - 400 Amp Controller, Brakes - Rear Wheel Hydraulic Drum Brakes, Standard Features - Reverse warning alarm, dual recessed head, tail & brakelights, driver seat power interlock switch, 2 adjustable bucketseats with arm rests, polymer deck board. (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 8,200.13	None	US
251-1	Columbia Parcar	C6E	COLUMBIA PARCAR SHUTTLE 6P - ELECTRIC - Columbia ParCar Shuttle 6P Electric 48V Standard Specifications: Rated Capacity - 1100 lbs, Rated Speed - 18mph, Dimensions (L x W x H) 138" x 45" x 46", Steel Frame, Power - 48 volt ACEplus, Brakes - Dual rear hydraulic drum, hand operated parking Standard Features - Dash mounted key switch, forward & reverse selector, horn, reverse warning alarm, side view mirrors, built-in charger, battery discharge indicator. (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 8,826.32	None	US
251-1	Columbia Parcar	EX21-F4W	COLUMBIA PARCAR EXPEDITOR 4 WHEEL - ELECTRIC - Columbia ParCar Expediter 4 Wheel Car Standard Specifications: Rated Capacity - 750 lbs, Rated Speed - 9 mph, Dimensions (L x W x H) 85" x 29.25" x 46.5", Weight with Batteries - 800 lbs, Useable Cargo Deck Area - (L x W) 21.5" x 26", Body - SafetyYellow Color, Steel Frame, Power - 24 volt, 275 amp, Brakes - Self-adjusting mechanical drum on rear wheels, foot operated parking brake, Standard Features - Built-in charger, battery status indicator, horn, reverse warning alarm, brake light (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 5,534.63	None	US
251-1	Columbia Parcar	EX21-T-24	COLUMBIA PARCAR EXPEDITOR 3 WHEEL - ELECTRIC - Columbia ParCar Expediter 3 Wheel Car Standard Specifications: Rated Capacity - 750 lbs, Rated Speed - 8 mph, Dimensions (L x W x H) 86.0" x 29.3" x 46.5", Useable Cargo Deck Area - (L x W) 21.5" x 26", Body - SafetyYellow Color, Steel Frame, Power - 24volt, 225 amp hour, Brakes - Auto adjusting, mechanical rear drum, foot operated parking brake Standard Features - Built-in charger, battery status indicator, horn, reverse warning alarm, brake light. (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 4,869.65	None	US

SIN	MANUF / BRAND NAME	PART NUMBER	PRODUCT NAME/ PRODUCT DESCRIPTION	UOI	GSA AWARDED PRICE	QUANTITY/ VOLUME DISCOUNT	COO
251-1	Columbia Parcar	SM4--TN	COLUMBIA SUMMIT NEV/LSV 4 PASSENGER - ELECTRIC - Columbia Summit NEV Electric 4 Passenger Standard Specifications: Rated Speed - 25 mph, Dimensions (L x W x H) 124" x 48" x 72", Standard Body Color: White with Gray Seats (Color Upgrades Available), Steel Frame, Power - 48 volt ACEplus, Brakes - Dual hydraulic rear drum, hand operated parking brake, Standard Features - Deluxe adjustable bucket seats with folding armrests, dash mounted keyswitch, forward & reverse selector, digital battery discharge indicator, horn, reverse warning alarm, dualhead, tail & brake lights, turn signals, back-up lamps, emergency flashers, reflectors, headliner, safety glass windshield, built-in charger, rear & side view mirrors, retractable seat belts, license plate holder. Designed and built to meet applicable federal Neighborhood Electric Vehicle (NEV) standards. (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 10,977.56	None	US
251-1	Columbia Parcar	SUV-LN	COLUMBIA SUMMIT NEV/LSV 2 PASSENGER - ELECTRIC - 129.5L X 51W (IN), 2 Passenger Long Bed Low Speed Utility Vehicle W/ Advanced Drive System Including Regenerative Braking and Pedal Proportional Control Standard Equipment includes:- 60" X 44" Rear Load Deck- Tubular Steel Frame - Steel Roof Enclosure	EA	\$ 10,272.67	None	US
251-1	Columbia Parcar	EU4-L	COLUMBIA UTILTRUCK - ELECTRIC - Columbia ParCar Utilitruck Electric 2P Standard Specifications: Rated Capacity - 1100 lbs, Rated Speed - 15 mph, Dimensions (L x W x H) 127" x 60" x 91", Flat Bed - 60" x 44" Body - White, Black vinyl seats, Steel Frame, Power - 48 volt ACEplus, Brakes - Auto adjusting, dual mechanical rear drum, parking brake automatically releases Standard Features - Dash mounted keyswitch, forward & reverse selector, battery discharge indicator, horn, reverse warning alarm. (Vehicle pictured may be equipped differently than unit purchased.)	EA	\$ 7,305.16	None	US
251-1	Kawasaki	KAF400AGF	MULE 610 4X4 - 4-stroke, 1-cylinder, OHV, Air-cooled 401cc Engine. 4 Wheel Hydraulic Drum Brakes, Load Capacity 926 lbs., Speed 25 MPH	EA	\$ 7,357.09	None	US
251-1	Kawasaki	KAF400BGF	MULE 600 4X2 - 4-stroke, 1-cylinder, OHV, Air-cooled 401cc Engine. 4 Wheel Hydraulic Drum Brakes, Load Capacity 926 lbs., Speed 25 MPH	EA	\$ 6,661.67	None	US
251-1	Kawasaki	KAF400DGF	MULE 610 XC 4X4 - 4-stroke, 1-cylinder, OHV, Air-cooled 401cc Engine. 4 Wheel Hydraulic Drum Brakes, Load Capacity 926 lbs., Speed 25 MPH	EA	\$ 7,617.87	None	US
251-1	Kawasaki	KAF620MGF	MULE 4010 4X4 GAS - Engine: Four-stroke, liquid-cooled, overhead Valve V-twin, 617 cc EFI Top Speed: 25 mph, governed 2 Person Seating, Cargo Bed Dimensions (LxWxH): 46.3 x 51.6 x 11.3" Load Capacity: 1,330 lb Towing Capacity: 1,200 lb Color Choice: Red or Green	EA	\$ 9,445.38	None	US
251-1	Kawasaki	KAF620PGF	MULE 4000 4X2 GAS - Engine: Four-stroke, liquid-cooled, overhead Valve V-twin, 617 cc EFI Top Speed: 25 mph, governed 2 Person Seating, Cargo Bed Dimensions (LxWxH): 46.3 x 51.6 x 11.3" Load Capacity: 1,330 lb Towing Capacity: 1,200 lb Color Choice: Red or Green	EA	\$ 8,400.21	None	US
251-1	Kawasaki	KAF620RGF	MULE 4010 TRANS 4X4 GAS - Engine: Four-stroke, liquid-cooled, overhead Valve V-twin, 617 cc EFI Top Speed: 25 mph, governed 4 Person Seating, Cargo Bed Dimensions (LxWxH): 50.4/30.3 x 47.6 x 11.2 in. Load Capacity: 1330 lb Towing Capacity: 1,200 lb Color Choice: Red or Green	EA	\$ 10,312.60	None	US
251-1	Kawasaki	KAF820BGF	MULE PRO-FXT EPS - 4-stroke, 3-cylinder DOHC 812cc EFI Engine, 4 Wheel Hydraulic Disc Brakes, 4 X 4, 6 Person Speed 40 MPH, Towing Capacity 2000lbs., Load Capacity 1649 lbs., Kawasaki Strong 3 Year Limited Warranty	EA	\$ 13,380.61	None	US
251-1	Kawasaki	KAF820FGF	MULE PRO-FX EPS - 4-stroke, 3-cylinder DOHC 812cc EFI Engine, Hydraulic Disc Brakes, 4 X 4, 3 Person Seating, Speed 40 MPH, Towing Capacity 2000lbs., Load Capacity 1649 lbs., Kawasaki Strong 3 Year Limited Warranty	EA	\$ 11,989.78	None	US
251-1	Kawasaki	KRF800FGF	TERYX 4x4 - 4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled, 783cc Engine, 4 Wheel Disc Brakes, 2 Person	EA	\$ 11,877.29	None	US
251-1	Kawasaki	KRT800FGF	TERYX4 4X4 - 4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled, 783cc Engine, 4 Wheel Disc Brakes, 4 Person	EA	\$ 14,311.24	None	US
251-1	Kawasaki	KAF1000EGF	MULE PRO-DX EPS DIESEL 4X4 - 4-stroke diesel, 3-cylinder, OHV, liquid-cooled, Displacement 993cc Cargo Bed Dimensions (LxWxH) 54.1 x 53.3 x 11.0 in Load Capacity 1616 lb Seating Capacity (3) Towing Capacity 2000 lb Instruments - Multi-function display includes digital speedometer, fuel gauge, odometer, hour meter, clock, dual trip meters Color Choices - Timberline Green, Super Black Fuel Capacity - 7.9 gal Warranty - Kawasaki Strong 3 Year Limited Warranty Speed - Approximately 40 MPH	EA	\$ 12,859.05	None	US
251-1	Kawasaki	KAF1000BGF	MULE PRO-DXT EPS DIESEL 4X4 - 4-stroke diesel, 3-cylinder, OHV, liquid-cooled, Displacement 993cc Cargo Bed Dimensions (LxWxH) - 42.7 x 53.7 x 11.0 in (3 person), 22.0 x 53.7 x 11.0 in (6 person) Load Capacity 1616 lb Seating Capacity (3 & 6 person) Towing Capacity 2000 lb Instruments - Multi-function display includes digital speedometer, fuel gauge, odometer, hour meter, clock, dual trip meters Color Choices - Timberline Green, Super Black Fuel Capacity - 7.9 gal Warranty - Kawasaki Strong 3 Year Limited Warranty Speed - Approximately 40 MPH	EA	\$ 13,728.32	None	US
251-1	Martex Global Enterprises, LLC	WHNE48HMBK	War Horse 4X4 LSV Hybrid Max (48V) - Shift on the Fly 4 Wheel Drive - Extra Performance 48 Volt System - 36 HP-Dual Direct Drive SepEx Motors (18 HP Frt, 18 HP Rear) - Dual High Output Controller System - (1,000 AMP Rated) - Digital Battery State of Charge Meter - 8 - 6 Volt Heavy Duty Ranger Batteries (260 Amp Hour) - 64 Volt - 4 Wheel Hydraulic Disk Brake System - Automatic Charger with Battery Maintainer - 12 Volt Power Point System - White - Durable Self Adjusting Rack and Pinion Steering - Front & Rear Differential Guard - 4 Wheel Hydraulic Braking - System-Front Disk/Rear Drum Brakes -Lever Hand Brake - Head and Tail Lights with Park Lights - Turn Signals - Brake Lights - Emergency Flashers - Horn - Dot Approved Glass windshield - Windshield wiper - Rear Receiver Hitch - Powder Coated High Strength Steel - Upper Tubular Steel Brush Guard - Polymer Construction Body	EA	\$ 16,600.59	None	US
251-1	Martex Global Enterprises, LLC	WHNVE64LSVR	War Horse 4X4 LSV Utility (64V) - Shift on the Fly 4 Wheel Drive - Single Point Water Fill System with Pump - Add the optional equipment below to the price of the standard vehicle, FOB Fort Worth, Texas. All Prices are applicable only to optional equipment purchased and shipped with new vehicle orders and include installation at the factory. - Extra Performance 64 Volt System - 36 HP-Dual Direct Drive SepEx Motors (18 HP Frt, 18 HP Rear) - Dual High Output Controller System - (1,000 AMP Rated) - Digital Battery State of Charge Meter - 8 - 8 Volt Heavy Duty Ranger Batteries (204 Amp Hour) - 64 Volt 4 Wheel Hydraulic Disk Brake System - Lever Hand Brake - Powder Coated High Strength Steel - On-Board Automatic Charger with Battery Maintainer - 12 Volt Power Point System - 4 Wheel Independent Double Wish Bone Suspension - Durable Self Adjusting Rack and Pinion Steering - Front & Rear Differential Guard - 4 Wheel Hydraulic Braking System-Front Disk/Rear Drum Brakes - Turn Signals - Brake Lights - Emergency Flashers - Horn - Dot Approved Glass windshield - Windshield wiper - Rear Receiver Hitch - Powder Coated High Strength Steel - Upper Tubular Steel Brush Guard - Polymer Construction Body - ABS Plastic Roof - 25x10x12 6ply Tires -Black Powder Coated Wheels	EA	\$ 15,313.02	None	US