

GENERAL SERVICES ADMINISTRATION

Federal Supply Service

Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address GSA Advantage! Is: [GSAAdvantage.gov](http://GSAAdvantage.gov).

MULTIPLE AWARD SCHEDULE

Office Management

Audio Visual Products

Product Service Code 3610

Contract Number: GS-03F-0186X

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at [fss.gsa.gov](http://fss.gsa.gov).

Contract Period: September 21, 2016 to September 20, 2021

TECHNOMAD ASSOCIATS, LLC

37 HARVARD ST STE. 2

BROOKLINE, MA 02445-7916

CAGE: 1MVK2

Voice: 800-464-7757 Fax: 617-535-9712

Point of Contact: Steve Schilling. E-mail: [accounting@technomad.com](mailto:accounting@technomad.com)

Contractor's internet address/website where schedule information can be found: [www.technomad.com](http://www.technomad.com)

Business Size: Small

1a. Table of awarded special item number(s) with appropriate cross-reference to item descriptions and awarded price(s).

SIN 334310 Audio Equipment, Including Spare & Repair Parts, and Accessories

MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	GSA Price
350	Dynamic Microphone w/ Cable (switched)	Dynamic Mic with 15' Cable.	\$254.51
351	Tripod Stand	Standard 6' Tripod Stand . Aluminum, folding. Supports Technomad Pismo or Omaha Loudspeaker.	\$293.06
578	Cable, Loudspeaker 50', 2-cond., SO/SO	Fifty foot cable for amplifier installation	\$113.48
664	Cable Coupler: SO/SO	Joins two Technomad Speak-On terminated cables to extend length	\$36.36

723	MilPA1 Military PA System	<p>Description: This complete Technomad weatherproof military audio system includes everything you need project voice and music up to 1/2 mile away in a semicircular area. System</p> <p>Includes: 2 x Technomad Pismo Self-Casing Loudspeakers, 2 x 50' 12-Gauge Outdoor Speaker Cable, 1 x C100 Stereo High powered amplifier, 1 x 6U Flightcase for Mixer and Amp, 2 x Tripod, 1 x mixer with multiple Mic &amp; CD inputs , 1 x Switched Dynamic Microphone and Cable, a rack mounted CD/Tape player, All patch cords, assembly, and testing. 120 V AC Powered. Black. Delivered ready-to-use. Ideal for force protection, combat simulation, ceremonial use, PSYOPS, and more.</p>	\$8,481.34
724	MilPA3 Military PA System	<p>Description: This complete weatherproof military audio system includes everything you need project voice and music up to 1/2 mile away in a circular area. System</p> <p>Includes: 4 x Technomad Pismo Self-Casing Loudspeakers, 4 x 50' 12-Gauge Outdoor Speaker Cable, 1 x C100 Stereo High powered amplifier, 1 x 6U Flightcase Case for Mixer and Amp, 4 x Tripod, 1 x mixer with multiple Mic &amp; CD inputs , 1 x Switched Dynamic Microphone and Cable, a rack mounted CD player, All patch cords, assembly, and testing. 120 V AC Powered. Black.</p>	\$11,960.71
725	MilPA2 Military PA System	<p>Description: This complete weatherproof military audio system includes everything you need project voice and music up to 1 mile away in a semicircular area. System</p> <p>Includes: 2 x Technomad Omaha Self-Casing Loudspeakers, 2 x 50' 12-Gauge Outdoor Speaker Cable, 1 x C200 Stereo High powered amplifier, 1 x 6U Flightcase for Mixer and Amp, 2 x Tripod, 1 x mixer with multiple Mic &amp; CD inputs , 1 x Switched Dynamic Microphone and Cable, a rack mounted CD/Tape player, all patch cords, assembly, and testing. 120 V AC Powered. Black.</p>	\$10,773.01

726	MilPA4 Military PA System	Description: This complete weatherproof military audio system includes everything you need project voice and music up to 1 mile away in a circular area. System Includes: 4 x Technomad Omaha Self-Casing Loudspeaker s, 4 x 50' 12-Gauge Outdoor Speaker Cable, 1 x C200 Stereo High powered amplifier, 1 x 6U Flightcase for Mixer and Amp, 4 x Tripod, 1 x mixer with multiple Mic & CD inputs , 1 x Switched Dynamic Microphone and Cable, a rack mounted CD/Tape player, All patch cords, assembly, and testing. 120 V AC Powered. Black. Delivered ready-to-use.	\$16,541.84
727	Expansion Kit, Pismo (two loudspeakers)	Adds TWO Pismo loudspeakers to any Technomad Pismo-based Military PA system. Includes 2 x Pismo Military Loudspeakers and 2 x 25' loudspeaker jumper cables. Note: no more than 6 loudspeakers should be operated from one Technomad amplifier rack, and no more than 3 loudspeakers should be operated from one Technomad NEMA output systems. Black.	\$2,875.60
728	Expansion Kit, Omaha (two loudspeakers)	Adds two Omaha 15/11 loudspeakers to any Technomad Omaha Military PA system. Includes 2 x Omaha 15/11 Military Loudspeakers and 2 x 25' loudspeaker jumper cables. Note: no more than 6 loudspeakers should be operated from one Technomad amplifier rack, and no more than 3 loudspeakers should be operated from one Technomad NEMA output systems. Black.	\$5,166.15
731	Wireless Microphone System - Handheld	1 x high quality handheld wireless microphone system. Integrates into any Technomad military PA system. Operating range up to 200 yds., dependent on weather conditions and RF environment. Frequency Range: MHz 645 - 645 Mhz	\$1,841.04
733	Wallmount Bracket for Pismo/Omaha + 4 Bolts, Stainls. 5/16-18	1 x Wallmount Bracket for Pismo or Berlin military loudspeaker. Allows loudspeaker to be permanently installed on walls or building surfaces. One wallmount bracket required per loudspeaker.	\$217.04
751	Wireless Mic System - Headset/Lapel	1 x high quality headset/lapel wireless microphone system. Integrates into any Technomad military PA system. Operating range up to 200 yds., dependent on weather conditions and RF environment. Frequency Range: 645 - 645 Mhz Allows for no-	\$1,791.46

		hands mic use, wirelessly. Unit ships with both headset and lapel microphone options plus bodypack transmitter and rack-mount receiver.	
772	Mixer Expansion - 8 input Mic / Line, 1U	8 input XLR Mic Mixer, 1U. Adds additional 8 XLR mic inputs to MilPA Systems.	\$813.10
773	Outdoor Loudspeaker Cable, 100', SO/SO	Technomad 100 foot Speakon-Speakon cable, 12 gauge.	\$228.07
793	Step Down Voltage Converter (for 220-240 VAC Use)	Step-Down voltage converter, allows Technomad military PA system to operate from 220-240V AC power / "Euro,, power.	\$574.02
799	Link Kit - Fiber Optic Transmitter	Fiber Optic Link Kit for Technomad Audio Systems. Allows audio systems to transmit audio signal up to 14 KM over single mode fiber optic cable (not included). Perfect fidelity and voice clarity. TRANSMITS ONLY.	\$2,346.74
800	Link Kit - Fiber Optic Receiver	Allows Technomad Military PA system to receive incoming fiber optic audio signals from other Technomad military PA systems over single-mode fiber optic cable (not included). RECEIVES ONLY.	\$2,346.74
811	Outdoor Loudspeaker Cable, 200', SO/SO	Technomad 200 foot Speakon-Speakon cable, 12 gauge.	\$431.90
822	Telephone interface - auto pickup / disconnect	Auto answer telephone coupler. Picks up after one ring, Interfaces standard phone POTS lines to Technomad audio systems / mixers. Hangs up automatically.	\$1,114.98
825	Control Rack Upgrade - Prorack to 4U Shock Rack	Upgrade 1 hard-mount flight case included in Technomad military PA systems to 4U shock-mounted flight case with wheels on lower edge (for one-person roll-around transport).	\$2,000.79
833	4 Quick Release Caster Clip / Leg Mounting Plate	Recessed Mounting Plates, Installed on Rack case bottom. Set of 4. Allow casters (wheels) or legs to be securely clipped onto bottom of case, and easily removed.	\$143.22
839	Audio Source Pack	Military PA Signal Rack - no amplifier. For use with transmitter / receiver kits, output systems. Includes weatherproof 6U flightcase, rackmount CD/Tape player, hand-held microphone, and and expandable mixer with 5 inputs for microphones and other audio gear.	\$3,768.01

843	OutputPack1	Military PA Output System - Includes 2 x Pismo self-casing weatherproof loudspeakers, matched amplifier, flight case for amplifier, 2 x 50' speaker cables, 2 x tripod stands, integration. Requires: Technomad Audio Source Pack or Technomad Link Kit for audio signal. Part of a Technomad "modular,, PA system (for force protection or basewide paging applications).	\$6,316.39
846	OutputPack2	Military PA Output System - Includes 2 x Omaha self-casing weatherproof loudspeakers, matched amplifier, mixer, flight case for amplifier, 2 x 50' speaker cables, 2 x tripod stands, integration. Requires: Technomad Audio Source Pack or Technomad Link Kit for audio signal. Part of a Technomad "modular,, PA system (for force protection or basewide paging applications).	\$9,467.43
847	OutputPack3	Military PA Output System - Includes 4 x Pismo self-casing weatherproof loudspeakers, matched amplifier, flight case for amplifier, 4 x 50' speaker cables, 4 x tripod stands, integration. Requires: Technomad Audio Source Pack or Technomad Link Kit for audio signal. Part of a Technomad "modular,, PA system (for force protection or basewide paging applications).	\$9,778.13
848	OutputPack4	Military PA Output System - Includes 4 x Omaha self-casing weatherproof loudspeakers, matched amplifier, flight case for amplifier, 4 x 50' speaker cables, 4 x tripod stands, integration. Requires: Technomad Audio Source Pack or Technomad Link Kit for audio signal. Part of a Technomad "modular,, PA system (for force protection or basewide paging applications).	\$15,444.47
849	Warning Tone Generator	Rack Mounted, Switch Selectable Emergency Tone Generator. Tones: Siren-Evacuation, Whoop-Tornado, Warble-Fire, Burst 1 - Alarm Signal, Burst 2 - Alarm Signal. Front-panel switches set tone type and activate tone. Accessory for Technomad Military PA Systems.	\$743.68
852	4 Legs (require 442-tno-833 mounting clips)	High quality 25,, long black anodized aluminum legs. Snap onto 442-tno-833 mounting clips (not included). Raises Military PA control rack to comfortable operating height. Lifts above	\$184.00

		ground for protection from moisture, dirt, etc. Set of 4 legs.	
853	4 casters, 3.5,, - (require 442-tno-833 mounting clips)	High-quality 3.5,, casters, set of 4. Clip onto 442-tno-833 mounting clips (not included). Used to ease transport of Technomad Military PA control rack.	\$92.54
854	Case, Tripod / Legs	High-quality rotationally molded mil-spec flight case for Military PA tripods, legs, casters, and other items. ATA-III compliant. Two handles for easy transport. Gasketed lid. Internal dimensions: 59,, x 10,, x 10,,. Holds 4 Tripods.	\$904.55
870	Case Upgrade - 14U Prorack	Upgrades the Standard MilPA or Output Pack Control Rack case to 14U Prorack.	\$277.65
895	External Connector Option, 120 VAC - for sealed rack operation	Allows Technomad Military Output Packs to Operate in Sealed Mode (lids closed). Provides 2 x speaker connectors, weatherproof AC power input, and balanced audio input on outside of case.	\$532.15
910	Link Kit - Wireless, Send / Receive, HIGH GAIN, Directional	High gain (increased range) version of the Technomad version II wireless link system. Acts as transmitter or receiver of audio (preset by Technomad). Includes 16 dB directional Antenna. No license required for use, 2.4 GHz spread spectrum. Can be used with all version II Technomad wireless link nodes, such as the 442-tno-913, 442-tno-911, and 442-tno-909.	\$6,720.74
911	Link Kit - Wireless Repeater (no audio in/out, just extends range of system)	Wireless repeater for Technomad version II wireless systems. Does not transmit or receive audio - instead, it acts as a repeater to extend the range between send / receive nodes, or to allow routing of signal around obstacles to line-of-sight. No license required for use, 2.4 GHz spread spectrum. Can be used with all version II Technomad wireless link nodes, such as the 442-tno-913, 442-tno-909, and 442-tno-910	\$3,406.65
913	Link Kit - Wireless, Send / Receive, HIGH GAIN, Omni	High gain (increased range) version of the Technomad version II wireless link system. Acts as transmitter or receiver of audio (preset by Technomad). Includes 9 dB Omnidirectional Antenna. No license required for use, 2.4 GHz spread spectrum. Can be used with all version II Technomad wireless link nodes, such as the 442-tno-909, 442-tno-911, and 442-tno-910	\$7,699.11
918	24VDC to 110AC Inverter (for DC power operation)	24V DC inverter for Technomad military PA systems. Allows Turnkey or Modular PA systems / Audio source pack to operate from 24V DC power supply. Note: for continuous high-power	\$583.94

		PA use from a vehicle, vehicle alternator must be 100A capacity or more. Consumes 2U of Rackspace. Typically rear mounted	
922	High-Lift Tripod, 13' lift, with Guying System, Version 2	High lift tripod (13' lift). Capacity: 2 Technomad Pismo or 1 Technomad Omaha loudspeakers. Includes Guying Kit to stabilize tripod with 3 lines, 3 ground-stakes after loudspeakers are lifted to maximum height. Uses crank handle for lifting. Maximum lift height: 13 feet.	\$1,749.59
925	Guying Kit	When added to standard Technomad tripod, provides 3 tensionable guy-lines and stakes to stabilize tripod in high winds. Not needed for high-lift tripods, which include guy lines.	\$489.18
955	Wireless Mic Option, Handheld transmitter only (no receiver)	Handheld unit to be used with standard Technomad headset wireless mic. systems. Needs to be matched to existing system by channel.  645 - 645 Mhz	\$669.73
961	High-Lift Tripod UPGRADE (13', guyed)	Tripod Upgrade - replaces one standard US Military Tripod with 13' high-lift tripod. Crank up design. 3 guy lines / stakes included. Can only be ordered in combination with Technomad MilPA or Output Pack systems, in order to replace standard tripod(s) included with those systems. Normally ordered in sets of four.	\$1,419.07
962	High-Lift Tripod Case	High-quality rotationally molded mil-spec flight case for Military PA high-lift tripods. ATA-III compliant. Two handles for easy transport. Gasketed lid. Internal dimensions: 69,, x 12,, x 13,,. Holds 2 Tripods.	\$724.97
968	Cable / Accessory Pouch	Cable / Accessory pouch, installed on inner front lid of Technomad Military PA Control Rack. Ideal for storing small items, microphones, etc.	\$120.09
985	Link Kit - Multi Zone Option	Allows audio to be streamed from an Audio Source Pack to zones within a multi-Output Pack PA system, or to all Output Packs at once ('all-call'). Can be used with Wireless or Ethernet based Link Kits.	\$1,739.68
986	Link Kit - Ethernet	Modular PA Link Kit - links PA elements over existing ethernet infrastructure. Acts as transmitter or receiver of audio (must be preset by Technomad).	\$1,304.48

1020	Control Rack Upgrade - Prorack to 5U Shock Rack	Upgrade 1 hard-mount flight case included in Technomad military PA systems to 5U shock-mounted flight case with wheels on lower edge (for one-person roll-around transport).	\$1,936.89
1023	MilPA.5 Military PA System	Description: This complete Technomad weatherproof military audio system includes everything you need project voice and music up to 400 meters away in a semicircular area. System Includes: 2 x Technomad Abra Weatherproof Loudspeakers, 2 x 50' 12-Gauge Outdoor Speaker Cable, 1 x C50 Stereo High powered amplifier, 1 x 6U Flightcase for Mixer and Amp, 2 x Tripods, 1 x mixer with multiple Mic & CD inputs , 1 x Switched Dynamic Microphone and Cable, a rack mounted CD/Tape player, All patch cords, assembly, and testing. 120 V AC Powered. Black. Delivered ready-to-use. Ideal for small area outdoor paging, interior paging, combat simulation ,training and ceremonial use, more.	\$5,893.32
1024	OutputPack.5	Description: Output pack - remote / subordinate PA system to be used with a Technomad Audio Source Pack. Projects audio 300 yards away in a semicircular area. System Includes: 2 x Technomad Abra Weatherproof Loudspeakers, 2 x 50' 12-Gauge Outdoor Speaker Cable, 1 x C50 Stereo High powered amplifier, 1 x 4U Flightcase for Mixer and Amp, 2 x Tripods, All patch cords, assembly, and testing. 120 V AC Powered. Black. Delivered ready-to-use. For modular PA use with Technomad Audio Source Pack and / or Link Kit products.	\$4,730.98
1025	Case Upgrade-Audio Source Pack 14U	Upgrades the standard Audio Source Pack rack case to a 14U Prorack	\$334.54
1031	Exchange tripods for wallmounts, MilPA1 / OutputPack 1	Exchanges the tripods normally included with a MilPA1 or OutputPack1 for Wall-mount brackets. (exchanges 2 tripods / wallmounts)	\$169.67
1032	Exchange tripods for wallmounts, MilPA2 / OutputPack 2	Exchanges the tripods normally included with a MilPA2 or OutputPack2 for Wall-mount brackets. (exchanges 2 tripods / wallmounts)	\$285.35
1033	Exchange tripods for wallmounts, MilPA3 / OutputPack3	Exchanges the tripods normally included with a MilPA3 or OutputPack3 for Wall-mount brackets. (exchanges 4 tripods / wallmounts)	\$341.54

1034	Exchange tripods for wallmounts, MilPA4 / OutputPack 4	Exchanges the tripods normally included with a MilPA4 or OutputPack4 for Wall-mount brackets. (exchanges 4 tripods / wallmounts)	\$570.71
1036	Installation Travel / Supervision / Labor - 1 day, 1 person.	One day of installation labor / supervision / or travel. Experienced Technomad person to oversee and assist with PA system installation and configuration. 1 day, 1 person.	\$3,022.13
1042	Control Rack Upgrade - Prorack to 9U Shock Rack	Upgrade 1 hard-mount flight case included in Technomad military PA systems to 9U shock-mounted flight case with wheels on lower edge (for one-person roll-around transport). Black.	\$2,106.57
1048	Link Kit - Encoder Only	Replacement Part, Rack-mount Encoder Box, for use with Technomad Wireless Link Kits. No transmitter - just 1U in-rack box.	\$2,834.82
1064	External Connector Option, 220 VAC - for sealed rack operation	Allows Technomad Military Output Packs to Operate in Sealed Mode (lids closed). Provides 2 x speaker connectors, weatherproof AC power input	\$532.15
1065	External Connector Option, 24 VDC - for sealed rack operation	Allows Technomad Military Output Packs to Operate in Sealed Mode (lids closed). Provides 2 x speaker connectors, weatherproof AC power input	\$532.15
1079	Expansion Kit, Abra	Adds 2 Technomad Abra speakers / 2x speaker cables to extend Technomad MilPA .5 system. Note: no more than 6 loudspeakers should be operated from one Technomad amplifier rack, and no more than 3 loudspeakers should be operated from one Technomad NEMA output systems.	\$1,967.75
1080	Wallmount Bracket for Abra + 4 Bolts, Stainls. 5/16-18	1 x Wallmount Bracket for Abra military loudspeaker. Allows Abra loudspeaker to be permanently installed on walls or building surfaces. One wallmount bracket required per loudspeaker.	\$107.98
1104	Exchange tripods for wallmounts, MilPA.5 / OutputPack.5- NO COST	Exchanges the tripods normally included with a MilPA.5 or OutputPack.5 for Wall-mount brackets. (exchanges 2 tripods / wallmounts)	\$4.66
1116	Case Upgrade - 8U Prorack	Exchanges 6U Prorack with 8U Prorack (must be ordered at same time as PA system being modified).	\$202.72
1145	OutputPack NEMA .5 Directional	Weatherproof amplifier module with two Abra loudspeakers, two wallmount brackets and two 50' speaker cables.	\$2,541.76
1147	OutputPack NEMA 1 Directional	Weatherproof amplifier module with two Pismo loudspeakers, two wallmount brackets and two 50' speaker cables.	\$4,133.49

1148	Firefly Tactical PA System	Ultra-compact portable, internal battery or AC powered audio system. Fully weatherproof in deployed mode, self-casing via lids and hatches for transport and storage. Integral wireless microphone, four-channel mixer. Aux audio input, aux loudspeaker output. Expandable - one empty module slot allows internal installation of accessory modules, including SuperConductor audio player/recorder with scheduling,, 2nd wireless mic module (handheld, headset or lapel versions), CD player, or networking module to tie FireFly into large-area mult-node mass notification systems.	\$3,194.00
1154	Link Kit, Twisted Pair Input	Works with Link Kit, Active Pair Receiver to provide high quality audio transmission over long runs of twisted pair telephone system wiring. Beyond 4 miles of Cat5E cable run, there is roll off above 4k Hz.	\$493.58
1155	Link Kit, Twisted Pair Output	Works with Link Kit, Active Pair Sender to provide high quality audio transmission over long runs of twisted pair telephone system wiring.	\$496.89
1205	Option, Module, CD player, no chassis, Firefly	CD player module for Technomad MilPA and FireFly systems.	\$462.73
1238	OutputPack NEMA 2 Directional	Weatherproof amplifier module with two Omaha loudspeakers, two wallmount brackets and two 50' speaker cables.	\$6,252.37
1239	Link Kit Ethernet Receiver Only, OutputPack NEMA series	Allows OutputPack NEMA Systems to be streamed to from a Technomad Ethernet Link Kit. Factory installed option only.	\$552.27
1248	Output Pack NEMA Polemount bracket	Allows Outputpack NEMA modules to be pole mounted. Buyer must specify 2, 3 or 4,, pole.	\$179.15
1266	Option, Module, SuperConductor MP3 player recorder, with Scheduling, Firefly	Module only- requires chassis (MilPA or FireFly) The ultimate audio playback / recording system for military applications. Offers both instant access to your MP3 format audio, AND also allows you to schedule sounds for automatic unattended playback. 1GB  1/2 U rack space	\$2,092.24
1282	Upgrade, HighQ Omaha	Upgrade for one Omaha loudspeaker from standard dispersion pattern to Hi-Q configuration.  Note- to upgrade a MilPA2, two Upgrades must	\$315.11

		be ordered. To upgrade a MilPA4, four Upgrades must be ordered.	
1316	Upgrade 50' cables to 100' cables	Upgrade 2x 50' cables for any IPA/MPA System to 2x 100' cables	\$93.65
1343	Firefly Expansion Loudspeaker	Expansion loudspeaker for Firefly - adds additional high-output loudspeaker to Firefly System. Integral Stand-mount socket, threaded inserts for permanent installation. Includes 10' Speakon Cable.	\$1,431.19
1346	Yoke Mount, Firefly	The FireFly Yoke Mount option allows you to permanently or temporarily yoke-mount the FireFly to a structure (wall or pole).	\$220.36
1357	Option, Module, FireFly Wireless Mic	Module, for FireFly expansion slot. Adds 2nd wireless microphone system to FireFly. Handheld wireless microphone with mini-DIN module receiver. 645 - 645 Mhz	\$814.20
1410	Output Pack NEMA 1, Aux Loudspeaker	Additional Pismo Loudspeaker with 25' Cable for Output Pack 1 NEMA	\$1,245.35
1411	Expansion Kit, Pismo (ONE loudspeaker)	Adds ONE Pismo loudspeakers to any Technomad Pismo-based Military PA system. Includes 1 x Pismo Military Loudspeakers and 1 x 25' loudspeaker jumper cables. Note: no more than 6 loudspeakers should be operated from one Technomad amplifier rack, and no more than 3 loudspeakers should be operated from one Technomad NEMA output systems.	\$1,437.80
1446	Control Rack Upgrade - Prorack to 9U Steel Wallmount rack	Upgrade 1 hard-mount flight case included in Technomad military PA systems to 4U shock-mounted flight case with wheels on lower edge (for one-person roll-around transport).	\$110.17
1450	Cable, Ultralife BA-5390A/U adaptor for FireFly	This cable will allow an 12VDC Ultralife battery pack to be used to provide external power for a FireFly. Types of compatible Ultralife batteries - UBBL01, UBBL02, UB0001, UBBL09. Type of battery MUST be specified prior to purchase.	\$328.33
1452	DragonFly	Ultra-compact portable, internal battery or AC powered audio system. Fully weatherproof in deployed mode, self-casing via lids and hatches for transport and storage. Integral wireless microphone, four-channel mixer. Aux audio input, aux loudspeaker output. Expandable - one empty module slot allows internal installation of accessory modules, including SuperConductor audio player/recorder with scheduling,, 2nd wireless mic module	\$4,405.94

		(handheld, headset or lapel versions), CD player, or networking module to tie FireFly into large-area mult-node mass notification systems.	
1453	Cable, Ultralife UBBL06/UBBL08 adaptor for FireFly	This cable will allow an 12VDC Ultralife battery pack to be used to provide external power for a FireFly. Types of compatible Ultralife batteries - UBBL06, UBBL08. Type of battery MUST be specified prior to purchase.	\$583.94
1460	Security Screw Set, SuperConductor	Replaces standard phillips screws on SuperConductor with Torx screws.	\$18.72
1487	2x High Lift Tripod, 13-foot lift with Guying	Pair of High lift tripods (13-foot lift). Capacity: 2 Technomad Pismo or 1 Technomad Omaha loudspeakers. Includes Guying Kit to stabilize tripod with 3 lines, 3 ground-stakes after loudspeakers are lifted to maximum height. Uses crank handle for lifting. Maximum lift height: 13 feet. Includes case.	\$3,861.25
1488	2x High Lift Tripod, 13-foot lift with Guying	Pair of High lift tripods (13-foot lift). Capacity: 2 Technomad Pismo or 1 Technomad Omaha loudspeakers. Includes Guying Kit to stabilize tripod with 3 lines, 3 ground-stakes after loudspeakers are lifted to maximum height. Uses crank handle for lifting. Maximum lift height: 13 feet. Includes case. Upgrade version.	\$3,360.66
1542	Wallmount Bracket, Pismo Loudspeaker	Stainless wallmount bracket for Pismo loudspeakers. Includes safety cable. Allows fxed horizontal and vertical rotation.	\$275.43
1544	Wallmount Bracket, Omaha Loudspeaker	Stainless wallmount bracket for all AS Series loudspeakers. Includes safety cable rated for Berlin, Cairo and Chicago. Allows fxed horizontal and vertical rotation.	\$314.18
1575	Firefly OutputPack System	Ultra-compact portable, AC powered audio system. Fully weatherproof in deployed mode, self-casing via lids and hatches for transport and storage. Four-channel mixer. Aux audio input, aux loudspeaker output. Expandable - one empty module slot allows internal installation of accessory modules, including SuperConductor audio player/recorder with scheduling, wireless mic module (handheld, headset or lapel versions), CD player, or networking module to tie FireFly into large-area mult-node mass notification systems. NO BATTERY, NO WIRELESS MICROPHONE	\$2,494.83

1599	SuperConductor, Next Gen.	The ultimate audio playback / recording system for military applications. Offers both instant access to your MP3 format audio, AND also allows you to schedule sounds for automatic unattended playback. 2GB onboard storage, upgrade-able.  1U rack space unit installed in a 1U chassis. Includes additional space for other Technomad audio source modules: wireless microphone, CD player or other option.	\$2,181.76
1613	Firefly DC power cord	Allows the FireFly to run from external DC power	\$68.07

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract. This price is the Government price based on a unit of one, exclusive of any quantity/dollar volume, prompt payment, or any other concession affecting price. Those contracts that have unit prices based on the geographic location of the customer, should show the range of the lowest price, and cite the areas to which the prices apply.

1c. Not applicable.

2. Maximum order. \$250,000.00

3. Minimum order. \$1.00

4. Geographic coverage (delivery area). Continental US; District of Columbia.

5. Point of production. South Deerfield (Franklin), MA

6. Discount from list prices or statement of net price. Net prices set forth above.

7. Quantity discounts. None

8. Prompt payment terms. None

9a. Government purchase cards are accepted at or below the micro-purchase threshold.

9b. Government purchase cards are accepted above the micro-purchase threshold.

10. Foreign items (list items by country of origin). None

11a. Time of delivery. 60 days ARO

11b. Expedited Delivery. None

11c. Overnight and 2-day delivery. None

11d. Urgent Requirements. The Contractor will note in its price list the "Urgent Requirements" clause of its contract and advise agencies that they can also contact the Contractor's representative to effect a faster delivery.

12. F.O.B. point(s). FOB Origin Prepay and Add

13a. Ordering address:

37 HARVARD ST STE 2

BROOKLINE, MA 02445-7916

13b. Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

14. Payment address:

PO Box 273

South Deerfield, MA 10373

15. Warranty provision.

12 months: materials and workmanship - if and only if product is registered by the end-user

12 months: electronic components

60 months: plastic enclosures

24 months: metal parts

16. Export packing charges, if applicable. Not applicable

17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level). None

18. Terms and conditions of rental, maintenance, and repair (if applicable). Not applicable

19. Terms and conditions of installation (if applicable). Not applicable

20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable). Not applicable

20a. Terms and conditions for any other services (if applicable). Not applicable

21. List of service and distribution points (if applicable). Not applicable

22. List of participating dealers (if applicable). Not applicable

23. Preventive maintenance (if applicable). Not applicable

24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants). Not applicable

24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at: [www.Section508.gov/](http://www.Section508.gov/). Not applicable

25. Data Universal Number System (DUNS) number. 928918812

26. Notification regarding registration in Central Contractor Registration (CCR) database. Contractor is registered in CCR.