PART NO.	PART NAME	DESCRIPTION	GSA	PRICE
194612	JCU CABLE 3M (10')	JCU Cable 3m (10')	Ś	1,292
194628	POWER CABLE 3M (10')	Power cable 3m (10')	\$	646
194684	AC/DC POWER SUPPLY	Power Supply, 90-230VAC in, 28VDC out, Max 250W	\$	1,795
194782	JUNCTION BOX	Junction Box	\$	2,249
194783	JOYSTICK CONTROL UNIT (JCU)	Joystick Control Unit (JCU)	\$	4,717
908929	VIDEO CABLE, 3M, BNC CONNECTORS (10')	Video cable, 3m, BNC connectors (10').	\$	23
1195198	BREAK-OUT BOX	Break-out Box for THV 2000 and 3000 camera	\$	3,328
1195228	TRANSPORT CASE THV	Transport case for both Thermovision 2000 and 3000	\$	856
1558150	OPERATOR'S MANUAL THV3000	Operators manual Thermovision 3000	\$	39
3208394	CARTRIDGE - REPL DESICCATOR	CARTRIDGE - REPLACEMENT DESICCATOR FOR 3205562 STAR SAFIRE I, II, III & HD, SEA SS II & III	\$	175
3209717	U8XXX STANDARD CABLE KIT	U8000/U8500 Cable Kit. Contains (1) power cable, (1) main sensor cable, (1) Hand Controller extension cable, and (3) video output cables. All cables terminated at CEU end only except main sensor cable. Main Sensor Cable can be custom terminated per customers requirement	\$	8,569
4107636	STAR HD CABLE INSTALLATION KIT	Terminated one end only	\$	9,419
4124703	BRITE STAR CUSTOM CABLE KIT	BRITE Star Custom Cable kit. 300" maximum cable lengths (360" W15)	\$	25,648
4126184 4127934	EYEPIECE, ORANGE FILTER ASSY SF II STD CABLE KIT	Orange filter for all B2 and B9 cameras (requires qty. 2 per unit) Cable Installation Kit -Consists of: 21199-020 (Qty. 1), 3202312KAB240 (Qty. 1), 3202313KAD (Qty. 1), 3202315 (Qty. 1), 3203487-1K240 (Qty. 3)	\$	238 11,901
4127935	TALON CABLE KIT	Cable Kit for TALON/TALON XR; lincludes: (1) Main Sensor Cable, (1) Power Cable, (1) JCU Extension Cable, (2) Video Cables	\$	12,853
4127936	U7500B CABLE KIT	Cable Installation Kit - U7500B, Consists of 3202311 (Qty. 1), 3202313KAD (Qty. 1), 3203487-1K240 (Qty. 3), 3202312DAD047 (Qty. 1), 3202312-GB037 (Qty. 1), 23434-000 (Qty. 2), 18790-200 (Qty. 1)	\$	8,569
4123843	Digital Image Blending	Digital Image Blending Software	\$	14,281
4130204	SSIII FIELD MAINTENANCE KIT	Line Level maintenance kit for SSIII, all configurations. Allows organizational level maintenance and trouble-shooting including operation independent from the aircraft or other installation. One kit per maintainer. Additional desiccators and cartridges may be purchased separately.	\$	68,192
4130342	STAR SAFIRE III PAL_2	STAR SAFIRE III, PAL Video Format, TFU, IR, EO, LRF, 100 mW LP, IMU, Nav Interface, Cables, QDM, AT, CEU, UHCU	\$	768,704
75002129	8" Q.D. MOUNT	8" Quick Disconnect Mount	\$	7,845
614003946	THERMOVISION 3000 (IMAGER ONLY)	Long wave, 3-field of view thermal imager using a 640x480 QWIP FPA. Packaged in an environmental enclosure suitable for permanent installation in harsh environments	\$	141,663
614005070	REMOTE CONTROL	Remote control for THV and Ranger HRC cameras	\$	2,169
614005140	HOST COMPUTER CABLE, 5M (16') W/ CONVERT	Host computer cable, 5m (16') w/ converter RS-232-485	\$	1,501
614005409	LASER RANGE FINDER OPTION	Optional Thermovision 2000/3000 MultiSensor	\$	35,882
614005448	POWER CABLE 20M (66')	Power cable, 20m (66')	\$	899
614005763	CDC ODTION FOR THERMOVISION MAINTI SENSOR	Optional Thermovision 2000/3000 MultiSensor Optional Thermovision 2000/3000 MultiSensor	\$	2,555 1,169
614005764 614005888	GPS OPTION FOR THERMOVISION MULTI-SENSOR SYSTEM CABLE, SHORT	System cable, short	Ś	887
614006013	POWER BOX 19"	Power Box for 19" Rack. TASS/IBDSS	Ś	5,981
614006524	SYSTEM CABLE 61M (200') ON REEL IN CASE	System Cable 61 m (200') 23-pin Mil connectors, dual video. Reel assy in Transport Case	\$	6,825
614006959	TRANSPORT CASE PTH AND JPC2	PTH AND JPC2	\$	912
614006960	TRANSPORT CASE	SUPPORT KIT	\$	987
614007030	THERMOVISION 3000 MULTI-SENSOR PKG	614005412/021 JPC2 TASS 614005888 System Cable, short194783 Joystick Control Unit (JCU)194612 JCU Cable 3m (10')194684 Power Supply908929 Video Cable, 3m, BNC connectors (10')194782 Junction Box614006524 System Cable, 61m (200'), 23 pin connector	\$	224,821
03198-000	VIDEO CABLE BNC/BNC	Video Cable BNC/M to BNC/M, 75 OHM, 6-FT	\$	24
09288-000	RECON ACCESSORIES/NECK STRAP	Neck Strap, clips directly to RECON housing	\$	48
09289-200	OPTICAL CLEANING KIT	Optical Cleaning Kit	\$	84
1196215/150	SYSTEM CABLE 15M SENTRY/MULTISENSOR	System Cable 15M	\$	2,498
15040080-1	8" UPPER Q. D. MOUNT	8" Upper Quick Disconnect Mount	\$	3,432
15900-805	CABLE KIT, LS SIRVSS FRC	Cable Kit, Low Smoke, SIRVSS FRC KIT CABLE TALON/SEAFLIR III MKV	\$	26,349
16200-805 17152-202	KIT CABLE TALON/SEAFLIR III MKV POWER SUPPLY 15V	Power Supply 15V for RECON, External	\$	26,349 242
18207-200	SEAFLIR III LASER POINTER OPTION	Laser Pointer Nominal Wavelength - 830 nm; Beam Divergence - 0.6mrad; Output	\$	14,281
18333-201	U7500 RAID SYSTEM PACKAGE	Power - 30 mW U7500B RAID System Package, 60Hz - NTSC Video w/ Laser Pointer 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Video Tracker, Laser Pointer, 830nm, 30mW, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Laser Interlock Unit (LIU), (2) 8.4" Monitor (Avalex AVM4090A), Right Side Monitor Adapter, CEU Mounting Plate, Isolation Collar (Meeker), Upper and Lower Dovetail Mount, Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$	255,118
18400-200	SEAFLIR II-C	SeaFLIR II-C, NTSC (60Hz) (Labyrinth Seal), 320x240 InSb FPA w/1.8 Extender, Color CCD with 18x optical zoom, Video Tracker, System Includes: Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Ergonomic Hand Control Unit (HCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$	232,402

PART NO.	PART NAME	DESCRIPTION	GSA PRICE
18400-207	SEAFLIR II-C+ W/ R6 SEAL, 60 HZ	SeaFLIR II-C Plus with R6 Seal, NTSC (60Hz) for harsh maritime environments, 320x240 InSb FPA w/1.8 Extender, Color CCD with 18x optical zoom, Video Tracker, System Includes: Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Ergonomic Hand Control Unit (HCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 231,341
18400-257	SEAFLIR II-C+ W/ R6 SEAL, 50 HZ	SeaFLIR II-C Plus with R6 Seal, PAL (50Hz) for harsh maritime environments 320x240 InSb FPA w/1.8 Extender, Color CCD with 18x optical zoom, Video Tracker, System Includes: Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Ergonomic Hand Control Unit (HCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 277,610
18802-200	TRANSIT CASE	Transit Case, Large. Fits Ranger camera and accessories	\$ 1,768 \$ 876
18836-500 19037-201	LAPTOP CONTROL UNIT, SIRVSS	CABLE POWER SUPPLY Laptop Control Unit, SIRVSS	\$ 876 \$ 16,566
19208-201	ULTRA 8500	Ultra 8500 System Package, NTSC (60Hz) Video, 320x240 InSb FPA with 10x optical zoom, Color CCD with 18x optical zoom, Video Tracker, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 195,295
19208-203	ULTRA 8500 LP	Ultra 8500LP, NTSC (60Hz) Video w/ Laser Pointer, 320x240 InSb FPA with 10x optical zoom, Color CCD with 18x optical zoom, Video Tracker, Laser Pointer, 830nm, 30mW, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Laser Interlock Unit (LIU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 209,245
19208-208	ULTRA 8500 XR	Ultra 8500 XR System Package 60Hz NTSC Video, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU) Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 183,206
19208-209	ULTRA 8500 XRLP	Ultra 8500 XRLP 60Hz NTSC Video w/Laser Pointer, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Laser Pointer, 830nm, 30mW, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Laser Interlock Unit (LIU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 197,155
19208-210	ULTRA 8500 XR-T	Ultra 8500 XR-T 60Hz NTSC Video, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Video Tracker, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 202,735
19208-211	ULTRA 8500 XR-TLP	Ultra 8500 XR-TLP 60Hz NTSC Video, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Video Tracker, Laser Pointer, 830nm, 30mW, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Laser Interlock Unit (LIU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 216,685
19208-212	ULTRA 8500 FW	Ultra 8500FW System Package, NTSC (60Hz) Video, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Video Tracker, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Laptop Control Unit (LCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 209,710
19208-213	ULTRA 8500 FWLP	Ultra 8500FWLP, NTSC (60Hz) Video w/ Laser Pointer, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Video Tracker, Laser Pointer, 830nm, 30mW, Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Laptop Control Unit (LCU), Laser Interlock Unit (LIU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide	\$ 223,660
19208-260	ULTRA 8500 XR-T 50HZ PAL VIDEO	Ultra 8500 XR-T 50Hz PAL Video, 320x240 InSb FPA w/1.8 Extender, Color CCD with 26x optical zoom, Video Tracker, System Includes: Stabilized Dual Sensor Gimbal System (SGA), Control Electronics Unit (CEU), Simplified Control Unit (SCU), Reusable shipping/storage case, Operator's Manual, Quick Reference Guide, Note: System cables and other accessories not included and priced separately.	
194629/150	POWER CASE W/LINER TOLL	Power Cable, 15m, open end	\$ 837
20385-200 20388-200	SHIPPING CASE W/LINER TSU SHIPPING CASE W/LINER DU	SHIPPING CASE W/LINER TSU SHIPPING CASE W/LINER DU	\$ 1,896 \$ 1,408
20391-200	SHIPPING CASE W/LINER CEU	SHIPPING CASE W/LINER CEU SHIPPING CASE W/LINER CEU	\$ 1,408
20960-802	2.5X EXTENDER	2.5X Extender	\$ 13,686
20960-804	LASER POINTER, 200 MW, 830 NM	Laser Pointer, 200 mw, 830 nm, Non Eye-safe for Recon III	\$ 11,420
21039-200	SIRVSS SYSTEM, 60HZ	SIRVSS System Package, 60Hz	\$ 331,772
21042-200 21043-200	VIDEO DISPLAY UNIT, SIRVSS	Hand Control Unit, SIRVSS Video Display Unit, SIRVSS	\$ 12,339 \$ 24,980
22138-000	RECON III OBSERVIR OPERATOR'S MANUAL	ObservIR Operator's Manual	\$ 24,980
22139-000	RECON III OBSERVIR OPERATOR'S MANUAL	Operator's Manual	\$ 76
22148-000	RECON III OBSERVIR QUICK REFERENCE GUIDE	ObservIR Quick Reference Guide	\$ 29
22149-000	RECON III LOCATIR QUICK REFERENCE GUIDE	Quick Reference Guide	\$ 29
22467-200 22784-002	CARRYING CASE, RECON III BATTERY, RECHARGEABLE LITHIUM 7.5 AMP-HR	Carrying Case Battery, Rechargeable Lithium 7.5 Amp-Hr , 4.2 V, for Recon III, Recon III Lite, and Recon IV, (replaces p/n 22784-000 & 22784-001)	\$ 514 \$ 178
22879-000	DVI CABLE	DVI Cable	\$ 376
23024-000	ETHERNET CABLE	Ethernet Cable, M12 to RJ45	\$ 309

PART NO.	PART NAME	DESCRIPTION	GSA F	PRICE
23362-261	TALON - W/ IMU, PAL (50 HZ)	TALON - w/ IMU, PAL (50 Hz) System Includes: 640x480 InSb FPA, w/1.8x IR extender, Color CCD w/ continuous 25x optical zoom, NTSC (60 Hz), Laser Range Finder (LRF), Autotracker, Sun Sensor, Imbedded Inertial Measurement Unit (IMU), Control Electronics Unit (CEU), Joystick Control Unit (JCU), Operator's Manual, Reusable Shipping/Storage Case, Note: Cables and monitor option not included and priced separately.	\$	340,698
23382-201 23533-200	2X EXTENDER WITH ADAPTOR INSTALLATION KIT, SIRVSS	2X Extender with adaptor for use with Recon III or Recon I Installation Kit, SIRVSS	\$	12,009 5,892
23854-200	SYSTEM PKG ESS W/IMU, LI, DUII (NTSC)	System Includes: 640x480 InSb FPA, w/1.8x IR extender, Combination Color CCD & LLTV w/continuous 10x optical zoom, NTSC (60 Hz), Laser Range Finder (LRF), Auto tracker, Sun Sensor, Imbedded Inertial Measurement Unit (IMU), Laser Illuminator, Control Electronics Unit (CEU), Joystick Control Unit (JCU) w/mount, Display unit II (DUII), CAAS compliant, SAR Mode Software PKG, Operator's Manual, Reusable Shipping/Storage Case, Note: Cables not included and priced separately.	y	397,980
23854-201	SYSTEM PKG ESS W/IMU, LI (NTSC)	System Includes: 640x480 InSb FPA, w/1.8x IR extender, Combination Color CCD & LLTV w/continuous 10x optical zoom, NTSC, (60 Hz), Laser Range Finder (LRF), Auto tracker, Sun Sensor, Imbedded Inertial Measurement Unit (IMU), Laser Illuminator, Control Electronics Unit (CEU), Joystick Control Unit (JCU) w/mount, SAR Mode Software PKG, Operator's Manual, Reusable Shipping/Storage Case, Note: Cables and display not included and priced separately.	\$	374,419
23855-201	TURRET SENSOR UNIT ESS BLACK	TURRET SENSOR UNIT ESS BLACK Note: Requires the purchase of shipping case P/N 20385-200	\$	286,869
23856-201	CONTROL ELECTRONICS UNIT ESS	CONTROL ELECTRONICS UNIT ESS Note: Requires the purchase of shipping case P/N 20391-200	\$	82,242
23857-200	JOYSTICK CONTROL UNIT	JOYSTICK CONTROL UNIT Note: Requires the purchase of shipping case P/N 24015-200	\$	12,939
24015-200 24202-002	SHIPPING CASE W/LINER JCU	SHIPPING CASE W/LINER JCU	\$	734
24202-002	MONITOR 8.4 IN DU2 ESS	MONITOR 8.4 IN DU2 ESS Note: Requires the purchase of shipping case P/N 20388-200	\$	28,225
24388-200	SEESPOT III+ (NTSC)	High Performance, Long Range Imager, 320x240 InSb, images 1.06um laser spot and thermal scene, 2.2 FOV, Waterproof Bayonet Lens Mount, Auto and Manual Gain Settings, Hand Held or Mounted on Laser Designator. Includes: (3) Lithium Batteries, Picatinny Rail Interface, Soft Carrying Case, Operator's Manual and SOFLAM Cable Adapter for power and data display	\$	75,371
24567-200	MOUNT JOYSTICK CONTROL TALON MMS	Mount Joystick Control TALON MMS, Note: This part is included when purchasing P/N 26277-200	\$	798
26110-200	PILOT CONTROL UNIT (PCU) ESS	PILOT CONTROL UNIT (PCU) ESS Note: Product will ship in cardboard packaging	\$	15,802
26156-210	RECON III LOCATIR W/ 200 MW LP - NTSC	640 InSb, 320 U/C, DMC, LRF, GPS & Geo-location s/w, 200mW Laser Pointer Includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium Batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$	92,022
26156-211	RECON III LOCATIR W/ 30 MW LP - NTSC	640 InSb, 320 U/C, DMC, LRF, GPS & Geo-location s/w, 30mW Laser Pointer includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium Batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$	84,214
26156-213	RECON III LOCATIR - NTSC	640 InSb, 320 U/C, DMC, LRF, GPS & Geo-location s/w Includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium Batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$	80,247
26156-217	RECON III OBSERVIR - NTSC	640 InSb, 320 U/C Includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium Batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$	60,209
26277-200	JOYSTICK CONTROL UNIT TALON MMS	JOYSTICK CONTROL UNIT TALON MMS	\$	16,514
26277-201	ASSY JCU NO MOUNT TALON MMS	ASSY JCU NO MOUNT TALON MMS	\$	16,531
26279-200	TALON MMS	TALON MMS SINGLE LRU, NTSC (60 Hz) 640x480 InSb FPA, w/1.8x IR extender, Combination Color CCD & LLTV w/continuous, 10x optical zoom, NTSC (60 Hz), Laser Range Finder (LRF), Autotracker, Sun Sensor, Joystick Control, Unit (JCU), Operator's Manual, Adapter Plate, Reusable Shipping/Storage Case, Note: Cables and monitor option not included and priced separately.	\$	330,467
26280-200	TURRET SENSOR UNIT TALON MMS	TURRET SENSOR UNIT TALON MMS, Requires the purchase of p/n 27432-200 (Shipping Case)	\$	312,993
27432-200	ASSY, SHIPPING CASE W/LINER TALON MMS	ASSY, SHIPPING CASE W/LINER TALON MMS	\$	1,442
27500-250	SEAFLIR III+ - PAL (50 HZ)	SeaFLIR III+ PAL (50 Hz), System Includes: 640x480 InSb FPA, w/1.8x IR extender, Color CCD w/ continuous 25x optical zoom, PAL (50 Hz), Laser Range Finder (LRF), Autotracker, Sun Sensor, Control Electronics Unit (CEU), Joystick Control Unit (JCU), Operator's Manual, Reusable Shipping/Storage Case, Note: Cables and monitor option not included and priced separately	Ş	394,414

PART NO.	PART NAME	DESCRIPTION	GSA PRICE
27667-203	RECON M18-NTSC	RECON M18 - NTSC w/3X Optical Extender Lens, 640x480 Uncooled FPA, 18° FOV, MIL-STD 810F, 2X & 4X Digital Zoom, Color Palettes, High Resolution Color Display, Reticle Select, 3X Quick Mount Optical Extender. Includes: External Video Cable, Neck Strap/Hand Strap, (2) CR123 Batteries, Lens Cover, Custom Padded Soft Carrying Case, Quick Reference Guide, Operator's Manual	\$ 16,102
27928-109216-2-2-0	RECON B2-FO, NTSC	640 InSb, Color CCD, DMC, 10Km LRF, GPS & Geo-location s/w, Adjustable Diopters. Includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium Batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$ 82,853
27928-119216-2-2-0	RECON B2-FO, NTSC, WITH 30MW LP	640 InSb, Color CCD, DMC, 10Km LRF, GPS, LP & Geo-location s/w, Adjustable Diopters. Includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium Batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$ 86,757
27928-139216-2-2-0	RECON B2-FO, NTSC, WITH 150MW LP	640 InSb, Color CCD, DMC, 10Km LRF, GPS, LP & Geo-location s/w, Adjustable Diopters. Includes: Hand & neck straps, lens covers, 6 Rechargeable Lithium batteries, Battery Charger, AC/DC Power supply, USB Cable, Image Storage USB Download, Video out cable, Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$ 94,564
28097-500	CABLE DISPLAY ADAPTER POWER/VIDEO	CABLE DISPLAY ADAPTER POWER/VIDEO Cable provides three (3) Female BNC connection pigtails at 6", 9" and 12" in length, Cable provides an input power leg that is 10 feet (3.05m) long with flying leads, Required cable for power and video input to Display/DVR P/Ns: 4123656, 4135004, 4135066, 4135067 and 4135068	\$ 807
28230-114616-2-10	RECON B9-FO - NTSC WITH 30MW LP	640 U/C, Color CCD, DMC, 3Km LRF, LP, GPS & Geo-location s/w, Adjustable Diopters. Includes: Hand & neck straps, lens covers, 4 "D" Cell Lithium Batteries, Battery Charger, AC/DC Power supply, BA5590 Cable, Cigarette Lighter Cable, Ext. Comm/USB Cable, Image Storage USB Download, Video out cable Manual, Quick Reference Guide, Hard Case & Lens cleaning kit	\$ 41,866
28248-114616-2010	RECON B9-NTSC WITH 30MW LP	640 U/C, Color Channel, Adjustable Diopters. Includes: Hand & neck straps, lens covers, 12 "AA" Lithium Batteries, Ext. Comm/USB Cable, Image Storage USB Download, Video out cable, BA5590 Cable, Cigarette Lighter Cable, Manual, Quick Reference Guide, Soft Tactical Bag & Lens cleaning kit	\$ 19,420
28248-114616-2110	RECON B9-NTSC WITH 30MW LP & DMC	640 U/C, Color Channel, Adjustable Diopters. Includes: Hand & neck straps, lens covers, 12 "AA" Lithium Batteries, Ext. Comm/USB Cable, Image Storage USB Download, Video out cable, BA5590 Cable, Cigarette Lighter Cable, Manual, Quick Reference Guide, Soft Tactical Bag & Lens cleaning kit	\$ 20,982
28311-200	3X OPTICAL EXTENDER ASSY, RECON M18	3X Extender for M-18	\$ 5,703
28667-200	RECON M-18 SWIR	RECON M-18 SWIR MONOCULAR VIEWER FULL SYSTEM PACKAGELightweight SWIR (Short Wave Infrared) monocular viewer with 18 degreeFOV, color OLED eyepiece display, digital zoom, DDE, color palettes, frame and video capture to SD card. Operates on standard CR-123batteries or external AC or DC power. Standard kit includes 1/4-20tripod mount, 22-pin power/ video output cable, padded carry pouch, B/A5590 cable, hard shipping/ transit case, user manual, Quick referenceGuide, lens cleaning kit, AC/DC power supply, 32G SD Card, remotecontrol pendant with cable and 8 CR-123 batteries.	\$ 32,530
3202306-117	STAR III CABLE INSTALLATION KIT	Star III Cable Installation Kit	\$ 17,284
3203134-300	CEU - STAR SAFIRE III	TRACKER, 1553 COM	\$ 124,458
3203134-533 3204853-10	STAR SAFIRE III / HD CEU 380-HD UNIVERSAL HAND CONTROL UNIT (UHCU)	Includes: Auto Tracker, IMU, 1553 Interface 380-HD Universal Hand Control Unit (UHCU); twin grip	\$ 157,625 \$ 14,281
3204853-10	STAR III UHCU	STAR III UHCU	\$ 14,281
3204853-6	MASTER CONTROLLER	Universal UHCU - Master	\$ 14,281
3204853-7	UNIVERSAL SCU - SLAVE #1 LRF/ELP	UNIVERSAL SCU - SLAVE #1 LRF/ELP	\$ 14,281
3210090-1	HCU, CCD/SPTR/LI 2 WATT, PRIMARY	(STAR SAFIRE III)	\$ 14,281
3290003-301 3290003-324	TFU - STAR SAFIRE III STAR SAFIRE III TFU (NTSC) +	CCD/SPTR/LI 2 WATT Includes: Color CCD Camera/3FOV Spotter, 100mW Laser Pointer, Laser Rangefinder, Geo Point Package, Operator Training in Country, Integration and Installation Support, 2 Year Ext Warranty	\$ 481,875 \$ 839,984
3290004-692	Star SAFIRE 380 HD	TFU- Star SAFIRE 380 HD Six- Sensor Configuration Includes: 1. HD Thermal Imaging Camera, 1280FPA 2. HDEO - HD Color Camera (1080p) 3. ESLRF - Eye-Safe Laser Rangefinder 4. LP - Laser Pointer, 150mW 5. HDLL - HD Low-Light Color Zoom Camera 6. SWIR - Short Wave Infrared Camera Standard features include IMU, Geopoint & Auto Tracker	\$ 780,712

PART NO.	PART NAME	DESCRIPTION	GS	A PRICE
3290004-693	Star SAFIRE 380 HD	TFU- Star SAFIRE 380 HD Six- Sensor Configuration Includes: 1. HD Thermal Imaging Camera, 1280FPA 2. HDEO - HD Color Camera (1080p) 3. ESLRF - Eye-Safe Laser Rangefinder 4. LP - Laser Pointer, 650mW 5. HDLL - HD Low-Light Color Zoom Camera 6. SWIR - Short Wave Infrared Camera Standard features include IMU, Geopoint & Auto Tracker	\$	794,993
3290008-6	TFU - STAR SAFIRE 380HDc THREE SENSOR	TFU - STAR SAFIRE 380HDc Base Three-Sensor Configuration Includes: 1. HD Thermal Imaging Camera, 1280 FPA w/ 500mm continuous zoom 2. HDEO - HD Color Camera with 40x zoom (1080p) 3. ESLRF - Eye-Safe Laser Rangefinder, 25km Video Format: NTSC Color: Black Standard features include IMU, Geopoint, & AutoTracker	\$	398,063
3290008-7	TFU - STAR SAFIRE 380HDc FOUR SENSOR	TFU - STAR SAFIRE 380HDc Four-Sensor Configuration Includes: 1. HD Thermal Imaging Camera, 1280 FPA w/500mm continuous zoom 2. HDEO - HD Color Camera with 40x zoom (1080p) 3. ESLRF - Eye-Safe Laser Rangefinder 4. LP - Laser Pointer, 150mW Video Format: NTSC Color: Black Standard features include IMU, Geopoint, & AutoTracker	\$	376,075
4102311-1	CEU MOUNTING TRAY	CEU Mounting Tray	\$	2,605
4107636-1	STAR HD CABLE INSTALLATION KIT	Terminated both ends	\$	7,736
4115476-50 614005292/06	STANDARD CABLE KIT SYSTEM CABLE, P/T TO JPC, 25 M	Standard 15 Ft Cable Kit - Flexible Backshells, Terminated TFU End Only System Cable, P/T to JPC, 25 m	\$	15,233 4,741
614005412/021	JPC2 TASS, COLOR SAND	JPC2 TASS, Color Sand	Ś	11,235
614005412/025	JPC2 NEXUS MPEG4 DUAL CHANNEL	NEXUS LR-license included, Color Sand	\$	17,994
614005655/321LDG	THERMOVISION 3000 MULTI-SENSOR	with LRF, GPS, DMC & Color Sand	\$	202,497
614005655/321NNN	THV 3000 MS, COLOR SAND	THV 3000 MS, Color Sand	\$	161,900
75002129-1	EXTENDED ACCESS Q. D. MOUNT	Extended Access Quick Disconnect Mount	\$	8,826
75002129-2	8" LOWER QD	8" Lower QD	\$	5,932
ANTI-ICE-SF	SEAFLIR II & III FEATURE OPTIONS	Anti-Ice function	\$	2,856
G007288	TRIPOD HEAVY DUTY ASSY IN CASE	Tripod Heavy Duty, Black, w/Quick Mount in Hard Transport Case	\$	5,595
G009495	RANGER HRC-U MS W/ HUBER MOUNT, ITAR, UR-TV, NTSC, SAND	RANGER HRC-U MS W/ HUBER MOUNT, ITAR, UR-TV, NTSC, SAND	\$	186,930
TRNG 2LRU OL/INTL	TRNG 2LRU/OPS/LM/OCONUS/4DAY/8STUDENTS	Operator and Line (OL) Maintenance training (TRNG) for 2 LRU systems conducted Oustide of the Continental United States (OCONUS). Operators & Line Maintenance course, 2 LRUs, is a Level I certification course designed for Organizational level of maintainers who are charged with system availability, operation and maintenance for FLIR's EO / IR imaging systems. Course curriculum covers all organizational maintenance tasks including removal and replacement of LRUs, inspection and servicing requirements, plus testing and troubleshooting techniques. Course duration is 4 days for 8 students, at the customer location utilizing the customer owned gimbaled product. US State Dept approval / TAAs, as applicable, must be in place prior to instructor travel. Certificate of Certification will be issued upon completion of the course and demonstrated knowledge of course materials through written and practical (hands-on) examinations. Course deliverables include an Operator Manual (DVD) and a Student Training Guide. Course includes all instructor travel expenses. Note: When quoting/ordering - please specify the gimbal model for the training.	\$	25,072
TRNG 2LRU OL/USA	TRNG 2LRU/OPS/LM/CONUS/4DAY/8STUDENTS	Operator and Line (OL) Maintenance training (TRNG) for 2 LRU systems conducted in the Continental United States (CONUS). Operators & Line Maintenance course, 2 LRUs, is a Level I certification course designed for Organizational level of maintainers who are charged with system availability, operation and maintenance for FLIR's EO / IR imaging systems. Course curriculum covers all organizational maintenance tasks including removal and replacement of LRUs, inspection and servicing requirements, plus testing and troubleshooting techniques. Course duration is 4 days for 8 students, at the customer location utilizing the customer owned gimbaled product. US State Dept approval / TAAs, as applicable, must be in place prior to instructor travel. Certificate of Certification will be issued upon completion of the course and demonstrated knowledge of course materials through written and practical (hands-on) examinations. Course deliverables include an Operator Manual (DVD) and a Student Training Guide. Course includes all instructor travel expenses. Note: When quoting/ordering - please specify the gimbal model for the training.	\$	17,908

PART NO.	PART NAME	DESCRIPTION	GSA PRICE
TRNG 3LRU LM/INTL	TRNG 3LRU/LM/OCONUS/5DAY/8STUDENTS	Line Maintenance (LM) training (TRNG) for 3 LRU systems conducted Oustide of the Continental United States (OCONUS). Line Maintenance course, 3 LRUs, is a Level I certification course designed for Organizational level maintainers who are charged with system availability, operation and maintenance for FLIR's EO / IR imaging systems. Course curriculum covers all organizational maintenance tasks including removal and replacement of LRUs, inspection and servicing requirements, plus testing and troubleshooting techniques. Course duration is 5 days for 8 students, at the customer location utilizing the customer owned gimbaled product. US State Dept approval / TAAs, as applicable, must be in place prior to instructor travel. Certificate of Certification will be issued upon completion of the course and demonstrated knowledge of course materials through written and practical (hands-on) examinations. Course deliverables include an Operator Manual (DVD) and a Student Training Guide. Course includes all instructor travel expenses. Note: When quoting/ordering - please specify the gimbal model for the training.	\$ 30,938
TRNG 3LRU LM/USA	TRNG 3LRU/LM/CONUS/5DAY/8STUDENTS	Line Maintenance (LM) training (TRNG) for 3 LRU systems conducted in the Continental United States (CONUS). Line Maintenance course, 3 LRUs, is a Level I certification course designed for Organizational level of maintainers who are charged with system availability, operation and maintenance for FLIR's EO / IR imaging systems. Course curriculum covers all organizational maintenance tasks including removal and replacement of LRUs, inspection and servicing requirements, plus testing and troubleshooting techniques. Course duration is 5 days for 8 students, at the customer location utilizing the customer owned gimbaled product. US State Dept approval / TAAs, as applicable, must be in place prior to instructor travel. Certificate of Certification will be issued upon completion of the course and demonstrated knowledge of course materials through written and practical (hands-on) examinations. Course deliverables include an Operator Manual (DVD) and a Student Training Guide. Course includes all instructor travel expenses. Note: When quoting/ordering - please specify the gimbal model for the training.	\$ 22,424
TRNG 3LRU OP/INTL	TRNG 3LRU/OPS/OCONUS/3DAY/12STUDENTS	Operator (OPS) training (TRNG) for 3 LRU systems conducted Oustide of the Continental United States (OCONUS). Operator training course, 3 LRU systems is designed to provide operators and flight crews the ability to maximize performance and utilization of any FLIR's Gimbaled EO / IR imaging systems. Curriculum allows operator to experience hands-on navigation through menus, enhance image optimization by applying proper settings under given operational limitations or environmental conditions. Course duration is 3 days for 12 students, at the customer location utilizing the customer owned gimbaled product. US State Dept approval / TAAs, as applicable, must be in place prior to instructor travel. Certificate of Certification will be issued upon completion of the course and demonstrated knowledge of course materials through written and practical (hands-on) examinations. Course deliverables include an Operator Manual (DVD) and a Student Training Guide. Course includes all instructor travel expenses. Note: When quoting/ordering - please specify the gimbal model for the training.	\$ 19,785
TRNG 3LRU OP/USA	TRNG 3LRU/OPS/CONUS/3DAY/12STUDENTS	Operator (OPS) training (TRNG) for 3 LRU systems conducted in the Continental United States (CONUS). Operator training course, 3 LRU systems, is designed to provide operators and flight crews the ability to maximize performance and utilization of any FLIR's Gimbaled EO / IR imaging systems. Curriculum allows operator to experience hands-on navigation through menus, enhance image optimization by applying proper settings under given operational limitations or environmental conditions. Course duration is 3 days for 12 students, at the customer location utilizing the customer owned gimbaled product. US State Dept approval / TAAs, as applicable, must be in place prior to instructor travel. Certificate of Certification will be issued upon completion of the course and demonstrated knowledge of course materials through written and practical (handson) examinations. Course deliverables include an Operator Manual (DVD) and a Student Training Guide. Course includes all instructor travel expenses. Note: When quoting/ordering - please specify the gimbal model for the training.	\$ 13,737