

**GENERAL SERVICES ADMINISTRATION  
FEDERAL SUPPLY SERVICE**

**AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through **GSA Advantage!**, a menu-driven database system. The INTERNET address for **GSA Advantage!** is <http://www.gsaadvantage.gov>

**SCHEDULE TITLE:** Federal Supply Schedule 073 -Food Service Equipment, Supplies and Services, Kitchen Management Solutions ,Emergency and Non-Emergency Food Service Support, Refrigeration, Cooking, Dishwashing, Food Preparation and Storage Equipment, and Other Miscellaneous Food Industry Items.

FSC Group: 73 -Food Service Equipment, Supplies and Services

**CONTRACT NUMBER: GS-07F-0065U**

**CONTRACT PERIOD: November 15, 2007 -November 14, 2012**

For more information on ordering from Federal Supply Schedules, click on the FSS Schedules button at [ww.fss.gsa.gov](http://www.fss.gsa.gov)

**CONTRACTOR:** QNC, Inc.  
12021 Plano Road, Suite 160  
Dallas, TX 75243  
Phone number: (972) 669-8993  
Fax number: (972) 669-8990  
E-Mail: paul@q-n-c.com

**CONTRACTOR'S ADMINISTRATION SOURCE:** Paul R. Artt  
12021 Plano Road, 8te. 160  
Dallas, TX 75243  
Phone number: (972) 669-8993  
Fax nurnber: (972) 669-8990  
E-Mail: paul@q-n-c.com

**BUSINESS SIZE:** Small Manufacturer

**CUSTOMER INFORMATION:**

**1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)**

<b>SIN</b>	<b>DESCRIPTION</b>
302-3	Cooking Equipment

**1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:**

(Government net price based on a unit of one)

<b>SIN</b>	<b>MODEL</b>	<b>PRICE</b>
302-3	600000	\$2,695

**1c. HOURLY RATES:**

N/A

**2. MAXIMUM ORDER\*:** \$300,000 per SIN 302-3. (\*If the best value selection places your order over the Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contactor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the schedule contract in accordance with FAR 8.404.)

**3. MINIMUM ORDER:** \$100

**4. GEOGRAPHIC COVERAGE:** Domestic, 50 states, Washington, DC, Puerto Rico, US Territories.

**5. POINT(S) OF PRODUCTION:** SINs 302-3 -ONC, Inc., 12021 Plano Road, Ste 160, Dallas, TX 75243

**6. DISCOUNT FROM LIST PRICES:** 25% from the accepted pricelist. For calculation of the GSA Schedule price (price paid by customers ordering from the GSA Schedule, and the price to be loaded in to GSA Advantage), the contractor should deduct the appropriate basic discount from the list price and add the prevailing IFF rate to the negotiated discounted price (Net GSA price), Current IFF rate is 0.750/0.

**7. QUANTITY DISCOUNT(S):**

Part Number(s)

Discount

600000,600005,600010  
600000,600005,600010  
600000,600005,600010  
600015,600020,600025  
600015,600020,600025  
600015,600020,600025  
600035  
600035  
600035  
900000  
900000  
900000

Additional 5% on 5-10 units to same location  
Additional 10% on 11-25 units to same location  
Additional 15% on 26 or more units to same location  
Additional 5% on 5-10 units to same location  
Additional 10% on 11-25 units to same location  
Additional 15% on 26 or more units to same location  
Additional 5% on 5-10 units to same location  
Additional 10% on 11-25 units to same location  
Additional 15% on 26 or more units to same location  
Additional 5% on 5-10 units to same location  
Additional 10% on 11-25 units to same location  
Additional 15% on 26 or more units to same location

**8. PROMPT PAYMENT TERMS:** 20/0 20 Days, Net 30

**9.a Government Purchase Cards are be accepted at or below the micro-purchase threshold.**

**9.b Government Purchase Cards are accepted above the micro-purchase threshold up to \$50,000.**

**10. FOREIGN ITEMS:** None

**11a. TIME OF DELIVERY:** Shipped 20 Days After Receipt of Order.

**11 b. EXPEDITED DELIVERY:** Shipped 7 Days after receipt of order (with telephone confirmation of stock),

**11c. OVERNIGHT AND 2-DAY DELIVERY:** Available for all products (except cleaning chemicals) with phone confirmation of stock and applicable shipping charges.

**11 d. URGENT REQUIRMENTS:** Agencies can contact the Contractor's representative to affect a faster delivery, Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

**12. FOB POINT:** ORIGIN.

**13a. ORDERING ADDRESS:** Same as contractor/Fax: (972) 669..8990.

**13b. ORDERING PROCEDURES:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (SPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

**14. PAYMENT ADDRESS:** Same as contractor

**15. WARRANTY PROVISION:** Limited Warranty of 2 years on the Electronic Controller, 1 year on all other parts, and 90 days on labor from the date of installation of the unit. Restocking fee 20%.

**16. EXPORT PACKING CHARGES:** Not applicable

**17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:** QNC, Inc. will accept payment by Government Purchase Card for orders under the micro-purchase threshold and will accept the Government purchase Card for more than the orders over the micro-purchase threshold up to \$50,000.

**18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR (IF APPLICABLE):** N/A

**19. TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE):** N/A

**20. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF AVAILABLE):** N/A

**20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE):** N/A

**21. LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE):** N/A

**22. LIST OF PARTICIPATING DEALERS (IF APPLICABLE):** N/A

**23. PREVENTIVE MAINTENANCE (IF APPLICABLE):** N/A

**24a. SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):** N/A

**24b. Section 508 Compliance for EIT:** N/A

**25. DUNS NUMBER:** 615406972

**26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE:**  
Registration valid until 08/08/2008.



QNC, Inc. • 12021 Plano Rd., Suite 160, Dallas, TX 75243 • (972) 669-8993, (888) 668-3687 • Fax (972) 669-8990  
E-mail: sales@q-n-c.com • Web site: www.q-n-c.com

### GSA NET PRICE LIST – CONTRACT # GS-07F-0065U

<u>PRODUCT NAME</u>	<u>DESCRIPTION</u>	<u>PART NUMBER</u>	<u>PRICE</u>
120V, MC Quik n' Crispy®	120V, 60 Hz. Mechanical Controls (MC) 1740 watts, 14.5 amps, Model GFII	600000	\$2,263.22
120V, MC Quik n' Crispy®	120V, 60 Hz. Mechanical Controls 2200 watts, 18.3 amps, Model GFII	600005	\$2,263.22
208V/240V, MC Quik n' Crispy®	208V / 240V, 60 Hz. Mechanical Controls 4326 - 5760 watts, 20.8 - 24.0 amps	600010	\$2,263.22
120V, EC Quik n' Crispy®	120V, 60 Hz. Electronic Controls 1740 watts, 14.5 amps, Model GFII	600015	\$2,490.18
120V, EC Quik n' Crispy®	120V, 60 Hz. Electronic Controls 2200 watts, 18.3 amps, Model GFII	600020	\$2,490.18
208V/240V, EC Quik n' Crispy®	208V / 240V, 60 Hz. Electronic Controls 4326 - 5760 watts, 20.8 - 24.0 amps	600025	\$2,490.18
230V/240V, EC Quik n' Crispy®	230V / 240V, 50 Hz. Electronic Controls 2460 - 2670 watts, 10.7 - 11.1 amps. CE Listed	600035	\$2,565.49
208V/240V, GF5 Quik n' Crispy®	208V / 240V, 50/60 Hz. Electronic Controls 4326 - 5760 watts, 20.8 - 24.0 amps	900000	\$4,756.93

### CLEANING SUPPLIES:

Cleaning Kit GF II	Container, Brush, Gloves, Scraper & Chemicals	CKIT	\$68.01
Cleaning Kit GF5	Container, Brush, Gloves, Scraper & Chemicals	GF5-CKIT	\$105.79
Dip-R-Spray 1 qt.	Spray-on cleaner	DIPR-1Q	\$15.72
Dip-R-Spray 1 gal.	Spray-on cleaner, with a 1 quart spray bottle	DIPR-1G	\$45.34
Dip Tank Cleaner	Soaking solution, 2 lb. jar	DTC-2	\$15.11
Wire Cleaning Brush	For scrubbing cooking basket grid	WB1	\$3.63
Dough Cutter/Scraper	4.5" high scraper for cleaning drip tray	DCS1	\$6.05
Soaking Container GFII	10 Gallon Rubbermaid container with lid	SCR1	\$11.34
Soaking Container GFII/GF5	25 Gallon Rubbermaid container with lid	SCR2	\$18.89
Rubber Gloves, Pair	Sol-Vex® Nitrile 22 mils, 18" length	RG1	\$12.09
Grease Filters for GF5	Removable Filters for air filtration on Model GF5	900072	\$15.11
Carbon Filters for GF5	Removable Filters for air filtration on Model GF5	900071	\$22.67

### REPLACEMENT PARTS FOR CURRENT PRODUCTION GF II AND / OR GF5 UNITS:

Detachable Basket Handle	6 1/2" long X 1 1/8" wide handle	613015	\$6.05
Detachable Basket Bracket	Stainless Steel Bracket for Detachable Handle	613014	\$6.05
Metal Basket Handle	Stainless Steel Wire Handle	613017	\$26.45
Hi-Limit Temperature Control	25 Amp, 500° F surface mounted	670035	\$22.67
Thermocouple/Mineral Insulated	2" 304 SS Sheath & mounting bracket, type J	670010	\$31.74
Piezo transducer / buzzer	80-90dB, 3-7 VDC (For use w/Electronic Controller)	670045	\$26.45
Electronic Controller GFII/GF5	Programmable controller with 6 or 15 menus	670001	\$264.48
Transformer	24 VAC used with Domestic Electronic units UL	670025	\$18.89
Transformer	24 VAC used with Int'l Electronic units CE	670026	\$18.89
On/Off Switch Illuminated EC	DPDT 16 Amp switch Illuminated	670070	\$17.01
On/Off Switch Non-Illumin. MC	DPDT 16 Amp switch Non Illuminated	670075	\$10.58
50 amp Solid State Relay EC	50 amp relay 3 - 32 VDC	670030	\$37.78
50 amp Solid State Relay MC	50 amp relay 120 VAC	670031	\$37.78
10 amp Solid State Relay for EC	10 amp relay 3 - 32 VDC (For Cooking Blower)	770029	\$37.78

## Quik n' Crispy® Price List - Continued

### **REPLACEMENT PARTS FOR CURRENT PRODUCTION GF II UNITS ONLY (SERIAL NUMBERS START WITH 6, 7 OR 8):**

<b><u>PRODUCT NAME</u></b>	<b><u>DESCRIPTION</u></b>	<b><u>PART NUMBER</u></b>	<b><u>PRICE</u></b>
Cooking Basket Assembly GF II	Cooking basket, front panel, handle, and hardware	613018	\$170.03
Cooking Basket GF II	12.5" x 12.5" x 2"	613013	\$139.80
Drip Tray GF II	Stainless Steel Drip Tray	750001	\$56.68
Splash Guard GF II	Removable panel positioned above heating element	760002	\$45.34
Removable Front Panel	Removable Front Panel Assembly for GF II	750004	\$68.01
Adjustable Legs (4/set)	4 leveling legs, 1" Tall	613043	\$12.09
Cooking Blower Domestic GF II	120V 60 Hz. Motor/blade assembly	613178	\$54.41
Cooking Chamber Blower GF II	230V 50 Hz. Motor/blade assembly	613181	\$64.99
Cooling Blower for GF II Domestic	120V 60 Hz.	713182	\$37.78
Cooling Blower for GF II International	230V 50 Hz.	713183	\$37.78
120V GF II Heating Element	1680 watt, 14 amp	650021	\$45.34
120V GF II Heating Element	2150 watt, 18 amp	650020	\$45.34
208V / 240V GF II Heating Element	4326 - 5760 watt (for Domestic 60 Hz. GF II units)	650035	\$45.34
230V / 240V GF II Heating Element	2430 - 2640 watt (for International 50 Hz units)	650025	\$45.34
Thermostat & Knob for MC GF II	100° - 450°F 30 amp	613037	\$30.23
15-Minute Timer	0 - 15 minute electromechanical with buzzer	613050	\$52.90
Indicator Light	Indicator light 250V	613038	\$10.58
Fuse	1 Amp Class CC (For cooking and cooling blowers)	670032	\$11.34

### **REPLACEMENT PARTS FOR CURRENT PRODUCTION GF5 UNITS ONLY (SERIAL NUMBERS START WITH 9):**

Cooking Basket Assembly GF5	Cooking basket, front panel, handle, and hardware	913018	\$208.08
Cooking Basket GF5	16" x 16" x 3"	900041	\$162.47
Cooking Basket, Mini for GF5	7" x 7" x 3" Perforated Stainless Steel	900042	\$37.78
Gripper for GF5 Mini Cooking Basket	8" Metal Basket Gripper for Mini Basket Removal	PDG1	\$4.53
Removable Front Panel for GF5	Removable Front Panel Assembly for GF5	900023	\$74.06
Drip Tray GF II / GF5	Stainless Steel Drip Tray	900038	\$79.35
Air Chamber Rear Panel, - Removable	Removable panel positioned in rear of chamber	900046	\$120.91
Air Chamber Assembly GF5	Removable Air Plenum for GF5 Cooking Chamber	900027	\$272.04
Cooking Chamber Blower GF5	200V - 240V 50Hz.-60 Hz. Motor/blade assembly	900063	\$396.73
Cooling Blower for GF5	200V - 240V 50Hz.-60 Hz.	713183	\$37.78
Adjustable Legs (4/set)	4 leveling legs, 4" Tall Heavy Duty	900073	\$22.67
208V / 240V GF5 Heating Element	5700 watt (for Domestic and International)	900060	\$68.01
Fuse	3 Amp Class CC (For cooking and cooling blowers)	670034	\$11.34
Magnetic Contactor (Int'l GF5 only)	240V 50 Hz.	513042	\$48.36

### **REPLACEMENT PARTS ONLY FOR OLD STYLE GF II UNITS (SERIAL NUMBERS THAT START WITH 3, 4 OR 5):**

15-Minute Timer for Old Style GF II	0 - 15 minute spring wound with Hold	613060	\$27.20
Magnetic Contactor (Domestic Only)	120V 60 Hz.	513040	\$37.78
On/Off Switch for Old Style GF II	22 amp, 125V DPST (Domestic Units)	450008	\$15.11
On/Off Switch for Old Style GF II	22 amp, 250V DPST (International Units)	450009	\$15.11

**MATERIAL SAFETY DATA SHEET**

This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this MSDS must be given to the buyer.

**SECTION I - PRODUCT IDENTIFICATION**

Manufacturer Name: Discovery Products Corporation 24-Hour Emergency Telephone No.: 1-800-255-3924  
 Address: 13619 Mukiteo Speedway #1180, Lynnwood, WA 98087 (For Health and Safety Emergency Only)  
 Trade Name/Product Code: Quik n' Crispy Dip Tank Cleaner (DTC-2)

**SECTION II - COMPONENTS**

Chemical Name/Common Name:	CAS No.	Vapor Pressure mmHg@ TEMP	Weight Percent
SODIUM HYDROXIDE ANHYDROUS OSHA PEL: 2 MG/M3, ACGIH TLV: 2 MG/M3, OTHER: NONE	1310-73-2	N/A N/A	75
DIPROPYLENE GLYCOL MONOMETHYL ETHER OSHA PEL: 100 PPM, ACGIH TLV: 100 PPM, OTHER: 150 PPM ORAL LD50 5.4 MG/KG (RATS), DERMAL LD50 20 ML/KG (RABBITS)	34590-94-8 0.	55 25 DEG F	1

\*\*\*No toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372 are present\*\*\*

In accordance with Prop 65, this product may contain chemicals known to the State of California that may cause cancer, birth defects or reproductive harm in laboratory animals.

**SECTION III - PHYSICAL DATA**

Boiling Point For Product: None pH: N/A Specific Gravity (H20=1): 1.24 Solubility in Water: 20%  
 Evaporation Rate: Unknown Vapor Density For Product: Unknown Appearance and Odor: Crystalline solid, powder, or granules.

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

Flash Point (TO.C.): None Extinguishing Media: Water Fog Flammable Limits in Air by Volume: Lower: 1.1 Upper: 14  
 Special Fire Fighting Procedures: Fire Fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

Unusual Fire and Explosion Hazards: Extinguish all nearby sources of ignition since flammable hydrogen gas may be liberated from contact with some metals.

**SECTION V - HEALTH HAZARD DATA**

ROUTES OF EXPOSURE: EYES YES SKIN YES INHALATION YES INGESTION: YES  
 EFFECTS OF OVEREXPOSURE (ACUTE AND CHRONIC): Repeated exposure may result in areas of destruction of skin tissue or primary irritant dermatitis. Inhalation of dusts, vapors, or mists may cause varying degrees of damage to the affected tissues and also increasing susceptibility to respiratory illness.  
 CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

The components of this product are not considered to be carcinogens by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE

**SECTION VI - REACTIVITY DATA**

STABILITY: Stable HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None HAZARDOUS POLYMERIZATION: Will Not Occur  
 CONDITIONS TO AVOID: Keep water and moist air out of the container.  
 INCOMPATIBILITY (MATERIALS TO AVOID): Acids, combustible materials, some metals, strong oxidizers, many organic chemicals, and organic acids.

**SECTION VII - EMERGENCY AND FIRST AID PROCEDURES**

FIRST AID:  
 EYES: Irrigate with flowing water immediately and continuously for 15 minutes. Consult medical personnel.  
 SKIN: Immediately flush skin with lots of running water for at least 15 minutes. Remove contaminated clothing and shoes.  
 INGESTION: Drink 1 to 8 glasses of water to dilute. DO NOT INDUCE VOMITING. Consult a physician or poison control center immediately. Treat symptomatically Do not give anything by mouth to an unconscious or convulsing person.  
 INHALATION: Remove victim to fresh air. If breathing is difficult, administer oxygen. Call a physician or transport to a medical facility.

**SECTION VIII - PROTECTIVE EQUIPMENT TO BE USED**

EYE PROTECTION: Chemical splash goggles should be worn during application.  
 VENTILATION REQUIREMENTS: Mechanical Exhaust PROTECTIVE GLOVES: Wear resistant gloves such as rubber or polyethylene

**SECTION IX - SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IF RELEASED OR SPILLED: For small spills, sweep up and contain. For larger spills, shovel up or sweep up and contain. Keep material out of sewers, storm drains, surface waters and soil.  
 WASTE DISPOSAL METHOD: Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste Dispose of contaminated product and materials used in clean up in a manner approved for this material and the contaminant. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures and comply with them.

**SECTION X - STORAGE AND HANDLING INFORMATION**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a dry, well ventilated place away from incompatible materials. Keep container tightly closed when not in use Keep dry at all times. Wash thoroughly after handling. Do not get in eyes, on skin or on clothing.  
 OTHER PRECAUTIONS: Empty containers usually still hold residues of material and vapors. These must be considered hazardous and disposed of in accordance with proper handling procedures prescribed for hazardous chemicals. When mixing with water, always add this product to water and stir.

**ADDITIONAL COMMENTS**

None

**MATERIAL SAFETY DATA SHEET**  
COMPLIES WITH OSHA'S HAZARD COMMUNICATION STANDARD (29CFR1910.1200)

**SECTION I – PRODUCT IDENTIFICATION**

**PRODUCT NAME:** DIP-R-SPRAY  
**FORMULA NUMBER:** 1007A  
**SUPPLIER'S NAME:** WALJAN PRODUCTS  
**SUPPLIER'S ADDRESS:** 23905 Clinton Keith 114-129  
Wildomar, CA 92595 NFPA  
Telephone: (800) 492-3220/(951) 674-8332  
FAX: (951) 674-8395  
**D.O.T. HAZARD CLASS:** Corrosive Liquid  
**D.O.T. LABEL:** Corrosive 4 – Extreme  
**D.O.T. SHIPPING NAME:** Compound, Liquid, Corrosive  
**D.O.T. PG:** III

**Chemical Family:** Mixture  
**Emergency Phone:** CHEMTEL 1-800-255-3924  
**Information Phone:** M-F, 8-4 1-714-548-6820

**HAZARD RATING INFORMATION**

**Health:** 2 0 - Minimal  
**Flammability:** 0 1 - Slight  
**Reactivity:** 2 2 - Moderate  
**Personal Protection:** 1 3 – Serious

**SECTION II – INGREDIENTS**

CHEMICAL NAME	CAS NO.	% WT	313/CHEMICAL	PEL	SKIN	TWA/TLV
CARCINOGEN						
Potassium Hydroxide	1310-58-3	608	N/E	N/E	N/E	2 mg/cu.m

Ingredients not precisely identified are proprietary or non-hazardous. All chemicals appear on the EPA TSCA Inventory.

**SECTION III – PHYSICAL DATA SECTION IV – FIRE AND EXPLOSION DATA**

**BOILING POINT:** Approx. 100° C  
**VAPOR PRESSURE:** Approx. 18 mm Hg @ 20° C  
**SOLUBILITY IN WATER:** Complete  
**PH:** 14  
**SPECIFIC GRAVITY:** 1.03 @ 20° c  
**EVAPORATION RATE:** Approx. 0.4  
**APPEARANCE/ODOR:** Clear Yellow Liquid; Mild Fragrance  
**VOC CONTENT:** 0

**FLASH POINT:** No Flash to 94° C  
**EXPLOSIVE HAZARD:** N/A  
**EXTINGUISHING MEDIA:** Foam, Carbon Dioxide, Dry Chemical, Water Spray, Water  
**SPECIAL FIRE FIGHTING PROCEDURES:** None  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contact with amphoteric metals will result in generation of flammable hydrogen gas

**SECTION V – REACTIVITY DATA SECTION VI – STORAGE AND HANDLING**

**STABILITY:** Stable  
**HAZARDOUS POLYMERIZATION:** Will not occur  
**INCOMPATIBILITY:** Acid materials; Amphoteric metals (i.e. aluminum, galvanizing) **KEEP OUT OF THE REACH OF CHILDREN**  
**HAZARDOUS DECOMPOSITION PRODUCTS:** None  
**FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY:** Yes  
**STORE IN A COOL, DRY AREA AWAY FROM HEAT AND FLAMES:** Yes  
**DO NOT STORE AT TEMPERATURES ABOVE:** N/A

**SECTION VII – HEALTH AND FIRST AID**

PRIMARY ROUTES OF ENTRY AND EFFECTS OF OVEREXPOSURE	FIRST AID PROCEDURES
<b>EYES:</b> Product is destructive to eye tissue	<b>EYES:</b> Flush immediately with water for 15minutes. Get medical attention
<b>SKIN:</b> Prolonged contact may cause corrosion of tissue	<b>SKIN:</b> Wash with soap and water. Remove contaminated clothing and footwear
<b>INHALATION:</b> May cause irritation of respiratory tract	<b>INHALATION:</b> Remove victim to fresh air. Get medical attention.
<b>INGESTION:</b> Severe burns and possible tissue perforation of mucous membranes	<b>INGESTION:</b> Do not induce vomiting. Give large quantities of water. Consult a physician.
<b>LONG TERM EFFECTS:</b> None Known	

**SECTION VIII – SPECIAL PROTECTION DATA SECTION IX – SPILL OR LEAK PRECAUTIONS**

RESPIRATORY PROTECTION:	STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:
Not normally needed	SMALL SPILL: Wipe up
<b>VENTILATION:</b> General	LARGE SPILL: Dike area. Pump into suitable tank for rework or disposal
	<b>WASTE DISPOSAL METHOD:</b> Dilute with water. Neutralize pH to about 7 with vinegar or phosphoric acid. Pump neutralized material down drain in accordance with applicable regulations.
<b>EYE PROTECTION:</b> Safety glasses or face shield	<b>WASTE DISPOSAL CAUTION:</b> Store in cool place. Wash hands after using product. Keep containers closed when not in use. Flush all containers with water before discarding.

N/A = NOT APPLICABLE N/E = NOT ESTABLISHED N/D = NOT DETERMINED < = LESS THAN > = MORE THAN

**NOTICE:** The information contained on this Material Safety Data Sheet is considered accurate as of date of publication. It is not necessarily all inclusive nor fully accurate in every circumstance. The suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, expressed or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.

