

**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is: <http://www.gsaadvantage.gov>

**WORLDWIDE FEDERAL SUPPLY SCHEDULE CONTRACT
SCHEDULE TITLE: BUILDING AND BUILDING MATERIALS/INDUSTRIAL SERVICES
AND SUPPLIES**

FSC GROUP: 56

**CONTRACT NUMBER:
GS-07F-0166X**

**PERIOD COVERED BY CONTRACT:
DECEMBER 15, 2010 THROUGH DECEMBER 14, 2020**

TradeStream Inc
150 Virginia Street, P.O. Box 2364
Mobile, AL 36652
(P) 251-690-9009
(F) 251-690-9003
<http://www.tradestreaminc.com/>

Contractor's Administration Source: abenton@tradestreaminc.com

General Services Administration
Management Services Center Acquisition Division
Modification # PO-0027, dated 6/9/2016

Business Size: SMALL
DUNS: 82-833-3596

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at <http://www.fss.gsa.gov>.

GSA AWARDED TERMS AND CONDITIONS TRADESTREAM INC

- 1a. Table of awarded special item number(s) with appropriate cross-reference to item descriptions and awarded price(s).

SIN 357-11C: Warehouse Equipment and Supplies
SIN 357-98: Ancillary Services relating to Warehouse Equipment and Supplies, relating to and ordered in conjunction with products purchased under the supply schedule contract

- 1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract.

<u>SIN</u>	<u>Model Number</u>	<u>Unit Price</u>
<u>SIN 357-11C:</u>	1018375	\$0.72
<u>SIN 357-98:</u>	LOAD/PULL TEST	\$3.35

- 1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided. If hourly rates are not applicable, indicate "Not applicable" for this item.

NOT APPLICABLE

2. Maximum order.

SIN 357-11C: \$125,000
SIN 357-98: \$125,000

If the "best value" selection places your order over this Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement; (2) offer the lowest price available under this contract; or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the Schedule contract in accordance with FAR 8.404

3. Minimum order.

\$100.00

4. Geographic coverage (delivery area).

Domestic Delivery - 48 contiguous States including Washington, DC

5. Point(s) of production (city, county, and State or foreign country).

The Crosby Group, Inc.
2801 Dawson Road
Tulsa, OK 74101 (Tulsa County)

SlingMax
P.O. Box 2423
Ashton, PA 19014 (Delaware County)

TradeStream, Inc.
150 Virginia Street, P.O. Box 2364
Mobile, AL 36652 (Mobile County)

6. Discount from list prices or statement of net price.

Net GSA pricing is listed in the attached pricing tables

7. Quantity discounts.
Crosby: +5%(29%T) \$10,000 or greater
Harrington Hoist: NONE
SlingMax: NONE
LOAD/PULL TEST: NONE
8. Prompt payment terms.
0%, Net 30 Days
- 9a. Government purchase cards **are accepted** at or below the micro-purchase threshold
- 9b. Government purchase cards **are NOT accepted** above the micro-purchase threshold
10. Foreign items (list items by country of origin).
- 11a. Time of delivery.
30 Days After Receipt of Order (ARO)
- 11b. Expedited Delivery.
To be negotiated between the Contractor and the Ordering Agency
- 11c. Overnight and 2-day delivery.
PLEASE CONTACT TRADESTREAM, INC. FOR AVAILABILITY & DETAILS
- 11d. Urgent Requirements.
PLEASE CONTACT TRADESTREAM, INC. FOR AVAILABILITY & DETAILS
12. F.O.B. point.
Basic Shipping Terms:
-Local deliveries, (i.e. within a 30 mile radius) : FOB Destination
-Outside 30 mile radius: FOB ORIGIN PRE-PAY AND ADD
Exceptions:
-All SlingMax orders: FOB ORIGIN
-All Harrington Hoist orders greater than 500 lbs: FOB Destination CONUS
-All Crosby orders 500 lbs or greater: FOB DESTINATION CONUS
- 13a. Ordering address.
TradeStream, Inc.
150 Virginia Street
P.O. Box 2364
Mobile, AL 36652
(P) (251) 690-9009
(F) (251) 690-9003
- 13b. **Ordering procedures:** Ordering activities shall use the ordering procedures described in Federal Acquisition Regulations 8.405 when placing an order or establishing a BPA for supplies or services. The ordering procedures, information on Blanket Purchase Agreements (BPA's) and a sample BPA can also be found at the GSA/FSS Schedule Homepage (fss.gsa.gov/schedules).

14. Payment address.
Attn: Accounts Receivable
TradeStream, Inc.
150 Virginia Street
P.O. Box 2364
Mobile, AL 36652
(P) (251) 690-9009
(F) (251) 690-9003
15. Warranty provision.
Crosby: SCW
Harrington Hoist: SCW
SlingMax: NA; Working Load Certification Only
LOAD/PULL TEST: SCW
16. Export packing charges, if applicable.
NOT APPLICABLE
17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level).
NOT ACCEPTED ABOVE THE \$3,500 MICRO-PURCHASE LEVEL
18. Terms and conditions of rental, maintenance, and repair (if applicable).
NOT APPLICABLE
19. Terms and conditions of installation (if applicable).
NOT APPLICABLE
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable).
NOT APPLICABLE
21. List of service and distribution points (if applicable).
TradeStream, Inc.
150 Virginia Street
P.O. Box 2364
Mobile, AL 36652
(P) (251) 690-9009
(F) (251) 690-9003
22. List of participating dealers (if applicable).
NONE
23. Preventive maintenance (if applicable).
NOT APPLICABLE
- 24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants).
NONE

- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at: www.Section508.gov/.

NOT APPLICABLE

25. Data Universal Number System (DUNS) number:

82-833-3596

26. Notification regarding registration in Central Contractor Registration (CCR) database.

Active in SAM



TradeStream Inc

Awarded GSA Pricing

As of: June 9, 2016

TradeStream Inc
 Awarded GSA Pricelist
 Contract Number: GS-07F-0166X Mod 0027

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	108127	Crosby McKissick Light Champion Series: 418 Sheave Diameter: 6 inches Description: Ball Bearing Snatch Block w/Hook 5/8"-3/4" Wireline	CROSBY	\$ 350.23	Std. Commercial	US
357 11C	109091	Crosby McKissick Light Champion Series: 419 Sheave Diameter: 3 inches Description: Ball Bearing Snatch Block w/Shackle 5/16"-3/8" Wireline	CROSBY	\$ 114.47	Std. Commercial	US
357 11C	109064	Crosby McKissick Light Champion Series: 419 Sheave Diameter: 4.5 inches Description: Ball Bearing Snatch Block w/Shackle 3/8"-1/2" Wireline	CROSBY	\$ 200.38	Std. Commercial	US
357 11C	109126	Crosby McKissick Light Champion Series: 419 Sheave Diameter: 6 inches Description: Ball Bearing Snatch Block w/Shackle 5/8"-3/4" Wireline	CROSBY	\$ 380.37	Std. Commercial	US
357 11C	109224	Crosby McKissick Light Champion Series: 419 Sheave Diameter: 8 inches Description: Ball Bearing Snatch Block w/Shackle 5/8"-3/4" Wireline	CROSBY	\$ 452.19	Std. Commercial	US
357 11C	1014280	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 5/8 inch(es)	CROSBY	\$ 27.53	Std. Commercial	US
357 11C	1014285	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 3/4 inch(es)	CROSBY	\$ 29.79	Std. Commercial	US
357 11C	1014319	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 7/8 inch(es)	CROSBY	\$ 39.63	Std. Commercial	US
357 11C	1014331	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 1 inch(es)	CROSBY	\$ 55.50	Std. Commercial	US
357 11C	1014348	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 1-1/4 inch(es)	CROSBY	\$ 91.50	Std. Commercial	US
357 11C	1014365	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 1-1/2 inch(es)	CROSBY	\$ 188.86	Std. Commercial	US
357 11C	1014388	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 1-3/4 inch(es)	CROSBY	\$ 284.61	Std. Commercial	US
357 11C	1014404	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 2 inch(es)	CROSBY	\$ 414.95	Std. Commercial	US
357 11C	1014422	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 2-1/4 inch(es)	CROSBY	\$ 1,134.03	Std. Commercial	US
357 11C	1014468	Crosby Series: A-342 Dimensions: 2-1/2 inch Description: Alloy Master Link	CROSBY	\$ 1,335.29	Std. Commercial	US
357 11C	1014440	Crosby Series: A-342 - Description: Link, Master Weldless Alloy - Dimensions: 2-3/4 inch(es)	CROSBY	\$ 1,552.52	Std. Commercial	US
357 11C	1015060	Crosby Series: A-342 - Description: Link, Master Welded Alloy - Dimensions: 4 inch(es)	CROSBY	\$ 6,720.81	Std. Commercial	US
357 11C	1018375	G-209, 1/4" ANCHOR SHACKLE SCREW PIN, GALV, 1/2 TON, I/A/W FED SPEC RRC271D TYPE IVA, GR A CL 2. Finish: Alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 4.45	Std. Commercial	US
357 11C	1018393	G-209, 5/16" ANCHOR SHACKLE SCREW PIN, 3/4 TON, GALV, I/A/W FED SPEC RRC271D TYPE IVA GR A CL 2. Finish: Alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 5.69	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1018419	G-209, 3/8" ANCHOR SHACKLE FORGED SCREW PIN, 1 TON, GALV. Finish: Alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 6.01	Std. Commercial	US
357 11C	1018437	G-209, 7/16" ANCHOR SHACKLE SCREW PIN, 1.5 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 6.76	Std. Commercial	US
357 11C	1018455	G-209 1/2" ANCHOR SHACKLE SCREW PIN, 2 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 8.06	Std. Commercial	US
357 11C	1018473	G-209, 5/8" ANCHOR SHACKLE FORGED SCREW PIN, 3.25 TON. Finish: Galvanized with alloy pins. Forges-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 15.21	Std. Commercial	US
357 11C	1018491	G-209, 3/4" ANCHOR SHACKLE SCREW PIN, 4.75 TON, GALV, I/A/W FED SPEC RRC271D TYPE IVA, GR A CL 2. Finish: With alloy pins. Forges-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 21.86	Std. Commercial	US
357 11C	1018516	G-209 7/8" ANCHOR SHACKLE SCREW PIN, 6.5 TON. Finish: Galvanized with alloy pins. Working load limit permanently shown on every shackle Forged-Quenched and Tempered, with alloy pin Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 30.15	Std. Commercial	US
357 11C	1018534	G-209 1" ANCHOR SHACKLE SCREW PIN, 8.5 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 40.65	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1018552	G-209 1 1/8" ANCHOR SHACKLE SCREW PIN, 9.5 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 59.14	Std. Commercial	US
357 11C	1018570	G-209 1-1/4" ANCHOR SHACKLE SCREW PIN, 12 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 84.76	Std. Commercial	US
357 11C	1018598	G-209 1-3/8" ANCHOR SHACKLE SCREW PIN, 13.5 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 110.39	Std. Commercial	US
357 11C	1018614	G-209, 1-1/2" ANCHOR SHACKLE SCREW PIN, 17 TON, GALV, I/A/W FED SPEC RRC271D TYPE IVA GR A CL 2. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 130.25	Std. Commercial	US
357 11C	1018632	G-209, 1-3/4" ANCHOR SHACKLE SCREW PIN, 25 TON. Dimensions: Description: Screw Pin Anchor Shackle.Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 226.10	Std. Commercial	US
357 11C	1018650	G-209, 2" ANCHOR SHACKLE SCREW PIN, 35 TON. Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 289.93	Std. Commercial	US
357 11C	1018678	G-209 2-1/2" ANCHOR SHACKLE SCREW PIN, 55 TON.Finish: Galvanized with alloy pins Forged-Quenched and Tempered, with alloy pin Working load limit permanently shown on every shackle Fatigue rated Crosby products meet or exceed all the requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements	CROSBY	\$ 713.75	Std. Commercial	US
357 11C	1019466	Crosby: G2130 Working Load Limit: .50 ton(s) Dimensions: 1/4 inch Description	CROSBY	\$ 6.65	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1019468	Crosby: G2130 Working Load Limit: .75 ton(s) Dimensions: 5/16 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 9.13	Std. Commercial	US
357 11C	1019470	Crosby : G2130 Working Load Limit: 1.00 ton(s) Dimensions: 3/8 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 9.37	Std. Commercial	US
357 11C	1019471	Crosby : G2130 Working Load Limit: 1.5 ton(s) Dimensions: 7/16 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 10.45	Std. Commercial	
357 11C	1019472	Crosby : G2130 Working Load Limit: 2.00 ton(s) Dimensions: 1/2 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 16.58	Std. Commercial	US
357 11C	1019490	Crosby : G2130 Working Load Limit: 3.25 ton(s) Dimensions: 5/8 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 23.45	Std. Commercial	US
357 11C	1019515	Crosby : G2130 Working Load Limit: 4.75 ton(s) Dimensions: 3/4 inch Description: Bolt Type Anchor, Galv	CROSBY	\$ 33.87	Std. Commercial	US
357 11C	1019533	Crosby : G2130 Working Load Limit: 6.50 ton(s) Dimensions: 7/8 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 47.26	Std. Commercial	US
357 11C	1019551	Crosby : G2130 Working Load Limit: 8.50 ton(s) Dimensions: 1 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 63.84	Std. Commercial	US
357 11C	1019579	Crosby : G2130 Working Load Limit: 9.50 ton(s) Dimensions: 1-1/8 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 83.26	Std. Commercial	US
357 11C	1019597	Crosby : G2130 Working Load Limit: 12 ton(s) Dimensions: 1-1/4 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 112.87	Std. Commercial	US
357 11C	1019613	Crosby : G2130 Working Load Limit: 13.5 ton(s) Dimensions: 1-3/8 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 150.64	Std. Commercial	US
357 11C	1019631	Crosby : G2130 Working Load Limit: 17 ton(s) Dimensions: 1-1/2 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 184.42	Std. Commercial	US
357 11C	1019659	Crosby : G2130 Working Load Limit: 25 ton(s) Dimensions: 1-3/4 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 273.97	Std. Commercial	US
357 11C	1019677	Crosby : G2130 Working Load Limit: 35 ton(s) Dimensions: 2 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 394.56	Std. Commercial	US
357 11C	1019695	Crosby : G2130 Working Load Limit: 55 ton(s) Dimensions: 2-1/2 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 909.70	Std. Commercial	US
357 11C	1019711	Crosby : G2130 Working Load Limit: 85 ton(s) Dimensions: 3 inch Description: Bolt Type Anchor Shackle, Galv	CROSBY	\$ 1,243.97	Std. Commercial	US
357 11C	1019873	Crosby : G2150 Working Load Limit: 9.50 ton(s) Dimensions: 1-1/8 inch Description: Bolt Type Chain Shackle, Galv	CROSBY	\$ 79.27	Std. Commercial	US
357 11C	1019891	Crosby : G2150 Working Load Limit: 12 ton(s) Dimensions: 1-1/4 inch Description: Bolt Type Chain Shackle, Galv	CROSBY	\$ 110.65	Std. Commercial	US
357 11C	1019917	Crosby : G2150 Working Load Limit: 13.5 ton(s) Dimensions: 1-3/8 inch Description: Bolt Type Chain Shackle, Galv	CROSBY	\$ 138.67	Std. Commercial	US
357 11C	1019935	Crosby : G2150 Working Load Limit: 17 ton(s) Dimensions: 1-1/2 inch Description: Bolt Type Chain Shackle, Galv	CROSBY	\$ 166.42	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1019971	Crosby : G2150 Working Load Limit: 35 ton(s) Dimensions: 2 inch Description: Bolt Type Chain Shackle, Galv	CROSBY	\$ 438.89	Std. Commercial	US
357 11C	1021057	Crosby SlingSaver Series: S281 Working Load Limit: 4.50 ton(s) Description: Web Sling Shackle,	CROSBY	\$ 24.25	Std. Commercial	US
357 11C	1021066	Crosby SlingSaver Series: S281 Working Load Limit: 6.25 ton(s) Description: Web Sling Shackle	CROSBY	\$ 23.79	Std. Commercial	US
357 11C	1021075	Crosby SlingSaver Series: S281 Working Load Limit: 8.50 ton(s) Description: Web Sling Shackle	CROSBY	\$ 45.31	Std. Commercial	US
357 11C	1021192	Crosby Series: G2140 Working Load Limit: 120 ton(s) Dimensions: 3 inch Description: Alloy Bolt Type Anchor Shackle, Galv	CROSBY	\$ 1,613.70	Std. Commercial	US
357 11C	1021290	Crosby Series: G2160 Working Load Limit: 75 ton(s) Description: WideBody Shackle, Galv	CROSBY	\$ 1,152.64	Std. Commercial	US
357 11C	1021307	Crosby Series: G2160 Working Load Limit: 125 ton(s) Description: WideBody Shackle, Galv	CROSBY	\$ 2,407.25	Std. Commercial	US
357 11C	1021575	Crosby Series: G2160 Working Load Limit: 30 ton(s) Description: Wide Body Shackle	CROSBY	\$ 331.61	Std. Commercial	US
357 11C	1021584	Crosby Series: G2160 Working Load Limit: 40 ton(s) Description: Wide Body Shackle	CROSBY	\$ 489.43	Std. Commercial	US
357 11C	1021593	Crosby Series: G2160 Working Load Limit: 55 ton(s) Description: Wide Body Shackle	CROSBY	\$ 917.68	Std. Commercial	US
357 11C	1021681	Crosby SlingSaver Series: S280 Working Load Limit: 3.25 ton(s) Description: Web Connector	CROSBY	\$ 25.49	Std. Commercial	US
357 11C	1021709	Crosby SlingSaver Series: S280 Working Load Limit: 8.50 ton(s) Description: Web Connector	CROSBY	\$ 49.24	Std. Commercial	US
357 11C	1096562	Crosby Replacement Latch Kit-S-4320: for new 319N, 320N, 322N and 339N Hooks. Hook WLL: Carbon- 5T, Alloy- 7T, Bronze- 3.5T. Hook Identification: Carbon- JC, Alloy-JA, Bronze- JB	CROSBY	\$ 11.90	Std. Commercial	US
357 11C	1014486	A-342, 3" ALLOY MASTER LINK, WORKING LOAD LIMIT 228,00 LBS	CROSBY	\$ 2,060.25	Std. Commercial	US
357 11C	1014501	A-342, 3-1/4" ALLOY MASTER LINK, WORKING LOAD LIMIT 262,200 LBS	CROSBY	\$ 2,872.75	Std. Commercial	US
357 11C	1014529	A-342, 3-1/2" ALLOY MASTER LINK, WORKING LOAD LIMIT 279,000 LBS	CROSBY	\$ 3,964.13	Std. Commercial	US
357 11C	1015051	A-342, 3-3/4" ALLOY MASTER LINK, WORKING LOAD LIMIT 336,000 LBS	CROSBY	\$ 5,882.52	Std. Commercial	US
357 11C	1015060	A-342, 4" ALLOY MASTER LINK, WORKING LOAD LIMIT 373,000 LBS	CROSBY	\$ 6,738.54	Std. Commercial	US
357 11C	1015067	A-342, 4-1/4" ALLOY MASTER LINK, WORKING LOAD LIMIT 354,000 LBS	CROSBY	\$ 8,098.34	Std. Commercial	US
357 11C	1015079	A-342, 4-1/2"ALLOY MASTER LINK, WORKING LOAD LIMIT 360,000 LBS	CROSBY	\$ 8,993.05	Std. Commercial	US
357 11C	1015088	A-342, 4-3/4" ALLOY MASTER LINK, WORKING LOAD LIMIT 389,000 LBS	CROSBY	\$ 10,497.13	Std. Commercial	US
357 11C	1015094	A-342, 5"ALLOY MASTER LINK, WORKING LOAD LIMIT 395,000 LBS	CROSBY	\$ 11,628.01	Std. Commercial	US
357 11C	1013575	A-341, 1/2" Alloy Pear Shaped Link, Working Load Limit 3.15 tons	CROSBY	\$ 26.08	Std. Commercial	US
357 11C	1013584	A-341, 5/8" Alloy Pear Shaped Link, Working Load Limit 4.09 tons	CROSBY	\$ 30.31	Std. Commercial	US
357 11C	1013595	A-341, 3/4" Alloy Pear Shaped Link, Working Load Limit 5.59 tons	CROSBY	\$ 32.77	Std. Commercial	US
357 11C	1013604	A-341, 7/8" Alloy Pear Shaped Link, Working Load Limit 6.81 tons	CROSBY	\$ 47.07	Std. Commercial	US
357 11C	1013613	A-341, 1" Alloy Pear Shaped Link, Working Load Limit 11.0 tons	CROSBY	\$ 61.26	Std. Commercial	US
357 11C	1013622	A-341, 1-1/8" Alloy Pear Shaped Link, Working Load Limit 13.9 tons	CROSBY	\$ 78.51	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1013631	A-341, 1-1/4" Alloy Pear Shaped Link, Working Load Limit 16.4 tons	CROSBY	\$ 101.16	Std. Commercial	US
357 11C	1013640	A-341, 1-3/8" Alloy Pear Shaped Link, Working Load Limit 19.5 tons	CROSBY	\$ 138.96	Std. Commercial	US
357 11C	1013649	A-341, 1-1/2" Alloy Pear Shaped Link, Working Load Limit 24.7 tons	CROSBY	\$ 208.77	Std. Commercial	US
357 11C	1013658	A-341, 1-5/8" Alloy Pear Shaped Link, Working Load Limit 28.4 tons	CROSBY	\$ 246.65	Std. Commercial	US
357 11C	1013667	A-341, 1-3/4" Alloy Pear Shaped Link, Working Load Limit 38.6 tons	CROSBY	\$ 318.39	Std. Commercial	US
357 11C	1013676	A-341, 1-7/8" Alloy Pear Shaped Link, Working Load Limit 43.5 tons	CROSBY	\$ 381.26	Std. Commercial	US
357 11C	1013685	A-341, 2" Alloy Pear Shaped Link, Working Load Limit 46.6 tons	CROSBY	\$ 457.83	Std. Commercial	US
357 11C	1010015	G-450, 1/8" Crosby Clip, Standard Package Quantity 100	CROSBY	\$ 2.43	Std. Commercial	US
357 11C	1010033	G-451, 3/16" Crosby Clip, Standard Package Quantity 100	CROSBY	\$ 2.58	Std. Commercial	US
357 11C	1010051	G-450, 1/4" Crosby Clip, Standard Package Quantity 100	CROSBY	\$ 3.61	Std. Commercial	US
357 11C	1010079	G-450, 5/16" Crosby Clip, Standard Package Quantity 100	CROSBY	\$ 3.77	Std. Commercial	US
357 11C	1010097	G-450, 3/8" Crosby Clip Standard Package Quantity 100	CROSBY	\$ 4.00	Std. Commercial	US
357 11C	1010113	G-450, 7/16" Crosby Clip, Standard Package Quantity 50	CROSBY	\$ 6.21	Std. Commercial	US
357 11C	1010131	G-450, 1/2" Crosby Clip, Standard Package Quantity 50	CROSBY	\$ 6.38	Std. Commercial	US
357 11C	1010159	G-450, 9/16" Crosby Clip, Standard Package Quantity 50	CROSBY	\$ 7.86	Std. Commercial	US
357 11C	1010177	G-450, 5/8" Crosby Clip, Standard Package Quantity 50	CROSBY	\$ 8.09	Std. Commercial	US
357 11C	1010195	G-450, 3/4" Crosby Clip, Standard Package Quantity 25	CROSBY	\$ 10.47	Std. Commercial	US
357 11C	1010211	G-450, 7/8" Crosby Clip, Standard Package Quantity 25	CROSBY	\$ 15.02	Std. Commercial	US
357 11C	1010239	G-450, 1" Crosby Clip, Standard Package Quantity 10	CROSBY	\$ 17.36	Std. Commercial	US
357 11C	1010257	G-450, 1-1/8" Crosby Clip, Standard Package Quantity 10	CROSBY	\$ 19.30	Std. Commercial	US
357 11C	1010275	G-450, 1-1/4" Crosby Clip, Standard Package Quantity 10	CROSBY	\$ 27.85	Std. Commercial	US
357 11C	1010293	G-450, 1-3/8" Crosby Clip, Standard Package Quantity 10	CROSBY	\$ 36.55	Std. Commercial	US
357 11C	1010319	G-450, 1-1/2" Crosby Clip, Standard Package Quantity 10	CROSBY	\$ 37.56	Std. Commercial	US
357 11C	1010337	G-450, 1-5/8" Crosby Clip	CROSBY	\$ 68.43	Std. Commercial	US
357 11C	1010355	G-450, 1-3/4" Crosby Clip	CROSBY	\$ 90.04	Std. Commercial	US
357 11C	1010373	G-450, 2" Crosby Clip	CROSBY	\$ 99.87	Std. Commercial	US
357 11C	1010391	G-450, 2-1/4" Crosby Clip	CROSBY	\$ 147.02	Std. Commercial	US
357 11C	1010417	G-450, 2-1/2" Crosby Clip	CROSBY	\$ 166.05	Std. Commercial	US
357 11C	1010435	G-450, 2-3/4" Crosby Clip	CROSBY	\$ 265.99	Std. Commercial	US
357 11C	1010453	G-450, 3" Crosby Clip	CROSBY	\$ 328.87	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1011250	SS-450, 1/8" Stainless Steel Wire Rope Clips	CROSBY	\$ 16.87	Std. Commercial	US
357 11C	1011261	SS-450, 3/16" Stainless Steel Wire Rope Clips	CROSBY	\$ 18.92	Std. Commercial	US
357 11C	1011272	SS-450, 1/4" Stainless Steel Wire Rope Clips	CROSBY	\$ 22.01	Std. Commercial	US
357 11C	1011283	SS-450, 3/8" Stainless Steel Wire Rope Clips	CROSBY	\$ 31.68	Std. Commercial	US
357 11C	1011305	SS-450, 1/2" Stainless Steel Wire Rope Clips	CROSBY	\$ 45.46	Std. Commercial	US
357 11C	1011327	SS-450, 5/8" Stainless Steel Wire Rope Clips	CROSBY	\$ 72.46	Std. Commercial	US
357 11C	1010471	G-429, 3/16"-1/4" Fist Grip Clip, Standard Package Quantity 100	CROSBY	\$ 7.68	Std. Commercial	US
357 11C	1010499	G-429, 5/16" Fist Grip Clip, Standard Package Quantity 100	CROSBY	\$ 8.21	Std. Commercial	US
357 11C	1010514	G-429, 3/8" Fist Grip Clip, Standard Package Quantity 50	CROSBY	\$ 8.64	Std. Commercial	US
357 11C	1010532	G-429, 7/16"-1/2" Fist Grip Clip, Standard Package Quantity 50	CROSBY	\$ 10.73	Std. Commercial	US
357 11C	1010550	G-429, 9/16"-5/8" Fist Grip Clip, Standard Package Quantity 50	CROSBY	\$ 15.11	Std. Commercial	US
357 11C	1010578	G-429, 3/4" Fist Grip Clip, Standard Package Quantity 25	CROSBY	\$ 20.76	Std. Commercial	US
357 11C	1010596	G-429, 7/8" Fist Grip Clip, Standard Package Quantity 25	CROSBY	\$ 28.61	Std. Commercial	US
357 11C	1010612	G-429, 1" Fist Grip Clip, Standard Package Quantity 10	CROSBY	\$ 33.37	Std. Commercial	US
357 11C	1010630	G-429, 1-1/8" Fist Grip Clip, Standard Package Quantity 10	CROSBY	\$ 45.70	Std. Commercial	US
357 11C	1010658	G-429, 1-1/4" Fist Grip Clip, Standard Package Quantity 10	CROSBY	\$ 48.52	Std. Commercial	US
357 11C	1010676	G-429, 1-3/8-1-1/2" Fist Grip Clip	CROSBY	\$ 81.97	Std. Commercial	US
357 11C	1014057	G-340, 5/16" Weldless End Links, WLL 2500 LBS	CROSBY	\$ 5.59	Std. Commercial	US
357 11C	1014075	G-340, 3/8" Weldless End Links, WLL 3800 LBS	CROSBY	\$ 6.23	Std. Commercial	US
357 11C	1014093	G-340, 1/2" Weldless End Links, WLL 6500 LBS	CROSBY	\$ 7.04	Std. Commercial	US
357 11C	1014119	G-340, 5/8" Weldless End Links, WLL 9300 LBS	CROSBY	\$ 10.33	Std. Commercial	US
357 11C	1014137	G-340, 3/4" Weldless End Links, WLL 14000 LBS	CROSBY	\$ 14.98	Std. Commercial	US
357 11C	1014155	G-340, 7/8" Weldless End Links, WLL 12000 LBS	CROSBY	\$ 35.87	Std. Commercial	US
357 11C	1014173	G-340, 1" Weldless End Links, WLL 15200 LBS	CROSBY	\$ 61.26	Std. Commercial	US
357 11C	1014191	G-340, 1-1/4" Weldless End Links, WLL 26400 LBS	CROSBY	\$ 95.03	Std. Commercial	US
357 11C	1014217	G-340, 1-3/8" Weldless End Links, WLL 30000 LBS	CROSBY	\$ 219.24	Std. Commercial	US
357 11C	1016019	G-402, 1/4" Regular Swivel, WLL 850 LBS	CROSBY	\$ 13.94	Std. Commercial	US
357 11C	1016037	G-402, 5/16" Regular Swivel, WLL 1250 LBS	CROSBY	\$ 15.44	Std. Commercial	US
357 11C	1016055	G-402, 3/8" Regular Swivel, WLL 2250 LBS	CROSBY	\$ 18.55	Std. Commercial	US
357 11C	1016073	G-402, 1/2" Regular Swivel, WLL 3600 LBS	CROSBY	\$ 21.72	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1016091	G-402, 5/8" Regular Swivel, WLL 5200 LBS	CROSBY	\$ 35.87	Std. Commercial	US
357 11C	1016117	G-402, 3/4" Regular Swivel, WLL 7200 LBS	CROSBY	\$ 45.70	Std. Commercial	US
357 11C	1016135	G-402, 7/8" Regular Swivel, WLL 10000 LBS	CROSBY	\$ 74.96	Std. Commercial	US
357 11C	1016153	G-402, 1" Regular Swivel, WLL 12500 LBS	CROSBY	\$ 91.81	Std. Commercial	US
357 11C	1016199	G-402, 1-1/4" Regular Swivel, WLL 18000	CROSBY	\$ 164.43	Std. Commercial	US
357 11C	1016215	G-402, 1-1/2" Regular Swivel, WLL 45200	CROSBY	\$ 554.56	Std. Commercial	US
357 11C	1016122	AS-2, 1.5T Jaw & Jaw Swivel, Wire Line Size 3/8"	CROSBY	\$ 494.11	Std. Commercial	US
357 11C	1016131	AS-2, 3.0T Jaw & Jaw Swivel, Wire Line Size 1/2"	CROSBY	\$ 550.53	Std. Commercial	US
357 11C	1016139	AS-2, 5.0T Jaw & Jaw Swivel, Wire Line Size 5/8"	CROSBY	\$ 779.45	Std. Commercial	US
357 11C	1016148	AS-2, .8.5T Jaw & Jaw Swivel, Wire Line Size 3/4"	CROSBY	\$ 1,007.56	Std. Commercial	US
357 11C	1016157	AS-2, 10T Jaw & Jaw Swivel, Wire Line Size 7/8"	CROSBY	\$ 1,716.88	Std. Commercial	US
357 11C	1016166	AS-2, 15T Jaw & Jaw Swivel, Wire Line Size 1"	CROSBY	\$ 1,796.68	Std. Commercial	US
357 11C	1016175	AS-2, 25T Jaw & Jaw Swivel, Wire Line Size 1-1/4"	CROSBY	\$ 3,253.20	Std. Commercial	US
357 11C	1016602	HR-125M, Metric Swivel Hoist Ring, M8X1.25X40	CROSBY	\$ 138.96	Std. Commercial	US
357 11C	1016613	HR-125M, Metric Swivel Hoist Ring, M10X1.50X40	CROSBY	\$ 143.07	Std. Commercial	US
357 11C	1016624	HR-125M, Metric Swivel Hoist Ring, M12X1.75X50	CROSBY	\$ 174.91	Std. Commercial	US
357 11C	1016635	HR-125M, Metric Swivel Hoist Ring, M16X2.00X60	CROSBY	\$ 178.94	Std. Commercial	US
357 11C	1016644	HR-125M, Metric Swivel Hoist Ring, M20X2.50X65	CROSBY	\$ 182.97	Std. Commercial	US
357 11C	1016657	HR-125M, Metric Swivel Hoist Ring, M20X2.50X75	CROSBY	\$ 368.36	Std. Commercial	US
357 11C	1016668	HR-125M, Metric Swivel Hoist Ring, M24X3.00X80	CROSBY	\$ 372.39	Std. Commercial	US
357 11C	1016679	HR-125M, Metric Swivel Hoist Ring, M30X3.50X120	CROSBY	\$ 634.36	Std. Commercial	US
357 11C	1016690	HR-125M, Metric Swivel Hoist Ring, M36X4.00X150	CROSBY	\$ 660.96	Std. Commercial	US
357 11C	1016701	HR-125M, Metric Swivel Hoist Ring, M42X4.5X160	CROSBY	\$ 833.45	Std. Commercial	US
357 11C	1016712	HR-125M, Metric Swivel Hoist Ring, M48X5.00X160	CROSBY	\$ 926.15	Std. Commercial	US
357 11C	1016887	HR-125, Swivel Hoist Ring, WLL 800 LBS, 5/16X1.5	CROSBY	\$ 111.64	Std. Commercial	US
357 11C	1016898	HR-125, Swivel Hoist Ring, WLL 1000LBS, 3/8X1.5	CROSBY	\$ 111.64	Std. Commercial	US
357 11C	1016909	HR-125, Swivel Hoist Ring, WLL 2500 LBS, 1/2X2"	CROSBY	\$ 134.61	Std. Commercial	US
357 11C	1016912	HR-125, Swivel Hoist Ring, WLL 2500 LBS, 1/2X2.5	CROSBY	\$ 134.61	Std. Commercial	US
357 11C	1016920	HR-125, Swivel Hoist Ring, WLL 4000 LBS, 5/8X2"	CROSBY	\$ 136.95	Std. Commercial	US
357 11C	1016924	HR-125, Swivel Hoist Ring, WLL 4000 LBS, 5/8X2.75	CROSBY	\$ 136.95	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1016931	HR-125, Swivel Hoist Ring, WLL 5000 LBS, 3/4X2.25	CROSBY	\$ 136.95	Std. Commercial	US
357 11C	1016935	HR-125, Swivel Hoist Ring, WLL 5000 LBS, 3/4X2.75	CROSBY	\$ 136.95	Std. Commercial	US
357 11C	1016942	HR-125, Swivel Hoist Ring, WLL 7000 LBS, 3/4X2.75	CROSBY	\$ 296.62	Std. Commercial	US
357 11C	1016946	HR-125, Swivel Hoist Ring, WLL 7000 LBS, 3/4X3.5	CROSBY	\$ 296.62	Std. Commercial	US
357 11C	1016953	HR-125, Swivel Hoist Ring, WLL 8000 LBS, 7/8X2.75	CROSBY	\$ 296.62	Std. Commercial	US
357 11C	1016957	HR-125, Swivel Hoist Ring, WLL 8000 LBS, 7/8X3.5	CROSBY	\$ 296.62	Std. Commercial	US
357 11C	1016964	HR-125, Swivel Hoist Ring, WLL 10000 LBS, 1"X3.00	CROSBY	\$ 304.69	Std. Commercial	US
357 11C	1016969	HR-125, Swivel Hoist Ring, WLL 10000 LBS, 1"X4.0	CROSBY	\$ 304.69	Std. Commercial	US
357 11C	1016975	HR-125, Swivel Hoist Ring, WLL 7.5T, 1.25X4.5	CROSBY	\$ 531.99	Std. Commercial	US
357 11C	1016986	HR-125, Swivel Hoist Ring, WLL 12T, 1.5X6.5	CROSBY	\$ 696.42	Std. Commercial	US
357 11C	1016997	HR-125, Swivel Hoist Ring, WLL 15T, 2"X6.5	CROSBY	\$ 821.36	Std. Commercial	US
357 11C	1017001	HR-125, Swivel Hoist Ring, WLL 25T, 2.50X8.0	CROSBY	\$ 1,843.43	Std. Commercial	US
357 11C	1017005	HR-125, Swivel Hoist Ring, WLL 37.5T, 3.0X4.0	CROSBY	\$ 3,074.26	Std. Commercial	US
357 11C	1017009	HR-125, Swivel Hoist Ring, WLL 50TN, 3.50X4	CROSBY	\$ 15,398.69	Std. Commercial	US
357 11C	1018017	G-213, 1/4" Round Pin Anchor Shackle, WLL .5T	CROSBY	\$ 4.33	Std. Commercial	US
357 11C	1018035	G-213, 5/16" Round Pin Anchor Shackle, WLL .75T	CROSBY	\$ 5.88	Std. Commercial	US
357 11C	1018053	G-213, 3/8" Round Pin Anchor Shackle, WLL 1T	CROSBY	\$ 6.29	Std. Commercial	US
357 11C	1018071	G-213, 7/16" Round Pin Anchor Shackle, WLL 1.5T	CROSBY	\$ 7.00	Std. Commercial	US
357 11C	1018099	G-213, 1/2" Round Pin Anchor Shackle, WLL 2T	CROSBY	\$ 8.85	Std. Commercial	US
357 11C	1018115	G-213, 5/8" Round Pin Anchor Shackle, WLL 3.25T	CROSBY	\$ 16.83	Std. Commercial	US
357 11C	1018133	G-213, 3/4" Round Pin Anchor Shackle, WLL 4.75T	CROSBY	\$ 23.34	Std. Commercial	US
357 11C	1018151	G-213, 7/8" Round Pin Anchor Shackle, WLL 6.5T	CROSBY	\$ 36.35	Std. Commercial	US
357 11C	1018179	G-213, 1" Round Pin Anchor Shackle, WLL 8.5T	CROSBY	\$ 48.60	Std. Commercial	US
357 11C	1018197	G-213, 1-1/8" Round Pin Anchor Shackle, WLL 9.5T	CROSBY	\$ 52.72	Std. Commercial	US
357 11C	1018213	G-213, 1-1/4" Round Pin Anchor Shackle, WLL 12T	CROSBY	\$ 88.42	Std. Commercial	US
357 11C	1018231	G-213, 1-3/8" Round Pin Anchor Shackle, WLL 13.5T	CROSBY	\$ 113.57	Std. Commercial	US
357 11C	1018259	G-213, 1-1/2" Round Pin Anchor Shackle, WLL 17T	CROSBY	\$ 136.62	Std. Commercial	US
357 11C	1018277	G-213, 1-3/4" Round Pin Anchor Shackle, WLL 25T	CROSBY	\$ 201.51	Std. Commercial	US
357 11C	1018295	G-213, 2" Round Pin Anchor Shackle, WLL 35T	CROSBY	\$ 430.73	Std. Commercial	US
357 11C	1020575	S-253, 1" Web Sling Eye Width, Round Sling Size No.1&2, WLL 3-1/4T, Screw Pin Sling Shackle	CROSBY	\$ 23.05	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1020584	S-253, 1.5" Web Sling Eye Width, Round Sling Size No.3 & 4, WLL 6-1/2T, Screw Pin Sling Shackle,	CROSBY	\$ 25.03	Std. Commercial	US
357 11C	1020593	S-253, 2" Web Sling Eye Width, Round Sling Size No.5 & 6, WLL 8-3/4T, Screw Pin Sling Shackle	CROSBY	\$ 32.97	Std. Commercial	US
357 11C	1020602	S-253, 3" Web Sling Eye Width, Round Sling Size No.7 & 8, WLL 12-1/2T, Screw Pin Sling Shackle	CROSBY	\$ 71.34	Std. Commercial	US
357 11C	1020611	S-253, 4" Web Sling Eye Width, Round Sling Size No.9 & 10, WLL 20-1/2, Screw Pin Sling Shackle	CROSBY	\$ 145.65	Std. Commercial	US
357 11C	1020620	S-253, 5" Web Sling Eye Width, Round Sling Size No.11 & 12, WLL 35T, Screw Pin Sling Shackle	CROSBY	\$ 239.40	Std. Commercial	US
357 11C	1020629	S-253, 6" Web Sling Eye Width, Round Sling Size No.13, WLL 50T, Screw Pin Sling Shackle	CROSBY	\$ 550.53	Std. Commercial	US
357 11C	1020485	S-252, 1" Web Sling Eye Width, Round Sling Size No.1 & 2, WLL 3-1/4T, Bolt Type Sling Shackle	CROSBY	\$ 18.42	Std. Commercial	US
357 11C	1020496	S-252, 1.5" Web Sling Eye Width, Round Sling Size No.3 & 4, WLL 6-1/2T, Bolt Type Sling Shackle,	CROSBY	\$ 38.65	Std. Commercial	US
357 11C	1020507	S-253, 2" Web Sling Eye Width, Round Sling Size No.5 & 6, WLL 8-3/4T, Bolt Type Sling Shackle	CROSBY	\$ 51.51	Std. Commercial	US
357 11C	1020518	S-253, 3" Web Sling Eye Width, Round Sling Size No.7 & 8, WLL 12-1/2T,Bolt Type Sling Shackle	CROSBY	\$ 95.03	Std. Commercial	US
357 11C	1020529	S-253, 4" Web Sling Eye Width, Round Sling Size No.9 & 10, WLL 20-1/2, Bolt TypeSling Shackle	CROSBY	\$ 177.33	Std. Commercial	US
357 11C	1020540	S-253, 5" Web Sling Eye Width, Round Sling Size No.11 & 12, WLL 35T, Bolt Type Sling Shackle	CROSBY	\$ 300.65	Std. Commercial	US
357 11C	1020551	S-253, 6" Web Sling Eye Width, Round Sling Size No.13, WLL 50T,Bolt Type Sling Shackle	CROSBY	\$ 626.30	Std. Commercial	US
357 11C	1020695	S-237, High Performance Sling Connector, Sling Body Width 2", WLL 4:1-6250 LBS and 5:1-5000 LBS	CROSBY	\$ 56.26	Std. Commercial	US
357 11C	1020704	S-237, High Performance Sling Connector, Sling Body Width 3", WLL 4:1-12500 LBS and 5:1-10000 LBS	CROSBY	\$ 96.64	Std. Commercial	US
357 11C	1020713	S-237, High Performance Sling Connector, Sling Body Width 3", WLL 4:1-18750 LBS and 5:1-15000 LBS	CROSBY	\$ 108.57	Std. Commercial	US
357 11C	1020722	S-237, High Performance Sling Connector, Sling Body Width 4", WLL 4:1-31250LBS and 5:1-25000 LBS	CROSBY	\$ 179.75	Std. Commercial	US
357 11C	1020731	S-237, High Performance Sling Connector, Sling Body Width 4", WLL 4:1-37500 LBS and 5:1-30000 LBS	CROSBY	\$ 200.71	Std. Commercial	US
357 11C	1020740	S-237, High Performance Sling Connector, Sling Body Width 5", WLL 4:1-50000 LBS and 5:1-40000 LBS	CROSBY	\$ 334.51	Std. Commercial	US
357 11C	1020759	S-237, High Performance Sling Connector, Sling Body Width 6", WLL 4:1-75000 LBS and 5:1-60000LBS	CROSBY	\$ 586.80	Std. Commercial	US
357 11C	1021909	S-287, Sliding Choker Hook, Round Sling Size 1 & 2, Webbing Width 2", Eye Width 2", 2 Ply, WLL 3-1/4T	CROSBY	\$ 49.81	Std. Commercial	US
357 11C	1021918	S-287, Sliding Choker Hook, Round Sling Size 3, Webbing Width 3", Eye Width 1.5", 2 Ply, WLL 4-1/2T	CROSBY	\$ 61.10	Std. Commercial	US
357 11C	1021110	G-2140, 1-1/2"Crosby Alloy Bolt Type Shackle, WLL 30T	CROSBY	\$ 258.74	Std. Commercial	US
357 11C	1021138	G-2140, 1-3/4" Crosby Alloy Bolt Type Shackle, WLL 40T	CROSBY	\$ 538.44	Std. Commercial	US
357 11C	1021156	G-2140, 2" Crosby Alloy Bolt Type Shackle, WLL 55T	CROSBY	\$ 696.42	Std. Commercial	US
357 11C	1021174	G-2140, 2-1/2"Crosby Alloy Bolt Type Shackle, WLL 85T	CROSBY	\$ 1,192.95	Std. Commercial	US
357 11C	1021218	G-2140, 3-1/2" Crosby Alloy Bolt Type Shackle, WLL 150T	CROSBY	\$ 3,457.13	Std. Commercial	US
357 11C	1021236	G-2140, 4" Crosby Alloy Bolt Type Shackle, WLL 175T	CROSBY	\$ 3,930.28	Std. Commercial	US
357 11C	1021414	G-2140, 4-3/4" Crosby Alloy Bolt Type Shackle, WLL 200T	CROSBY	\$ 5,018.44	Std. Commercial	US
357 11C	1021432	G-2140, 5" Crosby Alloy Bolt Type Shackle, WLL 250T	CROSBY	\$ 6,522.52	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1021450	G-2140, 6" Crosby Alloy Bolt Type Shackle, WLL 300T	CROSBY	\$ 10,511.64	Std. Commercial	US
357 11C	1021478	G-2140, 7 "Crosby Alloy Bolt Type Shackle, WLL 400T	CROSBY	\$ 12,137.43	Std. Commercial	US
357 11C	1021256	G-2160, WLL 7T, Wide Body Shackle	CROSBY	\$ 43.93	Std. Commercial	US
357 11C	1021265	G-2160, WLL 12.5T, Wide Body Shackle	CROSBY	\$ 97.13	Std. Commercial	US
357 11C	1021274	G-2160, WLL 18T, Wide Body Shackle	CROSBY	\$ 141.06	Std. Commercial	US
357 11C	1021287	G-2160, WLL 55T, Wide Body Shackle	CROSBY	\$ 920.50	Std. Commercial	US
357 11C	1021316	G-2160, WLL 200T, Wide Body Shackle	CROSBY	\$ 5,022.47	Std. Commercial	US
357 11C	1021325	G-2160, WLL 300T, Wide Body Shackle	CROSBY	\$ 8,889.87	Std. Commercial	US
357 11C	1021334	G-2160, WLL 400T, Wide Body Shackle	CROSBY	\$ 16,075.77	Std. Commercial	US
357 11C	1021343	G-2160, WLL 500T, Wide Body Shackle	CROSBY	\$ 21,336.02	Std. Commercial	US
357 11C	1021352	G-2160, WLL 600T, Wide Body Shackle	CROSBY	\$ 25,721.71	Std. Commercial	US
357 11C	1021361	G-2160, WLL 700T, Wide Body Shackle	CROSBY	\$ 29,199.80	Std. Commercial	US
357 11C	1021254	G-2160, WLL 800T, Wide Body Shackle	CROSBY	\$ 32,933.40	Std. Commercial	US
357 11C	1021389	G-2160, WLL 900T, Wide Body Shackle	CROSBY	\$ 40,005.64	Std. Commercial	US
357 11C	1021370	G-2160, WLL 1000T, Wide Body Shackle	CROSBY	\$ 35,665.09	Std. Commercial	US
357 11C	1021272	G-2160, WLL 1250T, Wide Body Shackle	CROSBY	\$ 71,533.30	Std. Commercial	US
357 11C	1030636	HG-225, 1/4X4 Hook & Eye Turnbuckle, WLL 400 LBS	CROSBY	\$ 19.72	Std. Commercial	US
357 11C	1030654	HG-225, 5/16X4-1/4 Hook & Eye Turnbuckle, WLL 700 LBS	CROSBY	\$ 21.92	Std. Commercial	US
357 11C	1030672	HG-225, 3/8X6 Hook & Eye Turnbuckle, WLL 1000 LBS	CROSBY	\$ 25.07	Std. Commercial	US
357 11C	1030690	HG-225, 1/2X6 Hook & Eye Turnbuckle, WLL 1500 LBS	CROSBY	\$ 29.14	Std. Commercial	US
357 11C	1030734	HG-225, 1/2X12 Hook & Eye Turnbuckle, WLL 1500 LBS	CROSBY	\$ 41.11	Std. Commercial	US
357 11C	1030752	HG-225, 5/8X6 Hook & Eye Turnbuckle, WLL 2250 LBS	CROSBY	\$ 35.47	Std. Commercial	US
357 11C	1030798	HG-225, 5/8X12 Hook & Eye Turnbuckle, WLL 2250 LBS	CROSBY	\$ 50.62	Std. Commercial	US
357 11C	1030814	HG-225, 3/4X6 Hook & Eye Turnbuckle, WLL 3000 LBS	CROSBY	\$ 63.52	Std. Commercial	US
357 11C	1030850	HG-225, 3/4X12 Hook & Eye Turnbuckle, WLL 3000 LBS	CROSBY	\$ 72.87	Std. Commercial	US
357 11C	1030878	HG-225, 3/4X18 Hook & Eye Turnbuckle, WLL 3000 LBS	CROSBY	\$ 85.84	Std. Commercial	US
357 11C	1030896	HG-225, 7/8X12 Hook & Eye Turnbuckle, WLL 4000 LBS	CROSBY	\$ 103.50	Std. Commercial	US
357 11C	1030958	HG-225, 1X12 Hook & Eye Turnbuckle, WLL 5000 LBS	CROSBY	\$ 128.56	Std. Commercial	US
357 11C	1031252	HG-226, 1/4X4Eye & Eye Turnbuckle, WLL 500 LBS	CROSBY	\$ 19.72	Std. Commercial	US
357 11C	1031270	HG-226, 5/16X4-1/2 Eye & Eye Turnbuckle, WLL 800 LBS	CROSBY	\$ 21.92	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1031298	HG-226, 3/8X6 Eye & Eye Turnbuckle, WLL 1200 LBS	CROSBY	\$ 25.07	Std. Commercial	US
357 11C	1031314	HG-226, 1/2X6 Eye & Eye Turnbuckle, WLL 2200 LBS	CROSBY	\$ 29.14	Std. Commercial	US
357 11C	1031350	HG-226, 1/2X12 Eye & Eye Turnbuckle, WLL 2200 LBS	CROSBY	\$ 41.11	Std. Commercial	US
357 11C	1031378	HG-226, 5/8X6 Eye & Eye Turnbuckle, WLL 3500 LBS	CROSBY	\$ 35.47	Std. Commercial	US
357 11C	1031412	HG-226, 5/8X12 Eye & Eye Turnbuckle, WLL 3500 LBS	CROSBY	\$ 50.62	Std. Commercial	US
357 11C	1031430	HG-226, 3/4X6 Eye & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 63.52	Std. Commercial	US
357 11C	1031476	HG-226, 3/4X12 Eye & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 72.87	Std. Commercial	US
357 11C	1031494	HG-226, 3/4X18 Eye & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 85.84	Std. Commercial	US
357 11C	1031519	HG-226, 7/8X12 Eye & Eye Turnbuckle, WLL 7200 LBS	CROSBY	\$ 103.50	Std. Commercial	US
357 11C	1031537	HG-226, 7/8X18 Eye & Eye Turnbuckle, WLL 7200 LBS	CROSBY	\$ 131.79	Std. Commercial	US
357 11C	1031555	HG-226, 1X6 Eye & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 128.08	Std. Commercial	US
357 11C	1031573	HG-226, 1X12 Eye & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 128.56	Std. Commercial	US
357 11C	1031591	HG-226, 1X18 Eye & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 167.66	Std. Commercial	US
357 11C	1031617	HG-226, 1X24 Eye & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 202.32	Std. Commercial	US
357 11C	1031635	HG-226, 1-1/4X12 Eye & Eye Turnbuckle, WLL 15200 LBS	CROSBY	\$ 178.94	Std. Commercial	US
357 11C	1031653	HG-226, 1-1/4X18 Eye & Eye Turnbuckle, WLL 15200 LBS	CROSBY	\$ 223.27	Std. Commercial	US
357 11C	1031671	HG-226, 1-1/4X24 Eye & Eye Turnbuckle, WLL 15200 LBS	CROSBY	\$ 276.47	Std. Commercial	US
357 11C	1031699	HG-226, 1-1/2X12 Eye & Eye Turnbuckle, WLL 21400 LBS	CROSBY	\$ 271.64	Std. Commercial	US
357 11C	1031715	HG-226, 1-1/2X18 Eye & Eye Turnbuckle, WLL 21400 LBS	CROSBY	\$ 326.45	Std. Commercial	US
357 11C	1031733	HG-226, 1-1/2X24 Eye & Eye Turnbuckle, WLL 21400 LBS	CROSBY	\$ 405.44	Std. Commercial	US
357 11C	1031779	HG-226, 1-3/4X18 Eye & Eye Turnbuckle, WLL 28000 LBS	CROSBY	\$ 550.53	Std. Commercial	US
357 11C	1031797	HG-226, 1-3/4X24 Eye & Eye Turnbuckle, WLL 28000 LBS	CROSBY	\$ 733.50	Std. Commercial	US
357 11C	1031813	HG-226, 2X24 Eye & Eye Turnbuckle, WLL 37000 LBS	CROSBY	\$ 1,083.32	Std. Commercial	US
357 11C	1031831	HG-226, 2-1/2X24 Eye & Eye Turnbuckle, WLL 60000 LBS	CROSBY	\$ 2,117.48	Std. Commercial	US
357 11C	1031859	HG-226, 2-3/4X24 Eye & Eye Turnbuckle, WLL 75000 LBS	CROSBY	\$ 2,596.27	Std. Commercial	US
357 11C	1031877	HG-227, 1/4X4 Jaw & Eye Turnbuckle, WLL 500 LBS	CROSBY	\$ 22.53	Std. Commercial	US
357 11C	1031895	HG-227, 5/16X4-1/2 Jaw & Eye Turnbuckle, WLL 800 LBS	CROSBY	\$ 25.83	Std. Commercial	US
357 11C	1031911	HG-227, 3/8X6 Jaw & Eye Turnbuckle, WLL 1200 LBS	CROSBY	\$ 28.65	Std. Commercial	US
357 11C	1031939	HG-227, 1/2X6 Jaw & Eye Turnbuckle, WLL 2200 LBS	CROSBY	\$ 30.75	Std. Commercial	US
357 11C	1031957	HG-227, 1/2X9 Jaw & Eye Turnbuckle, WLL 2200 LBS	CROSBY	\$ 38.49	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1031975	HG-227, 1/2X12 Jaw & Eye Turnbuckle, WLL 2200 LBS	CROSBY	\$ 46.51	Std. Commercial	US
357 11C	1031993	HG-227, 5/8X6 Jaw & Eye Turnbuckle, WLL 3500 LBS	CROSBY	\$ 42.96	Std. Commercial	US
357 11C	1032019	HG-227, 5/8X9 Jaw & Eye Turnbuckle, WLL 3500 LBS	CROSBY	\$ 54.65	Std. Commercial	US
357 11C	1032037	HG-227, 5/8X12 Jaw & Eye Turnbuckle, WLL 3500 LBS	CROSBY	\$ 63.11	Std. Commercial	US
357 11C	1032055	HG-227, 3/4X6 Jaw & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 64.56	Std. Commercial	US
357 11C	1032073	HG-227, 3/4X9 Jaw & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 72.30	Std. Commercial	US
357 11C	1032091	HG-227, 3/4X12 Jaw & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 86.41	Std. Commercial	US
357 11C	1032117	HG-227, 3/4X18 Jaw & Eye Turnbuckle, WLL 5200 LBS	CROSBY	\$ 106.32	Std. Commercial	US
357 11C	1032135	HG-227, 7/8X12 Jaw & Eye Turnbuckle, WLL 7200 LBS	CROSBY	\$ 113.65	Std. Commercial	US
357 11C	1032153	HG-227, 7/8X18 Jaw & Eye Turnbuckle, WLL 7200 LBS	CROSBY	\$ 145.65	Std. Commercial	US
357 11C	1032171	HG-227, 1X6 Jaw & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 129.29	Std. Commercial	US
357 11C	1032199	HG-227, 1X12 Jaw & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 131.95	Std. Commercial	US
357 11C	1032215	HG-227, 1X18 Jaw & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 184.58	Std. Commercial	US
357 11C	1032233	HG-227, 1X24 Jaw & Eye Turnbuckle, WLL 10000 LBS	CROSBY	\$ 204.74	Std. Commercial	US
357 11C	1032251	HG-227, 1-1/4X12 Jaw & Eye Turnbuckle, WLL 15200 LBS	CROSBY	\$ 217.63	Std. Commercial	US
357 11C	1032279	HG-227, 1-1/4X18 Jaw & Eye Turnbuckle, WLL 15200 LBS	CROSBY	\$ 265.19	Std. Commercial	US
357 11C	1032297	HG-227, 1-1/4X24 Jaw & Eye Turnbuckle, WLL 15200 LBS	CROSBY	\$ 336.93	Std. Commercial	US
357 11C	1032313	HG-227, 1-1/2X12 Jaw & Eye Turnbuckle, WLL 21400 LBS	CROSBY	\$ 338.54	Std. Commercial	US
357 11C	1032331	HG-227, 1-1/2X18 Jaw & Eye Turnbuckle, WLL 21400 LBS	CROSBY	\$ 376.42	Std. Commercial	US
357 11C	1032359	HG-227, 1-1/2X24 Jaw & Eye Turnbuckle, WLL 21400 LBS	CROSBY	\$ 467.51	Std. Commercial	US
357 11C	1032395	HG-227, 1-3/4X18 Jaw & Eye Turnbuckle, WLL 28000 LBS	CROSBY	\$ 672.24	Std. Commercial	US
357 11C	1032411	HG-227, 1-3/4X24 Jaw & Eye Turnbuckle, WLL 28000 LBS	CROSBY	\$ 760.91	Std. Commercial	US
357 11C	1032439	HG-227, 2X24 Jaw & Eye Turnbuckle, WLL 37000 LBS	CROSBY	\$ 1,144.58	Std. Commercial	US
357 11C	1032457	HG-227, 2-1/2X24 Jaw & Eye Turnbuckle, WLL 60000 LBS	CROSBY	\$ 2,258.54	Std. Commercial	US
357 11C	1032475	HG-227, 2-3/4X24 Jaw & Eye Turnbuckle, WLL 75000 LBS	CROSBY	\$ 2,871.13	Std. Commercial	US
357 11C	1032493	HG-228, 1/4X4 Jaw & Jaw Turnbuckle, WLL 500 LBS	CROSBY	\$ 26.68	Std. Commercial	US
357 11C	1032518	HG-228, 5/16X4-1/2 Jaw & Jaw Turnbuckle, WLL 800 LBS	CROSBY	\$ 28.90	Std. Commercial	US
357 11C	1032536	HG-228, 3/8X6 Jaw & Jaw Turnbuckle, WLL 1200 LBS	CROSBY	\$ 33.01	Std. Commercial	US
357 11C	1032554	HG-228, 1/2X6 Jaw & Jaw Turnbuckle, WLL 2200 LBS	CROSBY	\$ 34.34	Std. Commercial	US
357 11C	1032572	HG-228, 1/2X9 Jaw & Jaw Turnbuckle, WLL 2200 LBS	CROSBY	\$ 45.70	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1032590	HG-228, 1/2X12 Jaw & Jaw Turnbuckle, WLL 2200 LBS	CROSBY	\$ 51.75	Std. Commercial	US
357 11C	1032616	HG-228, 5/8X6 Jaw & Jaw Turnbuckle, WLL 3500 LBS	CROSBY	\$ 50.22	Std. Commercial	US
357 11C	1032634	HG-228, 5/8X9 Jaw & Jaw Turnbuckle, WLL 3500 LBS	CROSBY	\$ 64.00	Std. Commercial	US
357 11C	1032652	HG-228, 5/8X12 Jaw & Jaw Turnbuckle, WLL 3500 LBS	CROSBY	\$ 73.51	Std. Commercial	US
357 11C	1032670	HG-228, 3/4X6 Jaw & Jaw Turnbuckle, WLL 5200 LBS	CROSBY	\$ 67.30	Std. Commercial	US
357 11C	1032698	HG-228, 3/4X9 Jaw & Jaw Turnbuckle, WLL 5200 LBS	CROSBY	\$ 74.96	Std. Commercial	US
357 11C	1032714	HG-228, 3/4X12 Jaw & Jaw Turnbuckle, WLL 5200 LBS	CROSBY	\$ 95.68	Std. Commercial	US
357 11C	1032732	HG-228, 3/4X18 Jaw & Jaw Turnbuckle, WLL 5200 LBS	CROSBY	\$ 115.02	Std. Commercial	US
357 11C	1032750	HG-228, 7/8X12 Jaw & Jaw Turnbuckle, WLL 7200 LBS	CROSBY	\$ 124.29	Std. Commercial	US
357 11C	1032778	HG-228, 7/8X18 Jaw & Jaw Turnbuckle, WLL 7200 LBS	CROSBY	\$ 152.50	Std. Commercial	US
357 11C	1032796	HG-228, 1X6 Jaw & Jaw Turnbuckle, WLL 10000 LBS	CROSBY	\$ 130.58	Std. Commercial	US
357 11C	1032812	HG-228, 1X12 Jaw & Jaw Turnbuckle, WLL 10000 LBS	CROSBY	\$ 143.07	Std. Commercial	US
357 11C	1032830	HG-228, 1X18 Jaw & Jaw Turnbuckle, WLL 10000 LBS	CROSBY	\$ 203.12	Std. Commercial	US
357 11C	1032858	HG-228, 1X24 Jaw & Jaw Turnbuckle, WLL 10000 LBS	CROSBY	\$ 223.27	Std. Commercial	US
357 11C	1032876	HG-228, 1-1/4X12 Jaw & Jaw Turnbuckle, WLL 15200 LBS	CROSBY	\$ 241.01	Std. Commercial	US
357 11C	1032894	HG-228, 1-1/4X18 Jaw & Jaw Turnbuckle, WLL 15200 LBS	CROSBY	\$ 298.24	Std. Commercial	US
357 11C	1032910	HG-228, 1-1/4X24 Jaw & Jaw Turnbuckle, WLL 15200 LBS	CROSBY	\$ 401.41	Std. Commercial	US
357 11C	1032938	HG-228, 1-1/2X12 Jaw & Jaw Turnbuckle, WLL 21400 LBS	CROSBY	\$ 386.90	Std. Commercial	US
357 11C	1032956	HG-228, 1-1/2X18 Jaw & Jaw Turnbuckle, WLL 21400 LBS	CROSBY	\$ 401.41	Std. Commercial	US
357 11C	1032974	HG-228, 1-1/2X24 Jaw & Jaw Turnbuckle, WLL 21400 LBS	CROSBY	\$ 810.08	Std. Commercial	US
357 11C	1033018	HG-228, 1-3/4X18 Jaw & Jaw Turnbuckle, WLL 28000 LBS	CROSBY	\$ 810.08	Std. Commercial	US
357 11C	1033036	HG-228, 1-3/4X24 Jaw & Jaw Turnbuckle, WLL 28000 LBS	CROSBY	\$ 932.59	Std. Commercial	US
357 11C	1033054	HG-228, 2X24 Jaw & Jaw Turnbuckle, WLL 37000 LBS	CROSBY	\$ 1,257.43	Std. Commercial	US
357 11C	1033072	HG-228, 2-1/2X24 Jaw & Jaw Turnbuckle, WLL 60000 LBS	CROSBY	\$ 2,435.06	Std. Commercial	US
357 11C	1033090	HG-228, 2-3/4X24 Jaw & Jaw Turnbuckle, WLL 75000 LBS	CROSBY	\$ 3,165.34	Std. Commercial	US
357 11C	1037951	G-414, Extra Heavy Wire Rope Thimbles, Rope Dia. 2"-1/4"	CROSBY	\$ 282.12	Std. Commercial	US
357 11C	1037121	S-412, Solid Wire Rope Thimble, Rope Dia. 1/2"	CROSBY	\$ 12.35	Std. Commercial	US
357 11C	1037149	S-412, Solid Wire Rope Thimble, Rope Dia. 5/8"	CROSBY	\$ 24.18	Std. Commercial	US
357 11C	1037167	S-412, Solid Wire Rope Thimble, Rope Dia. 3/4"	CROSBY	\$ 24.18	Std. Commercial	US
357 11C	1037185	S-412, Solid Wire Rope Thimble, Rope Dia. 7/8"	CROSBY	\$ 46.19	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1037201	S-412, Solid Wire Rope Thimble, Rope Dia. 1"	CROSBY	\$ 46.19	Std. Commercial	US
357 11C	1037229	S-412, Solid Wire Rope Thimble, Rope Dia. 1-1/8"	CROSBY	\$ 58.04	Std. Commercial	US
357 11C	1037247	S-412, Solid Wire Rope Thimble, Rope Dia. 1-1/4" - 1-3/8"	CROSBY	\$ 61.10	Std. Commercial	US
357 11C	1039021	S-501, 1/4" Open Swage Socket	CROSBY	\$ 27.78	Std. Commercial	US
357 11C	1039049	S-501, 5/16" Open Swage Socket	CROSBY	\$ 46.03	Std. Commercial	US
357 11C	1039067	S-501, 3/8" Open Swage Socket	CROSBY	\$ 46.03	Std. Commercial	US
357 11C	1039085	S-501, 7/16" Open Swage Socket	CROSBY	\$ 53.68	Std. Commercial	US
357 11C	1039101	S-501, 1/2" Open Swage Socket	CROSBY	\$ 53.68	Std. Commercial	US
357 11C	1039129	S-501, 9/16" Open Swage Socket	CROSBY	\$ 72.95	Std. Commercial	US
357 11C	1039147	S-501, 5/8" Open Swage Socket	CROSBY	\$ 72.95	Std. Commercial	US
357 11C	1039165	S-501, 3/4" Open Swage Socket	CROSBY	\$ 83.59	Std. Commercial	US
357 11C	1039183	S-501, 7/8" Open Swage Socket	CROSBY	\$ 110.43	Std. Commercial	US
357 11C	1039209	S-501, 1" Open Swage Socket	CROSBY	\$ 149.28	Std. Commercial	US
357 11C	1039227	S-501, 1-1/8" Open Swage Socket	CROSBY	\$ 178.14	Std. Commercial	US
357 11C	1039245	S-501, 1-1/4" Open Swage Socket	CROSBY	\$ 207.15	Std. Commercial	US
357 11C	1039263	S-501, 1-3/8" Open Swage Socket	CROSBY	\$ 280.50	Std. Commercial	US
357 11C	1039281	S-501, 1-1/2" Open Swage Socket	CROSBY	\$ 453.80	Std. Commercial	US
357 11C	1039307	S-501, 1-3/4" Open Swage Socket	CROSBY	\$ 805.24	Std. Commercial	US
357 11C	1042767	S-501, 2" Open Swage Socket	CROSBY	\$ 1,217.13	Std. Commercial	US
357 11C	1039325	S-502, 1/4" Closed Swage Socket	CROSBY	\$ 21.60	Std. Commercial	US
357 11C	1039343	S-502, 5/16" Closed Swage Socket	CROSBY	\$ 30.59	Std. Commercial	US
357 11C	1039361	S-502, 3/8" Closed Swage Socket	CROSBY	\$ 30.59	Std. Commercial	US
357 11C	1039389	S-502, 7/16" Closed Swage Socket	CROSBY	\$ 37.44	Std. Commercial	US
357 11C	1039405	S-502, 1/2" Closed Swage Socket	CROSBY	\$ 37.44	Std. Commercial	US
357 11C	1039423	S-502, 9/16" Closed Swage Socket	CROSBY	\$ 48.52	Std. Commercial	US
357 11C	1039441	S-502, 5/8" Closed Swage Socket	CROSBY	\$ 48.52	Std. Commercial	US
357 11C	1039469	S-502, 3/4" Closed Swage Socket	CROSBY	\$ 56.66	Std. Commercial	US
357 11C	1039487	S-502, 7/8" Closed Swage Socket	CROSBY	\$ 69.64	Std. Commercial	US
357 11C	1039502	S-502, 1" Closed Swage Socket	CROSBY	\$ 99.87	Std. Commercial	US
357 11C	1039520	S-502, 1-1/8" Closed Swage Socket	CROSBY	\$ 119.05	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1039548	S-502, 1-1/4" Closed Swage Socket	CROSBY	\$ 150.49	Std. Commercial	US
357 11C	1039566	S-502, 1-3/8" Closed Swage Socket	CROSBY	\$ 200.71	Std. Commercial	US
357 11C	1039584	S-502, 1-1/2" Closed Swage Socket	CROSBY	\$ 272.44	Std. Commercial	US
357 11C	1039600	S-502, 1-3/4" Closed Swage Socket	CROSBY	\$ 401.41	Std. Commercial	US
357 11C	1042589	S-502, 2" Closed Swage Socket	CROSBY	\$ 775.42	Std. Commercial	US
357 11C	1039619	G-416, 1/4" Open Spelter Socket, Ultimate Load 4.5 T	CROSBY	\$ 49.09	Std. Commercial	US
357 11C	1039637	G-416, 5/16" - 3/8" Open Spelter Socket, Ultimate Load 12 T	CROSBY	\$ 49.25	Std. Commercial	US
357 11C	1039655	G-416, 7/16" - 1/2" Open Spelter Socket, Ultimate Load 20 T	CROSBY	\$ 51.75	Std. Commercial	US
357 11C	1039673	G-416, 9/16" - 5/8" Open Spelter Socket, Ultimate Load 27 T	CROSBY	\$ 64.24	Std. Commercial	US
357 11C	1039691	G-416, 3/4" Open Spelter Socket, Ultimate Load 43 T	CROSBY	\$ 77.54	Std. Commercial	US
357 11C	1039717	G-416, 7/8" Open Spelter Socket, Ultimate Load 55 T	CROSBY	\$ 112.44	Std. Commercial	US
357 11C	1039735	G-416, 1" Open Spelter Socket, Ultimate Load 78 T	CROSBY	\$ 215.21	Std. Commercial	US
357 11C	1039753	G-416, 1-1/8" Open Spelter Socket, Ultimate Load 92 T	CROSBY	\$ 226.50	Std. Commercial	US
357 11C	1039771	G-416, 1-1/4" - 1-3/8" Open Spelter Socket, Ultimate Load 136 T	CROSBY	\$ 307.91	Std. Commercial	US
357 11C	1039799	G-416, 1-1/2" Open Spelter Socket, Ultimate Load 170 T	CROSBY	\$ 651.28	Std. Commercial	US
357 11C	1039815	G-416, 1-5/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 188 T	CROSBY	\$ 749.62	Std. Commercial	US
357 11C	1039833	G-416, 1-3/4" - 1-7/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 268 T	CROSBY	\$ 1,135.72	Std. Commercial	US
357 11C	1039851	G-416, 2 - 2-1/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 291 T	CROSBY	\$ 749.62	Std. Commercial	US
357 11C	1039879	G-416, 2-1/4" - 2-3/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 360 T	CROSBY	\$ 1,778.94	Std. Commercial	US
357 11C	1041633	G-416, 2-1/2" - 2-5/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 424 T	CROSBY	\$ 2,401.21	Std. Commercial	US
357 11C	1041651	G-416, 2-3/4" - 2-7/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 511 T	CROSBY	\$ 3,464.38	Std. Commercial	US
357 11C	1041679	G-416, 3" - 3-1/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 563 T	CROSBY	\$ 4,759.70	Std. Commercial	US
357 11C	1041697	G-416, 3-1/4" - 3-3/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 722 T	CROSBY	\$ 5,050.68	Std. Commercial	US
357 11C	1041713	G-416, 3-1/2" - 3-5/8" Open Spelter Socket, Cast Alloy Steel, Ultimate Load 779 T	CROSBY	\$ 5,556.07	Std. Commercial	US
357 11C	1039897	G-417, 1/4" Closed Spelter Socket, Ultimate Load 4.5 T	CROSBY	\$ 40.54	Std. Commercial	US
357 11C	1039913	G-417, 5/16" - 3/8" Closed Spelter Socket, Ultimate Load 12 T	CROSBY	\$ 40.62	Std. Commercial	US
357 11C	1039931	G-417, 7/16" - 1/2" Closed Spelter Socket, Ultimate Load 20 T	CROSBY	\$ 42.96	Std. Commercial	US
357 11C	1039959	G-417, 9/16" - 5/8" Closed Spelter Socket, Ultimate Load 30.8 T	CROSBY	\$ 56.66	Std. Commercial	US
357 11C	1039977	G-417, 3/4" Closed Spelter Socket, Ultimate Load 43.5 T	CROSBY	\$ 65.53	Std. Commercial	US
357 11C	1039995	G-417, 7/8" Closed Spelter Socket, Ultimate Load 65.3 T	CROSBY	\$ 94.47	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1040019	G-417, 1" Closed Spelter Socket, Ultimate Load 81.6 T	CROSBY	\$ 141.06	Std. Commercial	US
357 11C	1040055	G-417, 1-1/4" - 1-3/8" Closed Spelter Socket, Ultimate Load 136 T	CROSBY	\$ 226.50	Std. Commercial	US
357 11C	1040073	G-417, 1-1/2" Closed Spelter Socket, Ultimate Load 170 T	CROSBY	\$ 489.27	Std. Commercial	US
357 11C	1040091	G-417, 1-5/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 188 T	CROSBY	\$ 558.59	Std. Commercial	US
357 11C	1040117	G-417, 1-3/4" - 1-7/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 268 T	CROSBY	\$ 642.42	Std. Commercial	US
357 11C	1040135	G-417, 2 - 2-1/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 309 T	CROSBY	\$ 797.18	Std. Commercial	US
357 11C	1040153	G-417, 2-1/4" - 2-3/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 360 T	CROSBY	\$ 978.54	Std. Commercial	US
357 11C	1041759	G-417, 2-1/2" - 2-5/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 424 T	CROSBY	\$ 1,297.73	Std. Commercial	US
357 11C	1041777	G-417, 2-3/4" - 2-7/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 549 T	CROSBY	\$ 1,851.49	Std. Commercial	US
357 11C	1041795	G-417, 3" - 3-1/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 656 T	CROSBY	\$ 2,328.66	Std. Commercial	US
357 11C	1041839	G-417, 3-1/2" - 3-5/8" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 820 T	CROSBY	\$ 3,795.67	Std. Commercial	US
357 11C	1041857	G-417, 3-3/4" -4" Closed Spelter Socket, Cast Alloy Steel, Ultimate Load 1005 T	CROSBY	\$ 7,691.28	Std. Commercial	US
357 11C	1022896	S-1316A, 6MM SHUR-LOC Eye Hook, WLL 3200 LBS	CROSBY	\$ 68.84	Std. Commercial	US
357 11C	1022914	S-1316A, 1/4" - 5/16" SHUR-LOC Eye Hook, WLL 5700 LBS	CROSBY	\$ 81.73	Std. Commercial	US
357 11C	1022923	S-1316A, 3/8" SHUR-LOC Eye Hook, WLL 8800 LBS	CROSBY	\$ 104.30	Std. Commercial	US
357 11C	1022932	S-1316A, 1/2" SHUR-LOC Eye Hook, WLL 15000 LBS	CROSBY	\$ 150.73	Std. Commercial	US
357 11C	1022941	S-1316A, 5/8" SHUR-LOC Eye Hook, WLL 22600 LBS	CROSBY	\$ 250.68	Std. Commercial	US
357 11C	1022942	S-1316A, 3/4" SHUR-LOC Eye Hook, WLL 35300 LBS	CROSBY	\$ 373.20	Std. Commercial	US
357 11C	1022943	S-1316A, 7/8" SHUR-LOC Eye Hook, WLL 42700 LBS	CROSBY	\$ 515.87	Std. Commercial	US
357 11C	1022944	S-1316A, 1" SHUR-LOC Eye Hook, WLL 59700 LBS	CROSBY	\$ 1,138.14	Std. Commercial	US
357 11C	1098101	S-318A, 6MM SHUR-LOC Shank Hook, Grade 80 Alloy Chain WLL 2500 LBS	CROSBY	\$ 83.59	Std. Commercial	US
357 11C	1098112	S-318A, 1/4" - 5/16" SHUR-LOC Shank Hook, Grade 80 Alloy Chain WLL 4500 LBS	CROSBY	\$ 92.70	Std. Commercial	US
357 11C	1098123	S-318A, 3/8" SHUR-LOC Shank Hook, Grade 80 Alloy Chain WLL 7100 LBS	CROSBY	\$ 116.39	Std. Commercial	US
357 11C	1098134	S-318A, 1/2" SHUR-LOC Shank Hook, Grade 80 Alloy Chain WLL 12000 LBS	CROSBY	\$ 177.33	Std. Commercial	US
357 11C	1098145	S-318A, 5/8" SHUR-LOC Shank Hook, Grade 80 Alloy Chain WLL 18100 LBS	CROSBY	\$ 290.18	Std. Commercial	US
357 11C	1028991	S-1317A, 6MM SHUR-LOC Clevis Hook, WLL 3200 LBS	CROSBY	\$ 73.11	Std. Commercial	US
357 11C	1029000	S-1317A, 1/4" SHUR-LOC Clevis Hook, WLL 4300 LBS	CROSBY	\$ 87.38	Std. Commercial	US
357 11C	1029009	S-1317A, 5/16" SHUR-LOC Clevis Hook, WLL 5700 LBS	CROSBY	\$ 87.38	Std. Commercial	US
357 11C	1029018	S-1317A, 3/8" SHUR-LOC Clevis Hook, WLL 8800 LBS	CROSBY	\$ 111.40	Std. Commercial	US
357 11C	1029027	S-1317A, 1/2" SHUR-LOC Clevis Hook, WLL 15000 LBS	CROSBY	\$ 160.56	Std. Commercial	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	1029036	S-1317A, 5/8" SHUR-LOC Clevis Hook, WLL 22600 LBS	CROSBY	\$ 267.61	Std. Commercial	US
357 11C	1029071	S-1317A, 3/4" SHUR-LOC Clevis Hook, WLL 35300 LBS	CROSBY	\$ 407.05	Std. Commercial	US
357 11C	1029080	S-1317A, 7/8" SHUR-LOC Clevis Hook, WLL 42700 LBS	CROSBY	\$ 569.87	Std. Commercial	US
357 11C	1029089	S-1317A, 1" SHUR-LOC Clevis Hook, WLL 59700 LBS	CROSBY	\$ 1,268.72	Std. Commercial	US
357 11C	1019739	G-209, 3-1/2" Bolt Type Anchor Shackle, WLL 120T	CROSBY	\$ 2,707.51	Std. Commercial	US
357 11C	1019757	G-209, 4" Bolt Type Anchor Shackle, WLL 150T	CROSBY	\$ 3,336.22	Std. Commercial	US
357 11C	CF005	1/2 TON CHAIN HOIST BODY	Harrington Hoist	\$ 133.46	Std. Commercial	Japan
357 11C	CF005-10	1/2 TON CHAIN HOIST 10 FT LIFT	Harrington Hoist	\$ 183.50	Std. Commercial	Japan
357 11C	CF005-15	1/2 TON CHAIN HOIST 15 FT LIFT	Harrington Hoist	\$ 226.45	Std. Commercial	Japan
357 11C	CF005-20	1/2 TON CHAIN HOIST 20 FT LIFT	Harrington Hoist	\$ 284.84	Std. Commercial	Japan
357 11C	CF010	1 TON CHAIN HOIST BODY	Harrington Hoist	\$ 161.26	Std. Commercial	Japan
357 11C	CF010-10	1 TON CHAIN HOIST 10 FT LIFT	Harrington Hoist	\$ 217.56	Std. Commercial	Japan
357 11C	CF010-15	1 TON CHAIN HOIST 15 FT LIFT	Harrington Hoist	\$ 261.35	Std. Commercial	Japan
357 11C	CF010-20	1 TON CHAIN HOIST 20 FT LIFT	Harrington Hoist	\$ 320.29	Std. Commercial	Japan
357 11C	CF015	1 1/2T MANUAL (CHN) HOIST BODY	Harrington Hoist	\$ 248.84	Std. Commercial	Japan
357 11C	CF015-10	1 1/2 T CHAIN HOIST 10 FT LIFT	Harrington Hoist	\$ 313.89	Std. Commercial	Japan
357 11C	CF015-15	1 1/2 T CHAIN HOIST 15 FT LIFT	Harrington Hoist	\$ 374.65	Std. Commercial	Japan
357 11C	CF015-20	1 1/2 T CHAIN HOIST 20FT LIFT	Harrington Hoist	\$ 445.69	Std. Commercial	Japan
357 11C	CF020	2 TON CHAIN HOIST BODY	Harrington Hoist	\$ 259.96	Std. Commercial	Japan
357 11C	CF020-10	2 TON CHAIN HOIST 10 FT LIFT	Harrington Hoist	\$ 360.05	Std. Commercial	Japan
357 11C	CF020-15	2 TON CHAIN HOIST 15 FT LIFT	Harrington Hoist	\$ 429.42	Std. Commercial	Japan
357 11C	CF020-20	2 TON CHAIN HOIST 20 FT LIFT	Harrington Hoist	\$ 507.13	Std. Commercial	Japan
357 11C	CF030	3 TON CHAIN HOIST BODY	Harrington Hoist	\$ 426.78	Std. Commercial	Japan
357 11C	CF030-10	3 TON CHAIN HOIST 10 FT LIFT	Harrington Hoist	\$ 548.28	Std. Commercial	Japan
357 11C	CF030-15	3 TON CHAIN HOIST 15 FT LIFT	Harrington Hoist	\$ 644.75	Std. Commercial	Japan
357 11C	CF030-20	3 TON CHAIN HOIST 20 FT LIFT	Harrington Hoist	\$ 751.40	Std. Commercial	Japan
357 11C	CF050	5 TON CHAIN HOIST BODY	Harrington Hoist	\$ 660.33	Std. Commercial	Japan
357 11C	CF050-10	5 TON CHAIN HOIST 10 FT LIFT	Harrington Hoist	\$ 831.60	Std. Commercial	Japan
357 11C	CF050-15	5 TON CHAIN HOIST 15 FT LIFT	Harrington Hoist	\$ 985.21	Std. Commercial	Japan
357 11C	CF050-20	5 TON CHAIN HOIST 20 FT LIFT	Harrington Hoist	\$ 1,142.30	Std. Commercial	Japan

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	HCCF005	HARRINGTON HAND CHAIN	Harrington Hoist	\$ 2.98	Std. Commercial	Japan
357 11C	LB008	3/4 TON LEVER HOIST BODY	Harrington Hoist	\$ 258.57	Std. Commercial	Japan
357 11C	LB008-10	3/4 TON LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 347.68	Std. Commercial	Japan
357 11C	LB008-15	3/4 TON LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 384.52	Std. Commercial	Japan
357 11C	LB008-20	3/4 TON LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 423.86	Std. Commercial	Japan
357 11C	LB008-5	3/4 TON LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 313.20	Std. Commercial	Japan
357 11C	LB010	1 TON LEVER HOIST BODY	Harrington Hoist	\$ 298.89	Std. Commercial	Japan
357 11C	LB010-10	1 TON LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 388.14	Std. Commercial	Japan
357 11C	LB010-15	1 TON LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 426.37	Std. Commercial	Japan
357 11C	LB010-20	1 TON LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 452.36	Std. Commercial	Japan
357 11C	LB010-5	1 TON LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 352.41	Std. Commercial	Japan
357 11C	LB015	1 1/2 TON LEVER HOIST BODY	Harrington Hoist	\$ 380.90	Std. Commercial	Japan
357 11C	LB015-10	1 1/2 T LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 473.63	Std. Commercial	Japan
357 11C	LB015-15	1 1/2 T LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 520.62	Std. Commercial	Japan
357 11C	LB015-20	1 1/2 T LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 552.87	Std. Commercial	Japan
357 11C	LB015-5	1 1/2 T LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 442.07	Std. Commercial	Japan
357 11C	LB020	2 TON LEVER HOIST BODY	Harrington Hoist	\$ 387.86	Std. Commercial	Japan
357 11C	LB020-10	2 TON LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 512.97	Std. Commercial	Japan
357 11C	LB020-15	2 TON LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 552.31	Std. Commercial	Japan
357 11C	LB020-20	2 TON LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 591.51	Std. Commercial	Japan
357 11C	LB020-5	2 TON LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 473.90	Std. Commercial	Japan
357 11C	LB028	2 3/4 TON LEVER HOIST BODY	Harrington Hoist	\$ 428.17	Std. Commercial	Japan
357 11C	LB028-10	2 3/4 T LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 551.89	Std. Commercial	Japan
357 11C	LB028-15	2 3/4 T LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 606.25	Std. Commercial	Japan
357 11C	LB028-20	2 3/4 T LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 663.80	Std. Commercial	Japan
357 11C	LB028-5	2 3/4 T LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 500.46	Std. Commercial	Japan
357 11C	LB030	3 TON LEVER HOIST BODY	Harrington Hoist	\$ 483.78	Std. Commercial	Japan
357 11C	LB030-10	3 TON LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 626.27	Std. Commercial	Japan
357 11C	LB030-15	3 TON LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 672.98	Std. Commercial	Japan
357 11C	LB030-20	3 TON LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 741.65	Std. Commercial	Japan

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	LB030-5	3 TON LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 579.56	Std. Commercial	Japan
357 11C	LB060	6 TON LEVER HOIST BODY	Harrington Hoist	\$ 902.22	Std. Commercial	Japan
357 11C	LB060-10	6 TON LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 1,187.06	Std. Commercial	Japan
357 11C	LB060-15	6 TON LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 1,286.31	Std. Commercial	Japan
357 11C	LB060-20	6 TON LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 1,430.07	Std. Commercial	Japan
357 11C	LB060-5	6 TON LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 1,087.52	Std. Commercial	Japan
357 11C	LB090-10	9 TON LEVER HOIST 10 FT LIFT	Harrington Hoist	\$ 1,706.57	Std. Commercial	Japan
357 11C	LB090-15	9 TON LEVER HOIST 15 FT LIFT	Harrington Hoist	\$ 1,865.05	Std. Commercial	Japan
357 11C	LB090-20	9 TON LEVER HOIST 20 FT LIFT	Harrington Hoist	\$ 2,086.38	Std. Commercial	Japan
357 11C	LB090-5	9 TON LEVER HOIST 5 FT LIFT	Harrington Hoist	\$ 1,548.09	Std. Commercial	Japan
357 11C	LCC3020	2 TON MANUAL HOIST CHAIN	Harrington Hoist	\$ 9.84	Std. Commercial	Japan
357 11C	LCC3025	2 1/2T & 5T MANUAL HOIST CHAIN	Harrington Hoist	\$ 12.14	Std. Commercial	Japan
357 11C	LCCF005	1/2 TON MANUAL HOIST CHAIN	Harrington Hoist	\$ 5.11	Std. Commercial	Japan
357 11C	LCCF010	1 TON MANUAL HOIST CHAIN	Harrington Hoist	\$ 6.61	Std. Commercial	Japan
357 11C	LCCF015	1 1/2T & 3T MANUAL HOIST CHAIN	Harrington Hoist	\$ 8.77	Std. Commercial	Japan
357 11C	LCL5010NP	3/4T & 1T LEVER HOIST CHAIN	Harrington Hoist	\$ 8.11	Std. Commercial	Japan
357 11C	LCL5015NP	1 1/2 TON LEVER HOIST CHAIN	Harrington Hoist	\$ 8.98	Std. Commercial	Japan
357 11C	LCL5028NP	2T & 2 3/4T LEVER HOIST CHAIN	Harrington Hoist	\$ 11.19	Std. Commercial	Japan
357 11C	LCL5030NP	3T, 6T, 9T LEVER HOIST CHAIN	Harrington Hoist	\$ 12.88	Std. Commercial	Japan
357 11C	TPXCEE1000X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 10,000 LBS, Choker 8,000 LBS, Vert. Basket 20,000 LBS	SlingMax	\$ 171.95	NA; Working Load Certification Only	US
357 11C	TPXCEE1000X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE1000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 30.54	NA; Working Load Certification Only	US
357 11C	TPXCEE1500X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 15,000 LBS, Choker 12,000 LBS, Vert. Basket 30,000 LBS	SlingMax	\$ 208.41	NA; Working Load Certification Only	US
357 11C	TPXCEE1500X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE1500X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 37.87	NA; Working Load Certification Only	US
357 11C	TPXCEE2000X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 20,000 LBS, Choker 16,000 LBS, Vert. Basket 40,000 LBS	SlingMax	\$ 257.01	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCEE2000X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE2000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 47.68	NA; Working Load Certification Only	US
357 11C	TPXCEE2500X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 25,000 LBS, Choker 20,000 LBS, Vert. Basket 50,000 LBS	SlingMax	\$ 320.70	NA; Working Load Certification Only	US
357 11C	TPXCEE2500X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE2500X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 62.21	NA; Working Load Certification Only	US
357 11C	TPXCEE3000X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 30,000 LBS, Choker 24,000 LBS, Vert. Basket 60,000 LBS	SlingMax	\$ 369.29	NA; Working Load Certification Only	US
357 11C	TPXCEE3000X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE3000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 72.01	NA; Working Load Certification Only	US
357 11C	TPXCEE4000X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 40,000 LBS, Choker 32,000 LBS, Vert. Basket 80,000 LBS	SlingMax	\$ 514.93	NA; Working Load Certification Only	US
357 11C	TPXCEE4000X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE4000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 101.56	NA; Working Load Certification Only	US
357 11C	TPXCEE5000X5	Twin-Path Eye by Eye 5 FT- Synthetic Slings with K-Spec high performance core yarns. Vertical 50,000 LBS, Choker 40,000 LBS, Vert. Basket 100,000 LBS	SlingMax	\$ 612.12	NA; Working Load Certification Only	US
357 11C	TPXCEE5000X5A	Twin-Path Eye by Eye Adder- Adder for part # TPXCEE5000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 121.17	NA; Working Load Certification Only	US
357 11C	TPXC1000X3	Twin Path Extra Covermax Sling 3 FT- Rated 10,000 Lbs. Vertical, 8,000 Lbs. choker, 20,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC1500X3	SlingMax	\$ 82.45	NA; Working Load Certification Only	US
357 11C	TPXC1000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC1000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 24.12	NA; Working Load Certification Only	US
357 11C	TPXC1500X3	Twin Path Extra Covermax Sling 3 FT- Rated 15,000 Lbs. Vertical, 12,000 Lbs. choker, 30,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC1500X3A	SlingMax	\$ 100.43	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXC1500X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC1500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 30.19	NA; Working Load Certification Only	US
357 11C	TPXC2000X3	Twin Path Extra Covermax Sling 3 FT- Rated 20,000 Lbs. Vertical, 16,000 Lbs. choker, 40,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC2000X3A	SlingMax	\$ 139.86	NA; Working Load Certification Only	US
357 11C	TPXC2000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC2000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 40.13	NA; Working Load Certification Only	US
357 11C	TPXC2500X3	Twin Path Extra Covermax Sling 3 FT- Rated 25,000 Lbs. Vertical, 20,000 Lbs. choker, 50,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC2500X3A	SlingMax	\$ 166.73	NA; Working Load Certification Only	US
357 11C	TPXC2500X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC2500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 48.66	NA; Working Load Certification Only	US
357 11C	TPXC3000X3	Twin Path Extra Covermax Sling 3 FT- Rated 30,000 Lbs. Vertical, 24,000 Lbs. choker, 60,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC3000X3A	SlingMax	\$ 199.17	NA; Working Load Certification Only	US
357 11C	TPXC3000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC3000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 58.33	NA; Working Load Certification Only	US
357 11C	TPXC4000X3	Twin Path Extra Covermax Sling 3 FT- Rated 40,000 Lbs. Vertical, 32,000 Lbs. choker, 80,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC4000X3A	SlingMax	\$ 292.27	NA; Working Load Certification Only	US
357 11C	TPXC4000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC3000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 75.25	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXC5000X3	Twin Path Extra Covermax Sling 3 FT- Rated 50,000 Lbs. Vertical, 40,000 Lbs. choker, 80,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC5000X3A	SlingMax	\$ 381.35	NA; Working Load Certification Only	US
357 11C	TPXC5000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC5000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 97.61	NA; Working Load Certification Only	US
357 11C	TPXC6000X3	Twin Path Extra Covermax Sling 3 FT- Rated 60,000 Lbs. Vertical, 48,000 Lbs. choker, 120,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC6000X3A	SlingMax	\$ 443.49	NA; Working Load Certification Only	US
357 11C	TPXC6000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC6000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 114.54	NA; Working Load Certification Only	US
357 11C	TPXC7000X3	Twin Path Extra Covermax Sling 3 FT- Rated 70,000 Lbs. Vertical, 56,000 Lbs. choker, 140,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC7000X3A	SlingMax	\$ 505.69	NA; Working Load Certification Only	US
357 11C	TPXC7000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC7000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 131.47	NA; Working Load Certification Only	US
357 11C	TPXC8500X3	Twin Path Extra Covermax Sling 3 FT- Rated 85,000 Lbs. Vertical, 68,000 Lbs. choker, 170,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC8500X3A	SlingMax	\$ 628.91	NA; Working Load Certification Only	US
357 11C	TPXC8500X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC8500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 162.92	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXC1000X3	Twin Path Extra Covermax Sling 3 FT- Rated 100,000 Lbs. Vertical, 80,000 Lbs. choker, 200,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC1000X3A	SlingMax	\$ 722.15	NA; Working Load Certification Only	US
357 11C	TPXC1000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC1000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 188.24	NA; Working Load Certification Only	US
357 11C	TPXC12500X3	Twin Path Extra Covermax Sling 3 FT- Rated 125,000 Lbs. Vertical, 100,000 Lbs. choker, 250,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC12500X3A	SlingMax	\$ 943.40	NA; Working Load Certification Only	US
357 11C	TPXC12500X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC12500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 243.96	NA; Working Load Certification Only	US
357 11C	TPXC1500X3	Twin Path Extra Covermax Sling 3 FT- Rated 150,000 Lbs. Vertical, 120,000 Lbs. choker, 300,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC1500X3A	SlingMax	\$ 1,098.77	NA; Working Load Certification Only	US
357 11C	TPXC1500X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC1500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 286.21	NA; Working Load Certification Only	US
357 11C	TPXC17500X3	Twin Path Extra Covermax Sling 3 FT- Rated 175,000 Lbs. Vertical, 140,000 Lbs. choker, 350,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC17500X3A	SlingMax	\$ 1,288.56	NA; Working Load Certification Only	US
357 11C	TPXC17500X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC17500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 335.51	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXC20000X3	Twin Path Extra Covermax Sling 3 FT- Rated 200,000 Lbs. Vertical, 160,000 Lbs. choker, 400,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC20000X3A	SlingMax	\$ 1,443.94	NA; Working Load Certification Only	US
357 11C	TPXC20000X3A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC20000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 377.75	NA; Working Load Certification Only	US
357 11C	TPXC25000X4	Twin Path Extra Covermax Sling 3 FT- Rated 250,000 Lbs. Vertical, 200,000 Lbs. choker, 500,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC25000X4A	SlingMax	\$ 2,321.39	NA; Working Load Certification Only	US
357 11C	TPXC25000X4A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC25000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 462.25	NA; Working Load Certification Only	US
357 11C	TPXC27500X4	Twin Path Extra Covermax Sling 3 FT- Rated 275,000 Lbs. Vertical, 220,000 Lbs. choker, 550,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC27500X4A	SlingMax	\$ 2,581.01	NA; Working Load Certification Only	US
357 11C	TPXC27500X4A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC27500X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 513.10	NA; Working Load Certification Only	US
357 11C	TPXC30000X4	Twin Path Extra Covermax Sling 3 FT- Rated 300,000 Lbs. Vertical, 240,000 Lbs. choker, 600,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC30000X4A	SlingMax	\$ 2,788.22	NA; Working Load Certification Only	US
357 11C	TPXC30000X4A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC30000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 555.27	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXC4000X4	Twin Path Extra Covermax Sling 3 FT- Rated 400,000 Lbs. Vertical, 320,000 Lbs. choker, 800,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC34000X4A	SlingMax	\$ 4,087.79	NA; Working Load Certification Only	US
357 11C	TPXC4000X4A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC4000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 732.16	NA; Working Load Certification Only	US
357 11C	TPXC5000X4	Twin Path Extra Covermax Sling 3 FT- Rated 500,000 Lbs. Vertical, 400,000 Lbs. choker, 100,000,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has overload tell-tails, fiber optic inspection, contrasting inner red cover and are repairable. Complies to US Navy NAVFAC P 307. To add length see part # TPXC35000X4A	SlingMax	\$ 5,012.21	NA; Working Load Certification Only	US
357 11C	TPXC5000X4A	Twin Path Extra Covermax Sling Adder- Adder for part # TPXC5000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 901.15	NA; Working Load Certification Only	US
357 11C	CRNMXS04	Corner Max Sleeve- Protects synthetic slings from cutting. Made with Dyneema Fiber.	SlingMax	\$ 155.16	NA; Working Load Certification Only	US
357 11C	SPXCF500X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 5,000 LBS. Vertical, 4, 000 LBS. Chocker, 10,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF500X3A	SlingMax	\$ 57.13	NA; Working Load Certification Only	US
357 11C	SPXCF500X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 16.08	NA; Working Load Certification Only	US
357 11C	SPXCF1000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 10,000 LBS. Vertical, 8, 000 LBS. Chocker, 20,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF1000X3A	SlingMax	\$ 72.79	NA; Working Load Certification Only	US
357 11C	SPXCF1000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF1000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 21.37	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	SPXCF1500X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 15,000 LBS. Vertical, 12, 000 LBS. Chocker, 30,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF1500X3A	SlingMax	\$ 88.51	NA; Working Load Certification Only	US
357 11C	SPXCF1500X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF1500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 27.51	NA; Working Load Certification Only	US
357 11C	SPXCF2000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 20,000 LBS. Vertical, 16, 000 LBS. Chocker, 40,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF2000X3A	SlingMax	\$ 120.04	NA; Working Load Certification Only	US
357 11C	SPXCF2000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF2000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 36.04	NA; Working Load Certification Only	US
357 11C	SPXCF2500X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 25,000 LBS. Vertical, 20, 000 LBS. Chocker, 50,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF2500X3A	SlingMax	\$ 146.77	NA; Working Load Certification Only	US
357 11C	SPXCF2500X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF2500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 43.30	NA; Working Load Certification Only	US
357 11C	SPXCF3000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 30,000 LBS. Vertical, 24, 000 LBS. Chocker, 60,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF3000X3A	SlingMax	\$ 174.49	NA; Working Load Certification Only	US
357 11C	SPXCF3000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF3000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 50.64	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	SPXCF4000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 40,000 LBS. Vertical, 32, 000 LBS. Chocker, 80,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF4000X3A	SlingMax	\$ 250.10	NA; Working Load Certification Only	US
357 11C	SPXCF4000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF4000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 65.31	NA; Working Load Certification Only	US
357 11C	SPXCF5000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 50,000 LBS. Vertical, 40, 000 LBS. Chocker, 100,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF5000X3A	SlingMax	\$ 319.64	NA; Working Load Certification Only	US
357 11C	SPXCF5000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF5000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 82.10	NA; Working Load Certification Only	US
357 11C	SPXCF6000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 60,000 LBS. Vertical, 48, 000 LBS. Chocker, 120,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF6000X3A	SlingMax	\$ 369.85	NA; Working Load Certification Only	US
357 11C	SPXCF6000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF6000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 97.68	NA; Working Load Certification Only	US
357 11C	SPXCF7000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 70,000 LBS. Vertical, 56, 000 LBS. Chocker, 140,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF7000X3A	SlingMax	\$ 423.67	NA; Working Load Certification Only	US
357 11C	SPXCF7000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF7000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 112.35	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	SPXCF8500X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 85,000 LBS. Vertical, 68, 000 LBS. Chocker, 170,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF8500X3A	SlingMax	\$ 534.40	NA; Working Load Certification Only	US
357 11C	SPXCF8500X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF8500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 140.99	NA; Working Load Certification Only	US
357 11C	SPXCF10000X3	Single Path Extra Covermax with Chech Fast Sling 3 FT- Rated for 100,000 LBS. Vertical, 80, 000 LBS. Chocker, 200,000 LBS. Basket. Constructed with bulked nylon outer cover for abrasion resistance and high performance K-Spec internal core yarn. These slings have the check fast inspection system with external warning indicator and contrasting inner red cover. Complies to US Navy NAVFAC P 307. To add length see part # SPXCF10000X3A	SlingMax	\$ 642.38	NA; Working Load Certification Only	US
357 11C	SPXCF10000X3A	Single Path Extra Covermax w/ Chech Fast Sling Adder- Adder for part # SPXCF10000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 163.06	NA; Working Load Certification Only	US
357 11C	TPXCF1000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 10,000 Lbs. Vertical, 8,000 Lbs. choker, 20,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF1000X3A	SlingMax	\$ 82.45	NA; Working Load Certification Only	US
357 11C	TPXCF1000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection SystemAdder- Adder for part # TPXCF1000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 24.12	NA; Working Load Certification Only	US
357 11C	TPXCF1500X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 15,000 Lbs. Vertical, 12,000 Lbs. choker, 30,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF1500X3A	SlingMax	\$ 100.43	NA; Working Load Certification Only	US
357 11C	TPXCF1500X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF1500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 30.19	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCF2000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 20,000 Lbs. Vertical, 16,000 Lbs. choker, 40,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF2000X3A	SlingMax	\$ 139.86	NA; Working Load Certification Only	US
357 11C	TPXCF2000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF2000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 40.13	NA; Working Load Certification Only	US
357 11C	TPXCF2500X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 25,000 Lbs. Vertical, 20,000 Lbs. choker, 50,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF2500X3A	SlingMax	\$ 166.73	NA; Working Load Certification Only	US
357 11C	TPXCF2500X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF2500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 48.66	NA; Working Load Certification Only	US
357 11C	TPXCF3000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 30,000 Lbs. Vertical, 24,000 Lbs. choker, 60,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF3000X3A	SlingMax	\$ 199.17	NA; Working Load Certification Only	US
357 11C	TPXCF3000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF3000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 58.33	NA; Working Load Certification Only	US
357 11C	TPXCF4000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 40,000 Lbs. Vertical, 32,000 Lbs. choker, 80,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF4000X3A	SlingMax	\$ 292.27	NA; Working Load Certification Only	US
357 11C	TPXCF4000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF3000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 75.25	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCF5000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 50,000 Lbs. Vertical, 40,000 Lbs. choker, 80,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF5000X3A	SlingMax	\$ 381.35	NA; Working Load Certification Only	US
357 11C	TPXCF5000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF5000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 97.61	NA; Working Load Certification Only	US
357 11C	TPXCF6000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 60,000 Lbs. Vertical, 48,000 Lbs. choker, 120,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF6000X3A	SlingMax	\$ 443.49	NA; Working Load Certification Only	US
357 11C	TPXCF6000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF6000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 114.54	NA; Working Load Certification Only	US
357 11C	TPXCF7000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 70,000 Lbs. Vertical, 56,000 Lbs. choker, 140,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF7000X3A	SlingMax	\$ 505.69	NA; Working Load Certification Only	US
357 11C	TPXCF7000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF7000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 131.47	NA; Working Load Certification Only	US
357 11C	TPXCF8500X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 85,000 Lbs. Vertical, 68,000 Lbs. choker, 170,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF8500X3A	SlingMax	\$ 628.91	NA; Working Load Certification Only	US
357 11C	TPXCF8500X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF8500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 162.92	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCF1000X3	Twin Path Extra Covermax Sling 3 FTwith Check Fast Inspection System- Rated 100,000 Lbs. Vertical, 80,000 Lbs. choker, 200,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF1000X3A	SlingMax	\$ 722.15	NA; Working Load Certification Only	US
357 11C	TPXCF1000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF1000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 188.24	NA; Working Load Certification Only	US
357 11C	TPXCF12500X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 125,000 Lbs. Vertical, 100,000 Lbs. choker, 250,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF12500X3A	SlingMax	\$ 943.40	NA; Working Load Certification Only	US
357 11C	TPXCF12500X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXC12500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 243.96	NA; Working Load Certification Only	US
357 11C	TPXCF1500X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 150,000 Lbs. Vertical, 120,000 Lbs. choker, 300,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF1500X3A	SlingMax	\$ 1,098.77	NA; Working Load Certification Only	US
357 11C	TPXCF1500X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF1500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 286.21	NA; Working Load Certification Only	US
357 11C	TPXCF17500X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 175,000 Lbs. Vertical, 140,000 Lbs. choker, 350,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF17500X3A	SlingMax	\$ 1,288.56	NA; Working Load Certification Only	US
357 11C	TPXCF17500X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF17500X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 335.51	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCF20000X3	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 200,000 Lbs. Vertical, 160,000 Lbs. choker, 400,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF20000X3A	SlingMax	\$ 1,443.94	NA; Working Load Certification Only	US
357 11C	TPXCF20000X3A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF20000X3 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 377.75	NA; Working Load Certification Only	US
357 11C	TPXCF250000X4	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 250,000 Lbs. Vertical, 200,000 Lbs. choker, 500,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF250000X4A	SlingMax	\$ 2,321.39	NA; Working Load Certification Only	US
357 11C	TPXCF250000X4A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF250000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 462.25	NA; Working Load Certification Only	US
357 11C	TPXCF275000X4	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 275,000 Lbs. Vertical, 220,000 Lbs. choker, 550,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF275000X4A	SlingMax	\$ 2,581.01	NA; Working Load Certification Only	US
357 11C	TPXCF275000X4A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF275000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 513.10	NA; Working Load Certification Only	US
357 11C	TPXCF30000X4	Twin Path Extra Covermax Sling 3 FTwith Check Fast Inspection System- Rated 300,000 Lbs. Vertical, 240,000 Lbs. choker, 600,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF30000X4A	SlingMax	\$ 2,788.22	NA; Working Load Certification Only	US
357 11C	TPXCF30000X4A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF30000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 555.27	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCF4000X4	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 400,000 Lbs. Vertical, 320,000 Lbs. choker, 800,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF34000X4A	SlingMax	\$ 4,087.79	NA; Working Load Certification Only	US
357 11C	TPXCF4000X4A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF4000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 732.16	NA; Working Load Certification Only	US
357 11C	TPXCF5000X4	Twin Path Extra Covermax Sling 3 FT with Check Fast Inspection System- Rated 500,000 Lbs. Vertical, 400,000 Lbs. choker, 100,000,000 Lbs. Basket and is 10% the weight of comparable steel sling. Twin Path Extra Covermax Slings are constructed with a bulk nylon outer cover for superior abrasion and high performance K-spec internal core yarns. Sling has Check Fast Inspection System installed in place of Fiber Optics and Tell-Tails. Complies to US Navy NAVFAC P 307. To add length see part # TPXCF35000X4A	SlingMax	\$ 5,012.21	NA; Working Load Certification Only	US
357 11C	TPXCF5000X4A	Twin Path Extra Covermax Sling with Check Fast Inspection System Adder- Adder for part # TPXCF5000X4 series. Price per foot. Specify number of feet to add to base sling. Complies to US Navy NAVFAC P 307	SlingMax	\$ 901.15	NA; Working Load Certification Only	US
357 11C	TPXCEECF1000X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 10,000 LBS, Choker 8,000 LBS, Vert. Baket 20,000 LBS	SlingMax	\$ 171.95	NA; Working Load Certification Only	US
357 11C	TPXCEECF1000X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF1000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 30.54	NA; Working Load Certification Only	US
357 11C	TPXCEECF1500X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 15,000 LBS, Choker 12,000 LBS, Vert. Baket 30,000 LBS	SlingMax	\$ 208.41	NA; Working Load Certification Only	US
357 11C	TPXCEECF1500X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF1500X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 37.87	NA; Working Load Certification Only	US
357 11C	TPXCEECF2000X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 20,000 LBS, Choker 16,000 LBS, Vert. Baket 40,000 LBS	SlingMax	\$ 257.01	NA; Working Load Certification Only	US
357 11C	TPXCEECF2000X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF2000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 47.68	NA; Working Load Certification Only	US
357 11C	TPXCEECF2500X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 25,000 LBS, Choker 20,000 LBS, Vert. Baket 50,000 LBS	SlingMax	\$ 320.70	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCEECF2500X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF2500X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 62.21	NA; Working Load Certification Only	US
357 11C	TPXCEECF3000X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 30,000 LBS, Choker 24,000 LBS, Vert. Basket 60,000 LBS	SlingMax	\$ 369.29	NA; Working Load Certification Only	US
357 11C	TPXCEECF3000X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF3000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 72.01	NA; Working Load Certification Only	US
357 11C	TPXCEECF4000X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 40,000 LBS, Choker 32,000 LBS, Vert. Basket 80,000 LBS	SlingMax	\$ 514.93	NA; Working Load Certification Only	US
357 11C	TPXCEECF4000X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF4000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 101.56	NA; Working Load Certification Only	US
357 11C	TPXCEECF5000X5	Twin-Path Eye by Eye 5 FT with Check Fast Inspection System- Synthetic Slings with K-Spec high performance core yarns. Vertical 50,000 LBS, Choker 40,000 LBS, Vert. Basket 100,000 LBS	SlingMax	\$ 612.12	NA; Working Load Certification Only	US
357 11C	TPXCEECF5000X5 A	Twin-Path Eye by Eye Adder with Check Fast Inspection System- Adder for part # TPXCEECF5000X5 series. Price per foot. Specify number of feet to add to base sling.	SlingMax	\$ 121.17	NA; Working Load Certification Only	US
357 11C	TPA06X3	Twin Path Adjustable Bridle is the ultimate us rigging tool. It self adjusts over the center of gravity to find the lifting point. Single Bridle Capacity 6,000 LBS	SlingMax	\$ 182.18	NA; Working Load Certification Only	US
357 11C	TPA06X3A	Twin Path Adjustable Bridle Adder- Adder for part # TPA06X3. Price per foot. Specify number of feet to add to base sling	SlingMax	\$ 29.20	NA; Working Load Certification Only	US
357 11C	TPXA1200X3	Twin Path Adjustable Bridle is the ultimate us rigging tool. It self adjusts over the center of gravity to find the lifting point. Single Bridle Capacity 12,000 LBS	SlingMax	\$ 362.87	NA; Working Load Certification Only	US
357 11C	TPXA1200X3A	Twin Path Adjustable Bridle Adder- Adder for part # TPXA1200X3. Price per foot. Specify number of feet to add to base sling	SlingMax	\$ 81.32	NA; Working Load Certification Only	US
357 11C	TPXA2000X3	Twin Path Adjustable Bridle is the ultimate us rigging tool. It self adjusts over the center of gravity to find the lifting point. Single Bridle Capacity 20,000 LBS	SlingMax	\$ 482.35	NA; Working Load Certification Only	US
357 11C	TPXA2000X3A	Twin Path Adjustable Bridle Adder- Adder for part # TPXA2000X3. Price per foot. Specify number of feet to add to base sling	SlingMax	\$ 101.63	NA; Working Load Certification Only	US
357 11C	TPXA4000X3	Twin Path Adjustable Bridle is the ultimate us rigging tool. It self adjusts over the center of gravity to find the lifting point. Single Bridle Capacity 40,000 LBS	SlingMax	\$ 1,012.58	NA; Working Load Certification Only	US
357 11C	TPXA4000X3A	Twin Path Adjustable Bridle Adder- Adder for part # TPXA4000X3. Price per foot. Specify number of feet to add to base sling	SlingMax	\$ 1,608.70	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXA6000X4	Twin Path Adjustable Bridle is the ultimate us rigging tool. It self adjusts over the center of gravity to find the lifting point. Single Bridle Capacity 60,000 LBS	SlingMax	\$ 2,149.44	NA; Working Load Certification Only	US
357 11C	TPXA6000X4A	Twin Path Adjustable Bridle Adder- Adder for part # TPXA6000X4. Price per foot. Specify number of feet to add to base sling	SlingMax	\$ 214.06	NA; Working Load Certification Only	US
357 11C	TPXA9000X4	Twin Path Adjustable Bridle is the ultimate us rigging tool. It self adjusts over the center of gravity to find the lifting point. Single Bridle Capacity 90,000 LBS	SlingMax	\$ 2,829.41	NA; Working Load Certification Only	US
357 11C	TPXA6000X4A	Twin Path Adjustable Bridle Adder- Adder for part # TPXA9000X4. Price per foot. Specify number of feet to add to base sling	SlingMax	\$ 313.01	NA; Working Load Certification Only	US
357 11C	TPXCTL1000X5	Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 10,000 LBS, 60 Degree Horizontal Angle 8,500 LBS, 45 Degree Horizontal Angle 7,000 LBS. To add length see part # TPXCTL1000X5A	SlingMax	\$ 165.46	NA; Working Load Certification Only	US
357 11C	TPXCTL1000X5A	Additional footage for part number TPXCTL1000X5- Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 10,000 LBS, 60 Degree Horizontal Angle 8,500 LBS, 45 Degree Horizontal Angle 7,000 LBS. Price is per foot	SlingMax	\$ 30.19	NA; Working Load Certification Only	US
357 11C	TPXCTL1500X5	Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 15,000 LBS, 60 Degree Horizontal Angle 12,750 LBS, 45 Degree Horizontal Angle 10,500 LBS. To add length see part # TPXCTL1500X5A	SlingMax	\$ 202.77	NA; Working Load Certification Only	US
357 11C	TPXCTL1500X5A	Additional footage for part number TPXCTL1500X5- Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 15,000 LBS, 60 Degree Horizontal Angle 12,750 LBS, 45 Degree Horizontal Angle 10,500 LBS. Price is per foot	SlingMax	\$ 37.73	NA; Working Load Certification Only	US
357 11C	TPXCTL2000X5	Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 20,000 LBS, 60 Degree Horizontal Angle 17,000 LBS, 45 Degree Horizontal Angle 14,000 LBS. To add length see part # TPXCTL2000X5A	SlingMax	\$ 288.68	NA; Working Load Certification Only	US
357 11C	TPXCTL2000X5A	Additional footage for part number TPXCTL2000X5- Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 20,000 LBS, 60 Degree Horizontal Angle 17,000 LBS, 45 Degree Horizontal Angle 14,000 LBS. Price is per foot	SlingMax	\$ 47.82	NA; Working Load Certification Only	US
357 11C	TPXCTL3000X5	Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 30,000 LBS, 60 Degree Horizontal Angle 25,500 LBS, 45 Degree Horizontal Angle 21,000 LBS. To add length see part # TPXCTL3000X5A	SlingMax	\$ 362.10	NA; Working Load Certification Only	US
357 11C	TPXCTL3000X5A	Additional footage for part number TPXCTL3000X5- Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 30,000 LBS, 60 Degree Horizontal Angle 25,500 LBS, 45 Degree Horizontal Angle 21,000 LBS. Price is per foot	SlingMax	\$ 69.40	NA; Working Load Certification Only	US
357 11C	TPXCTL4000X5	Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 40,000 LBS, 60 Degree Horizontal Angle 34,000 LBS, 45 Degree Horizontal Angle 28,000 LBS. To add length see part # TPXCTL4000X5A	SlingMax	\$ 575.80	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXCTL40000X5A	Additional footage for part number TPXCTL40000X5- Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 40,000 LBS, 60 Degree Horizontal Angle 34,000 LBS, 45 Degree Horizontal Angle 28,000 LBS. Price is per foot	SlingMax	\$ 96.13	NA; Working Load Certification Only	US
357 11C	TPXCTL50000X5	Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 50,000 LBS, 60 Degree Horizontal Angle 42,500 LBS, 45 Degree Horizontal Angle 35,000 LBS. To add length see part # TPXCTL50000X5A	SlingMax	\$ 689.63	NA; Working Load Certification Only	US
357 11C	TPXCTL50000X5A	Additional footage for part number TPXCTL50000X5- Twin-Path Extra Covermax 2-Leg Bridle- 5 Foot Sling- Rated Veritcal 50,000 LBS, 60 Degree Horizontal Angle 42,500 LBS, 45 Degree Horizontal Angle 35,000 LBS. Price is per foot	SlingMax	\$ 116.23	NA; Working Load Certification Only	US
357 11C	CRNMXS03	Corner Max Sleeve- Protects synthetic slings from cutting. Made with Dyneema Fiber. Internal Sling Width 4.53. Fastened over both legs of Twin-Path Sling up to TPXC4,000	SlingMax	\$ 131.18	NA; Working Load Certification Only	US
357 11C	CRNMXS10	Corner Max Sleeve- Protects synthetic slings from cutting. Made with Dyneema Fiber. Internal Sling Width 10.24. Fastened over both legs of Twin-Path Sling up to TPXC25,000	SlingMax	\$ 269.42	NA; Working Load Certification Only	US
357 11C	SYNARM-SL-6	Sliding pad around the sling body with sewn seams along both edges. Through 6"	SlingMax	\$ 21.51	NA; Working Load Certification Only	US
357 11C	SYNARM-SL-810	Sliding pad around the sling body with sewn seams along both edges. Through 8"-10"	SlingMax	\$ 32.09	NA; Working Load Certification Only	US
357 11C	SYNARM-SL-1214	Sliding pad around the sling body with sewn seams along both edges. Through 12"-14"	SlingMax	\$ 47.68	NA; Working Load Certification Only	US
357 11C	SYMARM-RM-6	Removalble pad with a sewn seam on one edge and a hook-loop fastener along the other edge. Through 6"	SlingMax	\$ 23.98	NA; Working Load Certification Only	US
357 11C	SYMARM-RM-810	Removalble pad with a sewn seam on one edge and a hook-loop fastener along the other edge. Through 8"-10"	SlingMax	\$ 35.76	NA; Working Load Certification Only	US
357 11C	SYMARM-RM-810	Removalble pad with a sewn seam on one edge and a hook-loop fastener along the other edge. Through 12"-14"	SlingMax	\$ 47.75	NA; Working Load Certification Only	US
357 11C	TPA06X3	Twin Path Adjustable Bridle- 3 foot sling- Single Bridle Capacity 6,000 LBS, Min Length 3'. To add length see part # TPA06X3A	SlingMax	\$ 182.18	NA; Working Load Certification Only	US
357 11C	TPA06X3A	Addition goot for part number TPA06X3- Twin Path Adjustable Bridle Sling- Price is per foot	SlingMax	\$ 29.20	NA; Working Load Certification Only	US
357 11C	TPXA12X3	Twin Path Adjustable Bridle- 3 foot sling- Single Bridle Capacity 12,000 LBS, Min Length 3'. To add length see part # TPXA12X3A	SlingMax	\$ 362.87	NA; Working Load Certification Only	US

SIN	Part Number	Product Description	Brand	Awarded GSA Price w/ IFF	Warranty	COO
357 11C	TPXA12X3A	Addition goot for part number TPXA12X3- Twin Path Adjustable Bridle Sling- Price is per foot	SlingMax	\$ 81.32	NA; Working Load Certification Only	US
357 11C	TPXA20X3	Twin Path Adjustable Bridle- 3 foot sling- Single Bridle Capacity 20,000 LBS, Min Length 3'. To add length see part # TPXA20X3A	SlingMax	\$ 482.35	NA; Working Load Certification Only	US
357 11C	TPXA20X3A	Addition goot for part number TPXA20X3- Twin Path Adjustable Bridle Sling- Price is per foot	SlingMax	\$ 101.63	NA; Working Load Certification Only	US
357 11C	TPXA40X3	Twin Path Adjustable Bridle- 3 foot sling- Single Bridle Capacity 40,000 LBS, Min Length 3'. To add length see part # TPX40X3A	SlingMax	\$ 1,012.58	NA; Working Load Certification Only	US
357 11C	TPXA40X3A	Addition goot for part number TPXA40X3- Twin Path Adjustable Bridle Sling- Price is per foot	SlingMax	\$ 155.80	NA; Working Load Certification Only	US
357 11C	TPXA60X4	Twin Path Adjustable Bridle- 4 foot sling- Single Bridle Capacity 60,000 LBS, Min Length 3'. To add length see part # TPX604A	SlingMax	\$ 2,149.44	NA; Working Load Certification Only	US
357 11C	TPXA60X4A	Addition goot for part number TPXA60X4- Twin Path Adjustable Bridle Sling- Price is per foot	SlingMax	\$ 214.06	NA; Working Load Certification Only	US
357 11C	TPXA90X4	Twin Path Adjustable Bridle- 4 foot sling- Single Bridle Capacity 90,000 LBS, Min Length 3'. To add length see part # TPX904A	SlingMax	\$ 2,829.41	NA; Working Load Certification Only	US
357 11C	TPXA90X4A	Addition goot for part number TPXA90X4- Twin Path Adjustable Bridle Sling- Price is per foot	SlingMax	\$ 313.01	NA; Working Load Certification Only	US
357 98	LOAD/PULL TEST	(Price listed is per ton) TradeStream has the capability to test slings and rigging hardware in our 650,000 lbs test bed that is 60 feet long. In addition we provide in-house inspections on wire rope, wire rope slings, synthetic slings, nylon slings, shackles, and other rigging hardware. A computerized pull test certificate is provided. For non-standard items please consult TradeStream as capabilities and pricing may vary.	TradeStream, Inc.	\$ 3.35	Std. Commercial	US