



**GENERAL SERVICES ADMINISTRATION**

**(GSA)**

**SCHEDULE 56**

**SINS:**

**357 3**

**357 8**

**357 9B**

**Contract Number:**

**GS-07F-0169Y**

**GENERAL SERVICES ADMINISTRATION**  
**FEDERAL SUPPLY SERVICE**  
**AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICELIST**

*FEDERAL SUPPLY SCHEDULE 056 –BUILDINGS AND BUILDING MATERIALS/INDUSTRIAL SERVICES  
AND SUPPLIES*

FSC Group 39: Warehouse Equipment and Supplies

FSC 3920

**Contract Number: GS-07F-0169Y**

For more information on ordering from Federal Supply Schedules,  
click on the FSS Schedules button at <http://www.fss.gsa.gov>.

Contract Period: 12/22/2011 through 12/21/2016

**CONTRACTOR:**                   **SOURCE 4 INDUSTRIES, INC.**  
4436 LAWRENCE ST STE A  
NORTH LAS VEGAS, NV 89081-4210  
Phone: (702) 734-8848  
Fax:   (702) 734-8939

**CONTRACT ADMINISTRATOR(S)**

**Del Roberts**  
[del@source4industries.com](mailto:del@source4industries.com)

**Michael Anderson**  
[mike@source4industries.com](mailto:mike@source4industries.com)

**Allyn Schlauder**  
[allyn@source4industries.com](mailto:allyn@source4industries.com)

**1.     CUSTOMER INFORMATION:**

**1a.    AWARDED SPECIAL ITEM NUMBER(S):**

357-03	Utility trucks, Platform Trucks, Hand Trucks, Mail Carts
357-08	Dock Plates, Boards, Ramps and Bridges
357-9B	Pallet Trucks Including, but not limited to, powered and non-powered, walk behind, riding, picker stacker, pallet jacks, pallet racks, options and accessories.

**1b. LOWEST PRICED MODEL NUMBER FOR EACH AWARDED SPECIAL ITEM NUMBER(S):**

357-03 Part number: 37280 - Blanket, Warehouse \$8.87  
357-08 Part number: CR24X36 -Curb Ramp, Aluminum \$93.40  
357-9B Part number: RS12 -Pallet Rack Row Spacer-12" \$2.73

**1c. HOURLY RATES:** None

**2. MAXIMUM ORDER GUIDELINE:**

*SIN 357-03:* \$125,000

*SIN 357-08:* \$125,000

*SIN 357-9B:* \$125,000

**3. MINIMUM ORDER LIMITATION:** \$100

**4. GEOGRAPHIC COVERAGE:** Domestic: 48 contiguous states

**5. POINTS OF PRODUCTION:**

Source 4 Industries / 4436 North Lawrence Street - North Las Vegas, NV 89081  
Dutro Company / 1333 62nd Street - Emeryville, CA 94608  
Gleason Corporation / 612 E Reynolds St - Goshen, IN, 46526-4050  
Hannibal Industries / 3851 S. Santa Fe Ave. - Los Angeles, CA 90058

**6. DISCOUNT FROM LIST PRICES:** Price list shows GSA discounted pricing with and without IFF.

**7. QUANTITY DISCOUNT:**

<i>Single Order Amount</i>	<i>Additional Percentage Discount</i>
\$0 – \$4,999 =	0%
\$5,000 – \$9,999 =	1%
\$10,000 – \$49,999 =	2%
Over \$50,000 =	3%

**8. PROMPT PAYMENT TERMS:** Additional 1.5% Discount for Net 15 days / Based on Net 30 day Schedule

- 9a. **GOVERNMENT PURCHASE CARDS:** Source 4 Industries will accept the government purchase card for amounts at or below the micro-purchase threshold.
- 9b. **GOVERNMENT PURCHASE CARDS (Above Micro):** Source 4 Industries will accept the government purchase card for a maximum purchase of five thousand dollars (\$5,000).
10. **FOREIGN ITEMS:** None
- 11a. **TIME OF DELIVERY:** 30 Days ARO
- 11b. **EXPEDITED DELIVERY:** Contact Contractor
- 11d. **URGENT REQUIREMENTS:** N/A
12. **FOB POINT:** FOB Origin, buyer pays freight costs.
- 13a. **ORDERING ADDRESS:** **SOURCE 4 INDUSTRIES, INC.**  
4436 LAWRENCE ST STE A  
NORTH LAS VEGAS, NV 89081-4210
- 13b. **ORDERING PROCEDURES:** For Supplies and Services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage ([fss.gsa.gov/schedules](http://fss.gsa.gov/schedules)).
14. **PAYMENT ADDRESS:** **SOURCE 4 INDUSTRIES, INC.**  
4436 LAWRENCE ST STE A  
NORTH LAS VEGAS, NV 89081-4210
15. **WARRANTY PROVISIONS:** Manufacturer's Standard Commercial Warranty. Please see the returns and warranty policy provided below
16. **EXPORT PACKING CHARGES:** N/A
17. **TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:** N/A
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR:** N/A

<b>19.</b>	<b>TERMS AND CONDITIONS OF INSTALLATION:</b>	N/A
<b>20a.</b>	<b>TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES:</b>	N/A
<b>20b.</b>	<b>TERMS AND CONDITIONS FOR ANY OTHER SERVICES:</b>	N/A
<b>21.</b>	<b>LIST OF SERVICE AND DISTRIBUTION POINTS:</b>	N/A
<b>22.</b>	<b>LIST OF PARTICIPATING DEALERS:</b>	N/A
<b>23.</b>	<b>PREVENTATIVE MAINTENANCE:</b>	N/A
<b>24a.</b>	<b>SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, Energy efficiency, and/or reduced pollutants):</b>	N/A
<b>24b.</b>	<b>SECTION 508 Compliance for EIT:</b>	N/A
<b>25.</b>	<b>DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER:</b>	064575889
<b>26.</b>	<b>NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE:</b>	Registration valid until 07/28/2012.



## GSA Products and Pricing List

Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
1	357 3	HT28BC60R-BW	BEV58B-CL-RED: Hand Truck, Narrow Aisle, 59" Double Loop, 700# Capacity, Center Bar, 15.5" OAW, 14x7 Nose, Wt 47# 8" Balloon Cushion Wheels, Stair Climbers	\$ 114.71	\$ 115.58
2	357 3	HT28C60R-BW	BEV-58B-RED: Hand Truck, Narrow Aisle, 59" Double Loop, 700# Capacity, No Center Bar, 15.5"OAW, 14x7 Nose, Wt 46# 8" Balloon Cushion Wheels, Stair Climbers	\$ 110.93	\$ 111.77
3	357 3	HT28C64R-BW	BEV-64B-RED: Hand Truck, Narrow Aisle 64" Double Loop, 700# Capacity, No Center Bar, 15.5"OAW, 14x7 Nose, Wt 50# 8" Balloon Cushion Wheels, Stair Climbers	\$ 115.10	\$ 115.97
4	357 3	RET50S	RET50S: Hand Truck, Standard, 50"Continuous Loop Handle 21" OAW, Wt 30#, 530# Capacity, 14x8 Nose, 10x2.75 Duraflex Solid Rubber Wheels, Curved Back	\$ 65.96	\$ 66.46
5	357 3	RET51S	RET51S: Hand Truck, Standard, 50"Single Loop Handle, 21" OAW, Wt 31#, 700# Capacity, 14x8 Nose, 10x2.75 Duraflex Solid Rubber Wheels, Curved Back	\$ 67.97	\$ 68.48
6	357 3	RET52S	RET52S: Hand Truck , Standard, 50"Double Pin Handle, 21" OAW, Wt 31#, 530# Capacity, 14x8 Nose, 10x2.75 Duraflex Solid Rubber Wheels, Curved Back	\$ 68.00	\$ 68.51
7	357 3	58PMP	58PMP: Hand Truck, Standard, 55" Single Pin Handle, 800# Cap, Center Bar, 17.5"OAW, Stair Climbers, Wt 33#, 8x1.5 Mold on Rubber Wheel, Stair Climbers	\$ 91.94	\$ 92.63
8	357 3	132D	132D: Hand Truck, Dual, 45", 700# Capacity, Wt 39#, 10x3.5 Pneumatic Wheels, 4" Casters, 21.25" OAW	\$ 121.79	\$ 122.71
9	357 3	122-8S	122-8S: Hand Truck, Dual, 44", 600# Capacity, Wt 56#, 19" OAW, 8x1-5/8" mold on Rubber Wheels, 4" Casters, 14x9 Nose	\$ 197.58	\$ 199.08
10	357 3	120-8S	120-8S: Hand Truck, 3 in 1, 800# Capacity, Wt 62#, 19" OAW, 8x1-5/8" Mold on Rubber Wheels, 4" Casters, Stair Climbers, 14x9 Nose, Long Folding Nose	\$ 231.77	\$ 233.53

Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
11	357 3	808B	08B: Hand Truck, Shovel Nose, 49", 900# Capacity, Wt 55#, 19"OAW, 8" Balloon Cushion Wheels, 1-1/4" OD Tube 14ga, 17-1/2 to 14x14, Stair Climbers, Continuous Loop Handle	\$ 167.30	\$ 168.56
12	357 3	100-8S	100-8S: Hand Truck, Single Pin Handle, 55", Wt 34#, 800# Capacity, 17.5" OAW, Stair Climbers, 8x2.5 Solid Duraflex Wheels, 14x9 Nose, Wheel Guards	\$ 125.43	\$ 126.38
13	357 3	1404	1404: Appliance Truck, 58", 800# Capacity, Wt 59#, 8x2.5 Solid Duraflex Wheels, Stair Climbers, Geared Ratchet with Strap, 23" OAW	\$ 204.78	\$ 206.33
14	357 3	1166A	Vending Truck, 66", 1600# Capacity, Wt 85#, 24"OAW, 8x2 mold on Rubber Wheels, 4" Casters, Stair Climbers, One Strap <b>MODEL DISCONTINUED</b>		
15	357 3	1866	1866: Vending Truck, 66", 1200# Capacity, Wt 100#, 24"OAW, 10x2.5 Mold on Rubber Wheels, 5x2 Mold on Rubber Wheels, Stair Climbers, One Strap	\$ 440.10	\$ 443.43
16	357 3	24X36HD	24X36HD: Service Cart, All Welded, 24x36, 1200# Capacity, Wt 87#, 2 Tray Shelves, 32"OAH, 5" Casters,	\$ 183.34	\$ 184.73
17	357 3	24X36HD-TOP	24X36HD-TOP: Service Cart, All Welded, 24x36, 1200# Capacity, Wt 87#, 32"OAH, 5" Casters, top Shelf Flat Top, Bottom Shelf Tray	\$ 183.34	\$ 184.73
18	357 3	SM18-53	SM18-53: Stocking Truck, Tubular, 6 Wheel, 1400# Capacity, 18"W x 53"L x40"H, Wt 69#, 5" Casters, 8x1-5/8 mold on Rubber Wheels	\$ 210.99	\$ 212.59
19	357 3	SM18-53-SPECIAL	Stocking Truck, Tubular, 6 Wheel, 1400# Capacity, 18"W x 53"L x40"H, Wt 69#, 5" Casters, 8x1-5/8 mold on Rubber Wheels, 2 ea 12" Steel bars Welded in base of Handle for Stress Support	\$ 223.94	\$ 225.63
20	357 3	3000	3000: Drum Truck, 2 Wheel, 61", 1000# Capacity, Wt 65#, 24"OAW, Floating Axle, 10x2.5 Mold on RubberWheels, Adjustable Latch	\$ 270.02	\$ 272.06
21	357 3	3002	Drum Truck, 4 Wheel, 61", 1000# Capacity, Wt 75#, 22"OAW, Floating Axle, 10x2.5 Mold on Rubber Wheels, Chain	\$ 249.67	\$ 251.55
22	357 3	3004	3004: Drum Truck, 4 Wheel, 57", 1000# Capacity, Wt 65#, 24"OAW, 10x2.5 & 6x2 Mold on Rubber Wheels	\$ 320.62	\$ 323.04

Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
23	357 3	3034W	3034W: Drum Cradle, 43x16.25, 700# Capacity, Wt 29#, 3" Aluminum Wheels	\$ 106.75	\$ 107.55
24	357 3	3019	3019: Drum Dolly, 19-3/4" Diameter, 700# Capacity, 13-1/2#, 3" Polyolefin Swivel Casters	\$ 56.81	\$ 57.24
25	357 3	3024	3024: Drum Dolly, 23-3/4" Diameter, 700# Capacity, Wt17#,3" Polyolefin Swivel Casters	\$ 57.98	\$ 58.41
26	357 3	3023	3023: Drum Dolly, Roll in, 24-1/4" Diameter, Wt 16#, 3" Polyolefin Casters	\$ 57.92	\$ 58.36
27	357 3	950	Cylinder Truck, 2 Wheel, 48", 500# Capacity, Wt 32#, 15-1/2"OAW, Stair Climbers, Chain, 8x1-5/8 Mold on Rubber Wheels	\$ 132.03	\$ 133.03
28	357 3	R-DTT8S	R-DTT8S: Torch Truck, 49x26, 700# Capacity, Wt 37#, Locking Chain, 21x10 Nose, 8" Solid Wheels	\$ 88.60	\$ 89.26
29	357 3	R-ETT8S	Torch Truck, 43x22, 500# Capacity, Wt 28#,Locking Chain, 17x13 Nose, 8" Solid Wheels	\$ 72.36	\$ 72.91
30	357 3	DWC2X4-4SW-8RCR	DWC2X4-4SW-8RCR: Drywall Cart, 24x48, 2000# Capacity, Wt 95# 8x2 Swivel Casters, RCI Wheels	\$ 226.57	\$ 228.28
31	357 3	DWC2X4-4SW-8GDP	DWC2X4-4SW-8GDP: Drywall Cart, 24x48, 2000# Capacity, Wt 80# 8x2 Swivel Casters, Gray Donut TPR Wheels	\$ 238.22	\$ 240.02
32	357 3	DWC2X4-2+2-8RCR	DWC2X4-2+2-8RCR: Drywall Cart, 24x48, 2000# Capacity, Wt 95# 8x2 Casters, RCI Wheels 2 Swivel & 2 Rigid	\$ 220.10	\$ 221.76
33	357 3	DWC2X4-2+2-8GDP	DWC2X4-2+2-8RCR: Drywall Cart, 24x48, 2000# Capacity, Wt 80# 8x2 Casters, Gray Donut TPR Wheels, 2 Swivel & 2 Rigid	\$ 231.75	\$ 233.50
34	357 3	PTXD2448-6GDP	PTXD2448-6GDP: Platform Truck, Steel Deck, 24x48, Wt 101# 1800# Capacity, One Removable Lattice Handle, 6x2 Gray Donut TPR Casters, 2 Swivel & 2 Rigid	\$ 223.98	\$ 225.67

Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
35	357 3	PTXD2448-6JPR	PTXD2448-6JPR: Platform Truck, Steel Deck, 24x48, Wt 101# 3000# Capacity, One Removable Lattice Handle, 6x2 PolyCasters, 2 Swivel & 2 Rigid. <b>MODEL DISCONTINUED</b>		
36	357 3	PTXD2448-8GDP	PTXD2448-8GDP: Platform Truck, Steel Deck, 24x48, Wt 107# 2000# Capacity, One Removable Lattice Handle, 8x2 Gray Donut TPR Casters, 2 Swivel & 2 Rigid	\$ 231.75	\$ 233.50
37	357 3	PTXD3060-6GDP	PTXD3060-6GDP: Platform Truck, Steel Deck, 24x48 Wt 130# 1800# Capacity, One Removable Lattice Handle, 6x2 Gray Donut TPR Casters, 2 Swivel & 2 Rigid	\$ 252.46	\$ 254.37
38	357 3	PTXD3060-6PBR	PTXD3060-6JPR: Platform Truck, Steel Deck, 30x60, Wt 130# 3600# Capacity, One Removable Lattice Handle, 6x2 Poly Casters, 2 Swivel & 2 Rigid	\$ 248.58	\$ 250.46
39	357 3	PTXD3060-8GDP	PTXD3060-8GDP: Platform Truck, Steel Deck, 30x60, Wt 130# 2000# Capacity, One Removable Lattice Handle, 8x2 Gray Donut TPR Casters, 2 Swivel & 2 Rigid	\$ 260.23	\$ 262.20
40	357 3	2040	2040: Mattress Cart, Pillow Top, 55x29, 300# Cap Wt 64#, 4" Swivel Casters, 5" Rigid Casters	\$ 159.48	\$ 160.68
41	357 3	2041PT	2041PT: Mattress Cart Standard, 55x23.5, 300# Capacity, Wt 66#, 4" Swivel Casters, 5" Rigid Casters	\$ 165.27	\$ 166.52
42	357 3	37280	37280: Blanket, Warehouse, 72X80, 50% Cotton / 50% Poly non woven, Color Blue, Weight 5#, Ships UPS	\$ 8.54	\$ 8.61
43	357 3	47186	47186: Hand Truck, Double Loop Handle, 56"H x 17.5"W x 18"D, 600# Capacity, 8" Ace Tuf Wheels, Stair Climbers, Wheel Guards, Ships UPS 8" x 14" Nose plate	\$ 59.56	\$ 60.01
44	357 3	33045	33045: Hand Truck, Single Loop, 51"H x 19"W x 20"D, 800# Capacity, 10" Ace Tuf Wheels, Stair Climbers, 10" x 14" Nose Plate, Curved Frame, Ships UPS	\$ 60.79	\$ 61.24
45	357 3	40815	40815: Hand Truck, Narrow Aisle, Single Loop Handle, 51"H x 15.5"W x 20"D, 800# Capacity, 10" Ace Tuf Wheels, 8" x 14" Nose Plate, Stair Climbers, Curved Frame, Ships UPS	\$ 55.36	\$ 55.78
46	357 3	48866	48866: Hand Truck, Single Loop, 51"H x 23"W x 20"D, 800# Capacity, 12" Pneumatic Wheels, 8" x 18" Nose Plate, Curved Frame, Ships UPS	\$ 52.93	\$ 53.33



Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
47	357 3	30080	30080: Hand Truck, Dual, 51"H x 17"W x 20" D, 800# Capacity, 10" Pneumatic Wheels, 36" x 12" Platform Deck, Ship UPS	\$ 54.69	\$ 55.10
48	357 3	30019	30019: Hand Truck, D Handle Econo, 50"H x 19"W x 20"D, 800# Capacity, 10" Pneumatic Wheels, 7.5" x 14" Nose Plate, Ships UPS	\$ 35.47	\$ 35.74
49	357 3	30029	30029: Hand Truck, D Handle Econo, 50"H x 19"W x 20"D, 800# Capacity, 10" Pneumatic Wheels, 8" x 18" Nose Plate, Ships UPS	\$ 40.50	\$ 40.80
50	357 3	33882	33882: Hand Truck, Foldable Aluminum, 43"H x 19.5"W x 20.25"D, 275# Capacity, Ships UPS	\$ 38.80	\$ 39.09
51	357 3	33881	33881: Platform Cart, Folding Handle , 33"H x 19"W x 30"L, 330# capacity, Deck Size 19"x 29", Non Slip Decl Surface, Ships UPS	\$ 25.83	\$ 26.02
52	357 3	45136	45136: Hand Truck, junior, Modular Aluminum Convertible w/ Twin Pin Handles, 10" Pneumatic Wheels, 800# Capacity, 52"H x 21"W x 19"D, 8"x 18" Nose, Ships UPS	\$ 167.92	\$ 169.19
53	357 3	40266	40266: Hand Truck, Aluminum, Single Loop Handle, 48"H x 23"W x 20"D, 600# Capacity, 8" x 14" Nose, Stair Climbers, 10" Pneumatic Wheels, Curved Frame, Ships Ups	\$ 78.94	\$ 79.53
54	357 8	CR24X26	CR24X26: Curb Ramp, Aluminum, 24x26, 800# Capacity	\$ 90.02	\$ 90.70
55	357 9B	I30140-48	I30140-48: Pallet Rack - Beam - Step-48"Lx3" Face-8210# Capacity Per Pair - Three PIN Connector Standard. For Four Pin Connector, Add \$5.50 Per Beam	\$ 17.48	\$ 17.61
56	357 9B	I30140-72	I30140-72: Pallet Rack - Beam - Step-72"Lx3" Face-5473# CAP Per Pair - Three PIN Connector Standard. For Four PIN Connector, ADD \$5.50 Per Beam	\$ 24.45	\$ 24.63
57	357 9B	I30140-96	I30140-96: Pallet Rack - Step-96"Lx3" FACE-3191# CAP PER PAIR - Three PIN Connector Standard. For Four PIN Connector, Add \$5.50 Per Beam	\$ 31.42	\$ 31.65
58	357 9B	I36140-96	I36140-96: Pallet Rack - Beam-Step-96"Lx3.75"FACE-5254# CAP Per Pair - Three PIN Connector Standard. For Four Pin Connector, Add \$5.50 Per Beam	\$ 35.53	\$ 35.80



Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
59	357 9B	I41140-96	I41140-96: Pallet Rack - Beam-Step-96"Lx4-1/8"FACE-6171# CAP PER PAIR - Three Pin Connector Standard. For Four PIN Connector, ADD \$5.50 Per Beam	\$ 37.27	\$ 37.55
60	357 9B	I41140-108	I41140-108: Pallet Rack - Beam-Step-108"Lx4-1/8"FACE-5262# CAP Per Pair - Three PIN Connector Standard. For Four Pin Connector, Add \$5.50 Per Beam	\$ 41.48	\$ 41.80
61	357 9B	I41140-120	I41140-120: Pallet Rack - Beam-Step-120"Lx4-1/8"FACE-4262# CAP Per Pair - Three PIN Connector Standard. For Four Pin Connector, Add \$5.50 Per Beam	\$ 45.69	\$ 46.04
62	357 9B	I55140-144	I55140-144: Pallet Rack - Beam-Step-144"Lx5-5/8"FACE-6490# CAP Per Pair - Three PIN Connector Standard. For Four Pin Connector, Add \$5.50 Per Beam	\$ 65.86	\$ 66.36
63	357 9B	IF1514-4296	IF1514-4296: Pallet Rack - Upright-42"d X 8'h-3" X 1-5/8" Column - Standard	\$ 64.84	\$ 65.33
64	357 9B	IF1514-42120	IF1514-42120: Pallet Rack - Upright-42"d X 10'h-3" X 1-5/8" Column - Standard Foot Plate	\$ 81.39	\$ 82.01
65	357 9B	IF1514-42144	IF1514-42144: Pallet Rack - Upright - 42"d X 12'h-3" X 1-5/8" Column-Standard Foot Plate	\$ 92.93	\$ 93.63
66	357 9B	IF3014-4296	IF3014-4296: Pallet Rack-42"d X 8'h-14 Gauge Steel-3" X 3" Column-5" X 8" Foot Plate	\$ 89.13	\$ 89.81
67	357 9B	IF3014-42120	IF3014-42120: Pallet Rack - Upright - 42"d X 10'h-14 Gauge Steel - 3" X 3" Column - 5" X 8" Foot Plate	\$ 106.63	\$ 107.43
68	357 9B	IF3014-42144	IF3014-42144: Pallet Rack - Upright - 42"w X 12'h-14 Gauge Steel - 3" X 3" COLUMN-5" X 8" Foot Plate	\$ 124.13	\$ 125.07
69	357 9B	AGBI24	AGBI24: Pallet Rack - Column Guard - 24" Apex Bolt-On Style W/O Foot Plate (Includes Hardware) - Color: Orange	\$ 17.65	\$ 17.78
70	357 9B	FB342	FB342: PALLET RACK - SUPPORT-FRNT/BK- 42" TYPE 3 = 3" X 1-5/8" X 42" LONG GALVANIZED	\$ 10.11	\$ 10.19



Freight charges are not included in prices

LINE ITEM	SIN	GSA MODEL	DESCRIPTION	GSA Price w/o IFF	GSA Price w/IFF
71	357 9B	RS12	RS12: Pallet Rack Row Spacer-12"-Includes Hardware-(4ea.) 3/8x1 Hex Bolt-(4ea.) 3/8 Whiz Nut	\$ 2.63	\$ 2.65
72	357 9B	WDP4246S	WDP4246S: Pallet Rack - Wire Deck-STP-42"dX46"w-2500# CAP-2.5x4.0 Grid Pattern-5 GA. Steel-Outside Waterfall Front & Back - Gray Powder Coat Finish	\$ 16.64	\$ 16.76

# ***SOURCE 4 INDUSTRIES***

## **CUSTOMER RETURNS POLICY**

1. No merchandise returns will be accepted without Source 4 Industries authorization.
2. A minimum restocking charge of 20% will apply to all material authorized for return.
3. Materials with factory defects or merchandise eligible for authorized return will be subject to inspection for damage, wear, or use.
4. No credit will be issued for damaged or used goods.
5. Special order items are not eligible for return.
6. All materials being returned for credit must have all freight charges prepaid in advance of issuing credit.
7. All materials must be in original manufacturer packaging.
8. Returns will not be accepted after 30 days of receipt of material.

## **PRODUCT WARRANTY POLICY**

1. Source 4 Industries warrants the products it manufactures to be free of defects in material workmanship for a period of two years from date of delivery.
2. Other products sold by Source 4 Industries are warrantied through their manufacturer.
3. Product warranty information is available from the manufacturer's sales representatives and/or on the manufacturer's website.

<p>RET50N : RETAIL TRUCK</p>  <p>RET50N specifications Capacity   500 lb Weight   30 lb Size   50" X 21"</p>	 RET50N Capacity: 500 lbs # W-N10R   RET50S Capacity: 500 lbs # W-S102.75	<p>RET51N : RETAIL TRUCK</p>  <p>RET51N specifications Capacity   500 lb Weight   31 lb Size   50" X 21"</p>	 RET51N Capacity: 500 lbs # W-N10R   RET51S Capacity: 500 lbs # W-S102.75
<p>CONTINUOUS LOOP HANDLE</p> <p>RET52N : RETAIL TRUCK</p>  <p>RET52N specifications Capacity   500 lb Weight   30 lb Size   50" X 21"</p>	 RET52N Capacity: 500 lbs # W-N10R   RET52S Capacity: 500 lbs # W-S102.75	<p>SINGLE LOOP HANDLE</p> <p>AHT8S-A : APPLIANCE TRUCK</p>  <p>AHT8S-A specifications Capacity   600 lb Weight   49 lb Size   59" X 23"</p> <p><u>Special Features</u></p> <ul style="list-style-type: none"> <li>• Offset Handle.</li> </ul>	 AHT8S-A Capacity: 600 lbs # W-S82.5
<p>DOUBLE PIN HANDLES</p>		<p>OFFSET HANDLE</p>	

RET50N : RETAIL TRUCK




-  RET50N  
Capacity: 500 lbs  
# W-N10R
-  RET50S  
Capacity: 500 lbs  
# W-S102.75

RET50N specifications  
Capacity | 500 lb  
Weight | 30 lb  
Size | 50" X 21"

CONTINUOUS LOOP HANDLE

RET51N	RET51S	RET52N	RET52S
			
RET51N specifications Capacity   500 lb Weight   31 lb Size   50" X 21" <a href="#">Catalog page 25</a>	RET51S specifications Capacity   500 lb Weight   31 lb Size   50" X 21" <a href="#">Catalog page 25</a>	RET52N specifications Capacity   500 lb Weight   30 lb Size   50" X 21" <a href="#">Catalog page 25</a>	RET52S specifications Capacity   500 lb Weight   30 lb Size   50" X 21" <a href="#">Catalog page 25</a>

<p>DELIVERY TRUCK: 58PBP-DLX</p>  <p>58PBP-DLX specifications Capacity   800 lb Weight   38 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>	<p>DELIVERY TRUCK: 58PMDL</p>  <p>58PMDL specifications Capacity   800 lb Weight   33 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>	<p>DELIVERY TRUCK: 58PML</p>  <p>58PML specifications Capacity   800 lb Weight   35 lb Size   55" X 17.5" <a href="#">Catalog page 4</a></p>	<p>DELIVERY TRUCK: 58PMP</p>  <p>58PMP specifications Capacity   800 lb Weight   32 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>
<p>DELIVERY TRUCK: 58PMP-DLX</p>  <p>58PMP-DLX specifications Capacity   800 lb Weight   38 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>	<p>HEAVY DUTY DELIVERY TRUCK: 58PMP-HD</p>  <p>58PMP-HD specifications Capacity   900 lb Weight   44 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>	<p>DELIVERY TRUCK: 58PNDL</p>  <p>58PNDL specifications Capacity   530 lb Weight   33 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>	<p>DELIVERY TRUCK: 58PNL</p>  <p>58PNL specifications Capacity   530 lb Weight   35 lb Size   55" X 17.5" <a href="#">Catalog page 4</a></p>

<p>138 : RETAIL TRUCK</p>  <div data-bbox="597 352 803 436"> <p>138 Capacity: 400 lbs # W-S81.75</p> </div> <p>138 specifications Capacity   400 lb Weight   31 lb Size   45.25" X 18.25"</p>	<p>137 : RETAIL TRUCK</p>  <div data-bbox="1075 352 1281 436"> <p>137 Capacity: 400 lbs # W-S81.75</p> </div> <p>137 specifications Capacity   400 lb Weight   25 lb Size   45.25" X 18.25"</p>
<p>LIGHT DUTY TRUCK WITH FOLDING NOSE      LIGHT DUTY TRUCK</p>	
<p>132E : RETAIL TRUCK</p>  <div data-bbox="597 968 803 1136"> <p>132D Capacity: 700 lbs # W-N10</p> <p>132E Capacity: 600 lbs # W-N10R</p> </div> <p>132E specifications Capacity   600 lb Weight   39 lb Size   45.25" X 21.25"</p>	  <p>Dutro has taken their experience in quality industrial trucks and applied that knowledge to retail handtrucks. Realizing most consumers are not happy with the quality of the little red import trucks we have developed a line of long lasting yet economical handtrucks. Stop buying the disposable imports and buy a handtruck that will be ready for use for the rest of your life!</p> <p>For the Very Best - Look to the Blue!</p>
<p>ECONOMY 2-WAY CONVERTIBLE TRUCK</p>	



**132D : RETAIL TRUCK**



	132D Capacity: 700 lbs # W-N10
	132E Capacity: 600 lbs # W-N10R

132D specifications  
Capacity | 700 lb  
Weight | 39 lb  
Size | 45.25" X 21.25"

**ECONOMY 2-WAY CONVERTIBLE TRUCK**

<p><b>DELIVERY TRUCK: 510BPB</b></p>  <p>510BPB specifications Capacity   800 lb Weight   39 lb Size   55" X 18.5" <a href="#">Catalog page 4</a></p>	<p><b>DELIVERY TRUCK: 510PNDL</b></p>  <p>510PNDL specifications Capacity   540 lb Weight   44 lb Size   55" X 18.5" <a href="#">Catalog page 4</a></p>	<p><b>DELIVERY TRUCK: 510PNP</b></p>  <p>510PNP specifications Capacity   540 lb Weight   39 lb Size   55" X 18.5" <a href="#">Catalog page 4</a></p>	<p><b>DELIVERY TRUCK: 510PSDL</b></p>  <p>510PSDL specifications Capacity   700 lb Weight   44 lb Size   55" X 18.5" <a href="#">Catalog page 4</a></p>
<p><b>DELIVERY TRUCK: 510PSP</b></p>  <p>510PSP specifications Capacity   700 lb Weight   39 lb Size   55" X 18.5" <a href="#">Catalog page 4</a></p>	<p><b>DELIVERY TRUCK: 58PBDL</b></p>  <p>58PBDL specifications Capacity   800 lb Weight   33 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>	<p><b>DELIVERY TRUCK: 58PBL</b></p>  <p>58PBL specifications Capacity   800 lb Weight   35 lb Size   55" X 17.5" <a href="#">Catalog page 4</a></p>	<p><b>DELIVERY TRUCK: 58BPB</b></p>  <p>58BPB specifications Capacity   800 lb Weight   32 lb Size   55" X 17.5" <a href="#">Catalog page 3</a></p>

BEV58B : BEVERAGE TRUCK




-  BEV58B  
Capacity: 800 lbs  
# W-B82.25AOS-
-  BEV58M  
Capacity: 800 lbs  
# W-M82-
-  BEV58S  
Capacity: 700 lbs  
# W-S8.52.5

BEV58B specifications  
Capacity 800 lb  
Weight 46 lb  
Size 58.75" X 15.5"

- Special Features**
- Available in Red, Silver, and Blue. Please specify when ordering
  - Available with 8" Flat-Free wheel

TOE PLATE SIZE 6.5" CLEAR FROM WHEELS  
3/16" THICK

BEV64B : BEVERAGE TRUCK



-  BEV64B  
Capacity: 800 lbs  
# W-B82.25AOS-
-  BEV64M  
Capacity: 800 lbs  
# W-M82-
-  BEV64S  
Capacity: 700 lbs  
# W-S8.52.5

BEV64B specifications  
Capacity 800 lb  
Weight 47 lb  
Size 64.75" X 15.5"

- Special Features**
- Available in Red, Silver, and Blue. Please specify when ordering
  - Available with 8" Flat-Free wheel

TOE PLATE SIZE 6.5" CLEAR FROM WHEELS  
3/16" THICK

BEV58B-CL : BEVERAGE TRUCK




-  BEV58B-CL  
Capacity: 800 lbs  
# W-B82.25AOS-
-  BEV58M-CL  
Capacity: 800 lbs  
# W-M82-
-  BEV58S-CL  
Capacity: 700 lbs  
# W-S8.52.5

BEV58B-CL specifications  
Capacity 800 lb  
Weight 50 lb  
Size 58.75" X 15.5"

- Special Features**
- Available in Red, Silver, and Blue. Please specify when ordering
  - Available with 8" Flat-Free wheel

TOE PLATE SIZE 6.5" CLEAR FROM WHEELS  
3/16" THICK


CR24X26 : CURB RAMP




CR24X26 specifications  
Capacity 800 lb  
Weight 17 lb  
Size 24" X 25.375"

MADE FROM TREADBRITE ALUMINUM

<p>UTILITY TRUCK: 5010B</p>  <p>5010B specifications Capacity   700 lb Weight   32 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>	<p>UTILITY TRUCK: 5010N</p>  <p>5010N specifications Capacity   540 lb Weight   32 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>	<p>UTILITY TRUCK: 5010S</p>  <p>5010S specifications Capacity   700 lb Weight   32 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>	<p>UTILITY TRUCK: 5110B</p>  <p>5110B specifications Capacity   700 lb Weight   32 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>
<p>UTILITY TRUCK: 5110N</p>  <p>5110N specifications Capacity   540 lb Weight   32 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>	<p>UTILITY TRUCK: 5110S</p>  <p>5110S specifications Capacity   700 lb Weight   32 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>	<p>UTILITY TRUCK: 5210B</p>  <p>5210B specifications Capacity   700 lb Weight   30 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>	<p>UTILITY TRUCK: 5210N</p>  <p>5210N specifications Capacity   540 lb Weight   30 lb Size   50" X 21" <a href="#">Catalog page 27</a></p>

<p>APPLIANCE TRUCK: 1284</p>  <p>1284 specifications Capacity   700 lb Weight   55 lb Size   58.25" X 23" <a href="#">Catalog page 16</a></p>	<p>APPLIANCE TRUCK: 1289</p>  <p>1289 specifications Capacity   700 lb Weight   55 lb Size   58.25" X 23" <a href="#">Catalog page 16</a></p>	<p>APPLIANCE TRUCK: 1404</p>  <p>1404 specifications Capacity   800 lb Weight   59 lb Size   58.25" X 23" <a href="#">Catalog page 15</a></p>	<p>APPLIANCE TRUCK: 1409</p>  <p>1409 specifications Capacity   800 lb Weight   59 lb Size   58.25" X 23" <a href="#">Catalog page 15</a></p>
<p>APPLIANCE TRUCK: 1420</p>  <p>1420 specifications Capacity   800 lb Weight   64 lb Size   58.25" X 23" <a href="#">Catalog page 14</a></p>	<p>APPLIANCE TRUCK: 1504</p>  <p>1504 specifications Capacity   700 lb Weight   47 lb Size   58.25" X 23" <a href="#">Catalog page 16</a></p>	<p>APPLIANCE TRUCK: 1509</p>  <p>1509 specifications Capacity   700 lb Weight   47 lb Size   58.25" X 23" <a href="#">Catalog page 16</a></p>	<p>APPLIANCE TRUCK: 1604</p>  <p>1604 specifications Capacity   700 lb Weight   40 lb Size   58.25" X 23" <a href="#">Catalog page 15</a></p>


<p><b>APPLIANCE TRUCK: 1720</b></p>  <p>1720 specifications Capacity   700 lb Weight   57 lb Size   59" X 23" <a href="#">Catalog page 17</a></p>	<p><b>APPLIANCE TRUCK: 1289-2PC</b></p>  <p>1289-2PC specifications Capacity   700 lb Weight   55 lb Size   58.25" X 23" <a href="#">Catalog page 16</a></p>	<p><b>APPLIANCE TRUCK: 1404SO</b></p>  <p>1404SO specifications Capacity   800 lb Weight   70 lb Size   58.25" X 23" <a href="#">Catalog page 15</a></p>	<p><b>APPLIANCE TRUCK: 1420SO</b></p>  <p>1420SO specifications Capacity   800 lb Weight   78 lb Size   58.25" X 23" <a href="#">Catalog page 14</a></p>
<p><b>APPLIANCE TRUCK: 1900N</b></p>  <p>1900N specifications Capacity   700 lb Weight   57 lb Size   60" X 25.5" <a href="#">Catalog page 17</a></p>	<p><b>APPLIANCE TRUCK: AHT8S-A</b></p>  <p>AHT8S-A specifications Capacity   600 lb Weight   49 lb Size   59" X 23" <a href="#">Catalog page 25</a></p>	<p><b>VENDING MACHINE TRUCK: 1866</b></p>  <p>1866 specifications Capacity   1600 lb Weight   103 lb Size   66" X 24" <a href="#">Catalog page 13</a></p>	<p><b>VENDING MACHINE TRUCK: 1878</b></p>  <p>1878 specifications Capacity   1600 lb Weight   107 lb Size   78" X 24" <a href="#">Catalog page 13</a></p>

<p><b>3-WAY CONVERTIBLE TRUCK: 120</b></p>  <p>120 specifications Capacity   800 lb Weight   62 lb Size   50" X 19" <a href="#">Catalog page 9</a></p>	<p><b>2-WAY CONVERTIBLE TRUCK: 122</b></p>  <p>122 specifications Capacity   600 lb Weight   56 lb Size   50" X 19" <a href="#">Catalog page 9</a></p>	<p><b>3-WAY CONVERTIBLE TRUCK: 120-8N</b></p>  <p>120-8N specifications Capacity   530 lb Weight   62 lb Size   50" X 19" <a href="#">Catalog page 9</a></p>	<p><b>3-WAY CONVERTIBLE TRUCK: 120-8S</b></p>  <p>120-8S specifications Capacity   700 lb Weight   62 lb Size   50" X 19" <a href="#">Catalog page 9</a></p>
<p><b>2-WAY CONVERTIBLE TRUCK: 122-8N</b></p>  <p>122-8N specifications Capacity   530 lb Weight   56 lb Size   44" X 19" <a href="#">Catalog page 9</a></p>	<p><b>2-WAY CONVERTIBLE TRUCK: 122-8S</b></p>  <p>122-8S specifications Capacity   600 lb Weight   56 lb Size   44" X 19" <a href="#">Catalog page 9</a></p>	<p><b>RETAIL TRUCK: 132D</b></p>  <p>132D specifications Capacity   700 lb Weight   39 lb Size   45.25" X 21.25" <a href="#">Catalog page 26</a></p>	<p><b>RETAIL TRUCK: 132E</b></p>  <p>132E specifications Capacity   600 lb Weight   39 lb Size   45.25" X 21.25" <a href="#">Catalog page 26</a></p>

<p>DRUM HANDLING EQUIPMENT: 3000</p>  <p>3000 specifications Capacity   1000 lb Weight   65 lb Size   61" X 24" <a href="#">Catalog page 23</a></p>	<p>DRUM HANDLING EQUIPMENT: 3004</p>  <p>3004 specifications Capacity   1000 lb Weight   75 lb Size   56.5" X 21.5" <a href="#">Catalog page 23</a></p>	<p>DRUM HANDLING EQUIPMENT: 3019</p>  <p>3019 specifications Capacity   700 lb Weight   13 lb Size   23.75 <a href="#">Catalog page 24</a></p>	<p>DRUM HANDLING EQUIPMENT: 3023</p>  <p>3023 specifications Capacity   700 lb Weight   25 lb Size   24.25 <a href="#">Catalog page 23</a></p>
<p>DRUM HANDLING EQUIPMENT: 3024</p>  <p>3024 specifications Capacity   700 lb Weight   17 lb Size   19.75 <a href="#">Catalog page 24</a></p>	<p>DRUM HANDLING EQUIPMENT: 3034W</p>  <p>3034W specifications Capacity   700 lb Weight   29 lb Size   43" X 16.25" <a href="#">Catalog page 23</a></p>		

<p>STOCKING CART: H5B</p>  <p>H5B specifications Capacity   800 lb Weight   49 lb Size   18" X 36" X 37" <a href="#">Catalog page 20</a></p>	<p>STOCKING CART: L5B</p>  <p>L5B specifications Capacity   800 lb Weight   40 lb Size   9" X 9" X 9" <a href="#">Catalog page 20</a></p>	<p>STOCKING CART: LT5B</p>  <p>LT5B specifications Capacity   800 lb Weight   53 lb Size   18" X 36" X 29.25" <a href="#">Catalog page 20</a></p>	<p>STOCKING CART: SM18-53</p>  <p>SM18-53 specifications Capacity   1400 lb Weight   69 lb Size   18" X 53" X 40" <a href="#">Catalog page 19</a></p>
<p>STOCKING CART: SM18-75</p>  <p>SM18-75 specifications Capacity   1400 lb Weight   75 lb Size   18" X 75" X 40" <a href="#">Catalog page 19</a></p>	<p>STOCKING CART: SM22-41</p>  <p>SM22-41 specifications Capacity   1400 lb Weight   67 lb Size   22" X 41" X 36" <a href="#">Catalog page 19</a></p>	<p>STOCKING CART: SM58B</p>  <p>SM58B specifications Capacity   1200 lb Weight   54 lb Size   18" X 39" X 37" <a href="#">Catalog page 20</a></p>	<p>STOCKING CART: SM5B</p>  <p>SM5B specifications Capacity   800 lb Weight   43 lb Size   18" X 39" X 37" <a href="#">Catalog page 20</a></p>

<p><b>PLATFORM TRUCK: 24X36PT</b></p>  <p>24X36PT specifications Capacity   1200 lb Weight   48 lb Size   24" X 36" <a href="#">Catalog page 22</a></p>	<p><b>PLATFORM TRUCK: 24X48-6</b></p>  <p>24X48-6 specifications Capacity   1500 lb Weight   101 lb Size   24" X 48" X 9.25" <a href="#">Catalog page 22</a></p>	<p><b>PLATFORM TRUCK: 24X48-8</b></p>  <p>24X48-8 specifications Capacity   1500 lb Weight   107 lb Size   24" X 48" X 11.5" <a href="#">Catalog page 22</a></p>	<p><b>PLATFORM TRUCK: 24X48PT</b></p>  <p>24X48PT specifications Capacity   1200 lb Weight   52 lb Size   24" X 48" <a href="#">Catalog page 22</a></p>
<p><b>PLATFORM TRUCK: 27X54-6</b></p>  <p>27X54-6 specifications Capacity   1500 lb Weight   116 lb Size   27" X 54" X 9.25" <a href="#">Catalog page 22</a></p>	<p><b>PLATFORM TRUCK: 27X54-8</b></p>  <p>27X54-8 specifications Capacity   1500 lb Weight   122 lb Size   27" X 54" X 11.25" <a href="#">Catalog page 22</a></p>	<p><b>PLATFORM TRUCK: 30X60-6</b></p>  <p>30X60-6 specifications Capacity   1500 lb Weight   130 lb Size   30" X 60" X 9.25" <a href="#">Catalog page 22</a></p>	<p><b>PLATFORM TRUCK: 30X60-8</b></p>  <p>30X60-8 specifications Capacity   1500 lb Weight   136 lb Size   30" X 60" X 11.5" <a href="#">Catalog page 22</a></p>

<p><b>SERVICE CART: 16X30HD</b></p>  <p>16X30HD specifications Capacity   1200 lb Weight   57 lb Size   16" X 30" X 34" <a href="#">Catalog page 21</a></p>	<p><b>SERVICE CART: 16X30LD</b></p>  <p>16X30LD specifications Capacity   600 lb Weight   47 lb Size   16" X 30" X 32" <a href="#">Catalog page 21</a></p>	<p><b>SERVICE CART: 18X30HD</b></p>  <p>18X30HD specifications Capacity   1200 lb Weight   59 lb Size   18" X 30" X 34" <a href="#">Catalog page 21</a></p>	<p><b>SERVICE CART: 18X30LD</b></p>  <p>18X30LD specifications Capacity   600 lb Weight   49 lb Size   18" X 30" X 32" <a href="#">Catalog page 21</a></p>
<p><b>SERVICE CART: 24X36HD</b></p>  <p>24X36HD specifications Capacity   1200 lb Weight   87 lb Size   24" X 36" X 34" <a href="#">Catalog page 21</a></p>	<p><b>SERVICE CART: 24X36HD-3SHELF</b></p>  <p>24X36HD-3SHELF specifications Capacity   1200 lb Weight   105 lb Size   24" X 36" <a href="#">Catalog page 21</a></p>	<p><b>SERVICE CART: 24X48HD</b></p>  <p>24X48HD specifications Capacity   1200 lb Weight   100 lb Size   24" X 48" X 34" <a href="#">Catalog page 21</a></p>	<p><b>CURB RAMP: CR24X26</b></p>  <p>CR24X26 specifications Capacity   800 lb Weight   17 lb Size   24" X 25.375" <a href="#">Catalog page 6</a></p>

**Category: Dual Handle Trucks**

Model Number: 47186  
Description: Dual Loop Handle Truck W/  
8" Solid Puncture Proof  
Tires  
Type: Dual Handle Trucks  
Weight (lb): 30  
Ships UPS: YES  
UPC Number: 091919471869  
Load Rating (lb): 600  
Height (in): 56  
Width (in): 17.5  
Depth (in): 18  
Toe Plate Dimensions  
(in x in): 8" X 14"  
Features: Wheel Guards & Stair  
Climbers  
Wheel Model  
Number(s): R0997

**Wheel: Model R0997**

Model Number: R0997  
Description: 8" Solid Puncture Proof  
Tires  
Tire Type: Solid Rubber  
Bearing Type: 5/8 Ball  
Load Rating (lb): 300  
Wheel Size: 8  
Hub Width (in): 2-1/4 Offset  
Hub Type: Engineered Polymer  
Weight (lb): 3.5



**Category: P-Handle**

Model Number: 33045  
Description: Heavy Duty P-handle Truck  
W/ 10" Ace Tuf  
Type: P-Handle  
Weight (lb): 40  
Ships UPS: YES  
UPC Number: 091919330456  
Load Rating (lb): 800  
Height (in): 51  
Width (in): 19  
Depth (in): 20  
Toe Plate Dimensions  
(in x in): 10" X 14" BEVELED  
Features: Accessory Brackets & Stair  
Climbers  
Wheel Model  
Number(s): R0640

**Wheel: Model R0640**

Model Number: R0640  
Description: 10" Solid Puncture Proof  
Tires  
Tire Type: Solid Rubber  
Bearing Type: 5/8 Ball  
Load Rating (lb): 400  
Wheel Size: 10  
Hub Width (in): 2-1/4 Offset  
Hub Type: Engineered Polymer  
Weight (lb): 6.5



**Category: Convertible, Aluminum**

**Model Number:** 45136  
**Description:** Modular Aluminum Convertible Truck W/ Twin Pin Handle & 10" Pneumatics  
**Type:** Convertible, Aluminum  
**Material:** Aluminum  
**Weight (lb):** 39  
**Ships UPS:** YES  
**UPC Number:** 091919451366  
**Load Rating (lb):** 800  
**Stacking Height:** 42" TO 52" VERTICAL  
**Height (in):** 51.75  
**Width (in):** 21.25  
**Depth (in):** 19  
**Toe Plate Dimensions (in x in):** 8" X 18" BEVELED  
**Platform Size (in x in):** 12" X 38"  
**Features:** Folding Handle  
**Wheel Model Number(s):** 3339  
**Caster Model Number(s):** R6710AD



Load rating is 800 lbs in the Vertical Position and 1000 lbs in the Horizontal Position

**Wheel: Model 3339**

**Model Number:** 3339  
**Description:** 10" Pneumatic  
**Tire Type:** Pneumatic  
**Bearing Type:** 5/8 Ball  
**Load Rating (lb):** 400  
**Wheel Size:** 10" x 4"  
**Hub Width (in):** 2-1/4 Offset  
**Hub Type:** Steel  
**Weight (lb):** 3.5

**Caster: Model R6710AD**

**Model Number:** R6710AD  
**Description:** 5" Solid Rubber Swivel Stem Caster  
**Tire Type:** TPR Plastic  
**Load Rating (lb):** 250  
**Wheel Size:** 5" x 1-1/4"  
**Weight (lb):** 2.25

**Category: Miscellaneous, Appliance**

**Model Number:** 37280  
**Description:** Multi-Purpose Moving Pad  
**Type:** Miscellaneous, Appliance  
**Material:** 50% Cotton, 50% Poly non-woven  
**Weight (lb):** 5  
**Ships UPS:** Yes  
**UPC Number:** 091919372807  
**Height (in):** 15  
**Width (in):** 16.5  
**Depth (in):** 20.5



**Category: Aluminum**

Model Number: 40266  
Description: Welded Aluminum P-handle  
Truck W/ 10" Semi  
Pneumatics  
Type: Aluminum  
Material: aluminum  
Weight (lb): 22  
Ships UPS: YES  
UPC Number: 091919402665  
Load Rating (lb): 600  
Height (in): 47.75  
Width (in): 22.75  
Depth (in): 20  
Toe Plate Dimensions  
(in x in): 8" X 14" BEVELED  
Features: Tubular Stair Climbers  
Wheel Model  
Number(s): R9577



**Wheel: Model R9577**

Model Number: R9577  
Description: 10" Semi Pneumatic  
Tire Type: Semi Pneumatic  
Bearing Type: 5/8 Ball  
Load Rating (lb): 200  
Wheel Size: 10" x 2.75"  
Hub Width (in): 2-1/4 Offset  
Hub Type: Steel  
Weight (lb): 5.5

Model 40266 is as pictured except it would have 10" Semi-Pneumatic wheels

**Category: Miscellaneous, Platform**

Model Number: 33881  
Description: Folding Handle Platform  
Cart  
Type: Miscellaneous, Platform  
Weight (lb): 23  
Ships UPS: YES  
UPC Number: 091919338810  
Load Rating (lb): 330  
Height (in): 33  
Width (in): 19  
Depth (in): 30  
Platform Size (in x in): 19" X 29"  
Features: Non-slip Deck Surface



Category: Miscellaneous

Model Number: 33882  
Description: Foldable Aluminum Hand Truck  
Type: Miscellaneous  
Weight (lb): 9  
Ships UPS: YES  
UPC Number: 091919338827  
Load Rating (lb): 275  
Height (in): 43  
Width (in): 19.5  
Depth (in): 20.25  
Toe Plate Dimensions (in x in): 14" X 19.25"  
Features: Oversize Toe Plate



Category: D-Handle

Model Number: 30029  
Description: D-handle Truck W/ 18" Toe Plate, 10" Pneumatics & Wheel Guards  
Type: D-Handle  
Weight (lb): 27  
Ships UPS: YES  
UPC Number: 091919300299  
Load Rating (lb): 800  
Height (in): 50.5  
Width (in): 19  
Depth (in): 20  
Toe Plate Dimensions (in x in): 8" X 18"  
Features: 18" Toe Plate & Wheel Guards  
Wheel Model Number(s): 3339

Wheel: Model 3339

Model Number: 3339  
Description: 10" Pneumatic  
Tire Type: Pneumatic  
Bearing Type: 5/8 Ball  
Load Rating (lb): 400  
Wheel Size: 10" x 4"  
Hub Width (in): 2-1/4 Offset  
Hub Type: Steel  
Weight (lb): 3.5



Category: D-Handle

Model Number: 30019  
Description: D-handle Truck W/ 10" Pneumatics  
Type: D-Handle  
Weight (lb): 23  
Ships UPS: YES  
UPC Number: 091919300190  
Load Rating (lb): 800  
Height (in): 50  
Width (in): 19  
Depth (in): 20  
Toe Plate Dimensions (in x in): 7.5" X 14"  
Wheel Model Number(s): 3339



Wheel: Model 3339

Model Number: 3339  
Description: 10" Pneumatic  
Tire Type: Pneumatic  
Bearing Type: 5/8 Ball  
Load Rating (lb): 400  
Wheel Size: 10" x 4"  
Hub Width (in): 2-1/4 Offset  
Hub Type: Steel  
Weight (lb): 3.5

Category: Convertible

Model Number: 30080  
Description: Convertible Truck W/ 10" Pneumatics  
Type: Convertible  
Material: Steel  
Weight (lb): 31  
Ships UPS: YES  
UPC Number: 091919300800  
Load Rating (lb): 800  
Stacking Height: 42" TO 52" VERTICAL  
Height (in): 46  
Upright Height (in): 61  
Width (in): 17  
Depth (in): 20  
Toe Plate Dimensions (in x in): 7.5" X 14"  
Platform Size (in x in): 12" X 36"  
Features: Wheel Guards  
Wheel Model Number(s): 3339  
Caster Model Number(s): 5604ST



Wheel: Model 3339

Model Number: 3339  
Description: 10" Pneumatic  
Tire Type: Pneumatic  
Bearing Type: 5/8 Ball  
Load Rating (lb): 400  
Wheel Size: 10" x 4"  
Hub Width (in): 2-1/4 Offset  
Hub Type: Steel  
Weight (lb): 3.5

Caster: Model 5604ST

Model Number: 5604ST  
Description: 4" Poly Swivel Threaded Stem Caster  
Tire Type: Poly  
Load Rating (lb): 200  
Wheel Size: 4" x 1"  
Weight (lb): 0.5  
Caster Type: Threaded Stem

800 lb capacity carries heavy loads over rough terrain. 12" treaded tires handle ruts and bumps with ease. Wider toe plate provides extra support for large loads.

**Category: P-Handle**

**Model Number:** 48866  
**Description:** Heavy Duty P-handle Truck  
W/ 12" Pneumatics, 18"  
Toeplate & Wheel Guards  
**Type:** P-Handle  
**Weight (lb):** 33  
**Ships UPS:** YES  
**UPC Number:** 091919488669  
**Load Rating (lb):** 800  
**Height (in):** 51  
**Width (in):** 23  
**Depth (in):** 20  
**Toe Plate Dimensions  
(in x in):** 8" X 18"  
**Features:** Wheel Guards  
**Wheel Model  
Number(s):** R3242



**Wheel: Model R3242**

**Model Number:** R3242  
**Description:** 12" Pneumatic  
**Tire Type:** Pneumatic  
**Bearing Type:** 5/8 Ball  
**Load Rating (lb):** 400  
**Wheel Size:** 12  
**Hub Width (in):** 4-1/2 Offset  
**Hub Type:** Steel  
**Weight (lb):** 6

**Category: P-Handle**

**Model Number:** 40815  
**Description:** P-handle Truck W/ 10"  
Solid Puncture Proof Tires &  
Stair Climbers  
**Type:** P-Handle  
**Weight (lb):** 37  
**Ships UPS:** YES  
**UPC Number:** 091919408155  
**Load Rating (lb):** 800  
**Height (in):** 51  
**Width (in):** 19  
**Depth (in):** 20  
**Toe Plate Dimensions  
(in x in):** 8" X 14" BEVELED  
**Features:** Stair Climbers  
**Wheel Model  
Number(s):** R0640

**Wheel: Model R0640**

**Model Number:** R0640  
**Description:** 10" Solid Puncture Proof  
Tires  
**Tire Type:** Solid Rubber  
**Bearing Type:** 5/8 Ball  
**Load Rating (lb):** 400  
**Wheel Size:** 10  
**Hub Width (in):** 2-1/4 Offset  
**Hub Type:** Engineered Polymer  
**Weight (lb):** 6.5



**HAWKIBAL** industries inc.



**Dynamic Storage Solutions**

## Structural

Structural Pallet Rack is manufactured from heavy-duty hot rolled structural steel to withstand the most rigorous of applications.

The S Series is available in various sizes and capacities to meet stringent requirements.

### Features:

- Heavy-Duty Bolted Connections
- Low Maintenance
- 1" Beam Clip Adjustability
- Impact Resistant
- High Quality Powder Coat Finish



**Roll-Formed**

Roll-Formed Selective Pallet Rack is the most flexible and extensively used pallet rack in the material handling industry. We offer a wide variety of styles, sizes and gauges to meet most capacity and seismic requirements.

**Features:**

- Fast Clip Beam Attachment
- Compatible with Most Brands
- Welded Frame Design
- Cost Effective
- Flexible Applications
- High Quality Powder Coat Finish



## Hybrid Systems

Hybrid Systems combine the strength and durability of structural frames with the flexibility and cost effectiveness of roll-formed beams.

**Features:**

- Cost Effective
- Impact Resistant
- Bolted Connection
- 1" Beam Clip Adjustability
- High Quality Powder Coat Finish



## Cantilever Systems



Cantilever Racks are ideal for storage of long, bulky products such as carpet rolls, lumber, pipe, tubing and other similar products.

Hannibal's Cantilever Racks are available in a heavy-duty structural or medium duty roll-formed design.

Features:

- Strong, Safe, Economical
- Wide Variety of Options Available
- High Quality Powder Coat Finish



## Pushback Systems

Hannibal Pushback Systems are manufactured using heavy duty structural tube support rails combined with encapsulated flanged wheeled carts.

**Features:**

- Up to 3,000 lbs. Capacity
- 2 – 6 Deep Systems
- Flanged Wheel Design with Tube Rails
- Maximizes Storage Capacity
- High Quality Powder Coat Finish
- Rail Drops onto Welded Cleats
- Flanged Steel Wheels
- Strongest Wheels in the Industry



**Benefits of Pushback Systems**





Carts are linked when extended which eliminates the possibility of single pallet hang-ups at rear of lane.

Each cart is equipped with lift out protectors to prevent accidental dislodgement of carts.

The structural steel tube rail design provides long term durability and ease of installation.

Our engineering and OEM partners can help design your specialty application.



**Low Profile Design**

## Pallet Shuttle™ System

### Features & Benefits:

Put away, store and retrieve pallets to unlimited depths without pitch or driving into racking provides better space utilization and higher throughput.

Full selectivity of different SKUs at any opening.

Reduces product and forklift damage due to less handling.

Pallet Shuttle™ Systems can be retrofitted into existing drive-in or pallet flow racking.

Suitable for ambient, chilled or freezer applications.

Hannibal Industries, Inc. provides turn-key design, manufacturing and in-house installation services.



Technical Data



System Information:

The internationally proven and cost effective Pallet Shuttle™ automated storage and retrieval system provides the warehousing industry with enhanced storage capacity and reduced labor costs.

The Pallet Shuttle™ provides maximum control, precise positioning and smooth transitioning to increase throughput and reduce product and pallet damage.

System Applications:

- Food and beverage bulk storage distribution and manufacturing
- Cold storage, blast cells and 3PL distribution
- Existing rack system retrofitting and enhancements



- Power Supply - Rechargeable Lithium
- Maximum Shuttle Capacity - 3,300 lbs.
- Standard Working Time - 8 to 20 hrs.
- Battery Type - Lithium - IonMNC
- Battery Capacity - Ah - 53
- Battery Voltage - V - 24
- Charging Time 5.5 hrs.
- Battery Allows Opportunity Charging
- Battery Charger Voltage 115/60
- RF Remote Controller - Battery Powered
- Electro - Mechanical Drive & Lift Motors
- 1 Year Warranty



## Pallet Flow Systems

Hannibal's integrated solutions of pallet flow provides deep lane storage and FIFO control for pallet handling.

Our engineering and design team recommend the best overall solution for your application.

Steel and polycarbonate wheels are available for meeting your storage needs.

Full Roller Pallet Flow is excellent for multiple size pallets, heavy loads and beverage applications.



Dual Flow Pallet Racking can be an alternative to Drive-In Racking.

The Dual Flow System allows for single or dual pallet handling.

Floor stack pallets on the lower level and store a different SKU on top.

Up to 8 Deep Pallet Storage.



## Case Flow Systems



Hannibal's Case Flow Systems offer both durability and flexibility.

The steel and poly-carbonate skate-wheel roller systems provide lane flexibility with better flow.

Case Flow Systems can be used to consolidate slow moving cases integrated into existing pick paths.

The systems are widely used in heavy duty food and beverage applications.



## Drive-In Systems

Hannibal's Drive-In Systems allow a significant increase in pallet storage density for high volume SKUs.

Features:

- Maximizes Storage Capacity
- Space Saver Arm Design
- Roll-Formed or Structural Systems
- Heavy-Duty Saddle Connection
- High Quality Powder Coat Finish



**Accessory and Specialty Products**

Hannibal's Accessory and Specialty Products provide multiple solutions for your storage and rack protection needs.

Products:

- Overhead Dock Storage
- Stacking Steel Pallets for Bulk Handling
- End Row Protection
- Fire Flue Stops
- Wire Decking



## Company History and Market Approach



Hannibal Industries, Inc. has grown to become the largest U.S. manufacturer of steel pallet rack west of the Mississippi.

A diverse and evolving product line has enabled us to provide turnkey storage systems to some of the largest big box retailers, archive storage and food and beverage operations in the world.

Our dealers, distributors and manufacturing representatives work in concert to ensure each project receives the best overall expertise and project management.

**Engineering and Design Services:**

- System Design
- Seismic Engineering
- Permit Administration
- In-House Installation
- Custom Fabrication



**Manufacturing Capabilities**



Hannibal storage systems are made to meet or exceed the requirements of the Rack Manufacturers Institute (RMI).


We hold a City of Los Angeles Fabricators License, one of the most stringent manufacturing certifications in the U.S.A.

All company welders are certified by the American Welding Society through an accredited AWS testing facility.

All systems receive the finest powder coat paint finish in the industry.

Custom design and colors available upon request.

Hannibal racking systems are made in the U.S.A.



**Hannibal Standard Colors**



Orange Beige Green Yellow Blue Grey  
Printed color swatches may not reflect actual color shade.  
Contact factory for accurate color samples.