

**GENERAL SERVICES ADMINISTRATION
FEDERAL ACQUISITION SERVICE
AUTHORIZED FEDERAL SUPPLY SERVICE PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA *Advantage!*® a menu-driven database system. The INTERNET address for GSA *Advantage!*® is <http://gsaadvantage.gov>

SCHEDULE TITLE: FEDERAL SUPPLY SCHEDULE 084 – Alarm and Signal Systems, Facility Management Systems, Professional Security/Facility Management Services, and Protective Services Occupations (Guard Services)

FSC GROUP: 6350

SIN 246-40 Intrusion Detection Alarm Systems
SIN 246-1000 Ancillary Services

COOP PURCH Public Law 110-248, the Local Preparedness Acquisition Act, amended the "Cooperative Purchasing" provisions of the Federal Property and Administrative Services Act to allow the Administrator of General Services to provide states and localities access to certain items offered through GSA Schedule 84.

DISAST RECOV Section 833 of the National Defense Authorization Act allows State and Local Governments to purchase products and services to facilitate recovery from a major disaster.

ARRA For government agencies receiving funds as part of the American Recovery and Reinvestment Act, GSA offers an array of innovative products, services, and buildings and real estate solutions so agencies can use Recovery funds more effectively.

CONTRACT NUMBER: GS-07F-0234W

Effective: February 15, 2015 – February 14, 2020

CONTRACTOR:

Cinch Systems, Inc.
12075 43rd St. NE
Suite 300
Saint Michaels, MN 55376
Phone number: 763.497.1059
Fax Number: 763.420.8087
Web Address: www.cinchsystems.com

CONTRACTOR'S ADMINISTRATION SOURCE:

Joel Christianson
Address: same as contractor
Phone Number: 763.497.1059
E-Mail: joel.christianson@cinchsystems.com

BUSINESS SIZE: Small Business

CUSTOMER INFORMATION:

1a. SPECIAL ITEM NUMBERS (SINs)

<u>Brand/Category:</u>	<u>SIN:</u>	<u>Description:</u>
Cinch Systems	246-40	Intrusion Detection Alarm Systems
Ancillary Service	246-1000	Ancillary Services relating to Security/Facility Management

Ancillary Service **excludes:**

- Construction (construction is defined as alteration, or repair of buildings, structures, or other real property)
- Architectural Engineering Services (A&E) under the Brooks Architect-Engineers Act as stated in Federal Acquisition Regulation (FAR) Part 36. These services shall be ordered only in accordance with Part 36 and agency procedures, and shall not be included on a GSA contract order as an open market item.
- Personal services.
- Stand-alone services which are applicable to the Service Contract Act (SCA)

Contractors are responsible for the following when performing services under this SIN:

- Contractors may subcontract any ancillary services ordered under this Special Item Number, unless specifically prohibited by the contracting officer issuing the order against the Multiple Award Schedule contract.
- Contractors are responsible for insuring that the scope of work is completed and all warranties are honored.
- Subcontractors must be licensed and bonded, as applicable.
- Compliance with all local laws, regulations, and ordinances are the responsibility of the prime contractor.
- The prime contractor shall accept full responsibility and liability for all work performed by subcontractors, at any level or tier.
- The Government reserves the right to apply liquidated damages whenever the required delivery date is not met.
- Contractors are required to maintain insurance in accordance with Clause 52.228-5, Insurance – Work on a Government Installation.
- Agencies' Scope of Work will inform the Contractor of the required insurance amounts. Clause 52.228-5 is made part of this contract by reference.
- The contracting officer for the ordering agency may insert any agency unique requirements for the job, including employee suitability determination requirements (security checks), into the scope of work.
- Contractor quotations shall specifically detail all products and services with the contract price and provide a single price for services.
- Sales of ancillary services shall not be combined or reported with the product SIN.

The ordering agency is responsible for:

- Defining and issuing the statement of work for ancillary services. Accurate definition of the scope and statement of work is essential to facilitate realistic quotations. The statement of work shall also inform the contractor of any applicable insurance requirements.
- Ordering agencies shall obtain pricing information from the schedule contractors, and will negotiate for ancillary services on an order by order basis, based on complexity and level of effort. Ancillary services shall be priced as separate line items on each order.

- Pricing of services has been determined fair and reasonable by GSA. However, ordering agencies shall make a determination that the total price is fair and reasonable based on the level of effort and the mix of labor proposed.
- Ordering agencies will comply with all appropriation laws and ensure that the correct types of funds are obligated on each order.

Reference FAR 8.4 for an explanation of ordering procedures used when purchasing through a Multiple Award Schedule contract.

All proposed services must be within the scope of this SIN on the contract. Furnish a full and detailed description of the services offered and a pricing proposal in accordance with the Services Pricing Proposal (page 03-10) of the solicitation.

OFFERORS MAY ONLY OFFER THIS SPECIAL ITEM NUMBER IN CONJUNCTION WITH SYSTEMS OFFERED UNDER THIS SCHEDULE. THE PRINCIPAL PURPOSE OF THIS SCHEDULE IS FOR THE PURCHASE OF ALARM AND SIGNAL SYSTEMS/FACILITY MANAGEMENT SYSTEMS.

1b. LOWEST PRICED MODEL NUMBER AND PRICE PER SIN:
(Government price based on a unit of one)

<u>SIN:</u>	<u>Model:</u>	<u>Price:</u>
246-40	STAC - LOCK	\$4.69
246-1000	IS - Labor	\$107.05

1c. Hourly Service rates under SIN 246-1000:
See Price List.

2. MAXIMUM ORDER PER SIN*:

<u>SIN:</u>	<u>Amount:</u>
246-40	\$100,000.00
246-1000	\$150,000.00

3. MINIMUM ORDER: None

4. GEOGRAPHIC COVERAGE: Domestic, 50 states, Washington D.C., Puerto Rico, US Territories

5. POINT(S) OF PRODUCTION: Washington County, MN

6. DISCOUNT FROM LIST PRICES: Prices herein are Net, discount has been taken

7. QUANTITY DISCOUNTS: NONE

8. PROMPT PAYMENT TERMS: Net 30.

9a. Government Purchase Cards are accepted at or below the micro-purchase threshold.

9b. Government Purchase Cards are not accepted above the micro-purchase threshold.

10. **FOREIGN ITEMS:** None
- 11a. **TIME OF DELIVERY:** 90 days ARO
- 11b. **EXPEDITED DELIVERY:** Contact Contractor
- 11c. **OVERNIGHT AND 2-DAY DELIVERY:** Contact Contractor
- 11d. **URGENT REQUIREMENTS:** Contact Contractor.
12. **F.O.B. POINT:** Origin
- 13a. **ORDERING ADDRESS:** IAW Clause 552.216-73, Cinch Systems, Inc. or their designated participating dealers may accept orders via fax or mail. Reference approved Dealer List for contact information. Orders accepted by Cinch System, Inc. can be mailed or faxed to:
- Dealer to Dealer address
OR
Cinch Systems, Inc.
12075 43rd St. NE
Suite 300
Saint Michaels, MN 55376
202.236.8835
- 13b. **Ordering procedures:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.
14. **PAYMENT ADDRESS:** IAW Clause 552.222-82, Cinch Systems, Inc. or their designated participating dealers may to accept payments. Reference approved Dealer List for contact information. Payments to Cinch System, Inc. can be mailed to:
- Dealer to Dealer address
OR
Cinch Systems, Inc.
12075 43rd St. NE
Suite 300
Saint Michaels, MN 55376
202.236.8835
15. **WARRANTY PROVISION:** Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.
16. **EXPORT PACKING CHARGES:** N/A.
17. **TERMS AND CONDITIONS OF GOVERNMENT COMMERCIAL CREDIT CARD ACCEPTANCE:** (any thresholds above the micro-purchase level)
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE AND REPAIR:** N/A
19. **TERMS AND CONDITIONS OF INSTALLATION:** Per SIN 246-1000
20. **TERMS AND CONDITIONS OF REPAIR PARTS:** N/A
21. **TERMS AND CONDITIONS OF ANY OTHER SERVICES:** N/A

- 22. **LIST OF SERVICE AND DISTRIBUTION POINTS:** Contact Cinch Systems, Inc. or Participating Dealer
- 23. **LIST OF PARTICIPATING DEALERS:** See attached list.
- 23. **PREVENTATIVE MAINTENANCE:** N/A
- 24. **SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES:** N/A
- 24a. **Section 508:** N/A
- 25. **DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER:** 786983812
- 26. **REGISTRATION IN SAM DATABASE:** Yes

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link at www.gsa.gov

Cinch Systems, Inc GSA Dealer Service Rates

Category	Approximate Related Experience	Education	Description of General Responsibilities
Project Manager I	Minimum of 2 years	Associates or equivalent or 4 years experience	Responsible for cradle to grave management of assigned projects. He/she serves as Point of Contact with customers. Performs Site Surveys and develops Installation/Man Power Schedules. Oversee Operations of Projects. Prepares and submits Purchase Requisition
Project Manager II	Minimum of 4 years	BS/BA or 5 years experience	Responsible for cradle to grave management of assigned projects. He/she serves as Point of Contact with customers. Performs Site Surveys and develops Installation/Man Power Schedules. Oversee Operations of Projects. Prepares and submits Purchase Requisition
Security Engineer	Minimum of 2 years	BS/BA or 3 years experience	Engineers electronic security systems based on contract requirements, site conditions, manufacturer specifications, and building codes. Verifies system design concept and equipment required for complex, multisite systems. May supervise other security engi
Security System Technician I	Minimum of 1 year	Associates degree or equivalent or 2 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment.
Security System Technician II	Minimum of 2 years	Associates degree or equivalent or 3 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment. This level employee will have the capability to supervise other technicians.
Security System Technician III	Minimum of 3 years	Associates degree or equivalent or 4 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment. This level employee will have the capability to supervise other technicians and
Technician Assistant	One year general experience	High School or GED	Assists Security System Technicians as required in the field under both direct and indirect supervision of technician .
Computer Based Technician I	Minimum of 1 year	Associates degree or equivalent or 3 years experience	Develops and programs configuration programs for access control and integrated management systems. Includes installation of software, upgrading software, programming and configuring emerge systems, IP and analog video set up, managing system resources (
Computer Based Technician II	Minimum of 3 years	Associates degree or equivalent or 4 years experience	Develops and programs configuration programs for access control and integrated management systems. Includes installation of software, upgrading software, programming and configuring emerge systems, IP and analog video set up, managing system resources (
Security System Administrator	One year general experience	High School or GED	Responsibilities include assisting in the installation of security software, upgrading and patching software, developing administrative tools, managing system resources (users, disks, backups, etc.), strategic planning, training, and other tasks commonly

Cinch Systems, Inc GSA Dealer Service Rates

Category	Approximate Related Experience	Education	Description of General Responsibilities
Technical Writer	One year general experience	Associates degree or equivalent or 3 years experience	Plans, develops and maintains technical documentation. Conducts system reviews (hardware and software) to validate associated documentation. Coordinates documentation changes with system changes and upgrades.
Security Design Specialist	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Designs and proposes security system solutions for end users. Analyze complex physical security issues, perform site security surveys, works with internal and external organizations for development of solutions for new and existing facilities. May provide
Labor Installer	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Assist or supervises pulling of cables, mounting and wiring devices, installing conduits, and other duties required to install or service physical access and security systems.
CAD Operator	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Generates and modifies engineering drawings using Computer-Aided Drafting software from sketches, hard copies, or other information. Supervises other draftpersons
Administrative Assistant	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Perform administrative support tasks for sales and technical functions

CINCH SYSTEMS, INC.
GSA DEALER ANCILLARY SERVICES RATES

Description	SIN	GSA Net Price
Region 1		
Project Manager I	246-50	\$ 107.00 /hour
Project Manager II	246-50	\$ 134.00 /hour
Security Engineer	246-50	\$ 168.00 /hour
Security System Technician I	246-50	\$ 79.00 /hour
Security System Technician II	246-50	\$ 94.00 /hour
Security System Technician III	246-50	\$ 109.00 /hour
Technician Assistant	246-50	\$ 73.00 /hour
Computer Based Technician I	246-50	\$ 102.00 /hour
Computer Based Technician II	246-50	\$ 137.00 /hour
Security System Administrator	246-50	\$ 76.00 /hour
Technical Writer	246-50	\$ 92.00 /hour
Security Design Specialist	246-50	\$ 130.00 /hour
Labor Installer	246-50	\$ 70.00 /hour
CAD Operator	246-50	\$ 73.00 /hour
Administrative Assistant	246-50	\$ 77.00 /hour
Region 2		
Project Manager I	246-50	\$ 98.00 /hour
Project Manager II	246-50	\$ 122.00 /hour
Security Engineer	246-50	\$ 153.00 /hour
Security System Technician I	246-50	\$ 73.00 /hour
Security System Technician II	246-50	\$ 87.00 /hour
Security System Technician III	246-50	\$ 101.00 /hour
Technician Assistant	246-50	\$ 68.00 /hour
Computer Based Technician I	246-50	\$ 95.00 /hour
Computer Based Technician II	246-50	\$ 126.00 /hour
Security System Administrator	246-50	\$ 71.00 /hour
Technical Writer	246-50	\$ 85.00 /hour
Security Design Specialist	246-50	\$ 119.00 /hour
Labor Installer	246-50	\$ 65.00 /hour
CAD Operator	246-50	\$ 68.00 /hour
Administrative Assistant	246-50	\$ 71.00 /hour
Region 3		
Project Manager I	246-50	\$ 103.00 /hour
Project Manager II	246-50	\$ 128.00 /hour
Security Engineer	246-50	\$ 160.00 /hour
Security System Technician I	246-50	\$ 76.00 /hour
Security System Technician II	246-50	\$ 90.00 /hour
Security System Technician III	246-50	\$ 105.00 /hour
Technician Assistant	246-50	\$ 70.00 /hour
Computer Based Technician I	246-50	\$ 99.00 /hour
Computer Based Technician II	246-50	\$ 132.00 /hour
Security System Administrator	246-50	\$ 74.00 /hour
Technical Writer	246-50	\$ 89.00 /hour
Security Design Specialist	246-50	\$ 125.00 /hour
Labor Installer	246-50	\$ 67.00 /hour
CAD Operator	246-50	\$ 70.50 /hour
Administrative Assistant	246-50	\$ 74.00 /hour

Cinch Systems, Inc. Dealer Regions

Region 1	Region 2	Region 3
Washington	West Virginia	Oregon
California	Kentucky	New Hampshire
Texas	Tennessee	Vermont
Florida	Alabama	Maine
Virginia	Arkansas	Indiana
Maryland	Mississippi	Utah
Washington DC	Louisiana	Colorado
Delaware	Montana	New Mexico
Pennsylvania	Idaho	Arizona
New Jersey	Wyomiong	Minnesota
New York	North Dakota	Wisconsin
Connecticut	South Dakota	Missouri
Rhode Island	Nebraska	North Carolina
Massachusetts	Kansas	Hawaii
Ohio	Oklahoma	Alaska
Illinois	Iowa	Nevada
Michigan	South Carolina	



CINCH Systems, Inc., 12075 43rd St. NE, Suite 300, St. Michael, MN 55376
www.cinchsystems.com

GSA Participating Dealer List

Atlantic Comm-Tech Corporation
2509 Walmer Avenue
Norfolk, VA 23513
(757) 858-5303

ESTECH, Inc.
7617 Little River Turnpike, Suite 400
Annandale, VA 22003
703-642-9700

Facility Technology Services, Inc.
403 Glenn Drive, Suite 22
Sterling, VA 20164
(571) 203-0245

Midlantic Corporation
677 Holland Avenue
Dunn, NC 28334
910-230-3715

SETEC, Inc.
4200 Lafayette Center Dr Ste Q
Chantilly, VA 20151-1241
703-968-0990

Siemens Government Services, Inc
1881 Campus Commons Drive, Suite 300
Reston, VA 20191
571-296-9499

Spectrum Solutions, Inc.
114 Castle Drive
Madison, AL 35758
(256) 713-0859



CINCH Systems, Inc., 12075 43rd St. NE, Suite 300, St. Michael, MN 55376

www.cinchsystems.com


Wakenhut Services
201 Atlas Drive
Las Vegas, NV 89030
702-295-0322

Wenzlau Engineering
1517 Fair Oaks Avenue
South Pasadena, CA 91030
626-799-4800

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
Panels		Panels		
PCU-IDS	246-40	Protector	<p>Protector Control Unit</p> <ul style="list-style-type: none"> - Includes enclosure - Includes standard lock set - Includes Accessory Hardware kit - Includes Installation Manual - CINCH Stick upgradeable firmware (CINCH Stick sold separately) <p>- Transformer and termination box sold separately Shipping Info: Carton: 18"x16"x6" Weight: 17.0 lbs</p>	\$929.22
				
CeLAN Touch				
Ce-TS (-State, -Navy, -NNSA, etc)	246-40	CeLAN Touch Screen - State	<p>CeLAN Touch Screen - State</p> <ul style="list-style-type: none"> - Includes back-box enclosure - Includes faceplate - Includes accessory hardware kit - Includes Installation Manual - CINCH Stick upgradeable firmware <p>Shipping Info: Carton: 6"x6"x4" Weight: 2.7 lbs</p>	\$526.70
				
Ce-TS-P (-State, -Navy, -NNSA, etc)	246-40	CeLAN Touch Screen - ABS Plastic Enclosure - State	<p>CeLAN Touch Screen - ABS Plastic Enclosure - State</p> <ul style="list-style-type: none"> - Includes ABS enclosure - Bone - Includes faceplate - Includes accessory hardware kit - Includes Installation Manual - CINCH Stick upgradeable firmware <p>Shipping Info: Carton: 8" x 5" x 3" Weight: tbd lbs</p>	\$526.70
				
				
CeLAN				
Ce-24ZI	246-40	CeLAN 24-Zone Input	<p>CeLAN 24-Zone Input Module</p> <ul style="list-style-type: none"> - High Security Design with HS Tamper Option - Mounts into Protector Accessory Enclosure and CeLAN AES Encrypted Receiver - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware <p>Shipping Info: Carton: 11" x 6 1/2" x 2 3/4" Weight: tbd lbs</p>	\$321.16
				
Ce-8ZI	246-40	CeLAN 8-Zone Input	<p>CeLAN 8-Zone Input Module</p> <ul style="list-style-type: none"> - High Security Design with HS Tamper Option - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.35 lbs</p>	\$107.05
				
Ce-2ZI	246-40	CeLAN 2-Zone Input	<p>CeLAN 2-Zone Input Module</p> <ul style="list-style-type: none"> - High Security Design with HS Tamper Option - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover - Includes Accessory Hardware kit <p>- CINCH Stick upgradeable firmware</p>	\$107.05
				

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
			Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.30 lbs	
Ce-4RO	246-40	CeLAN 4-Relay Output	 <p>CeLAN 4-Relay Output Module</p> <ul style="list-style-type: none"> - High Security Design with HS Tamper Option - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware <p style="text-align: right;">Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.40 lbs</p>	\$107.05
Ce-M3ZS	246-40	CeLAN Magnasphere 3-Zone Level 2 Sensor	 <p>CeLAN Magnasphere 3-Zone Level 2 Sensor</p> <ul style="list-style-type: none"> - Magnasphere Level 2 Sensor with CeLAN 3-Zone Input Module built into it - Meets the NEW UL634 Level 2 High Security Standard - Provides for Position Switch, Wall Tamper, and Magnetic Tamper - Simple 4 wire (+12, Data A, Data B, GND) installation <p style="text-align: right;">Shipping Info: Carton: tbd Weight: tbd lbs</p>	\$222.24
Ce-M2ZRS	246-40	CeLAN Magnasphere 2-Zone Recessed Sensor	 <p>CeLAN Magnasphere 2-Zone Recessed Sensor</p> <ul style="list-style-type: none"> - Magnasphere Level 2 Recessed Steel Door with CeLAN 2-Zone Input Module built inline - Meets the NEW UL634 Level 2 High Security Standard - Provides for Position Switch and Pry Tamper monitoring. An additional position switch is available for other uses. - Simple 4 wire (+12, Data A, Data B, GND) installation <p style="text-align: right;">Shipping Info: Carton: tbd Weight: tbd lbs</p>	\$161.44
Ce-1076RS	246-40	CeLAN 1076G Recessed Sensor	 <p>CeLAN 1076G Recessed Sensor</p> <ul style="list-style-type: none"> - Recessed Steel Door Contact with CeLAN 1-Zone Input Module built inline w/Wire Leads - Dual Switches - One available for other use - 1" Diameter - 1/2" Gap Size - Simple 4 wire (+12, Data A, Data B, GND) installation <p style="text-align: right;">Shipping Info: Carton: tbd Weight: tbd lbs</p>	\$94.21
Ce-DS308	246-40	CeLAN DS308EA Quad PIR Detector w/ Anti-mask & Wall Tamper	 <p>CeLAN DS308EA Quad PIR Detector w/ Anti-mask & Wall Tamper</p> <ul style="list-style-type: none"> - DS308EA Quad PIR Detector with CeLAN 3-Zone Input Module built into it - Cinch added Wall Tamper option - Anti-mask with spay detect, Quad element design - Provides for Motion Trip, Cover Tamper, Anti-mask Tamper, and Wall Tamper - Simple 4 wire (+12, Data A, Data B, GND) installation <p style="text-align: right;">Shipping Info: Carton: 6 3/4" x 4 1/4" x 2 1/2" Weight: tbd lbs</p>	\$149.45

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
Ce-DS938Z	246-40	CeLAN DS938Z Panoramic PIR Detector / Wall Tamper 	CeLAN DS938Z Panoramic PIR Detector / Wall Tamper - Motion Analyzer II processing - Motion Monitor - Cinch added Wall Tamper option - Provides for Motion Trip, Cover Tamper, Anti-mask Tamper, and Wall Tamper - Simple 4 wire (+12, Data A, Data B, GND) installation Shipping Info: Carton: 5 3/4" x 6 3/4" x 4 3/4" Weight: tbd lbs	\$152.44
Ce-DSISC	246-40	CeLAN DS ISC-PPR1-WA16G PIR Detector with Anti-mask 	CeLAN DS ISC-PPR1-WA16G PIR Detector with Anti-mask - 50' x 70' standard coverage; 25' x 33' selectable short range coverage Tri-focus optics technology - Provides for Motion Trip, Cover/Wall Tamper, and Anti-mask Tamper - Cinch added additional Wall Tamper option - Simple 4 wire (+12, Data A, Data B, GND) installation Shipping Info: Carton: 5 1/2" x 3" x 2 1/2" Weight: tbd lbs	\$149.45
Ce-GES3045	246-40	CeLAN GES 3045 Panic Switch 	CeLAN GES 3045 Panic Switch - Integrated CeLAN Two-Zone Module - Wall Tamper feature added - White housing - 4-Place screw terminal - Simple 4 wire (+12, Data A, Data B, GND) installation Shipping Info: Plastic Bag: 6" x 4" Weight: 4.5 oz.	\$89.92
Ce-WF2ZI	246-40	CeLAN WF 2-Zone Input 	CeLAN WF 2-Zone Input Module - Mounts into existing SM-3 (Wells Fargo) BMS - CINCH Stick upgradeable firmware Shipping Info: Carton: 4"x3"x2" Weight: 0.20 lbs	\$77.08
Ce-P	246-40	CeLAN Printer 	CeLAN Printer Module - Single Input Zone for use as tamper, or any other zone application - Mounts inside Protector Accessory Enclosure - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware - Standard (IBM) Parallel printer interface Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.35 lbs	\$158.44
Ce-TCP	246-40	CeLAN TCP/IP 	CeLAN TCP/IP Module - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware - Five Input Zones for use as tamper, or any other zone application - Includes 1 Form-C relay output Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.40 lbs	\$244.08

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
Ce-RP	246-40	CeLAN Remote Power	<p>CeLAN Remote Power Module</p> <ul style="list-style-type: none"> - Supervised 5 Amp, 12 VDC Power Supply - Mounts into Protector Accessory Enclosure and CeLAN AES Encrypted Receiver - Includes 2 Form-C relay outputs - Single Input Zone for use as tamper, or any other zone application - Includes Installation Manual - Includes Accessory Kit - CINCH Stick upgradeable firmware <p>Shipping Info: Carton: 11" x 6 1/2" x 2 3/4" Weight: 1.25 lbs</p>	\$321.16
				
Ce-FC-N	246-40	CeLAN Fiber Conversion	<p>CeLAN Fiber Conversion Module - Multimode</p> <ul style="list-style-type: none"> - Normal Range: up to 14 dB path loss (2.5 mile, 4 km) - High Security Design with HS Tamper Option - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware - Single Input Zone for use as tamper, or any other zone application <p>- 5 LED Bar Graph Fiber Signal Strength display - ST/SC</p> <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.35 lbs</p>	\$483.88
				
Ce-FC-ER	246-40	CeLAN Extended Range Fiber Conversion - Multimode	<p>CeLAN Extended Range Fiber Conversion Module MultiMode</p> <p>(8 mile, 13 km)</p> <ul style="list-style-type: none"> - High Security Design with HS Tamper Option - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover tamper - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware - Single Input Zone for use as tamper, or any other zone application <p>- 5 LED Bar Graph Fiber Signal Strength display - ST/SC</p> <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.35 lbs</p>	\$1,284.63
				
Ce-FC-S	246-40	CeLAN Extended Range Fiber Conversion - Singlemode	<p>CeLAN Extended Range Fiber Conversion Module - Single Mode</p> <ul style="list-style-type: none"> - Extended range capability: up to 14 dB path loss (30 mile, 48 km) - High Security Design with HS Tamper Option - Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover tamper - Includes Accessory Hardware kit - CINCH Stick upgradeable firmware - Single Input Zone for use as tamper, or any other zone application <p>- 5 LED Bar Graph Fiber Signal Strength display - ST/SC</p> <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.35 lbs</p>	\$1,284.63
				

Cinch Systems, Inc. GSA Price Book

Protector System




Pricer

Part Number	SIN	Description	Features	GSA NET
Acc-CFC	246-40	- Custom Fiber Cable 	Custom Fiber Cable - Simplex Multimode - 62.5/125 ST/SC 1M - JACKET: OFNR PVC - Standard - COLOR: Orange - Standard Shipping Info: Carton: tbd Weight: tbd lbs	\$41.96
Ce-Ex	246-40	CeLAN Expansion 	CeLAN Expansion Module - Provides terminals for up to: - 10 CeLAN terminations - 3 sets of +12 VDC and CMN terminations Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.40 lbs	\$64.23
Ce-AESR-IDS (- State, -Navy, - NNSA, etc)	246-40	CeLAN AES Receiver - IDS - State 	CeLAN AES Encrypted Receiver - 19" 3U Tall Rack Mount Enclosure - Includes Face Plate & Dual Touch Screens - Includes Receiver Backplane - IDS - Includes Installation Manual - Includes Accessory Kit - CINCH Stick upgradeable firmware - Optional expansion (Mounts inside enclosure) - CeLAN Remote Power Supply Module - up to two 7-AH back-up batteries - Transformer - Sec: 24 VAC - 100VA - Enclosure - Connector Box/Cover Assembly - CeLAN Printer Module - CeLAN TCP/IP Module Shipping Info: Carton: 20" x 20" x 6" Weight: tbd lbs	\$3,960.96
State, -Navy, - NNSA, etc)	246-40	CeLAN AES Receiver - VBS - State  	CeLAN AES VBS Encrypted Receiver - 19" 3U Tall Rack Mount Enclosure - Includes Face Plate & Dual Touch Screens - Includes 4 EFO Recessed, Red-LED Push - Includes Receiver Backplane - IDS - Includes Installation Manual - Includes Accessory Kit - CINCH Stick upgradeable firmware - Optional expansion (Mounts inside enclosure) - CeLAN Remote Power Supply Module - up to two 7-AH back-up batteries - Transformer - Sec: 24 VAC - 100VA - Enclosure - Connector Box/Cover Assembly - CeLAN Printer Module - CeLAN TCP/IP Module Shipping Info: Carton: 20" x 20" x 6" Weight: tbd lbs	\$4,496.22

Cinch Systems, Inc. GSA Price Book

Protector System


Pricer

Part Number	SIN	Description	Features	GSA NET
Ce-VBS	246-40	CeLAN VBS Module	<p>CeLAN VBS Module</p> <ul style="list-style-type: none"> - Mounts in the Protector Enclosure - Included - Redundant CeLAN communications - Built in 2x20 display for easy access to programming information <p>Shipping Info: Carton: 18"x16"x6" Weight: tbd lbs</p>	\$1,177.58
				
CINCH-On				
CO-CSU	246-40	CINCH-On Cinch Stick Universal	<p>CINCH-On Cinch Stick - Universal</p> <ul style="list-style-type: none"> - Controller Board - Accessory kit <p>Shipping Info: Carton: Plastic Bag Weight: 0.05 lbs</p>	\$55.67
				
CO-PS2KI	246-40	CINCH-On PS-2 Keyboard Interface	<p>CINCH-On PS-2 Keyboard Interface</p> <ul style="list-style-type: none"> - Allows for the connection of a PS-2 keyboard to any CeLAN Touch Screen Module - When connected allows for alphanumeric test entry via the PS-2 Keyboard. - Accessory kit <p>Shipping Info: Carton: Plastic Bag Weight: 0.05 lbs</p>	\$55.67
				
CO-PRSI	246-40	CINCH-On Protector Panel Relay Supervision Interface	<p>CINCH-On Protector Panel Relay Supervision</p> <ul style="list-style-type: none"> - Allows for the supervision of both the Protector Panels output relays - Wiring is supervised from relay interface board to end-of-line supervision module - NOTE: Relay Supervision is 'enrolled' into the system and uses one zone per relay. Protector Panel Zone 1 & 2 terminals are dedicated to this interface when used <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.20 lbs</p>	\$55.67
				
CO-T-P	246-40	CINCH-On Protector Tester / Demo Interface	<p>CINCH-On Protector Tester / Demo Interface</p> <ul style="list-style-type: none"> - Allows for the easy testing and configuration of a Protector Panel - When connected allows for the testing of the 8 input zones and verification of the output programming of the two panel relays. - Zones can be tested in the Normally Open or Normally Closed configuration - All Zones states can be demonstrated including GFH (Ground Fault on the High side of the zone) <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.25 lbs</p>	\$81.36
				
CO-T-8Z	246-40	CINCH-On CeLAN 8-Zone Input Module Tester / Demo Interface	<p>CINCH-On CeLAN 8-Zone Input Module Tester / Demo Interface</p> <ul style="list-style-type: none"> - Allows for the easy testing and configuration of a CeLAN 8-Zone Input Module - When connected allows for the testing of the 8 input zones. - Zones can be tested in the Normally Open or Normally Closed configuration - All Zones states can be demonstrated including GFH (Ground Fault on the High side of the zone) <p>Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.25 lbs</p>	\$81.36
				


Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
CO-T-4R	246-40	CINCH-On CeLAN 4-Relay Output Tester / Demo Interface 	CINCH-On CeLAN 4-Relay Output Tester / Demo <ul style="list-style-type: none"> - Allows for the easy testing and configuration of a CeLAN 4-Relay Output Module - When connected allows for the testing of the input zone and verification of the output programming of the four module relays. - Zone can be tested in the Normally Open or Normally Closed configuration - All Zone states can be demonstrated including GFH (Ground Fault on the High side of the zone) Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.20 lbs	\$51.39
CO-T-RP	246-40	CINCH-On CeLAN Remote Power Module Tester / Demo Interface 	CINCH-On CeLAN Remote Power Module Tester <ul style="list-style-type: none"> - Allows for the easy testing and configuration of a CeLAN Remote Power Module - When connected allows for the testing of the input zone and verification of the output programming of the two module relays. - Zone can be tested in the Normally Open or Normally Closed configuration - All Zone states can be demonstrated including GFH (Ground Fault on the High side of the zone) Shipping Info: Carton: 6" x 3 5/8" x 4" Weight: 0.20 lbs	\$42.82
CO-T-Print	246-40	CINCH-On CeLAN Printer Module Tester / Demo Interface 	CINCH-On CeLAN Printer Module Tester / Demo <ul style="list-style-type: none"> - Allows for the easy testing and configuration of a CeLAN Printer Module - When connected allows for the testing of the printer interface including simulating; Online / Offline (or unplugged), Paper OK / Out, Printer OK / Error - Provides a mini USB connector which allows the user to send printer data to a PC (instead of a printer) for viewing using hyper-terminal Shipping Info: Carton: 4.75" x 3.25" x 2.25" Weight: 0.20 lbs	\$85.64


Enclosures:

E-P-Kit	246-40	Enclosure - Protector - Kit 	Protector Enclosure Kit <ul style="list-style-type: none"> - Includes S-ET (GRI TS-01S tamper switches) and L-S (Standard lockset) in Accessory kit Shipping Info: Carton: 18"x16"x6" Weight: 15.8 lbs	\$118.61
---------	--------	--	---	----------

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
E-PA-Kit	246-40	Enclosure - Protector Accessory - Kit	<p>Protector Accessory Enclosure Kit</p> <ul style="list-style-type: none"> - Holds up to: 2 Small CeLAN (12"x12"x6") modules, 1-CeLAN Remote Power Module, and 1-18AH Battery Transformer (If used only 1 of the small CeLAN modules can be mounted) - Cover and Wall Tamper Option using S-ET (Tamper Switch) sold separately <p>- Includes S-ET (GRI TS-01S tamper switches) and L-S (Standard lockset) in Accessory kit</p> <p>Shipping Info: Carton: 12"x12"x6" Weight: 7.0 lbs</p>	\$110.05
				
E-PA-S-Kit	246-40	Enclosure - Protector Accessory - Small - Kit	<p>Protector Accessory Enclosure - Small - Kit</p> <ul style="list-style-type: none"> - Holds up to: 2-CeLAN 2-Zone Input Modules or 1-CeLAN small (8-Zone Input, 4 Relay Output, etc), and 1-7AH Battery - Cover and Wall Tamper Option using S-ET (Tamper Switch) sold separately <p>- Includes S-ET (GRI TS-01S tamper switches) and L-S (Standard lockset) in Accessory kit</p> <p>Shipping Info: Carton: ~5.2"x-8.2"x6" Weight: ~4.0 lbs</p>	\$88.64
				
E-P	246-40	Enclosure - Protector	<p>Protector Enclosure</p> <ul style="list-style-type: none"> - Accessory kit <p>Shipping Info: Carton: 18"x16"x6" Weight: 15.8 lbs</p>	\$107.05
				
E-PA	246-40	Enclosure - Protector Accessory	<p>Protector Accessory Enclosure</p> <ul style="list-style-type: none"> - Holds up to: 2 Small CeLAN (12"x12"x6") modules, 1-CeLAN Remote Power Module, and 1-18AH Battery Transformer (If used only 1 of the small CeLAN modules can be mounted) - Cover and Wall Tamper Option using S-ET (Tamper Switch) sold separately - Accessory kit - Lock sold separately <p>Shipping Info: Carton: 12"x12"x6" Weight: 7.0 lbs</p>	\$98.49
				
E-PA-S	246-40	Enclosure - Protector Accessory - Small	<p>Protector Accessory Enclosure - Small</p> <ul style="list-style-type: none"> - Holds up to: 2-CeLAN 2-Zone Input Modules or 1-CeLAN small (8-Zone Input, 4 Relay Output, etc), and 1-7AH Battery - Cover and Wall Tamper Option using S-ET (Tamper Switch) sold separately - Accessory kit - Lock sold separately <p>Shipping Info: Carton: ~5.2"x-8.2"x6" Weight: ~4.0 lbs</p>	\$77.08
				

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
E-CP	246-40	Enclosure - CeLAN Plastic 	Custom Plastic CeLAN Enclosure w/ wall & cover tamper - 7.285" x 4.72" Plastic - Holds one CeLAN Module - Ce-8ZI, Ce-4RO, Ce-TCP, Ce-FC-N or Ce-FC-EX - Cover and wall tampered - 4 mounting holes Shipping Info: Carton: 8" x 5" x 3" Weight: 0.80 lbs	\$34.26
S-ET	246-40	Switch - Enclosure Tamper 	GRI TS-01S Enclosure Tamper Switch - Adjustable Plunger Length - Closed Loop with built in Automatic Service Shunt - Includes Mounting Hardware Shipping Info: Carton: Plastic Bag Weight: 0.05 lbs	\$5.99
L-M-KA	246-40	Lockset - Medeco - Keyed Alike 	Medeco Cabinet Lockset - 4 Pin, 11/16" Cam Lock Assembly, 1" flat cam, Mounting nut - 2 Matched Keys to appropriate organizational standard Shipping Info: Carton: Plastic Bag Weight: 0.25 lbs	\$55.67
L-M-KD	246-40	Lockset - Medeco - Keyed Different 	Medeco Cabinet Lockset - 4 Pin, 11/16" Cam Lock Assembly, 1" flat cam, Mounting nut - 2 Matching Keys (Random - not matching any organizational standard key) Shipping Info: Carton: Plastic Bag Weight: 0.25 lbs	\$55.67
L-S	246-40	Lockset - Standard 	Standard CINCH Lockset - 4 Pin, 11/16" Cam Lock Assembly, 1" flat cam, mounting clip - 2 Keys - Standard CINCH Shipping Info: Carton: Plastic Bag Weight: 0.10 lbs	\$5.57

Replacement

AR-PCU-IDS	246-40	Replacement - Protector & Power Supply Assembly	CPU & power Supply- Protector	\$907.81
			- Accessory kit, Controller Board, Power Supply	

Cinch Systems, Inc. GSA Price Book

Protector System


Pricer

Part Number	SIN	Description	Features	GSA NET
RC-P-CPU	246-40	Replacement - Protector	<p>CPU - Protector</p> <ul style="list-style-type: none"> - Accessory kit, Controller Board, No Power Supply Shipping Info: Carton: 11" x 6 1/2" x 2 3/4" Weight: 0.90 lbs 	\$770.78
				
RC-Ce-RP	246-40	Replacement - CeLAN Remote Power Module - Main Board	<p>CPU - CeLAN Remote Power Module</p> <ul style="list-style-type: none"> - Accessory kit, Controller Board, No Power Supply Shipping Info: Carton: 11" x 6 1/2" x 2 3/4" Weight: 0.75 lbs 	\$192.70
				

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
RC-PM-12	246-40	Replacement - CINCH-On - 12 VDC Power Supply	<p>CINCH-On 12 VDC Power Supply (replacement)</p> <ul style="list-style-type: none"> - Replacement Power Supply Module for Protector Panel or CeLAN Remote Power Module - Accessory kit Shipping Info: Carton: 4" x 4" x 2" Weight: 0.25 lbs 	\$162.72
				
RC-TS (-State, -Navy, -NNSA, etc)	246-40	Replacement - Touch Screen Assembly - State	<p>Touch Screen Assembly - Protector - State</p> <ul style="list-style-type: none"> - Includes Display, circuit boards, touch screen, and mounting hardware - All electronic components without the faceplate and metal backbox assemble Shipping Info: Carton: tdb Weight: tbd lbs 	\$428.21
				
RC-TS-AESR-IDS (-State, -Navy, -NNSA, etc)	246-40	Replacement - Touch Screen CeLAN AES Receiver	<p>Touch Screen Assembly - CeLAN AES Receiver</p> <ul style="list-style-type: none"> - Includes Display, circuit boards, touch screen, and mounting hardware - All electronic components without the faceplate and metal backbox assemble Shipping Info: Carton: tdb Weight: tbd lbs 	\$428.21
				
RC-TS-AESR-VBS (-State, -Navy, -NNSA, etc)	246-40	Replacement - Touch Screen CeLAN VBS Receiver	<p>Touch Screen Assembly - CeLAN VBS Receiver</p> <ul style="list-style-type: none"> - Includes Display, circuit boards, touch screen, and mounting hardware - All electronic components without the faceplate and metal backbox assemble Shipping Info: Carton: tdb Weight: tbd lbs 	\$428.21
				
RC-RB-IDS	246-40	Replacement - Receiver Backplane - IDS	<p>CeLAN Bus Concentrator - CeLAN AES Encrypted IDS Receiver</p> <ul style="list-style-type: none"> - Accessory kit Shipping Info: Carton: tdb Weight: tbd lbs 	\$1,926.95
				
RC-RB-VBS	246-40	Replacement - Receiver Backplane - VBS	<p>Backplane - CeLAN AES Encrypted VBS Receiver</p> <ul style="list-style-type: none"> - Accessory kit Shipping Info: Carton: tdb Weight: tbd lbs 	\$2,462.22
				

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
RC-CeERL-IDS	246-40	Replacement - CeLAN Encrypted Receiver Front Label	Front Label - CeLAN AES Encrypted Receiver - IDS - Anti-Glare label Shipping Info: Carton: tdb Weight: tbd lbs	\$42.82
				
RC-CeTSL	246-40	Replacement - CeLAN Touch Screen Front Label	Front Label - CeLAN Touch Screen - ~ 6.5" x 6" Anti-Glare label Shipping Info: Carton: tdb Weight: tbd lbs	\$25.69
				
Approved				
Acc-T24V-100	246-40	Transformer - 24VAC - 100VA - Intl	Transformer - Sec: 24 VAC - 100VA Pri: 120, 240, 277, 480 VAC - 50/60 Hz - Built In Circuit Breaker - Accessory kit Shipping Info: Carton: 6" x 6" x 3" Weight: 4.55 lbs	\$61.66
				
E-CB	246-40	Enclosure - Connector Box/Cover	High Voltage Termination Box Assembly - Steel Electric Box 1 7/8" - Steel Box Cover Plate Shipping Info: Carton: 4" x 3" x 2" Weight: 0.65 lbs	\$6.85
				
Acc-6P	246-40	Cable - 6' Power	6' Power Cable - 12/3 SJT, heavy-duty, 6 foot power cable. - Molded 3-prong plug one end. 0.45" od. Prepped with insulated 0.25" qc female connectors on power leads, ring terminal on ground lead. UL Shipping Info: Carton: Loose Weight: 0.65 lbs	\$18.84
				
Acc-B12-7	246-40	Battery - 12 VDC - 7 Ah	12 VDC, 7.0 Ah Backup Battery - 3 3/4" x 6" x 2 1/2" - 5.6 lbs Shipping Info: Carton: 6" x 4" x 3" Weight: 5.65 lbs	\$38.54
Acc-B12-18	246-40	Battery - 12 VDC - 18 Ah	12 VDC, 17.2 Ah Backup Battery - 6 1/2" x 7 1/8" x 3" - 12.8 lbs Shipping Info: Carton: 8" x 8" x 3" Weight: 12.50 lbs	\$72.80

Cinch Systems, Inc. GSA Price Book

Protector System

Pricer

Part Number	SIN	Description	Features	GSA NET
Reference				
M-PI-IDS (-State, -Navy, -NNSA, etc)	246-40	Manual - Protector Installation - State	Protector - Installation - Printed	\$27.41
M-PU-IDS (-State, -Navy, -NNSA, etc)	246-40	Manual - Protector User - State	Protector - User - Printed	\$16.27
M-PAC-IDS (-State, -Navy, -NNSA, etc)	246-40	Manual - Protector Access Codes	Protector - Access Codes - Printed	\$16.27
On-Site				
IS-Labor		Installation Support	Service - Installation Support - per hour - Service labor to support / install system(s) that may include (as needed): - Mounting Equipment - Repairing pre-wiring as needed - Wiring / termination of wiring to equipment - System Programming - System Testing - Acceptance Testing Support - Travel to and from site	\$107.05

Cinch Systems, Inc. GSA Price Book

Control Panels & Kits

Part Number		Product Name	Description	GSA NET
STCP-STE		ST Express Control Panel	64 Zone wireless control panel with 2-way voice, includes transformer and 24 back-up battery and user manual.	\$237.35
STCP-ST8		ST8 Control Panel	8 Zone hardwire control, includes transformer and manual.	\$118.65
STCP-STE-2/1		ST Express DIWS, PIR Kit	64 Zone wireless control panel with 2-way voice, 2 Crystal D/W Sensors, 1 PIR, transformer, and 24 back-up battery and user manual.	\$344.18
STCP-ST8-KIT		ST8 Control Panel, LCD Kit	8 Zone hardwire control, LCD Keypad, transformer and manual.	\$173.25
STCP-ST8-RFK		ST8 Control Panel, RF Kit	8 Zone hardwire control, LCD Keypad, Wireless Transceiver, transformer and manual.	\$208.86

Cinch Systems, Inc. GSA Price Book

Part Number		Product Name	Description	GSA NET
STCP-ST8-EVL		ST8 Evaluation System ***	8 Zone hardwire control, LCD Keypad, transformer and manual.	\$167.31
STCP-STE-EVL		ST Express Evaluation System***	64 Zone wireless control panel with 2-way voice, 2 Crystal D/W Sensors, 1 PIR ,transformerand24 back-up battery and user manual.	\$344.18
Keypads				
STKP-LCD		2x16 LCD Keypad	For use with ST8 System.	\$94.91
STWS-KF5		5 Button Keypad	For use with the ST 8 and ST Express.	\$45.06

Cinch Systems, Inc. GSA Price Book

Part Number		Product Name	Description	GSA NET
Control Panel Peripherals				
STPF-EIM		Ethernet Interface Module	EIM Provides internet central station reporting, email reporting & a web based interface to the ST Express or ST8.	\$154.26
STPF-EIM-CRS		Ethernet Interface Module - Crestron	Native Crestron IP interface. Provides internet central station reporting, email reporting & a web based interface to the ST8 or ST Express	\$332.31
STPF-EXT		Expansion RF Transceiver Module	Add 64 Wireless zones to the ST8.	\$94.89
STPF-HWX		8 Zone Hardwire Expansion Module	Add 8 Hardwire zone to the ST8. Up to 7 HWX may be used per ST8.	\$47.43
STPF-RAM		Remote Audio Module	2-way Voice Module. Built into ST Express. 1 additional on ST Express, 2 additional on ST8.	\$47.43

Cinch Systems, Inc. GSA Price Book

Part Number		Product Name	Description	GSA NET
STPF-RSS		Reversing Sounder Relay	Used with 2 wire smoke detectors.	\$11.82
<u>Wireless Sensors</u>				
STWS-DWS		Crystal Door/Window Sensor, White	Protects anything that opens and closes. 2 internal reed switches and 1 external contact	<hr/> \$41.49
STWS-DWS-BRN		Crystal Door/Window Sensor, Brown	Protects anything that opens and closes. 2 internal reed switches and 1 external contact	\$41.49
STWS-PIR		Crystal Motion Detector	Wireless motion with superior false alarm immunity	\$106.78
STWS-SMK		Smoke Detector	Low profile photoelectric smoke sensor, System Sensor i3 Series	\$88.97


Cinch Systems, Inc. GSA Price Book

Part Number	Product Name	Description	GSA NET
STWS-KF5	5 Button Keyfob	For use with the ST 8 and ST Express.	\$45.06
			
Hardwire Sensors			
STHS-PIR	Hardwire PIR	Hardwire PIR with superior false alarm immunity	\$20.13
			
Control Panel Accessories			
STAC-BAT-5	Battery, 5AH	ST8 Backup Battery	\$21.37
STAC-BAT-STE	Battery, 1.4AH	ST Express Backup Battery	\$21.37
STAC-CVR-KA10	Almond Key Area Cover	Replacement LCD Faceplates, Almond, Pack of 10	\$29.62
			

Cinch Systems, Inc. GSA Price Book

Part Number		Product Name	Description	GSA NET
STAC-CVR-KG10		Gray Key Area Cover	Replacement LCD Faceplates, Gray, Pack of 10	\$29.62
STAC-CVR-KW10		White Key Area Cover	Replacement LCD Faceplates, White, Pack of 10	\$29.62
STAC-CVR-PA10		Perforated Cover, Almond	Replacement perforated cover for ST Express and RAM	\$17.75
STAC-CVR-PG10		Perforated Cover, Gray	Replacement perforated cover for ST Express and RAM	\$17.75
STAC-CVR-PW10		Perforated Cover, White	Replacement perforated cover for ST Express and RAM	\$17.75
STAC-Door-1		ST8 Enclosure with Door	ST8 Standard Enclosure with Door	\$22.50

Cinch Systems, Inc. GSA Price Book

Part Number		Product Name	Description	GSA NET
STAC-Door-2		Large Door Enclosure Kit	Kit includes ST8 standard enclosure and large door with hinge	\$35.56
STAC-LOCK		Lock and Key Set	Lockset for ST8 Enclosure	\$4.69
STAC-SPC-B25		Transmitter/Magnet Spacers, Brown, 25	Spacers for D/W Sensor and Magnets, Brown, Pack of 25	\$18.94
STAG -SPC-W25		Transmitter/Magnet Spacers, White, 25	Spacers for D/W Sensor and Magnets, White, Pack of 25	\$18.94
Wireless Devices				
STPF-WSX		Wireless Expansion Module	Add 24 Wireless zones to any hardwire control panel.	\$106.78
STPF-EXT		Expansion RF Transceiver Module	Add 64 Wireless zones to the ST8.	\$94.89