

**GENERAL SERVICES ADMINISTRATION  
FEDERAL ACQUISITION SERVICE  
AUTHORIZED FEDERAL SUPPLY SERVICE PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA *Advantage!*® a menu-driven database system. The INTERNET address for GSA *Advantage!*® is <http://gsaadvantage.gov>

**SCHEDULE TITLE: MAS**

**LARGE CATEGORY: SECURITY AND PROTECTION**

**SUBCATEGORY: SECURITY SYSTEMS**

**PSC: 6350**

**SIN 334290** Includes security and detection systems and devices, such as gas detectors, pressure level monitoring, patient/detainee monitoring systems, etc.

**NOTE: Excludes vehicular alarms.**

**NOTE: Subject to Cooperative Purchasing**

**SIN OLM** Order Level Materials

**CONTRACT NUMBER: GS-07F-0234W**

**Effective: February 15, 2020 – February 14, 2025 Mod PO0019 January 13, 2020**

**CONTRACTOR:**

Cinch Systems, Inc.  
12075 43<sup>rd</sup> St. NE  
Suite 300  
Saint Michaels, MN 55376  
Phone number: 763.497.1059  
Fax Number: 763.420.8087  
Web Address: [www.cinchsystems.com](http://www.cinchsystems.com)

**CONTRACTOR'S ADMINISTRATION SOURCE:**

Joel Christianson  
Address: same as contractor  
Phone Number: 763.497.1059  
E-Mail: [joel.christianson@cinchsystems.com](mailto:joel.christianson@cinchsystems.com)

**BUSINESS SIZE: Small Business**

**CUSTOMER INFORMATION:**

**1a. SPECIAL ITEM NUMBERS (SINs)**

**SIN:**

**Description:**

334290

Includes security and detection systems and devices, such as gas detectors, pressure level monitoring, patient/detainee monitoring systems, etc.  
NOTE: Excludes vehicular alarms.  
NOTE: Subject to Cooperative Purchasing

OLM

**Order-Level Materials (OLM)** OLMs are supplies and/or services acquired in direct support of an individual task or delivery order placed against a Schedule contract or BPA. OLM pricing is not established at the Schedule contract or BPA level, but at the order level. Since OLMs are identified and acquired at the order level, the ordering contracting officer (OCO) is responsible for making a fair and reasonable price determination for all OLMs.

OLMs are procured under a special ordering procedure that simplifies the process for acquiring supplies and services necessary to support individual task or delivery orders placed against a Schedule contract or BPA. Using this new procedure, ancillary supplies and services not known at the time of the Schedule award may be included and priced at the order level.

**OLM SIN-Level Requirements/Ordering Instructions:**

OLMs are:

- Purchased under the authority of the FSS Program
- Unknown until an order is placed
- Defined and priced at the ordering activity level in accordance with GSAR clause 552.238-115 Special Ordering Procedures for the Acquisition of Order-Level Materials. (Price analysis for OLMs is not conducted when awarding the FSS contract or FSS BPA; therefore, GSAR 538.270 and 538.271 do not apply to OLMs)
- Only authorized for use in direct support of another awarded SIN.
- Only authorized for inclusion at the order level under a Time-and-Materials (T&M) or Labor-Hour (LH) Contract Line Item Number (CLIN)
- Subject to a Not To Exceed (NTE) ceiling price

OLMs are not:

- Open Market Items.
- Items awarded under ancillary supplies/services or other direct cost (ODC) SINs (these items are defined, priced, and awarded at the FSS contract level)

OLM Pricing:

- Prices for items provided under the Order-Level Materials SIN must be inclusive of the Industrial Funding Fee (IFF).
- The value of OLMs in a task or delivery order, or the cumulative value of OLMs in orders against an FSS BPA awarded under an FSS contract, cannot exceed 33.33%.

NOTE: When used in conjunction with a Cooperative Purchasing eligible SIN, this SIN is Cooperative Purchasing Eligible.

**1b. LOWEST PRICED MODEL NUMBER AND PRICE PER SIN:**  
(Government price based on a unit of one)

<b><u>SIN:</u></b>	<b><u>Model:</u></b>	<b><u>Price:</u></b>
334290	STAC - LOCK	\$4.69

1c. **Hourly Service rates under SIN 334290:**  
See Price List.

2. **MAXIMUM ORDER PER SIN\*:**

<b><u>SIN:</u></b>	<b><u>Amount:</u></b>
334290	\$250,000.00

3. **MINIMUM ORDER:** None

4. **GEOGRAPHIC COVERAGE:** Domestic, 50tates, Washington D.C., Puerto Rico, US Territories

5. **POINT(S) OF PRODUCTION:** Washington County, MN

6. **DISCOUNT FROM LIST PRICES:** Prices herein are Net, discount has been taken

7. **QUANTITY DISCOUNTS:** NONE

8. **PROMPT PAYMENT TERMS:** Net 30.

9a. **Government Purchase Cards are accepted at or below the micro-purchase threshold.**

9b. **Government Purchase Cards are not accepted above the micro-purchase threshold.**

10. **FOREIGN ITEMS:** None
- 11a. **TIME OF DELIVERY:** 90 days ARO
- 11b. **EXPEDITED DELIVERY:** Contact Contractor
- 11c. **OVERNIGHT AND 2-DAY DELIVERY:** Contact Contractor
- 11d. **URGENT REQUIREMENTS:** Contact Contractor.
12. **F.O.B. POINT:** Origin
- 13a. **ORDERING ADDRESS:** IAW Clause 552.216-73, Cinch Systems, Inc. or their designated participating dealers may accept orders via fax or mail. Reference approved Dealer List for contact information. Orders accepted by Cinch System, Inc. can be mailed or faxed to:
- Dealer to Dealer address  
**OR**  
Cinch Systems, Inc.  
12075 43<sup>rd</sup> St. NE  
Suite 300  
Saint Michaels, MN 55376  
202.236.8835
- 13b. **Ordering procedures:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.
14. **PAYMENT ADDRESS:** IAW Clause 552.222-82, Cinch Systems, Inc. or their designated participating dealers may to accept payments. Reference approved Dealer List for contact information. Payments to Cinch System, Inc. can be mailed to:
- Dealer to Dealer address  
**OR**  
Cinch Systems, Inc.  
12075 43<sup>rd</sup> St. NE  
Suite 300  
Saint Michaels, MN 55376  
202.236.8835
15. **WARRANTY PROVISION:** Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.
16. **EXPORT PACKING CHARGES:** N/A.
17. **TERMS AND CONDITIONS OF GOVERNMENT COMMERCIAL CREDIT CARD ACCEPTANCE:** (any thresholds above the micro-purchase level)
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE AND REPAIR:** N/A
19. **TERMS AND CONDITIONS OF INSTALLATION:** Per SIN 246-1000
20. **TERMS AND CONDITIONS OF REPAIR PARTS:** N/A
21. **TERMS AND CONDITIONS OF ANY OTHER SERVICES:** N/A

- 22. **LIST OF SERVICE AND DISTRIBUTION POINTS:** Contact Cinch Systems, Inc. or Participating Dealer
- 23. **LIST OF PARTICIPATING DEALERS:** See attached list.
- 23. **PREVENTATIVE MAINTENANCE:** N/A
- 24. **SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES:** N/A
- 24a. **Section 508:** N/A
- 25. **DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER:** 786983812
- 26. **REGISTRATION IN SAM DATABASE:** Expiration 7-10-2021

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link at [www.gsa.gov](http://www.gsa.gov)

## Cinch Systems, Inc GSA Dealer Service Rates

Category	Approximate Related Experience	Education	Description of General Responsibilities
Project Manager I	Minimum of 2 years	Associates or equivalent or 4 years experience	Responsible for cradle to grave management of assigned projects. He/she serves as Point of Contact with customers. Performs Site Surveys and develops Installation/Man Power Schedules. Oversee Operations of Projects. Prepares and submits Purchase Requisition
Project Manager II	Minimum of 4 years	BS/BA or 5 years experience	Responsible for cradle to grave management of assigned projects. He/she serves as Point of Contact with customers. Performs Site Surveys and develops Installation/Man Power Schedules. Oversee Operations of Projects. Prepares and submits Purchase Requisition
Security Engineer	Minimum of 2 years	BS/BA or 3 years experience	Engineers electronic security systems based on contract requirements, site conditions, manufacturer specifications, and building codes. Verifies system design concept and equipment required for complex, multisite systems. May supervise other security engi
Security System Technician I	Minimum of 1 year	Associates degree or equivalent or 2 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment.
Security System Technician II	Minimum of 2 years	Associates degree or equivalent or 3 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment. This level employee will have the capability to supervise other technicians.
Security System Technician III	Minimum of 3 years	Associates degree or equivalent or 4 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment. This level employee will have the capability to supervise other technicians and
Technician Assistant	One year general experience	High School or GED	Assists Security System Technicians as required in the field under both direct and indirect supervision of technician .
Computer Based Technician I	Minimum of 1 year	Associates degree or equivalent or 3 years experience	Develops and programs configuration programs for access control and integrated management systems. Includes installation of software, upgrading software, programming and configuring emerge systems, IP and analog video set up, managing system resources (
Computer Based Technician II	Minimum of 3 years	Associates degree or equivalent or 4 years experience	Develops and programs configuration programs for access control and integrated management systems. Includes installation of software, upgrading software, programming and configuring emerge systems, IP and analog video set up, managing system resources (
Security System Administrator	One year general experience	High School or GED	Responsibilities include assisting in the installation of security software, upgrading and patching software, developing administrative tools, managing system resources (users, disks, backups, etc.), strategic planning, training, and other tasks commonly

## Cinch Systems, Inc GSA Dealer Service Rates


Category	Approximate Related Experience	Education	Description of General Responsibilities
Technical Writer	One year general experience	Associates degree or equivalent or 3 years experience	Plans, develops and maintains technical documentation. Conducts system reviews (hardware and software) to validate associated documentation. Coordinates documentation changes with system changes and upgrades.
Security Design Specialist	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Designs and proposes security system solutions for end users. Analyze complex physical security issues, perform site security surveys, works with internal and external organizations for development of solutions for new and existing facilities. May provide
Labor Installer	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Assist or supervises pulling of cables, mounting and wiring devices, installing conduits, and other duties required to install or service physical access and security systems.
CAD Operator	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Generates and modifies engineering drawings using Computer-Aided Drafting software from sketches, hard copies, or other information. Supervises other draftpersons
Administrative Assistant	Minimum of 1 years	Associates degree or equivalent or 3 years experience	Perform administrative support tasks for sales and technical functions

**CINCH SYSTEMS, INC.**  
**GSA DEALER ANCILLARY SERVICES RATES**

<b>Description</b>	<b>SIN</b>	<b>GSA Net Price</b>
<b>Region 1</b>		
Project Manager I	334290	\$ 107.00 /hour
Project Manager II	334290	\$ 134.00 /hour
Security Engineer	334290	\$ 168.00 /hour
Security System Technician I	334290	\$ 79.00 /hour
Security System Technician II	334290	\$ 94.00 /hour
Security System Technician III	334290	\$ 109.00 /hour
Technician Assistant	334290	\$ 73.00 /hour
Computer Based Technician I	334290	\$ 102.00 /hour
Computer Based Technician II	334290	\$ 137.00 /hour
Security System Administrator	334290	\$ 76.00 /hour
Technical Writer	334290	\$ 92.00 /hour
Security Design Specialist	334290	\$ 130.00 /hour
Labor Installer	334290	\$ 70.00 /hour
CAD Operator	334290	\$ 73.00 /hour
Administrative Assistant	334290	\$ 77.00 /hour
<b>Region 2</b>		
Project Manager I	334290	\$ 98.00 /hour
Project Manager II	334290	\$ 122.00 /hour
Security Engineer	334290	\$ 153.00 /hour
Security System Technician I	334290	\$ 73.00 /hour
Security System Technician II	334290	\$ 87.00 /hour
Security System Technician III	334290	\$ 101.00 /hour
Technician Assistant	334290	\$ 68.00 /hour
Computer Based Technician I	334290	\$ 95.00 /hour
Computer Based Technician II	334290	\$ 126.00 /hour
Security System Administrator	334290	\$ 71.00 /hour
Technical Writer	334290	\$ 85.00 /hour
Security Design Specialist	334290	\$ 119.00 /hour
Labor Installer	334290	\$ 65.00 /hour
CAD Operator	334290	\$ 68.00 /hour
Administrative Assistant	334290	\$ 71.00 /hour
<b>Region 3</b>		
Project Manager I	334290	\$ 103.00 /hour
Project Manager II	334290	\$ 128.00 /hour
Security Engineer	334290	\$ 160.00 /hour
Security System Technician I	334290	\$ 76.00 /hour
Security System Technician II	334290	\$ 90.00 /hour
Security System Technician III	334290	\$ 105.00 /hour
Technician Assistant	334290	\$ 70.00 /hour
Computer Based Technician I	334290	\$ 99.00 /hour
Computer Based Technician II	334290	\$ 132.00 /hour
Security System Administrator	334290	\$ 74.00 /hour
Technical Writer	334290	\$ 89.00 /hour
Security Design Specialist	334290	\$ 125.00 /hour
Labor Installer	334290	\$ 67.00 /hour
CAD Operator	334290	\$ 70.50 /hour
Administrative Assistant	334290	\$ 74.00 /hour

## Cinch Systems, Inc. Dealer Regions

<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
Washington	West Virginia	Oregon
California	Kentucky	New Hampshire
Texas	Tennessee	Vermont
Florida	Alabama	Maine
Virginia	Arkansas	Indiana
Maryland	Mississippi	Utah
Washington DC	Louisiana	Colorado
Delaware	Montana	New Mexico
Pennsylvania	Idaho	Arizona
New Jersey	Wyomiong	Minnesota
New York	North Dakota	Wisconson
Connecticut	South Dakota	Missouri
Rhode Island	Nebraska	North Carolina
Massachusetts	Kansas	Hawaii
Ohio	Oklahoma	Alaska
Illinois	Iowa	Nevada
Michigan	South Carolina	



CINCH Systems, Inc., 12075 43<sup>rd</sup> St. NE, Suite 300, St. Michael, MN 55376  
[www.cinchsystems.com](http://www.cinchsystems.com)

## GSA Participating Dealer List

Atlantic Comm-Tech Corporation  
2509 Walmer Avenue  
Norfolk, VA 23513  
(757) 858-5303

ESTECH, Inc.  
7617 Little River Turnpike, Suite 400  
Annandale, VA 22003  
703-642-9700


Facility Technology Services, Inc.  
403 Glenn Drive, Suite 22  
Sterling, VA 20164  
(571) 203-0245

Midlantic Corporation  
677 Holland Avenue  
Dunn, NC 28334  
910-230-3715

SETEC, Inc.  
4200 Lafayette Center Dr Ste Q  
Chantilly, VA 20151-1241  
703-968-0990

Siemens Government Services, Inc  
1881 Campus Commons Drive, Suite 300  
Reston, VA 20191  
571-296-9499

Spectrum Solutions, Inc.  
114 Castle Drive  
Madison, AL 35758  
(256) 713-0859



CINCH Systems, Inc., 12075 43<sup>rd</sup> St. NE, Suite 300, St. Michael, MN 55376

[www.cinchsystems.com](http://www.cinchsystems.com)

Wakenhut Services  
201 Atlas Drive  
Las Vegas, NV 89030  
702-295-0322

Wenzlau Engineering  
1517 Fair Oaks Avenue  
South Pasadena, CA 91030  
626-799-4800

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
ACC-6P	CINCH SYSTEMS, INC.	12/3 SJT, heavy-duty, 6 foot power cable. Molded 3-prong plug one end. 0.45" od. Prepped with insulated 0.25" qc female connectors on power leads, ring terminal on ground lead. UL Listed. Shipping Info: Carton: Loose Weight: 0.65 lbs.	334290	US	\$20.88
ACC-B12-18	CINCH SYSTEMS, INC.	6 1/2" x 7 1/8" x 3". Shipping Info: Carton: 8" x 8" x 3" Weight: 12.50 lbs.	334290	US	\$47.10
Acc-B12-5	CINCH SYSTEMS, INC.	12 VDC, 5.0 Ah Backup Battery 3.54" x 2.76" x 3.98"	334290	US	\$33.40
ACC-B12-7	CINCH SYSTEMS, INC.	3 3/4" x 6" x 2 1/2". Shipping Info: Carton: 6" x 4" x 3" Weight: 5.65 lbs.	334290	US	\$42.71
ACC-CFC-MM	CINCH SYSTEMS, INC.	62.5/125 ST/ST 3 Meters. Fiber Type: Corning InfiniCor 300 62.5/125 Micron Multimode. Jacket Type: Standard OFNR riser rated. Maximum Loss: 0.4dB / Back Reflection: -25dB.	334290	US	\$46.50
ACC-CFC-SM	CINCH SYSTEMS, INC.	9/125 ST/ST 3 Meters. Fiber Type: Corning SMF-28e 9/125 Micron Singlemode Fiber. Jacket Type: Standard OFNR riser rated. Maximum Loss: 0.3dB / Back Reflection: -55dB.	334290	US	\$46.50
ACC-T24V-100	CINCH SYSTEMS, INC.	Built In Circuit Breaker. Accessory kit included. Shipping Info: Carton: 6" x 6" x 3" Weight: 4.55 lbs.	334290	US	\$68.34
ACI-PCU-IDS	CINCH SYSTEMS, INC.	Protector system access code manual, print.	334290	US	\$16.27
AR-PCU-IDS	CINCH SYSTEMS, INC.	Accessory kit, Controller Board, Power Supply.	334290	US	\$907.81
CCU-IDS	CINCH SYSTEMS, INC.	Includes enclosure standard lock set, Accessory Hardware kit, Installation Manual, CINCH Stick upgradeable firmware, CINCH Stick sold separately, Transformer and termination box sold separately.	334290	US	\$428.21
CCU-VBS	CINCH SYSTEMS, INC.	Controls up to 8 VBS and/or door modules, IDS capabilities, 4 Particians, 100 users, 128 input zones, single CeLAN with up to 40 modules, Includes; enclosure, hardware and standard lockset.	334290	US	\$856.42
CE-1076DRS	CINCH SYSTEMS, INC.	Recessed Steel Door Contact with CeLAN 1-Zone Input Module built inline w/Wire Leads. DPDT Switch. 1" Diameter - 1/2" Gap Size. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$104.41

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
CE-1076HRS	CINCH SYSTEMS, INC.	Recessed Steel Door Contact with CeLAN 1-Zone Input Module built inline w/Wire Leads. SPDT Switch. 1" Diameter - 1/2" Gap Size. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$104.41
CE-24ZI	CINCH SYSTEMS, INC.	High Security Design with HS Tamper Option, Mounts into Protector Accessory Enclosure and CeLAN AES Encrypted Receiver, Includes Accessory Hardware kit, CINCH Stick upgradeable firmware	334290	US	\$355.95
CE-2ZI	CINCH SYSTEMS, INC.	High Security Design with HS Tamper Option. Mounts inside Protector, Protector Accessory, or CeLAN Custom Plastic Enclosure w/wall & cover tamper. Includes Accessory Hardware kit. CINCH Stick upgradeable firmware.	334290	US	\$118.64
CE-4RO	CINCH SYSTEMS, INC.	High Security Design with HS Tamper Option. Mounts inside Protector, Protector Accessory, or CeLAN Custom Plastic Enclosure w/wall & cover tamper. Includes Accessory Hardware kit. CINCH Stick upgradeable firmware.	334290	US	\$118.64
CE-8ZI	CINCH SYSTEMS, INC.	High Security Design with HS Tamper Option, Mounts inside Protector, Protector Accessory, or CeLAN Custom Plastic Enclosure w/wall & cover tamper. Includes Accessory Hardware kit. CINCH Stick upgradeable firmware	334290	US	\$118.64
Ce-AESR-V2-IDS-KIT	CINCH SYSTEMS, INC.	19" 3U Tall Rack Mount Enclosure. Includes Ce-AESR-IDS, Ce-RP, Ce-EX, Acc-T24V-100, E-CB, Acc-6P (6' Power Cord) [Not Installed]. Includes prewiring of all mounted devices, precut wire for connecting Ce-P or Ce-TCP.	334290	US	\$4,433.70
Ce-Door-EZ	CINCH SYSTEMS, INC.	Built in 12 & 24 VDC power supply, HeLAN expansion capabilities, mounts inside E-PA or E-Stahlin 12x12 NEMA, Included built in Micro SD memory-up to 32GB, Accessory kit, CINCH stick upgradeable firmware.	334290	US	\$385.39
CE-DS938Z	CINCH SYSTEMS, INC.	Motion Analyzer II processing. Motion Monitor. Cinch added Wall Tamper option. Provides for Motion Trip, Cover Tamper, Anti-mask Tamper, and Wall Tamper.	334290	US	\$168.95
Ce-DS938Z-BO	CINCH SYSTEMS, INC.	Motion Analyzer II processing. Motion Monitor. Cinch added Wall Tamper option. Provides for Motion Trip, Cover Tamper, Anti-mask Tamper, and Wall Tamper.	334290	US	\$98.63

## CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
Ce-DSISC-BO-W16	CINCH SYSTEMS, INC.	50' x 70' standard coverage; 25' x 33' selectable short range coverage. Tri-focus optics technology. Provides for Motion Trip, Cover/Wall Tamper, and Anti-mask Tamper. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$98.28
Ce-DSISC-W16	CINCH SYSTEMS, INC.	50' x 70' standard coverage; 25' x 33' selectable short range coverage. Tri-focus optics technology. Provides for Motion Trip, Cover/Wall Tamper, and Anti-mask Tamper. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$132.32
Ce-Ex	CINCH SYSTEMS, INC.	Provides terminals for up to: 10 CeLAN terminations, 3 sets of +12 VDC and CMN terminations.	334290	US	\$64.23
Ce-EX-DIN	CINCH SYSTEMS, INC.	Provides terminals for up to: 10 Celan Terminations, CeLAN Power LED. DIN rail format.	334290	US	\$64.23
CE-FC-ER	CINCH SYSTEMS, INC.	Extended range capability: up to 15 dB path loss (8 mile, 13 km). High Security Design with HS Tamper Option. Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover tamper. Includes Accessory Hardware kit.	334290	US	\$1,507.53
CE-FC-N	CINCH SYSTEMS, INC.	Normal Range: up to 14 dB path loss (2.5 mile, 4 km). High Security Design with HS Tamper Option. Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover tamper. Single Input Zone for use as tamper, or any othe	334290	US	\$536.29
Ce-FC-N-R	CINCH SYSTEMS, INC.	Normal range; up to 14dB path loss (2.5,ile, 4km, High security with tamper option, Mounts inside ComNet C-1 rack, Includes Acc. Hardware kit, CINCH Stick upgradeable firmware, 5 LED sig. strength. Disp. ST/SC.	334290	US	\$560.96
CE-FC-S	CINCH SYSTEMS, INC.	Extended range capability: up to 14 dB path loss (30 mile, 48 km). High Security Design with HS Tamper Option. Mounts inside Protector, Protector Accessory, or Enclosure- CeLAN Custom Plastic w/wall & cover tamper. Single Input Zone for use as tamp	334290	US	\$1,423.77
CE-GES3045	CINCH SYSTEMS, INC.	Integrated CeLAN Two-Zone Module. Wall Tamper feature added. White housing. 4-Place screw terminal.	334290	US	\$99.66

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
Ce-GES3045-BO	CINCH SYSTEMS, INC.	Integrated CeLAN Two-Zone Module. Wall Tamper feature added. White housing. 4-Place screw terminal.	334290	US	\$80.89
Ce-Isolator	CINCH SYSTEMS, INC.	Provides CeLAN isolation protection. Can be used for added security to block unintended signals. Connect systems while protecting them from damaging ground loops.	334290	US	\$119.90
Ce-M1ZRS	CINCH SYSTEMS, INC.	Magnasphere recessed steel door with CeLAN 1-Zone input module built inline, Provides for Positioning switch monitoring, No tamper, Simple 4 wire install.	334290	US	\$161.44
Ce-M1ZRST	CINCH SYSTEMS, INC.	Magnasphere Recessed Steel Door with CeLAN 1-Zone Input Module built inline, Provides for Position Switch monitoring. Includes pry tamper, Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$161.44
Ce-M2ZRST	CINCH SYSTEMS, INC.	Magnasphere Level 2 Recessed Steel Door with CeLAN 2-Zone Input Module built inline. Provides for Position Switch and Pry Tamper monitoring. Includes pry tamper. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$187.13
Ce-M312C	CINCH SYSTEMS, INC.	CeLAN Magnasphere MSS-312C 3-Zone Recessed Sensor, 2 N/C switches and 1-N/O switch, No pry tamper, Simple 4 wire install.	334290	US	\$115.62
Ce-M321S	CINCH SYSTEMS, INC.	CeLAN Magnasphere MSS-321S 3-Zone Surface Mount Sensor w/auxiliary switches. CeLAN 3-Zone input module built inline. 2-N/C switches and 1-N/O switch, No tamper, Simple 4 wire install.	334290	US	\$137.03
CE-M3ZS	CINCH SYSTEMS, INC.	Magnasphere Level 2 Sensor with CeLAN 3-Zone Input Module built into it. Meets the NEW UL634 Level 2 High Security Standard. Provides for Position Switch, Wall Tamper, and Magnetic Tamper. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$246.31
Ce-MBC	CINCH SYSTEMS, INC.	4 Inputs: Up, Down, EFO, Key Switch. 3 outputs: LED Status: Up, Down, EFO. Mounts inside CEA-RCP-E. Includes Accessory Kit & Installation Manual. CiINCH stick upgradable firmware.	334290	US	\$115.49

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
Ce-MGC	CINCH SYSTEMS, INC.	4 Inputs: Open, Close, Hold, Key Switch. 2 outputs: LED Status: Open, Clost. Mounts inside CEA-RCP-E. Includes Accessory Kit & Installation Manual. Cinch stick upgradable firmware.	334290	US	\$115.49
Ce-MHSL1-5	CINCH SYSTEMS, INC.	AES Encrypted door contact, surface mount, low profile ,CINCH Systems. Magnasphere HS-L1.5 with CeLan encryption	334290	US	\$162.68
Ce-MMS	CINCH SYSTEMS, INC.	5 Inputs: Normal Mode, High Traffic Mode, Weekend Mode, Gate Arm Up, Gate Arm Down. 5 outputs: LED Status: Normal Mode, High Traffic Mode, Weekend Mode, Gate Arm up LED, gate Arm Down LED. Mounts inside CEA-RCP-E.	334290	US	\$115.49
CE-P	CINCH SYSTEMS, INC.	Single Input Zone for use as tamper, or any other zone application. Mounts inside Protector Accessory Enclosure. Includes Accessory Hardware kit. CINCH Stick upgradeable firmware.	334290	US	\$175.60
Ce-RCP-SB	CINCH SYSTEMS, INC.	5 Inputs: System Power On/Off & Reset, Annunciator On/Off, Remote 1 Power, Remote 2 Power, Annunciator. 4 outputs: LED Status: System Power, Remote 1 Power, Remote 2 Power, Annunciator. Mounts inside CEA-RCP-E.	334290	US	\$115.49
Ce-RMM	CINCH SYSTEMS, INC.	Allows for up to 32GB os system event history, Push Button request for removal. Mounts inside Protector Accessory Enclosure. Includes Accessory Hardware kit. CINCH Stick upgradeable firmware.	334290	US	\$171.28
CE-RP	CINCH SYSTEMS, INC.	Supervised 5 Amp, 12 VDC Power Supply. Mounts into Protector Accessory Enclosure and CeLAN AES Encrypted Receiver. Includes 2 Form-C relay outputs. Single Input Zone for use as tamper, or any other zone application.	334290	US	\$355.95
Ce-RP-kit	CINCH SYSTEMS, INC.	Includes, Ce-RP, E-PA-kit, Acc-T24V-100, E-CB.	334290	US	\$499.72
Ce-RP-State-KIT	CINCH SYSTEMS, INC.	Contains: Supervised 5 AMP, 12VDC Power Supply, E-P-Protector Enclosure (lockset, 2 tampers, ACC-T24-100 Transformer, E-CB-Single Gang Electrical Box, E-4-CB-4 gang Electrical Box, E-P-AP Adaptor Plate	334290	US	\$544.28
Ce-T232/422	CINCH SYSTEMS, INC.	Used to interface with Indusoft or Wonderware Software. Used to interface with Acc-Monitor-17"/15". Used to interface with Rapidsan metal detectors.	334290	US	\$213.25
CE-TCP	CINCH SYSTEMS, INC.	Mounts inside Protector, Protector Accessory, or Enclosure-CeLAN Custom Plastic w/wall & cover tamper. Includes Accessory Hardware kit. CINCH Stick upgradeable firmware. Five Input Zones for use as tamper, or any other zone application.	334290	US	\$286.43

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

<b>PART NUMBER</b>	<b>MANUFACTURER</b>	<b>DESCRIPTION</b>	<b>SIN</b>	<b>CoO</b>	<b>GSA NET</b>
CE-TS	CINCH SYSTEMS, INC.	Includes back-box enclosure, faceplate, accessory hardware kit, and installation manual	334290	US	\$583.75
Ce-TS-Door	CINCH SYSTEMS, INC.	Includes back-box enclosure, faceplate, accessory hardware kit, and installation manual. CINCH Stick upgradeable firmware.	334290	US	\$526.70
Ce-TS-P	CINCH SYSTEMS, INC.	Includes back-box enclosure, faceplate, accessory hardware kit, Installation Manual, CINCH Stick upgradable firmware.	334290	US	\$526.70
Ce-TS-P- Door	CINCH SYSTEMS, INC.	Includes back-box enclosure, faceplate, accessory hardware kit, Installation Manual, CINCH Stick upgradable firmware.	334290	US	\$526.70
Ce-TS-P-State	CINCH SYSTEMS, INC.	Includes: Threaded Back Box Connector with Both Back Box Enclosure Options, New Plastic Housing, Accessory Hardware Kit, CINCH Stick Up-gradeable Firmware (CINCH stick sold separately), Installation Manual	334290	US	\$526.70
Ce-TS-P-VBS	CINCH SYSTEMS, INC.	Includes back-box enclosure, faceplate, accessory hardware kit, Installation Manual, CINCH Stick upgradable firmware. State, Navy, NNSA.	334290	US	\$557.53
Ce-TS-VBS	CINCH SYSTEMS, INC.	Includes back-box enclosure, faceplate, accessory hardware kit, Installation Manual, CINCH Stick upgradable firmware.	334290	US	\$557.53
Ce-U1Z	CINCH SYSTEMS, INC.	CeLAN 1-Zone Input Module built inline w/Wire Leads, Simple 2 wire connection to sensor, 12" Long, Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$82.22
Ce-U2Z	CINCH SYSTEMS, INC.	CeLAN 2-Zone Input Module built inline w/Wire Leads, Two color-coded sets of Simple 2 wire connection to sensors, 12" Long, Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$88.21

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
Ce-VBS	CINCH SYSTEMS, INC.	Mounts in E-VBS, Detailed metrics tracking, Built-in 12VDC to 24VDC Boost Power Supply, Controls 1 barrier or up to 8 bollards as a single system, Isolated relay outputs allows for flexible valve/solenoid voltages.	334290	US	\$1,177.58
Ce-VBS-EZ	CINCH SYSTEMS, INC.	Mounts in E-VBS. Detailed metrics tracking using on-board SD memory. Built-in 12VDC to 24VDC Boost Power Supply. Controls 1 barrier. Isolated relay outputs allows for flexible valve/solenoid voltages.	334290	US	\$701.21
Ce-VBS-kit	CINCH SYSTEMS, INC.	Kit Includes: Ce-VBS, Ce-RP, Acc-T24V-100, Acc-B12-5.	334290	US	\$1,598.94
CE-WF2ZI	CINCH SYSTEMS, INC.	Mounts into existing SM-3 (Wells Fargo) BMS. CINCH Stick upgradeable firmware. Shipping Info: Carton: 4"x3"x2". Weight: 0.20 lbs.	334290	US	\$90.45
CO-CSR	CINCH SYSTEMS, INC.	Decrypts the history files on the CO-CSU when provided a valid Access Code. Decrypted History file can be downloaded to computer via USB port. Includes USB Cable.	334290	US	\$128.46
CO-CSU	CINCH SYSTEMS, INC.	Controller Board. Accessory kit. Shipping Info: Carton: Plastic Bag Weight: 0.05 lbs	334290	US	\$61.70
CO-PPS	CINCH SYSTEMS, INC.	For use with Ce-P, Includes Belkin Printer Cable, AC Adapter (PW-C0725-W1-x*2), Standard (IBM) Parallel printer interface, Thermal paper NOT included.	334290	US	\$68.99
CO-Prox	CINCH SYSTEMS, INC.	Mounts on Ce-VBS Module. Converts Prox limit switches to N/C contact inputs. Powered by the Ce-VBS module. Includes Accessory Kit & Installation Manual.	334290	US	\$42.82
CO-PRSI	CINCH SYSTEMS, INC.	Allows for the supervision of both the Protector Panels output relays. Wiring is supervised from relay interface board to end-of-line supervision module. NOTE: Relay Supervision is 'enrolled' into the system and uses one zone per relay. Protector Pa	334290	US	\$61.70
CO-PS2KI	CINCH SYSTEMS, INC.	Allows for the connection of a PS-2 keyboard to any CeLAN Touch Screen Module. When connected allows for alphanumeric test entry via the PS-2 Keyboard. Accessory kit. Shipping Info: Carton: Plastic Bag Weight: 0.05 lbs.	334290	US	\$61.70

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
CO-T-24Z	CINCH SYSTEMS, INC.	Allows for easy testing and configuration of CeLAN 8-Zone input module. Zones can be tested in Normally Open or Normaaaly Closed configuration, All Zones can be demonstrated including GFH-ground fault in the high side of the Zone.	334290	US	\$81.36
CO-T-4R	CINCH SYSTEMS, INC.	Allows for the easy testing and configuration of a CeLAN 4-Relay Output Module. When connected allows for the testing of the input zone and verification of the output programming of the four module relays. Zone can be tested in the Normally Open or N	334290	US	\$56.96
CO-T-8Z	CINCH SYSTEMS, INC.	Allows for the easy testing and configuration of a CeLAN 8-Zone Input Module. When connected allows for the testing of the 8 input zones. Zones can be tested in the Normally Open or Normally Closed configuration.	334290	US	\$90.17
CO-T-P	CINCH SYSTEMS, INC.	Allows for the easy testing and configuration of a Protector Panel. When connected allows for the testing of the 8 input zones and verification of the output programming of the two panel relays. Zones can be tested in the Normally Open or Normally Cl	334290	US	\$90.17
CO-T-PRINT	CINCH SYSTEMS, INC.	Allows for the easy testing and configuration of a CeLAN Printer Module. When connected allows for the testing of the printer interface including simulating; Online / Offline (or unplugged), Paper OK / Out, Printer OK / Error.	334290	US	\$94.92
CO-T-RP	CINCH SYSTEMS, INC.	Allows for the easy testing and configuration of a CeLAN Remote Power Module. When connected allows for the testing of the input zone and verification of the output programming of the two module relays. Zone can be tested in the Normally Open or Norm	334290	US	\$47.46
DPU-414-KIT	CINCH SYSTEMS, INC.	For use with Ce-P, Includes Belkin Printer Cable, CO-PPS, Standard (IBM) Parallel printer interface, Thermal paper NOT included.	334290	US	\$342.57
DS ISC-PPR1-W16	CINCH SYSTEMS, INC.	50' x 70' standard coverage; 25' x 33' selectable short range coverage. Tri-focus optics technology. Provides for Motion Trip, Cover/Wall Tamper, and Anti-mask Tamper. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$40.68
E-C	CINCH SYSTEMS, INC.	Accessory kit included.	334290	US	\$23.55

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
E-CB	CINCH SYSTEMS, INC.	Steel Electric Box 1 7/8". Steel Box Cover Plate. Shipping Info: Carton: 4" x 3" x 2" Weight: 0.65 lbs.	334290	US	\$7.59
E-C-KIT	CINCH SYSTEMS, INC.	Holds up to 3 small CeLAN (5.5"x3.5" modules. 1 CeLAN Remote Power Module and 1-18AH Battery.	334290	US	\$118.61
E-CP	CINCH SYSTEMS, INC.	7.285" x 4.72" Plastic. Holds one CeLAN Module - Ce-8ZI, Ce-4RO, Ce-TCP, Ce-FC-N or Ce-FC-EX. Cover and wall tampered. 4 mounting holes.	334290	US	\$37.97
E-P	CINCH SYSTEMS, INC.	Accessory kit included. Shipping Info: Carton: 18"x16"x6" Weight: 15.8 lbs	334290	US	\$118.64
E-PA	CINCH SYSTEMS, INC.	Holds up to: 2 Small CeLAN (12"x12"x6") modules, 1-CeLAN Remote Power Module, and 1-18AH Battery. Allows for the mounting of 1- Acc-T24V-100 Transformer (If used only 1 of the small CeLAN modules can be mounted).	334290	US	\$109.16
E-PA-KIT	CINCH SYSTEMS, INC.	Holds up to: 2 Small CeLAN (12"x12"x6") modules, 1-CeLAN Remote Power Module, and 1-18AH Battery. Allows for the mounting of 1- Acc-T24V-100 Transformer (If used only 1 of the small CeLAN modules can be mounted).	334290	US	\$121.97
E-P-AP	CINCH SYSTEMS, INC.	Adapter plate mounts on Protector mounting holes. Allow for the mounting of Ce-RP or Ce-24ZI modules. Accessory kit.	334290	US	\$25.69
E-P-AP-3	CINCH SYSTEMS, INC.	Adapter plate mounts on Protector mounting holes. Allow for the mounting of 3 Ce-8ZI or Ce-4RO or similar modules. Accessory kit.	334290	US	\$25.69
E-PA-S	CINCH SYSTEMS, INC.	Holds up to: 2-CeLAN 2-Zone Input Modules or 1-CeLAN small (8-Zone Input, 4 Relay Output, etc), and 1-7AH Battery. Cover and Wall Tamper Option using S-ET (Tamper Switch) sold separately.	334290	US	\$85.43
E-PA-S-KIT	CINCH SYSTEMS, INC.	Holds up to: 2-CeLAN 2-Zone Input Modules or 1-CeLAN small (8-Zone Input, 4 Relay Output, etc), and 1-7AH Battery. Cover and Wall Tamper Option using S-ET (Tamper Switch) sold separately.	334290	US	\$98.24
E-P-KIT	CINCH SYSTEMS, INC.	Includes S-ET (GRI TS-01S tamper switches) and L-S (Standard lockset) in Accessory kit. Shipping Info: Carton: 18"x16"x6" Weight: 15.8 lbs.	334290	US	\$131.46

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

<b>PART NUMBER</b>	<b>MANUFACTURER</b>	<b>DESCRIPTION</b>	<b>SIN</b>	<b>CoO</b>	<b>GSA NET</b>
E-R	CINCH SYSTEMS, INC.	Accessory kit included.	334290	US	\$107.05
E-R-KIT	CINCH SYSTEMS, INC.	Includes S-ET (GRI TS-01S tamper switches) and L-S (Standard lockset) in Accessory kit.	334290	US	\$118.61
E-Stahlin-12x12 NEMA	CINCH SYSTEMS, INC.	12"x12" NEMA 4X enclosure for fiber conversion, E6Use with E-Stahlin-12"x12"-bracket.	334290	US	\$189.95
E-Stahlin-12x12-bracket	CINCH SYSTEMS, INC.	Holds up to: 1-CeLAN VBS-N Modules, 1-CeLAN RP Module, 2-CeLAN small (Fiber Conversion, 4 Relay Output, etc), and 1-Acc-T24V-100. Mounts inside the E-Stahlin-12x12.	334290	US	\$42.82
E-TS-P-BB-NT	CINCH SYSTEMS, INC.	Includes back-box enclosure with 3/4" smooth pipe insert, Belgium Grey matches Ce-TS-P color.	334290	US	\$9.85
E-TS-P-BB-T	CINCH SYSTEMS, INC.	Includes back-box enclosure with 3/4" smooth thread insert, Belgium Grey matches Ce-TS-P color.	334290	US	\$9.85
He-MDC	CINCH SYSTEMS, INC.	8 inputs, EFO reset, EFO, Open, Close, Stop, Override, Tamper, Lamp Test, 5 outputs: LED Status, EFO, Open, Close, Stop, Override. Mounts inside CEA-RCP-E. Includes accessory kit. CINCH stick upgradeable firmware.	334290	US	\$137.03
He-Motor	CINCH SYSTEMS, INC.	High security design with HS tamper options, includes accessory hardware kit, CINCH stick upgradeable firmware.	334290	US	\$385.39
I-PCU-IDS	CINCH SYSTEMS, INC.	Protector system installation manual, print.	334290	US	\$27.41
L2S-000	CINCH SYSTEMS, INC.	Magnasphere Level 2 Sensor without CeLAN Input Module. Provides for Position Switch, Wall Tamper, and Magnetic Tamper. Simple 4 wire (+12, Data A, Data B, GND) installation.	334290	US	\$190.00
L-M-KA	CINCH SYSTEMS, INC.	4 Pin, 11/16" Cam Lock Assembly, 1" flat cam, Mounting nut. 2 Matched Keys to appropriate organizational standard. Shipping Info: Carton: Plastic Bag Weight: 0.25 lbs	334290	US	\$61.70

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
L-M-KD	CINCH SYSTEMS, INC.	4 Pin, 11/16" Cam Lock Assembly, 1" flat cam, Mounting nut. 2 Matching Keys (Random - not matching any organizational standard key). Shipping Info: Carton: Plastic Bag Weight: 0.25 lbs.	334290	US	\$61.70
L-S	CINCH SYSTEMS, INC.	4 Pin, 11/16" Cam Lock Assembly, 1" flat cam, mounting clip. 2 Keys - Standard CINCH. Shipping Info: Carton: Plastic Bag Weight: 0.10 lbs.	334290	US	\$6.17
MSS-RFS-100	CINCH SYSTEMS, INC.	The Magnasphere MMS-RFS series sensors are designed as replacement/upgrade for the OEM's RF sensor, Strongest FCC allowable output signal, 14+ year battery life, narrow, low-profile housing.	334290	US	\$26.74
MSS-RFS-200	CINCH SYSTEMS, INC.	The Magnasphere MMS-RFS series sensors are designed as replacement/upgrade for the OEM's RF sensor, Strongest FCC allowable output signal, 14+ year battery life, narrow, low-profile housing.	334290	US	\$26.74
MSS-RFS-300	CINCH SYSTEMS, INC.	The Magnasphere MMS-RFS series sensors are designed as replacement/upgrade for the OEM's RF sensor, Strongest FCC allowable output signal, 14+ year battery life, narrow, low-profile housing.	334290	US	\$26.74
P2CU-IDS	CINCH SYSTEMS, INC.	Includes enclosure, standard lock set, accessory hardware kit, and installation manual. CINCH Stick upgradeable firmware, CINCH Stick, Transformer and termination box sold separately.	334290	US	\$997.73
PCU-IDS	CINCH SYSTEMS, INC.	Includes enclosure, standard lock set, accessory hardware kit, and installation manual	334290	US	\$1,029.87
PCU-IDS-KIT 1	CINCH SYSTEMS, INC.	Includes PCU-IDS, T24V-100, E-CB, CO-CSU, E-PA-kit, Ce 4RO, Ce-Ex.	334290	US	\$1,334.74
PCU-IDS-KIT 2	CINCH SYSTEMS, INC.	Includes PCU-IDS, Acc-T24V-100,E-CB, CO-CSU, Ce-TS, Ce-Ex	334290	US	\$1,644.33
PCU-IDS-State-KIT	CINCH SYSTEMS, INC.	Includes; Enclousre, Standard Lockset, 2 Tampers, Accessory Hardware Kit, CO-CSU - CINCH stick, ACC-T24-100 - Transformer, E-EB-Single Gang Box, E-4-CB - 4 Gang Box	334290	US	\$1,063.69

**CINCH SYSTEMS, INC.'S GSA NET PRICEBOOK**

<b>PART NUMBER</b>	<b>MANUFACTURER</b>	<b>DESCRIPTION</b>	<b>SIN</b>	<b>CoO</b>	<b>GSA NET</b>
RC-CeERL-IDS	CINCH SYSTEMS, INC.	Anti-Glare label.	334290	US	\$42.82
RC-Ce-RP	CINCH SYSTEMS, INC.	Accessory kit, Controller Board, No Power Supply.	334290	US	\$192.70
RC-Ce-TS-Faceplate	CINCH SYSTEMS, INC.	Faceplate, 6.5" x 6" Anti-Glare label, allen wrench and set screws.	334290	US	\$51.06
RC-Ce-TSL	CINCH SYSTEMS, INC.	6.5" x 6" Anti-Glare label.	334290	US	\$25.69
RC-PM-12	CINCH SYSTEMS, INC.	Replacement Power Supply Module for Protector Panel or CeLAN Remote Power Module. Accessory kit.	334290	US	\$162.72
RC-TS-AESR-VBS	CINCH SYSTEMS, INC.	Includes Display, circuit boards, touch screen, and mounting hardware. All electronic components without the faceplate and metal backbox assemble.	334290	US	\$428.21
RCU-VBS	CINCH SYSTEMS, INC.	Includes enclosure, standard lock set, Accessory Hardware kit, Installation Manual, CINCH Stick upgradeable firmware (CINCH Stick sold separately),Transformer and termination box sold separately.	334290	US	\$997.73
RCU-VBS-KIT	CINCH SYSTEMS, INC.	Includes RCU-VBS, Acc-T24V-100, E-CB, CO-CSU, Ce-TS-VBS, Ce-Ex.	334290	US	\$1,743.68
S-ET	CINCH SYSTEMS, INC.	Adjustable Plunger Length. Closed Loop with built in Automatic Service Shunt. Includes Mounting Hardware. Shipping Info: Carton: Plastic Bag Weight: 0.05 lbs	334290	US	\$6.64
UG-Kit-Ce-AESR-IDS-KIT	CINCH SYSTEMS, INC.	Includes Ce-RP, Ce-EX, Acc-T24V-100, and E-CB. Includes Acc-6P (6' Power Cord). Includes precut wire for connecting Ce-P or Ce-TCP. Includes Accessory Kit.	334290	US	\$472.75
U-PCU-IDS	CINCH SYSTEMS, INC.	Protector system installation manual, print.	334290	US	\$16.27