

GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA *Advantage!*, a menu-driven database system. The INTERNET address for GSA *Advantage!* is <http://www.gsaadvantage.gov>

SCHEDULE TITLE: Federal Supply Schedule 084 – Total Solutions for Law Enforcement, Security, Facility Management Systems, Fire, Rescue, Special Purpose Clothing, Marine Craft and Emergency/Disaster Response

FSG 84: Law Enforcement & Security Equipment

CONTRACT NUMBER: GS-07F-0280T

CONTRACT PERIOD: March 19, 2007 – March 18, 2012

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at www.fss.gsa.gov

CONTRACTOR: Envision Product Design LLC
7800 King Street
Anchorage, AK
Phone number: 907.563.1141
Fax number: 907.563.1142
E-Mail: johnp@cmosxray.com

CONTRACTOR'S ADMINISTRATION SOURCE: Same as above.

BUSINESS SIZE: Woman-Owned Small Business

CUSTOMER INFORMATION:

1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)

SIN	DESCRIPTION
426-4K	Metal and Bomb Detection Equipment

1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:
(Government net price based on a unit of one)

<u>SIN</u>	<u>MODEL</u>	<u>PRICE</u>
426-4K	OVLT	\$56,339.40 (GSA Price)

2. MAXIMUM ORDER*: SIN: 426-4K, \$850,000 per SIN/Per Order

*If the best value selection places your order over the Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contactor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the schedule contract in accordance with FAR 8.404.

3. MINIMUM ORDER: 1 system.

4. GEOGRAPHIC COVERAGE: Domestic, 50 States, DC, Puerto Rico and US Territories.

5. POINT(S) OF PRODUCTION: Anchorage, Anchorage County, Alaska.

6. DISCOUNT FROM LIST PRICES: 20% from the Envision Product Design LLC Price List effective 02.15.06.

For calculation of the GSA Schedule price (price paid by customers ordering from the GSA Schedule, and the price to be loaded in to GSA Advantage), the contractor should deduct the appropriate basic discount from the list price and add the prevailing IFF rate to the negotiated discounted price (Net GSA price). Current IFF rate is 0.75%.

7. QUANTITY DISCOUNT(S): 3%, 3-5 systems and 5%, 6+ systems. (These discounts are in addition to the 20% basic discount and all systems must be ordered at the same time.)

8. PROMPT PAYMENT TERMS: 1% 20 days, Net 30

9.a. Government Purchase Cards are accepted at or below the micro-purchase threshold.

9.b. Government Purchase Cards are accepted above the micro-purchase threshold.

10. FOREIGN ITEMS: None.

- 11a. TIME OF DELIVERY: 15-45 DARO
- 11b. EXPEDITED DELIVERY: Consult with Contractor
- 11c. OVERNIGHT AND 2-DAY DELIVERY: Consult with Contractor
- 11d. URGENT REQUIRMENTS: Consult with Contractor
- 12. FOB POINT: Origin.
- 13a. ORDERING ADDRESS: Same as Contractor's address.
- 13b. ORDERING PROCEDURES: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.
- 14. PAYMENT ADDRESS: Same as Contractor's address.
- 15. WARRANTY PROVISION: Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.
- 16. EXPORT PACKING CHARGES: Not applicable
- 17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE: Accepted above the micro-purchase level.
- 18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR (IF APPLICABLE): N/A
- 19. TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE): N/A
- 20. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF AVAILABLE): N/A
- 20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE): N/A
- 21. LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE): N/A
- 22. LIST OF PARTICIPATING DEALERS (IF APPLICABLE): N/A
- 23. PREVENTIVE MAINTENANCE (IF APPLICABLE): N/A

24a. SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants): N/A

24b. Section 508 Compliance for EIT: N/A

25. DUNS NUMBER: 849061379

26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE: Contractor is registered.

OpenVisionTM LT

OVLT 3/07

“REAL” Real-time X-ray Imaging



A light-weight portable x-ray system for hand-held and robot-deployed investigation of suspect packages. Images are presented in real-time utilizing a highly sensitive x-ray video imager and a low dose CP x-ray tube.

Moving the imager around a package provides a three dimensional perspective, allowing the operator to scan a range of package sizes much more quickly and with more detail than any previously available x-ray system. A color video camera is provided to show the area of x-ray view.

Images are presented on a high-resolution 7” LCD display or on a heads-up display mounted to standard safety glasses. A solid-state video recorder with 4” LCD display provides an optional viewing station and also provides storage of inspection images in digital video or still format on Memory Stick media or mini DV tape.

Specifications

imaging area:	4"x 6" field of view, continuously moveable	
dimensions:	Adjustable for 15” to 30” between x-ray tube and imager Inside height 21” Handle may be extended, rotated or removed. Robot attachment accessories included.	
acquisition time:	Real-time NTSC video (30 frames per second)	
energy:	40/55/70 Kv, .1/.2/.3 ma	
spatial resolution:	250 micron (0.010")	
contrast resolution:	8 bit, 256 grayscale	
weight:	C-arm:	16.5 pounds including imager and X-ray tube
	Extended handle:	5 pounds including 7” LCD
	Controller:	7 pounds including battery and shoulder strap
temperature:	Imager and tube: -30°F to +120°F ambient	
display:	7” LCD mounted to the extended handle Military-grade heads-up display mounted to safety glasses Adapter cable for robotic interface	
recording:	Pocket-size Digital Video recorder with mini DV tape and Memory Stick media	
packaging:	All components housed in a wheeled Pelican field case, 18 x 29 x 12 inches	

Specifications subject to change without notice

<http://www.OpenVision.us>