



® GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE

AUTHORIZED FEDERAL SUPPLY SCHEDULE
CATALOG/PRICE LIST

**Total Solutions for Law Enforcement, Security
Facilities Management, Fire, Rescue
FSC GROUP 084**



Contract Number: GS-07F-0298J
Period Covered by Contract: July 1, 2014 through June 30, 2019
Contract Administrator: Mr. Michael Atchison

Digital Monitoring Products
2500 N. Partnership Blvd
Springfield, MO 65803

Tel: (417) 831-9362
Fax: (417) 863-9811
website: <http://www.dmp.com>

Effective through Modification PO-1097 dated May 13, 2016

Small Business

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is: <http://GSAAdvantage.gov>

Table of Contents

Information for Ordering Activities2

General Terms and Conditions2

1a. Awarded Special Item Numbers (SIN)2

1b. Lowest Priced Model Number and Price.....2

1c. Hourly Labor Rates2

2. Maximum Order2

3. Minimum Order3

4. Geographic Coverage3

5. Points of Production3

6. Basic Discount.....3

7. Quantity/Volume Discount.....3

8. Prompt Payment Terms.....3

9a. Government Purchase Cards3

9b. Government Purchase Cards3

10. Foreign Items3

11a. Time of Delivery3

11b. Expedited Delivery3

11c. Overnight and 2-Day Delivery3

11d. Urgent Requirements3

12. FOB Point3

13. Ordering Address.....3

13b. Ordering Procedures.....3

14. Payment Address.....3

15. Warranty Provision3

16. Export Packing Charges3

17. Terms and Conditions of.....3

18. Terms and Conditions3

19. Terms and Conditions3

20. Terms and Conditions3

20a. Terms and Conditions3

21. List of Service and4

22. List of Participating Dealers4

23. Preventative Maintenance5

24a. Environmental Attributes5

24b. Section 508 Compliance5

25. DUNs Number5

26. SAM Database (*formerly CCR*)5

GSA Schedule Product Pricing.....6

Information for Ordering Activities

General Terms and Conditions:

1a. Awarded Special Item Numbers (SIN):

COOP PURCH 246 1000 Security, Alarm & Signal Systems Ancillary Supplies and/or Services - Ancillary supplies and/or services are support supplies and/or services which are not within the scope of any other SIN on this schedule. These supplies and/or services are necessary to compliment a contractor's offerings to provide a solution to a customer requirement. This SIN may be used for orders and blanket purchase agreements that involve work or a project that is solely associated with the supplies and/or services purchased under this schedule. This SIN EXCLUDES purchases that are exclusively for supplies and/or services already available under another schedule.

Special Instructions: The work performed under this SIN shall be associated with existing SIN(s) that are part of this schedule. Ancillary supplies and/or services shall not be the primary purpose of the work ordered, but be an integral part of the total solution offered. Ancillary supplies and/or services may only be ordered in conjunction with or in support of supplies or services purchased under another SIN(s) of the same schedule. Offerors may be required to provide additional information to support a determination that their proposed ancillary supplies and/or services are commercially offered in support of one or more SIN(s) under this schedule

COOP PURCH 246 20 3 Miscellaneous Alarm and Signal Systems. Audible/Visual Warning/Signaling Devices including radio alarms equipment (excluding those for vehicular use

COOP PURCH 246 25 Fire Alarm Systems (Excludes Fire Suppression Devices)

COOP PURCH 246 35 1 Access Control Systems, Door entry control by card access, magnetic proximity including but not limited to Biometric

COOP PURCH 246 40 Intrusion Alarms and Signal Systems Including audible and visible warning devices (no personal alarms)

COOP PURCH 246 42 1 Facility Management Systems (Including Accessories and Repair Parts. Computerized Systems for Surveillance, Monitoring, Controlling, Signaling and Reporting Multiple Functions. Security Functions (i.e., access control, fire detection, intrusion, etc.)

1b. Lowest Priced Model Number and Price:

<u>SIN</u>	<u>Part No.</u>	<u>GSA Net Price</u>
246 20(3)	1107-W	\$30.24
246 25	277	\$14.83
246 35(1)	734N	\$180.89
246 40	1346-RING	\$0.27
246 42(1)	395	\$16.52
246 1000	330-4	\$5.25

1c. Hourly Labor Rates and Descriptions: Open Market pricing available contact contractor

2. Maximum Order:

SINs	246-20(3), 246-25, 246-35(1), 246-40	\$100,000.00 per SIN/per order
SINs	246-42(1), 246-1000	\$150,000.00 per SIN/per order

Digital Monitoring Products.

If the "Best Value" selection places your order over this Maximum Order, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the Schedule contract in accordance with FAR 8.404.

- | | | |
|------|--|--|
| 3. | Minimum Order: | \$100.00 |
| 4. | Geographic Coverage: | Domestic 48 contiguous states, District of Columbia |
| 5. | Points of Production: | Springfield, MO |
| 6. | Basic Discount: | Prices shown herein are GSA Net (discount deducted) |
| 7. | Quantity/Volume Discount(s): | None |
| 8. | Prompt Payment Terms: | 1% 10 / Net 30 Days |
| 9a. | Government Purchase Cards: | Government Purchase Cards are accepted at or below the Micro-purchase threshold (\$3,000). |
| 9b. | Government Purchase Cards: | Government purchase cards are not accepted above the micro-purchase threshold. |
| 10. | Foreign Items: | None |
| 11a. | Time of Delivery: | 30 Days ARO. |
| 11b. | Expedited Delivery: | 10 Days ARO. Contact contractor for availability. |
| 11c. | Overnight and 2-Day Delivery: | Contact contractor for availability. |
| 11d. | Urgent Requirements: | Contact contractor for availability. |
| 12. | FOB Point: | Destination |
| 13. | Ordering Address: | Same as Contractor |
| 13b. | Ordering Procedures: | For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules). |
| 14. | Payment Address: | Same as Contractor |
| 15. | Warranty Provision: | Standard Commercial Warranty. Please Contact Contractor |
| 16. | Export Packing Charges: | Not Applicable |
| 17. | Terms and Conditions of Government Purchase Card Acceptance: | No Special Terms |
| 18. | Terms and Conditions Applicable to Rental, Maintenance and Repair: | Not Applicable |
| 19. | Terms and Conditions Applicable to Installation: | Not Applicable |
| 20. | Terms and Conditions Applicable to Repair Parts: | Not Applicable |
| 20a. | Terms and Conditions Applicable to any other Services: | Not Applicable |

Digital Monitoring Products.

21. List of Service and Distribution Points:

Not Applicable

22. List of Participating Dealers:

Participating Dealer	Point of Contact Name	Address	Telephone	Fax	Email Address
Alarm Security Group, DBA AccuTech Systems	Lauren Fleetwood	12301 Kiln Court Beltsville MD 20705	301-623-4068	301-595-3229	lfleetwood@asgsecurity.com
All American Alarm	Carla Nusbaum	2030 Crawford Street Ft. Myers FL 33901	239-334-7447	239-220-5620	carla@allamericanalarm.com
Alltech Integrations, Inc.	Thomas Quant	7463 State Route 11 Patsdam, NY 13676	(315)268-2401	(315)268-404	thomasquant@alltechintegrations.com
ADS Security, LP	Craig Leyers	3001 Armory Drive, Suite 100 Nashville TN 37204	(615)695-6540	(615)383-5973	cleyers@adssecurity.com
All Safe Technologies LLC	Don Williams	2620 25th Avenue Gulfport MS 39501	(228)575-9550	(228)575-9551	dwilliams@allsafetec.com
Atlas Security Service	Jim Wade	1309-B Republic Road Springfield MO 65804	(417)831-2866	(417)831-1612	jd Wade@atlassecurity.com
Axis Global Enterprises, DBA Advanced Sensors	Chris Kilinski	2824 Shipp's Corner Road Virginia Beach VA 23602	(757)989-0718	(757)989-0594	ckilinski@asisecurity.net
Central Monitoring Service, Inc.	Kyle Comes	P.O. Box 1162 Rapid City, SD 57709	(605)343-3333	(605)343-3333	kyle@knightsecurityinc.com
Certified Security – Spokane	Robert Hanley	1420 N Pines Road Spokane, WA 99206	(509)922-9111	(509)922-2292	Bob@certified-security.com
Deep Blue Integration, Inc	Curtis Streeter	3442 Empresa Drive, Suite C San Luis Obispo CA 93401	(888)600-0324	(805)791-2037	curtis@deepblueintegration.com
Digitronics Inc.	Mala Grover	3918 Prosperity Avenue, Suite 301 Fairfax VA 22031	(703)698-9800	(703)698-9817	mgrover@digitronicsinc.com
FiberPlus	Mike Lyons	8240 Preston Ct, Suite C Jessup MD 20794	(301)957-2202	(301)317-8585	mlyons@fiberplusinc.com
Georgia-Florida Burglar Alarm Co.	Heather Daughtry	420 N Duval Street Tallahassee, FL 32301	(850)224-7900	(229)228-6412	hdaughtry@gaf-alarms.com
Habitec Security	Wally Bell	P O Box 352497 Toledo OH 43635	(419)537-6768	(419)537-6951	wbell@habitecsecurity.com
Hackett Security Inc	Michael Hackett	9811 South Forty Drive St. Louis MO 63124	(314)432-4200	(314)-432-7999	mhackett@hackettsecurity.com
Harris Security	George Harris	P O Box 1182 Ozark AL 36361	(334)774-8564	(334)445-1341	gharris@harrissecurity.com
Industrial and Commercial Security Systems, Inc.	Steve Berniklau	2400 Comanche NE Albuquerque NM 87107	(505)888-2954	(505)888-2957	steveb@icssnm.com
Lane Electronics Alarm Systems	John Lane	667 Harold Avenue Winter Park FL 32789	(407)299-6070	(407)539-1505	lanej2265@msn.com
Matson Alarm Co.	Rebecca Matson	8401 N Fresno Street Fresno, CA 93720	(559)438-8000	(559)431-6291	Rebecca@matsonalarm.com
Maximum Security Alarm Systems	Steve Kaufer	P O Box 1566 Palm Springs CA 92263	(760)770-0777	(760)325-3785	stevek@maximumsecurity.info
Minuteman Security Technologies	John Mendonca	1 Connector Road Andover MA 01810	(978)783-0018	(978)7830019	johnm@minutemanst.com
New Age Security	Doug Hassett	26074 Avenue Hall, Suite 11 Valencia CA 91355	(760)578-5660	(661)257-7661	dough@nasscctv.com
NextGen Systems LLC	Jesse Decker	7165 Bermuda Road Las Vegas NV 89119	(702)270-4499	(702)967-5377	jdecker@nextgensolution.com

Digital Monitoring Products.

Participating Dealer	Point of Contact Name	Address	Telephone	Fax	Email Address
Protection Networks, DBA Alarm Concepts	Christopher Geymuller	4887 Alpha Road Farmers Branch TX 75244	(214)348-1500	(214)348-1972	hristopher@protectionnetworks.com
Scarsdale Security Systems	David Raizen	132 Montgomery Avenue Scarsdale NY 10583	(914)722-2200	(914)722-2299	draizen@scarsdalesecurity.com
Security & Energy Technologies Corporation	Robert Donnelly	4200-Q Lafayette Center Drive Chantilly VA 20151	(703)968-0990	(703)968-7718	rdonnelly@setecinc.com
Security Hunter Inc.	Robert Thaggard	7249 Ambassador Road Baltimore, D 21244	(443)436-0700	(443)436-0450	rthaggard@securityhunter.com
Security Engineering, Inc.	Eric Pellak	8017 Dorsey Run Road, Suite D Jessup MD 20794	(443)755-0220	(443)755-0277	eric.pellak@sei-md.com
Security Signal Devices	Scott Hollis	1740 N. Lemon Street Anaheim, CA 92801	(800)888-0444	(714)449-9595	shollis@ssdsystems.com
Signet Technologies, Inc.	Angela Pulliam	12300 Kiln Court, Suite E Beltsville MD 20705	(240)264-3295	(240)264-3296	angela.pulliam@signetinc.com
Superior Alarm Systems	Michael Belkowitz	9001 Canoga Avenue Canoga Park CA 91304	(818)700-7100	(818)717-9700	mbelkowitz@sassecurity.com
Tech Services Security	Tom Monahan	PO Box 775 Edison NJ 08818	(732)985-9300	(732)985-9301	tomm@techservicesnj.com
The Professionals	John McKenna	1501 E Main Street, Suite 202 Meriden CT 06450	(866)433-4474	(203)440-4173	jmckenna@isgsecurity.com
The Protection Bureau	Matthew Ladd	197 Philips Road Exton PA 19341	(610)903-4900	(610)903-4915	matthewladd@protectionbureau.com
United Security & Communications, Inc	Deborah Matthews	5415 Southern Maryland Blvd Lothian MD 20711	(301)494-0288	(410)741-0654	debmatthews@usci.us
Watchlight Corporation	Paolo Piscatelli	111 S Marshall Avenue El Cajon CA 92020	(619)442-9595	(619)442-7171	paolo@watchlight.com

23. Preventative Maintenance: Not Applicable
- 24a. Environmental Attributes, e.g., recycled, content, energy efficiency, and/or reduced Pollutants: Not Applicable
- 24b. Section 508 Compliance Information: Not Applicable
25. DUNs Number: 038295382
26. SAM Database (formerly CCR): Registered

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
1100 WIRELESS SERIES									
BILL TRAP									
1139-I	Wireless Bill Trap	The 1139 Wireless Bill Trap has a built-in switch that transmits an alarm to the receiver when the cashier removes the trapped bill. An optional Retard Delay feature allows the bill to be returned without initiating an alarm.					246 40	USA	\$81.30
1141-W	Wireless Wall Button	WLS WALL BUTTON					246 40	USA	\$27.50
1144-2P	Wireless Two Button Key Fob with Prox Patch	WLS 2-BUTTON KEY FOB, PROX					246 40	USA	\$41.58
ACCESSORIES									
CR123/8	Battery	3V Lithium Battery					246 40	USA	\$18.59
CR12600/8	Battery	3V Lithium Battery					246 40	USA	\$43.00
DOOR & WINDOW SENSORS									
1101-HSG-B/10	WIRELESS TRANSMITTER HOUSING	Replacement Wireless Transmitter housing only (black). Pack of 10					246 1000	USA	\$16.32
1101-HSG-C/10	WIRELESS TRANSMITTER HOUSING	Replacement Wireless Transmitter housing only (brown). Pack of 10					246 1000	USA	\$16.32
1101-HSG-W/10	WIRELESS TRANSMITTER HOUSING	Replacement Wireless Transmitter housing only (white). Pack of 10					246 1000	USA	\$16.32
1101MAG-B/10	MAGNET WITH MOUNTING ACCESSORIES	Replacement White 1100 Series Magnet with Mounting Accessories (black). Pack of 10			x		246 40	USA	\$31.15
1101MAG-C/10	MAGNET WITH MOUNTING ACCESSORIES	Replacement White 1100 Series Magnet with Mounting Accessories (brown) Pack of 10.					246 1000	USA	\$31.15
1101MAG-W/10	MAGNET WITH MOUNTING ACCESSORIES	Replacement White 1100 Series Magnet with Mounting Accessories (white). Pack of 10			x		246 40	USA	\$31.15
1101-W	Universal Wireless Transmitter	The 1101 provides two internal magnetic reed switches and an on-board terminal block to allow for external contact wiring. Both sets of contacts, internal and external, can be programmed to operate at the same time allowing for two independent zones from one transmitter. Includes a 3V lithium battery. (CR123)			x		246 40	USA	\$25.90
1102-W	Universal Transmitter External Contacts	Typically used for door/window applications, the 1102 Universal Transmitter is a single-input, two-way wireless transmitter that provides an on-board terminal block to allow for external contact wiring of Normally Open or Normally Closed devices. Includes a 3V lithium battery. (CR123)			x		246 40	USA	\$30.24
1103-W	Universal Transmitter	This two-input transmitter is typically used in commercial burglary door/window applications. It includes an internal magnetic reed switch, an on-board terminal block for external contact wiring, and an end-of-line resistor. Both an internal case tamper switch and a wall tamper switch are provided. Includes a lithium battery and hardware pack. (CR123)					246 20 3	USA	\$47.26
1107-W	Micro Window Transmitter	This low-profile transmitter is typically used for window applications. It contains a single reed switch that detects a magnet mounted on the window. The 1107 provides survey capability to allow one person to confirm transmitter communication with the receiver before installation. A 3V coin cell battery powers the transmitter. (CR2420)					246 20 3	USA	\$30.24
1131-HSG-C/10	Wireless Recessed Contact Housing	Replacement Chocolate Wireless Recessed Contact housing only. Pack of 10					246 1000	USA	\$24.41
1131MAG-W/10	Magnet with housing	Replacement 1131 recessed magnet with housing (white). Pack of 10			x		246 40	USA	\$23.74
1131-W	Wireless Recessed Contact	The 1131 is a wireless recessed contact with a 3/8 to 1 gap. Includes one 3V lithium battery. (CR12600SE)			x		246 40	USA	\$34.91
EXPANDERS & MODULES									

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price	
1114-W	4 Point Wireless Zone Expander	The 1114 is a wireless zone expander with 4 Class B zones. Comes with flush mount tamper magnet for added security. Includes singles latching relay output and EOL resistor. Includes a 3V lithium battery. (CR123) Can be powered by an optional Model 376 12VDC power supply.	x				246 40	USA	\$92.75
1116-W	Wireless Relay Output	The 1116 is a wireless relay output with a single Form C relay. Can be programmed for any panel output option. Includes a case tamper switch. Includes a 3V Lithium Battery. (CR123) Can be powered from an optional Model 376 12VDC power supply.	x				246 40	USA	\$92.75
1117R-W	Wireless LED Annunciator	The 1117R is a wireless LED annunciator that provides a remote red LED for visual indication of system status. Can be programmed for any panel output option. Includes a case tamper switch. Includes a 3V Lithium Battery. (White) (CR123) Can be powered from an optional Model 376 12VDC power supply.	x				246 40	USA	\$40.84
1118R-W	WIRELESS REMOTE INDICATOR LIGHT	The 1118R is a wireless remote indicator light that provides a visual panic alarm notification. Can be programmed for a panic alarm output option into the XR100, XR500, XR100N, and XR500N. (White) Includes a case tamper switch. Includes a 3V Lithium Battery. (CR123) Can be powered from an optional Model 376 12VDC power supply.	x				246 40	USA	\$92.75
1119-W	WIRELESS DOOR SOUNDER	The Model 1119 Wireless Door Sounder is a single-zone module equipped with a battery powered sounder. The zone input can be connected to a door contact, which when opened can trigger the sounder immediately without the need to receive an output command from the panel. The output allows the sounder to be silenced remotely from the panel as a standard output. Includes two 3V lithium batteries. (CR123)					246 20 3	USA	\$104.56
1135DB-W	110dB Wireless Siren	The Model 1135DB is a wireless battery powered siren that follows the state of the panel bell output. The 1135 provides 110dB at 3 feet, cover tamper, wall tamper, and survey LED. Includes two 3V lithium batteries. (CR123)					246 20 3	USA	\$45.98
1135-W	Wireless Siren	The Model 1135 is a wireless battery powered siren that follows the state of the panel bell output. The 1135 provides a cover tamper and survey LED. Includes two 3V lithium batteries. (CR123)					246 20 3	USA	\$40.84
GLASSBREAK DETECTORS									
1129-W	Wireless Glassbreak	The 1129 Glassbreak wireless sensor is omnidirectional, providing 360° detection coverage of framed glass mounted in an outside wall. Mount the 1129 Glassbreak on the ceiling or an opposing wall for maximum flexibility and coverage. Includes one 3V lithium battery. (CR123)	x				246 40	USA	\$72.66
PIRs									
1121-W	Wireless PIR	The 1121 DMP Wireless PIR provides 90 Degree 50 X 50 ASIC based PIR coverage with Pet Immunity. Optional Ceiling or Wall mount bracket included. Includes one 3V lithium battery. (CR123)	x				246 40	USA	\$69.65
1126R-W	Wireless 360 Ceiling Mount PIR	The 1126R 360 Ceiling Mount PIR is a compact, low profile ceiling mount detector. Remote configuration from the panel allows selectable sensitivity, pulse count selection and walk test mode. Includes two 3V lithium batteries. (CR123)	x				246 40	USA	\$116.46

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price	
1127C-W	Wireless Wall Mount Curtain PIR	1127C-W is an 1100 Series Wireless Wall Mount Curtain PIR. Detection area is 50' curtain using a fresnel lens. The unit is tampered and includes functionality to allow sensor configuration wirelessly from the panel. DMP Exclusive Features include Sensitivity, Pulse Count, Walk Test, & Disarm Disable. Includes two 3V lithium batteries. (CR123)				246 20 3	USA	\$107.51	
1127-HSG-W	Wireless Wall Mount PIR Housing	Replacement White Wireless Wall Mount PIR housing only.				246 1000	USA	\$15.58	
1127W-W	Wireless Wall Mount	1127W-W is an 1100 Series Wireless Wall Mount Wide Angle PIR. It is Pet Immune up to 40lbs. Detection area is 36' x 84° angle using a fresnel lens. The unit is tampered and includes functionality to allow sensor configuration wirelessly from the panel. DMP Exclusive Features include Sensitivity, Pulse Count, Walk Test, & Disarm Disable. Includes two 3V lithium batteries. (CR123)				246 20 3	USA	\$104.94	
RECEIVERS & REPEATERS									
1100DH-W	WIRELESS HIGH-POWER RECEIVER	The 1100DH High Power Wireless Receiver provides additional transmit and receive amplification for improved performance at greater distance or harsh building environments. For use with XT series panels.				x	246 40	USA	\$80.84
1100DI-W	WIRELESS IN-LINE RECEIVER	The 1100DI In-Line Wireless economical receiver provides the same basic features as the 1100D model but in a more compact unit. The compact design allows the receiver to be installed anywhere along the panel keypad bus, such as next to a keypad. For use with XT series panels.				x	246 40	USA	\$34.88
1100D-W	WIRELESS RECEIVER	The 1100D provides two-way, supervised communication using 900 MHz frequency hopping-spread-spectrum technology. The receiver and housing easily mount near the panel enclosure or in a remote location. For use with XT series panels.				x	246 40	USA	\$57.86
1100R-W	WIRELESS REPEATER	The 1100R Wireless Repeater provides increased communication range and is the perfect solution for hard to reach areas. Up to eight repeaters can be installed on a wireless system.				x	246 40	USA	\$151.24
1100XH-W	WIRELESS HIGH-POWER RECEIVER	The 1100XH High Power Wireless Receiver provides additional transmit and receive amplification for improved performance at greater distance or harsh building environments. For use with XT series panels.				x	246 40	USA	\$92.75
1100XTANT/10	REPLACEMENT WIRELESS ANTENNA	Replacement antenna for built-on wireless receiver on the XT50 Series Control panels. Pack of 10.					246 40	USA	\$9.61
1100X-W	WIRELESS RECEIVER	The 1100X provides two-way, supervised communication using 900 MHz frequency hopping-spread-spectrum technology. The receiver and housing easily mount near the panel enclosure or in a remote location. For use with XT series panels.				x	246 40	USA	\$69.67
REMOTE CONTROLS									
1142-B	2 Button Wireless Panic Device (black)	2 button hold-up transmitter designed for under the counter. Programmable LED feedback lets you know when panic alarm has been sent. Includes one 3V lithium battery (CR2032)				x	246 40	USA	\$43.38
1142BC-B	Wireless 2-Button Hold Up Transmitter	The 1142BC Two-Button Hold Up Transmitter with Belt Clip is specifically designed to be worn on a belt when the belt clip is installed. Programmable LED feedback lets you know when Panic alarm has been sent. (Black) Includes one 3V lithium battery. (CR2032)				x	246 40	USA	\$43.38

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
1142BC-W	Wireless 2-Button Hold Up Transmitter	The 1142BC Two-Button Hold Up Transmitter with Belt Clip is specifically designed to be worn on a belt when the belt clip is installed. Programmable LED feedback lets you know when Panic alarm has been sent. (White) Includes one 3V lithium battery. (CR2032)	x				246 40	USA	\$43.38
1142-HSG-B/10	Wireless 2-Button Hold Up Transmitter	Replacement White 2-Button Hold up transmitter housing. Includes LED light pipe and buttons. (Black)					246 1000	USA	\$18.59
1142-HSG-W/10	Wireless 2-Button Hold Up Transmitter	Replacement White 2-Button Hold up transmitter housing. Includes LED light pipe and buttons					246 1000	USA	\$18.59
1142-W	Wireless 2-Button Hold Up Transmitter	The 1142 Two Button Hold-up Transmitter is specifically designed for installation under the counter. Programmable LED feedback lets you know when Panic alarm has been sent. Includes one 3V lithium battery. (CR2032)	x				246 40	USA	\$43.38
1144-1	Wireless 1-Button Key FOB	The 1145-1 is a One-Button Key Fob transmitter that is portable, water resistant, and designed to be clipped to a keychain or DMP 332 lanyard. Including one coin battery. (CR2032)					246 20 3	USA	\$30.41
1144-1P	Wireless 1-Button Key FOB, w/ Prox Patch	The 1145-1-BP is a 1-button wireless key fob transmitter that includes a built-in proximity credential for access control. This accessory now meets two requirements - controlling the system for such functions as arming, disarming or panic, as well as being able to arm or disarm via an access control system					246 20 3	USA	\$39.42
1144-2	Wireless 2-Button Key FOB	The 1146 is a Two-Button Key Fob transmitter that is portable, water resistant, and designed to be clipped to a keychain or DMP 332 lanyard. The 1145-2 provides two-button operation. Includes one coin battery. (CR2032)					246 20 3	USA	\$32.57
1144-4	Wireless 4-Button Key Fob	The 1145 is a Four-Button Key Fob transmitter that is portable, water resistant, and designed to be clipped to a keychain or DMP 332 lanyard. The 1145 provides four-button operation. Includes one coin battery. (CR2032)					246 20 3	USA	\$34.81
1145-HSG-B	Wireless Replacement 4-Button Key Fob Housing	Replacement Black Key Fob Housing					246 1000	USA	\$5.45
SMOKE / HEAT DETECTORS									
1161-W	Wireless Smoke Detector	The Model 1161 Smoke Detector with Sounder is a wireless detector used with the 1100D and 1100X Series Wireless Receiver. Includes two 3V lithium batteries. (CR123-FIRE)	x				246 40	USA	\$81.57
1162-W	Wireless Smoke and Heat Detector	The Model 1162 Smoke/Heat Detector with Sounder is a wireless detector used with the 1100D and 1100X Series Wireless Receivers. Featuring a sounder and built-in fixed and rate-of-rise heat detector. Includes two 3V lithium batteries. (CR123-FIRE)	x				246 40	USA	\$86.08
1165HS-W	Wireless Commercial Smoke Detector	The Model 1165 Photoelectric Smoke Detector with sounder is a commercial wireless detector used with the 1100X Wireless System. Features remote maintenance reporting. Includes two 3V lithium batteries. (CR123-FIRE)					246 25	USA	\$104.56
1165H-W	Wireless Commercial Smoke Detector	The Model 1165 Photoelectric Smoke/Heat Detector is a commercial wireless detector used with the 1100X Wireless System. Features remote maintenance reporting. Includes two 3V lithium batteries. (CR123-FIRE)					246 25	USA	\$102.33
1165-W	Wireless Commercial Smoke Detector	The Model 1165 Photoelectric Smoke Detector is a commercial wireless detector used with the 1100X Wireless System. Features remote maintenance reporting. Includes two 3V lithium batteries. (CR123-FIRE)					246 25	USA	\$92.75
1183-135F	Wireless Heat Detector	The 1183-135F is a fixed temperature detector that reacts to heat by responding to the fixed 135° temperature setting. When activated, an alarm is sent to the control panel. The 1183-135F model has a black dot on the heat collector fin for identification					246 25	USA	\$45.98

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
1183-135R	Wireless Rate of Rise Heat Detector	The 1183-135R model is a combination rate-of-rise and fixed temperature detector that detects heat quickly by responding to a rapid temperature increase or a fixed 135° temperature setting. The element responds to a rapid rise in temperature and sends an alarm to the control panel when the ceiling temperature increases at a minimum rate of 15°F per minute. An alarm is also sent to the panel if the ceiling temperature reaches the fixed 135° setting if the rate-of-rise is not exceeded.					246 25	USA	\$45.98
1184-W	Wireless Carbon Monoxide Detector	The 1184 is a 3V battery powered wireless carbon monoxide (CO) detector that provides early warning when the electrochemical sensing technology measures carbon monoxide levels in the air. The detector consists of an electrochemical carbon monoxide sensor assembly coupled with an 1100 Series wireless transmitter. The transmitter can send alarm, trouble, tamper and low battery condition messages to the alarm panel. The 1184 is an ideal carbon monoxide detector for difficult to wire locations, applications where room aesthetics are critical or where hazardous materials exist.					246 25	USA	\$79.41
Z-WAVE®									
Z-99100-004	Z-WAVE DOOR DEADLOCK	Z-WAVE DOOR DEADLOCK, POLISHED BRASS					246 40	MEXICO	\$175.06
Z-99100-005	Z-WAVE DOOR DEADLOCK	Z-WAVE DOOR DEADLOCK, SATIN NICKLE					246 40	MEXICO	\$175.06
Z-99100-006	Z-WAVE DOOR DEADLOCK	Z-WAVE DOOR DEADLOCK, VENETIAN BRONZE					246 40	MEXICO	\$175.06
ACCESS CONTROL									
CREDENTIALS									
1306P/10	Prox Patch	The Prox Patch is a small, adhesive credential that adheres to nearly anything that you carry with you all the time. Containing a standard HID proximity device, it allows you to arm/disarm your alarm system or gain access to any DMP Security Command System. (package of 10)	x				246 40	USA	\$57.83
1306P-W/10	Prox Patch	Prox Patch Standard 26-bit Wiegand (package of 10)	x				246 40	USA	\$57.83
1326/10	ProxCard II Card	ProxCard II Card (package of 10)		x			246 40	USA	\$25.17
1326/100	ProxCard II Card	ProxCard II Card (package of 100)		x			246 40	USA	\$252.13
1346/10	Keyring	Keyring for the 1346 ProxKey II Access Control keyfob.			x		246 40	USA	\$43.75
1346-RING	IsoProx II Card	Extremely thin, durable, and the size of a credit card. Passive, no-battery design allows an infinite number of reads. Provided blank for customization or badging applications (PKG of 10)					246 40	USA	\$0.27
1386/10	Door Contact, Overhead	Sentrol door contact, high security	x				246 40	USA	\$51.91
MODULES & ACCESSORIES									
333	TRANSIENT SUPPRESSOR	Provides transient suppression.					246 40	USA	\$7.42
730	Network Switch	NETWORK SWITCH FOR ACCESS NETWORK					246 40	USA	\$57.16
734	WIEGAND INTERFACE MODULE	The 734 Module allows you to connect Proximity Readers to DMP Panels to provide codeless entry, arming, and disarming using access control readers. Provides four programmable zones, a 10 Amp Form C (SPDT) Door Strike relay, built-in piezo with remote annunciation output, data to panel LED, and a 4-position terminal for connecting Wiegand format readers. (8.5-28.5 VDC)	x				246 40	USA	\$90.48

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
734N	Network Wiegand Interface Module	The 734N Module provides codeless entry plus system arming and disarming using DMP access cards or credentials; or customizable for other credentials. Provides programmable door entry strike time allows for 1-250 seconds, two auxiliary relay outputs, 12/24 VDC Power and built-in 10 Amp Form C (SPDT) door release relay.		246 35 1	USA	\$180.89
734N-WIFI	WiFi Wiegand Interface Module	The 734N-WIFI Module provides codeless entry plus system arming and disarming using DMP access cards or credentials; or customizable for other credentials. Provides programmable door entry strike time allows for 1-250seconds, two auxiliary relay outputs, 12/24 VDC Power and built-in 10 Amp Form C (SPDT) door release relay.		246 35 1	USA	\$217.96
PB-2	Rex Button	The PB-2 exit control push-button features a 2" diagonal flush button illuminated by a 25,000 hr. 12/24 VDC incandescent light bulb. The green push-button is mounted on a brushed stainless steel plate.		246 40	USA	\$69.65
READERS						
1301I	USB Computer iClass Reader	This innovative proximity reader enables you to significantly increase the efficiency of entering user codes when using Remote Link and System Link Management Software. By providing simple iClass Proximity Card enrollment into system software, the iClass Reader is beneficial for every system administrator. 1301I is for iClass series only.		246 40	USA	\$248.47
1301P	USB Computer Proximity Reader	This innovative proximity reader enables you to significantly increase the efficiency of entering user codes when using Remote Link and System Link Management Software. By providing simple Proximity Card enrollment into system software, the Proximity Reader is beneficial for every system administrator.		246 35 1	USA	\$215.05
SOFTWARE						
ENTRE BUS	Access Control Software Software	With DMP Entre, XR500 Series Command Processor Panel users can manage both intrusion and access control in one easy-to-use software application. System managers can now have fast, simple point-and-click control over every aspect of their security system. (1-24 PANELS)		246 42 1	USA	\$1,400.36
ENTRE BUS-SPT	ENTRE BUSINESS ANNUAL SUPPORT	ENTRE BUSINESS ANNUAL SUPPORT		246 42 1	USA	\$307.67
ENTRE CS	Software	ACCESS AND SECURITY MANAGEMENT SOFTWARE		246 42 1	USA	\$7,239.34
ENTRE CS-SPT	Software	ENTRE CS ANNUAL SUPPORT		246 42 1	USA	\$1,592.56
ENTRE CS-UPGRADE	Software	ENTRE ENT TO CS UPGRADE		246 42 1		\$2,803.30
ENTRE ENT	Software	ENTRE ENTERPRISE (UNLIMITED PANELS)		246 42 1	USA	\$4,902.91
ENTRE ENT-SPT	Software	ENTRE ENTERPRISE ANNUAL SUPPORT		246 42 1	USA	\$1,078.35
ENTRE LITE	Software	ENTRE LITE(1-4 PANELS)		246 42 1	USA	\$582.42
ENTRE LITE-SPT	Software	ENTRE LITE ANNUAL SUPPORT		246 42 1	USA	\$127.73
ENTRE-128DR	Software	128 DOOR ADD ON (FOR ENTRE BUSINESS, ENTERPRISE, CS)		246 42 1	USA	\$3,768.62
ENTRE-16DR	Software	16 DOOR ADD ON (FOR ENTRE BUSINESS, ENTERPRISE, CS)		246 42 1	USA	\$566.21
ENTRE-32DR	Software	32 DOOR ADD ON (FOR ENTRE BUSINESS, ENTERPRISE, CS)		246 42 1	USA	\$1,002.90
ENTRE-4DR	Software	4 DOOR ADD ON (FOR ENTRE BUSINESS, ENTERPRISE, CS)		246 42 1	USA	\$156.78
ENTRE-64DR	Software	64 DOOR ADD ON (FOR ENTRE BUSINESS, ENTERPRISE, CS)		246 42 1	USA	\$1,945.06
ENTRE-BADGE	Software	CUSTOM BADGE DESIGNER SOFTWARE		246 42 1	USA	\$116.54
ENTRE-BUS/UPGRADE	Software	BUSINESS ACCESS CONTRL UPGRADE		246 42 1	USA	\$979.95
ENTRE-DVR	Software	DVR/NVR MODULES SOFTWARE		246 42 1	USA	\$582.42
ENTRE-DVR-SPT	Software	DVR/NVR MODULES SOFTWARE ANNUAL SUPPORT		246 42 1	USA	\$127.73
ENTRE-ENT/UPGRADE	Software	ENTRPRISE ACCSS CONTRL UPGRADE		246 42 1	USA	\$4,203.81
ENTRE-IMAGE	Software	PERSONAL IMAGE CAPTURE SOFTWARE		246 42 1	USA	\$116.54

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
ENTRE-LANG	Software	MULTI-LANGUAGE SOFTWARE		246 42 1	USA	\$349.98
ENTRE-LDAP	Software	LDAP SOFTWARE		246 42 1	USA	\$1,750.49
ENTRE-PART	Software	DATABASE PARTITIONING		246 42 1	USA	\$582.42
ENTRE-PHOTO	Software	EVENT PHOTOS MODULE		246 42 1	USA	\$173.77
ENTRE-STD	Software	STANDARD CLIENT (1)		246 42 1	USA	\$173.77
ENTRE-WEB	Software	WEB CLIENT (1) CONCURRENT		246 42 1	USA	\$173.77
CELLULAR PRODUCTS						
ACCESSORIES						
380-400	SecureCom Wireless SIM Card	Replacement SecureCom Wireless SIM card for At & T Cellular Communicators.		246 40	USA	\$8.88
380-400R	SecureCom Wireless Rogers SIM Card	Replacement Rogers Wireless SIM card for use in Canada.		246 1000	CANADA	\$8.91
381-12	SMA Extension Cable	SMA 12 foot antenna extension cable		246 40	USA	\$32.57
381-2	Replacement Cellular Cable, 18"	18" replacment coax cable for connection between cellular module and panel extra large enclosure knockout. Inlcludes 2 brass washers.		246 1000	USA	\$8.16
381-25	SMA Extension Cable	SMA 25 foot antenna extension cable		246 40	USA	\$38.57
387-2	2dB Attack Enclosure Antenna	This Nearson Antenna comes with a standard SMA Plug connector for use in conjunction with a Model 350A Attack Enclosure, or any 350 enclosure. QuadBand capable, it covers frequency ranges between 824-960 MHz and 1710-2170 GHz (AMPS/GSM/DCS/PCS Bands.) Gain is 2 dBi.		246 1000	TAIWAN	\$50.42
387-3	3dB MEG Antenna	This antenna and stainless steel exterior mounting bracket with integrated ground plane, makes a perfect antenna for improving cellular reception for just about any cellular installation. This antenna has a N/Female connector at the base and requires Model 387 Series or equivalent cable		246 1000	TAIWAN	\$63.25
COMMUNICATORS						
263C	CDMA Cellular Communicator	The 263C CDMA Cellular Communicator provides wireless communication for DMPXT or XR150/XR350/XR550 Series Panels. The 263C contains an on-board CDMA communications module that allows alarms messages to be communicated to an SCS-1R or SCS-VR receiver over the CDMA network. Ready for activation with SecureCom Wireless, LLC with the MEID number - no SIM card required.		246 40	USA	\$151.22
263C/381-2	CDMA Cellular Communicator	The 263C CDMA Cellular Communicator provides wireless communication for DMPXT or XR150/XR350/XR550 Series Panels. The 263C contains an on-board CDMA communications module that allows alarms messages to be communicated to an SCS-1R or SCS-VR receiver over the CDMA network. Ready for activation with SecureCom Wireless, LLC with the MEID number - no SIM card required. Includes Model 381-2 18" Coax Cable.		246 40	USA	\$162.40
263H	HSPA+ Cellular Communicator	The 263H HSPA Cellular Communicator provides wireless communication for DMPXT or XR150/XR350/XR550 Series Panels. The 263HC contains an on-board HSPA+ communications module that allows alarms messages to be communicated to anSCS-1R or SCS-VR receiver over the HSPA network. Ready for activation with SecureCom Wireless, LLC with the included SIM card. Note: If using the 263H with the XR150/XR350/XR550 Series panels, a Model 381 cable is required for connection from the cell module SMA connector to the panel enclosure knockout.		246 40	USA	\$163.14

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
263H/381-2	HSPA+ Cellular Communicator		246 40	USA	\$174.32
463C	CDMA Cellular Communicator		246 40	USA	\$186.14
464-263C	464-263C Cellular Communicator		246 40	USA	\$186.14
464-263H	464-263H Cellular Communicator		246 40	USA	\$198.06
CELLCOMSLC	Cellular Communicator		246 40	USA	\$163.14
CELLCOMSLCZ	Cellular Communicator		246 40	USA	\$198.06
CENTRAL STATION PRODUCTS					
RECEIVER PRODUCTS					
395	SCS-105 DATA CABLE		246 42 1	USA	\$16.52
SCS-105	Line Card		246 42 1	USA	\$244.99
SCS-100	Receiver		246 42 1	USA	\$303.67
SCS-104	SDLC Single Line Service Receiver		246 40	USA	\$921.50
SCS-110	Modem Power Card		246 42 1	USA	\$132.26

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
SCS-120	Multibus Power Card		246 42 1	USA	\$358.76
SCS-130	Transformer Card		246 42 1	USA	\$275.70
SCS-150	Main Processor Card		246 40	USA	\$911.38
SCS150/CONVERT	Conversion Kit for SCS-150		246 40	USA	\$911.38
SCS-1R	Network Enabled Receiver		246 42 1	USA	\$2,779.55
SCS1R-SPARES	Spare Board Kit		246 42 1	USA	\$1,750.90
SCS-203	Convenience Panel		246 40	USA	\$82.32
SCS-204	Host Cable		246 42 1	USA	\$53.40
SCS-206	Keypad and Linecard Cables		246 40	USA	\$56.41
SCS-208	Power Cord		246 42 1	USA	\$50.12
SOFTWARE					
ACCOUNT GROUPS 10	Account Groups Module Software		246 42 1	USA	\$349.18

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
ACCOUNT GROUPS 100	Account Groups Module Software		246 42 1	USA	\$1,166.69
					The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-100 accounts)
ACCOUNT GROUPS 1000	Account Groups Module Software		246 42 1	USA	\$2,567.97
					The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-1000 accounts)
ACCOUNT GROUPS 2500	Account Groups Module Software		246 42 1	USA	\$5,137.23
					The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-2500 accounts)
ACCOUNT GROUPS 50	Account Groups Module Software		246 42 1	USA	\$641.13
					The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-50 accounts)
ACCOUNT GROUPS 500	Account Groups Module Software		246 42 1	USA	\$1,984.10
					The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-500 accounts)
ACCOUNT GROUPS 5000	Account Groups Module Software		246 42 1	USA	\$9,341.24
					The Account Groups module provides you the time saving ability to assign, update, change, or delete user codes on multiple panels at the same time. Using the Account Groups module, you can group panels together under one name. Associate the groups by location, business, or other logical grouping. (1-5000 accounts)
ADVANCED 10	Advanced Reporting Module Software		246 42 1	USA	\$115.64
					Provides powerful filtering capabilities to create specific reports for your needs. You can create reports using the panel's event buffer or by using the PC Log Reports feature. Additionally, you may connect to the Advanced Reporting Module through a direct connection or network connection. (1-10 accounts)
ADVANCED 100	Advanced Reporting Module Software		246 42 1	USA	\$349.18
					Provides powerful filtering capabilities to create specific reports for your needs. You can create reports using the panel's event buffer or by using the PC Log Reports feature. Additionally, you may connect to the Advanced Reporting Module through a direct connection or network connection. (1-100 accounts)
ADVANCED 1000	Advanced Reporting Module Software		246 42 1	USA	\$816.29
					Provides powerful filtering capabilities to create specific reports for your needs. You can create reports using the panel's event buffer or by using the PC Log Reports feature. Additionally, you may connect to the Advanced Reporting Module through a direct connection or network connection. (1-1000 accounts)

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
ADVANCED 2500	Advanced Reporting Module Software		246 42 1	USA	\$1,517.02
ADVANCED 50	Advanced Reporting Module Software		246 42 1	USA	\$209.06
ADVANCED 500	Advanced Reporting Module Software		246 42 1	USA	\$582.65
ADVANCED 5000	Advanced Reporting Module Software		246 42 1	USA	\$2,567.97
ALRM MON 10	Alarm Monitoring Module Software		246 42 1	USA	\$232.42
ALRM MON 100	Alarm Monitoring Module Software		246 42 1	USA	\$933.15
ALRM MON 1000	Alarm Monitoring Module Software		246 42 1	USA	\$2,334.43
ALRM MON 2500	Alarm Monitoring Module Software		246 42 1	USA	\$4,670.05
ALRM MON 50	Alarm Monitoring Module Software		246 42 1	USA	\$524.34
ALRM MON 500	Alarm Monitoring Module Software		246 42 1	USA	\$1,750.56
ALRM MON 5000	Alarm Monitoring Module Software		246 42 1	USA	\$8,173.50

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
COMMAND 10	Command Center Module Software		246 42 1	USA	\$465.96
COMMAND 100	Command Center Module Software		246 42 1	USA	\$1,400.23
COMMAND 1000	Command Center Module Software		246 42 1	USA	\$3,852.63
COMMAND 2500	Command Center Module Software		246 42 1	USA	\$7,706.42
COMMAND 50	Command Center Module Software		246 42 1	USA	\$757.88
COMMAND 500	Command Center Module Software		246 42 1	USA	\$2,801.61
COMMAND 5000	Command Center Module Software		246 42 1	USA	\$12,844.70
LINK SERVER	Server Application Software		246 42 1	USA	\$1,159.48
REMOTE LINK	Software		246 42 1	USA	\$63.78
SCS-CTM	Check-in Table Manager Software		246 42 1	USA	\$460.72
SQL MODULE	SQL Database Module		246 42 1	USA	\$1,739.76

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
SYSTEM LINK	Software	This full-color brochure highlights the features of System Link, DMP's end-user alarm panel management software. System Link allows users to easily control their DMP system from their personal computer. Endusers are able to set-up new system users, configure new panel accounts, monitor system status, and more. Sold in packs of 25.		246 42 1	USA	\$295.88
FIRE DEVICES						
PULL STATIONS						
850D/711	Dual Action Pull Station w/Zone Expander	The 850D dual-action manual pull station with SPST contacts, terminal strip connections, and gold plated contacts to avoid corrosion. Includes one 711 Zone Expander for addressable applications.		246 25	USA	\$41.21
850S/711	Single Action Pull Station w/Zone Expander	The 850S single-action manual pull station with SPST contacts, terminal strip connections, and gold plated contacts to avoid corrosion. Includes one 711 Zone Expansion Module for addressable applications.		246 25	USA	\$37.65
REMOTE ANNUNCIATORS						
630F-R	Remote Annunciator	The 32-Character LCD readout with full-text displays of system events and menu prompts. The 630F is protected by either keyswitch or code. The keyswitch enables single-button user operation of the Alarm Silence, System Reset, System Test and Fire Drill. Backbox and trim frame included. (8-16 VDC)		246 25	USA	\$124.57
635F-R	Keypad Flush Mount Conduit Backbox	A 2.50" deep flush mount metal backbox for installation requiring conduit. The 635 provides five 3/4" x 3/4" knockouts and four mounting holes. Dimensions: 9.25" x 6.375 x 2.50"		246 25	USA	\$17.74
635-S	630F Keypad Housing	Replacement keypad housing only.		246 1000	USA	\$96.40
INTRUSION DEVICES						
ACCESSORIES						
303	SILENCE/RESET PUSH BUTTON KIT	The DMP Model 303 Silence/Reset Push Button provides the ability to silence bells and reset sensors using a zone input on the DMP panel. Adding the push button switch allows the bells to be silenced and the sensors to be reset without using a keypad.		246 40	USA	\$6.94
307	CLIP-ON TAMPER SWITCH	Clip-on tamper switch with harness and header connection.		246 40	USA	\$8.63
308	10K OHM REPLACEMENT RESISTOR	10K Ohm Replacement EOL Resistor with wire leads		246 40	USA	\$1.32
309	3.3K OHM REPLACEMENT RESISTOR	One replacement resistor for a 715 Zone Expansion module zone or the powered zone on a Command Processor panel.		246 40	USA	\$1.32
310	1K OHM REPLACEMENT RESISTOR	1K Ohm Resistor with wire leads		246 40	USA	\$1.32
319	3 AMP FUSE	3 Amp fuses (for use with SCS-1R Receiver), (pkg of 5)		246 40	USA	\$3.28
330	PROGRAMMING CABLE	A dual-ended 4-wire cable that allows you to quickly and easily connect a variety of devices for programming and installation purposes.		246 40	USA	\$4.23
390	STANDARD 462N DATA CABLE	Provides RS-232 connection from 462N Interface to Data Communication Equipment (DCE) type equipment. DB-25 connector.		246 40	USA	\$16.52
393	PRINTER DATA CABLE	Use with Model 462P to provide printer output from the panel. Replacement data cable for Model 462P Printer Interface Card.DB-25 connector.		246 40	USA	\$16.52
397	RS-232 CABLE	RS-232 cable for the XR500 Series Panels. DB-9 connector.		246 40	USA	\$16.52
398	PRINTER CABLE	Use with Model 462P to provide printer output from the panel. Replacement DB-9 data cable.		246 40	USA	\$16.52
399	PROGRAMMING HARNESS	RS-232 DB-9 to 4-Wire connection to allow local uploading/downloading and flash updates.		246 40	USA	\$20.45
431	OUTPUT HARNESS	6-wire harness that allows connection of devices to the panel's outputs.		246 40	USA	\$4.13

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
572	INDICATOR LED	Remote indicator LED with a stainless steel plate. Mounts to any existing gang box.		246 40	USA	\$7.99
307-S	Screw-on Tamper Switch	Screw-on tamper switch. Model 306 harness needed for connection to DMP panel.		246 40	USA	\$2.81
310/25	1K Ohm Replacement Resistor	1K Ohm replacement resistor with wire leads. Pack of 25		246 40	USA	\$33.00
312/25	470K Ohm Replacement Resistor	One 470K Ohm EOL resistor with wire leads. Pack of 25.		246 1000	USA	\$29.66
330-4	4-Foot Programming Cable	A dual-ended 4-wire cable that allows you to quickly and easily connect a variety of devices for programming and installation purposes.		246 1000	USA	\$5.25
356-2	RJ Phone Cable	Telephone cable for connecting interface cards and panels to RJ31X and RJ38X telephone jacks. 2 feet.		246 40	USA	\$2.07
356-7	RJ Phone Cable	Telephone cable for connecting interface cards and panels to RJ31X and RJ38X telephone jacks. 7 feet.		246 40	USA	\$2.54
ACCESSORY PACK	Accessory Pack	The technician's accessory pack includes: One Panic Key label for DMP Keypads; Three Model 300 4-Wire Harnesses; Two Model 330 4-Wire Harnesses; One Model 300-7800-5 5-Wire Harness; One Model 300-7800-12 12-Wire Harness; Five Model 302 2-Pin Jumpers; Three Model 305 Relays; One Model 431 XR500 Output Harness; Three Long Plastic Standoffs; Three Short Plastic Stand-offs with Screws; Eight 1k EOL Resistors; One DMP Screwdriver.		246 40	USA	\$29.09
BANK & VAULT DETECTORS						
PSD100	Vault Audio Detector	Self-contained, solid state device that detects intrusion by selectively detecting the sound of the forcible breaking and entering, while ignoring the ambient sounds of normal environment.		246 40	USA	\$67.49
GLASSBREAK DETECTORS						
5812A	ShatterPro Glassbreak	The Sentrol® 5812A acoustic glassbreak sensor provides greater false alarm immunity, faster surface mount installation, testing, and a hand- clap feature that lets end users confirm the sensor's operational status. Includes tamper and latching LED. (9-16 VDC)		246 40	TAI	\$37.18
5820A	ShatterPro Glassbreak	The Sentrol® 5820A is designed for use when sensor appearance is a consideration. It can be recess-mounted directly into the wall or ceiling.(9- 16 VD C)		246 40	TAI	\$41.68
PANIC & HOLDUP						
RP-44	Push Button	Satin Stainless Steel Plate with One D.P.D.T. (Double Pole, Double Throw) Latching Switch, Contacts Rated 2 Amps. Allows for N/O and N/C configurations.		246 40	USA	\$14.36
PIR DETECTORS						
PA-450PI	Wide Angle PIR with Pet Immunity	Pet Immune up to 40lbs., 36 x 84° Wide angle, Fresnel lens, Pulse Count, Silent N/O or N/C selectable output, Tamper Circuit, LED on/off, Alarm Memory. 10 to 18VDC. UL Listed		246 40	JAPAN	\$20.76
FX-360	Optex 360° PIR	This slim detector is less than 1.5" tall x 4.75" diameter and provides 25' - 40' pattern on 8' - 12' ceilings. The FX-360 also includes False Alarm Reduction features that give it unbeatable detection performance and the most reliability in its class. (12 VDC)		246 40	JAPAN	\$43.75

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
OP-08CB	Motion detector	This high quality passive infrared sensor used for Request to Exit and security applications is compact and comes in an attractive housing. Offers an AC/DC universal power input, provides selectable Fail Safe or Fail Secure settings, and mounts on door moldings or ceilings up to 13 feet high. (12 or 24 VDC). BLACK		246 40	JAPAN	\$68.23
OP-08CW	Motion detector	This high quality passive infrared sensor used for Request to Exit and security applications is compact and comes in an attractive housing. Offers an AC/DC universal power input, provides selectable Fail Safe or Fail Secure settings, and mounts on door moldings or ceilings up to 13 feet high. (12 or 24 VDC). WHITE		246 40	JAPAN	\$76.32
KEYPADS						
ACCESSORIES						
697	KEYPAD BACKPLATE	Plastic keypad backplate for retrofit installations. Dimensions: 9" x 9"		246 40	USA	\$11.17
698	KEYPAD BACKPLATE	Plastic keypad backplate for retrofit installations. Dimensions: 7.4" x 11"		246 40	USA	\$11.65
699	KEYPAD DESKSTAND	Smoked plexiglass deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot long cord for plugging into RJ11 jack. Dimensions: 6.8" W x 4" H x 5" D		246 40	USA	\$26.75
777	PROTECTIVE KEYPAD COVER	Clear thick polycarbonate cover with keylock for all DMP keypads. Dimensions: 9.75" W x 8.5" H x 2" D		246 40	USA	\$55.47
780	PORTABLE KEYPAD DEMONSTRATOR MODULE	This portable Keypad Demonstrator Module connects to any DMP 32-character LCD keypad. You can show—not just tell—how DMP keypads provide security in Area, All/Perimeter, or Home/Sleep/Away modes. Simulate arming and disarming to demonstrate ease of system operation. Keypad not included.		246 40	USA	\$56.31
635-R	Keypad Surface Mount Conduit Backbox	A 1.75" deep metal backbox for installation requiring conduit or for mounting keypads on masonry walls or other penetrable surfaces. The 635 provides five 3/4" x 3/4" knockouts and four mounting holes. Dimensions: 10.25" x 6.88 x 1.74"		246 40	USA	\$17.00
694-7800-W	Keypad Wall Plate	PLATE, KYPD WALL REPLACEMENT, WHITE		246 40	USA	\$17.00
694-W	Keypad Wall Plate	PLATE, 7800 WALL REPLACEMENT, WHITE		246 40	USA	\$17.00
695-B	Keypad Conduit Backbox	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5" Black		246 40	USA	\$13.51
695-I	Keypad Conduit Backbox	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5" Ivory		246 40	USA	\$13.51
695-W	Keypad Conduit Backbox	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5" White		246 40	USA	\$13.51
696-B	Keypad Backbox	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5" Black		246 40	USA	\$13.51

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
696-I	Keypad Backbox	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. <i>Dimensions: 6.75" x 5.0" x 0.5" Ivory</i>					246 40	USA	\$13.51
696-W	Keypad Backbox	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. <i>Dimensions: 6.75" x 5.0" x 0.5" White</i>					246 40	USA	\$13.51
699-W	Metal Keypad Deskstand	White powder-coated metal deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot longcord for plugging into RJ11 jack.					246 40	USA	\$22.98
AQUALITE SERIES™									
7060AN-W	Thinline Aqualite LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. <i>(8.5-15 VDC) (White)</i>					246 40	USA	\$99.96
7060A-W	Thinline Aqualite LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. <i>(8.5-15 VDC) (White)</i>					246 40	USA	\$99.96
7063AN-W	Thinline Aqualite LCD Keypad with Prox Reader	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Blue backlit Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. <i>(8.5-15 VDC) White</i>					246 40	USA	\$129.82
7063A-W	Thinline Aqualite LCD Keypad with Prox Reader	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Blue backlit Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. <i>(8.5-15 VDC) White</i>					246 40	USA	\$129.82
7063N-W	Thinline LCD Keypad with Prox Reader	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Built-in proximity card reader for codeless arming/disarming. Keypad turns red in alarm condition. <i>(8.5-15 VDC)</i>					246 40	USA	\$111.98
7070AN-W	Thinline Aqualite LCD Keypad with 4 Zones	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. <i>(8.5-15 VDC)</i>					246 40	USA	\$121.46
7070A-W	Thinline Aqualite LCD Keypad with 4 Zones	32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. <i>(8.5-15 VDC) White</i>					246 40	USA	\$121.46

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
7073AN-W	Thinline LCD Keypad with 4 Zones	32-character LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)					246 40	USA	\$177.97
7073A-W	Thinline LCD Keypad with 4 Zones	32-character LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)					246 40	USA	\$177.97
GRAPHIC TOUCHSCREEN SERIES									
300-7800-12	Replacement 12 Wire Harness	A 12-Wire harness for connection to the panel keypad bus and four zones. For use with 7800 keypad.					246 1000	USA	\$6.67
300-7800-5	Replacement 5 Wire Harness	A 5-wire harness for connection of a Wiegand reader and Form C relay. For use with 7800 keypad.					246 1000	USA	\$5.45
7872-B	Graphic Touchscreen Keypad	Graphic Touchscreen Keypad w/Prox Reader and 4 Zones. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel menu for shortcut features. Display turns red in alarm. Black					246 40	USA	\$151.22
7872-W	Graphic Touchscreen Keypad	Graphic Touchscreen Keypad with Prox Reader and 4 Zones. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel menu for shortcut features. Display turns red in alarm. White					246 40	USA	\$151.22
7873-B	Graphic Keypad w/4 Zones	Graphic Keypad w/4 Zones, Prox, Relay, Wiegand. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel menu for shortcut features. Display turns red in alarm. Support for 4 zones, internal proximity reader, wiegand input, and internal door strike. Black					246 40	USA	\$184.64
7873-W	Graphic Keypad w/4 Zones	Graphic Keypad w/4 Zones, Prox, Relay, Wiegand. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel menu for shortcut features. Display turns red in alarm. Support for 4 zones, internal proximity reader, wiegand input, and internal door strike. White					246 40	USA	\$184.64
695-7800-B	In-Wall Mount Backbox	For in wall keypad installations where the consumer wants a higher end look. The 7800 keypad quickly snaps into the backbox for a built-in designer look. Dimensions: 6.385"W x 4.725"H x 1.565"D. Comes in black or white.					246 1000	USA	\$12.66
695-7800-W	In-Wall Mount Backbox	For in wall keypad installations where the consumer wants a higher end look. The 7800 keypad quickly snaps into the backbox for a built-in designer look. Dimensions: 6.385"W x 4.725"H x 1.565"D. Comes in black or white.					246 1000	USA	\$12.66

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
698-7800-B	Keypad Wall Cover	Plastic keypad backplate to retrofit existing 7000 Series installations to the 7800 Touchscreen. Covers screw holes of the 7000 Series Keypad. Dimensions: 5.256" x 7.067" x .125". (Black)		246 1000	USA	\$10.33
698-7800-W	Keypad Wall Cover	Plastic keypad backplate to retrofit existing 7000 Series installations to the 7800 Touchscreen. Covers screw holes of the 7000 Series Keypad. Dimensions: 5.256" x 7.067" x .125". (White)		246 1000	USA	\$10.34
699-7800	Keypad Deskstand	Smoked plexiglass deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot longcord for plugging into RJ11 jack.		246 1000	USA	\$28.92
REPLACEMENT HOUSING						
THIN7100-LCD-B/10	Thinline LCD Keypad Housing	Replacement keypad housing only. BLACK, 10 PKG		246 1000	USA	\$32.57
THIN-ICON-B/10	Thinline Icon Keypad Housing	Replacement black keypad housing only. Pack of 10.		246 1000	USA	\$21.50
THIN-ICON-I/10	Thinline Icon Keypad Housing	Replacement ivory keypad housing only. Pack of 10.		246 1000	USA	\$21.50
THIN-ICON-W/10	Thinline Icon Keypad Housing	Replacement white keypad housing only. Pack of 10.		246 1000	USA	\$21.50
THIN-LCD-B/10	Thinline LCD Keypad Housing	Replacement keypad housing only, BLACK, 10 PKG		246 1000	USA	\$26.65
THINLINE SERIES™						
7060-I	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory		246 40	USA	\$82.05
7060N-I	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory		246 40	USA	\$82.05
7060N-W	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC). White		246 40	USA	\$82.05
7060-W	Thinline LCD Keypad	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC). White		246 40	USA	\$82.05
7063-I	Thinline LCD Keypad with Prox Reader	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory		246 40	USA	\$111.98
7063N-I	Thinline LCD Keypad with Prox Reader	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Built-in proximity card reader for codeless arming/disarming. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory		246 40	USA	\$111.98

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
7063-W	Thinline LCD Keypad with Prox Reader		246 40	USA	\$111.98
					32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC). White
7070-I	Thinline LCD Keypad with 4 Zones		246 40	USA	\$103.55
					32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). Ivory
7070N-I	Thinline LCD Keypad with 4 zones		246 40	USA	\$103.55
					32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). Ivory
7070N-W	Thinline LCD Keypad with 4 zones		246 40	USA	\$103.55
					32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). White
7070-W	Thinline LCD Keypad with 4 Zones		246 40	USA	\$103.55
					32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). White
7073-I	Thinline LCD Keypad with 4 Zones		246 40	USA	\$160.23
					32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (Ivory)
7073N-I	Thinline LCD Keypad with 4 Zones		246 40	USA	\$160.23
					32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (Ivory)
7073N-W	Thinline LCD Keypad		246 40	USA	\$160.23
					32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
7073-W	Thinline LCD Keypad with 4 Zones		246 40	USA	\$160.23
					32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC). White
7160-I	Thinline Series Keypad		246 40	USA	\$82.05
					32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, self-test diagnostics, three 2-button Panics, keyboard includes number keys only, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory
7160-W	Thinline Series Keypad, Alternate Design		246 40	USA	\$82.05
					32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, self-test diagnostics, three 2-button Panics, keyboard includes number keys only, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory
7170-I	LCD Keypad with 4 Zones, Alternate Design		246 40	USA	\$103.55
					32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, keyboard includes number keys only, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). Ivory
7173-W	Keypad, LCD Display, alternate design		246 40	USA	\$160.23
					LCD Keypad with 4 Zones, Prox Reader and Door Access Relay. 32-character LCD keypad in a sleek new design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC). White
7360-W	Thinline Icon Series Keypads		246 40	USA	\$39.99
					Fixed Icon LCD keypad displays both intuitive symbols and messages for panel operation. Available in the Thinline Series plastics, with green backlighting, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, and shortcut keys making operation faster for common arming functions. Keypad turns red in alarm condition. (8.5-15 VDC). White
7363-W	Thinline Icon Series Keypads		246 40	USA	\$66.74
					Fixed Icon LCD keypad displays both intuitive symbols and messages for panel operation. Built-in proximity card reader for codeless arming/disarming. Available in the Thinline Series plastics, with green backlighting, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, and shortcut keys making operation faster for common arming functions. Keypad turns red in alarm condition. (8.5-15 VDC). White
WIRELESS KEYPADS					
9060-W	WIRELESS KEYPAD		246 40	USA	\$116.48
					The DMP 9060 is a fully functioning supervised wireless keypad. 32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, self-test diagnostics, three 2-button Panics, and alert sounder. Keypad turns red in alarm condition. (8.5-15 VDC)

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
9060-W/699	Wireless Keypad with Deskstand		246 40	USA	\$137.24
	The DMP 9060 is a fully functioning supervised wireless keypad. 32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, self-test diagnostics, three 2-button Panics, and alert sounder. Keypad turns red in alarm condition. (8.5-15 VDC)				
9063-W	Wireless Proximity Keypad		246 40	USA	\$145.40
	The DMP 9063 is a fully functioning supervised wireless keypad. 32-character LCD keypad in a sleek design with backlit keyboard, three 2-button Panic keys, and alert sounder. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC)WHITE				
9063-W/699	Wireless Proximity Keypad w/Deskstand		246 40	USA	\$159.49
	The DMP 9063 is a fully functioning supervised wireless keypad. 32-character LCD keypad in a sleek design with backlit keyboard, three 2-button Panic keys, and alert sounder. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC)				
MODUES & EXPANDERS					
AUXILIARY MODULES					
270	NETWORK TRANSIENT SUPPRESSOR		246 40	USA	\$14.83
	The Model 270 Transient Suppression Module provides surge suppression from the ethernet for the protection of DMP Panels. In UL applications, the Model 270 must be used if the switch is not installed in the same room as the panel.				
277	COMMERCIAL FIRE BUZZER MODULE		246 25	USA	\$14.83
	The Model 277 Trouble Sounder is an audible trouble alert that may be installed in place of the Model 893A Module for XR150/XR350/XR550 Series control panels.				
370	LIGHTNING SUPPRESSOR		246 40	USA	\$44.22
	External lightning suppressor for use with any DMP or other manufacturer's panel. Provides transient protection and RF isolation on both AC power and telephone lines. Phone, AC, and ground wires connect to on-board terminal strips.				
860	RELAY OUTPUT MODULE		246 40	USA	\$20.76
	Can be used for electrical isolation between the alarm panel and other systems or for switching voltage to control various functions. Includes one relay and provides three additional sockets for expansion of up to four relays. (12 VDC)				
861	POWER DISTRIBUTION/4 WIRE BUS MODULE		246 40	USA	\$19.81
	Provides multiple auxiliary power terminals and additional Keypad and/or LX-Bus connectors for a clean installation. Maximum current handling capacity of 8 Amps on terminal J1. (12 VDC or 24 VDC)				
865	STYLE W/X NOTIFICATION MODULE		246 40	USA	\$73.58
	Provides supervision for ground faults, opens, and shorts on notification appliance circuits. Suitable for use with 2 or 4-wire 12 or 24 VDC circuits. provides Trouble and Ground Fault LEDs, Bell Silence switch, and N/C dry contact trouble contacts. (9.6-14.2 VDC)				
866	STYLE W NOTIFICATION MODULE		246 40	USA	\$46.83
	Supervises one Style W Notification circuit for opens, shorts and ground faults. Capable of switching 12 VDC internal or 24 VDC external power supply. Provides dry contact output for external bell trouble condition and manual bell silence switch. (12 VDC)				
867	LX-BUS™ ADDRESSABLE NOTIFICATION MODULE		246 40	USA	\$74.53
	Provides one supervised Style W circuit for 12 or 24 VDC notification devices. The 867 connects to the LX-Bus™ and provides supervision for ground fault, open, and short conditions on the notification circuit. (12 VDC)				
869	STYLE D INITIATING MODULE		246 40	USA	\$50.32
	Provides two Style D initiating 4-wire circuits for connecting waterflow switches and non-powered burglary and fire devices. The 869 supervises both zones for opens, shorts, and ground fault conditions. (8-25 VDC)				

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
370RJ	Lightning Suppressor	External lightning suppressor for use with any DMP or other manufacturer's panel. Provides transient protection and RF isolation on both AC power and telephone lines. Phone lines connect to modular jacks while AC and ground wires connect to on-board terminal strips.		246 40	USA	\$36.50
893A	Dual Phone Line Module	The 893A installs into the panel enclosure and connects to the panel through a wire harness and phone cord. The 893A supervises the main and backup phone lines for sustained drop in voltage and alerts users with a built-in sounder and indication at the keypad and central station. (12 VDC)		246 40	USA	\$60.07
EXPANSION MODULES						
708	BUS EXTENDER MODULES	Use the 708 Modules in applications such as long wire runs between buildings, in noisy environments, or where the LX-Bus™ is run bundled with other wires, such as telephone company wire. Mounted in two-piece, high-impact ivory plastic case for easy installation. Two 708 Modules included. (8-15 VDC)		246 40	USA	\$216.27
710	BUS SPLITTER/REPEATER MODULE	Allows you to expand the typical LX-Bus™ or Keypad bus installation number of devices and the length of wire. As a splitter, the 710 provides superior mechanical wire connecting capability for up to three additional LX-Bus™ circuits. Mounted in two-piece, high-impact ivory plastic case for easy installation. (8-15 VDC)		246 40	USA	\$32.85
711	ZONE EXPANSION MODULE	Single-zone expander with rotary-switch addressing and convenient screw terminal connections. Mounted in twopiece, high-impact ivory plastic case for easy installation. Includes EOL resistors. (8-15 VDC)		246 40	USA	\$19.06
714	ZONE EXPANSION MODULE	Expander with four 5 VDC Class B zones and rotary-switch addressing. Mounted in high impact plastic case for easy installation. The module snaps into the cover allowing installation with base or directly onto a wall or switch plate. Includes EOL resistors and 12-wire harness.		246 40	USA	\$37.35
715	ZONE EXPANSION MODULE	Four 12 VDC Class B zones for 2-wire smoke detectors and other powered or non-powered devices. Rotary-switch addressing. The module snaps into cover for installation with base or directly onto wall or switch plate. Includes 3.3k EOL resistors and 12-wire harness. (8-15 VDC)		246 40	USA	\$47.51
716	OUTPUT EXPANSION MODULE	Four programmable Form C (SPDT) relays and four open collector annunciator outputs on one module. Use the outputs for remotezone and system annunciation or environmental control applications. Harness included. (8-15 VDC)		246 40	USA	\$62.34
717	GRAPHIC ANNUNCIATOR MODULE	Provides twenty annunciator outputs (open collector) that follow the armed or bypassed state of the panel's zones. Multiple 717 Modules can be installed to remotely annunciate every zone in the system. (8-15 VDC)		246 40	USA	\$55.57
712-8	Zone Expansion Module	Addressable expander with eight grounded burglary zones with dip switch addressing. Provides 3-hole pattern for simple installation in panel enclosureIncludes EOL resistors. (8.5-15 VDC)		246 40	USA	\$36.13
714-16	Zone Expansion Module	Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or 3/4" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8-15 VDC)		246 40	USA	\$137.61

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
714-16L-G	Zone Expansion Module		246 40	USA	\$168.22
714-16L-R	Zone Expansion Module		246 40	USA	\$168.22
714-16PCB	Zone Expansion Module		246 40	USA	\$124.57
714-16-R	Zone Expansion Module		246 40	USA	\$137.61
714-18T	Zone Expansion Module		246 40	USA	\$45.81
714-19T	Zone Expansion Module		246 40	USA	\$54.55
714-8	Zone Expansion Module		246 40	USA	\$81.20
714-8L-G	Zone Expansion Module		246 40	USA	\$111.34
714-8L-R	Zone Expansion Module		246 40	USA	\$111.34
714-8PCB	Zone Expansion Module		246 40	USA	\$68.60
714-8-R	Zone Expansion Module		246 40	USA	\$81.20
714-X	Zone Expansion Module		246 40	USA	\$33.69
714-X-18T	4 Point Zone Expander w/ Terminal Block		246 40	USA	\$39.52

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
715-16	Zone Expansion Module		246 40	USA	\$168.77
715-16PCB	Zone Expansion Module		246 40	USA	\$142.22
715-18T	Zone Expansion Module		246 40	USA	\$54.55
715-20T	Zone Expansion Module		246 40	USA	\$62.34
715-8	Zone Expansion Module		246 40	USA	\$95.28
715-8PCB	Zone Expansion Module		246 40	USA	\$75.00
718T	Plug-in Screw Terminal		246 40	USA	\$8.63
719T	Terminal Board		246 40	USA	\$17.27
721T	Terminal Block Module		246 40	USA	\$9.11
736P	Radionics™ Popit Interface Module		246 40	USA	\$73.58
738A	Ademco™ Interface Module		246 40	USA	\$32.85
738I	ITI™ Interface Module		246 40	USA	\$32.85
INTERFACE CARD					
461	INTERFACE ADAPTER CARD		246 40	USA	\$49.37

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
472	INOVONICS 900MHZ INTERFACE CARD	Plug-in for connection of up to 200 zones of wireless protection to the panel. Connects to one or two Inovonics FA400-DMP Wireless Receivers and allows mixing of hardwired and wireless devices for customizing. Provides 100 LX-Bus zones/outputs. Includes 4-wire LX-Bus harness. (12 VDC)		246 40	USA	\$49.37
481	ZONE EXPANSION INTERFACE CARD	Provides an LX-Bus™ for connecting up to 100 expanded zones and outputs to the panel. Use any combination of single or multiple zone and output expansion modules on the LX-Bus. Includes 4-wire LX-Bus™ harness. (12 VDC)		246 40	USA	\$42.33
462N	Network Interface Card	Simple plug-in card allows the panel to communicate to 1 or 2 receivers over a computer-based data network. Selectable baud rate settings and data LEDs ensure ease of operability and installation. Provides 100 LXBus zones and/or outputs. Includes 4-wire LX-Bus harness. (12 VDC)		246 40	USA	\$62.34
462N-DC	Network Interface Card	Each card provides an LX-Bus for zone and output expansion. For use in conjunction with direct connection from a serial port on a laptop computer to the panel for direct programming. Includes 394 Programming Cable. (12 VDC)		246 40	USA	\$74.53
462P	Printer Interface Card	Plug-in card connects local serial printer to panel for real-time recording of system and user activity. Can be used as a service tool for printing tests or event logs. Provides 100 LX-Bus zones/outputs. Includes 4-wire LX-Bus harness and data cable with DB25 and DB9 connectors. (12 VDC)		246 40	USA	\$73.58
NETWORK PRODUCTS						
ACCESSORIES						
357-X	Cat-5 Cable	Five foot crossover Cat-5 cable for XR500 Series Command Processor panels. Allows programming directly from a laptop NIC card without a network.		246 40	USA	\$3.56
357-X-10	Cat-5 Cable	Ten foot crossover Cat-5 cable for XR500 Series Command Processor panels. Allows programming directly from a laptop NIC card without a network.		246 40	USA	\$6.20
PANELS						
XR150						
XR150DFC-R	Control Panel	XR150, DIALER, FIRE CONTROL		246 40	USA	\$313.62
XR150DL-G	DIALER	142 ZONES,DIALER,350-G GREY ENCL (INC 50VA TRNSFR)		246 40	USA	\$193.55
XR150DL-R	Control Panel	XR150, DIALER, LARGE RED ENC		246 40	USA	\$229.88
XR150DNFC-R	Control Panel	XR150, DIALER, NETW, FIRE CONTROL		246 40	USA	\$419.78
XR150DNL-G	DIALER/NET	142 ZONES,DIALER/NET,350-G ENCL INC 50VA TRNSFRMER		246 40	USA	\$289.95
XR150DNL-R	Control Panel	XR150, DIALER, NETW, LARGE RED ENC		246 40	USA	\$338.21
XR150DNPCB	DIALER/NETWORK BOARD	142 ZONES,DIALER/NETWORK BOARD ONLY,INCL 50VA TRNS		246 40	USA	\$243.97
XR150DPCB	DIALER, BOARD	142 ZONES,DIALER, BOARD ONLY(INC 50 VA TRANSFORMER		246 40	USA	\$147.57
XR150L-G	XR150	142ZONES, NO COMMUNICATION,350 ENCL (INC 50VA TRNS		246 40	USA	\$181.73
XR150NL-G	XR150	142 ZONES,NETWORK,350-G ENCLOSURE(INC 50 VA TRANSF		246 40	USA	\$278.14
XR150NPCB	XR150	142 ZONES,NETWORK, BOARD ONLY(INC 50 VA TRANSFORM		246 40	USA	\$232.05
XR150PCB	XR150	142 ZONES,NO COMMUNICATION BOARD ONLY(INC 50VA TRF		246 40	USA	\$135.65
XR350						
XR350DL-G	XR350	374 ZONES, DIALER,350-G ENCLSR,(INC 50VA TRANSFOR)		246 40	USA	\$266.96
XR350DPCB	XR350	374 ZONES,DIALER,BOARD ONLY INCL.50VA TRANSFORMER		246 40	USA	\$220.98
XR350PCB	XR350	374 ZONES,NO COMMUNICATION, BOARD ONLY, 50VA TRANS		246 40	USA	\$208.38

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
		W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)				
XR550						
XR550DEL-G	XR550	574 ZONES,DIAL/NET,ENCRYP,350 ENCL,50VA TRNSFR		246 40	USA	\$605.17
XR550DEPCB	XR550	574 ZONES,DIAL/NET,ENCRYPT, BOARD ONLY(50VA TRNSFR		246 40	USA	\$559.08
XR550DFC-R	XR550	XR550, DIALER, FIRE CONTROL		246 40	USA	\$433.76
XR550DL-R	XR550	XR550, DIALER, LARGE RED ENC		246 40	USA	\$352.29
XR550DNFC-R	XR550	XR550, DIALER, NETW, FIRE CONTROL		246 40	USA	\$555.43
XR550DNL-R	XR550	XR550, DIALER, NETW, LARGE RED ENC		246 40	USA	\$473.11
XR550DEPCBZ-108	XR550	XR550 DIALER,ENCRYP,PCB ONLY, NO TRNSFRMR, VER 108		246 40	USA	\$554.68
XR550DL-G	XR550	574 ZONES,DIALER,350-G ENCL,INC 50VA TRANSFORMR		246 40	USA	\$315.21
XR550DNL-G	XR550	574 ZONES,DIALER/NET,350-G ENCL,INC 50VA TRANSFORMR		246 40	USA	\$424.18
XR550DNPCB	XR550	574 ZONES,DIALER/NET,BOARD ONLY,INC 50VA TRANSFORMR		246 40	USA	\$377.45
XR550DPCB	XR550	574ZONES,DIALER,BOARD ONLY (INC 50 VA TRANSFORMER)		246 40	USA	\$269.13
ENCLOSURES						
341B	341 Battery Bracket with 318T Battery Harness	The 341B Battery Bracket mounts inside the lid of the 341 Kiosk enclosure providing two Model 364 1.3Ah batteries for battery backup. A 318T Dual Battery Harness is included for battery connection to the panel.		246 1000	USA	\$20.08
341-G	Panel Enclosure	Gray steel ATM size enclosure with dual .75" or .5" knockouts, and module mounting holes.		246 40	USA	\$49.37
349S-G	Enclosure Shelf	Standard panel enclosure shelf. Room for two 7.7 Ah batteries		246 40	USA	\$12.77
350A-G	Grade A Panel Enclosure	The 350A is a large, Grade A, attack-resistant enclosure that has a heavy 16-gauge rolled steel door, tamper switches, and an inside mounting bracket for a wire-in transformer. Models 350B, 350C, and 350D can be added to provide for accessory module installations and additional conduit positions. UL listed. Dimensions: 17.5" W x 13.5" H x 3.75" D		246 40	USA	\$60.64
350B	Slide-In Bracket	The 350B is a slide-in bracket that provides a standard 3-hole pattern for auxiliary module installation		246 40	USA	\$3.39
350C-G	Conduit Backbox	350C is a Conduit backbox that attaches to the rear of the enclosure to provide additional conduit positions.		246 40	USA	\$26.65
350D-92	Mounting Plate	Mounting plate that is easily installed in any enclosure to provide a standard 3-hole pattern for mounting DMP auxiliary modules. Also used with the iCOMSL and 377 Trouble Annunciator Module for UI Fire and Burglary applications.		246 40	USA	\$4.23
350S-G	Enclosure Shelf	Standard panel enclosure shelf. Room for two 7.7 Ah batteries.		246 40	USA	\$23.19
351-G	Universal Mounting Plate	The Universal Mounting Plate is a mounting skirt that allows you to upgrade older DMP 1812 series control panels without removing the enclosure and conduit from the wall. It will also quickly and easily allow you to upgrade all Radionics enclosures to any DMP XR Series Command Processor Panel		246 40	USA	\$35.76
352P-G	Enclosure	X-LRG ENCLOSURE, GRAY, 505-12-G		246 40	USA	\$348.53
352S-G	Extra Large Battery Enclosure	Extra Large enclosure with five shelves to hold batteries for standby power. Dimensions: 14.5" x32" x4" (lid add 0.5" on each side)		246 40	USA	\$236.93
352X-G	Extra Large Panel Enclosure	Extra large enclosure with transformer and mounting plate to hold an XR Series panel, power supply, and one zone expander PCB. One battery shelf included. Dimensions: 14.5" x 32" x 4" (lid adds 0.5" on each side)		246 40	USA	\$226.23
353-G	Wire Pull Box	Gray steel enclosure for wire runs. Includes conduit accessories for connection to panel enclosure. Dimensions: 12" x 15" x 4".		246 40	USA	\$145.87

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W	I	B	G	SIN	COUNTRY OF ORIGIN	GSA Price
354A-G	Mounting Plate	This mounting plate allows you to install two 714 or 715 8 or 16 point zone expander PCBs without removing the enclosure and conduit from the wall.					246 40	USA	\$32.10
354-G	Retrofit Plate	This mounting plate allows you to install a 714 or 715 8 or 16 point zone expander without removing the enclosure and conduit from the wall.					246 40	USA	\$19.81
ES501	Plug-in Transformer Enclosure	Low voltage plug-in transformer enclosure. Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Dimensions: 4.25" x 5.625" x 2.5"					246 40	USA	\$16.52
ES502	Transformer Enclosure	Low voltage plug-in transformer enclosure. Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Also used for physically protecting plug-in sure protectors. Dimensions: 4.25" x 5.625" x 3.75"					246 40	USA	\$21.50
XR100									
XR100A-G	Panel	Panel, in 350A enclosure, trnsfrmer					246 40	USA	\$242.38
XR100FC-R	XR100	COMM FIRE W/DIALER,RED ENCLSR INC WIRE-IN 56VATRNS					246 40	USA	\$302.55
XR100L-G	Panel	Panel, in 350 enclosure, trnsfrmer					246 40	USA	\$230.53
XR100NA-G	Panel	Panel, in 350A enclosure, network					246 40	USA	\$367.50
XR100NFC-R	XR100	COMM FIRE,NET/DIALER, RED ENCL WIRE-IN 56VA TRANS					246 40	USA	\$404.20
XR100NL-G	Panel	Panel, in 350 enclosure, network, trnsfrmer					246 40	USA	\$355.58
XR100NL-R	Panel	Panel, in 350 enclosure, network, trnsfrmer					246 40	USA	\$390.86
XR100NPCB	Panel, Board only	Panel, Board only, network, trnsfrmer					246 40	USA	\$310.34
XR100PCB	Panel, Board only	Panel, Board only, trnsfrmer					246 40	USA	\$185.29
XR500									
XR500A-G	Panel	Panel, in 350A enclosure (includes 50 VA Transformer)					246 40	USA	\$284.98
XR500EA-G	Panel, built-in iCOM-E	Panel, built-in iCOM-E, in 350A enclosure (includes 50 VA Transformer)					246 40	USA	\$595.31
XR500EL-G	Panel, built-in iCOM-E	Panel, built-in iCOM-E, in 350 enclosure (includes 50 VA Transformer)					246 40	USA	\$582.92
XR500EPCB	Panel, built-in iCOM-E	Panel, built-in iCOM-E, Board only (includes 50 VA Transformer)					246 40	USA	\$536.46
XR500FC-R	XR500	COMM FIRE,DIALER,350-R ENCL,WIRE-IN 56VA TRANSFORM					246 40	USA	\$390.86
XR500L-G	Panel	Panel, in 350 enclosure (includes 50 VA Transformer)					246 40	USA	\$272.79
XR500L-R	Panel	Panel, in 350 red enclosure (includes 50 VA Transformer)					246 40	USA	\$309.29
XR500NA-G	Panel, built-in iCOM	Panel, built-in iCOM, in 350A enclosure (includes 50 VA Transformer)					246 40	USA	\$415.75
XR500NFC-R	XR500	COMM FIRE 574ZONE,NET/DIAL,RED 350 ENCLSR(56VA TRF					246 40	USA	\$518.35
XR500NK-G	Panel, built-in iCOM	Panel, built-in iCOM, in 341 ATM enclosure (includes 50 VA Transformer)					246 40	USA	\$409.35
XR500NL-G	Panel, built-in iCOM	Panel, built-in iCOM, in 350 enclosure (includes 50 VA Transformer)					246 40	USA	\$403.83
XR500NL-R	Panel, built-in iCOM	Panel, built-in iCOM, in 350 red enclosure (includes 50 VA Transformer)					246 40	USA	\$437.52
XR500NPCB	Panel, built-in iCOM, Board only	Panel, built-in iCOM, Board only (includes 50 VA Transformer)					246 40	USA	\$357.81
XR500NX-G	Panel, built-in iCOM	Panel, built-in iCOM, in 352 enclosure (includes wire-in 56 VA Transformer)					246 40	USA	\$595.31
XR500XP-G	Panel, built-in iCOM	Panel, built-in iCOM, in 352 enclosure, 505-12 (56 VA, 100 VA)					246 40	USA	\$693.04
XR500PCB	Panel, Board only	Panel, Board only (includes 50 VA Transformer)					246 40	USA	\$227.07
XR500XP-G	Panel	Panel, in 352 enclosure, 505-12 (56 VA, 100 VA)					246 40	USA	\$556.75
XT30									
XT30DM-G	XT30	42 ZONES,DIALER,349-G MED GREY ENCLOSURE					246 40	USA	\$71.99
XT30DNM-G	XT30	42 ZONES,DIALER/NETWORK,349-G MED GREY ENCLOSURE					246 40	USA	\$169.07
XT30DNPCB	Panel, Board only	Panel, Board only, with Dialer, Network					246 40	USA	\$148.31
XT30DNS-G	Panel	Panel, in 340 enclosure, with Dialer, Network					246 40	USA	\$156.46
XT30DPCB	XT30	42 ZONES, DIALER, BOARD ONLY					246 40	USA	\$51.91
XT30DS-G	Panel	Panel, in 340 enclosure, with Dialer					246 40	USA	\$60.06

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)		W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
XT30M-G	XT30	42 ZONES,NO COMMUNICATIONS,349-G MED GRY ENCLOSUR		246 40	USA	\$68.23
XT30NM-G	XT30	42 ZONES,NETWORK, 349-G MEDIUM GRY ENCLOSURE		246 40	USA	\$156.47
XT30NPCB	XT30	42 ZONES,NETWORK, BOARD ONLY		246 40	USA	\$136.39
XT30NS-G	XT30	42 ZONES, NETWORK, 340-G SMALL GRAY ENCLOSURE		246 40	USA	\$144.65
XT30PCB	XT30	42 ZONES, BOARD ONLY, NO COMMUNICATIONS ON BOARD		246 40	USA	\$48.25
XT30S-G	XT30	42 ZONES, NO COMMUNICATION ONBOARD,SM 340-G ENCLSR		246 40	USA	\$56.41
XT50						
XT50DM-G	XT50	58 ZONES,DIALER, WIRELESS RCVR, MED 349G ENCLSR		246 40	USA	\$109.07
XT50DNM-G	XT50	58 ZONES,NETWORK/DIALER,WLS RCVR,MED 349- G ENCLOSUR		246 40	USA	\$204.73
XT50DNPCB	XT50	58 ZONES,NETWORK/DIALER,WIRLESS RCVR, BOARD ONLY		246 40	USA	\$180.14
XT50DNS-G	Panel	Panel, in 340 enclosure, with Dialer, Network and Wireless Receiver		246 40	USA	\$192.81
XT50DPCB	XT50	58 ZONES,DIALER, WIRELESS RECEIVER, BOARD ONLY		246 40	USA	\$84.48
XT50DS-G	Panel	Panel, in 340 enclosure, with Dialer and Wireless Receiver		246 40	USA	\$97.13
XT50NM-G	XT50	XT50, NETWORK MED ENCLOSURE		246 40	USA	\$192.81
XT50NPCB	XT50	XT50, NETWORK, PCB ONLY		246 40	USA	\$168.39
XT50NS-G	XT50	XT50,NETWORK, SMALL ENC		246 40	USA	\$180.89
XT50PCB	XT50	XT50, PCB ONLY		246 40	USA	\$85.23
XT50S-G	XT50	58 ZONES,NO COMMUNICATION,WLS RCVR,SM GREY 340-G		246 40	USA	\$93.49
XTL						
XTLC	XTL	28 WLS ZONES,CDMA CELL ONLY, 3.75"X5.5" PLST HSG		246 40	USA	\$193.55
XTLN	XTL	28 WLS ZONES,NETWORK ONLY, IN 3.75"X5.5"PLST HOUSG		246 40	USA	\$145.40
XTLN-WIFI	XTL	28 WIRELESS ZONES,NETWORK/WIFI,IN 3.75"X5.5"PLASTI		246 40	USA	\$181.73
POWER SUPPLIES & TRANSFORMERS						
BATTERIES						
318	BATTERY HARNESS	Allows you to connect two batteries to the panel. Suitable for use in fire applications.		246 40	USA	\$7.89
318EXT	Battery Harness Extension	48" extension allows you to extend the panel battery wires.		246 40	USA	\$9.48
318R	Battery Harness	Allows you to connect two batteries with ring- style battery leads to the panel. Suitable for use in fire applications.		246 40	USA	\$7.89
505-12A-G	5 Amp Power Supply	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a heavy gauge metal enclosure. (115 VAC, 12 VDC)		246 25	USA	\$197.68
505-12-G	5 Amp Power Supply	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a metal enclosure (115 VAC 12 VDC)		246 25	USA	\$184.64
505-12L-G	5 Amp Power Supply	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a large metal enclosure (115 VAC 12 VDC)		246 25	USA	\$185.76

Model No.	To Place An Order Call 800-367-4850 x 225 or visit buy.dmp.com W=White, I=Ivory, B=Black, G=Gray, R=Red, P=Platinum (Silver)	W I B G	SIN	COUNTRY OF ORIGIN	GSA Price
505-12L-R	5 Amp Power Supply		246 40	USA	\$185.76
505-12LX-G	5 Amp Power Supply		246 25	USA	\$301.87
505-12LX-R	5 Amp Power Supply		246 25	USA	\$301.87
505-12PCB	5 Amp Power Supply		246 25	USA	\$77.91
505-12-R	Power Supply		246 25	USA	\$184.64
320	40 VA WIRE-IN TRANSFORMER		246 40	MEXICO	\$16.70
325	TERMINAL STRIP WITH COVER		246 40	USA	\$3.39
378	BARREL CONNECTOR WITH CORD		246 40	USA	\$3.56
376L	12VDC 600mA Plug-in Power Supply		246 1000	USA	\$15.58