



**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is: <http://www.gsaadvantage.gov>

**WORLDWIDE FEDERAL SUPPLY SCHEDULE CONTRACT
SCHEDULE TITLE: TOTAL SOLUTIONS FOR LAW ENFORCEMENT, SECURITY,
FACILITIES MANAGEMENT, FIRE, RESCUE, CLOTHING, MARINE
CRAFT AND EMERGENCY/DIASTER RESPONSE
FSC GROUP: 84**

Contract Number: GS-07F-0565X

Contract Period: June 1, 2016 through May 31, 2021



System Development Integration, LLC dba SDI

33 West Monroe Street, Suite 400

Chicago, IL, 60603-5335

Telephone: (312) 580-7500

Fax: (312) 580-7600

www.sdisolutions.com

Contractor's Administration Source: dpfeiffer@sdisolutions.com

General Services Administration
Management Services Center Acquisition Division
Modification #**PO-0011**, dated **June 1, 2016**

Business Size: **Other than Small Business**

DUNS: **176833861**

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at <http://www.fss.gsa.gov>.

**GSA AWARDED TERMS AND CONDITIONS
SYSTEM DEVELOPMENT INTEGRATION, LLC DBA SDI**

- 1a. Table of awarded special item number(s) with appropriate cross-reference to item descriptions and awarded price(s).

SIN 246-1000	Security, Alarm, & Signal Systems
SIN 246-35 1	Access Control Systems, Door entry control by card access, magnetic proximity
SIN 246-42 1	Facility Management Systems
SIN 246-43	Perimeter Security/Detection Systems
SIN 246 01	Smart Buildings Systems Integrator
SIN 246 52	Professional Security/Facility Management Services
SIN 246 60 1	Security Systems Integration and Design Services

- 1b. Identification of the lowest priced model number/ labor category and lowest unit price for that model/ labor category for each special item number awarded in the contract.

Refer to Pricelist

2. Maximum order.

SIN 246-1000	\$150,000
SIN 246-35 1	\$100,000
SIN 246-42 1	\$150,000
SIN 246-43	\$100,000
SIN 246 01	\$1,000,000
SIN 246 52	\$200,000
SIN 246 60 1	\$200,000

*Ordering activities may request a price reduction at any time before placing an order, establishing a BPA, or in conjunction with the annual BPA review. However, the ordering activity shall seek a price reduction when the order or BPA exceeds the simplified acquisition threshold. Schedule contractors are not required to pass on to all schedule users a price reduction extended only to an individual ordering activity for a specific order or BPA.

3. Minimum order.
\$100.00

4. Geographic coverage (delivery area).
CONUS, Alaska, Hawaii, and Puerto Rico

5. Point(s) of production (city, county, and State or foreign country).
SDI - Chicago, IL, USA
AMAG Technology - Torrance, CA, USA
Verint - Columbia, MD, USA
RS2 Technologies, LLC - Munster, IN, USA

6. Discount from list prices or statement of net price.
GSA Net Prices are shown on the attached GSA Price list. Negotiated discount has been applied and the IFF has been added.

7. Quantity discounts.
None

8. Prompt payment terms.
1%/20 Net 30. Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

- 9a. Government purchase cards **are accepted** at or below the micro-purchase threshold
- 9b. Government purchase cards **are not accepted** above the micro-purchase threshold
10. Foreign items (list items by country of origin).
N/A
- 11a. Time of delivery.
In accordance with the terms negotiated in agency's Statement of Work
- 11b. Expedited Delivery.
Determined at the Task Order Level
- 11c. Overnight and 2-day delivery.
Determined at the Task Order Level
- 11d. Urgent Requirements.
Determined at the Task Order Level
12. F.O.B. point.
Destination
- 13a. Ordering address.
**System Development Integration, LLC dba SDI
33 West Monroe Street, Suite 400, Chicago, IL, 60603-5335
Telephone: (312) 580-7595**
- 13b. **Ordering procedures:** Ordering activities shall use the ordering procedures described in Federal Acquisition Regulations 8.405 when placing an order or establishing a BPA for supplies or services. The ordering procedures, information on Blanket Purchase Agreements (BPA's) and a sample BPA can also be found at the GSA/FSS Schedule Homepage (fss.gsa.gov/schedules).
14. Payment address.
**System Development Integration, LLC dba SDI
33 West Monroe Street, Suite 400, Chicago, IL, 60603-5335
Telephone: (312) 580-7595**
15. Warranty provision.
N/A
16. Export packing charges, if applicable.
N/A
17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level).
ACCEPTED AT AND BELOW THE MICRO-PURCHASE THRESHOLD
18. Terms and conditions of rental, maintenance, and repair (if applicable).
NOT APPLICABLE
19. Terms and conditions of installation (if applicable).
NOT APPLICABLE
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable).
NOT APPLICABLE
- 20a. Terms and conditions for any other services (if applicable).
NOT APPLICABLE

21. List of service and distribution points (if applicable).
NOT APPLICABLE
22. List of participating dealers (if applicable).
NOT APPLICABLE
23. Preventive maintenance (if applicable).
NOT APPLICABLE
- 24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants).
NOT APPLICABLE
- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at: www.Section508.gov/.
NOT APPLICABLE
25. Data Universal Number System (DUNS) number:
176833861
26. NOTIFICATION REGARDING REGISTRATION IN SYSTEM FOR AWARD MANAGEMENT (SAM) DATABASE:
Contractor has an active registration in the SAM database; CAGE Code 3HRQ0

Job Title: Administrative Assistant I

Functional Responsibility: Provide administrative support to a department and/or Manager. Duties include general clerical, receptionist and project based work. Project a professional company image through in-person and phone interaction.

- Answer multi-line telephones and transfer to appropriate staff member.
- Proficiency with computer hardware components and software packages, especially Microsoft Office products.
- Create and modify documents using Microsoft Office.
- Perform general clerical duties to include but not limited to: photocopying, faxing, mailing, and filing.
- Maintain hard copy and electronic filing system.
- Sign for and distribute UPS/Fed Ex/Airborne packages.
- Research, price, and purchase office furniture and supplies.
- Coordinate and maintain records for staff office space, phones, parking, company credit cards and office keys.
- Setup and coordinate meetings and conferences.
- Maintain and distribute staff weekly schedules.
- Collect and maintain PC inventory.
- Support staff in assigned project based work.
- Provide office orientation for new employees.
- Setup accommodation and entertainment arrangements for company visitors.

Minimum Experience: Minimum of one (1) year of clerical experience.

Minimum Education: High School diploma

Job Title: Application Developer III

Functional Responsibility: Provide development, programming, testing and implementation of new and existing business applications and production systems support. Application development is for Client/Server and Web based applications.

- Participate as a member of an Applications Services and Support team.
- Participate in full software development life cycle with primary focus on programming and testing activities.
- Design, analyze, implement, develop, test, cutover, maintain and provide knowledge transfer for all supported applications
- Interact with clients regarding the nature of the business need or issue to be addressed.
- Review and interpret business requirements and develop detailed technical requirements.
- Analyze requirements and determine how it will affect new or existing systems.
- Build Unit, System, Integration test case scenarios based on the requirements.
- Construct programming elements such as classes, components, subsystems.
- Construct database elements such as tables, views, stored procedure, functions, and triggers.
- Execute test cases in test environments and document the results.
- Analyze/troubleshoot production defects and implement resolutions for root causes.
- Perform maintenance and operational activities such as generating reports, correcting data.
- Create/update system or user documentation.
- Train users and help desk personals on custom and packaged software.

- Follow IT development processes such as change management, configuration management, security compliances
- Effectively communicate technical information to non-technical personnel, both verbally and in writing.

Minimum Experience: Minimum of five (5) years experience in the field such as Latest Microsoft Visual Studio, .NET, SQL, Crystal Reports, and other client approved development tools. Experience with Dreamweaver, ColdFusion, Microsoft Access, Microsoft ASP.Net, C#.net, Java, XML/Web Services and other client approved web development tools.

Minimum Education: Bachelor's degree (computer science preferred) or equivalent work experience.

Job Title: Application Developer IV

Functional Responsibility: Monitor, troubleshoot and repair application software issues. Escalate to Senior Support/Application Development technician as necessary.

- Participate as a member of an Applications Services and Support team.
- Use fact finding techniques and analytic tools to identify problems.
- Recognize the need to escalate problems to a higher level.
- Operate effectively in a customer service oriented environment.
- Communicate resolution and or findings with supporting data or documentation.
- Perform application upgrades for supported software applications (internal or third party vendor developed).
- Addresses and resolves routine issues (contact/escalate to vendor through Helpdesk or agreed upon problem resolution methodology).
- Coordinates Activities with Vendor personnel (vendor presentations, site visits, prepare for installations, etc.).
- Document and follow software configuration management procedures.
- Adhere to problem management practices that focus on root cause analysis and prevention of future problems.
- Adhere to strict Change Management policy to ensure timely notification, testing and approval for ALL system and application related changes that impact the environment.
- Participate and resolve IT risk, regulatory, and compliance work and issues.
- Work with other Application Support teams to resolve issues that may impact optimal performance of an application.

Minimum Experience: Minimum of four (4) years experience.

Knowledge in distributed application support and ASP, .NET, HTML, IIS, Java, multi-tier RDBMS technologies, Windows operating systems, TCP/IP, DNS, routing, firewall.

Minimum Education: Bachelor's degree (computer science preferred) or equivalent work experience.

Job Title: Application Developer VI

Functional Responsibility: Key Responsibilities include:

- Coordinate with other IT resources (DBAs, UNIX Sys Admins, Developers)
- Provide end-user support for existing applications
- Provide off-hours support via pager on rotating schedule
- Represent Operational needs in development process
- Determine and correct problems in assigned sub-systems that are critical to daily operations.
- Develop client specific scripts and scripts to streamline operational tasks

Minimum Experience: Minimum of five (5) years experience in one or more web programming languages (Perl, PHP, Ruby, Java, etc) Knowledge of Apache, PGP, SSL Certs, DNS a plus, Strong Unix and scripting skills using standard Perl and shell, Knowledge of databases including basic SQL. Unix/Linux background and knowledge of HTML, CGI, HTTP, Perl, basic system administration, networking, and DNS.

Minimum Education: Minimum of a Bachelor's degree in Computer Science or equivalent experience.

Job Title: Application Services Engineer I

Functional Responsibility: Provide development, programming, testing and implementation of new and existing business applications and production systems support. Application development is for Client/Server and Web based applications.

- Participate as a member of an Applications Services and Support team.
- Participate in full software development Life Cycle with primary focus on programming and testing activities.
- Design, analyze, implement, develop, test, cutover, maintain and provide knowledge transfer for all supported applications
- Interact with clients regarding the nature of the business need or issue to be addressed.
- Review and interpret business requirements and develop detailed technical requirements.
- Analyze requirements and determine how it will affect new or existing systems.
- Build Unit, System, Integration test case scenarios based on the requirements.
- Construct programming elements such as classes, components, subsystems.
- Construct database elements such as tables, views, stored procedure, functions, and triggers.
- Execute test cases in test environments and document the results.
- Analyze/troubleshoot production defects and implement resolutions for root causes.
- Perform maintenance and operational activities such as generating reports, correcting data.
- Train users and help desk personals on custom and packaged software.
- Follow IT development processes such as change management, configuration management, security compliances

Minimum Experience: Minimum of five (5) years experience. Programming languages to include latest Microsoft Visual Studio, .NET, SQL, Crystal Reports, and other client approved development tools. Experience with Dreamweaver, ColdFusion, Microsoft Access, Microsoft ASP.Net, C#.net, Java, XML/Web Services and other client approved web development tools.

Experience with the following operating systems: MS Windows NT/2000 Server, Windows 2000/XP/98 and Linux/Unix systems.

Minimum Education: Bachelor's degree (computer science preferred) or equivalent work experience.

Job Title: Application Services Engineer IV

Functional Responsibility: Application Services Engineer IV is responsible for installation, service and maintenance of computer-based integrated electronic security systems includes access control, CCTV, video systems, intrusion detection, and intercom systems.

- Plan and coordinate activities concerned with installing equipment, investigating and resolving customer reports of technical problems with equipment, and eliminating future operational or service difficulties by performing the following duties.

- Review performance reports and documentation from customers and field representatives, and inspect malfunctioning or damaged product to determine nature and scope of problem.
- Analyze, review, and inspect findings to determine source of problem, and recommend repair, replacement, or other corrective action.
- Coordinate problem resolution with engineering, customer service, and other personnel to expedite repairs, as required.
- Provide on-site technical assistance to help troubleshoot and repair equipment.
- Analyze reports of technical problems to determine trends affecting future design, production, service, and maintenance processes, and recommends modifications to eliminate future problems.
- Develop or assist with the development of service handbooks and bulletins based on field investigations, engineering changes, and overall knowledge of product.
- Collect and compile data/information for projects and presentations.
- Conduct client interviews under supervision.
- Pursue continuous learning and share knowledge with others.
- Provide a communication link between the customer and the company to help ensure that effective service is provided to the customer.
- Develop and conducts training on the safe operations of the equipment and demonstrates skills to trainees, including both team members and customers.
- Utilization of hand tools and test equipment to perform work.

Minimum Experience: Minimum of 4 (four) years of experience in the field, or Associates in Electronics or Communications or Military Class A and/or B school in Electronics or Communications. Basic Understanding of CCTV Systems, Microsoft Office Applications (Word, Outlook, Excel and CADD software (AutoCAD, Microstation).

Minimum Education: Associates in Electronics or Communications or Military Class A and/or B school in Electronics or Communications.

Job Title: Business Analyst III

Functional Responsibility: The Business Analyst II works closely with engineers and project team members to prepare technical/design specifications and drawings using client approved CADD software. These drawings may include schematics, point to point wiring diagrams, single line diagrams, conduit layout drawings, cable tabulations, and facility drawings.

- Draw detailed plans utilizing computer assisted design software and equipment from design drawings.
- Produce various conceptual sketches from verbal instructions,
- Gather information, assemble package for clients containing all drawings, and required data, cost information, square footage calculations, as-built conditions, tenant lease information, as required by client, etc.,
- Conduct field measurements/verifications, identify architectural walls and doors and relate that information to the construction drawings,
- Prepare studies and reports and presentation documents,
- Maintain and support database, modify existing CAD files based on field visits to the sight,
- Develop and maintain CADD standards,
- Provide status reports to supervisors

Minimum Experience: Minimum of three (3) years experience. Basic knowledge of client systems (access control, electrical, real estate, etc). Basic knowledge of IT communications systems.

Minimum Education: Associates degree or 1-2 years vocational training with emphasis on CADD.

Job Title: Business Analyst V

Functional Responsibility: Design and modify operating systems such as Windows, BSD and IOS and their associated security applications.

- Participate in the day-to-day operation and maintenance of firewalls, intrusion detection systems, access control systems, sys log servers, alerting and reporting.
- Responsible for organizing and directing deployment of new applications; maintaining existing programs; acting as liaison between system users, vendors and other systems analysts; conducting testing of application and upgrades; and troubleshooting user issues.
- Other key tasks include assisting with new product/module installations, as well as upgrades and maintenance of legacy custom and third-party applications.
- Implement and maintain ACL changes, proxy applications and behavior based anti-virus.
- Participate in all phases of the SDLC as it relates to new Information Assurance initiatives, projects or design specifications.
- Design, modify and test systems and their prototypes as part of the SDLC roles.

Minimum Experience: Minimum of five (5) years experience. Should have experience in firewalls, VPN's, applications, operating systems, systems analysis, design, modification and testing. Desired experience in Sidewinder, Juniper and Cisco as well as Ethernet and Network General packet sniffer and TCP/IP protocol analysis

Minimum Education: Bachelor's degree or equivalent work experience.

Job Title: CADD Technician I

Functional Responsibility: The CADD Technician I works closely with engineers and project team members to prepare technical/design specifications and drawings using client approved CADD software. These drawings may include schematics, point to point wiring diagrams, single line diagrams, conduit layout drawings, cable tabulations, and facility drawings.

- Draw detailed plans utilizing computer assisted design software and equipment from design drawings.
- Produce various conceptual sketches from verbal instructions,
- Gather information, assemble package for clients containing all drawings, and required data:cost information, square footage calculations, as-built conditions, tenant lease information, as required by client, etc.,
- Conduct field measurements/verifications, identify architectural walls and doors and relate that information to the construction drawings,
- Prepare studies and reports and presentation documents,
- Maintain and support database, modify existing CAD files based on field visits to the sight,
- Develop and maintain CADD standards,
- Supervise interns.

Minimum Experience: Minimum two (2) years experience in CADD.

Minimum Education: Associates degree or 1-2 years vocational training with emphasis on CADD.

Job Title: CADD Technician III

Functional Responsibility: The CADD Technician III works closely with engineers and project team members to prepare technical/design specifications and drawings using client approved CADD software. These drawings may include schematics, point to point wiring diagrams, single line diagrams, conduit layout drawings, cable tabulations, and facility drawings.

- Draw detailed plans utilizing computer assisted design software and equipment from design drawings.

- Produce various conceptual sketches from verbal instructions,
- Gather information, assemble package for clients containing all drawings, and required data, cost information, square footage calculations, as-built conditions, tenant lease information, as required by client, etc.,
- Conduct field measurements/verifications, identify architectural walls and doors and relate that information to the construction drawings,
- Prepare studies and reports and presentation documents,
- Maintain and support database, modify existing CAD files based on field visits to the sight,
- Develop and maintain CADD standards,
- Client systems (access control, electrical, real estate, etc).
- Drawing revisions and changes.
- Complex layouts and plot drawings.

Minimum Experience: Minimum of one (1) year of experience in vocational training with emphasis on CADD or Associates degree.

Minimum Education: Associates degree or 1-2 years vocational training with emphasis on CADD.

Job Title: Construction Manager II

Functional Responsibility: Plan and coordinate construction projects, evaluate and determine appropriate construction methods and the most cost-effective plan and schedule.

- Oversee the selection of trade contractors to complete specific pieces of the project—which could include everything from structural metalworking and plumbing to painting and carpet installation.
- Determine the labor requirements and, in some cases, supervise or monitor the hiring and dismissal of workers.
- Oversee the performance of all trade contractors and are responsible for ensuring that all work is completed on schedule.
- Direct and monitor the progress of construction activities, sometimes through construction supervisors or other construction managers.
- Oversee the delivery and use of materials, tools, and equipment; and the quality of construction, worker productivity, and safety.
- Responsible for obtaining all necessary permits and licenses and, depending upon the contractual arrangements, direct or monitor compliance with building and safety codes and other regulations.
- Review engineering and architectural drawings and specifications to monitor progress and ensure compliance with plans and schedules.
- Prepare daily reports of progress and requirements for labor, material, machinery, and equipment at the construction site.

Minimum Experience: Minimum of three (3) years experience managing large construction projects involving subcontractors.

Minimum Education: Bachelor's degree or equivalent work experience.

Job Title: Data Center Engineer III

Functional Responsibility: Responsible for monitoring and managing enterprise wide network and system infrastructure while processing high level customer service to IT and Business Units.

Additional duties include:

- Monitor and support corporate websites, network, and system infrastructure, including servers, storage, and facilities components within the Data Center.

- Assist in troubleshooting systems to maximize the integrity of individual servers, websites, the Data Center Facility, and the network.
- Work with vendor representatives and other Technology Operations teams to coordinate, escalate, troubleshoot, and resolve issues.
- Rack and cable hardware.
- Install and configure operating systems (Windows and Linux).
- Serve as Point-of-Contact for all issues affecting Move's technical environment, including problem ownership, coordination, and reporting, from detection to resolution.
- Manage asset inventory for the Phoenix Data Center, including shipping, receiving, and asset tracking.
- Assist in maintaining training manuals, policies, checklists and procedures.
- Perform enterprise data backup and restore functions.
- Various other duties and responsibilities may be assigned as necessary

Minimum Experience:

3-5 years experience within a large, Windows & Linux-based Data Center environment. Experience with system monitoring and management tools required. Strong knowledge of server hardware and software required. Thorough knowledge of fiber and copper testing, installation and troubleshooting procedures required. Ability to assist in physical installation of servers, cabling, racks, and in-rack-PDUs. Ability to respond to, manage and resolve critical events within the Data Center including power, cooling, cabling, as well as other Infrastructure issues. Network, Server, and hardware Certifications a plus.

Minimum Education: Bachelor of Science in Computer Science or Business-related field preferred.

Job Title: Database Administrator II

Functional Responsibility: Design, install, monitor, maintain, and performance tune production / development databases while ensuring high levels of data availability.

- Install and manage Database software, and related components to DB administration.
- Implement and document security for database systems and maintain corporate policy.
- Review data stored within database systems and make suggestions for improvement.
- Monitor database performance, health and resources of the server operations.
- Highlight issues to appropriate stakeholders, providing possible solutions.
- Properly implement indexes and other performance based database features.
- Assist developers in creating and modifying database schemas.
- Collect and analyze database SQL Server performance data and make recommendations for improving performance and efficiency, knowledge of hardware configuration and database design.
- Review database growth and usage and make appropriate recommendations for future growth.
- Plan, implement and administer the backup of all company databases; ensure that database backups are successful, administer log-shipping processes.
- Manage monitor and troubleshoot systems.

Minimum Experience: Minimum of one (1) year of technical expertise using at least one of the following RDBMS products relevant to the project, such as: DB2, ORACLE, SYBASE, INGRES, SQL Server, and Powerbuilder,

Minimum Education: Bachelor's degree (computer science preferred) or equivalent work experience.

Job Title: Desktop Support Technician I

Functional Responsibility: This position reports to the Desktop Team Lead assisting with the technical support of desktop computers, applications and related technology. Assignments include installation, moving and testing of computer systems, peripherals and software within established customer guidelines.

- Assist staff with the installation, configuration and ongoing usability of desktop computers, peripheral equipment and software.
- Install software including, but not limited to, Microsoft Windows software suite of programs, off-the-shelf desktop applications and in-house developed software.
- Ensure desktop computers interconnect seamlessly with diverse systems including file servers, email servers, computer conferencing systems, application servers and administrative systems.
- Create clear, concise documentation of all work completed in the provided help desk ticketing system.

Minimum Experience: Minimum of two (2) years of experience supporting: XP desktop/laptop PCs. Experience installing software, patches, updates on desktops and laptops.

Experience working in a Microsoft Active Directory environment.

Minimum Education: Associate's degree or 1-2 years vocational training with emphasis on computer systems support.

Job Title: Electrician I

Functional Responsibility: Install, connect, test, and maintain electrical systems for a variety of purposes, including climate control, security, and communications. Install and maintain the electronic controls for machines in business and industry.

- Installation, maintenance, and repair of line voltage electrical systems.
- Installation, maintenance, and repair of low-voltage communications cabling, including CAT, twisted pair, and others.
- Installation, maintenance, and repair of coaxial or fiber optic cable for computers and other telecommunications equipment.

Minimum Experience: Minimum three (3) years experience in electrical systems

Minimum Education: Associate's degree, 1-2 years vocational training, or equivalent work experience

Job Title: Field Services Technician I

Functional Responsibility: Responsible for installation, service and maintenance of computer-based integrated electronic security systems includes access control, CCTV, video systems, intrusion detection, and intercom systems.

- Provide on-site technical assistance to help troubleshoot and repair equipment.
- Maintain records of service and installation work.
- Analyze reports of technical problems to determine trends affecting future design, production, service, and maintenance processes, and recommends modifications to eliminate future problems.
- Operate effectively in a customer service oriented environment.
- Pursue continuous learning and share knowledge with others.
- Utilization of hand tools and test equipment to perform work with minimal supervision
- Manage CCTV Systems, Microsoft Office Applications (Word, Outlook, Excel etc.) and CADD software (AutoCAD, Microstation).

Minimum Experience: Minimum of two (2) years experience in the fields or Associates in Electronics or Communications. Or, Military Class A and/or B school in Electronics or Communications.

Minimum Education: Associates in Electronics or Communications or Military Class A and/or B school in Electronics or Communications.

Job Title: Field Services Technician IV

Functional Responsibility: The Field Services Technician IV is the manager responsible for installation, service and maintenance of computer-based integrated electronic security systems includes access control, CCTV, video systems, intrusion detection, and intercom systems.

- Plan and coordinate activities concerned with installing equipment, investigating and resolving customer reports of technical problems with equipment, and eliminating future operational or service difficulties by performing the following duties.
- Review performance reports and documentation from customers and field representatives, and inspect malfunctioning or damaged product to determine nature and scope of problem.
- Analyze, review, and inspect findings to determine source of problem, and recommend repair, replacement, or other corrective action.
- Coordinate problem resolution with engineering, customer service, and other personnel to expedite repairs, as required.
- Provide on-site technical assistance to help troubleshoot and repair equipment.
- Maintain records of service and installation work.
- Analyze reports of technical problems to determine trends affecting future design, production, service, and maintenance processes, and recommends modifications to eliminate future problems.
- Develop or assist with the development of service handbooks and bulletins based on field investigations, engineering changes, and overall knowledge of product.
- Collect and compile data/information for projects and presentations.
- Assist in development of work product for the client.
- Troubleshoot minor problems.
- Provide a communication link between the customer and the company to help ensure that effective service is provided to the customer.
- Develop and conducts training on the safe operations of the equipment and demonstrates skills to trainees, including both team members and customers.
- Utilization of hand tools and test equipment to perform work.
- Manage CCTV Systems, Microsoft Office Applications (Word, Outlook, Excel etc.), CADD software (AutoCAD, Microstation).

Minimum Experience: Minimum of four (4) years experience in the field or Associates in Electronics or Communications. Or, Military Class A and/or B school in Electronics or Communications.

Minimum Education: Associates in Electronics or Communications or Military Class A and/or B school in Electronics or Communications.

Job Title: Fire Life Safety Expert I

Functional Responsibility:

- Establish fire and life safety procedures, standards, and practices.
- Review project plans, building emergency evacuation plans, and other documentation to ensure that fire and life safety procedures, standards, and practices are adhered to in projects and ongoing management.

- Train and educate staff on fire and life safety procedures, standards, and practices.

Minimum Experience: Minimum three (3) years experience working with fire and life safety procedures, standards, and practices, familiarity with fire and life safety codes, knowledge of fire and life safety systems.

Minimum Education: Associates degree, 1-2 years vocational training, or equivalent work experience.

Job Title: IT Security Specialist I

Functional Responsibility: The IT Security Specialist I collects, reviews, evaluates and interprets data; diagnoses normal and abnormal patterns; develops and implements security rules and policies; diagnoses and troubleshoots problems; solves problems; and designs and implements solutions based on security principals, best practice and existing technologies. May also configure, maintain and install equipment; develop or modify source code; write scripts; harden or secure applications or databases; or respond to and resolve information security incidents depending on their area of specialty. Key responsibilities include:

- Plan, implement, evaluate, review and status projects involving information security solutions in their specialty area.
- Network Security including all aspects of administration, design, implementation, configuration, incident response, and security policy, process and procedure development associated with secure network architecture, and management of network security devices and data, voice, video and virtual networks.
- Cisco equipment or Linux firewalls.
- Monitoring and Incident Response including all aspects of network and host integrity monitoring, event correlation and analysis, incident definition and determination, incident response and communication and incident management, containment and resolution.
- Intrusion Detection and Prevention including all aspects of IDS/IPS design, architecture, signature analysis, response, protection, interpretation, device configuration, and rule set and policy development.
- Risk Assessment and Vulnerability Assessment including all aspects of risk assessment from policy analysis and regulatory compliance to automatic scanning and system hardening.
- Server and Applications development including OS hardening for Windows, UNIX, LINUX, IBM mainframe, Oracle, SQL and other security oriented databases, applications, or servers. This specialty also includes hardening web servers and web applications and data flows, anti-virus, spam, spy ware, and access control systems.
- Identity Management including all aspects of digital signatures, PKI, certified identity, biometrics for access control, secure tokens and token management and other technologies related to identity management and access control.

Minimum Experience: Minimum of five (5) years of experience in Information Technology with at least 3 years of experience in the information security sector.

Minimum Education: Bachelor's degree in Information Systems Technology or related field. At the State's discretion, 4 additional years of experience in IT may be substituted for the degree and a Master's degree may substitute for a year of experience.

Job Title: IT Security Specialist III

Functional Responsibility: An analyst will work in one or more security specialty areas such as:

- Security business process analysis; intrusion detection and prevention; security vulnerability assessment; applications security; database security; anti-virus; anti-spam; anti-spy ware; device hardening and administration for servers, network devices, firewalls or other security

appliances; web page development or management; configuration management, system auto discovery and mapping, or other security specialties.

- Analysts will collect, review, evaluate and interpret data; diagnose normal and abnormal patterns; diagnose and troubleshoot problems; and recommend solutions based on security principals, best practice and existing technologies. They document their work or the work of others and implement solutions that have been designed and/or approved by others. Analysts must be able to clearly communicate and escalate problems, issues and solutions to technical and non-technical audiences alike. Analysts might also configure and install equipment or develop or modify source code in defined situations.
- People at this level may have broad information security experience or significant experience in a limited specialty. They must be able to analyze, troubleshoot, design, and/or administer devices to prevailing best practice standards with limited direction and oversight.

Minimum Experience: Minimum of two (2) years of experience in Information Security and a certificate showing focused training in the specialty.

Minimum Education: Bachelor's degree in Information Systems Technology. At the State's discretion, 4 additional years of experience in IT may be substituted for the degree and a Master's degree may substitute for a year of experience

Job Title: Network Engineer I

Functional Responsibility: The Network Engineer I works with Network Design, Implementation and Support. Key responsibilities include:

- Cisco switch configuration and troubleshooting (configure terminal, traceroute, etc.)
- VLAN utilization over LAN
- Installing & supporting Windows 2003, XP, Vista
- Communication and security elements behind LAN/WAN/WLAN technologies
- IP subnetting and network classes (Class A, B, C)
- System updates, CCNA or better. Experience with 6500 and 3500 series switches

Minimum Experience: Minimum 2 years experience in design, installation, and support of network systems for mission critical networks.

Minimum Education: A Bachelors degree (preferably with focus on Technical aspects, i.e. Network Communication Management) A+ certified or equivalent in order to support video workstations and video servers

Job Title: Network Engineer II

Functional Responsibility: Responsible for developing, refining, and troubleshooting a large distributed network environment, involving UNIX and MS-Windows platforms. Key responsibilities include:

- Computer technology, including architecture, operating systems, and hardware components, such as workstations, disks, and graphics input and output devices.
- Distributed computing system concepts, including client/server computing issues, mass storage technology, and Computer Network Technology Design, develop, test and implement new system software modules and enhancements to current systems
- Design, develop, test, and implement diagnostic utilities to analyze and report system status and performance.
- Monitor and evaluate overall system performance of operating system facilities, software products, computer services, and communications and networking facilities; specifies, installs and tests system components as required to enable system to meet desired performance objectives.

- Configuring UNIX workstations, including SunOS and SPARC products, and associated third party peripherals.

Minimum Experience: Minimum of three (3) years experience. Network experience must include configuring one or more networks based on several of the following: serial communications, MODEMS, Ethernet, TCP/IP, NFS, VPN, and others. UNIX software development experience desirable. Also IEE802, ISDN, X.25, TI, TCP/IP, and NFS, including protocol specifications, performance limitations, network inter-connectivity issues, and network security experience desirable.

Minimum Education: A Bachelors degree (preferably with focus on Technical aspects, i.e. Network Communication Management) A+ certified or equivalent in order to support video workstations and video servers, or equivalent work experience.

Job Title: Network Engineer III

Functional Responsibility: Responsible for developing, refining, and troubleshooting a large distributed network environment, involving UNIX and MS-Windows platforms. Key responsibilities include:

- Computer technology, including architecture, operating systems, and hardware components, such as workstations, disks, and graphics input and output devices.
- Distributed computing system concepts, including client/server computing issues, mass storage technology, and Computer Network Technology Design, develop, test and implement new system software modules and enhancements to current systems
- Design, develop, test, and implement diagnostic utilities to analyze and report system status and performance.
- Monitor and evaluate overall system performance of operating system facilities, software products, computer services, and communications and networking facilities; specifies, installs and tests system components as required to enable system to meet desired performance objectives.
- Configuring UNIX workstations, including SunOS and SPARC products, and associated third party peripherals.

Minimum Experience: Minimum of five (5) years experience. Network experience must include configuring one or more networks based on several of the following: serial communications, MODEMS, Ethernet, TCP/IP, NFS, VPN, and others. UNIX software development experience desirable. Also IEE802, ISDN, X.25, TI, TCP/IP, and NFS, including protocol specifications, performance limitations, network inter-connectivity issues, and network security experience desirable.

Minimum Education: A Bachelors degree (preferably with focus on Technical aspects, i.e. Network Communication Management) A+ certified or equivalent in order to support video workstations and video servers, or equivalent work experience.

Job Title: Network Engineer IV

Functional Responsibility: A Network Engineer IV helps to build and maintain the computer/network infrastructure that supports the day to day business operations of the firm. This position is also responsible for providing end user technical support and assistance.

- Provide technical support to user community including executives, consultants, administrative staff, and client projects.
- Maintain networked environment with Windows Servers, Exchange Server and Windows clients.
- Maintain/create user accounts, home directories, and shared folders in an Active Directory environment.

- Install, configure, and support an organization's local area network (LAN), wide area network (WAN), WI-FI, and Internet system or a segment of a network system.
- Maintain network hardware and software. Monitor network to ensure network availability to all system users and perform necessary maintenance to support network availability. Plan, coordinate, and implement network security measures. Skill sets include Microsoft, Cisco, Unix, Linux, MVS or VS, Novell and extensive network certifications.
- Create how-to articles for users.
- Refurbish equipment, load OS and software on consultant laptops.
- Manage corporate data backup for their regional offices.
- Manage Microsoft Technologies and Operating systems, MS Office, word processing, spreadsheets, Internet software, E-mail, database software, Microsoft Certified Systems Engineer, Cisco Certified Network Administrator.

Minimum Experience: Minimum of six (6) years experience in Network Engineering, Administration or Technical Services

Minimum Education: Bachelor's degree from a four-year college or university preferred

Job Title: Network Engineer V

Functional Responsibility: Responsible for developing, refining, and troubleshooting a large distributed network environment, involving UNIX and MS-Windows platforms. Key responsibilities include:

- Hiring, managing, and developing network staff
- Design of complex networks providing high bandwidth, secure communications for mission-critical organizations.
- Develop security approach, protocols, scripts, and hardware design for highly secure networks.
- Computer technology, including architecture, operating systems, and hardware components, such as workstations, disks, and graphics input and output devices.
- Distributed computing system concepts, including client/server computing issues, mass storage technology, and Computer Network Technology Design, develop, test and implement new system software modules and enhancements to current systems
- Design, develop, test, and implement diagnostic utilities to analyze and report system status and performance.
- Monitor and evaluate overall system performance of operating system facilities, software products, computer services, and communications and networking facilities; specifies, installs and tests system components as required to enable system to meet desired performance objectives.
- Configuring UNIX workstations, including SunOS and SPARC products, and associated third party peripherals.

Minimum Experience: Minimum of seven (7) years experience. Network experience must include configuring one or more networks based on several of the following: serial communications, MODEMS, Ethernet, TCP/IP, NFS, VPN, and others. UNIX software development experience desirable. Also IEE802, ISDN, X.25, TI, TCP/IP, and NFS, including protocol specifications, performance limitations, network inter-connectivity issues, and network security experience desirable.

Minimum Education: A Bachelors degree is preferred (preferably with focus on Technical aspects, i.e. Network Communication Management) or equivalent work experience. A+ certified or equivalent in order to support video workstations and video servers, or equivalent work experience. CCNP or higher is highly desirable.

Job Title: Network Engineer VI

Functional Responsibility: Manages the daily operations of network systems and support staff in highly critical environment.

- Hiring, managing, and developing highly experienced network staff
- Design of complex networks providing high bandwidth, secure communications for mission-critical organizations.
- Monitor performance of networked environment using monitoring tools.
- Provide recommendations on upgrades, enhancements, and new product implementations.
- Establish network management policies and procedures.
- Design and implement complex network architectures.

Minimum Experience: Minimum of ten (10) years experience. Network experience must include configuring one or more networks based on several of the following: serial communications, MODEMS, Ethernet, TCP/IP, NFS, VPN, and others. UNIX software development experience desirable. Also IEE802, ISDN, X.25, TI, TCP/IP, and NFS, including protocol specifications, performance limitations, network inter-connectivity issues, and network security experience desirable.

Minimum Education: A Bachelors degree is preferred (preferably with focus on Technical aspects, i.e. Network Communication Management) or equivalent work experience. A+ certified or equivalent in order to support video workstations and video servers, or equivalent work experience. CCNP or higher is highly desirable.

Job Title: Network Engineer VIII

Functional Responsibility: Manages the strategic direction of network infrastructures. Responsible for overall network performance of highly critical environments.

- Provide leadership, guidance, and set organizational goals for large network staff.
- Supervise large staff of highly skilled network engineers. Create strategic technology plans.
- Create and deliver within large budgets
- Plan and supervise large network implementation or upgrade projects
- Create and perform within network reliability standards
- Create and perform within network security standards

Minimum Experience: Minimum of twelve (12) years experience managing large teams of highly skilled professionals in a mission critical network environment.

Minimum Education: A Bachelors degree is preferred (preferably with focus on Technical aspects, i.e. Network Communication Management) or equivalent work experience. A+ certified or equivalent in order to support video workstations and video servers, or equivalent work experience. CCNP is required.

Job Title: Project Coordinator I

Functional Responsibility: Schedule, coordinate, and organize IT related projects and logistics and to assist the Project Manager in completion of all project goals.

- Coordinate project activities, such as: Planning, Requirements Gathering, Design & Development, System Integration & Testing, and Production & Deployment.
- Ensure project tasks are completed as scheduled and reports results to business users and managers.
- Develop project plans to determine timelines, milestones, and procedures for accomplishing requirements, develops scheduled project deliverables and required tasks, coordinates resources, and reports on status of projects and change requests to IT management.

- Working with MS Project, project planning document templates, test script templates, Visio, MS Office, and Outlook.

Minimum Experience: Minimum two (2) years experience in a project coordination role.

Minimum Education: Bachelor's degree preferred, or 1-2 years vocational training, or equivalent work experience.

Job Title: Project Manager I

Functional Responsibility: The Project Manager I is responsible for overseeing technical resources on a day by day basis

- Meet Service Level Agreements
- Daily point of contact for client on both a technical and administrative level
- Daily point of contact for partners and sub contractors
- Act as escalation point for trouble tickets and alerts
- On-Call availability required, flexibility to work evenings and weekends as required.
- Manage technical support staff
- Act as client primary point of contact for day to day items
- Act as primary point of contact for project partners and sub contractors
- Monitor staffing levels and hire project staff as required
- Oversee desktop and network projects as managed by the technical team leads
- Provide pricing and statements of work to the client as requested
- Carry a paging device for after hours and weekend support escalation
- Prepare reports and conduct weekly meetings with client, partners and staff
- Write staff reviews and document disciplinary issues as required
- Help create reports and participate in quarterly Governance meetings
- Oversee trouble ticket resolution processes to ensure SLAs are being met
- Communicate project issues to Delivery Executive
- Present root cause analysis reports to the client
- Work with Delivery Executive to interpret and apply the contract to daily activities

Minimum Experience: Minimum of five (5) years experience in the field.

Minimum Education: Bachelor's Degree preferred

Job Title: Project Manager II

Functional Responsibility: The Project Manager II manages lead development work teams on client projects. The role of the Project Manager is to plan, execute, and finalize projects according to defined timelines and within the allocated budget.

- Manages Cable plant/fiber management and installation
- Outdoor trenching and construction to support underground conduit for data cabling.
- Knowledge of earthwork and paving etc.
- Design and installation of outdoor shelters for equipment racks
- Familiarity with NEC and LABC industry standards.
- RCDD preferred.
- Stay abreast of opportunity trends, client requirements, and geographic market demands to provide input to the strategic planning process related to the introduction of new service offerings
- Communicate effectively with client management both formally and informally including the development and delivery of periodic status reports

- Manage complex projects, including defining scope, assigning resources and timelines, and overseeing implementation and change requests

Minimum Experience: Minimum of ten (10) years of related experience. PMP certification a plus.

Minimum Education: Degree in Computer Science or a related field. Advanced degree and appropriate certifications a plus

Job Title: Project Manager III

Functional Responsibility: The Project Manager III manages lead development work teams on client or internal projects. The role of the Project Manager is to plan, execute, and finalize projects according to defined timelines and within the allocated budget.

- Manages Cable plant/fiber management and installation
- Outdoor trenching and construction to support underground conduit for data cabling.
- Knowledge of earthwork and paving etc.
- Design and installation of outdoor shelters for equipment racks
- Familiarity with NEC and LABC industry standards.
- RCDD preferred.
- Participate in business planning, including the ability to define and participate in the achievement of business objectives
- Stay abreast of opportunity trends, client requirements, and geographic market demands to provide input to the strategic planning process related to the introduction of new service offerings
- Communicate effectively with client management both formally and informally including the development and delivery of periodic status reports
- Manage complex projects, including defining scope, assigning resources and timelines, and overseeing implementation and change requests
- Stay current with effective project management methodologies to ensure a high level of quality

Minimum Experience: Minimum five (5) years experience in similar environments managing large projects.

Minimum Education: Bachelor's degree preferred, or 1-2 years vocational training or equivalent work experience.

Job Title: Project Manager IV

Functional Responsibility: The Project Manager IV manages lead development work teams on client or internal projects. The role of the Project Manager is to plan, execute, and finalize projects according to defined timelines and within the allocated budget.

- Manages Cable plant/fiber management and installation
- Outdoor trenching and construction to support underground conduit for data cabling.
- Knowledge of earthwork and paving etc.
- Design and installation of outdoor shelters for equipment racks
- Familiarity with NEC and LABC industry standards.
- RCDD preferred.
- Participate in business planning, including the ability to define and participate in the achievement of business objectives
- Stay abreast of opportunity trends, client requirements, and geographic market demands to provide input to the strategic planning process related to the introduction of new service offerings

- Communicate effectively with client management both formally and informally including the development and delivery of periodic status reports
- Manage complex projects, including defining scope, assigning resources and timelines, and overseeing implementation and change requests
- Stay current with effective project management methodologies to ensure a high level of quality

Minimum Experience: Minimum five (5) years experience managing large complex projects.

Minimum Education: Bachelor's degree. Project Management Professional (PMP) Certification is preferred.

Job Title: Quality Assurance Specialist I

Functional Responsibility: The Quality Assurance Specialist I provides oversight of deliverables such as program code, test scripts and results, and network configurations and processes used to create the products.

- Determines whether the products of each step in the development cycle will fulfill all the requirements and whether processes used follow the intended life cycle methodology. Deliverables include project timelines; critical path implementation reviews; requirements matching, deliverables reporting; and project risk assessment.
- Provide technical and administrative direction for personnel performing development tasks, including the review of work products for correctness, adherence to design concept and to organization-wide standards, and for progress in accordance with project schedules. Coordinate with the Program/Project Manager to ensure problem solution and user satisfaction.
- Make recommendations and prepare milestone status reports. Plans, develops, and executes various components of system testing and/or quality assurance. Approaches testing and quality assurance from a business point of view to ensure delivered functionality meets the business need. Develops specific test conditions and expected results for regression, functionality, and stress testing

Minimum Experience: Minimum two (2) years experience in a quality management role.

Minimum Education: Bachelor's degree preferred, or 1-2 years experience, or equivalent work experience

Job Title: Security Systems Engineer II

Functional Responsibility: The Security Systems Engineer II designs, evaluates and tests systems security to ensure data and system integrity for an organization.

- Designing and monitoring of computer security systems, organizational users and visitors. This requires testing, updating, modifying, encryption and authentication.
- To keep businesses operational during business hours, responsibilities may include working some evenings and weekends to back up and upgrade systems during off hours.

Minimum Experience: Minimum (2) years experience in a similar role.

Minimum Education: Bachelor's degree in electrical engineering or computer-related disciplines.

Job Title: Security Systems Engineer IV

Functional Responsibility: The Security Systems Engineer IV is primarily responsible for the technical management of a Windows based Lenel access control platform. The position will oversee system maintenance, upgrades, expansions and supervision of all programming adds and changes for sites. The candidate will assist in remote installation commissioning, including resolving connectivity and configuration problems and ensuring that the aggressive expansion of the access control platform is implemented to corporate security standards and system integrity is maintained.

- Management of access levels, cardholder records, and system alarms
- Conducts system wide upgrades with Security Operations and IT
- Perform system backups and restorals
- Support corporate identification program worldwide
- Provide technical support and training to remote locations
- Support Security Operations worldwide
- Perform onsite security assessments both domestically and internationally
- Manage relationships and projects with cross functional teams to support Corporate Security objectives
- Manage IT Asset Collection Program
- Manage Worldwide Visitor Management Program
- Manage the Corporate Security Department's Business Continuity Plan and Disaster Recovery Strategy
- Support Corporate Security Investigations
- Support Event Security events and activities as needed
- Manage Security Operation policies, procedures and processes
- Manage daily interaction with 24 x 7 Global Operation Center including daily activity logs, systems training and incident management
- Support the Risk Management Department's Mission
- Support the Corporate Security Department's Mission
- Support SQL Server administration and database management, BigFix, RDP and DRAC, Salesforce.com application administration, security platforms with Security Operations, general business processes within the e-commerce / technology environment

Minimum Experience: Minimum of five (5) years of industry experience in Windows 2003 systems administration with a strong background in the TCP/IP environment

Minimum Education: Degree in Computer Science or related field is desired

Job Title: Security Systems Engineer V

Functional Responsibility: The Security Systems Engineer V is primarily responsible for the technical management of a Windows based Lenel access control platform. The position will oversee system maintenance, upgrades, expansions and supervision of all programming adds and changes for sites. The candidate will assist in remote installation commissioning, including resolving connectivity and configuration problems and ensuring that the aggressive expansion of the access control platform is implemented to corporate security standards and system integrity is maintained.

- Management of access levels, cardholder records, and system alarms
- Conducts system wide upgrades with Security Operations and IT
- Perform system backups and restorals
- Support corporate identification program worldwide
- Provide technical support and training to remote locations
- Support Security Operations worldwide
- Perform onsite security assessments both domestically and internationally
- Manage relationships and projects with cross functional teams to support Corporate Security objectives
- Manage IT Asset Collection Program
- Manage Worldwide Visitor Management Program

- Manage the Corporate Security Department's Business Continuity Plan and Disaster Recovery Strategy
- Support Corporate Security Investigations
- Support Event Security events and activities as needed
- Manage Security Operation policies, procedures and processes
- Manage daily interaction with 24 x 7 Global Operation Center including daily activity logs, systems training and incident management
- Support the Risk Management Department's Mission
- Support the Corporate Security Department's Mission
- Support SQL Server administration and database management, BigFix, RDP and DRAC, Salesforce.com application administration, security platforms with Security Operations, general business processes within the e-commerce / technology environment

Minimum Experience: Minimum three (3) years experience supporting a large security system.

Minimum Education: Bachelor's degree preferred, or 1-2 years vocational training, or equivalent work experience.

Job Title: Technical Writer I

Functional Responsibility: The Technical Writer I prepares and updates technical documentation, including technical reference guides, software application release manuals and software application user reference guides. Develop document specs from requirements and prepare draft specs for review.

- Facilitate the optimization of LAWA business performance by enhancing the alignment between business processes and information technology.
- Participate in continuous review and update to ensure that the technical documentation meets changing LAWA business conditions.
- Identify, propose, and influence client business solutions. Handle configuration of all system documents, files, libraries, and materials. Control system revisions and updates.
- Responsible for version coordination, to include capture of discussion items, actions, and planning items from technical meetings; distribution of system updates; and documentation revisions. Collects and organizes information required for preparation of user's manuals, training materials, installation guides, and reports

Minimum Experience: Minimum three (3) years experience in technical writing with demonstrated success (portfolio or samples).

Minimum Education: Bachelor's degree preferred, or 1-2 years vocational training, or equivalent work experience.

Job Title: Trainer I

Functional Responsibility: The Trainer I determines technical training objectives to support mainframe and server operating systems based on agency needs.

- Able to perform at an expert level on the technical subject matter addressed in training classes.
- Writes training programs, including outline, text, handouts, and tests, and designs training exercises.
- Participates in, and conducts technical training programs and sessions either in person or via e-learning methods as required by the agency. Lectures and demonstrates all pertinent aspects of required technical information, following outline, texts, and handouts. Prepare the learning environment and all resources, including setting up IT equipment.
- Manages Microsoft Certified Professional (MCP), Cisco Certified Instructor (CCI), Microsoft Certified Systems Engineer (MCSE), Cisco Certified Network Engineer (CCNE), Microsoft Certified Trainer (MCT), Novell Network Authorized Engineer (NNAE).

Minimum Experience: Minimum of four (4) years of experience in the field or in a related area OR:

Minimum Education: Bachelor's degree in a related area.

Job Title: Trainer II

Functional Responsibility: The Trainer II delivers training to clients either in a group classroom setting, or online through an e-learning or on a one-to-one basis.

- Carry out training needs analysis.
- Design course materials and other documents such as handouts, manuals and exercises.
- Organize courses to meet the needs of learners and demands of business.
- Prepare the learning environment and resources, including setting up IT equipment.
- Deliver training to clients either in a group classroom setting, or online through an e-learning or on a one-to-one basis.
- Evaluate the effectiveness of the training and courses.
- Liaise with external course providers, employers, clients, examining bodies and software companies, etc.
- Keep up to date with relevant systems, software and online training technology.

Minimum Experience: Minimum three (3) years experience in a training role for large organization.

Minimum Education: Bachelor's degree preferred, or 1-2 years vocational training, or equivalent work experience.

Job Title: Video Services Engineer II

Functional Responsibility: The Video Services Engineer II maintains Base-Wide Electronic Security Systems for access control, video, and Intrusion Detection with emphasis on networking and video architecture.

- Repair, operate, install, test and troubleshoot integrated and complex electronics systems.
- Maintain Base-Wide Electronic Security systems for access control, CCTV, and Intrusion Detection.
- Prepare analysis under direction.
- Create documentation for project activity audit trail.
- Collect and compile data/information for projects and presentations.
- Assist in development of work product for the client.
- Contribute to proposal generation.
- Conducts client interviews.
- Troubleshoots major issues.
- Manage CCTV Systems (hardware and software), electronic system installation and troubleshooting, Microsoft Office Applications (Word, Outlook, Excel etc.).

Minimum Experience: Minimum of 4 (four) years of experience in the field or Associates in Electronics or Communications.

Minimum Education: Associates in Electronics or Communications or 4 (four) years of experience in the field.

Job Title: Video Services Engineer IV

Functional Responsibility: The Video Services Engineer IV manages Base-Wide Electronic Security Systems for access control, video, and Intrusion Detection with emphasis on project and resource management.

- Repair, operate, install, test and troubleshoot integrated and complex electronics systems.

- Maintain Base-Wide Electronic Security systems for access control, CCTV, and Intrusion Detection.
- Prepare analysis.
- Create documentation for project activity audit trail.
- Collect and compile data/information for projects and presentations.
- Assist in development of work product for the client.
- Contribute to proposal generation.
- Conducts client interviews.
- Troubleshoots major issues.
- Assist in research for solutions to major issue.
- Manage CCTV Systems (hardware and software), system installation and troubleshooting.
- Ability to interpret and work from blueprints and technical documentation.

Minimum Experience: Minimum five (5) years experience designing, managing, and implementing video systems for large, mission-critical organization.

Minimum Education: Bachelor's degree preferred, or 1-2 years vocational training, or equivalent work experience.

System Development Integration, LLC dba SDI
Awarded GSA Services
Contract Number GS-07F-0565X



SIN 246-01: Smart Building Systems Integrator

SIN 246-52: Professional Security / Facility Management Services

SIN 246-60-1: Security Systems Integration and Design Services

SINs	Awarded GSA Labor Category	Unit of Issue	Awarded GSA Rate (with IFF)
246-01, 246-52 & 246-60-1	Administrative Assistant I	Hourly	\$39.90
246-01, 246-52 & 246-60-1	Application Developer III	Hourly	\$133.00
246-01, 246-52 & 246-60-1	Application Developer IV	Hourly	\$159.60
246-01, 246-52 & 246-60-1	Application Developer VI	Hourly	\$199.50
246-01, 246-52 & 246-60-1	Application Services Engineer I	Hourly	\$110.83
246-01, 246-52 & 246-60-1	Application Services Engineer IV	Hourly	\$164.03
246-01, 246-52 & 246-60-1	Business Analyst III	Hourly	\$155.16
246-01, 246-52 & 246-60-1	Business Analyst V	Hourly	\$177.33
246-01, 246-52 & 246-60-1	CADD Technician I	Hourly	\$57.63
246-01, 246-52 & 246-60-1	CADD Technician III	Hourly	\$93.10
246-01, 246-52 & 246-60-1	Construction Manager II	Hourly	\$199.50
246-01, 246-52 & 246-60-1	Data Center Engineer III	Hourly	\$124.13
246-01, 246-52 & 246-60-1	Database Administrator II	Hourly	\$239.40
246-01, 246-52 & 246-60-1	Desktop Support Technician I	Hourly	\$93.10
246-01, 246-52 & 246-60-1	Electrician I	Hourly	\$177.33
246-01, 246-52 & 246-60-1	Field Services Technician I	Hourly	\$70.93
246-01, 246-52 & 246-60-1	Field Services Technician IV	Hourly	\$164.03
246-01, 246-52 & 246-60-1	Fire Life Safety Expert I	Hourly	\$248.26
246-01, 246-52 & 246-60-1	IT Security Specialist I	Hourly	\$115.26

SINs	Awarded GSA Labor Category	Unit of Issue	Awarded GSA Rate (with IFF)
246-01, 246-52 & 246-60-1	IT Security Specialist III	Hourly	\$199.50
246-01, 246-52 & 246-60-1	Network Engineer I	Hourly	\$110.83
246-01, 246-52 & 246-60-1	Network Engineer II	Hourly	\$110.83
246-01, 246-52 & 246-60-1	Network Engineer III	Hourly	\$133.00
246-01, 246-52 & 246-60-1	Network Engineer IV	Hourly	\$168.46
246-01, 246-52 & 246-60-1	Network Engineer V	Hourly	\$186.20
246-01, 246-52 & 246-60-1	Network Engineer VI	Hourly	\$208.36
246-01, 246-52 & 246-60-1	Network Engineer VIII	Hourly	\$283.73
246-01, 246-52 & 246-60-1	Project Coordinator I	Hourly	\$75.37
246-01, 246-52 & 246-60-1	Project Manager I	Hourly	\$141.86
246-01, 246-52 & 246-60-1	Project Manager II	Hourly	\$177.33
246-01, 246-52 & 246-60-1	Project Manager III	Hourly	\$190.63
246-01, 246-52 & 246-60-1	Project Manager IV	Hourly	\$226.10
246-01, 246-52 & 246-60-1	Quality Assurance Specialist I	Hourly	\$124.13
246-01, 246-52 & 246-60-1	Security Systems Engineer II	Hourly	\$93.10
246-01, 246-52 & 246-60-1	Security Systems Engineer IV	Hourly	\$164.03
246-01, 246-52 & 246-60-1	Security Systems Engineer V	Hourly	\$195.06
246-01, 246-52 & 246-60-1	Technical Writer I	Hourly	\$115.26
246-01, 246-52 & 246-60-1	Trainer I	Hourly	\$115.26
246-01, 246-52 & 246-60-1	Trainer II	Hourly	\$133.00
246-01, 246-52 & 246-60-1	Video Services Engineer II	Hourly	\$93.10
246-01, 246-52 & 246-60-1	Video Services Engineer IV	Hourly	\$164.03

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 1000	AMAG	SUPT-CAM-xxxx	Symmetry Video Additional 1 Camera Site	Symmetry Video Additional 1 Camera Site Support Agreement - 1 Year Agreement for 1 Additional Camera(s). (NOTE: Must have SUPT-PRO or SUPT-ENT and SUPT-VID. Substitute xxxx in part # with camera total and multiply by price). BONUS: Buy 3 Years of Support / Get 5 Years Total.	EA	\$14.80
246 1000	AMAG	SUPT-ENT-1	Symmetry Enterprise 128 Reader Site Supp	Symmetry Enterprise 128 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$1,406.60
246 1000	AMAG	SUPT-ENT-2	Symmetry Enterprise 280 Reader Site Supp	Symmetry Enterprise 280 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$2,110.89
246 1000	AMAG	SUPT-ENT-3	Symmetry Enterprise 512 Reader Site Supp	Symmetry Enterprise 512 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$3,517.50
246 1000	AMAG	SUPT-ENT-4	Symmetry Enterprise UNRESTRICTED Reader	Symmetry Enterprise UNRESTRICTED Reader Site Support Agreement - 1 Year. BONUS: Buy 3 / Get 5 Years.	EA	\$5,628.39
246 1000	AMAG	SUPT-ENT-5	Symmetry Enterprise CA UNRESTRICTED Read	Symmetry Enterprise CA UNRESTRICTED Reader Site Support Agreement - 1 Year. BONUS: Buy 3 / Get 5 Years.	EA	\$7,034.99
246 1000	AMAG	SUPT-GLOBAL-1	Symmetry Global Site Support Agreement -	Symmetry Global Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$7,034.99
246 1000	AMAG	SUPT-GLOBAL-2	Symmetry Global CLUSTER Site Support Agr	Symmetry Global CLUSTER Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 Years / Get 5 Years.	EA	\$9,145.88
246 1000	AMAG	SUPT-PRO-1	Symmetry Professional 32 Reader Site Sup	Symmetry Professional 32 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$352.14
246 1000	AMAG	SUPT-PRO-2	Symmetry Professional 128 Reader Site Su	Symmetry Professional 128 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$703.30
246 1000	AMAG	SUPT-PRO-3	Symmetry Professional 280 Reader Site Su	Symmetry Professional 280 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$1,406.60
246 1000	AMAG	SUPT-PRO-4	Symmetry Professional 512 Reader Site Su	Symmetry Professional 512 Reader Site Support Agreement - 1 Year Agreement. BONUS: Buy 3 / Get 5 Years.	EA	\$2,110.89
246 1000	AMAG	SUPT-VID	Symmetry Video Site Support Agreement -	Symmetry Video Site Support Agreement - 1 Year Agreement for Video Module & 8 Cameras. (NOTE: Use SUPT-CAM-xxxx for additional cameras). BONUS: Buy 3 Years of Support / Get 5 Years Total.	EA	\$394.56
246 1000	AMAG	TR-ADMIN-CLASS	Symmetry Administrator/End User Classroom	Symmetry Administrator/End User Classroom Training - 2-day classroom Admin End-user hands-on training.	EA	\$788.22
246 1000	AMAG	TR-ADMIN-SITE-1	Symmetry Administrator/End User Onsite C	Symmetry Administrator/End User Onsite Compressed Training - 1-day onsite Admin training. All equipment provided (fully functional demo system), unlimited students. (NOTE: Travel expenses non-discounted additional cost).	EA	\$2,465.99
246 1000	AMAG	TR-ADMIN-SITE-2	Symmetry Administrator/End User Onsite F	Symmetry Administrator/End User Onsite FULL Training - 2-day Admin End-user training, 12 students, equipment & documentation. Computers add \$3000 non-discounted. (NOTE: Travel expenses non-discounted additional cost).	EA	\$6,725.44
246 1000	AMAG	TR-GLOBAL-CLASS	Symmetry Global Classroom Training - 2-day	Symmetry Global Classroom Training - 2-day classroom hands-on technician certification training.	EA	\$980.12
246 1000	AMAG	TR-GLOBAL-SITE	Symmetry Global Onsite Training - 2-day	Symmetry Global Onsite Training - 2-day onsite hands-on technician certification training for 4 - 6 students. Equipment, computers & documentation is provided. (NOTE: Travel expenses non-discounted additional cost).	EA	\$6,725.44
246 1000	AMAG	TR-OPER/GLOBAL-SITE-1	Symmetry Global Operator/End User Onsite	Symmetry Global Operator/End User Onsite Training - 1-day onsite End-user hands-on training. Equipment, computers & documentation provided. (NOTE: Travel expenses non-discounted additional cost).	EA	\$3,362.72
246 35 1	AMAG	ADMIN/COMMS-V6.1-HSE	Symmetry Enterprise HSE Administration C	Symmetry Enterprise HSE Administration Client Software V6.1 - Software for 1 Client License. Includes CD, manuals. (NOTE: Requires Microsoft SQL Client Access license).	EA	\$1,037.51

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	C30E	Fargo Persona C30e Printer - Dye Sublima	Fargo Persona C30e Printer - Dye Sublimation	EA	\$2,117.17
246 35 1	AMAG	DES-ENCODE-813-KIT-1-HSE	DESFire 813 HSE Encoding Kit - First Enc	DESFire 813 HSE Encoding Kit - First Encoder - Contains one each of the following: AUTH-1-SMART - Contains file with Customer Specified Facility Code to be Encoded. Customer must advise facility code required (for existing systems) or request a new code (for new systems). AUTH- DES-099 - Turns on the ability to Encode DESFire, 813 KP232BE-AG-001 - Fingerprint Enrollment and Desfire Encoder Kit, ENCODER-SMART - Turns on the Encoding Option.	EA	\$8,225.66
246 35 1	AMAG	DES-ENCODE-KIT-1-HSE	DESFire HSE Encoding Kit - First Encoder	DESFire HSE Encoding Kit - First Encoder - Contains one each of the following: AUTH-1-SMART - Contains file with Customer Specified Facility Code to be Encoded. Customer must advise facility code required (for existing system or installation) or request a new code (for new systems or installations). AUTH-DES-099 - Turns on the ability to Encode DESFire, PAGODA - DESFire Card Encoder, ENCODER-SMART - Turns on the Encoding Option	EA	\$6,615.14
246 35 1	AMAG	ENT/256-CA-V6.1	Symmetry Enterprise 256 Reader CLUSTER-A	Symmetry Enterprise 256 Reader CLUSTER-AWARE Software V6.1 - Application & 1 Client. Includes CD, sentinel, DataConnect Module & 12Month SSA. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$19,383.62
246 35 1	AMAG	ENT/256-V6.1	Symmetry Enterprise 256 Reader Software	Symmetry Enterprise 256 Reader Software V6.1 - Application & 1 ClientLicense. Includes CD, sentinel, Data Connect Module & 12 Month Site Software Agreement. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$16,298.88
246 35 1	AMAG	ENT/256-V6.1-HSE	Symmetry Enterprise HSE 256 Reader Softw	Symmetry Enterprise HSE 256 Reader Software V6.1 - Application & 1Client License. Includes CD, sentinel, Data Connect Module & 12 Month Site Software Agreement. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$17,929.13
246 35 1	AMAG	ENT/512-V6.1-HSE	Symmetry Enterprise HSE 512 Reader Softw	Symmetry Enterprise HSE 512 Reader Software V6.1 - Application & 1Client License. Includes CD, sentinel, Data Connect Module & 12 Month Site Software Agreement. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$22,853.94
246 35 1	AMAG	ENT/UNR-CA-V6.1-HSE	Symmetry Enterprise HSE UNRESTRICTED Rea	Symmetry Enterprise HSE UNRESTRICTED Reader CLUSTER-AWARESoftware V6.1 - Application & 1 Client License. Includes CD, sentinel & 12Month Site Support Agreement. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$40,153.57
246 35 1	AMAG	G4T-M2150-023-HSE	Symmetry M2150 2DC 2 Reader HSE CAB3A Ki	Symmetry M2150 2DC 2 Reader HSE CAB3A Kit - Includes 2DCcontroller, MN-PSU-KIT power supply, MN-CAB3A enclosure.	EA	\$807.05
246 35 1	AMAG	G4T-M2150-025-HSE	Symmetry M2150 4DC 4 Reader HSE CAB3A Ki	Symmetry M2150 4DC 4 Reader HSE CAB3A Kit - Includes 4DCcontroller, MN-PSU-KIT power supply, MN-CAB3A enclosure.	EA	\$1,141.53
246 35 1	AMAG	G4T-M2150-067-HSE	Symmetry M2150 4DBC 4 Reader HSE ENC1 Ki	Symmetry M2150 4DBC 4 Reader HSE ENC1 Kit - Includes 4DBCcontroller (20K), MN-PSU-KIT power supply, MN-ENC1 enclosure.	EA	\$1,715.44
246 35 1	AMAG	G4T-M2150-068-HSE	Symmetry M2150 4DC 4 Reader HSE ENC1 Kit	Symmetry M2150 4DC 4 Reader HSE ENC1 Kit - Includes 4DC controller, MN-PUS-KIT power supply, MN-ENC1 enclosure.	EA	\$1,049.17
246 35 1	AMAG	GLOBAL/CENT/CARD-V6.1	Symmetry Global Central Card Management	Symmetry Global Central Card Management Client V6.1 - Provides ability to centrally administer cardholders. Includes CD, authorization sentinel, manuals. (NOTE: Requires Microsoft SQL Client Access license).	EA	\$864.44
246 35 1	AMAG	GLOBAL/CENT/CARD-V6.1-HSE	Symmetry Global HSE Central Card Managem	Symmetry Global HSE Central Card Management Client V6.1 - Provides ability to centrally administer cardholders. Includes CD, authorization sentinel, manuals. (NOTE: Requires Microsoft SQL Client Access license).	EA	\$950.53
246 35 1	AMAG	GLOBAL/CLIENT/ALM-V6.1	Symmetry Global Alarm Management Client	Symmetry Global Alarm Management Client V6.1 - Provides ability to centrally display alarms from any regional Global server. Includes CD & sentinel. (NOTE: Requires Microsoft SQL Client Access license).	EA	\$2,357.49
246 35 1	AMAG	GLOBAL/CLIENT/ALM-V6.1-HSE	Symmetry Global HSE Alarm Management Cli	Symmetry Global HSE Alarm Management Client V6.1 - Provides ability to centrally display alarms from any regional Global server. Includes CD & sentinel. (NOTE: Requires Microsoft SQL Client Access license).	EA	\$2,593.33
246 35 1	AMAG	GLOBAL/REG/IMP-V6.1/E	Symmetry Enterprise Global Region Upgrad	Symmetry Enterprise Global Region Upgrade Software V6.1- Provides conversion for a Symmetry Enterprise system to a Global Region with Central Card Management. Includes CD, sentinel & manual.	EA	\$672.54
246 35 1	AMAG	GLOBAL/REG/IMP-V6.1/E- HSE	Symmetry Enterprise HSE Global Region Up	Symmetry Enterprise HSE Global Region Upgrade Software V6.1 - Provides conversion for a Symmetry Enterprise system to a Global Region with Central Card Management. Includes CD, sentinel & manual.	EA	\$896.73
246 35 1	AMAG	GLOBAL/REG/IMP-V6.1/P	Symmetry Professional Global Region Upgr	Symmetry Professional Global Region Upgrade Software V6.1 - Provides conversion for a Symmetry Professional system to a Global Region with Central Card Management. Includes CD, sentinel & manual.	EA	\$672.54

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	GLOBAL/REG/IMP-V6.1/P- HSE	Symmetry Professional HSE Global Region	Symmetry Professional HSE Global Region Upgrade Software V6.1 - Provides conversion for a Symmetry Professional system to a Global Region with Central Card Management. Includes CD, sentinel & manual.	EA	\$896.73
246 35 1	AMAG	GLOBAL/UNR/CA-V6.1	Symmetry Global CLUSTER-AWARE UNRESTRICT	Symmetry Global CLUSTER-AWARE UNRESTRICTED Reader Software V6.1 - Includes server application, Data Connect, Badging & Visitor Management modules. Also includes: 3 x Global Client, 1 x Global Alarm Client, 1 x Global Centralized Card Management Client. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$70,730.12
246 35 1	AMAG	GLOBAL/UNR/CA-V6.1-HSE	Symmetry Global HSE CLUSTER-AWARE UNREST	Symmetry Global HSE CLUSTER-AWARE UNRESTRICTED Reader Software V6.1 - Includes server application, Data Connect, Badging & Visitor Management modules. Also includes: 3 x Global Client, 1 x Global Alarm Client, 1 x Global Centralized Card Management Client. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$77,803.49
246 35 1	AMAG	GLOBAL/WEB/10-V6.1	Symmetry Global 10 User Card Handler Web	Symmetry Global 10 User Card Handler Web Client V6.1 - Provides Web-based Centralized Card Management for 10 Named Users. Allows administration of cardholders at a central database from anywhere through a web browser. (Note: Requires separate Microsoft TerminalServices or Citrix MetaFrame server).	EA	\$5,383.04
246 35 1	AMAG	GLOBAL/WEB/25-V6.1	Symmetry Global 25 User Card Handler Web	Symmetry Global 25 User Card Handler Web Client V6.1 - Provides Web-based Centralized Card Management for 25 Named Users. Allows administration of cardholders at a central database from anywhere through a web browser. (Note: Requires separate Microsoft TerminalServices or Citrix MetaFrame server).	EA	\$11,962.32
246 35 1	AMAG	GLOBAL/WEB/5-V6.1	Symmetry Global 5 User Card Handler Web	Symmetry Global 5 User Card Handler Web Client V6.1 - Provides Web-based Centralized Card Management for 5 Named Users. Allows administration of cardholders at a central database from anywhere through a web browser. (Note: Requires separate Microsoft Terminal Services or Citrix MetaFrame server).	EA	\$3,135.85
246 35 1	AMAG	GLOBAL-V6.1	Symmetry Global UNRESTRICTED Reader Soft	Symmetry Global UNRESTRICTED Reader Software V6.1 - Includes server application, Data Connect, Badging & Visitor Management modules. Also includes: 3 x Global Client, 1 x Global Alarm Client Software, 1 x Global Centralized Card Management Client. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$62,871.21
246 35 1	AMAG	GLOBAL-V6.1-HSE	Symmetry Global HSE UNRESTRICTED Reader	Symmetry Global HSE UNRESTRICTED Reader Software V6.1 - Includes server application, Data Connect, Badging & Visitor Management modules. Also includes: 3 x Global Client, 1 x Global Alarm Client Software, 1 x Global Centralized Card Management Client. (NOTE: Requires Microsoft SQL Server & SQL CALs).	EA	\$69,158.16
246 35 1	AMAG	INTRUSION-PNL-01-V6.1	Symmetry Intrusion Panel Module V6.1 - L	Symmetry Intrusion Panel Module V6.1 - License for 1 Intrusion Panel(DMP/DSC).	EA	\$1,030.34
246 35 1	AMAG	INTRUSION-RCV-01-V6.1	Symmetry Central Station Receiver Module	Symmetry Central Station Receiver Module V6.1 - License for 1 account on Central Station Receiver. Allows RS232 or LAN connection to Bosch6600 Receiver (per panel/account).	EA	\$408.01
246 35 1	AMAG	M1100/2/A	Symmetry M1100 2 Reader Kit - Includes M	Symmetry M1100 2 Reader Kit - Includes M1100 controller (1K card capacity), hinged lid enclosure, tamper & power supply / battery charger. Requires 18VAC transformer. Suitable for first 16 readers.** NOTE: WIU required for EACH wiegand reader connection.	EA	\$613.36
246 35 1	AMAG	M1100/2/A-KIT	Symmetry M1100 2 Reader Controller BOARD	Symmetry M1100 2 Reader Controller BOARD ONLY - 1000 cardholder capacity panel. Suitable for first 16 readers. (NOTE: WIU required for EACH Wiegand reader connection).	EA	\$562.25
246 35 1	AMAG	M1100/4/A	Symmetry M1100 4 Reader Kit - Includes M	Symmetry M1100 4 Reader Kit - Includes M1100 controller (1K card capacity), hinged lid enclosure, tamper & power supply / battery charger. Requires 18VAC transformer. Suitable for first 16 readers.** NOTE: WIU required for EACH wiegand reader connection.	EA	\$894.93
246 35 1	AMAG	M1100/4/A-KIT	Symmetry M1100 4 Reader Controller BOARD	Symmetry M1100 4 Reader Controller BOARD ONLY - 1000 cardholder capacity panel. Suitable for first 16 readers. (NOTE: WIU required for EACH Wiegand reader connection).	EA	\$843.82
246 35 1	AMAG	M1200/2/A	Symmetry M1200 2 Reader Kit - Includes M	Symmetry M1200 2 Reader Kit - Includes M1200 controller (2K card capacity), hinged lid enclosure, tamper & power supply / battery charger. Requires 18VAC transformer. Suitable for first 17th reader & higher.** NOTE: WIU required for EACH wiegand reader connection.	EA	\$805.26
246 35 1	AMAG	M1200/2/A-KIT	Symmetry M1200 2 Reader Controller BOARD	Symmetry M1200 2 Reader Controller BOARD ONLY - 2000 cardholder capacity panel. Used for 17th reader & higher. (NOTE: WIU required for EACH Wiegand reader connection).	EA	\$754.15
246 35 1	AMAG	M1200/4/A	Symmetry M1200 4 Reader Kit - Includes M	Symmetry M1200 4 Reader Kit - Includes M1200 controller (2K card capacity), hinged lid enclosure, tamper & power supply / battery charger. Requires 18VAC transformer. Suitable for first 17th reader & higher.** NOTE: WIU required for EACH wiegand reader connection.	EA	\$1,279.63
246 35 1	AMAG	M2000-4DCU-KIT	Symmetry M2100 4DCU 4 Reader Controller	Symmetry M2100 4DCU 4 Reader Controller BOARD ONLY - Supports 4 readers.	EA	\$707.52
246 35 1	AMAG	M2000-4DCU-KIT-HSE	Symmetry Homeland M2000-8 DCU Kit for 4	Symmetry Homeland M2000-8 DCU Kit for 4 Readers, 20mA - HSE 4DCUboard supports up to 4 readers/doors. Maximum of two 4DCU's per M2000-8 enclosure. REQUIRES: an external PSU for locking device power.	EA	\$778.36

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	M2000-8/100K-4-PKG-HSE	4 Reader 20mA Symmetry Homeland M2000-8	4 Reader 20mA Symmetry Homeland M2000-8 - with Memory for 100,000Cards. Includes the following items: 1-M2000-DBU/100K-KIT-HSE, Database Unit HSE Board kit, 1-M2000-4DCU-KIT-HSE, 4 Door Controller HSE Board kit, 1-MN-CAB4+PSU-KIT, hinged lockable enclosure, with integral PSU, Tamper/AC monitoring, Installation manual& fixing kit. REQUIRES: an external PSU for locking device power. REQUIRES: a 110v/18vac transformer, use MN-TRANS-UL	EA	\$2,558.36
246 35 1	AMAG	M2000-8/100K-8-PKG-HSE	8 Reader 20mA Symmetry Homeland M2000-8	8 Reader 20mA Symmetry Homeland M2000-8 - with Memory for 100,000Cards. Includes the following items: 1-M2000-DBU/100K-KIT-HSE, Database Unit Symmetry Homeland Board kit, 2-M2000-4DCU-KIT-HSE,4 Door Controller Symmetry Homeland Board kit, 1-MN-CAB4+PSU-KIT, hinged lockable enclosure, with integral PSU, Tamper/AC monitoring, Installation manual & fixing kit. REQUIRES: an external PSU for lockingdevice power. REQUIRES: a 110v/18vac transformer, use MN-TRANS-UL	EA	\$3,336.72
246 35 1	AMAG	M2000-8/250K-4-PKG-HSE	4 Reader 20mA Symmetry Homeland M2000-8	4 Reader 20mA Symmetry Homeland M2000-8 - with Memory for 250,000Cards. Includes the following items: 1-M2000-DBU/250K-KIT-HSE, Database Unit Symmetry Homeland Board kit, 1-M2000-4DCU-KIT-HSE,4 Door Controller Symmetry Homeland Board kit, 1-MN-CAB4+PSU-KIT, hinged lockable enclosure, with integral PSU, Tamper/AC monitoring, Installation manual & fixing kit. REQUIRES: an external PSU for lockingdevice power. REQUIRES: a 110V/18VAC transformer, use MN-TRANS-UL	EA	\$2,939.47
246 35 1	AMAG	M2000-8/250K-8-PKG-HSE	8 Reader 20mA Symmetry Homeland M2000-8	8 Reader 20mA Symmetry Homeland M2000-8 - with Memory for 250,000Cards. Includes the following items: 1-M2000-DBU/250K-KIT-HSE, Database Unit Symmetry Homeland Board kit, 2-M2000-4DCU-KIT-HSE,4 Door Controller Symmetry Homeland Board kit, 1-MN-CAB4+PSU-KIT, hinged lockable enclosure, with integral PSU, Tamper/AC monitoring,Installation manual & fixing kit. REQUIRES: an external PSU for locking device power. REQUIRES: a 110V/18VAC transformer, use MN-TRANS-UL	EA	\$3,543.86
246 35 1	AMAG	M2000-8/50K-4-PKG-HSE	4 Reader 20mA Symmetry Homeland M2000-8	4 Reader 20mA Symmetry Homeland M2000-8 - with Memory for 50,000Cards. Includes the following items: 1-M2000-DBU/50K-KIT-HSE, Database Unit Symmetry Homeland Board kit, 1-M2000-4DCU-KIT-HSE,4 Door Controller Symmetry Homeland Board kit, 1-MN-CAB4+PSU-KIT, hinged lockable enclosure, with integral PSU, Tamper/AC monitoring,Installation manual & fixing kit. REQUIRES: an external PSU for lockingdevice power. REQUIRES: a 110V/18VAC transformer, use MN-TRANS- UL	EA	\$2,507.24
246 35 1	AMAG	M2000-8/50K-8-PKG-HSE	8 Reader 20mA Symmetry Homeland M2000-8	8 Reader 20mA Symmetry Homeland M2000-8 - with Memory for 50,000Cards. Includes the following items: 1-M2000-DBU/50K-KIT-HSE, Database Unit Symmetry Homeland Board kit, 2-M2000-4DCU-KIT-HSE,4 Door Controller Symmetry Homeland Board kit, 1-MN-CAB4+PSU-KIT, hinged lockable enclosure, with integral PSU, Tamper/AC monitoring,Installation manual & fixing kit. REQUIRES: an external PSU for locking device power. REQUIRES: a 110V/18VAC transformer, use MN-TRANS-UL	EA	\$3,112.53
246 35 1	AMAG	M2000-8/TRANS/M	multiNODE Transformer 110V/18VAC 75VA -	multiNODE Transformer 110V/18VAC 75VA - UL 294 Listed. REQUIRED for UL compliant systems. Mounted within a metal enclosure. Suitable for use with MN-PSU-KIT, M2100-4DCR-P.	EA	\$174.86
246 35 1	AMAG	M2000-DBU/100K-KIT-HSE	Symmetry Homeland M2000-8 DBU Kit with	Symmetry Homeland M2000-8 DBU Kit - with Memory for 100,000 Cards. Symmetry Homeland DBU board only with memory for 100,000 cards.	EA	\$1,337.02
246 35 1	AMAG	M2000-DBU/250K-KIT-HSE	Symmetry Homeland M2000-8 DBU Kit with	Symmetry Homeland M2000-8 DBU Kit - with Memory for 250,000 Cards. Symmetry Homeland DBU board only with memory for 250,000 cards.	EA	\$1,544.16
246 35 1	AMAG	M2000-DBU/50K-KIT-HSE	Symmetry Homeland M2000-8 DBU Kit with	Symmetry Homeland M2000-8 DBU Kit - with Memory for 50,000 Cards. Symmetry Homeland DBU board only with memory for 50,000 cards.	EA	\$1,111.94
246 35 1	AMAG	M2100-16RDR-KIT-UL	Symmetry M2100 16 Reader Kit - Consists	Symmetry M2100 16 Reader Kit - Consists of Qty 1 each: MN-CAB4+PSU-KIT, M2100-DBU-20K-KIT, MN-CAB4, M2100-4DCR-P-KIT, MN-CAB4-ADAPT-4DCR. Qty 2 each: M2000-4DCU-KIT, M2100-2DCR- KIT, MN-TRANS-75-UL. UL Listed.	EA	\$4,535.64
246 35 1	AMAG	M2100-16RDR-KIT-UL-HSE	Symmetry HSE M2100 16 Reader Kit - MN-CA	Symmetry HSE M2100 16 Reader Kit - MN-CAB4+PSU-KIT, M2100-DBU-20K-KIT-HSE, MN-CAB4, M2100-4DCR-P-KIT-HSE, MN-CAB4-ADAPT-4DCR; 2x M2000-4DCU-KIT-HSE, M2100-2DCR-KIT-HSE, MN-TRANS-75-UL	EA	\$4,989.38
246 35 1	AMAG	M2100-2DCR-KIT	Symmetry M2100 2DCR 2 Reader BOARD ONLY	Symmetry M2100 2DCR 2 Reader BOARD ONLY - supports up to 2readers.	EA	\$403.53
246 35 1	AMAG	M2100-2DCR-KIT-HSE	Symmetry M2100 HSE 2DCR 2 Reader BOARD O	Symmetry M2100 HSE 2DCR 2 Reader BOARD ONLY - Supports up to 2 readers.	EA	\$443.88
246 35 1	AMAG	M2100-2RDR-KIT-UL	Symmetry M2100 2 Reader Kit - Consists o	Symmetry M2100 2 Reader Kit - Consists of Qty 1 each: MN-CAB3 enclosure, MN-PSU power supply, M2100-DBU 20K capacity controller, M2100-2DCR 2 reader board, MN-TRANS-75-UL transformer. UL Listed.	EA	\$1,455.39

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	M2100-2RDR-KIT-UL-HSE	Symmetry HSE M2100 2 Reader Kit - M2100-	Symmetry HSE M2100 2 Reader Kit - M2100-2DCR-KIT-HSE, M2100- DBU-20K-KIT-HSE, MN-CAB3+PSU-KIT, MN-TRANS-75-UL	EA	\$1,600.65
246 35 1	AMAG	M2100-4DCR-P-KIT	Symmetry M2100 4DCR-P 4 Reader BOARD ONL	Symmetry M2100 4DCR-P 4 Reader BOARD ONLY - Includes PowerSupply. (NOTE: Requires 18VAC transformer).	EA	\$746.97
246 35 1	AMAG	M2100-4DCR-P-KIT-HSE	Symmetry M2100 HSE 4DCR-P 4 Reader BOARD	Symmetry M2100 HSE 4DCR-P 4 Reader BOARD ONLY - IncludesPower Supply. (NOTE: Requires 18VAC transformer).	EA	\$821.40
246 35 1	AMAG	M2100-4DCU-KIT-HSE	Symmetry M2100 HSE 4DCU 4 Reader BOARD O	Symmetry M2100 HSE 4DCU 4 Reader BOARD ONLY - Supports up to 4 readers.	EA	\$778.36
246 35 1	AMAG	M2100-4RDR-KIT-UL	Symmetry M2100 4 Reader Kit - Consists o	Symmetry M2100 4 Reader Kit - Consists of Qty 1 each: MN-CAB4 enclosure, MN-PSU power supply, M2100-DBU 20K capacity controller, M2000-4DCU 2 reader board, MN-TRANS-75-UL transformer. UL Listed.	EA	\$1,832.91
246 35 1	AMAG	M2100-8RDR-KIT-UL	Symmetry M2100 8 Reader Kit - Consists o	Symmetry M2100 8 Reader Kit - Consists of Qty 1 each: MN-CAB4enclosure, MN-PSU power supply, M2100-DBU 20K capacity controller, 2 x M2000-4DCU 4 reader board, MN-TRANS-75-UL transformer. UL Listed.	EA	\$2,540.42
246 35 1	AMAG	M2100-8RDR-KIT-UL-HSE	Symmetry HSE M2100 8 Reader Kit - MN-CAB	Symmetry HSE M2100 8 Reader Kit - MN-CAB4+PSU-KIT, M2100-DBU-20K-KIT-HSE, MN-TRANS-75-UL, 2x M2000-4DCU-KIT-HSE	EA	\$2,794.20
246 35 1	AMAG	M2100-ACR-KIT	Symmetry M2100 24 Input/4 Output Control	Symmetry M2100 24 Input/4 Output Controller BOARD ONLY - Provides24 monitor points & 4 auxiliary outputs.	EA	\$392.77
246 35 1	AMAG	M2100-ACU-KIT	Symmetry M2100 24 Input/4 Output Module	Symmetry M2100 24 Input/4 Output Module - Provides 24 monitor points& 4 auxiliary outputs.	EA	\$392.77
246 35 1	AMAG	M2100-DBU-100K-KIT-HSE	Symmetry M2100 HSE 100K Database Unit BO	Symmetry M2100 HSE 100K Database Unit BOARD ONLY - 100K Capacity	EA	\$1,337.02
246 35 1	AMAG	M2100-DBU-200K-KIT-HSE	Symmetry M2100 HSE 200K Database Unit BO	Symmetry M2100 HSE 200K Database Unit BOARD ONLY - 200K Capacity	EA	\$1,544.16
246 35 1	AMAG	M2100-DBU-20K-KIT	Symmetry M2100 Database Unit BOARD ONLY	Symmetry M2100 Database Unit BOARD ONLY - DBU, 20K card capacity.	EA	\$644.75
246 35 1	AMAG	M2100-DBU-20K-KIT-HSE	Symmetry M2100 HSE 20K Database Unit BOA	Symmetry M2100 HSE 20K Database Unit BOARD ONLY - 20K Capacity	EA	\$709.31
246 35 1	AMAG	M2100-DBU-50K-KIT-HSE	Symmetry M2100 HSE 50K Database Unit BOA	Symmetry M2100 HSE 50K Database Unit BOARD ONLY - 50K Capacity	EA	\$1,111.94
246 35 1	AMAG	M2100-MULTICAB-ELEV	Symmetry M2100 Elevator Node for up to 3	Symmetry M2100 Elevator Node for up to 32 Floors - Complete Unit. 50K card capacity. Supports 1 reader controlling up to 32 floors or 2 readers controlling up to 16 floors each. Requires 18VAC transformer.	EA	\$2,436.40
246 35 1	AMAG	M2100-MULTICAB-ELEV- EXT	Symmetry M2100 Elevator Node Extender Un	Symmetry M2100 Elevator Node Extender Unit - Extender unit requires M2100 Elevator Node and 18VAC transformer. Extends M2100 Elevator Node to support 1 Reader controlling up to 64 floors or 2 readers controlling up to 32 floors each or 4 Readers controlling up to 16 floors each. Maximum 64 floors per Elevator Node.	EA	\$1,425.79
246 35 1	AMAG	M2100W-MULTICAB-1-ELEV	Symmetry M2100 1 Elevator Cab 32 Floor C	Symmetry M2100 1 Elevator Cab 32 Floor Controller - Includes 650Wiegand Line Extender, (50K). Supports 1 reader controlling up to 32 floors. To control 64 floors, add M2100-MULTICAB-ELEV-EXT (sold separately). Requires 18VAC transformer.	EA	\$2,609.47
246 35 1	AMAG	M2100W-MULTICAB-2-ELEV	Symmetry M2100 2 Elevator Cab 32 Floor C	Symmetry M2100 2 Elevator Cab 32 Floor Controller - Includes 2 x 650Wiegand Line Extenders, (50K). Supports 2 readers controlling 16 floors each. To control 32 floors, add M2100-MULTICAB-ELEV-EXT. Requires18VAC transformer.	EA	\$2,781.64
246 35 1	AMAG	MAG-READER/WRITER-KIT	Magstripe Reader/Writer Kit - Option for	Magstripe Reader/Writer Kit - Option for Magstripe Badging Client to provide Auto Inactivator on card swipe. Required for each Magstripe Verification Client to read card to be verified.	EA	\$1,062.62
246 35 1	AMAG	MN-232	Symmetry RS232 Host Port A Converter Mod	Symmetry RS232 Host Port A Converter Module - For connection of panel to PC or Modem.	EA	\$100.43
246 35 1	AMAG	MN-CAB3+PSU-KIT	Symmetry CAB3 Enclosure Kit - Hinged loc	Symmetry CAB3 Enclosure Kit - Hinged lockable door, tamper, AC powermonitor. Includes MN-PSU-KIT. Supports configurations of: Qty 1 x M2100-DBU or 1 x M2100-DBU & 1 x M2100-2DCR or 2 x M2100-2DCR or 1 x M2100-ACR.	EA	\$329.99

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	MN-CAB4	Symmetry CAB4 Enclosure - Hinged lockabl	Symmetry CAB4 Enclosure - Hinged lockable door, tamper, AC powermonitor. Space for MN-PSU-KIT. Supports configurations of: Qty 1 xM2100-DBU or 2 x M2100-4DCU or 2 x M2100-ACU or 1 x M2100-4DCU& 1 x M2100-ACU.	EA	\$286.06
246 35 1	AMAG	MN-CAB4+PSU-KIT	Symmetry CAB4 Enclosure Kit - Hinged loc	Symmetry CAB4 Enclosure Kit - Hinged lockable door, tamper, AC power monitor. Includes MN-PSU-KIT. Supports configurations of: Qty 1 xM2100-DBU or 2 x M2100-4DCU or 2 x M2100-ACU or 1 x M2100-4DCU& 1 x M2100-ACU.	EA	\$403.53
246 35 1	AMAG	MN-CAB4-ADAPT-4DCR	Symmetry MN-CAB4 Adapter Plate - Enables	Symmetry MN-CAB4 Adapter Plate - Enables support of Qty 1 x M2100-4DCR-P-KIT & 2 x M2100-2DCR-KIT.	EA	\$78.91
246 35 1	AMAG	MN-NIC-3	Symmetry M2100 NIC Module - 10/100Mbps N	Symmetry M2100 NIC Module - 10/100Mbps NIC for Ethernet connection of panel to LAN.	EA	\$345.24
246 35 1	AMAG	MN-NIC-ENC-XP	Symmetry M2100 AES Encrypted NIC Module	Symmetry M2100 AES Encrypted NIC Module - 10/100Mbps NIC forEthernet connection of panel to LAN.	EA	\$345.24
246 35 1	AMAG	MN-QUAD-485	Symmetry Quad RS485 Reader Interface Mod	Symmetry Quad RS485 Reader Interface Module - For connection ofHKCR-AMAG readers.	EA	\$283.37
246 35 1	AMAG	MN-TRANS-150	Symmetry M2150 Transformer - 110v/18VAC,	Symmetry M2150 Transformer - 110v/18VAC, 150VA. For M2150 controllers utilizing MN-PSU-6.	EA	\$87.88
246 35 1	AMAG	PIV-STATION	Bioscrypt Fingerprint PIV Station Reader	Bioscrypt Fingerprint PIV Station Reader - Integrated PIV reader.	EA	\$2,161.11
246 35 1	AMAG	PRO/256-V6.1	Symmetry Professional 256 Reader Softwar	Symmetry Professional 256 Reader Software V6.1 - Software, database(MSDE) & 3 Client Licenses. Includes CD, sentinel & 12 Month SiteSupport Agreement. (NOTE: 1st Client & DB run on same PC. Supports 9Clients).	EA	\$7,575.54
246 35 1	AMAG	PRO/256-V6.1-HSE	Symmetry Professional HSE 256 Reader Sof	Symmetry Professional HSE 256 Reader Software V6.1 - Software,database (MSDE) & 3 Client Licenses. Includes CD, sentinel & 12 Month Site Support Agreement. (NOTE: 1st Client & DB run on same PC. Supports 9 Clients).	EA	\$8,332.37
246 35 1	AMAG	SBE-PROX2-PACK	Symmetry Business 2 Reader Package - Bus	Symmetry Business 2 Reader Package - Business/16 reader software, 1 x M1100 2 reader controller, 50' cable, manual, transformer, 2 x AMAG 820- BK Prox Readers, 50 HID ProxCard II cards (1326-LSSMV/37).	EA	\$1,160.36
246 35 1	AMAG	SBE-PROX4-PACK	Symmetry Business 4 Reader Package - Bus	Symmetry Business 4 Reader Package - Business/16 reader software, 1 xM1100 4 reader controller, 50' cable, Manual, Transformer, 4 x AMAG820-BK Prox Readers, 100 HID ProxCard II cards (1326-LSSMV/37).	EA	\$1,775.52
246 35 1	AMAG	THREAT-LEVEL-V6.1	Symmetry Threat Level Manager V6.1 - Pro	Symmetry Threat Level Manager V6.1 - Provides system reconfiguration in event of changing threat conditions.	EA	\$536.24
246 35 1	AMAG	TR-ADV-CLASS	Symmetry Advanced Classroom Training - 4	Symmetry Advanced Classroom Training - 4-day classroom access/video hands-on technician certification training.	EA	\$980.12
246 35 1	AMAG	WIU	Symmetry Wiegand Interface Unit (WIU) -	Symmetry Wiegand Interface Unit (WIU) - Provides wiegand readerconnection, 2 supervised inputs (Door Monitor / Exit Request) + 2 Outputs (Lock Release / Alarm Bypass).** NOTE: WIU required for EACH wiegand reader connection.	EA	\$140.79
246 35 1	AMAG	ZEN-1032-BRACKET	Stentofon 1032 Wall Bracket - For 1039 S	Stentofon 1032 Wall Bracket - For 1039 Strobe (100103200)	EA	\$59.18
246 35 1	AMAG	ZEN-1039-STROBE	Stentofon 1039 Combination Lamp/Strobe -	Stentofon 1039 Combination Lamp/Strobe - (NOTE: Requires 120VAC3AMP Power Supply) (1000103900)	EA	\$274.40
246 35 1	AMAG	ZEN-1042-BACKBOX	Stentofon 1042 Hooded Steel Backbox - (Y	Stentofon 1042 Hooded Steel Backbox - (Yellow), (1000104200)	EA	\$128.23
246 35 1	AMAG	ZEN-7007-DS	Stentofon 7007 Dual Display Station (100	Stentofon 7007 Dual Display Station (1007007000)	EA	\$383.80
246 35 1	AMAG	ZEN-ACE7-EXCHANGE	Stentofon AlphaCom E7 Exchange - Allows	Stentofon AlphaCom E7 Exchange - Allows up to 36 Stations. (ACCE7360601)	EA	\$2,101.92
246 35 1	AMAG	ZEN-IP62927-9	Stentofon IP62927-9 Tamper & Weather Res	Stentofon IP62927-9 Tamper & Weather Resistant Substation(1000629279IP)	EA	\$798.98

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	ZEN-IP80510	Stentofon IP80510 Tamper & Weather Resis	Stentofon IP80510 Tamper & Weather Resistant Substation(1008051000)	EA	\$712.90
246 35 1	AMAG	ZEN-IP-LICENSES	Stentofon AlphaCom IP Substation 6 User	Stentofon AlphaCom IP Substation 6 User License (1009641006)	EA	\$1,425.79
246 35 1	AMAG	321	Symmetry S321 Magstripe Keypad Reader -	Symmetry S321 Magstripe Keypad Reader - Track 1 Operation	EA	\$300.40
246 35 1	AMAG	323	Symmetry S323 Magstripe Keypad Reader -	Symmetry S323 Magstripe Keypad Reader - Track 2 Operation	EA	\$300.40
246 35 1	AMAG	1351-AMAG	HID ProxPass Long Range Vehicle Active T	HID ProxPass Long Range Vehicle Active Tag - Minimum 10, 6 week lead time.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$29.59
246 35 1	AMAG	1324GA-H-21	HID ProxCard II Direct Image PVC Label -	HID ProxCard II Direct Image PVC Label - Adhesive back, horizontal slot punch. Minimum 250, 6 week lead time.*	EA	\$1.16
246 35 1	AMAG	1324GA-V-21	HID ProxCard II Direct Image PVC Label -	HID ProxCard II Direct Image PVC Label - Adhesive back, vertical slot punch. Minimum 250, 6 week lead time.*	EA	\$1.16
246 35 1	AMAG	1326-LMSMV/26	HID ProxCard II - slot punch, plain whit	HID ProxCard II - slot punch, plain white, sequentially ink-jet numbered,26-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAGcustomer service for "How to order Guide".	EA	\$2.25
246 35 1	AMAG	1326-LMSMV/32	HID ProxCard II - slot punch, plain whit	HID ProxCard II - slot punch, plain white, sequentially ink-jet numbered,32-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAGcustomer service for "How to order Guide".	EA	\$2.25
246 35 1	AMAG	1326-LMSMV/37	HID ProxCard II - slot punch, plain whit	HID ProxCard II - slot punch, plain white, sequentially ink-jet numbered,37-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAGcustomer service for "How to order Guide".	EA	\$2.25
246 35 1	AMAG	1326-LSSMV/26	HID ProxCard II - slot punch, HID logo,	HID ProxCard II - slot punch, HID logo, sequentially ink-jet numbered, 26- bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$2.25
246 35 1	AMAG	1326-LSSMV/32	HID ProxCard II - slot punch, HID logo,	HID ProxCard II - slot punch, HID logo, sequentially ink-jet numbered, 32- bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$2.25
246 35 1	AMAG	1326-LSSMV/37	HID ProxCard II - slot punch, HID logo,	HID ProxCard II - slot punch, HID logo, sequentially ink-jet numbered, 37- bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$2.25
246 35 1	AMAG	1326-XAXXV	HID ProxCard II - vertical slot punch an	HID ProxCard II - vertical slot punch and peel off self-adhesive front.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$2.68
246 35 1	AMAG	1336-LGSMN/26	HID DuoProx II - sequentially ink-jet nu	HID DuoProx II - sequentially ink-jet numbered, 26-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.65
246 35 1	AMAG	1336-LGSMN/32	HID DuoProx II - sequentially ink-jet nu	HID DuoProx II - sequentially ink-jet numbered, 32-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.65
246 35 1	AMAG	1336-LGSMN/37	HID DuoProx II - sequentially ink-jet nu	HID DuoProx II - sequentially ink-jet numbered, 37-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.65
246 35 1	AMAG	1346-LSSM/26	HID ProxKey II Fob - tagged with encoded	HID ProxKey II Fob - tagged with encoded number, key rings not included,26-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAGcustomer service for "How to order Guide".	EA	\$4.67
246 35 1	AMAG	1346-LSSM/32	HID ProxKey II Fob - tagged with encoded	HID ProxKey II Fob - tagged with encoded number, key rings not included,32-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAGcustomer service for "How to order Guide".	EA	\$4.67
246 35 1	AMAG	1346-LSSM/37	HID ProxKey II Fob - tagged with encoded	HID ProxKey II Fob - tagged with encoded number, key rings not included,37-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAGcustomer service for "How to order Guide".	EA	\$4.67
246 35 1	AMAG	1346-RING-10	HID KeyRing for ProxKey II Fob - Quantit	HID KeyRing for ProxKey II Fob - Quantity of 10	EA	\$3.33

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	1386-LGGMN/32	HID ISOProx II - plain white, programmab	HID ISOProx II - plain white, programmable PVC cards, sequentially ink- jet numbered, packs of 50, 32-bit.** NOTE: Add \$0.20 for Corporate 1000Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.18
246 35 1	AMAG	1386-LGSMN/32	HID ISOProx II - programmable PVC cards,	HID ISOProx II - programmable PVC cards, HID logo, sequentially ink-jet numbered, packs of 50, 32-bit.** NOTE: Add \$0.20 for Corporate 1000Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.18
246 35 1	AMAG	1386-LGSMN/37	HID ISOProx II - programmable PVC cards,	HID ISOProx II - programmable PVC cards, HID logo, sequentially ink-jet numbered, packs of 50, 37-bit.** NOTE: Add \$0.20 for Corporate 1000Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.18
246 35 1	AMAG	1391-LSSMN/32	HID MicroProx Tag - gray, HID logo, sequ	HID MicroProx Tag - gray, HID logo, sequential matching of int/extnumber, 1.285" diameter, minimum 100, 32-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$3.17
246 35 1	AMAG	1391-LSSMN/37	HID MicroProx Tag - gray, HID logo, sequ	HID MicroProx Tag - gray, HID logo, sequential matching of int/extnumber, 1.285" diameter, minimum 100, 37-bit.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$3.17
246 35 1	AMAG	2-DC	Symmetry multiNODE-2 2 Reader Door Contr	Symmetry multiNODE-2 2 Reader Door Controller - BatteryCharger/Power Supply. Requires 18VAC transformer.	EA	\$528.17
246 35 1	AMAG	2DC-KIT	Symmetry multiNODE-2 2 Reader Door Contr	Symmetry multiNODE-2 2 Reader Door Controller BOARD ONLY - Excludes Power Supply & Enclosure.	EA	\$403.53
246 35 1	AMAG	2-DC-KIT-W/O WIM	Symmetry multiNODE-2 2 Reader Door Contr	Symmetry multiNODE-2 2 Reader Door Controller BOARD ONLY - Requires WIM-2 for Wiegand Operation	EA	\$403.53
246 35 1	AMAG	2-DC-W/O WIM	Symmetry multiNODE-2 2 Reader Door Contr	Symmetry multiNODE-2 2 Reader Door Controller - BatteryCharger/Power Supply. Requires 18VAC transformer.	EA	\$449.26
246 35 1	AMAG	ARTWORK SETUP - HID	HID set-up fee for custom artwork - one	HID set-up fee for custom artwork - one time charge on initial order, minimum order 500.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$364.07
246 35 1	AMAG	COLOR SETUP - HID	HID set-up fee for color setup - one tim	HID set-up fee for color setup - one time charge on initial order, charge is per color per side, minimum order 500.** NOTE: Add \$0.20 for Corporate1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$364.07
246 35 1	AMAG	DEMO-VF	Bioscrypt V-Flex-A Reader on Demo/Enroll	Bioscrypt V-Flex-A Reader on Demo/Enrollment Stand - with carrying case, psu	EA	\$1,053.65
246 35 1	AMAG	DEMO-VT	Bioscrypt V-Smart-A MIFARE Reader on Dem	Bioscrypt V-Smart-A MIFARE Reader on Demo/Enrollment Stand - with carrying case, psu and 5 MIFARE Cards	EA	\$1,460.77
246 35 1	AMAG	DEMO-VTI	Bioscrypt V-Smart-A-H iClass Reader on D	Bioscrypt V-Smart-A-H iClass Reader on Demo/Enrollment Stand - with carrying case, psu and 5 iClass Cards	EA	\$1,404.27
246 35 1	AMAG	DES-CARD	DESFire Smartcard - Plain White, non-enc	DESFire Smartcard - Plain White, non-encoded. (NOTE: 4K Memory 4K Bytes 32K Bit ISO14443 1-4).** NOTE: Minimum Order 100	EA	\$4.63
246 35 1	AMAG	DES-CARD-W/MAG	Mifare DESFire Magstripe Smartcard - Pla	Mifare DESFire Magstripe Smartcard - Plain White, blanks. (NOTE: 4K Memory 4K Bytes 32K Bit ISO14443 1-4).** NOTE: Minimum Order 100	EA	\$4.85
246 35 1	AMAG	DESKTOP VF	Bioscrypt Fingerprint and Wiegand reader	Bioscrypt Fingerprint and Wiegand reader - V-PASS FX mounted on a plastic stand, power supply and CD	EA	\$940.66
246 35 1	AMAG	DESKTOP VN-A-H	Bioscrypt Fingerprint iClass Keypad Read	Bioscrypt Fingerprint iClass Keypad Reader - V-SMART-A-H with Keypad mounted on a stand, power supply, CD.	EA	\$1,875.05
246 35 1	AMAG	DESKTOP VTI	Bioscrypt Fingerprint iClass Reader- V-S	Bioscrypt Fingerprint iClass Reader- V-SMART-A-H mounted on a stand, power supply and CD	EA	\$1,275.14
246 35 1	AMAG	DTC 400 ENCODER	Fargo DTC400 Encoder Printer - Direct-to	Fargo DTC400 Encoder Printer - Direct-to-Card Dye-Sub, Edge-to-Edge, Magstripe Encoder (54101).	EA	\$2,802.27
246 35 1	AMAG	DTC 400 ETHERNET	Fargo DTC400 Ethernet Printer - Direct	Fargo DTC400 Ethernet Printer - Direct-to-Card Dye-Sub, Edge-to-Edge, Ethernet Connection (56100).	EA	\$2,569.12

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	DTC 400DS	Fargo DTC400 Double-sided Printer - Dire	Fargo DTC400 Double-sided Printer - Direct-to-Card, Dye-Sub, Edge-to- Edge (54102).	EA	\$3,099.98
246 35 1	AMAG	DTC 400DS ENCODER	Fargo DTC400 Double-sided Encoder Printe	Fargo DTC400 Double-sided Encoder Printer - Direct-to-Card, Dye-Sub, Edge-to-Edge, Magstripe Encoder (54103).	EA	\$3,563.59
246 35 1	AMAG	DTC 550 DS	Fargo DTC550 Double-sided Printer - Dire	Fargo DTC550 Double-sided Printer - Direct-to-Card, Dye-Sub, Edge-to- Edge (91820).	EA	\$3,648.78
246 35 1	AMAG	DTC 550 DS ENCODER	Fargo DTC550 Double-sided Encoder Printe	Fargo DTC550 Double-sided Encoder Printer - Direct-to-Card, Dye-Sub, Edge-to-Edge, Magstripe Encoder (91821).	EA	\$4,111.49
246 35 1	AMAG	DTC 550 ENCODER	Fargo DTC550 Encoder Printer - Direct-to	Fargo DTC550 Encoder Printer - Direct-to-Card, Dye-Sub, Edge-to-Edge, Magstripe Encoder (91801).	EA	\$3,026.45
246 35 1	AMAG	DTC 550 LC	Fargo DTC550 LC Printer - Direct-to-Card	Fargo DTC550 LC Printer - Direct-to-Card, Dye-Sub, Edge-to-Edge with clear lamination (91840).	EA	\$4,113.28
246 35 1	AMAG	DTC 550 LC DS	Fargo DTC550 LC Double-sided Printer - D	Fargo DTC550 LC Double-sided Printer - Direct-to-Card, Dye-Sub, Edge- to-Edge with clear lamination (91860).	EA	\$5,214.46
246 35 1	AMAG	DTC 550 LC DS ENCODER	Fargo DTC550 LC Double-sided Encoder Pri	Fargo DTC550 LC Double-sided Encoder Printer - Direct, Dye-Sub, Edge, clear laminate, Mag. Encoder (91861).	EA	\$5,677.17
246 35 1	AMAG	DTC 550 LC ENCODER	Fargo DTC550 LC Encoder Printer - Direct	Fargo DTC550 LC Encoder Printer - Direct-to-Card, Dye-Sub, Edge, clear lamination, Magstripe Encoder (91841).	EA	\$4,575.99
246 35 1	AMAG	HDP 600	Fargo HDP600 Printer - High Definition,	Fargo HDP600 Printer - High Definition, Edge-to-Edge (88000).	EA	\$5,605.43
246 35 1	AMAG	HDP 600 ENCODER	Fargo HDP600 Encoder Printer - High Defi	Fargo HDP600 Encoder Printer - High Definition, Edge-to-Edge, Integrated Magstripe Encoder (88001).	EA	\$6,069.04
246 35 1	AMAG	HKCR-AMAG	RSI Biometric HandGeometry Reader - Enro	RSI Biometric HandGeometry Reader - Enrollment or Bio-M2100 controller. (NOTE: Requires 12-24VDC).	EA	\$1,649.97
246 35 1	AMAG	HURCNE	RSI HKCR Plastic Enclosure	RSI HKCR Plastic Enclosure	EA	\$400.84
246 35 1	AMAG	IC-2000	HID iCLASS Contactless SmartCard - plain	HID iCLASS Contactless SmartCard - plain white, not encoded, 13.56MHz vicinity card, ISO 15693.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$3.28
246 35 1	AMAG	IC-2000-PGGMN/37	HID iCLASS Contactless SmartCard - plain	HID iCLASS Contactless SmartCard - plain white, not encoded, 13.56MHz vicinity card, ISO 15693.* Programmed AMAG 37 Bit.	EA	\$3.28
246 35 1	AMAG	IC-2001	HID iCLASS 16K Contactless Card - 2 app	HID iCLASS 16K Contactless Card - 2 application areas.** NOTE: Add\$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$5.95
246 35 1	AMAG	IC-2002	HID iCLASS 16K Contactless Card - 16 app	HID iCLASS 16K Contactless Card - 16 application areas.** NOTE: Add\$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$5.95
246 35 1	AMAG	IC-2020	HID iCLASS 2K Prox Card - 2 application	HID iCLASS 2K Prox Card - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$7.07
246 35 1	AMAG	IC-2021	HID iCLASS 16K Prox Card - 2 application	HID iCLASS 16K Prox Card - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$8.35
246 35 1	AMAG	IC-2022	HID iCLASS 16K Prox Card - 16 applicatio	HID iCLASS 16K Prox Card - 16 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$8.35
246 35 1	AMAG	IC-2030	HID iCLASS 2K Embeddable Card - 2 applic	HID iCLASS 2K Embeddable Card - 2 application areas.** NOTE: Add\$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$7.49

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	IC-2040	HID iCLASS 2K Wiegand Card - 2 applicati	HID iCLASS 2K Wiegand Card - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$7.40
246 35 1	AMAG	IC-2041	HID iCLASS 16K Wiegand Card - 2 applicat	HID iCLASS 16K Wiegand Card - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$9.28
246 35 1	AMAG	IC-2042	HID iCLASS 16K Wiegand Card - 16 applica	HID iCLASS 16K Wiegand Card - 16 application areas.	EA	\$9.42
246 35 1	AMAG	IC-2050	HID iCLASS 2K Key - 2 application areas.	HID iCLASS 2K Key - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.27
246 35 1	AMAG	IC-2051	HID iCLASS 16K Key - 2 application areas	HID iCLASS 16K Key - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$7.11
246 35 1	AMAG	IC-2052	HID iCLASS 16K Key - 16 application area	HID iCLASS 16K Key - 16 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$7.11
246 35 1	AMAG	IC-2060	HID iCLASS 2K Tag - 2 application areas.	HID iCLASS 2K Tag - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$2.88
246 35 1	AMAG	IC-2061	HID iCLASS 16K Tag - 2 application areas	HID iCLASS 16K Tag - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.94
246 35 1	AMAG	IC-2062	HID iCLASS 16K Tag - 16 application area	HID iCLASS 16K Tag - 16 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$4.94
246 35 1	AMAG	IC-2080	HID iCLASS Clamshell 2K Tag - 2 applicat	HID iCLASS Clamshell 2K Tag - 2 application areas.** NOTE: Add \$0.20 for Corporate 1000 Format. Contact AMAG customer service for "How to order Guide".	EA	\$2.19
246 35 1	AMAG	IC-2080-PGSMV/37	HID iCLASS Clamshell 2K Tag - 2 applicat	HID iCLASS Clamshell 2K Tag - 2 application areas. Programmed. AMAG37 Bit.	EA	\$2.19
246 35 1	AMAG	IC-R10-G-PIV	HID iCLASS R10 Reader - (Gray) Mullion,	HID iCLASS R10 Reader - (Gray) Mullion, FIPS-Compliant, 5-16VDC.* (6100-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$80.71
246 35 1	AMAG	IC-R10-K-PIV	HID iCLASS R10 Reader - (Black) Mullion,	HID iCLASS R10 Reader - (Black) Mullion, FIPS-Compliant, 5-16VDC.* (6100-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$80.71
246 35 1	AMAG	IC-R30-G-PIV	HID iCLASS R30 Reader - (Gray) FIPS-Comp	HID iCLASS R30 Reader - (Gray) FIPS-Compliant, US/EU/Asian back box, 5-16VDC.* (6110-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$150.65
246 35 1	AMAG	IC-R30-K-PIV	HID iCLASS R30 Reader - (Black) FIPS-Com	HID iCLASS R30 Reader - (Black) FIPS-Compliant, US/EU/Asian back box, 5-16VDC.* (6110-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$150.65
246 35 1	AMAG	IC-R40-G-PIV	HID iCLASS R40 Reader - (Gray) FIPS-Comp	HID iCLASS R40 Reader - (Gray) FIPS-Compliant, US/EU/Asian back box, 5-16VDC.* (6120-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$156.03
246 35 1	AMAG	IC-R40-K-PIV	HID iCLASS R40 Reader - (Black) FIPS-Com	HID iCLASS R40 Reader - (Black) FIPS-Compliant, US/EU/Asian back box, 5-16VDC.* (6120-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$156.03
246 35 1	AMAG	IC-R90	HID iCLASS R90 Reader - Long-range reade	HID iCLASS R90 Reader - Long-range reader.* (6150)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$449.26
246 35 1	AMAG	IC-RK40-G-PIV	HID iCLASS RK40 KeyPad Reader - (Gray) F	HID iCLASS RK40 KeyPad Reader - (Gray) FIPS-Compliant US/EU/Asian back box keypad, 5-16VDC.* (6130-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$286.06
246 35 1	AMAG	IC-RK40-K-PIV	HID iCLASS RK40 KeyPad Reader - (Black)	HID iCLASS RK40 KeyPad Reader - (Black) FIPS-Compliant US/EU/Asian back box keypad, 5-16VDC.* (6130-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$286.06
246 35 1	AMAG	IC-RP40 PIV	HID multiCLASS RP40 Reader - FIPS-Compli	HID multiCLASS RP40 Reader - FIPS-Compliant. Reads Prox, iClass & PIV-II, US/EU/Asian back box.* (6125-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$179.35

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	IC-RPK40 PIV	HID multiCLASS RPK40 KeyPad Reader - Rea	HID multiCLASS RPK40 KeyPad Reader - Read Prox, iClass & PIV-II. US/EU/Asian back box.* (6145-G3.0)* NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$308.47
246 35 1	AMAG	INT-HTR	RSI HKCR Heater Kit - Outdoor heater and	RSI HKCR Heater Kit - Outdoor heater and LCD	EA	\$409.80
246 35 1	AMAG	M2100-16RDR-PACK-HGU- UL	Symmetry M2100 HGU 16 Reader Kit - 1x MN	Symmetry M2100 HGU 16 Reader Kit - 1x MN-CAB4+PSU-KIT, M2100- DBU-20K-KIT-HGU, MN-CAB4, M2100-4DCR-P-KIT, MN-QUAD-485,MN-CAB4-ADAPT-4DCR & 2x M2000-4DCU-KIT-BIO, M2100-2DCR-KIT, MN-DUAL-485, MN-TRANS-75-UL.	EA	\$5,820.64
246 35 1	AMAG	M2100-4DCR-P-KIT-HGU	Symmetry M2100 4 Reader 4DCR-P BOARD ONL	Symmetry M2100 4 Reader 4DCR-P BOARD ONLY - Includes MN- QUAD-485, Power Supply. Requires 18VAC transformer.	EA	\$1,030.34
246 35 1	AMAG	M2100-DBU-20K-KIT-HGU	Symmetry M2100 Database Unit BOARD ONLY	Symmetry M2100 Database Unit BOARD ONLY - DBU with memory for20,000 cards/10,000 templates.	EA	\$644.75
246 35 1	AMAG	MDU-2	Symmetry multiNODE-2 2 Reader DBU - Batt	Symmetry multiNODE-2 2 Reader DBU - Battery Charger/Power Supply. Requires 18VAC transformer.	EA	\$1,257.21
246 35 1	AMAG	MDU2-KIT	Symmetry multiNODE-2 2 Reader DBU BOARD	Symmetry multiNODE-2 2 Reader DBU BOARD ONLY - Excludes PowerSupply & Enclosure.	EA	\$1,154.98
246 35 1	AMAG	MDU-2-KIT-W/O WIM	Symmetry multiNODE-2 2 Reader DBU BOARD	Symmetry multiNODE-2 2 Reader DBU BOARD ONLY - Requires WIM-2 for Wiegand Operation.	EA	\$1,076.97
246 35 1	AMAG	MDU-2-W/O WIM	Symmetry multiNODE-2 2 Reader DBU - Batt	Symmetry multiNODE-2 2 Reader DBU - Battery Charger/Power Supply. Requires 18VAC transformer.	EA	\$1,179.19
246 35 1	AMAG	MDU-4	Symmetry multiNODE-2 4 Reader DBU - Batt	Symmetry multiNODE-2 4 Reader DBU - Battery Charger/Power Supply. Requires 18VAC transformer.	EA	\$1,571.96
246 35 1	AMAG	MDU4-KIT	Symmetry multiNODE-2 4 Reader DBU BOARD	Symmetry multiNODE-2 4 Reader DBU BOARD ONLY - Excludes PowerSupply & Enclosure.	EA	\$1,469.73
246 35 1	AMAG	MDU-4-KIT-W/O WIM	Symmetry multiNODE-2 4 Reader DBU BOARD	Symmetry multiNODE-2 4 Reader DBU BOARD ONLY - Requires WIM-4 for Wiegand Operation.	EA	\$1,312.81
246 35 1	AMAG	MDU-4-W/O WIM	Symmetry multiNODE-2 4 Reader DBU - Batt	Symmetry multiNODE-2 4 Reader DBU - Battery Charger/Power Supply. Requires 18VAC transformer.	EA	\$1,415.03
246 35 1	AMAG	MP-5365-B-N	HID MiniProx Reader- (Beige) Mullion, pi	HID MiniProx Reader- (Beige) Mullion, pigtail connection, 4" read range,5-16 VDC.** NOTE: When using 3rd party wiegand readers, a suitableWiegand Interface Module (WIM) is required.	EA	\$143.48
246 35 1	AMAG	MP-5365-G-N	HID MiniProx Reader- (Gray) Mullion, pig	HID MiniProx Reader- (Gray) Mullion, pigtail connection, 4" read range, 5-16 VDC.** NOTE: When using 3rd party wiegand readers, a suitableWiegand Interface Module (WIM) is required.	EA	\$143.48
246 35 1	AMAG	MP-5365-K-N	HID MiniProx Reader- (Black) Mullion, pi	HID MiniProx Reader- (Black) Mullion, pigtail connection, 4" read range,5-16 VDC.** NOTE: When using 3rd party wiegand readers, a suitableWiegand Interface Module (WIM) is required.	EA	\$143.48
246 35 1	AMAG	MP-5365-W-N	HID MiniProx Reader- (White) Mullion, pi	HID MiniProx Reader- (White) Mullion, pigtail connection, 4" read range,5-16 VDC.** NOTE: When using 3rd party wiegand readers, a suitableWiegand Interface Module (WIM) is required.	EA	\$143.48
246 35 1	AMAG	MSC	Polyester HiCo Magstripe Card - Plain Wh	Polyester HiCo Magstripe Card - Plain White, Blank.	EA	\$1.28
246 35 1	AMAG	MSC-D1	Demo Polyester HiCo Magstripe Track 1 Ca	Demo Polyester HiCo Magstripe Track 1 Cards - Set of 6 Encoded Cards, Facility Code 9999999.	EA	\$24.21
246 35 1	AMAG	MSC-D2	Demo Polyester HiCo Magstripe Track 2 Ca	Demo Polyester HiCo Magstripe Track 2 Cards - Set of 6 Encoded Cards, Facility Code 9999999.	EA	\$24.21
246 35 1	AMAG	MSC-E1	Polyester HiCo Magstripe Track 1 Encoded	Polyester HiCo Magstripe Track 1 Encoded Card - Plain White, Sequential#. (NOTE: Every 10th card tagged).*	EA	\$2.56

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	MSC-E2	Polyester HiCo Magstripe Track 2 Encoded	Polyester HiCo Magstripe Track 2 Encoded Card - Plain White, Sequential#. (NOTE: Every 10th card tagged).*	EA	\$2.56
246 35 1	AMAG	MSC-N	Polyester HiCo Magstripe Non-Encoded Num	Polyester HiCo Magstripe Non-Encoded Numbered Card - Plain White, Inkjet printed Sequential Numbers.*	EA	\$1.93
246 35 1	AMAG	MSC-NE1	Polyester HiCo Magstripe Track 1 Printed	Polyester HiCo Magstripe Track 1 Printed & Encoded Card - Plain White, Inkjet printed & Sequential #.** NOTE: Indicate Facility Code and/or Starting Card Number on ALL Card Orders	EA	\$2.56
246 35 1	AMAG	MSC-NE2	Polyester HiCo Magstripe Track 2 Printed	Polyester HiCo Magstripe Track 2 Printed & Encoded Card - Plain White, Inkjet printed & Sequential #.** NOTE: Indicate Facility Code and/or Starting Card Number on ALL Card Orders	EA	\$2.56
246 35 1	AMAG	MX-5375-G-N	HID MaxiProx Reader - (Gray) 18" read range	HID MaxiProx Reader - (Gray) 18" read range. Requires local power supply 1.2A @ 24VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$527.27
246 35 1	AMAG	PP-6005B-B-N	HID ProxPoint Plus Reader - (Beige) Mull	HID ProxPoint Plus Reader - (Beige) Mullion, compact, pigtail connection, 2.5" read range, 5-16VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$93.26
246 35 1	AMAG	PP-6005B-G-N	HID ProxPoint Plus Reader - (Gray) Mulli	HID ProxPoint Plus Reader - (Gray) Mullion, compact, pigtail connection, 2.5" read range, 5-16VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$93.26
246 35 1	AMAG	PP-6005B-K-N	HID ProxPoint Plus Reader - (Black) Mull	HID ProxPoint Plus Reader - (Black) Mullion, compact, pigtail connection, 2.5" read range, 5-16VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$93.26
246 35 1	AMAG	PP-6005B-W-N	HID ProxPoint Plus Reader - (White) Mull	HID ProxPoint Plus Reader - (White) Mullion, compact, pigtail connection, 2.5" read range, 5-16VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$93.26
246 35 1	AMAG	PRO-5355-B-K	HID ProxPro KeyPad Reader - (Beige) Data	HID ProxPro KeyPad Reader - (Beige) Data over shared wiegand cable, 2 of 7 matrix, 6" read range, 10-28.5VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$324.61
246 35 1	AMAG	PRO-5355-B-N	HID ProxPro Reader - (Beige) Single-gang	HID ProxPro Reader - (Beige) Single-gang, pigtail connection, 6" read range, 10-28.5VDC. (Glass kit available).** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$170.38
246 35 1	AMAG	PRO-5355-G-K	HID ProxPro KeyPad Reader - (Gray) Data	HID ProxPro KeyPad Reader - (Gray) Data over shared wiegand cable, 2 of 7 matrix, 6" read range, 10-28.5VDC.** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$324.61
246 35 1	AMAG	PRO-5355-G-N	HID ProxPro Reader - (Gray) Single-gang,	HID ProxPro Reader - (Gray) Single-gang, pigtail connection, 6" read range, 10-28.5VDC. (Glass kit available).** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$170.38
246 35 1	AMAG	PRO-5455-B-N	HID ProxPro II Reader - (Beige) Single-g	HID ProxPro II Reader - (Beige) Single-gang, snap on cover, 9" read range, 5-16VDC (Glass kit available).** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$153.34
246 35 1	AMAG	PRO-5455-G-N	HID ProxPro II Reader - (Gray) Single-ga	HID ProxPro II Reader - (Gray) Single-gang, snap on cover, 9" read range, 5-16VDC (Glass kit available).** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$153.34
246 35 1	AMAG	PRO-5455-K-N	HID ProxPro II Reader - (Black) Single-g	HID ProxPro II Reader - (Black) Single-gang, snap on cover, 9" read range, 5-16VDC (Glass kit available).** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$153.34
246 35 1	AMAG	PRO-5455-W-N	HID ProxPro II Reader - (White) Single-g	HID ProxPro II Reader - (White) Single-gang, snap on cover, 9" read range, 5-16VDC (Glass kit available).** NOTE: When using 3rd party wiegand readers, a suitable Wiegand Interface Module (WIM) is required.	EA	\$153.34
246 35 1	AMAG	PVC-MSC	PVC HiCo Magstripe Card - Plain White	PVC HiCo Magstripe Card - Plain White	EA	\$0.83
246 35 1	AMAG	PVC-MSC-N	PVC HiCo Magstripe Non-Encoded Numbered	PVC HiCo Magstripe Non-Encoded Numbered Card - Plain White, Inkjet printed Sequential Numbers.** NOTE: Indicate Facility Code and/or Starting Card Number on ALL Card Orders	EA	\$0.99
246 35 1	AMAG	PVC-MSC-NE1	PVC HiCo Magstripe Track 1 Printed & Enc	PVC HiCo Magstripe Track 1 Printed & Encoded Card - Plain White, Inkjet printed & Sequential Numbers.** NOTE: Indicate Facility Code and/or Starting Card Number on ALL Card Orders	EA	\$1.38
246 35 1	AMAG	PVC-MSC-NE2	PVC HiCo Magstripe Track 2 Printed & Enc	PVC HiCo Magstripe Track 2 Printed & Encoded Card - Plain White, Inkjet printed & Sequential Numbers.** NOTE: Indicate Facility Code and/or Starting Card Number on ALL Card Orders	EA	\$1.38

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	REP-2DC	2-DC, 2DC-KIT Refurbishment/Repairs	2-DC, 2DC-KIT Refurbishment/Repairs	EA	\$153.34
246 35 1	AMAG	REP-3200	3200 Refurbishment/Repairs	3200 Refurbishment/Repairs	EA	\$219.70
246 35 1	AMAG	REP-3XX	Includes 320, 321, 322, 323, Refurbishme	Includes 320, 321, 322, 323, Refurbishment/Repairs	EA	\$182.93
246 35 1	AMAG	REP-640	640 Refurbishment/Repairs	640 Refurbishment/Repairs	EA	\$95.05
246 35 1	AMAG	REP-660	660 Refurbishment/Repairs	660 Refurbishment/Repairs	EA	\$87.88
246 35 1	AMAG	REP-67X	670/671 Refurbishment/Repairs	670/671 Refurbishment/Repairs	EA	\$128.23
246 35 1	AMAG	REP-6XX	Includes 620-1, 620-2, 630-1, 630-2 Refu	Includes 620-1, 620-2, 630-1, 630-2 Refurbishment/Repairs	EA	\$122.85
246 35 1	AMAG	REP-71X	710/711 Refurbishment/Repairs	710/711 Refurbishment/Repairs	EA	\$191.90
246 35 1	AMAG	REP-72X	720/721 Refurbishment/Repairs	720/721 Refurbishment/Repairs	EA	\$191.90
246 35 1	AMAG	REP-731	731 Refurbishment/Repairs	731 Refurbishment/Repairs	EA	\$306.68
246 35 1	AMAG	REP-M1XXX/2	M1XXX/2 Refurbishment/Repairs	M1XXX/2 Refurbishment/Repairs	EA	\$281.57
246 35 1	AMAG	REP-M1XXX/4	M1XXX/4 Refurbishment/Repairs	M1XXX/4 Refurbishment/Repairs	EA	\$345.24
246 35 1	AMAG	REP-M2000-DBU	M200X DBU Refurbishment/Repairs - Includ	M200X DBU Refurbishment/Repairs - Includes M2000-8 and M2100	EA	\$320.13
246 35 1	AMAG	REP-M2100-4DCR	M2100 4DCR Refurbishment/Repairs	M2100 4DCR Refurbishment/Repairs	EA	\$304.89
246 35 1	AMAG	REP-M2100-DBU	M2100 DBU Refurbishment/Repairs	M2100 DBU Refurbishment/Repairs	EA	\$412.49
246 35 1	AMAG	REP-M2X00-1DCR	M200X 1DCR Refurbishment/Repairs - Inclu	M200X 1DCR Refurbishment/Repairs - Includes M2000-8 and M2100	EA	\$153.34
246 35 1	AMAG	REP-M2X00-2DCR	M200X 2DCR Refurbishment/Repairs - Inclu	M200X 2DCR Refurbishment/Repairs - Includes M2000-8 and M2100	EA	\$153.34
246 35 1	AMAG	REP-M2X00-4DCU	M200X 4DCU Refurbishment/Repairs - Inclu	M200X 4DCU Refurbishment/Repairs - Includes M2000-8 and M2100	EA	\$255.57
246 35 1	AMAG	REP-M2X00-ACU/ACR	M200X ACU/ACR Refurbishment/Repairs - In	M200X ACU/ACR Refurbishment/Repairs - Includes M2000-8 and M2100	EA	\$153.34
246 35 1	AMAG	REP-MDU2	MDU-2, MDU2-KIT Refurbishment/Repairs	MDU-2, MDU2-KIT Refurbishment/Repairs	EA	\$287.85
246 35 1	AMAG	REP-MDU4	MDU-4, MDU4-KIT Refurbishment/Repairs	MDU-4, MDU4-KIT Refurbishment/Repairs	EA	\$360.48

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	REP-MICRONODE	Includes 340, 345, 346, 375, 376 Refurbi	Includes 340, 345, 346, 375, 376 Refurbishment/Repairs	EA	\$350.62
246 35 1	AMAG	REP-MN-232	MN-232 Refurbishment/Repairs	MN-232 Refurbishment/Repairs	EA	\$48.42
246 35 1	AMAG	REP-MN-I/O	MN-I/O Refurbishment/Repairs	MN-I/O Refurbishment/Repairs	EA	\$65.46
246 35 1	AMAG	REP-MN-NIC	MN-NIC-2 or MN-NIC-3 Refurbishment/Repai	MN-NIC-2 or MN-NIC-3 Refurbishment/Repairs	EA	\$173.07
246 35 1	AMAG	REP-MULTINODE-1	Includes DBU-KIT, DCU-KIT Refurbishment/	Includes DBU-KIT, DCU-KIT Refurbishment/Repairs	EA	\$364.07
246 35 1	AMAG	REP-WIK	Includes WIK-2, WIK-2 board only Refurbi	Includes WIK-2, WIK-2 board only Refurbishment/Repairs	EA	\$276.19
246 35 1	AMAG	REP-WIU	WIU Refurbishment/Repairs	WIU Refurbishment/Repairs	EA	\$65.46
246 35 1	AMAG	Rhino-XF-H	Innometrix Rhino Fingerprint Reader wit	Innometrix Rhino Fingerprint Reader with HID iCLASS SmartcardSupport (FOR INDOOR USE ONLY)	EA	\$1,761.17
246 35 1	AMAG	Rhino-Xsi-TWIC-Outdoor	Innometrix Rhino Fingerprint Reader, Lu	Innometrix Rhino Fingerprint Reader, Lumadigm Sensor, TWIC/POVcompatible (FOR INDOOR/OUTDOOR USE)	EA	\$3,433.56
246 35 1	AMAG	RIB-300	Fargo DTC300 Ribbon - Full Color YMCKO w	Fargo DTC300 Ribbon - Full Color YMCKO with a Resin Black Panel, 250 prints (44200)	EA	\$66.36
246 35 1	AMAG	RIB-300 DS	Fargo DTC300 DS Ribbon - Full Color YMCK	Fargo DTC300 DS Ribbon - Full Color YMCKOK with 2 Resin BlackPanel, 200 prints (44210)	EA	\$69.94
246 35 1	AMAG	RIB-5000	Fargo HDP5000 Ribbon - Fargo - Full Colo	Fargo HDP5000 Ribbon - Fargo - Full Color YMCKK with a Resin BlackPanel, 500 prints (84051)	EA	\$145.27
246 35 1	AMAG	RIB-5000 DS	Fargo HDP5000 DS Ribbon - Full Color YMC	Fargo HDP5000 DS Ribbon - Full Color YMCKK with 2 Resin BlackPanels, 500 prints (84052)	EA	\$175.76
246 35 1	AMAG	RIB-550	Fargo DTC550/LC Ribbon - Full Color YMCK	Fargo DTC550/LC Ribbon - Full Color YMCKO + Resin Black Panel, clear overlay, 500 prints (86200)	EA	\$168.58
246 35 1	AMAG	RIB-550 DS	Fargo DTC550DS Ribbon - Full Color YMCKK	Fargo DTC550DS Ribbon - Full Color YMCKK with a Resin Black Panel,500 prints (86202)	EA	\$168.58
246 35 1	AMAG	RIB-550 LC DS	Fargo DTC550/LC/DS Ribbon - Full Color Y	Fargo DTC550/LC/DS Ribbon - Full Color YMCKK with 2 Resin BlackPanels & clear overlay, 400 prints (86201)	EA	\$153.34
246 35 1	AMAG	SERIII-W	Scramble Keypad Reader - Designed to pre	Scramble Keypad Reader - Designed to prevent onlookers from detecting code being entered	EA	\$1,196.23
246 35 1	AMAG	TL-5395-B-N	HID ThinLine II Reader - (Beige) Switch	HID ThinLine II Reader - (Beige) Switch plate, pigtail connection, 4" read range, 5-16 VDC.	EA	\$146.17
246 35 1	AMAG	TL-5395-G-N	HID ThinLine II Reader - (Gray) Switch p	HID ThinLine II Reader - (Gray) Switch plate, pigtail connection, 4" read range, 5-16 VDC.	EA	\$146.17
246 35 1	AMAG	TL-5395-K-N	HID ThinLine II Reader - (Black) Switch	HID ThinLine II Reader - (Black) Switch plate, pigtail connection, 4" read range, 5-16 VDC.	EA	\$146.17
246 35 1	AMAG	TL-5395-W-N	HID ThinLine II Reader - (White) Switch	HID ThinLine II Reader - (White) Switch plate, pigtail connection, 4" read range, 5-16 VDC.	EA	\$146.17

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	AMAG	TSNAMI	RSI HKCR Water Tight Enclosure	RSI HKCR Water Tight Enclosure	EA	\$1,476.01
246 35 1	AMAG	UP-2DC-V2.10	Firmware upgrade 2-DC - Includes 2-DC pr	Firmware upgrade 2-DC - Includes 2-DC prom only - For Thru-Hole PCB Assemblies.	EA	\$66.36
246 35 1	AMAG	UP-MDU2-ELEV-V1.2	Firmware upgrade multiNODE-2 360 Elevato	Firmware upgrade multiNODE-2 360 Elevator Node	EA	\$66.36
246 35 1	AMAG	UP-MDU2-V2.10	Firmware upgrade MDU-2 - Includes MDU &	Firmware upgrade MDU-2 - Includes MDU & 2-DC Kit - For Thru-HolePCB Assemblies.	EA	\$66.36
246 35 1	AMAG	UP-MDU4-V2.10	Firmware upgrade MDU-4 - Includes MDU &	Firmware upgrade MDU-4 - Includes MDU & 4-DC Kit - For Thru-HolePCB Assemblies.	EA	\$66.36
246 35 1	AMAG	UP-S2DC-V2.3	Firmware upgrade 2-DC - Includes 2-DC pr	Firmware upgrade 2-DC - Includes 2-DC prom only - For SMD PCBAssemblies.	EA	\$66.36
246 35 1	AMAG	UP-SMDU2-V2.3	Firmware upgrade MDU-2 - Includes MDU &	Firmware upgrade MDU-2 - Includes MDU & 2-DC Kit - For SMD PCB Assemblies.	EA	\$66.36
246 35 1	AMAG	UP-SMDU4-V2.3	Firmware upgrade MDU-4 - Includes MDU &	Firmware upgrade MDU-4 - Includes MDU & 4-DC Kit - For SMD PCB Assemblies.	EA	\$66.36
246 35 1	AMAG	V-CERCO	Bioscrypt Outdoor Enclosure - For Bioscr	Bioscrypt Outdoor Enclosure - For Bioscrypt Fingerprint Readers withoutHeater	EA	\$828.57
246 35 1	AMAG	V-CERCO-HT	Bioscrypt Outdoor Heated Enclosure - For	Bioscrypt Outdoor Heated Enclosure - For Bioscrypt Fingerprint Readers with Heater	EA	\$910.18
246 35 1	AMAG	V-ENCL-HEATED	Bioscrypt Outdoor Heated Enclosure Kit	Bioscrypt Outdoor Heated Enclosure Kit - Must specify unheated reader model. With or without window.	EA	\$538.93
246 35 1	AMAG	V-ENCL-UNHEATED	Bioscrypt Outdoor Unheaded Enclosure Kit	Bioscrypt Outdoor Unheaded Enclosure Kit - Must specify unheated reader model. With or without window.	EA	\$449.26
246 35 1	AMAG	VPASS-FX	Bioscrypt Fingerprint Dual Mode Reader -	Bioscrypt Fingerprint Dual Mode Reader - Wiegand output reader. InVerify (1:1) mode, stores 4000+ templates. Works with external card reader. In Search (1:N) mode, stores 500 templates and does not use cards.	EA	\$639.37
246 35 1	AMAG	V-PROX-A	Bioscrypt Fingerprint Prox Reader - Veri	Bioscrypt Fingerprint Prox Reader - Verify - Integrated HID Prox reader. Stores 4000+ fingerprint templates.	EA	\$753.25
246 35 1	AMAG	V-SMART-A	Bioscrypt Fingerprint MIFARE Reader - Ve	Bioscrypt Fingerprint MIFARE Reader - Verify - Integrated MIFareSmartCard reader. Unlimited users.	EA	\$897.62
246 35 1	AMAG	V-SMART-A-H	Bioscrypt Fingerprint iClass Reader - Ve	Bioscrypt Fingerprint iClass Reader - Verify - Integrated iClass reader. Unlimited users.	EA	\$897.62
246 35 1	AMAG	V-STATION-A-G	Bioscrypt Fingerprint MIFARE Keypad Read	Bioscrypt Fingerprint MIFARE Keypad Reader - Verify - Integrated MIFareSmartCard reader. Unlimited users.	EA	\$1,620.38
246 35 1	AMAG	V-STATION-A-H	Bioscrypt Fingerprint iClass Keypad Read	Bioscrypt Fingerprint iClass Keypad Reader - Verify - Integrated iClassSmartCard reader. Unlimited users.	EA	\$1,561.20
246 35 1	AMAG	V-STATION-A-P	Bioscrypt Fingerprint PROX Keypad Reader	Bioscrypt Fingerprint PROX Keypad Reader - Verify - Integrated HID Prox reader. Stores 4000+ templates.	EA	\$1,380.96
246 42 1	AMAG	COMPUTER5	Tower - Dell PowerEdge T100 Server, Inte	Tower - Dell PowerEdge T100 Server, Intel Core2 Duo E7300 2.66GHz,4GB RAM, 500GB HDD, DVD, 1GB NIC, Windows Server 2003 R2 SP2 (Standard Ed.), 3-year Next Business Day warranty. (NOTE: No keyboard/mouse/monitor). Recommended for Symmetry Web AccessServer. (NOTE: Requires Terminal Services Licenses).	EA	\$3,004.03

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	AMAG	COMPUTER6	Symmetry NVR with 2TB local storage - Pr	Symmetry NVR with 2TB local storage - Provides 2TB of usable video storage for existing Symmetry systems. Includes: Symmetry NVR software and server. Server specification: Intel Xeon Quad Core 2.0GHZ,4GB RAM, 1 x 250GB drive with Windows Vista Ultimate, 2 x 1TB SATA drives with RAID controller (customer to configure RAID array if required. Note: RAID configuration will reduce available storage). 2 x Gigabit10/100/1000 NICs, CD/DVD-RW, keyboard, mouse, 2U 19" Rack mount with rail kit included. (Note: no monitor). This configuration is able to provide storage for 128 cameras at 2CIF 4FPS for 5 days (number of days storage will vary depending on motion and camera location. Calculation assumes high motion and poor camera location. A storage calculator tool is available)	EA	\$4,572.40
246 42 1	AMAG	COMPUTER7	Symmetry NVR with 5TB local storage - Pr	Symmetry NVR with 5TB local storage - Provides 5TB of usable video storage for existing Symmetry systems. Includes: Symmetry NVR software and server. Server specification: Intel Xeon Quad Core 2.0GHZ,4GB RAM, 1 x 250GB drive with Windows Vista Ultimate, 5 x 1TB SATA drives with RAID controller (customer to configure RAID array if required. Note: RAID configuration will reduce available storage). 2 x Gigabit10/100/1000 NICs, CD/DVD-RW, keyboard, mouse, 2U 19" Rack mount with rail kit included. (Note: no monitor). This configuration is able to provide storage for 128 cameras at 2CIF 4FPS for 12 days (number of days storage will vary depending on motion and camera location. Calculation assumes high motion and poor camera location. A storage calculator tool is available)	EA	\$6,321.91
246 42 1	AMAG	INT-BASE-11TB	Intrinsa 11.25TB Storage Server - 3U, 15	Intrinsa 11.25TB Storage Server - 3U, 15x750GB SATAII, RAID. (NOTE: Use INT-EXP-xTB for expansion).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$17,486.15
246 42 1	AMAG	INT-BASE-15TB	Intrinsa 15TB Storage Server - Hot Swap,	Intrinsa 15TB Storage Server - Hot Swap, 3U, 15x1TB SATAII, RAID. (NOTE: Use INT-EXP-xTB for expansion).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$22,687.15
246 42 1	AMAG	INT-BASE-6TB	Intrinsa 6TB Storage Server - 3U, 8x750G	Intrinsa 6TB Storage Server - 3U, 8x750GB hot-swap SATAII, RAID0/1/5/10. (NOTE: Use INT-EXP-xTB for expansion).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$11,657.43
246 42 1	AMAG	INT-EXP-12TB	Intrinsa 12TB Expansion Unit - Hot Swap,	Intrinsa 12TB Expansion Unit - Hot Swap, 2U, 12x1TB SATAII (NOTE: Up to 3 Expansion Units Per System).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$17,486.15
246 42 1	AMAG	INT-EXP-9TB	Intrinsa 9TB Expansion Unit - Hot Swap,	Intrinsa 9TB Expansion Unit - Hot Swap, 2U, 12x750GB SATAII (NOTE: Up to 3 Expansion Units Per System).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$13,450.88
246 42 1	AMAG	INT-SBBASE-2TB	Intrinsa 2TB Storage Server - 1U, 4x500G	Intrinsa 2TB Storage Server - 1U, 4x500GB hot-swap SATAII disk drive w/StorStac Manager, RAID 5. (NOTE: Use INT-SBEXP-xTB for expansion).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$5,245.84
246 42 1	AMAG	INT-SBBASE-4TB	Intrinsa 4TB Storage Server - 1U, 4x1TB	Intrinsa 4TB Storage Server - 1U, 4x1TB hot-swap SATAII disk drive w/StorStac Manager, RAID 5. (NOTE: Use INT-SBEXP-xTB for expansion).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$7,218.64
246 42 1	AMAG	INT-SBEXP-12TB	Intrinsa 12TB Expansion Unit - Hot Swap,	Intrinsa 12TB Expansion Unit - Hot Swap, 2U, 12x1TB SATAII for use with SBBASE (NOTE: Up to 3 Expansion Units Per System).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$11,500.50
246 42 1	AMAG	INT-SBEXP-6TB	Intrinsa 6TB Expansion Unit - Hot Swap,	Intrinsa 6TB Expansion Unit - Hot Swap, 2U, 12x500GB SATAII, for use with SBBASE. (NOTE: Up to 3 Expansion Units Per System).** NOTE: HIGH AVAILABILITY STORAGE VERSIONS AVAILABLE - CALL FOR QUOTE	EA	\$7,442.82
246 42 1	AMAG	SOFT-DBL-TK-2	Double-Take Disaster Recovery Software -	Double-Take Disaster Recovery Software - Provides high availability or disaster recovery. Includes two licenses. Compatible with all versions of Symmetry. (NOTE: Requires Server 2000 / 2003).	EA	\$7,890.29
246 42 1	AMAG	SQL-2005	Microsoft SQL 2005 - Includes 5 Client A	Microsoft SQL 2005 - Includes 5 Client Access Licenses	EA	\$3,110.74
246 42 1	AMAG	STOR-2-ADD	Nexan Additional 750GB HDD - (NOTE: For	Nexan Additional 750GB HDD - (NOTE: For use with STORAGE-2).	EA	\$672.54
246 42 1	AMAG	STOR-3-ADD	Nexan Additional 750GB HDD - (NOTE: For	Nexan Additional 750GB HDD - (NOTE: For user with STORAGE-3).	EA	\$672.54
246 42 1	AMAG	STORAGE-2	Nexan SATABoy Rackmount - 3U, 8x750GB, R	Nexan SATABoy Rackmount - 3U, 8x750GB, RAID. Expandable up to 14 disks.	EA	\$15,244.33
246 42 1	AMAG	STORAGE-3	Nexan SATABeast Rackmount- 4U, 14x750GB,	Nexan SATABeast Rackmount- 4U, 14x750GB, RAID. Expandable up to 42 disks.	EA	\$28,695.21

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	AMAG	WEB-SERVER-BDL	Symmetry Web Client Bundled Computer - P	Symmetry Web Client Bundled Computer - Preloaded Symmetry WebClient Software on COMPUTER 5 (see computer section). Symmetry WebClient sold separately. (NOTE: Bundled Computer Form required withPO).	EA	\$3,004.03
246 43	AMAG	302-CON	Symmetry RS232-to-20ma Converter - Inclu	Symmetry RS232-to-20ma Converter - Includes 10' 25/9 pin cable, 9/25 pin adapter.	EA	\$395.46
246 43	AMAG	302-MOD	Symmetry Modem Kit - Includes U.S. Robot	Symmetry Modem Kit - Includes U.S. Robotics Sportster Modem, 10' 25/9 pin cable, 9/25 pin adapter.	EA	\$266.33
246 43	AMAG	AUTH-50-MAG/SMART	microMAX/smartMAX Distributor Disk - Dis	microMAX/smartMAX Distributor Disk - Disk for Encoding a block of 50Customer Codes.	EA	\$392.77
246 43	AMAG	AXIS 212PTZ	AXIS 212 PTZ Network Camera - Pan/tilt/z	AXIS 212 PTZ Network Camera - Pan/tilt/zoom camera / NO moving parts. 3x zoom. 140 degrees pan / 105 degrees tilt. Up to VGA resolution at 30fps. I/O for alarm/event handling. Audio. Includes wall mount kit & power supply.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$729.93
246 43	AMAG	AXIS 213PTZ	AXIS 213 PTZ Network Camera - Pan/tilt/z	AXIS 213 PTZ Network Camera - Pan/tilt/zoom (26x) camera, auto focus lens, IR mode (up to 9.8 ft. NM=870). 704x480 resolution, 30 fps, audio (requires AXIS 213CM). For ceiling mount or desktop use. Power supply included.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$1,684.95
246 43	AMAG	AXIS 214PTZ	AXIS 214 PTZ Network Camera - Pan/tilt/z	AXIS 214 PTZ Network Camera - Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night & auto-focus zoom lens. 4CIF resolution, 30fps, I/O for alarm/event handling. Audio. Includes ceiling mount kit & power supply.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$1,459.87
246 43	AMAG	AXIS 216FD	AXIS 216FD Fixed Dome Indoor Network Cam	AXIS 216FD Fixed Dome Indoor Network Camera - Discreet tamper-resistant casing, varifocal DC-iris lens, VGA 640x480 resolution, 30fps, MPEG-4, I/O, audio, PoE. Includes power supply.	EA	\$707.52
246 43	AMAG	AXIS 216FD-V	AXIS 216FD Vandal-Resistant Fixed Dome I	AXIS 216FD Vandal-Resistant Fixed Dome Indoor Network Camera - Compact indoor casing, varifocal DC-iris lens, VGA 640x480 resolution,30fps, MPEG-4, I/O, audio, PoE. Includes power supply.	EA	\$752.35
246 43	AMAG	AXIS 216MFD	AXIS 216MFD 1.3 Megapixel Fixed Dome Ind	AXIS 216MFD 1.3 Megapixel Fixed Dome Indoor Network Camera - Varifocal DC-iris lens, tamper-resistant casing, MPEG-4, 1280x1024resolution, 12fps full / 30fps 800x600, I/O, two-way audio, PoE. Includes power supply.	EA	\$819.61
246 43	AMAG	AXIS 216MFD-V	AXIS 216MFD Vandal-Resistant 1.3 Megapix	AXIS 216MFD Vandal-Resistant 1.3 Megapixel Fixed Dome IndoorNetwork Camera - Varifocal DC-iris lens, compact casing, MPEG-4,1280x1024 resolution, 12fps full / 30fps 800x600, I/O, audio, PoE. Includes power supply.	EA	\$864.44
246 43	AMAG	AXIS 221	AXIS 221 Day/Night Indoor/Outdoor Networ	AXIS 221 Day/Night Indoor/Outdoor Network Camera - 640x480 resolution @ 45fps, PoE, MPEG-4, high-quality Pentax lens. Includes adjustable stand & power supply.	EA	\$1,122.70
246 43	AMAG	AXIS 223M	AXIS 223M 2.0 Megapixel Indoor/Outdoor N	AXIS 223M 2.0 Megapixel Indoor/Outdoor Network Camera - VarifocalDC-iris megapixel lens. Auto day/night, 1600x1200 resolution, 12fps in16:9, MPEG-4, I/O, audio, PoE, RS-232 & RS-485. Includes power supply.	EA	\$1,404.27
246 43	AMAG	AXIS 225FD	AXIS 225FD Indoor/Outdoor Fixed Dome Net	AXIS 225FD Indoor/Outdoor Fixed Dome Network Camera - Varifocal DC-iris lens, auto day/night, vandal-resistant outdoor IP66 casing, built-in heater / fan, VGA 640x480 resolution, 30fps, I/O, PoE. Includes indoor power supply.	EA	\$1,122.70
246 43	AMAG	AXIS 231D+PTZ	AXIS 231D+ PTZ Network Dome Camera - Aut	AXIS 231D+ PTZ Network Dome Camera - Auto iris/focus zoom lens, 0.3 lux, continuous 360° rotation. >0° to -90° tilt range. 4CIF resolution, 30fps, I/O for alarm/event handling. Includes hard / drop ceiling mount kit, power supply.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$2,247.19
246 43	AMAG	AXIS 232D+PTZ	AXIS 232D+ PTZ Network Dome Camera - Aut	AXIS 232D+ PTZ Network Dome Camera - Auto iris/focus zoom lens, 0.3 lux color, auto day/night, continuous 360° rotation, >0° to -90° tilt range.4CIF resolution, 30fps, I/O. Includes hard/drop ceiling mount kit, power supply.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$2,247.19
246 43	AMAG	AXIS 233D	AXIS 232D+ PTZ Network Dome Camera - Aut	AXIS 232D+ PTZ Network Dome Camera - Auto iris/focus zoom lens, 0.3 lux color, auto day/night, continuous 360° rotation, 180° tilt range, 4CIF resolution, 30fps, I/O. Includes hard/drop ceiling mount kit & power supply.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$2,808.54
246 43	AMAG	AXIS 241S	AXIS 241S Video Server - One port high f	AXIS 241S Video Server - One port high frame rate Motion JPEG /MPEG-4 video server.* NOTE: Additional AXIS products available. Call forQuote.	EA	\$461.81
246 43	AMAG	AXIS 243Q Blade	AXIS 243Q Video Blade Server - 4 channel	AXIS 243Q Video Blade Server - 4 channel 30fps, MPEG-4. For AXIS 2911U Video Server Rack.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$1,122.70
246 43	AMAG	AXIS 243SA	AXIS 243SA Video Server - One channel 30	AXIS 243SA Video Server - One channel 30fps MPEG-4.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$785.53

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 43	AMAG	AXIS 291	AXIS 291 1U Video Server Rack - 1U 19" r	AXIS 291 1U Video Server Rack - 1U 19" rack unit, 3 exp. slots. Universal power supply. 10/100/1000Base-T NIC.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$448.36
246 43	AMAG	AXIS 295 Joystick	AXIS 295 USB Joystick - For control AXIS	AXIS 295 USB Joystick - For control AXIS PTZ & Dome cameras.* NOTE: Additional AXIS products available. Call for Quote.	EA	\$392.77
246 43	AMAG	DES-ENCODE-813-KIT-1	DESFire 813 Encoding Kit - First Encoder	DESFire 813 Encoding Kit - First Encoder - Contains one each of the following: AUTH-1-SMART - Contains file with Customer Specified Facility Code to be Encoded. Customer must advise facility code required (for existing systems) or request a new code (for new systems). AUTH-DES-099 - Turns on the ability to Encode DESFire, 813-KP232BE-AG-001- Fingerprint Enrollment and DESfire Encoder Kit, ENCODER-SMART - Turns on the Encoding Option.	EA	\$6,277.08
246 43	AMAG	DES-ENCODE-KIT-1	DESFire Encoding Kit - First Encoder - C	DESFire Encoding Kit - First Encoder - Contains one each of the following: AUTH-1-MAG/SMART - Contains file with Customer Specified Facility Code to be Encoded. Customer must advise facility code required (for existing system or installation) or request a new code (for new systems or installations). AUTH-DES-099 - Turns on the ability to Encode DESFire, OMNIKEY-CM5321 - DESFire Card Encoder, ENCODER- SMART - Turns on the Encoding Option	EA	\$4,842.32
246 43	AMAG	ENCODER-SMART	Symmetry Smartcard Encoding Module - SOF	Symmetry Smartcard Encoding Module - SOFTWARE ONLY. Requires a SMARTCONTACT-R/W-KIT or SMARTMIFARE-R/W-KIT or PAGODA. Requires HSE System Code Authorization to encode HSE data.	EA	\$2,998.65
246 43	AMAG	G4T-ENVS-400-I	Symmetry 4-Port ENVS - MPEG-4 Video Serv	Symmetry 4-Port ENVS - MPEG-4 Video Server, 4 camera ports, NO HARD DRIVE, mounting bracket.	EA	\$1,076.07
246 43	AMAG	G4T-ENVS-400-IS	Symmetry 4-Port ENVS-IS - MPEG-4 Video S	Symmetry 4-Port ENVS-IS - MPEG-4 Video Server, 4 camera ports, NO HARD DRIVE, 4 port switch, mounting bracket.	EA	\$1,120.91
246 43	AMAG	G4T-ENVS-800-R	Symmetry 8-Port Rackmount ENVS - MPEG-4	Symmetry 8-Port Rackmount ENVS - MPEG-4 Video Server, 8 camera ports, NO HARD DRIVE, 1U enclosure with brackets and integrated power supply. (NOTE: Requires two IP connections)	EA	\$2,241.81
246 43	AMAG	IBS-CK-B	VideoLabs FlexCam ID Camera - (or equiva	VideoLabs FlexCam ID Camera - (or equivalent) Desktop color CCD Camera.	EA	\$939.77
246 43	AMAG	ID-SCAN-1000	ID SCAN 1000 - A 5"x3" flatbed scanner p	ID SCAN 1000 - A 5"x3" flatbed scanner providing all functionality of ID- SCAN & supports passports. USB powered.	EA	\$1,243.76
246 43	AMAG	INT-GB-24	24 Port Gigabit Ethernet Switch	24 Port Gigabit Ethernet Switch	EA	\$605.29
246 43	AMAG	MAG-ENCODER-KIT	Magstripe Encoder Kit - Includes 2 Track	Magstripe Encoder Kit - Includes 2 Track HiCo Encoder with Power Supply and Lead, Magstripe Encoder Software Module Customer code authorization. AUTH-1-MAG/SMART must be ordered separately	EA	\$2,829.17
246 43	AMAG	OMNIKEY-CM5321	DESFire Omnikey USB Encoder - Contactles	DESFire Omnikey USB Encoder - Contactless Smartcards. Requires AUTH-1-MAG/SMART or AUTH-DES-001.	EA	\$118.37
246 43	AMAG	PC-VID-CAM-PT-BDL	Logitech QuickCam Orbit with Backdrop -	Logitech QuickCam Orbit with Backdrop - QuickCam Orbit MP 1.3MP USB Web Camera with Blue Backdrop.	EA	\$224.18
246 43	AMAG	SIG-PAD-TOPAZ	Topaz RS232 Signature Pad - For Symmetry	Topaz RS232 Signature Pad - For Symmetry V6.0.2 SP4 or higher. (T- S751-B-R RS232)	EA	\$467.19
246 43	AMAG	SIG-PAD-USB	Topaz USB Signature Pad - For Symmetry V	Topaz USB Signature Pad - For Symmetry V6.0.2 SP4 or higher (T-S261- HSB-R USB).	EA	\$478.85
246 43	AMAG	SMARTMAX-ENCODER-KIT	Mifare Smartcard Encoder Kit - Includes	Mifare Smartcard Encoder Kit - Includes GEM EasyLink 680-SP Encoder with Power Supply and Lead, Smartmax Encoder Software Module and a single Customer code authorization	EA	\$2,829.17
246 43	AMAG	USB-VIDEO-2800	External USB Video Capture Device - For	External USB Video Capture Device - For IBS-CK or other S-Video/NTSC cameras.	EA	\$179.35
246 43	AMAG	VID-CAM-004-V6.1	Symmetry 4 Camera Add-on Licenses V6.1 -	Symmetry 4 Camera Add-on Licenses V6.1 - For DVR / ENVS / IP Cameras or web pages.	EA	\$532.65

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 43	AMAG	VID-CAM-008-V6.1	Symmetry 8 Camera Add-on Licenses V6.1 -	Symmetry 8 Camera Add-on Licenses V6.1 - For DVR / ENVS / IP Cameras or web pages.	EA	\$1,065.31
246 43	AMAG	VID-CAM-016-V6.1	Symmetry 16 Camera Add-on Licenses V6.1	Symmetry 16 Camera Add-on Licenses V6.1 - For DVR / ENVS / IP Cameras or web pages.	EA	\$2,130.62
246 43	AMAG	VID-CAM-032-V6.1	Symmetry 32 Camera Add-on Licenses V6.1	Symmetry 32 Camera Add-on Licenses V6.1 - For DVR / ENVS / IP Cameras or web pages.	EA	\$4,262.14
246 43	AMAG	VID-CAM-064-V6.1	Symmetry 64 Camera Add-on Licenses V6.1	Symmetry 64 Camera Add-on Licenses V6.1 - For DVR / ENVS / IP Cameras or web pages.	EA	\$8,524.27
246 43	AMAG	VID-CAM-128-V6.1	Symmetry 128 Camera Add-on Licenses V6.1	Symmetry 128 Camera Add-on Licenses V6.1 - For DVR / ENVS / IP Cameras or web pages.	EA	\$17,048.54
246 43	AMAG	VID-MOD-V6.1	Symmetry Video Management Module V6.1 -	Symmetry Video Management Module V6.1 - Base video software provides virtual matrix, playback, IP camera storage, DVR integration. (NOTE: Requires Symmetry Business, Professional or Enterprise).	EA	\$322.82
246 43	AMAG	VID-NVR-V6.1	Symmetry Network Video Recording Softwar	Symmetry Network Video Recording Software V6.1 - Provides additionalstorage management of video from ENVS/IP cameras. Maximum 64 cameras per storage server. High frame rates reduce maximum to 40 cameras.	EA	\$443.88
246 35 1	AMAG	SUPT-ENT-6	Symmetry Enterprise 128 CA Reader Site S	Symmetry Enterprise 128 CA Reader Site Support Agreement - 1 Year. BONUS: Buy 3 / Get 5 Years.	EA	\$2,690.18
246 35 1	AMAG	SUPT-ENT-7	Symmetry Enterprise 280 CA Reader Site S	Symmetry Enterprise 280 CA Reader Site Support Agreement - 1 Year. BONUS: Buy 3 / Get 5 Years.	EA	\$3,586.90
246 35 1	AMAG	SUPT-ENT-8	Symmetry Enterprise 512 CA Reader Site S	Symmetry Enterprise 512 CA Reader Site Support Agreement - 1 Year. BONUS: Buy 3 / Get 5 Years.	EA	\$4,931.99
246 35 1	RS2 Technologies	2GL-2G	2g Lite Board To 2g UpgradeNOTE: Require	2g Lite Board To 2g UpgradeNOTE: Required if the board is to support more than 8 card readers and/or more than 5,000 cards.	EA	\$239.76
246 35 1	RS2 Technologies	30001-OW-T1	MR-10 5VDC, Track 1, Beige, weatherized	MR-10 5VDC, Track 1, Beige, weatherized, expanded card formats, twoLEDs - Warning 5 VDC ONLY	EA	\$235.65
246 35 1	RS2 Technologies	30001-OW-T1B	MR-10 5VDC, Track 1, Black, weatherized	MR-10 5VDC, Track 1, Black, weatherized, expanded card formats, twoLEDs - Warning 5 VDC ONLY	EA	\$235.65
246 35 1	RS2 Technologies	30002-OW-T2	MR-10 5VDC, Track 2, Beige, weatherized	MR-10 5VDC, Track 2, Beige, weatherized, expanded card formats, twoLEDs - Warning 5 VDC ONLY	EA	\$235.65
246 35 1	RS2 Technologies	30002-OW-T2B	MR-10 5VDC, Track 2, Black, weatherized	MR-10 5VDC, Track 2, Black, weatherized, expanded card formats, twoLEDs - Warning 5 VDC ONLY	EA	\$235.65
246 35 1	RS2 Technologies	30011-OW-T1	MR-10 12VDC, Track 1, Beige, weatherize	MR-10 12VDC, Track 1, Beige, weatherized, expanded card formats, twoLEDs	EA	\$235.65
246 35 1	RS2 Technologies	30011-OW-T1B	MR-10 12VDC, Track 1, Black, weatherize	MR-10 12VDC, Track 1, Black, weatherized, expanded card formats, twoLEDs	EA	\$235.65
246 35 1	RS2 Technologies	30012-OW-T2	MR-10 12VDC, Track 2, Beige, weatherize	MR-10 12VDC, Track 2, Beige, weatherized, expanded card formats, twoLEDs	EA	\$235.65
246 35 1	RS2 Technologies	30012-OW-T2B	MR-10 12VDC, Track 2, Black, weatherize	MR-10 12VDC, Track 2, Black, weatherized, expanded card formats, twoLEDs	EA	\$235.65
246 35 1	RS2 Technologies	31001-OW-T1	MR-20 5VDC, Track 1, Beige, weatherized	MR-20 5VDC, Track 1, Beige, weatherized with keypad, expanded card formats, two LEDs - Warning 5 VDC ONLY	EA	\$341.15
246 35 1	RS2 Technologies	31001-OW-T1B	MR-20 5VDC, Track 1, Black, weatherized	MR-20 5VDC, Track 1, Black, weatherized with keypad, expanded card formats, two LEDs - Warning 5 VDC ONLY	EA	\$341.15

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	31002-OW-T2	MR-20 5VDC, Track 2, Beige, weatherized	MR-20 5VDC, Track 2, Beige, weatherized with keypad, expanded card formats, two LEDs - Warning 5 VDC ONLY	EA	\$341.15
246 35 1	RS2 Technologies	31002-OW-T2B	MR-20 5VDC, Track 2, Black, weatherized	MR-20 5VDC, Track 2, Black, weatherized with keypad, expanded card formats, two LEDs - Warning 5 VDC ONLY	EA	\$341.15
246 35 1	RS2 Technologies	31011-OW-T1	MR-20 12VDC, Track 1, Beige, weatherize	MR-20 12VDC, Track 1, Beige, weatherized with keypad, expanded card formats, two LEDs	EA	\$341.15
246 35 1	RS2 Technologies	31011-OW-T1B	MR-20 12VDC, Track 1, Black, weatherize	MR-20 12VDC, Track 1, Black, weatherized with keypad, expanded card formats, two LEDs	EA	\$341.15
246 35 1	RS2 Technologies	31012-OW-T2	MR-20 12VDC, Track 2, Beige, weatherize	MR-20 12VDC, Track 2, Beige, weatherized with keypad, expanded card formats, two LEDs	EA	\$341.15
246 35 1	RS2 Technologies	31012-OW-T2B	MR-20 12VDC, Track 2, Black, weatherize	MR-20 12VDC, Track 2, Black, weatherized with keypad, expanded card formats, two LEDs	EA	\$341.15
246 35 1	RS2 Technologies	36001-OW-T1	MR-5 5VDC, Track 1, Beige, weatherized,	MR-5 5VDC, Track 1, Beige, weatherized, standard card formats, bi-colorLED - Warning 5 VDC ONLY	EA	\$180.85
246 35 1	RS2 Technologies	36001-OW-T1B	MR-5 5VDC, Track 1, Black, weatherized,	MR-5 5VDC, Track 1, Black, weatherized, standard card formats, bi-colorLED - Warning 5 VDC ONLY	EA	\$180.85
246 35 1	RS2 Technologies	36002-OW-T2	MR-5 5VDC, Track 2, Beige, weatherized,	MR-5 5VDC, Track 2, Beige, weatherized, standard card formats, bi-colorLED - Warning 5 VDC ONLY	EA	\$180.85
246 35 1	RS2 Technologies	36002-OW-T2B	MR-5 5VDC, Track 2, Black, weatherized,	MR-5 5VDC, Track 2, Black, weatherized, standard card formats, bi-colorLED - Warning 5 VDC ONLY	EA	\$180.85
246 35 1	RS2 Technologies	36011-OW-T1	MR-5 12VDC, Track 1, Beige, weatherized	MR-5 12VDC, Track 1, Beige, weatherized, standard card formats, bi-color LED	EA	\$180.85
246 35 1	RS2 Technologies	36011-OW-T1B	MR-5 12VDC, Track 1, Black, weatherized	MR-5 12VDC, Track 1, Black, weatherized, standard card formats, bi-color LED	EA	\$180.85
246 35 1	RS2 Technologies	36012-OW-T2	MR-5 12VDC, Track 2, Beige, weatherized	MR-5 12VDC, Track 2, Beige, weatherized, standard card formats, bi-color LED	EA	\$180.85
246 35 1	RS2 Technologies	36012-OW-T2B	MR-5 12VDC, Track 2, Black, weatherized	MR-5 12VDC, Track 2, Black, weatherized, standard card formats, bi-color LED	EA	\$180.85
246 35 1	RS2 Technologies	593PI-12	120 VAC to 12 VDC, Used to power PIM400-	120 VAC to 12 VDC, Used to power PIM400-TD2, PIM400-485 andWRI400 Note: Requires EP-2500 System Control Panel (SCP)	EA	\$59.67
246 35 1	RS2 Technologies	A-RC	Reader connector cable, replacement (lot	Reader connector cable, replacement (lot of 5)	EA	\$24.66
246 35 1	RS2 Technologies	A-SK	Security screw key for 'A-SS' (lot of 5)	Security screw key for 'A-SS' (lot of 5)	EA	\$21.92
246 35 1	RS2 Technologies	A-SS	Security Screw (lot of 10)	Security Screw (lot of 10)	EA	\$8.22
246 35 1	RS2 Technologies	DEMO-DONGLE	RS2 Dealer Demo DongleA USB dealer demo	RS2 Dealer Demo DongleA USB dealer demo software key (dongle) configured for limited versions of Access It!® Lite and Access It!® Universal with CDs.NOTE: Ships with a USB licensing key (USB Dongle).	EA	\$31.74
246 35 1	RS2 Technologies	DEMO-USB	RS2 Demo CaseIncludes: an EP-1501 Ethernet	RS2 Demo CaseIncludes: an EP-1501 Ethernet combination system controller, MR-52Dual Reader Interface and an MR-51E Single Portal Two Reader Interface powered by a self contained plug-in transformer. One MR-DT display terminal, two proximity card readers and two key fobs with toggle switches and push buttons for simulating a card transaction, exit request and door force/hold. A USB dealer demo software key (dongle) configured forlimited versions of Access It!® Lite.net and Access It!® Universal withCDs.NOTE: Ships with a USB licensing key (USB Dongle).	EA	\$761.71

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	DS-ECSL100	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$8,146.33
246 35 1	RS2 Technologies	DS-ECSL1000	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$12,497.21
246 35 1	RS2 Technologies	DS-ECSL25	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$6,942.89
246 35 1	RS2 Technologies	DS-ECSL255	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$9,164.62
246 35 1	RS2 Technologies	DS-ECSL500	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$10,645.77
246 35 1	RS2 Technologies	DS-ECSL8	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$5,832.03
246 35 1	RS2 Technologies	DS-ERSCL100	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with Clustering Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional ServerCluster.	EA	\$11,016.06
246 35 1	RS2 Technologies	DS-ERSCL1000	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with Clustering Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$16,662.94
246 35 1	RS2 Technologies	DS-ERSCL25	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with Clustering Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional ServerCluster.	EA	\$9,442.34
246 35 1	RS2 Technologies	DS-ERSCL255	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with Clustering Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional ServerCluster.	EA	\$12,497.21
246 35 1	RS2 Technologies	DS-ERSCL500	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with Clustering Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$14,348.65
246 35 1	RS2 Technologies	DS-ERSCL8	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with Clustering Direct Support Agreement Annual Fee including one (1) Version Upgrade Fee, additional VUs at regular VU price.NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional ServerCluster.	EA	\$7,868.61
246 35 1	RS2 Technologies	E-ACTDEP	Access It!® Universal - Enterprise Activ	Access It!® Universal - Enterprise Active/Interactive Data ExchangePackagesData Exchange Packages provide for a way to modify the Access It! Universal database via an external data source on a regular scheduled basis. The six types of external data sources currently supported are: Microsoft Access, Microsoft Excel, Text File, SQL Server, ODBC, and Microsoft Active DirectoryNOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$8,220.39
246 35 1	RS2 Technologies	E-BADGE	Access It!® Universal - Enterprise ID Ba	Access It!® Universal - Enterprise ID Badging LicenseOptional system site license enabling the capturing and printing of IDbadges.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-BIO	Access It!® Universal - Enterprise Biome	Access It!® Universal - Enterprise Biometrics LicenseOptional system site license enabling the use of biometrics readers. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	E-BURG-[MFG]	Access It!® Universal - Enterprise Burgl	Access It!® Universal - Enterprise Burglar Alarm Panel IntegrationLicenseOptional third party burglar alarm panel integration license.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.NOTE: Please list the intrusion detection panel manufacturer's name on all purchase orders.NOTE: The integration currently supports the DMP XR500 and the Bosch7412 and 9412 panels.NOTE: Priced per alarm panel.	EA	\$411.02
246 35 1	RS2 Technologies	E-CCTV	Access It!® Universal - Enterprise CCTV	Access It!® Universal - Enterprise CCTV Interface License Optional CCTV interface license for each client license. Supports unlimited CCTV switchers.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-CCTV-25P	Access It!® Universal - Enterprise CCTV	Access It!® Universal - Enterprise CCTV Interface License Twenty-five(25) PackOptional CCTV interface license for each client license. Supports unlimited CCTV switchers.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$27,401.29
246 35 1	RS2 Technologies	E-CCTV-5P	Access It!® Universal - Enterprise CCTV	Access It!® Universal - Enterprise CCTV Interface License Five (5) Pack Optional CCTV interface license for each client license. Supports unlimited CCTV switchers.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$5,480.26
246 35 1	RS2 Technologies	ECK400	Wireless Elevator Control KitIncludes: 1	Wireless Elevator Control KitIncludes: 1 - ANT400-REM-I/O, 1 - WRI400, 1 - PIM400-TD2 & 1 - 593PI-12Note: Requires Traditional Reader Port (EP-1501, EP-1502, MR-50, MR-51E or MR-52)	EA	\$1,428.21
246 35 1	RS2 Technologies	E-CLIENT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Client License Optional single add on client license for Access It! Universal. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-CLIENT-25P	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Client License Twenty-five (25)PackOptional single add on client license for Access It! Universal. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$27,401.29
246 35 1	RS2 Technologies	E-CLIENT-5P	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Client License Five (5) PackOptional single add on client license for Access It! Universal. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$5,480.26
246 35 1	RS2 Technologies	E-COMPANIES	Access It!® Universal - Enterprise Compa	Access It!® Universal - Enterprise Companies License Optional system site license enabling the use of companies. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$2,740.13
246 35 1	RS2 Technologies	E-DVR-[MFG]	Access It!® Universal - Enterprise Digit	Access It!® Universal - Enterprise Digital/Network Video RecorderInterface LicenseOptional DVR interface license for each client license. Supports unlimited digital video recorders.NOTE: Please list the DVR manufacturer's name on all purchase orders. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-DVR-[MFG]-25P	Access It!® Universal - Enterprise Digit	Access It!® Universal - Enterprise Digital/Network Video RecorderInterface License Twenty-five (25) PackOptional DVR interface license for each client license. Supports unlimited digital video recorders.NOTE: Please list the DVR manufacturer's name on all purchase orders. NOTE: Requires one of the base Access It! Universal - Enterprisesoftware configurations.	EA	\$27,401.29
246 35 1	RS2 Technologies	E-DVR-[MFG]-5P	Access It!® Universal - Enterprise Digit	Access It!® Universal - Enterprise Digital/Network Video RecorderInterface License Five (5) PackOptional DVR interface license for each client license. Supports unlimited digital video recorders.NOTE: Please list the DVR manufacturer's name on all purchase orders. NOTE: Requires one of the base Access It! Universal - Enterprisesoftware configurations.	EA	\$5,480.26
246 35 1	RS2 Technologies	E-ENCODE	Access It!® Universal - Enterprise Encod	Access It!® Universal - Enterprise Encoding LicenseOptional system site license enabling the encoding of smart cards. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-IMPEXP	Access It!® Universal - Enterprise Impor	Access It!® Universal - Enterprise Import/Export/Batch Update Utilities Optional system site license enabling the importing, exporting and updating of cardholders and cards.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-INTCM	Access It!® Universal - Enterprise Inter	Access It!® Universal - Enterprise Intercom Interface License Optional intercom interface license for each client license. Supports unlimited intercoms.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-INTCM-25P	Access It!® Universal - Enterprise Inter	Access It!® Universal - Enterprise Intercom Interface License Twenty-five(25) PackOptional intercom interface license for each client license. Supports unlimited intercoms.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$27,401.29
246 35 1	RS2 Technologies	E-INTCM-5P	Access It!® Universal - Enterprise Inter	Access It!® Universal - Enterprise Intercom Interface License Five (5) PackOptional intercom interface license for each client license. Supports unlimited intercoms.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$5,480.26
246 35 1	RS2 Technologies	E-IP	Access It!® Universal - Enterprise IP Lo	Access It!® Universal - Enterprise IP Lock Software Interface LicenseOptional system site license enabling the use of IP lock sets. NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	EL-K-12 School Bundle	This is our heavily discounted, special	This is our heavily discounted, special bundle package for K-12 schools only (they can buy as many of these systems as they need). The turnkey system bundle includes:1 copy of SVM software1 copy of Administrator software1 CSS800 license/business card scanner1 DYMO 400 Turbo thermal badge printer	EA	\$1,901.11

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	E-NOTIFY	Access It!® Universal - Enterprise Notif	Access It!® Universal - Enterprise Notification LicenseOptional system site license for e-mail and alpha-numeric paging of alarm and event notifications.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	EP-1501	Intelligent single portal two reader PoE	Intelligent single portal two reader PoE combination controller with10/100Base-T Ethernet connectivity and dual reader ports and 6MB RAM (non-expandable) - two reader ports support separate IN/OUT readers of all types and technologies, including Wiegand, clock and data, magstripe, keypads, LCD and biometrics.Includes: one door contact, one request to exit input, one door strike relay, and one programmable output relayNOTE: Each EP-1501 does NOT add to the total SCP count for Access It! Universal.NOTE: Each EP-1501-PLUS does add to the total SCP count for AccessIt! Universal.NOTE: EP-1501 will not support the MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT access control modules in Universal but the EP-1501- PLUS will support all the SIO's. This is the same physical board it issimply a definition that is set in the Universal software.	EA	\$491.85
246 35 1	RS2 Technologies	EP-1502	Intelligent two portal two reader combin	Intelligent two portal two reader combination system controller with10/100Base-T Ethernet connectivity and dual reader interface module.6MB RAM (non-expandable), 1 RS-232/485 host port, with a secondary RS-232/485 host port for redundancy, 1 two wire RS-485 channel for communication to a maximum of 31 I/O modules, support for up to twomagstripe or Wiegand readers.Includes: two door contacts, two request to exit inputs, two door strike relays, four programmableinputs and two output relaysNOTE: Compatible with the MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT access control modules.	EA	\$943.97
246 35 1	RS2 Technologies	EP-2500	System control processor with 10/100Base	System control processor with 10/100Base-T Ethernet connectivity, 12MB RAM (non-expandable),1 primary RS-232/485 host port with a secondary RS-232/485 host port for redundancy, 2 two wireRS-485 channels for communication to a maximum of 32 I/O modules. NOTE: Compatible with the MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT access control modules.	EA	\$1,411.17
246 35 1	RS2 Technologies	E-REPORT	Access It!® Universal - Enterprise Repor	Access It!® Universal - Enterprise Report Designer LicenseOptional system site license enabling end-users to custom design their own reports.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	ERSCSL1000-SOFT	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal ServicesLicense, supports 1000 SCP's and 1000 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$36,305.33
246 35 1	RS2 Technologies	ERSCSL1000-USB	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 1000 SCP's and 1000 sites perregional serverNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$35,620.30
246 35 1	RS2 Technologies	ERSCSL100-SOFT	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 255 SCP's and 255 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$26,714.88
246 35 1	RS2 Technologies	ERSCSL100-USB	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 100 SCP's and 100 sites perregional serverNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$26,029.85
246 35 1	RS2 Technologies	ERSCSL255-SOFT	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal ServicesLicense, supports 255 SCP's and 255 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$29,455.01
246 35 1	RS2 Technologies	ERSCSL255-USB	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 255 SCP's and 255 sites perregional serverNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$28,769.98

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	ERSCSL25-SOFT	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 25 SCP's and 25 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$23,974.76
246 35 1	RS2 Technologies	ERSCSL25-USB	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 25 SCP's and 25 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$23,289.72
246 35 1	RS2 Technologies	ERSCSL500-SOFT	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 500 SCP's and 500 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$32,195.14
246 35 1	RS2 Technologies	ERSCSL500-USB	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 500 SCP's and 500 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$31,510.11
246 35 1	RS2 Technologies	ERSCSL8-USB	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 8 SCP's and 8 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$19,179.53
246 35 1	RS2 Technologies	E-T&A	Access It!® Universal - Enterprise Time	Access It!® Universal - Enterprise Time and Attendance License Optional system site license enabling the use of readers for time and attendance.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-TERM	Access It!® Universal - Enterprise Termi	Access It!® Universal - Enterprise Terminal Services License Optional system site license enabling the use of terminal services. NOTE: Requires one of the base Access It! Universal - Enterprisesoftware configurations. NOTE: Requires an E-CLIENT license for each concurrent session on the server.	EA	\$685.03
246 35 1	RS2 Technologies	E-WBF	Access It!® Universal - Enterprise Barco	Access It!® Universal - Enterprise Barcode FontsOptional barcode fonts required to print barcodes on badges.NOTE: Optional system site license enabling the use of barcode fonts.	EA	\$1,370.06
246 35 1	RS2 Technologies	E-WEB	Access It!® Universal - Enterprise WEB C	Access It!® Universal - Enterprise WEB Client LicenseOptional system site license enabling the use of WEB Clients as well as traditional clients.NOTE: Requires one of the base Access It! Universal - Enterprise software configurations. NOTE: Requires an E-CLIENT license for each concurrent session on the server.	EA	\$685.03
246 35 1	RS2 Technologies	GCK400	Wireless Gate Control KitIncludes: 1 - A	Wireless Gate Control KitIncludes: 1 - ANT400-REM-I/O, 1 - WRI400, 1 - PIM400-TD2, 1 - 593PI-12, 1 & MGB-MCA5Note: Requires Traditional Reader Port (EP-1501, EP-1502, MR-50, MR-51E or MR-52)	EA	\$1,491.69
246 35 1	RS2 Technologies	HHD-KIT	Handheld Device with Schlage Utility Sof	Handheld Device with Schlage Utility Software (SUS) Installed and HH-USB cable Touch Screen operation, Initialize Lock and Accessories with SUS and Configure and Test Devices Note: Requires EP-2500 System Control Panel(SCP)	EA	\$590.33
246 35 1	RS2 Technologies	IBHFS0650-02AO	LES USB Scanner - Auto On - Blinking Lig	LES USB Scanner - Auto On - Blinking Lights	EA	\$112.35
246 35 1	RS2 Technologies	IBHPA550R-01A	TRU 550 OSDP	TRU 550 OSDP	EA	\$812.45
246 35 1	RS2 Technologies	IBHPA550W-01A	TRU 550 Weigand	TRU 550 Weigand	EA	\$812.45
246 35 1	RS2 Technologies	IBHPA650RM-01A	TRU 650 with OSDP/Mifare	TRU 650 with OSDP/Mifare	EA	\$1,059.06
246 35 1	RS2 Technologies	IBHPA650RP-01A	TRU 650 with OSDP/Prox	TRU 650 with OSDP/Prox	EA	\$1,059.06

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	IBHPA650WM-01A	TRU 650 with Weigand/Mifare	TRU 650 with Weigand/Mifare	EA	\$1,059.06
246 35 1	RS2 Technologies	IBHPA650WP-01A	TRU 650 with Weigand/Prox	TRU 650 with Weigand/Prox	EA	\$1,059.06
246 35 1	RS2 Technologies	IBHPA750RI-01A	TRU 750 with OSDP!/Class	TRU 750 with OSDP!/Class	EA	\$1,307.04
246 35 1	RS2 Technologies	IBHPA750WI-01A	TRU 750 with Weigand!/Class	TRU 750 with Weigand!/Class	EA	\$1,307.04
246 35 1	RS2 Technologies	IBHPB7100-01	TRU Power & Door Control	TRU Power & Door Control	EA	\$387.73
246 35 1	RS2 Technologies	IBSPA7650-CC	TRU Card Configuration Kit	TRU Card Configuration Kit	EA	\$180.85
246 35 1	RS2 Technologies	KP-6840-C8	Sentinel-Prox™ Switch Plate Reader w/Int	Sentinel-Prox™ Switch Plate Reader w/Integrated Keypad - Gray with a6-8 inch read rangeNOTE: This reader requires the Access It!® Reader Type Keypad Mode to be set asMotorola/Indala format.	EA	\$197.29
246 35 1	RS2 Technologies	M5-16DO	16 Digital Output Control Module	16 Digital Output Control Module	EA	\$420.15
246 35 1	RS2 Technologies	M5-16DOR	16 Relay Output Controller Module (16 so	16 Relay Output Controller Module (16 solid state relays)	EA	\$461.46
246 35 1	RS2 Technologies	M5-20IN	20 Zone Input Monitor Module	20 Zone Input Monitor Module	EA	\$488.66
246 35 1	RS2 Technologies	M5-2K	M2000 bridge product NOTE: Requires a M	M2000 bridge product NOTE: Requires a M5-IC system controller.	EA	\$908.82
246 35 1	RS2 Technologies	M5-2RP	Reader Interface Module (2Rdr, 4 inputs,	Reader Interface Module (2Rdr, 4 inputs, 6 outputs) Supervised ReaderInterface	EA	\$474.56
246 35 1	RS2 Technologies	M5-2SRP	Reader Interface Module with Supervised	Reader Interface Module with Supervised Door Input & Rex (2Rdr, 4 inputs, 6 outputs)	EA	\$474.56
246 35 1	RS2 Technologies	M5-8RP	Module with 8 Supervised Rdr Connections	Module with 8 Supervised Rdr Connections	EA	\$746.60
246 35 1	RS2 Technologies	M5-COM	System Combination Power & RS485 Communi	System Combination Power & RS485 Communication Bridge	EA	\$216.62
246 35 1	RS2 Technologies	M5-IC	Intelligent System Controller, 32 MB RAM	Intelligent System Controller, 32 MB RAM with Ethernet, Dual RS485ports	EA	\$882.62
246 35 1	RS2 Technologies	MINI-SCP	System control processor, 512K RAM (non-	System control processor, 512K RAM (non-expandable), 1 RS-232/485 host port, 2 two wire RS-485 channels for communication to a maximum of 32 I/O modules.NOTE: Compatible with the MR-50, MR-52, MR-16IN and MR-16OUT access control modules. NOTE: The MINI-SCP has ONLY 512K of RAM and should no longer be used as a System Control Panel (SCP)!The EP Series of SCP's should be used.WARNING: This is a Discontinued Product and availability IS Limited!!!	EA	\$513.77
246 35 1	RS2 Technologies	MINI-SCPE	System control processor with 10Base-T E	System control processor with 10Base-T Ethernet connectivity, 512K RAM (non-expandable),1 RS-232/485 host port, 2 two wire RS-485 channels for communication to a maximum of32 I/O modules.NOTE: Compatible with the MR-50, MR-52, MR-16IN and MR-16OUT access control modules. NOTE: The MINI-SCPE has ONLY 512K of RAM and should no longer be used as a System Control Panel (SCP)! The EP Series of SCP's should be used.WARNING: This is a Discontinued Product and availability IS Limited!!!	EA	\$719.28
246 35 1	RS2 Technologies	MM-6800	Sentinel-Prox™ Mullion Mount Reader - Gr	Sentinel-Prox™ Mullion Mount Reader - Gray with a 6-8 inch read range, metal compensated formaximum read range when mounted on a metal mullion	EA	\$123.31

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	MR-16IN	Input monitor module - 16 normally open	Input monitor module - 16 normally open inputs for monitoring vital alarm points or for providing elevator floor selection control. Includes: 2 programmable output relays and (32) 1K ohm resistors for supervisory wiring NOTE: Requires an EP-1501-PLUS, EP-1502 or EP-2500 system controllers.	EA	\$589.13
246 35 1	RS2 Technologies	MR-16OUT	Output control module - 16 programmable	Output control module - 16 programmable output relays with the option of being configured as fail-safe or fail-secure. These relays support "On", "Off" or "Pulse" modes for a variety of applications such as elevator control or any device requiring dry contacts. NOTE: Requires an EP-1501-PLUS, EP-1502 or EP-2500 system controllers.	EA	\$589.13
246 35 1	RS2 Technologies	MR-1824	Sentinel-Prox™ Medium Range Reader - Gra	Sentinel-Prox™ Medium Range Reader - Gray with a 10-24 inch read range	EA	\$221.95
246 35 1	RS2 Technologies	MR-1824MC	Sentinel-Prox™ Medium Range Reader - Gra	Sentinel-Prox™ Medium Range Reader - Gray with a 10-24 inch read range, metal compensated for maximum read range when mounted on metal surfaces	EA	\$308.26
246 35 1	RS2 Technologies	MR-50	Single Portal One Reader interface modul	Single Portal One Reader interface module - support for up to one magstripe or Wiegand reader Includes: one door contact, one request to exit input, one door strike relay and one programmable output relay NOTE: Requires an EP-1501-PLUS, EP-1502 or EP-2500 system controllers. NOTE: Requires a 4AP adapter plate to mount up to four MR-50 boards within a NCL enclosure.	EA	\$263.05
246 35 1	RS2 Technologies	MR-51E	Single Portal Two Reader PoE ethernet in	Single Portal Two Reader PoE ethernet interface module with dual reader ports - two reader ports support separate IN/OUT readers of all types and technologies, including Wiegand, clock and data, magstripe, keypads, LCD and biometrics. Auto-addressable and directly managed by EP series system controllers. Includes: one door contact, one request to exit input, one door strike relay, two programmable inputs and one programmable output relay NOTE: Requires an EP-1501-PLUS, EP-1502 or EP-2500 system controllers. NOTE: The MR-51E is recommended (but no longer required) to be connected to the same Switch (network device) as the EP Controller	EA	\$408.28
246 35 1	RS2 Technologies	MR-52	Two Portal Two Reader interface module -	Two Portal Two Reader interface module - support for up to two magstripe or Wiegand readers Includes: two door contacts, two request to exit inputs, two door strike relays, four programmable inputs and four output relays NOTE: Requires an EP-1501-PLUS, EP-1502 or EP-2500 system controllers.	EA	\$531.58
246 35 1	RS2 Technologies	MR-DT	Keypad with Display Terminal 16 position	Keypad with Display Terminal 16 position keypad with an integrated 2 line by 16 character back-lit LCD display and a reader port.	EA	\$376.77
246 35 1	RS2 Technologies	MT11	aptiQ™ Multi-Technology Mullion Reader -	aptiQ™ Multi-Technology Mullion Reader - 6-16VDC, Black w/pigtail	EA	\$184.96
246 35 1	RS2 Technologies	MT15	aptiQ™ Multi-Technology Single-Gang Read	aptiQ™ Multi-Technology Single-Gang Reader - 6-16VDC, Black w/pigtail	EA	\$184.96
246 35 1	RS2 Technologies	MUX-8	Multiplexer module - converts one RS-485	Multiplexer module - converts one RS-485 two wire channel into eight separate RS-485 two wire channels. This is useful in star topologies where the reader interface may be located above the door and not centrally. The MUX-8 rejuvenates the signal making runs longer than 4,000' possible.	EA	\$431.57
246 35 1	RS2 Technologies	NS16IMSC	Conversion chip for ProWatch control pan	Conversion chip for ProWatch control panel - version for MR-16IN Note: This is a per Chip cost to a maximum of 10 Chips! This cost drops to \$25 per Chip over a quantity of 10 Chips - You must specify the total # of Panels when Ordering!	EA	\$137.01
246 35 1	RS2 Technologies	NS16IMSC-11+	Conversion chip for ProWatch control pan	Conversion chip for ProWatch control panel - version for MR-16IN Note: This is a per Chip cost to a maximum of 10 Chips! This cost drops to \$25 per Chip over a quantity of 10 Chips - You must specify the total # of Panels when Ordering!	EA	\$34.25
246 35 1	RS2 Technologies	NS16OMSC	Conversion chip for ProWatch control pan	Conversion chip for ProWatch control panel - version for MR-16OUT Note: This is a per Chip cost to a maximum of 10 Chips! This cost drops to \$25 per Chip over a quantity of 10 Chips - You must specify the total # of Panels when Ordering!	EA	\$137.01
246 35 1	RS2 Technologies	NS16OMSC-11+	Conversion chip for ProWatch control pan	Conversion chip for ProWatch control panel - version for MR-16OUT Note: This is a per Chip cost to a maximum of 10 Chips! This cost drops to \$25 per Chip over a quantity of 10 Chips - You must specify the total # of Panels when Ordering!	EA	\$34.25
246 35 1	RS2 Technologies	NS16RMSC	Conversion chip for ProWatch control pan	Conversion chip for ProWatch control panel - version for MR-52 Note: This is a per Chip cost to a maximum of 10 Chips! This cost drops to \$25 per Chip over a quantity of 10 Chips - You must specify the total # of Panels when Ordering!	EA	\$137.01
246 35 1	RS2 Technologies	NS16RMSC-11+	Conversion chip for ProWatch control pan	Conversion chip for ProWatch control panel - version for MR-52 Note: This is a per Chip cost to a maximum of 10 Chips! This cost drops to \$25 per Chip over a quantity of 10 Chips - You must specify the total # of Panels when Ordering!	EA	\$34.25
246 35 1	RS2 Technologies	OEM-CODE-CHG-[MFG]	Charge for changing OEM Code to RS2 OEM	Charge for changing OEM Code to RS2 OEM Code on Competitors' Mercury Based Panels (\$100.00 Minimum Charge and \$1,000.00 Maximum) Note: This is a per Panel cost to a maximum of 10 Panels - You must specify the total # of Panels when Ordering!	EA	\$137.01

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	OMN3821	Omniquey 3821 smart card reader w/pin pad	Omniquey 3821 smart card reader w/pin pad	EA	\$174.56
246 35 1	RS2 Technologies	OMN-M/S	OMNICheck Mobile Software application th	OMNICheck Mobile Software application that verifies PIV, PIV-I, TWIC,FRAC, CAC, and DESFire credentials over the reader's contact or contactless interface. When configured in one of the four TWIC authentication modes, it functions as a TSA ICE-listed mobile TWIC reader.	EA	\$1,745.59
246 35 1	RS2 Technologies	OMNP-M/S	OMNICheck Plus Mobile Software that adds	OMNICheck Plus Mobile Software that adds network-based functionality and limited PACS integration to OMNICheck Mobile Software.	EA	\$2,618.39
246 35 1	RS2 Technologies	PIM400-TD2	Panel Interface Module Wiegand or Clock	Panel Interface Module Wiegand or Clock & Data Communication Panel Interface Module with outdoor enclosure standard. Supports up to two access points via Wiegand or Clock & Data with virtually any access control panel. Note: Requires Traditional Reader Port (EP-1501, EP-1502, MR-50, MR-51E or MR-52) & 12VDC	EA	\$430.37
246 35 1	RS2 Technologies	PR10	aptiQ™ Mini-Mullion 125kHz Proximity Rea	aptiQ™ Mini-Mullion 125kHz Proximity Reader	EA	\$87.60
246 35 1	RS2 Technologies	PVCAT-D	PIVCheck Desktop Audit Trail Software en	PIVCheck Desktop Audit Trail Software enables PCs running PIVCheck Desktop Edition to upload their validation activity logs to a central database for consolidated validation activity and exception reporting.	EA	\$1,012.44
246 35 1	RS2 Technologies	PVC-CM	PIVCheck Certificate Manager Software re	PIVCheck Certificate Manager Software revalidates imported cardholder certificates at regular intervals, ensuring that the credentials used PACS are backed by a valid set of digital certificates.	EA	\$10,124.43
246 35 1	RS2 Technologies	PVC-D/S	PIVCheck Desktop Software that allows a	PIVCheck Desktop Software that allows a solid, three-step authentication process, extract cardholder data from a FIPS 201-compliant smart card, and on-card biometrics using a fingerprint capture device capable of single fingerprint capture.	EA	\$1,745.59
246 35 1	RS2 Technologies	PVC-M/S	PIVCheck Mobile Software Only	PIVCheck Mobile Software Only	EA	\$1,745.59
246 35 1	RS2 Technologies	PVCP-D/S	PIVCheck Plus Desktop Software, Audit Tr	PIVCheck Plus Desktop Software, Audit Trail Software, with 1 plug-in	EA	\$8,448.66
246 35 1	RS2 Technologies	PVCP-M/S	PIVCheck Plus Mobile Software, Audit Tra	PIVCheck Plus Mobile Software, Audit Trail Software, with 1 plug-in	EA	\$8,448.66
246 35 1	RS2 Technologies	PVC-PSG	PIVCheck Passage allows a PC running PIV	PIVCheck Passage allows a PC running PIVCheck or PIVCheck Plus, or a mobile reader running OMNICheck Plus or OMNICheck Plus with PACS Registration, to send a Wiegand signal to a PACS control panel to open a door or gate after a successful card validation has been made.	EA	\$907.71
246 35 1	RS2 Technologies	PVS-FXRDR	PIVCheck Fixed Reader Service (one per f	PIVCheck Fixed Reader Service (one per fixed bio reader) provides a programmable interface between the PIVCheck PACS Service database and certain fixed, biometric readers, enabling those readers to request information related to a given FASC-N. Based on XML-RPC, the Fixed Reader Service module exposes a simple, yet secure API for cardholder information requests.	EA	\$174.56
246 35 1	RS2 Technologies	RLBD	Dry Contact Board for either PIM400-TD2	Dry Contact Board for either PIM400-TD2 or PIB300-2DThe Schlage AD-Series Relay Board (RLBD) supports the open architecture of AD-Series by building a bridge between Schlage technology and third party access control systems that use mechanical, relay-based communication.	EA	\$60.94
246 35 1	RS2 Technologies	SARGENT-CYL	Cylindrical SARGENT v.S2 Demo UnitS2-10G	Cylindrical SARGENT v.S2 Demo UnitS2-10G77xPKxLx26D Proximity and Keypad Entry Lock - 26D	EA	\$444.33
246 35 1	RS2 Technologies	SARGENT-MOR	Mortise SARGENT v.S2 Demo UnitS2-82278xP	Mortise SARGENT v.S2 Demo UnitS2-82278xPKxLx26D Proximity and Keypad Entry Lock with CylindricalOverride, without Deadbolt(2,000 Users) - 26D	EA	\$507.81
246 35 1	RS2 Technologies	SEADS	Serial Enabled Auto-Dialer SolutionSeria	Serial Enabled Auto-Dialer SolutionSerial enabled auto-dialing solution for processing SIA standard events codes to a central station.Consisting of:(1) 95M3225 - Keltron Dialer(1) VB-1T - 12-24 VDC Power Booster(1) NCL - Enclosure(1) SAP - SEADS Adapter PlateNOTE: Requires an EP-1502 or EP-2500 access control module.	EA	\$1,039.88
246 35 1	RS2 Technologies	SM10	aptiQ™ Mini-Mullion 13.56MHz MIFARE Read	aptiQ™ Mini-Mullion 13.56MHz MIFARE Reader - 6-16VDC, Black w/pigtail	EA	\$94.53
246 35 1	RS2 Technologies	S-NOTIFY	Access It!® Universal - Standard Notific	Access It!® Universal - Standard Notification LicenseOptional system site license for e-mail and alpha-numeric paging of alarm and event notifications.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	SP-6820	Sentinel-Prox™ Switch Plate Reader - Gra	Sentinel-Prox™ Switch Plate Reader - Gray with a 6-8 inch read range	EA	\$123.31
246 35 1	RS2 Technologies	SR-2400	Sentinel-Prox™ Proximity Reader - Gray w	Sentinel-Prox™ Proximity Reader - Gray with a 4-5.5 inch read range, metal compensated formaximum read range when mounted on a metal mullion	EA	\$80.83
246 35 1	RS2 Technologies	SR-2400-HP	Sentinel-Prox™ HID Protocol Compatible P	Sentinel-Prox™ HID Protocol Compatible Proximity Reader - Gray with a4-5.5 inch read range, metal compensated for maximum read range when mounted on a metal mullion	EA	\$80.83
246 35 1	RS2 Technologies	S-TERM	Access It!® Universal - Standard Termina	Access It!® Universal - Standard Terminal Services LicenseOptional system site license enabling the use of terminal services.NOTE: Requires one of the base Access It! Universal - Standard software configurations. NOTE: Requires an S-CLIENT license for each concurrent session on the server.	EA	\$342.52
246 35 1	RS2 Technologies	TK400	Wireless Test KitIncludes: 1 - Wireless	Wireless Test KitIncludes: 1 - Wireless Portable Signal Tester (WPR400-DT), 1 - Panel Interface Module (PIM400-TD2), 1 - Power Supply for PIM400-TD2, 1 - Rechargeable Batteries, 1 - Battery Charger & 1 - Carrying Case	EA	\$840.42
246 35 1	RS2 Technologies	VU-ECSL100	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$7,535.35
246 35 1	RS2 Technologies	VU-ECSL1000	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$13,700.64
246 35 1	RS2 Technologies	VU-ECSL25	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$6,028.28
246 35 1	RS2 Technologies	VU-ECSL255	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$8,905.42
246 35 1	RS2 Technologies	VU-ECSL500	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$10,960.51
246 35 1	RS2 Technologies	VU-ECSL8	Access It!® Universal - Enterprise Clust	Access It!® Universal - Enterprise Cluster Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$4,795.23
246 35 1	RS2 Technologies	VU-ERSCSL100	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringVersion UpgradeNOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$10,960.51
246 35 1	RS2 Technologies	VU-ERSCSL1000	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringVersion UpgradeNOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$18,495.87
246 35 1	RS2 Technologies	VU-ERSCSL25	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringVersion UpgradeNOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$8,905.42
246 35 1	RS2 Technologies	VU-ERSCSL255	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringVersion UpgradeNOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$13,015.61
246 35 1	RS2 Technologies	VU-ERSCSL500	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringVersion UpgradeNOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$15,070.71
246 35 1	RS2 Technologies	VU-ERSCSL8	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server with ClusteringVersion UpgradeNOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the softwarerequired per Regional Server to form a Regional Server Cluster.	EA	\$6,850.32
246 35 1	RS2 Technologies	VU-ERSL100	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server.	EA	\$5,754.27
246 35 1	RS2 Technologies	VU-ERSL1000	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server.	EA	\$10,275.48

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	VU-ERSL25	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server.	EA	\$4,384.21
246 35 1	RS2 Technologies	VU-ERSL255	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server.	EA	\$6,850.32
246 35 1	RS2 Technologies	VU-ERSL500	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server.	EA	\$8,220.39
246 35 1	RS2 Technologies	VU-ERSL8	Access It!® Universal - Enterprise Regio	Access It!® Universal - Enterprise Regional Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).NOTE: Priced per Regional Server.	EA	\$3,288.15
246 35 1	RS2 Technologies	VU-ESSL100	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).	EA	\$3,699.17
246 35 1	RS2 Technologies	VU-ESSL1000	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).	EA	\$7,535.35
246 35 1	RS2 Technologies	VU-ESSL25	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).	EA	\$2,329.11
246 35 1	RS2 Technologies	VU-ESSL255	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).	EA	\$4,795.23
246 35 1	RS2 Technologies	VU-ESSL500	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).	EA	\$6,028.28
246 35 1	RS2 Technologies	VU-ESSL8	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single Server Version Upgrade NOTE: The purchase orders must list the serial number of the qualifying software key (dongle).	EA	\$1,370.06
246 35 1	RS2 Technologies	WP-10	Gray wall plate cover for single gang bo	Gray wall plate cover for single gang box installation	EA	\$9.59
246 35 1	RS2 Technologies	WP-10B	Black wall plate cover for single gang b	Black wall plate cover for single gang box installation	EA	\$9.59
246 35 1	RS2 Technologies	WP-20	Gray wall plate cover for double gang bo	Gray wall plate cover for double gang box installation	EA	\$13.70
246 35 1	RS2 Technologies	WP-20B	Black wall plate cover for double gang b	Black wall plate cover for double gang box installation	EA	\$13.70
246 35 1	RS2 Technologies	WPR400-MT	Wireless Portable ReaderIncludes: 1 - WP	Wireless Portable ReaderIncludes: 1 - WPR400-MT (AD-Series Credential Reader Module - w/MultiTechnology Reader) 1 - WPR400/TK400 Battery ChargerNote: Requires PIM400-TD2, PIM4001501 or PIM400-485	EA	\$740.13
246 35 1	RS2 Technologies	WRI400	Wireless Reader InterfaceNote: Requires	Wireless Reader InterfaceNote: Requires PIM400-TD2, PIM4001501 or PIM400-485	EA	\$506.54
246 35 1	RS2 Technologies	WS10	Weatherized shield, brushed stainless, v	Weatherized shield, brushed stainless, vertical	EA	\$35.62
246 35 1	RS2 Technologies	FS1RE-PLUS-aptiQ	Access It!® First Step Plus Single Porta	Access It!® First Step Plus Single Portal Two Reader 10/100Base-T Ethernet System bundled with aptiQ readers and cards.Includes: (1) FS1RE-PoE-PLUS (as detailed above), (1) PR10 and (25)7410 Cards	EA	\$706.95
246 35 1	RS2 Technologies	FS1RE-PoE-aptiQ	Access It!® First Step PoE Single Portal	Access It!® First Step PoE Single Portal Two Reader 10/100Base-T Ethernet System bundled with aptiQ readers and cards.Includes: (1) FS1RE-PoE (as detailed above), (1) PR10 and (25) 7410Cards	EA	\$617.90
246 35 1	RS2 Technologies	FS2RE-PLUS-aptiQ	Access It!® First Step Plus Two Portal T	Access It!® First Step Plus Two Portal Two Reader 10/100Base-T Ethernet System bundled with aptiQ readers and cards.Includes: (1) FS2RE-PLUS (as detailed above), (2) PR10 and (25) 7410Cards	EA	\$1,352.25
246 35 1	RS2 Technologies	FS4RE-PLUS-aptiQ	Access It!® First Step Plus Four Portal	Access It!® First Step Plus Four Portal Four Reader 10Base-T Ethernet System bundled with aptiQ readers and cards.Includes: (1) FS4RE-PLUS (as detailed above), (4) PR10 and (25) 7410Cards NOTE: This Kit consists of two (2) SBE's and ships as two (2) packages.	EA	\$2,004.40

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	NEXT-STEP-2R	Access It!® NEXt Step Two Reader Network	Access It!® NEXt Step Two Reader Network Appliance System Includes: Access It!® NEXt Step Solid State Network Appliance, 5 Concurrent Web Clients, Two Door Two Reader Package w/4 Auxiliary Inputs and 2Auxiliary Outputs (EP-1502), NCL Enclosure 18"(H) x 15"(W) x 4"(D)metal enclosure, 12VDC 4A switching power supply with battery charger,7 Ah 12 Volt battery and a 24VAC 40VA plug-in transformer.Note: Enclosure will accept either a 4AP (4AP will accept 4 - MR-50Boards for a total of 6 Doors with 6 Readers in single Enclosure including 4 more Auxiliary Outputs) or an MR-52 (for a total of 4 Doors with 4Readers in single Enclosure including 4 more Auxiliary Inputs and 4 moreAuxiliary Outputs)Note: Base NEXt Step System supports up to eight card readers expandable to either 32 or 62 readers limited to 1 SCP	EA	\$1,916.72
246 35 1	RS2 Technologies	NEXt-STEP32	Access It!® NEXt Step Thirty-two Reader	Access It!® NEXt Step Thirty-two Reader Capacity Upgrade to BaseNEXt Step System - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT.Upgrades the Base NEXt Step System eight reader software to support thirty-two readers.Includes: 5 Client Licenses and supports 1 SCPNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$546.66
246 35 1	RS2 Technologies	NEXt-STEP-4R	Access It!® NEXt Step Four Reader Networ	Access It!® NEXt Step Four Reader Network Appliance SystemIncludes: Access It!® NEXt Step Solid State Network Appliance, 5Concurrent Web Clients, Four Door Four Reader Package w/8 Auxiliary Inputs and 6 Auxiliary Outputs (EP-1502 & MR-52), NCL Enclosure 18"(H) x 15"(W) x 4"(D) metal enclosure, 12VDC 4A switching power supply with battery charger, 7 Ah 12 Volt battery and a 24VAC 40VA plug-in transformer. Note: Base NEXt Step System supports up to eight card readers expandable to either 32 or62 readers limited to 1 SCP	EA	\$2,437.34
246 35 1	RS2 Technologies	NEXt-STEP64	Access It!® NEXt Step Sixty-four Reader	Access It!® NEXt Step Sixty-four Reader Capacity Upgrade to BaseNEXt Step System - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT.Upgrades the Base NEXt Step System eight reader software to support sixty-four readers.Includes: 5 Client Licenses and supports 1 SCPNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$1,231.69
246 35 1	RS2 Technologies	NEXt-STEP-BADGE	Access It!® NEXt Step - Standard ID Badg	Access It!® NEXt Step - Standard ID Badging LicenseOptional system site license enabling the capturing and printing of IDbadges.NOTE: Requires one of the base Access It!® NEXt Step - Standard software configurations.	EA	\$546.66
246 35 1	RS2 Technologies	NEXt-STEP-IMPEXP	Access It!® NEXt Step - Standard Import/	Access It!® NEXt Step - Standard Import/Export/Batch Update Utilities Optional system site license enabling the importing, exporting and updating of cardholders and cards.NOTE: Requires one of the base Access It!® NEXt Step - Standard software configurations.	EA	\$546.66
246 35 1	RS2 Technologies	NEXt-STEP-WBF	Access It!® NEXt Step Barcode FontsOptio	Access It!® NEXt Step Barcode FontsOptional barcode fonts required to print barcodes on badges.NOTE: Optional system site license enabling the use of barcode fonts.	EA	\$546.66
246 35 1	RS2 Technologies	920	iClass® SE RK40 Contactless Smart Card R	iClass® SE RK40 Contactless Smart Card Reader, Wall Switch, No Prox, Std 13.56, Weigand	EA	\$186.33
246 35 1	RS2 Technologies	921	iClass® SE RK40 Contactless Smart Keypad	iClass® SE RK40 Contactless Smart Keypad Reader, Wall Switch, NoProx, Std 13.56, Weigand	EA	\$321.97
246 35 1	RS2 Technologies	1326	ProxCard® II RF Programmable Proximity C	ProxCard® II RF Programmable Proximity Card (minimum order of 100)	EA	\$2.49
246 35 1	RS2 Technologies	1336	DuoProx® II RF Programmable Graphics Qu	DuoProx® II RF Programmable Graphics Quality Proximity Card, withMagstripe (minimum order of 100)	EA	\$5.04
246 35 1	RS2 Technologies	1346	ProxKey® II RF Programmable Proximity Ac	ProxKey® II RF Programmable Proximity Access Keyfob (minimum orderof 100)	EA	\$4.77
246 35 1	RS2 Technologies	1351	ProxPass® II Long Range Active Proximity	ProxPass® II Long Range Active Proximity Access Tag for VehicleAccess	EA	\$24.81
246 35 1	RS2 Technologies	1386	ISOProx® II RF Programmable Graphics Qua	ISOProx® II RF Programmable Graphics Quality Proximity Card(minimum order of 100)	EA	\$4.59
246 35 1	RS2 Technologies	1391	MicroProx® Tag RF Programmable Proximity	MicroProx® Tag RF Programmable Proximity Access TagPeel-off self-adhesive back, 125KHz, 0.930" diameter (minimum order of100)	EA	\$3.33
246 35 1	RS2 Technologies	2000	iCLASS® Contactless Smart Card2K bits wi	iCLASS® Contactless Smart Card2K bits with 2 application areas (minimum order of 100)	EA	\$3.60
246 35 1	RS2 Technologies	2050	iCLASS® Contactless Smart Key2K bits wit	iCLASS® Contactless Smart Key2K bits with 2 application areas (minimum order of 100)	EA	\$4.69

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	2060	iCLASS® Contactless Smart Tag2K bits wit	iCLASS® Contactless Smart Tag2K bits with 2 application areas, adhesive back (minimum order of 100)	EA	\$3.15
246 35 1	RS2 Technologies	2080	iCLASS® Contactless Smart Clamshell Card	iCLASS® Contactless Smart Clamshell Card2K bits with 2 application areas (minimum order of 100)	EA	\$2.41
246 35 1	RS2 Technologies	6120	iCLASS™ R40 Read Only Contactless Smart	iCLASS™ R40 Read Only Contactless Smart Card Back Box Reader 10-16VDC, Gray w/18" pigtail	EA	\$180.85
246 35 1	RS2 Technologies	6125	multiCLASS™ RP40 Reader Multi-Technolog	multiCLASS™ RP40 Reader Multi-Technology Prox and iCLASS Reader,13.56 MHz Contactless and 125 kHz Proximity Card Readers	EA	\$208.25
246 35 1	RS2 Technologies	6136	iCLASS® RPK40 multiCLASS™ Read Only Mult	iCLASS® RPK40 multiCLASS™ Read Only Multi Technology KeypadReader, HID/AWID, Indala or EM4102 Prox, iCLASS & FIPS201Technologies. Wiegand (6136) or Clock-and-Data (6133) Output, US/EU/Asian Back Box Size	EA	\$357.59
246 35 1	RS2 Technologies	6140	iCLASS® R15 Read Only Contactless Smart	iCLASS® R15 Read Only Contactless Smart Card Reader, iCLASS & FIPS201 Technologies	EA	\$180.85
246 35 1	RS2 Technologies	6145	multiCLASS™ RP15 Read Only Multi Technol	multiCLASS™ RP15 Read Only Multi Technology Reader HID and AWIDmodule	EA	\$208.25
246 35 1	RS2 Technologies	6150	iCLASS® R90 Long Range Contactless Smart	iCLASS® R90 Long Range Contactless Smart Card reader, wiegand output. Read range up to 18 inches.	EA	\$521.99
246 35 1	RS2 Technologies	6220	iClass®/Magstripe Multiclass RM40 Reader	iClass®/Magstripe Multiclass RM40 Reader	EA	\$321.97
246 35 1	RS2 Technologies	7410	Proximity Clamshell 125 kHz Card	Proximity Clamshell 125 kHz Card	EA	\$2.29
246 35 1	RS2 Technologies	7510	Proximity ISO Graphics 125 kHz Card	Proximity ISO Graphics 125 kHz Card	EA	\$3.89
246 35 1	RS2 Technologies	7610	Proximity 125 kHz Keytag	Proximity 125 kHz Keytag	EA	\$4.01
246 35 1	RS2 Technologies	7710	Proximity 125 kHz -35m Adhesive Disk	Proximity 125 kHz -35m Adhesive Disk	EA	\$3.66
246 35 1	RS2 Technologies	8420	2Kbyte/16k bit memory/14443 Clamshell Ca	2Kbyte/16k bit memory/14443 Clamshell Card (minimum order of 100)	EA	\$4.45
246 35 1	RS2 Technologies	8440	4Kbyte/32k bit memory/14443 Clamshell Ca	4Kbyte/32k bit memory/14443 Clamshell Card (minimum order of 100)	EA	\$5.03
246 35 1	RS2 Technologies	8480	8Kbyte/64k bit memory/14443 Clamshell Ca	8Kbyte/64k bit memory/14443 Clamshell Card (minimum order of 100)	EA	\$6.12
246 35 1	RS2 Technologies	8520	2Kbyte/16k bit memory/14443 ISO Graphic	2Kbyte/16k bit memory/14443 ISO Graphic Quality Card (minimum orderof 100)	EA	\$4.77
246 35 1	RS2 Technologies	8540	4Kbyte/32k bit memory/14443 ISO Graphic	4Kbyte/32k bit memory/14443 ISO Graphic Quality Card (minimum orderof 100)	EA	\$5.34
246 35 1	RS2 Technologies	8580	8Kbyte/64k bit memory/14443 ISO Graphic	8Kbyte/64k bit memory/14443 ISO Graphic Quality Card (minimum orderof 100)	EA	\$6.48
246 35 1	RS2 Technologies	9420	Secure Access Control App Only/14443 Cla	Secure Access Control App Only/14443 Clamshell Card (minimum orderof 100)	EA	\$2.70
246 35 1	RS2 Technologies	9451	1Kbyte/8k bit memory/14443 Clamshell Car	1Kbyte/8k bit memory/14443 Clamshell Card (minimum order of 100)	EA	\$3.10

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	9520	Secure Access Control App Only/14443 ISO	Secure Access Control App Only/14443 ISO - Glossy White GraphicQuality Card (minimum order of 100)	EA	\$3.32
246 35 1	RS2 Technologies	9551	1Kbyte/8k bit memory/14443 ISO Graphic Q	1Kbyte/8k bit memory/14443 ISO Graphic Quality Card (minimum order of100)	EA	\$4.06
246 35 1	RS2 Technologies	9558	4Kbyte/32k bit memory/14443 ISO Graphic	4Kbyte/32k bit memory/14443 ISO Graphic Quality Card (minimum orderof 100)	EA	\$5.70
246 35 1	RS2 Technologies	9651	1Kbyte/8k bit memory/14443 Keytag (Class	1Kbyte/8k bit memory/14443 Keytag (Classic) (minimum order of 50)	EA	\$4.60
246 35 1	RS2 Technologies	3019010-01	Watchport®/V2 USB ID Badging CameraThis	Watchport®/V2 USB ID Badging CameraThis is a quick and easy to install camera with very good image quality for great looking ID badges.Includes: Video For Windows drivers and a 6' USB cableNOTE: All RS2 software packages include native support for Video ForWindows.	EA	\$272.64
246 35 1	RS2 Technologies	5355B	ProxPro® Proximity Reader - 12VDC, Beige	ProxPro® Proximity Reader - 12VDC, Beige w/terminal strip	EA	\$202.77
246 35 1	RS2 Technologies	5355B-K	ProxPro® Proximity Reader with Keypad -	ProxPro® Proximity Reader with Keypad - 12VDC, Beige w/terminal strip, "09" keypad optionNOTE: This reader requires the Access It!® Reader Type Keypad Mode to be set asMotorola/Indala format.	EA	\$330.19
246 35 1	RS2 Technologies	5355G	ProxPro® Proximity Reader - 12VDC, Gray	ProxPro® Proximity Reader - 12VDC, Gray w/terminal strip	EA	\$202.77
246 35 1	RS2 Technologies	5355G-K	ProxPro® Proximity Reader with Keypad -	ProxPro® Proximity Reader with Keypad - 12VDC, Gray w/terminal strip, "09" keypad optionNOTE: This reader requires the Access It!® Reader Type Keypad Mode to be set asMotorola/Indala format.	EA	\$330.19
246 35 1	RS2 Technologies	5365B	MiniProx® Proximity Mullion Mount Reader	MiniProx® Proximity Mullion Mount Reader - 5-16VDC, Beige w/18" pigtail	EA	\$165.78
246 35 1	RS2 Technologies	5365G	MiniProx® Proximity Mullion Mount Reader	MiniProx® Proximity Mullion Mount Reader - 5-16VDC, Gray w/18" pigtail	EA	\$165.78
246 35 1	RS2 Technologies	5375B	MaxiProx® Long Range Proximity Reader -	MaxiProx® Long Range Proximity Reader - 24VDC, Beige w/terminal strip	EA	\$539.81
246 35 1	RS2 Technologies	5375G	MaxiProx® Long Range Proximity Reader -	MaxiProx® Long Range Proximity Reader - 24VDC, Gray w/terminal strip	EA	\$539.81
246 35 1	RS2 Technologies	5395B	ThinLine II® Switch Plate Proximity Read	ThinLine II® Switch Plate Proximity Reader - 5-16VDC, Beige w/18" pigtail	EA	\$168.52
246 35 1	RS2 Technologies	5395G	ThinLine II® Switch Plate Proximity Read	ThinLine II® Switch Plate Proximity Reader - 5-16VDC, Gray w/18" pigtail	EA	\$168.52
246 35 1	RS2 Technologies	5455B	ProxPro® II Proximity Reader - 5-16VDC,	ProxPro® II Proximity Reader - 5-16VDC, Beige w/18" pigtail	EA	\$168.52
246 35 1	RS2 Technologies	5455G	ProxPro® II Proximity Reader - 5-16VDC,	ProxPro® II Proximity Reader - 5-16VDC, Gray w/18" pigtail	EA	\$168.52
246 35 1	RS2 Technologies	6005B	ProxPoint® Plus Proximity Reader - 5-16V	ProxPoint® Plus Proximity Reader - 5-16VDC, Beige w/18" pigtail	EA	\$98.64
246 35 1	RS2 Technologies	6005G	ProxPoint® Plus Proximity Reader - 5-16V	ProxPoint® Plus Proximity Reader - 5-16VDC, Gray w/18" pigtail	EA	\$98.64
246 35 1	RS2 Technologies	6100B	iCLASS® R10 Read Only Contactless Smart	iCLASS® R10 Read Only Contactless Smart Card Mullion Mount Reader10-16VDC, Beige w/18" pigtail	EA	\$93.16
246 35 1	RS2 Technologies	6100G	iCLASS® R10 Read Only Contactless Smart	iCLASS® R10 Read Only Contactless Smart Card Mullion Mount Reader10-16VDC, Gray w/18" pigtail	EA	\$93.16

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	6130B-K	iCLASS® RK40 Read Only Contactless Smart	iCLASS® RK40 Read Only Contactless Smart Card Reader with Keypad10-16VDC, Beige w/terminal strip, "09" keypad optionNOTE: This reader requires the Access It!® Reader Type Keypad Mode to be set asMotorola/Indala format.	EA	\$331.56
246 35 1	RS2 Technologies	6130G-K	iCLASS® RK40 Read Only Contactless Smart	iCLASS® RK40 Read Only Contactless Smart Card Reader with Keypad10-16VDC, Gray w/terminal strip, "09" keypad optionNOTE: This reader requires the Access It!® Reader Type Keypad Mode to be set asMotorola/Indala format.	EA	\$331.56
246 35 1	RS2 Technologies	6230C	iClass® RMK40 Multiclass Keypad Reader	iClass® RMK40 Multiclass Keypad Reader	EA	\$472.67
246 35 1	RS2 Technologies	AVICLAMP	Stainless Steel mounting bracket for all	Stainless Steel mounting bracket for all types of AVI readers for use withPS094-AVIB	EA	\$90.42
246 35 1	RS2 Technologies	BAT-13	Access It! First Step Replacement Batter	Access It! First Step Replacement Battery, 1.3 Ah ,12 Volt	EA	\$13.70
246 35 1	RS2 Technologies	BAT-70	Rechargeable battery, 7.0 Ah ,12 VoltInc	Rechargeable battery, 7.0 Ah ,12 VoltIncludes: battery leads and battery bracket for NCL enclosure	EA	\$27.40
246 35 1	RS2 Technologies	BTO-500	Identix BTO-500 fingerprint reader USB	Identix BTO-500 fingerprint reader USB	EA	\$153.61
246 35 1	RS2 Technologies	C-52	RS-232 to Two Wire RS-485 Port Converter	RS-232 to Two Wire RS-485 Port ConverterEnables communication with SCPs that are further than 50' from the host computer. Applications include conditions where only one communication port is available on the host computer, limiting the system to just onehardwired RS-232 SCP. By using the C-52, the software and hardwaremay be configured to support up to eight SCPs on a single communication port.Includes: one DB-9 to RJ-45 computer cable, one DB-25 to RJ-45 pc cable and one plug-in power supply	EA	\$135.64
246 35 1	RS2 Technologies	CS-UHF-0-0	UHF Clamshell Badge - AWID LogoNOTE: Onl	UHF Clamshell Badge - AWID LogoNOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$4.23
246 35 1	RS2 Technologies	DC1-1	Delta Multi-Technology ISO 1K Contactles	Delta Multi-Technology ISO 1K Contactless Clamshell Smartcard	EA	\$2.49
246 35 1	RS2 Technologies	Delta3	Multi-Technology Contactless Smartcard R	Multi-Technology Contactless Smartcard Reader	EA	\$152.08
246 35 1	RS2 Technologies	Delta5	Multi-Technology Contactless Smartcard R	Multi-Technology Contactless Smartcard Reader	EA	\$169.89
246 35 1	RS2 Technologies	Delta5.3	Multi-Technology Contactless Smartcard R	Multi-Technology Contactless Smartcard Reader	EA	\$169.89
246 35 1	RS2 Technologies	Delta6.4	Multi-Technology Contactless Smartcard R	Multi-Technology Contactless Smartcard Reader & Keypad	EA	\$250.72
246 35 1	RS2 Technologies	DK1-3	Delta Combo-Frequency ISO 1K Contactless	Delta Combo-Frequency ISO 1K Contactless Smartcard Keyfob	EA	\$4.25
246 35 1	RS2 Technologies	DM1-3	Delta Multi-Technology ISO 1K Contactles	Delta Multi-Technology ISO 1K Contactless Graphics Smartcard	EA	\$2.63
246 35 1	RS2 Technologies	DM1-3S	Delta Multi-Technology ISO 1K Contactles	Delta Multi-Technology ISO 1K Contactless Graphics Smartcard with MS	EA	\$2.88
246 35 1	RS2 Technologies	DONGLE-SOFT	Replacement dongle for damaged dongle or	Replacement dongle for damaged dongle or server move. NOTE: Required whenever Server is changed.	EA	\$137.01
246 35 1	RS2 Technologies	DONGLE-USB	Replacement dongle for damaged dongle. N	Replacement dongle for damaged dongle. NOTE: Requires return of original dongle.	EA	\$137.01

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	ECSL1000-SOFT	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 1000 SCP's and 1000 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$30,825.08
246 35 1	RS2 Technologies	ECSL1000-USB	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 1000 SCP's and 1000 sites NOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$30,140.05
246 35 1	RS2 Technologies	ECSL100-SOFT	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 100 SCP's and 100 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$21,234.63
246 35 1	RS2 Technologies	ECSL100-USB	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 100 SCP's and 100 sitesNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$20,549.59
246 35 1	RS2 Technologies	ECSL255-SOFT	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Standard Terminal Services License, supports 255 SCP's and 255 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$23,974.76
246 35 1	RS2 Technologies	ECSL255-USB	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 255 SCP's and 255 sitesNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$23,289.72
246 35 1	RS2 Technologies	ECSL25-SOFT	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 25 SCP's and 25 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$17,124.43
246 35 1	RS2 Technologies	ECSL25-USB	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 25 SCP's and 25 sitesNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$16,439.40
246 35 1	RS2 Technologies	ECSL500-SOFT	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 500 SCP's and 500 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$26,714.88
246 35 1	RS2 Technologies	ECSL500-USB	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 500 SCP's and 500 sitesNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$26,029.85
246 35 1	RS2 Technologies	ECSL8-SOFT	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 8 SCP's and 8 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$14,384.31
246 35 1	RS2 Technologies	ECSL8-USB	Access It!® Universal - Enterprise Cluster	Access It!® Universal - Enterprise Cluster Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 8 SCP's and 8 sitesNOTE: Ships with a USB licensing key (USB Dongle).NOTE: Priced per Cluster Node. Minimum of 2 copies of the software required to form a Cluster.	EA	\$13,699.27

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	ERSCSL8-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 8 SCP's and 8 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server per Cluster Node. Minimum of 2 copies of the software required per Regional Server to form a Regional Server Cluster.	EA	\$19,864.56
246 35 1	RS2 Technologies	ERSL1000-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Standard Terminal Services License, supports 1000 SCP's and 1000 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server.	EA	\$26,714.88
246 35 1	RS2 Technologies	ERSL1000-USB	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 1000 SCP's and 1000 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle). NOTE: Priced per Regional Server.	EA	\$26,029.85
246 35 1	RS2 Technologies	ERSL100-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 100 SCP's and 100 sites per regional serverNOTE: Ships with a software licensing key (No Dongle only Certificate). NOTE: Priced per Regional Server.	EA	\$17,124.43
246 35 1	RS2 Technologies	ERSL100-USB	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 100 SCP's and 100 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle). NOTE: Priced per Regional Server.	EA	\$16,439.40
246 35 1	RS2 Technologies	ERSL255-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 255 SCP's and 255 sites per regional serverNOTE: Ships with a software licensing key (No Dongle only Certificate). NOTE: Priced per Regional Server.	EA	\$19,864.56
246 35 1	RS2 Technologies	ERSL255-USB	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 255 SCP's and 255 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle). NOTE: Priced per Regional Server.	EA	\$19,179.53
246 35 1	RS2 Technologies	ERSL25-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 25 SCP's and 25 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server.	EA	\$13,014.24
246 35 1	RS2 Technologies	ERSL25-USB	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 25 SCP's and 25 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle). NOTE: Priced per Regional Server.	EA	\$12,329.21
246 35 1	RS2 Technologies	ERSL500-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 500 SCP's and 500 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server.	EA	\$22,604.69
246 35 1	RS2 Technologies	ERSL500-USB	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 500 SCP's and 500 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle). NOTE: Priced per Regional Server.	EA	\$21,919.66
246 35 1	RS2 Technologies	ERSL8-SOFT	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Standard Terminal Services License, supports 8 SCP's and 8 sites per regional serverNOTE: Ships with a Software Certificate and Instructions (no dongle key). NOTE: Priced per Regional Server.	EA	\$10,274.11
246 35 1	RS2 Technologies	ERSL8-USB	Access It!® Universal - Enterprise Region	Access It!® Universal - Enterprise Regional Server Stand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 8 SCP's and 8 sites per regional serverNOTE: Ships with a USB licensing key (USB Dongle). NOTE: Priced per Regional Server.	EA	\$9,589.08

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	ESSL1000-SOFT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal ServicesLicense, supports 1000 SCP's and 1000 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$21,234.63
246 35 1	RS2 Technologies	ESSL1000-USB	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 1000 SCP's and 1000 sitesNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$20,549.59
246 35 1	RS2 Technologies	ESSL100-SOFT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Standard Terminal Services License, supports 100 SCP's and 100 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$11,644.18
246 35 1	RS2 Technologies	ESSL100-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 100 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$10,959.14
246 35 1	RS2 Technologies	ESSL255-SOFT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal ServicesLicense, supports 255 SCP's and 255 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$14,384.31
246 35 1	RS2 Technologies	ESSL255-USB	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 255 SCP's and 255 sitesNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$13,699.27
246 35 1	RS2 Technologies	ESSL25-SOFT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 25 SCP's and 25 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$7,533.98
246 35 1	RS2 Technologies	ESSL25-USB	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 25 SCP's and 25 sitesNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$6,848.95
246 35 1	RS2 Technologies	ESSL500-SOFT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal ServicesLicense, supports 500 SCP's and 500 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$17,124.43
246 35 1	RS2 Technologies	ESSL500-USB	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 500 SCP's and 500 sitesNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$16,439.40
246 35 1	RS2 Technologies	ESSL8-SOFT	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 E-TERM Enterprise Terminal Services License, supports 8 SCP's and 8 sitesNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$4,793.86
246 35 1	RS2 Technologies	ESSL8-USB	Access It!® Universal - Enterprise Singl	Access It!® Universal - Enterprise Single ServerStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, supports 8 SCP's and 8 sitesNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$4,108.82
246 35 1	RS2 Technologies	GR-UHF-0-0	UHF Graphics CardNOTE: Only works with t	UHF Graphics CardNOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$4.36
246 35 1	RS2 Technologies	HK-CR	HandKey® Control ReaderF series HandRead	HandKey® Control ReaderF series HandReader with memory for 512 users. (No onboard inputs or outputs)NOTE: Requires HK-GW HandKey Gateway	EA	\$952.14
246 35 1	RS2 Technologies	HK-CR-EK	HandKey® Control Reader Enrollment KitIn	HandKey® Control Reader Enrollment KitIncludes: a HK-CR HandKey® reader with TM-100 table top secure mount, DC-102 data converter and PS-110 power supply.	EA	\$1,192.08
246 35 1	RS2 Technologies	HK-GW	HandKey® Gateway - Enables the SCPe to c	HandKey® Gateway - Enables the SCPe to communicate with theHandKey® geometry reader.NOTE: Requires a SCPe system controller.	EA	\$590.50
246 35 1	RS2 Technologies	HOST-MODEM	RS2 pre-configured US Robotics® 33.6bps	RS2 pre-configured US Robotics® 33.6bps external host modem with modem cable.Connects to the host computer utilizing one DB-9 communication port forSCP dial up.	EA	\$191.81

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	HT-UHF-0-0	UHF Blank Hang TagNOTE: Custom printed t	UHF Blank Hang TagNOTE: Custom printed tags may be special ordered. Contact your RSMfor pricing details.NOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$4.47
246 35 1	RS2 Technologies	LIN-PS	12-24VDC 2.5A linear power supplyInclude	12-24VDC 2.5A linear power supplyIncludes: battery charger, power fail detection, (4) 6-32x3/8" zinc platedPhilips machine screws and(4) #6 zinc plated split lock-washersNOTE: May be used for powering access control modules, proximity and magstripe readers.NOTE: Requires an external transformer, see TP1640, T1656 or T1656C. Recommended (1) BAT-70 7.0 Ah 12 Volt battery - sold separately	EA	\$91.79
246 35 1	RS2 Technologies	LR-2000	Sentinel-Prox™ Extra Long Range Reader -	Sentinel-Prox™ Extra Long Range Reader - Beige with a 8-15 foot read range, operates at 902 MHz to 928 MHz for USA, utilizes passive RFID technology; no battery required for tags.NOTE: Use recommended PS-123.3A power supply below.	EA	\$1,470.08
246 35 1	RS2 Technologies	LR-2000KIT-0-0	Extra long range installation kit for LR	Extra long range installation kit for LR-2000 reader includes tags and PS-123.3A power supply	EA	\$823.41
246 35 1	RS2 Technologies	LR-MB-0-0	Mounting bracket for LR readers	Mounting bracket for LR readers	EA	\$47.95
246 35 1	RS2 Technologies	M1	Magstripe - Add M1 to the part number to	Magstripe - Add M1 to the part number to specify the addition of a magstrip to the card (i.e., 9540M1).	EA	\$0.48
246 35 1	RS2 Technologies	MA520-DUAL-PIV	PIV Biometric Terminal with PIN Pad and	PIV Biometric Terminal with PIN Pad and embedded contact and contactless PIV card reader (CHUID Reader)	EA	\$4,014.86
246 35 1	RS2 Technologies	MP1000	Mullion Reader Mounting Plate (XF1050/XF	Mullion Reader Mounting Plate (XF1050/XF1060/XF1000)	EA	\$15.07
246 35 1	RS2 Technologies	MR-1824HILO	Sentinel-Prox™ Medium Range Reader - Gra	Sentinel-Prox™ Medium Range Reader - Gray with a 10-24 inch read range, HiLo two unit extension of the MR-1824 family.	EA	\$563.10
246 35 1	RS2 Technologies	MT-1014-0-0	Metal Mount Tag For Vehicles - 900 MHz p	Metal Mount Tag For Vehicles - 900 MHz passive tag technologyNOTE: Only works with the LR-911 long range reader.	EA	\$10.69
246 35 1	RS2 Technologies	MTK15	aptiQ™ Multi-Technology Single-Gang Read	aptiQ™ Multi-Technology Single-Gang Reader with Keypad - 6-16VDC, Black w/pigtailNOTE: This reader requires the Access It!® Reader Type Keypad Mode to be set asMotorola/Indala format.	EA	\$294.56
246 35 1	RS2 Technologies	MT-UHF-0-0	LR-2000 Metal Mount TagNOTE: Only works	LR-2000 Metal Mount TagNOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$9.62
246 35 1	RS2 Technologies	NCL	18 gauge steel hardware enclosure 18"(H)	18 gauge steel hardware enclosure 18"(H) x 15"(W) x 4"(D) Includes: cabinet lock, tamper switch, metal quick reference pocket, installation legendand mounting hardware pack for the access control modulesFinish - Cool grey powder coat inside and outNOTE: Recommended (1) LIN-PS 12-24VDC 2.5A, linear power supply or(1) SW-PS 12-24VDC 4A, switching power supply - sold separately NOTE: Recommended (1) BAT-70 7.0 Ah, 12 Volt battery - sold separately	EA	\$184.96
246 35 1	RS2 Technologies	NCL-12	NEMA Type 1 lockable enclosure 24"(H) x	NEMA Type 1 lockable enclosure 24"(H) x 18"(W) x 4.5"(D) 110VAC direct wire ready, 18 gauge steel vented hardware enclosure for up to 12 readers with built in cable management, Includes: 110VAC illuminated reset switch/breaker, 6 amp super clean linear performance power supply charger, switched DC power distribution module with 4 thermally protected circuit breaker outputs and status LED's, rechargeable lead acid 7.0 Ah,12 Volt battery, cabinet lock, tamper switch, metal quick reference pocket, and mounting hardware pack for up to 6 access control modules, Finish - Cool grey powder coat inside and out	EA	\$472.67
246 35 1	RS2 Technologies	NCL-12-WMS	NEMA Type 1 lockable enclosure 36"(H) x	NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Configured for up to six boards (EP-1502, MR-52, MR-16IN & MR-16OUT). Includes 1" x3" Wire Management System (WMS) with cover. Field connected by 1 1/2"- 2" and 1/2" knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, Finish - Cool grey powder coat inside and outNOTE: Enclosures now includes cost for special protective packaging and a small (5%) increase related to raw materials (primarily steel)	EA	\$602.83

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	NCL-8-SPW	NEMA Type 1 lockable enclosure 36"(H) x	NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Semi Pre- Wired (SPW) Enclosure – Pre-Wired for Board Power, RS485 communications and Door Control for up to four boards (EP-1502, MR-52, MR-16IN & MR-16OUT). Includes: 12/24VDC 20A power supply/charger, (1) ACM8 door control relay board w/Fire Alarm Interface and 1" x 3" wire management system with cover. Field connected by 1 1/2" - 2" and 1/2" knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, Finish - Cool grey powder coat inside and outNOTE: Enclosures now includes cost for special protective packaging and a small (5%) increase related to raw materials (primarily steel)WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - FieldConverted)	EA	\$1,493.37
246 35 1	RS2 Technologies	NCL-MAX-12	NEMA 1 Type (non-rated) lockable enclosu	NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D)pre-wired for up to (1) MINI-SCPE or EP-2500 and (6) MR-52'S (2 MR-52'S are on Large Door)Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2" knock-outs, as installation requires. Each enclosure comes with a removable pre-wiredback panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged67/33 spilt locked in center and includes a standard 217 Keyway with (2) KeysFinish - Cool grey powder coat inside and outNOTE: Enclosures now includes cost for special protective packaging and a small (5%) increase related to raw materials (primarily steel)WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - FieldConverted)	EA	\$4,041.69
246 35 1	RS2 Technologies	NCL-MAX-12-EP-1502	NEMA 1 Type (non-rated) lockable enclosu	NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D)pre-wired for up to (1) EP-1502 and (5) MR-52'S (2 MR-52'S are on LargeDoor)Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2" knock-outs, as installation requires. Each enclosure comes with a removable pre-wiredback panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged67/33 spilt locked in center and includes a standard 217 Keyway with (2) KeysFinish - Cool grey powder coat inside and outNOTE: Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separatelyNOTE: Does not accept EP-2500 or MINI-SCPENOTE: Enclosures now includes cost for special protective packaging and a small (5%) increase related to raw materials (primarily steel)WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - FieldConverted)	EA	\$4,041.69
246 35 1	RS2 Technologies	NCL-MAX-4ADD	Backplane pre-wired for up to (2) MR-52'	Backplane pre-wired for up to (2) MR-52'SIncludes: Backplane to mount on Large Door of NCL-MAX-8. Each pre- wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 18"(W) x 1/2"(D), flanged on two sides with four holes one in eachcorner centered 1" edge-to edge mounted on collar studs. Finish - Cool grey powder coat inside and outNOTE: Enclosures now includes cost for special protective packaging anda small (5%) increase related to raw materials (primarily steel) WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)	EA	\$1,260.46
246 35 1	RS2 Technologies	NCL-MAX-8	NEMA 1 Type (non-rated) lockable enclosu	NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D)pre-wired for up to (1) MINI-SCPE or EP-2500 and (4) MR-52'SIncludes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2" knock-outs, as installation requires. Each enclosure comes with a removable pre-wiredback panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged67/33 spilt locked in center and includes a standard 217 Keyway with (2) KeysFinish - Cool grey powder coat inside and outNOTE: Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separatelyNOTE: Does not accept EP-1502NOTE: Enclosures now includes cost for special protective packaging and a small (5%) increase related to raw materials (primarily steel)WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - FieldConverted)	EA	\$2,877.14
246 35 1	RS2 Technologies	NCL-MAX-8-EP-1502	NEMA 1 Type (non-rated) lockable enclosu	NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D)pre-wired for up to (1) EP-1502 and (3) MR-52'SIncludes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2" knock-outs, as installation requires. Each enclosure comes with a removable pre-wiredback panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged67/33 spilt locked in center and includes a standard 217 Keyway with (2) KeysFinish - Cool grey powder coat inside and outNOTE: Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separatelyNOTE: Does not accept EP-2500 or MINI-SCPENOTE: Enclosures now includes cost for special protective packaging and a small (5%) increase related to raw materials (primarily steel)	EA	\$2,877.14

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	NCL-MAX-PSADD	12/24VDC 10/5A Power Supply addition to	12/24VDC 10/5A Power Supply addition to the NCL-MAX8 or NCL-MAX12EnclosureNOTE: Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately	EA	\$287.71
246 35 1	RS2 Technologies	NCL-SBE	Single Board Enclosure for SCP Family Bo	Single Board Enclosure for SCP Family Boards,12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger,1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.	EA	\$95.90
246 35 1	RS2 Technologies	NCL-SBE-CAB	Single Board Enclosure for SCP Family Bo	Single Board Enclosure for SCP Family Boards,12"(H) x 10"(W) x 4"(D) metal enclosureNOTE: Cabinet Only.	EA	\$52.06
246 35 1	RS2 Technologies	NIC	Lantronix 10Base-T Onboard Ethernet NICS	Lantronix 10Base-T Onboard Ethernet NICships standard with MINI-SCPE, SCP-E and 2GLE/2GE system control processors.	EA	\$205.51
246 35 1	RS2 Technologies	P-300	Cascade Proximity Reader - mullion (door	Cascade Proximity Reader - mullion (doorframe) mount with black and white covers	EA	\$68.50
246 35 1	RS2 Technologies	P-453	Gibraltar Proximity Reader - Narrow	Gibraltar Proximity Reader - Narrow	EA	\$465.82
246 35 1	RS2 Technologies	P-455	Gibraltar Proximity Reader - Wide	Gibraltar Proximity Reader - Wide	EA	\$511.03
246 35 1	RS2 Technologies	P-500	Alps Proximity Reader - wall (US single	Alps Proximity Reader - wall (US single gang box) mount with black and white covers	EA	\$80.83
246 35 1	RS2 Technologies	P-530	EuroMount Proximity Reader	EuroMount Proximity Reader	EA	\$80.83
246 35 1	RS2 Technologies	P-640	Patagonia Proximity Reader - reader and	Patagonia Proximity Reader - reader and backlit keypad combination with black and white covers	EA	\$212.36
246 35 1	RS2 Technologies	P-710	Andes Proximity Reader - medium range wi	Andes Proximity Reader - medium range with black cover only	EA	\$241.13
246 35 1	RS2 Technologies	P-900	Andes Proximity Reader - long range with	Andes Proximity Reader - long range with black cover only	EA	\$479.52
246 35 1	RS2 Technologies	PAGE-MODEM	RS2 pre-configured US Robotics® 33.6bps	RS2 pre-configured US Robotics® 33.6bps external paging modem with modem cable.Connects to the host computer utilizing one DB-9 communication port for paging option.	EA	\$191.81
246 35 1	RS2 Technologies	PCH049	Black lexan polycarbonate 103 card reade	Black lexan polycarbonate 103 card reader housing hinged with gray locking lid. 7"(H) x 7"(W) x 4"(D)	EA	\$106.87
246 35 1	RS2 Technologies	PCH091	Black lexan polycarbonate 103 card reade	Black lexan polycarbonate 103 card reader housing hinged with gray locking lid. 7"(H) x 13"(W) x 4"(D)	EA	\$142.49
246 35 1	RS2 Technologies	PCH196	Black lexan polycarbonate 103 card reade	Black lexan polycarbonate 103 card reader housing hinged with gray locking lid. 14"(H) x 14"(W) x 4"(D)	EA	\$171.26
246 35 1	RS2 Technologies	PD114B	Dual height black powder coat metal pede	Dual height black powder coat metal pedestal with 42" and 72" high mounting plates - Car and Truck	EA	\$458.97
246 35 1	RS2 Technologies	PDT-1	Proximity Disc Tag	Proximity Disc Tag	EA	\$2.23
246 35 1	RS2 Technologies	PIM400-1501	Panel Interface Module (PIM) supports 8	Panel Interface Module (PIM) supports 8 Doors with Integrated MercuryController (POE Compatible)Note: Includes OEM Specific Mercury System Control Panel (SCP)	EA	\$1,586.90
246 35 1	RS2 Technologies	PIM400-485	Panel Interface Module (PIM) supports 16	Panel Interface Module (PIM) supports 16 DoorsPanel Interface Module with outdoor enclosure standard. Supports up to16 access points via RS485 with select brands of access control panels. Note: Requires EP-2500 System Control Panel (SCP) & 12 VDC Power	EA	\$793.45
246 35 1	RS2 Technologies	PROX-LINC-CS	"Clam Shell" Prox Badge	"Clam Shell" Prox Badge	EA	\$2.16

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	PROX-LINC-GR	Graphics Quality ISO Prox Card	Graphics Quality ISO Prox Card	EA	\$3.27
246 35 1	RS2 Technologies	PROX-LINC-GRMAG	Graphics Quality ISO Prox Card with 3 tr	Graphics Quality ISO Prox Card with 3 track High-Co ABA Magstripe	EA	\$3.70
246 35 1	RS2 Technologies	PROX-LINC-KT	Proximity Key Tag (Key Fob)	Proximity Key Tag (Key Fob)	EA	\$3.60
246 35 1	RS2 Technologies	PROX-LINC-WAFER	Proximity ID Tag (Wafer)	Proximity ID Tag (Wafer)	EA	\$3.19
246 35 1	RS2 Technologies	PS036W	36" white powder coat metal pedestal wit	36" white powder coat metal pedestal with mounting plate - Car	EA	\$197.29
246 35 1	RS2 Technologies	PS036Y	36" yellow powder coat metal pedestal wi	36" yellow powder coat metal pedestal with mounting plate - Car	EA	\$197.29
246 35 1	RS2 Technologies	PS042B	42" black powder coat metal pedestal wit	42" black powder coat metal pedestal with mounting plate - Car	EA	\$167.15
246 35 1	RS2 Technologies	PS042Y	42" yellow powder coat metal pedestal wi	42" yellow powder coat metal pedestal with mounting plate - Car	EA	\$183.59
246 35 1	RS2 Technologies	PS072B	72" black powder coat metal pedestal wit	72" black powder coat metal pedestal with mounting plate - Truck	EA	\$412.39
246 35 1	RS2 Technologies	PS094-AVIB	2" pipe, up to 94" high mounting black p	2" pipe, up to 94" high mounting black powder coat metal pedestal - AVI Readers	EA	\$550.77
246 35 1	RS2 Technologies	PS-123.3A-0-0	Power supply 12VDC@3.3A for LR-2000 read	Power supply 12VDC@3.3A for LR-2000 reader	EA	\$47.95
246 35 1	RS2 Technologies	PSC-1	Standard Light Proximity Card - clamshel	Standard Light Proximity Card - clamshell style card (minimum order of100)	EA	\$1.92
246 35 1	RS2 Technologies	PSI-4	Image Technology Proximity Card - .046"	Image Technology Proximity Card - .046" thick PVC graphic quality card(minimum order of 100)	EA	\$1.92
246 35 1	RS2 Technologies	PSK-3	Proximity Key Ring Tag - small key ring	Proximity Key Ring Tag - small key ring fob with brass eyelet (minimum order of 100)	EA	\$4.25
246 35 1	RS2 Technologies	PSM-25	Multi-Tech Proximity Card - .031" thick	Multi-Tech Proximity Card - .031" thick ISO graphic quality card w/magstripe (minimum order of 100)	EA	\$3.90
246 35 1	RS2 Technologies	PSM-2P	Multi-Tech Proximity Card - .031" thick	Multi-Tech Proximity Card - .031" thick ISO graphic quality card (minimum order of 100)	EA	\$3.56
246 35 1	RS2 Technologies	RV-UHF-0-0	UHF Rear View Mirror TagNOTE: Only works	UHF Rear View Mirror TagNOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$8.97
246 35 1	RS2 Technologies	S-BURG-[MFG]	Access It!® Universal - Standard Burglar	Access It!® Universal - Standard Burglar Alarm Panel Integration LicenseOptional third party burglar alarm panel integration license.NOTE: Requires one of the base Access It! Universal - Standard software configurations.NOTE: Please list the intrusion detection panel manufacturer's name on all purchase orders.NOTE: The integration currently supports the DMP XR500 and the Bosch7412 and 9412 panels.NOTE: Priced per alarm panel.	EA	\$205.51
246 35 1	RS2 Technologies	SC-2300	Sentinel-Prox™ HF Smart Card Reader - Gr	Sentinel-Prox™ HF Smart Card Reader - Gray with a 2-3 inch read range, Desfire and Mifare card compatible	EA	\$154.82
246 35 1	RS2 Technologies	S-COMPANIES	Access It!® Universal - Standard Compani	Access It!® Universal - Standard Companies LicenseOptional system site license enabling the use of companies.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$1,370.06

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	SCP-MODEM	RS2 pre-configured US Robotics® 33.6bps	RS2 pre-configured US Robotics® 33.6bps external SCP remote modem with pre-wired color codedSCP cable for easy installation.	EA	\$212.36
246 35 1	RS2 Technologies	SERIII-WF	Scramble Keypad Reader with Flush Mount	Scramble Keypad Reader with Flush Mount KitPrevents onlookers from detecting the keypad code by continually scrambling the number placement on the keypad. 8-14VDC, weatherized for outdoors, Wiegand output in standard gray.	EA	\$952.14
246 35 1	RS2 Technologies	SERIII-WS	Scramble Keypad Reader with Surface Moun	Scramble Keypad Reader with Surface Mount KitPrevents onlookers from detecting the keypad code by continually scrambling the number placement on the keypad. 8-14VDC, weatherized for outdoors, Wiegand output in standard gray.	EA	\$952.14
246 35 1	RS2 Technologies	SIG	Topaz USB Signature Pad	Topaz USB Signature Pad	EA	\$506.92
246 35 1	RS2 Technologies	S-REPORT	Access It!® Universal - Standard Report	Access It!® Universal - Standard Report Designer LicenseOptional system site license enabling end-users to custom design their own reports.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-WBF	Access It!® Universal - Standard Barcode	Access It!® Universal - Standard Barcode FontsOptional fonts required to print barcodes on badges.NOTE: Optional system site license enabling the use of barcode fonts.	EA	\$685.03
246 35 1	RS2 Technologies	S-WEB	Access It!® Universal - Standard WEB Cli	Access It!® Universal - Standard WEB Client LicenseOptional system site license enabling the use of WEB Clients as well as traditional clients.NOTE: Requires one of the base Access It! Universal - Standard software configurations. NOTE: Requires an S-CLIENT license for eachconcurrent session on the server.	EA	\$342.52
246 35 1	RS2 Technologies	SW-PS	12-24VDC 4A switching power supplyInclud	12-24VDC 4A switching power supplyIncludes: battery charger, power fail detection, (4) 6-32x3/8" zinc platedPhilips machine screws and (4) #6 zinc plated split lock-washersNOTE: May be used for powering access control module and magstripe readers.May NOT be used for powering proximity readers!NOTE: Requires an external transformer, see TP2440, T24130 orT24130C.Recommended (1) BAT-70 7.0 Ah 12 Volt battery - sold separately	EA	\$91.79
246 35 1	RS2 Technologies	T1656	16VAC 56VA Open Frame Transformer UL rec	16VAC 56VA Open Frame Transformer UL recognized for use with theLIN-PSIncludes: AC line cord	EA	\$42.47
246 35 1	RS2 Technologies	T1656CP	16VAC 56VA Open Frame Transformer UL rec	16VAC 56VA Open Frame Transformer UL recognized for use with theLIN-PS mounted within agray 8.5"(H) x 7.75"(W) x 3.5"(D) enclosure.	EA	\$94.95
246 35 1	RS2 Technologies	T2428100	24VAC 100VA Open Frame Transformer UL re	24VAC 100VA Open Frame Transformer UL recognized for use with theSW-PS.Includes: AC line cord	EA	\$42.47
246 35 1	RS2 Technologies	T2428100CP	24VAC 100VA Open Frame Transformer UL re	24VAC 100VA Open Frame Transformer UL recognized for use with theSW-PS mounted within agray 8.5"(H) x 7.75"(W) x 3.5"(D) enclosure.	EA	\$94.95
246 35 1	RS2 Technologies	TP1640	16.5VAC 40VA Plug-in Transformer UL list	16.5VAC 40VA Plug-in Transformer UL listed for use with the LIN-PS	EA	\$13.70
246 35 1	RS2 Technologies	TP2440	24VAC 40VA Plug-in Transformer UL listed	24VAC 40VA Plug-in Transformer UL listed for use with the SW-PS.	EA	\$13.70
246 35 1	RS2 Technologies	UA-612-M-U	UHF Access Proximity Reader - Midnight B	UHF Access Proximity Reader - Midnight Black with a 6-12 inch read range. RoHS	EA	\$320.60
246 35 1	RS2 Technologies	VT-UHF-0-0	UHF Visor Tag for vehiclesNOTE: Only wor	UHF Visor Tag for vehiclesNOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$7.12
246 35 1	RS2 Technologies	VU-SL1	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$205.51
246 35 1	RS2 Technologies	VU-SL100	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$1,918.09
246 35 1	RS2 Technologies	VU-SL1000	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$3,973.19
246 35 1	RS2 Technologies	VU-SL25	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$959.05

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	VU-SL255	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$2,466.12
246 35 1	RS2 Technologies	VU-SL500	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$3,014.14
246 35 1	RS2 Technologies	VU-SL8	Access It!® Universal - Standard Version	Access It!® Universal - Standard Version UpgradeNOTE: The purchase order must list the serial number of the qualifying software key (dongle).	EA	\$342.52
246 35 1	RS2 Technologies	WRR-42	Ranger Receiver	Ranger Receiver	EA	\$223.32
246 35 1	RS2 Technologies	WRT-2	Ranger Long Range Transmitter (2-button)	Ranger Long Range Transmitter (2-button)	EA	\$21.37
246 35 1	RS2 Technologies	WRT-4	Ranger Long Range Transmitter (4-button)	Ranger Long Range Transmitter (4-button)	EA	\$21.37
246 35 1	RS2 Technologies	WS-1216-0-0	Windshield Tag For Vehicles - 900 MHz pa	Windshield Tag For Vehicles - 900 MHz passive tag technologyNOTE: Only works with the LR-911 long range reader.	EA	\$10.69
246 35 1	RS2 Technologies	WS-UHF-0-U	UHF Windshield TagNOTE: Only works with	UHF Windshield TagNOTE: Only works with the UA-612 and LR-2000 readers.	EA	\$8.97
246 35 1	RS2 Technologies	FS16IAO-PLUS	Access It!® First Step Sixteen Input Add	Access It!® First Step Sixteen Input Add-OnIncludes: MR-16IN, 12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger,1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.NOTE: Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE- PLUS or FS4RE-PLUS	EA	\$678.18
246 35 1	RS2 Technologies	FS16OAO-PLUS	Access It!® First Step Sixteen Output Ad	Access It!® First Step Sixteen Output Add-OnIncludes: MR-16OUT, 12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger,1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.NOTE: Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE- PLUS or FS4RE-PLUS	EA	\$678.18
246 35 1	RS2 Technologies	FS1RAO-PLUS	Access It!® First Step Single Portal Sin	Access It!® First Step Single Portal Single Reader Add-OnIncludes: MR-50, 12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger,1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.NOTE: Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE- PLUS or FS4RE-PLUS	EA	\$352.11
246 35 1	RS2 Technologies	FS1REAO-PLUS	Access It!® First Step Single Portal Two	Access It!® First Step Single Portal Two Reader 10/100Base-T EthernetAdd-OnIncludes: MR-51E, 12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger,1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.NOTE: Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE- PLUS or FS4RE-PLUS NOTE: The MR-51E is recommended (but no longer required) to be connected to the same Switch (network device) as the EP Controller	EA	\$483.63
246 35 1	RS2 Technologies	FS1REAO-PoE	Access It!® First Step PoE Single Portal	Access It!® First Step PoE Single Portal Two Reader 10/100Base-T Ethernet Add-OnIncludes: Single Portal Two Reader Board (MR-51E) only.No Enclosure or Power Supply provided! MR-51E mounts in 3-gang electrical box (not provided).NOTE: Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE- PLUS or FS4RE-PLUS NOTE: The MR-51E is recommended (but no longer required) to be connected to the sameSwitch (network device) as the EP Controller	EA	\$408.28
246 35 1	RS2 Technologies	FS1RE-PLUS	Access It!® First Step Plus Single Porta	Access It!® First Step Plus Single Portal Two Reader 10/100Base-T Ethernet SystemIncludes: Access It!® Lite.NET eight reader software, Single Door TwoReader Board (EP-1501),12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger,1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.	EA	\$580.91
246 35 1	RS2 Technologies	FS1RE-PLUS-AWID	Access It!® First Step Plus Single Porta	Access It!® First Step Plus Single Portal Two Reader 10/100Base-T Ethernet System bundled with AWID readers and cards.Includes: (1) FS1RE-PoE-PLUS (as detailed above), (1) SR-2400 and(25) PROX-LINC-CS Cards	EA	\$683.66
246 35 1	RS2 Technologies	FS1RE-PLUS-FP	Access It!® First Step Plus Single Porta	Access It!® First Step Plus Single Portal Two Reader 10/100Base-T Ethernet System bundled with Farpointe Data readers and cards. Includes: (1) FS1RE-PoE-PLUS (as detailed above), (1) P-300 and (25) PSC-1 Cards	EA	\$685.03
246 35 1	RS2 Technologies	FS1RE-PLUS-HID	Access It!® First Step Plus Single Porta	Access It!® First Step Plus Single Portal Two Reader 10/100Base-T Ethernet System bundled with HID readers and cards.Includes: (1) FS1RE-PoE-PLUS (as detailed above), (1) 6005G and (25)1326 Cards	EA	\$722.02
246 35 1	RS2 Technologies	FS1RE-PoE	Access It!® First Step PoE Single Portal	Access It!® First Step PoE Single Portal Two Reader 10/100Base-T Ethernet SystemIncludes: Access It!® Lite.NET eight reader software and Single PortalTwo Reader Board (EP-1501) only. No Enclosure or Power Supply provided. EP-1501 mounts in 3-gang electrical box (not provided).	EA	\$491.85

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	FS1RE-PoE-AWID	Access It!® First Step PoE Single Portal	Access It!® First Step PoE Single Portal Two Reader 10/100Base-T Ethernet System bundled with AWID readers and cards. Includes: (1) FS1RE-PoE (as detailed above), (1) SR-2400 and (25) PROX-LINC-CS Cards	EA	\$594.61
246 35 1	RS2 Technologies	FS1RE-PoE-FP	Access It!® First Step PoE Single Portal	Access It!® First Step PoE Single Portal Two Reader 10/100Base-T Ethernet System bundled with Farpointe Data readers and cards. Includes: (1) FS1RE-PoE (as detailed above), (1) P-300 and (25) PSC-1 Cards	EA	\$595.98
246 35 1	RS2 Technologies	FS1RE-PoE-HID	Access It!® First Step PoE Single Portal	Access It!® First Step PoE Single Portal Two Reader 10/100Base-T Ethernet System bundled with HID readers and cards. Includes: (1) FS1RE-PoE (as detailed above), (1) 6005G and (25) 1326 Cards	EA	\$632.97
246 35 1	RS2 Technologies	FS2RAO-PLUS	Access It!® First Step Two Portal Two Reader	Access It!® First Step Two Portal Two Reader Add-On Includes: MR-52, 12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger, 1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer. NOTE: Requires one of the following FS1RE-PoE, FS1RE-PoE-PLUS, FS2RE-PLUS or FS4RE-PLUS	EA	\$620.64
246 35 1	RS2 Technologies	FS2RE-PLUS	Access It!® First Step Plus Two Portal Two Reader	Access It!® First Step Plus Two Portal Two Reader 10/100Base-T Ethernet System includes: Access It!® Lite.NET eight reader software, Two Door Two Reader Board w/4 Auxiliary Inputs and 2 Auxiliary Outputs (EP-1502), 12"(H) x 10"(W) x 4"(D) metal enclosure, 1A linear power supply with battery charger, 1.3 Ah 12 Volt battery and a 16.5VAC 40VA plug-in transformer.	EA	\$1,033.03
246 35 1	RS2 Technologies	FS2RE-PLUS-AWID	Access It!® First Step Plus Two Portal Two Reader	Access It!® First Step Plus Two Portal Two Reader 10/100Base-T Ethernet System bundled with AWID readers and cards. Includes: (1) FS2RE-PLUS (as detailed above), (2) SR-2400 and (25) PROX-LINC-CS Cards	EA	\$1,191.96
246 35 1	RS2 Technologies	FS2RE-PLUS-FP	Access It!® First Step Plus Two Portal Two Reader	Access It!® First Step Plus Two Portal Two Reader 10/100Base-T Ethernet System bundled with Farpointe Data readers and cards. Includes: (1) FS2RE-PLUS (as detailed above), (2) P-300 and (25) PSC-1 Cards	EA	\$1,193.33
246 35 1	RS2 Technologies	FS2RE-PLUS-HID	Access It!® First Step Plus Two Portal Two Reader	Access It!® First Step Plus Two Portal Two Reader 10/100Base-T Ethernet System bundled with HID readers and cards. Includes: (1) FS2RE-PLUS (as detailed above), (2) 6005G and (25) 1326 Cards	EA	\$1,253.61
246 35 1	RS2 Technologies	FS4RE-PLUS	Access It!® First Step Plus Four Portal Four Reader	Access It!® First Step Plus Four Portal Four Reader 10Base-T Ethernet System includes: 1 - Access It!® First Step Plus Two Reader Ethernet System (FS2RE-PLUS) and 1 - Access It!® First Step Plus Two Reader Add-On (FS2RAO-PLUS) NOTE: This Kit consists of two (2) SBE's and ships as two (2) packages.	EA	\$1,653.67
246 35 1	RS2 Technologies	FS4RE-PLUS-AWID	Access It!® First Step Plus Four Portal Four Reader	Access It!® First Step Plus Four Portal Four Reader 10/100Base-T Ethernet System bundled with AWID readers and cards. Includes: (1) FS4RE-PLUS (as detailed above), (4) SR-2400 and (25) PROX-LINC-CS Cards NOTE: This Kit consists of two (2) SBE's and ships as two (2) packages.	EA	\$1,937.27
246 35 1	RS2 Technologies	FS4RE-PLUS-FP	Access It!® First Step Plus Four Portal Four Reader	Access It!® First Step Plus Four Portal Four Reader 10Base-T Ethernet System bundled with Farpointe Data readers and cards. Includes: (1) FS4RE-PLUS (as detailed above), (4) P-300 and (25) PSC-1 Cards NOTE: This Kit consists of two (2) SBE's and ships as two (2) packages.	EA	\$1,938.64
246 35 1	RS2 Technologies	FS4RE-PLUS-HID	Access It!® First Step Plus Four Portal Four Reader	Access It!® First Step Plus Four Portal Four Reader 10Base-T Ethernet System bundled with HID readers and cards. Includes: (1) FS4RE-PLUS (as detailed above), (4) 6005G and (25) 1326 Cards NOTE: This Kit consists of two (2) SBE's and ships as two (2) packages.	EA	\$2,046.88
246 35 1	RS2 Technologies	Lite.NET32-SOFT	Access It!® Lite.NET Thirty-two Reader Capacity Upgrade	Access It!® Lite.NET Thirty-two Reader Capacity Upgrade to Lite.NET Eight - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT. Upgrades the free Access It!® Lite.NET eight reader software to support thirty-two readers. Expandable to unlimited clients. Includes: 1 Single Client License and supports 1 SCP NOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$443.90
246 35 1	RS2 Technologies	Lite.NET32-USB	Access It!® Lite.NET Thirty-two Reader Capacity Upgrade	Access It!® Lite.NET Thirty-two Reader Capacity Upgrade to Lite.NET Eight - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT. Upgrades the free Access It!® Lite.NET eight reader software to support sixty-four readers. Expandable to unlimited clients. Includes: 1 Single Client License and supports 1 SCP NOTE: Ships with a USB licensing key (USB Dongle).	EA	\$272.64
246 35 1	RS2 Technologies	Lite.NET64-SOFT	Access It!® Lite.NET Sixty-four Reader Capacity Upgrade	Access It!® Lite.NET Sixty-four Reader Capacity Upgrade to Lite.NET Eight - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT. Upgrades the free Access It!® Lite.NET eight reader software to support sixty-four readers. Expandable to unlimited clients. Includes: 1 Single Client License and supports 1 SCP NOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$854.92
246 35 1	RS2 Technologies	Lite.NET64-USB	Access It!® Lite.NET Sixty-four Reader Capacity Upgrade	Access It!® Lite.NET Sixty-four Reader Capacity Upgrade to Lite.NET Eight - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT. Upgrades the free Access It!® Lite.NET eight reader software to support sixty-four readers. Expandable to unlimited clients. Includes: 1 Single Client License and supports 1 SCP NOTE: Ships with a USB licensing key (USB Dongle).	EA	\$683.66

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	Lite.NET8	Access It!® Lite.NET Eight Reader Softwa	Access It!® Lite.NET Eight Reader Software - To be used with EP-1501, EP-1502, EP-2500, MR-50, MR-51E, MR-52, MR-16IN and MR-16OUT. Stand-alone or multi-user eight reader access control software with built in optional video ID badging, image verification and alarm processing capabilities.Expandable to unlimited clients.Includes: 1 Single Client License and supports 1 SCP NOTE: Included with every Access It!® First Step System.	EA	\$0.01
246 35 1	RS2 Technologies	Lite.NET8-OPTION-SOFT	Access It!® Lite.NET8 Add-on options wit	Access It!® Lite.NET8 Add-on options with Soft DongleNOTE: One time charge for Soft Dongle required to add options to FREE Lite.NET8 Software.NOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$171.26
246 35 1	RS2 Technologies	Lite.NET-BADGE	Access It!® Lite.NET - Standard ID Badgi	Access It!® Lite.NET - Standard ID Badging LicenseOptional system site license enabling the capturing and printing of IDbadges.NOTE: Requires one of the base Access It!® Lite.NET - Standard software configurations.	EA	\$272.64
246 35 1	RS2 Technologies	Lite.NET-CLIENT	Access It!® Lite.NET Single Client Licen	Access It!® Lite.NET Single Client LicenseOptional single add on client license for Access It! Lite.NET.Includes: Image capture (if badging option enabled), image verification and alarm processing capabilitiesNOTE: Requires one of the base Access It!® Lite.NET - Standard software configurations.	EA	\$272.64
246 35 1	RS2 Technologies	Lite.NET-CLIENT-25PK	Access It!® Lite.NET Single Client Licen	Access It!® Lite.NET Single Client License Twenty-five (25) Pack Optional twenty-five additional client licenses for Access It! Lite.NET. Includes: Image capture (if badging option enabled), image verification and alarm processing capabilitiesNOTE: Requires one of the base Access It!® Lite.NET - Standard software configurations.	EA	\$5,452.86
246 35 1	RS2 Technologies	Lite.NET-CLIENT-5PK	Access It!® Lite.NET Single Client Licen	Access It!® Lite.NET Single Client License Five (5) PackOptional five additional client licenses for Access It! Lite.NET.Includes: Image capture (if badging option enabled), image verification and alarm processing capabilitiesNOTE: Requires one of the base Access It!® Lite.NET - Standard software configurations.	EA	\$1,090.57
246 35 1	RS2 Technologies	Lite.NET-IMPEXP	Access It!® Lite.NET - Standard Import/E	Access It!® Lite.NET - Standard Import/Export/Batch Update Utilities Optional system site license enabling the importing, exporting and updating of cardholders and cards.NOTE: Requires one of the base Access It!® Lite.NET - Standard software configurations.	EA	\$272.64
246 35 1	RS2 Technologies	Lite.NET-WBF	Access It!® Lite.NET Barcode FontsOption	Access It!® Lite.NET Barcode FontsOptional barcode fonts required to print barcodes on badges.NOTE: Optional system site license enabling the use of barcode fonts.	EA	\$272.64
246 35 1	RS2 Technologies	Lite.NET-WEB	Access It!® Lite.NET - Standard WEB Clie	Access It!® Lite.NET - Standard WEB Client LicenseOptional system site license enabling the use of WEB Clients as well as traditional clients.NOTE: Requires one of the base Access It!® Lite.NET - Standard software configurations. NOTE: Requires a Lite.NET-CLIENT license for each concurrent session on the server.	EA	\$272.64
246 35 1	RS2 Technologies	S-ACTDEP	Access It!® Universal - Standard Active/	Access It!® Universal - Standard Active/Interactive Data ExchangePackagesData Exchange Packages provide for a way to modify the Access It! Universal database via an external data source on a regular scheduled basis. The six types of external data sources currently supported are: Microsoft Access, Microsoft Excel, Text File, SQL Server, ODBC, and Microsoft Active Directory.	EA	\$4,110.19
246 35 1	RS2 Technologies	S-BADGE	Access It!® Universal - Standard ID Badg	Access It!® Universal - Standard ID Badging LicenseOptional system site license enabling the capturing and printing of IDbadges.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-BIO	Access It!® Universal - Standard Biometr	Access It!® Universal - Standard Biometrics LicenseOptional system site license enabling the use of biometrics readers. NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-CCTV	Access It!® Universal - Standard CCTV In	Access It!® Universal - Standard CCTV Interface License Optional CCTV interface license for each client license. Supports unlimited CCTV switchers.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-CCTV-25P	Access It!® Universal - Standard CCTV In	Access It!® Universal - Standard CCTV Interface License Twenty-five (25) PackOptional CCTV interface license for each client license. Supports unlimited CCTV switchers.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$13,700.64
246 35 1	RS2 Technologies	S-CCTV-5P	Access It!® Universal - Standard CCTV In	Access It!® Universal - Standard CCTV Interface License Five (5) Pack Optional CCTV interface license for each client license. Supports unlimited CCTV switchers.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$2,740.13
246 35 1	RS2 Technologies	S-CLIENT	Access It!® Universal - Standard Single	Access It!® Universal - Standard Single Client LicenseOptional single add on client license for Access It! Universal.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-CLIENT-25P	Access It!® Universal - Standard Single	Access It!® Universal - Standard Single Client License Twenty-five (25)PackOptional single add on client license for Access It! Universal.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$13,700.64
246 35 1	RS2 Technologies	S-CLIENT-5P	Access It!® Universal - Standard Single	Access It!® Universal - Standard Single Client License Five (5) PackOptional single add on client license for Access It! Universal.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$2,740.13

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	S-DVR-[MFG]	Access It!® Universal - Standard Digital	Access It!® Universal - Standard Digital/Network Video Recorder InterfaceLicenseOptional DVR interface license for each client license. Supports unlimited digital video recorders.NOTE: Please list the DVR manufacturer's name on all purchase orders. NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-DVR-[MFG]-25P	Access It!® Universal - Standard Digital	Access It!® Universal - Standard Digital/Network Video Recorder InterfaceLicense Twenty-five (25) PackOptional DVR interface license for each client license. Supports unlimited digital video recorders.NOTE: Please list the DVR manufacturer's name on all purchase orders. NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$13,700.64
246 35 1	RS2 Technologies	S-DVR-[MFG]-5P	Access It!® Universal - Standard Digital	Access It!® Universal - Standard Digital/Network Video Recorder InterfaceLicense Five (5) PackOptional DVR interface license for each client license. Supports unlimited digital video recorders.NOTE: Please list the DVR manufacturer's name on all purchase orders. NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$2,740.13
246 35 1	RS2 Technologies	S-ENCODE	Access It!® Universal - Standard Encodin	Access It!® Universal - Standard Encoding LicenseOptional system site license enabling the encoding of smart cards.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-IMPEXP	Access It!® Universal - Standard Import/	Access It!® Universal - Standard Import/Export/Batch Update Utilities Optional system site license enabling the importing, exporting and updating of cardholders and cards.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-INTCM	Access It!® Universal - Standard Interco	Access It!® Universal - Standard Intercom Interface License Optional intercom interface license for each client license. Supports unlimited intercoms.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	S-INTCM-25P	Access It!® Universal - Standard Interco	Access It!® Universal - Standard Intercom Interface License Twenty-five(25) PackOptional intercom interface license for each client license. Supports unlimited intercoms.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$13,700.64
246 35 1	RS2 Technologies	S-INTCM-5P	Access It!® Universal - Standard Interco	Access It!® Universal - Standard Intercom Interface License Five (5) Pack Optional intercom interface license for each client license. Supports unlimited intercoms.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$2,740.13
246 35 1	RS2 Technologies	S-IP	Access It!® Universal - Standard IP Lock	Access It!® Universal - Standard IP Lock Software Interface LicenseOptional system site license enabling the use of IP lock sets.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 35 1	RS2 Technologies	SL1000-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal Services License and supports 1000 SCP'sNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$11,301.66
246 35 1	RS2 Technologies	SL1000-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 1000 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$10,959.14
246 35 1	RS2 Technologies	SL100-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal Services License and supports 100 SCP'sNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$5,821.40
246 35 1	RS2 Technologies	SL100-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 100 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$5,478.89
246 35 1	RS2 Technologies	SL1-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal Services License and supports 1 SCP'NOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$889.17
246 35 1	RS2 Technologies	SL1-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 1 SCP'NOTE: Ships with a USB licensing key (USB Dongle).	EA	\$546.66
246 35 1	RS2 Technologies	SL255-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal ServicesLicense and supports 255 SCP'sNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$7,191.47
246 35 1	RS2 Technologies	SL255-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 255 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$6,848.95
246 35 1	RS2 Technologies	SL25-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal Services License and supports 25 SCP'sNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$3,081.27
246 35 1	RS2 Technologies	SL25-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 25 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$2,738.76

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 35 1	RS2 Technologies	SL500-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal Services License and supports 500 SCP'sNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$8,561.53
246 35 1	RS2 Technologies	SL500-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 500 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$8,219.02
246 35 1	RS2 Technologies	SL8-SOFT	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License, 1 S-TERM Standard Terminal Services License and supports 8 SCP'sNOTE: Ships with a Software Certificate and Instructions (no dongle key).	EA	\$1,300.19
246 35 1	RS2 Technologies	SL8-USB	Access It!® Universal - StandardStand-al	Access It!® Universal - StandardStand-alone or multi-user access control software with built in verification and optional video ID badging. Unlimited client license expandability. Includes: 1 Single Client License and supports 8 SCP'sNOTE: Ships with a USB licensing key (USB Dongle).	EA	\$957.67
246 35 1	RS2 Technologies	S-T&A	Access It!® Universal - Standard Time an	Access It!® Universal - Standard Time and Attendance License Optional system site license enabling the use of readers for time and attendance.NOTE: Requires one of the base Access It! Universal - Standard software configurations.	EA	\$685.03
246 1000	VERINT	NEX-5-CSDK-PS	Client SDK Development Kit (includes)-Ne	Client SDK Development Kit (includes)-Nextiva Client SDK ProgrammerGuide. Nextiva Client SDK Reference Guide. 10 hours of remote telephone support.	EA	\$8,967.25
246 1000	VERINT	NEX-5-CSDKSUP-PS	Client SDK support beyond 10 hours (cust	Client SDK support beyond 10 hours (customers need to be aware that they will be charged for SDK support beyond 10 hours if it is required)	EA	\$197.28
246 1000	VERINT	NEX-5-INST-PS	Nextiva Installation Services – Verint p	Nextiva Installation Services – Verint professional services for installation and verification of installation. (T&E is not included and MUST be on the quote) NOTE: A minimum 3 week advance notice is required	EA	\$1,345.09
246 1000	VERINT	NX-5-600-0102	Verint Training, Administrators or Users	Verint Training, Administrators or Users, per day*	EA	\$269.02
246 1000	VERINT	NX-5-600-0103	Verint On-Site Training, Administrators	Verint On-Site Training, Administrators or Users, per day**(T&E is not included and MUST be on the quote)	EA	\$2,690.18
246 35 1	VERINT	NEX-5-ONSIT-PS	Nextiva On-Site Technical Support – Veri	Nextiva On-Site Technical Support – Verint professional services for FieldApplication Engineer dispatches (T&E is not included and MUST be on the quote) NOTE: A minimum 3 week advance notice is required	EA	\$1,196.23
246 42 1	VERINT	ANT-WP16-24/S	16dBi gain, 2.4GHz band, 27° beamwidth,	16dBi gain, 2.4GHz band, 27° beamwidth, patch antenna with 1 meter (3- foot) SMA-N cable	EA	\$192.80
246 42 1	VERINT	ANT-WP18-49	ANTENNA; 18dBi; Linear, Flat-panel; 4.9G	ANTENNA; 18dBi; Linear, Flat-panel; 4.9GHz-6.0GHz; 20deg H-BW; N- Type female; ROHS	EA	\$224.18
246 42 1	VERINT	ANT-WP19-5x/S	19dBi gain, 5.25-5.85GHz band, 18° beamw	19dBi gain, 5.25-5.85GHz band, 18° beamwidth, subscriber antenna ; H/V-BW; N female; ROHS	EA	\$367.66
246 42 1	VERINT	ANT-WP23-5x/S	23 dBi gain, 6.05-5.875 GHz band, 9° bea	23 dBi gain, 6.05-5.875 GHz band, 9° beamwidth H/V-BW, subscriber antenna, N female.	EA	\$493.20
246 42 1	VERINT	ANT-WP25-49	ANTENNA; 25dBi; Linear, Flat-panel; 4.9G	ANTENNA; 25dBi; Linear, Flat-panel; 4.9GHz-6.0GHz; 6deg H-BW; N- Type female; ROHS	EA	\$538.04
246 42 1	VERINT	ANT-WP8-49/5x	ANTENNA; 8dBi; vertical polarized Omni-d	ANTENNA; 8dBi; vertical polarized Omni-directional; 4.9 - 5.875GHz; 16 degree - BW; N male; ROHS	EA	\$215.21
246 42 1	VERINT	ANT-WS16-5x/S	16dBi gain, 5.25-5.85GHz band, 90° beamw	16dBi gain, 5.25-5.85GHz band, 90° beamwidth, sector panel antenna with 1 meter (3-foot) SMA-N cable	EA	\$896.73
246 42 1	VERINT	AV1300DN	1.3 Megapixel Camera, 1280x1024 w/Day/Ni	1.3 Megapixel Camera, 1280x1024 w/Day/Night motorized IR cut filter, lens not included	EA	\$892.24
246 42 1	VERINT	AV1300M	1.3 Megapixel Camera, 1280x1024, lens no	1.3 Megapixel Camera, 1280x1024, lens not included	EA	\$789.12

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	AV1305	AV1305 1.3 Megapixel H.264/MJPEG Color C	AV1305 1.3 Megapixel H.264/MJPEG Color Camera, 1280x1024	EA	\$892.24
246 42 1	VERINT	AV1305-AI	AV1305-AI 1.3 Megapixel H.264/MJPEG Colo	AV1305-AI 1.3 Megapixel H.264/MJPEG Color Camera, 1280x1024, w/DC Auto Iris	EA	\$986.40
246 42 1	VERINT	AV1305DN	AV1305DN 1.3 Megapixel H.264/MJPEG Day/N	AV1305DN 1.3 Megapixel H.264/MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter	EA	\$986.40
246 42 1	VERINT	AV1355	AV1355 1.3 Megapixel H.264/MJPEG IP Colo	AV1355 1.3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	EA	\$1,192.64
246 42 1	VERINT	AV1355DN	AV1355DN 1.3 Megapixel H.264/MJPEG IP Da	AV1355DN 1.3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera,4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant DomeHousing	EA	\$1,295.77
246 42 1	VERINT	AV2100DN	2.0 Megapixel Camera, 1600x1200 w/Day/Ni	2.0 Megapixel Camera, 1600x1200 w/Day/Night motorized IR cut filter, lens not included	EA	\$1,089.52
246 42 1	VERINT	AV2100M	2.0 Megapixel Camera, 1600x1200, lens no	2.0 Megapixel Camera, 1600x1200, lens not included	EA	\$986.40
246 42 1	VERINT	AV2105	AV2105 2 Megapixel H.264/MJPEG Color Cam	AV2105 2 Megapixel H.264/MJPEG Color Camera, 1600x1200	EA	\$986.40
246 42 1	VERINT	AV2105-AI	AV2105-AI 2 Megapixel H.264/MJPEG Color	AV2105-AI 2 Megapixel H.264/MJPEG Color Camera, 1600x1200, w/DC Auto Iris	EA	\$1,089.52
246 42 1	VERINT	AV2105DN	AV2105DN 2 Megapixel H.264/MJPEG Day/Nig	AV2105DN 2 Megapixel H.264/MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter	EA	\$1,089.52
246 42 1	VERINT	AV2155	AV2155 2 Megapixel H.264/MJPEG IP Color	AV2155 2 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	EA	\$1,389.92
246 42 1	VERINT	AV2155DN	AV2155DN 2 Megapixel H.264/MJPEG IP DayN	AV2155DN 2 Megapixel H.264/MJPEG IP DayNight All-In-One Camera,4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant DomeHousing	EA	\$1,488.56
246 42 1	VERINT	AV3100DN	3.0 Megapixel Camera, 2048x1536 w/Day/Ni	3.0 Megapixel Camera, 2048x1536 w/Day/Night motorized IR cut filter, lens not included	EA	\$1,089.52
246 42 1	VERINT	AV3100M	3.0 Megapixel Camera, 2048x1536, lens no	3.0 Megapixel Camera, 2048x1536, lens not included	EA	\$1,089.52
246 42 1	VERINT	AV3105	AV3105 3 Megapixel H.264/MJPEG Color Cam	AV3105 3 Megapixel H.264/MJPEG Color Camera, 2048x1536	EA	\$1,089.52
246 42 1	VERINT	AV3105-AI	AV3105-AI 3 Megapixel H.264/MJPEG Color	AV3105-AI 3 Megapixel H.264/MJPEG Color Camera, 2048x1536, w/ DC Auto Iris	EA	\$1,192.64
246 42 1	VERINT	AV3105DN	AV3105DN 3 Megapixel H.264/MJPEG Day/Nig	AV3105DN 3 Megapixel H.264/MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter	EA	\$1,192.64
246 42 1	VERINT	AV3155	AV3155 3 Megapixel H.264/MJPEG IP Color	AV3155 3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	EA	\$1,488.56
246 42 1	VERINT	AV3155DN	AV3155DN 3 Megapixel H.264/MJPEG IP DayN	AV3155DN 3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera,4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant DomeHousing	EA	\$1,587.20
246 42 1	VERINT	AV5100DN	3.0 Megapixel Camera, 2592x1944 w/Day/Ni	3.0 Megapixel Camera, 2592x1944 w/Day/Night ,lens not included	EA	\$1,192.64
246 42 1	VERINT	AV5100M	5.0 Megapixel Camera, 2592x1944 ,lens no	5.0 Megapixel Camera, 2592x1944 ,lens not included	EA	\$1,089.52

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	AV5105	AV5105 5 Megapixel H.264/MJPEG Color Cam	AV5105 5 Megapixel H.264/MJPEG Color Camera, 2592x1944	EA	\$1,192.64
246 42 1	VERINT	AV5105-AI	AV5105-AI 5 Megapixel H.264/MJPEG Color	AV5105-AI 5 Megapixel H.264/MJPEG Color Camera, 2592x1944, w/DC Auto Iris	EA	\$1,295.77
246 42 1	VERINT	AV5105DN	AV5105DN 5 Megapixel H.264/MJPEG Day/Nig	AV5105DN 5 Megapixel H.264/MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter	EA	\$1,295.77
246 42 1	VERINT	AV5155	AV5155 5 Megapixel H.264/MJPEG IP Color	AV5155 5 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	EA	\$1,587.20
246 42 1	VERINT	AV5155DN	AV5155DN 5 Megapixel H.264/MJPEG IP DayN	AV5155DN 5 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant DomeHousing	EA	\$1,685.84
246 42 1	VERINT	AV8180	8.0 Megapixel 180° Camera, 6400x1200, (4	8.0 Megapixel 180° Camera, 6400x1200, (4) 8mm MP included	EA	\$2,143.17
246 42 1	VERINT	AV8360	8.0 Megapixel 180° Camera, 6400x1200, (4	8.0 Megapixel 180° Camera, 6400x1200, (4) 8mm MP included	EA	\$2,143.17
246 42 1	VERINT	CABAA	Audio and Alarms Cable	Audio and Alarms Cable	EA	\$62.77
246 42 1	VERINT	CABET-25	25 meter (82 foot) outdoor Ethernet repl	25 meter (82 foot) outdoor Ethernet replacement cable	EA	\$80.71
246 42 1	VERINT	CABET-50	50 meter (164 foot) outdoor Ethernet rep	50 meter (164 foot) outdoor Ethernet replacement cable	EA	\$143.48
246 42 1	VERINT	CABPV	Spare 3 meter (10-foot) cabling assembly	Spare 3 meter (10-foot) cabling assembly for power/video/PTZ	EA	\$71.74
246 42 1	VERINT	CLRDOME	Clear dome cover for S2700e IP mini dome	Clear dome cover for S2700e IP mini dome camera.	EA	\$40.35
246 42 1	VERINT	HSG1-O-W	Outdoor IP67 vandal proof housing for si	Outdoor IP67 vandal proof housing for single and dual sensor cameras, w/heater blower. It doesn't fit the AV8180 and AV8360	EA	\$233.15
246 42 1	VERINT	M3Z1228C-MP	12-36mm Megapixel Lens. For Color camera	12-36mm Megapixel Lens. For Color camera only, not for Day / Night models	EA	\$336.27
246 42 1	VERINT	NEX-24-DSWM	Dell 100BASE-T 24 Ports managed multicas	Dell 100BASE-T 24 Ports managed multicast Switch,	EA	\$986.40
246 42 1	VERINT	NEX-24-DSWM-1GE	Dell 24 100/1000BaseT ports, managed mul	Dell 24 100/1000BaseT ports, managed multicast Switch	EA	\$2,241.81
246 42 1	VERINT	NEX-24-DSWM-PoE	Dell PoE 100BASE-T 24 Ports managed mul	Dell PoE 100BASE-T 24 Ports managed multicast Switch	EA	\$1,883.12
246 42 1	VERINT	NEX-48-DSWM-1GE	Dell 48 100/1000BaseT ports, managed mul	Dell 48 100/1000BaseT ports, managed multicast Switch	EA	\$2,690.18
246 42 1	VERINT	NEX-48-DSWM-PoE	Dell PoE 100BASE-T 48 Ports managed mul	Dell PoE 100BASE-T 48 Ports managed multicast Switch	EA	\$2,421.16
246 42 1	VERINT	NEX-6.1- RE -D2.0TB	Nextiva Dell Recorder 6.1 with 2.0 Tb in	Nextiva Dell Recorder 6.1 with 2.0 Tb internal storage and Win2003 2GRAM	EA	\$9,415.62
246 42 1	VERINT	NEX-6.1- RE -D4.0TB	Nextiva Dell Recorder 6.1 with 4.0 Tb in	Nextiva Dell Recorder 6.1 with 4.0 Tb internal storage and Win2003 2GRAM	EA	\$10,760.71

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	NEX-6.1- RE -DFIBER	Nextiva Dell Recorder with Fiber channel	Nextiva Dell Recorder with Fiber channel with Win2003 2G RAM	EA	\$8,967.25
246 42 1	VERINT	NEX-6.1-1CAM-S	One (1) Camera S/W License	One (1) Camera S/W License	EA	\$179.35
246 42 1	VERINT	NEX-6.1-1FOC-S	One (1) Nextiva fail-over camera softwar	One (1) Nextiva fail-over camera software license	EA	\$44.84
246 42 1	VERINT	NEX-6.1-1RV-CFE	One (1) Review/Smart Client License with	One (1) Review/Smart Client License without SQL CAL license	EA	\$246.60
246 42 1	VERINT	NEX-6.1-1RV-S	One (1) Review/Smart Client License	One (1) Review/Smart Client License	EA	\$246.60
246 42 1	VERINT	NEX-6.1-1SDK-S	One (1) SDK Connection License	One (1) SDK Connection License	EA	\$246.60
246 42 1	VERINT	NEX-6.1-AN-E100	Surveillance Analytics Sensor License -	Surveillance Analytics Sensor License - E100 Silver	EA	\$374.83
246 42 1	VERINT	NEX-6.1-AN-E1000	Surveillance Analytics Sensor License -	Surveillance Analytics Sensor License - E1000 platinum	EA	\$1,345.09
246 42 1	VERINT	NEX-6.1-AN-E200	Surveillance Analytics Sensor License -	Surveillance Analytics Sensor License - E200 gold	EA	\$1,085.04
246 42 1	VERINT	NEX-6.1-AN-S500	\$500 Server Based Platinum sensor (E-100)	\$500 Server Based Platinum sensor (E-1000)	EA	\$4,483.63
246 42 1	VERINT	NEX-6.1-DELL-HFO	Dell Hardware Fail Over Kit includes: 2	Dell Hardware Fail Over Kit includes: 2 Dell PowerEdge R710 with IntelXeon Quad core 4 Hard drives, 4 NICs 2 HASP HL NET 10 dongle key 2 copies of Windows 2003 R2 Server Standard Edition Documentation for Marathon installs. Marathon and Nextiva Enterprise software NOTincluded.	EA	\$22,956.17
246 42 1	VERINT	NEX-6.1-DFIBER2-KIT	Two port Fiber Kit (QLogic QLE2462 2 Po	Two port Fiber Kit (QLogic QLE2462 2 Port Fiber Adapter)	EA	\$4,483.63
246 42 1	VERINT	NEX-6.1-DPVEXT-11.0TB	MD1000 with 11 TB of storage: 12 x 1 TB	MD1000 with 11 TB of storage: 12 x 1 TB SATA drives =11 TB storage, SAS connection	EA	\$17,037.78
246 42 1	VERINT	NEX-6.1-DPVEXT-14.0TB	MD1000 with 14 TB of storage: 15 x 1 TB	MD1000 with 14 TB of storage: 15 x 1 TB SATA drives = 14 TB storage, SAS connection	EA	\$18,472.54
246 42 1	VERINT	NEX-6.1-DPVEXT-7.0TB	MD1000 with 7TB of storage: 8 x 1 TB SAT	MD1000 with 7TB of storage: 8 x 1 TB SATA drives = 7.0TB storage, SASconnection	EA	\$13,630.23
246 42 1	VERINT	NEX-6.1-DSCN-W22	Dell 22 inch wide screen monitor only	Dell 22 inch wide screen monitor only	EA	\$703.93
246 42 1	VERINT	NEX-6.1-DWRK	Dell Precision T3500 workstation (withou	Dell Precision T3500 workstation (without Monitor)	EA	\$3,676.57
246 42 1	VERINT	NEX-6.1-DWRK-19W	Dell Precision T3500 workstation with 19	Dell Precision T3500 workstation with 19 inch wide screen monitor	EA	\$4,214.61
246 42 1	VERINT	NEX-6.1-DWRK-22W	Dell Precision T3500 workstation with 22	Dell Precision T3500 workstation with 22 inch wide screen monitor	EA	\$4,304.28
246 42 1	VERINT	NEX-6.1-DWRK-S	Dell Precision T3500 workstation with 17	Dell Precision T3500 workstation with 17 inch monitor	EA	\$4,124.94
246 42 1	VERINT	NEX-6.1-EM-S	Enterprise Monitoring Software - Client/	Enterprise Monitoring Software - Client/Server License (over 10 servers)	EA	\$896.73

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	NEX-6.1-ESM-DFIBER	Nextiva Dell ESM fiber channel server wi	Nextiva Dell ESM fiber channel server with 6.1 2G RAM	EA	\$8,967.25
246 42 1	VERINT	NEX-6.1-ESM-DFIBER2	Nextiva Dell ESM 2 fiber channel server	Nextiva Dell ESM 2 fiber channel server with 6.1 2G RAM	EA	\$10,312.34
246 42 1	VERINT	NEX-6.1-ESM-DSAS	Nextiva Dell ESM Server 6.1 with fiber c	Nextiva Dell ESM Server 6.1 with fiber channel with 2G RAM	EA	\$7,353.15
246 42 1	VERINT	NEX-6.1-ESM-ST	Enterprise Storage Manager Software - Si	Enterprise Storage Manager Software - Site License	EA	\$13,450.88
246 42 1	VERINT	NEX-6.1-EXSTR-25.0 TB	Nexsan SataBeast with 25.0TB storage 28	Nexsan SataBeast with 25.0TB storage 28 x 1TB SATA drives, Fiber connection	EA	\$40,801.01
246 42 1	VERINT	NEX-6.1-EXSTR-36.0 TB	Nexsan SataBeast with 36 TB storage 42 x	Nexsan SataBeast with 36 TB storage 42 x 1TB SATA drives, Fiber connection	EA	\$49,230.23
246 42 1	VERINT	NEX-6.1-FM-S500	Nextiva Flow Monitor Server based	Nextiva Flow Monitor Server based	EA	\$4,483.63
246 42 1	VERINT	NEX-6.1-IM-ST	Investigation Management Site License	Investigation Management Site License	EA	\$5,380.35
246 42 1	VERINT	NEX-6.1-IS-ST	Virtual Matrix Software	Virtual Matrix Software	EA	\$1,972.80
246 42 1	VERINT	NEX-6.1-IVAP-DSR	Nextiva Dell Surveillance Analytics proc	Nextiva Dell Surveillance Analytics processor server 4 G RAM	EA	\$6,904.79
246 42 1	VERINT	NEX-6.1-MR-D2.0TB	Nextiva Dell Master Recorder 6.1 with 2.	Nextiva Dell Master Recorder 6.1 with 2.0 Tb internal storage and Win2003 2G RAM	EA	\$9,415.62
246 42 1	VERINT	NEX-6.1-MR-D4.0TB	Nextiva Dell Master Recorder 6.1 with 4.	Nextiva Dell Master Recorder 6.1 with 4.0 Tb internal storage and Win2003 2G RAM	EA	\$10,760.71
246 42 1	VERINT	NEX-6.1-MR-DFIBER	Nextiva Dell Master Recorder with Fiber	Nextiva Dell Master Recorder with Fiber channel with Win2003 2G RAM	EA	\$8,967.25
246 42 1	VERINT	NEX-6.1-MR-DFIBER2	Nextiva Dell Master Recorder with 2 Fibe	Nextiva Dell Master Recorder with 2 Fiber channel with Win2003 2GRAM	EA	\$10,312.34
246 42 1	VERINT	NEX-6.1-MR-DSAS	Nextiva Dell 6.1 Master Recorder SAS int	Nextiva Dell 6.1 Master Recorder SAS interface with Win2003 2G RAM	EA	\$7,353.15
246 42 1	VERINT	NEX-6.1-MR-S	Software DVD and License with Protection	Software DVD and License with Protection for Master Recorder 6.1 only	EA	\$1,076.07
246 42 1	VERINT	NEX-6.1-MS-DELL	Nextiva Dell Master Server with 6.1 2G R	Nextiva Dell Master Server with 6.1 2G RAM with Xeon Processor	EA	\$7,622.17
246 42 1	VERINT	NEX-6.1-MS-DELL-CFO	Nextiva Complete Factory installed Turnk	Nextiva Complete Factory installed Turnkey Failover Solution .This Complete Fail Over package includes all hardware and software: 2 Dell Server Hardware, 2 HASP HL NET 10 dongle key All 3rd party and Marathon software. 1 Verint Nextiva Enterprise NEX-6.1-MS-S. Documentation for Marathon Standard Nextiva documentation	EA	\$57,390.43
246 42 1	VERINT	NEX-6.1-MS-KEY-T	Nextiva software 90 day time trial Softw	Nextiva software 90 day time trial Software Key Not for resale to end customer	EA	\$358.69
246 42 1	VERINT	NEX-6.1-MS-S	Nextiva Master Server software 6.1 DVD w	Nextiva Master Server software 6.1 DVD with License and SoftwareProtection Key	EA	\$10,760.71

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	NEX-6.1-MS-SFO	Marathon Software Fail Over (Marathon So	Marathon Software Fail Over (Marathon Software only). This kit includes Marathon everRun FT software 2 HASP HL NET 10 dongle key 2 copies of Windows 2003 R2 and SQL 2005 Server Standard Edition Documentation. Must have Nextiva Enterprise NEX-6.1-MS-S license. Hardware and Servers are NOT included.	EA	\$23,673.55
246 42 1	VERINT	NEX-6.1-RE-DFIBER2	Nextiva Dell Recorder with 2 Fiber chann	Nextiva Dell Recorder with 2 Fiber channel with Win2003 2G RAM	EA	\$10,312.34
246 42 1	VERINT	NEX-6.1-RE-DSAS	Nextiva Dell 6.1 Recorder SAS interface	Nextiva Dell 6.1 Recorder SAS interface with Win2003 2G RAM	EA	\$7,353.15
246 42 1	VERINT	NEX-6.1-TRSCOD-ISTRM	Video transcoding service license for 1	Video transcoding service license for 1 output Video Stream	EA	\$179.35
246 42 1	VERINT	NEX-6.1-TRSCOD-DSRV	Nextiva Dell Media Gateway Server, Site	Nextiva Dell Media Gateway Server, Site or Stream license not included.	EA	\$6,904.79
246 42 1	VERINT	NEX-6.1-TRSCOD-ST	Unlimited video stream transcoding servi	Unlimited video stream transcoding services per site.	EA	\$5,828.72
246 42 1	VERINT	NEX-8-DSW	Dell 10/100/1000BASE-T 8 ports, auto-sen	Dell 10/100/1000BASE-T 8 ports, auto-sensing Gigabit Ethernet switching ports	EA	\$358.69
246 42 1	VERINT	PDP10-2	19-inch 1U power distribution panel rack	19-inch 1U power distribution panel rack mount to connect up to ten (10) Multiport devices (requires the purchase of a PS1281 or PS1282).	EA	\$201.76
246 42 1	VERINT	PS12	Power supply 100-240V AC to 12V DC with	Power supply 100-240V AC to 12V DC with 1.25 A for one (1) 12VDCS2750e IP Camera; North America/Europe/United Kingdom; NOT OUTDOOR; UL; ROHS.	EA	\$18.83
246 42 1	VERINT	PS1260	110VAC to 12VDC at 45W transformer for o	110VAC to 12VDC at 45W transformer for one (1) NextivaS1504e/S1508e/S1708e/S1712e/S1724e Ethernet Video Server	EA	\$71.74
246 42 1	VERINT	PS1260-EU	Power supply 220V AC to 12V DC with 3.5	Power supply 220V AC to 12V DC with 3.5 A for one (1) S1704e/S1708e/S1712e/S1724e devices; Europe; ROHS.	EA	\$71.74
246 42 1	VERINT	PS1260-UK	Power supply 220V AC to 12V DC with 3.5	Power supply 220V AC to 12V DC with 3.5 A for one (1) S1704e/S1708e/S1712e/S1724e devices; United Kingdom; ROHS.	EA	\$71.74
246 42 1	VERINT	PS1281	19-inch rack mountable power supply 110V	19-inch rack mountable power supply 110V AC to dual 14V DC with 23 A, for ten (10) S17xxe or S18xxe Multiport devices. Recommended with PDP10-2; North America; ROHS.	EA	\$672.54
246 42 1	VERINT	PS1281-EU	19-inch rack mountable power supply 230V	19-inch rack mountable power supply 230V AC to dual 14V DC with 23 A, for ten (10) S17xxe or S18xxe Multiport devices. Recommended with PDP10; Europe & UK; ROHS.	EA	\$807.05
246 42 1	VERINT	PS2440-EU	Power supply; 220V IN; 24V AC OUT; 1.5A;	Power supply; 220V IN; 24V AC OUT; 1.5A; 50Hz; DESKTOP (BUILT-IN POWER CORD); Europe; CE, GS; ROHS	EA	\$29.59
246 42 1	VERINT	PS2440-UK	Power supply; 220V IN; 24V AC OUT; 1.5A;	Power supply; 220V IN; 24V AC OUT; 1.5A; 50Hz; DESKTOP (BUILT-IN POWER CORD); United Kingdom; CE, GS; ROHS	EA	\$29.59
246 42 1	VERINT	PSPOE	Power over Ethernet injector for S26xxe	Power over Ethernet injector for S26xxe and S27xxe IP cameras and S1970e-T-POE.	EA	\$89.67
246 42 1	VERINT	PSPOE-EU	Power over Ethernet Injector for the S26	Power over Ethernet Injector for the S2600e fixed IP camera series, the S27xxe IP mini dome and S1970e-T-POE with EU power cord	EA	\$89.67
246 42 1	VERINT	PSPOE-UK	Power over Ethernet Injector for the S26	Power over Ethernet Injector for the S2600e fixed IP camera series, the S27xxe IP mini dome and S1970e-T-POE with UK power cord	EA	\$89.67
246 42 1	VERINT	S1704e-T	MPEG-4 based high-resolution 4-Port Vide	MPEG-4 based high-resolution 4-Port Video Encoder. Power Supply not included (options: PS1260, PS1281)	EA	\$1,793.45
246 42 1	VERINT	S1704e-T-A	MPEG-4 based high-resolution 4-Port Vide	MPEG-4 based high-resolution 4-Port Video Encoder with 1 bidirectional audio input. Power Supply not included (options: PS1260, PS1281)	EA	\$2,062.47

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	S1704e-T-AS	MPEG-4 based high-resolution 4-Port Vide	MPEG-4 based high-resolution 4-Port Video Encoder with on-board analytics. Analytics license not included	EA	\$2,394.26
246 42 1	VERINT	S1704e-T-AS-A	MPEG-4 based high-resolution 4-Port Vide	MPEG-4 based high-resolution 4-Port Video Encoder and 1 audio input with on-board analytics. Analytics license not included	EA	\$2,663.27
246 42 1	VERINT	S1708e-T	MPEG-4 based high-resolution 8-Port Vide	MPEG-4 based high-resolution 8-Port Video Encoder. Power Supply not included (options: PS1260, PS1281)	EA	\$2,510.83
246 42 1	VERINT	S1708e-T-12iA	MPEG-4 based high-resolution 8-Port Vide	MPEG-4 based high-resolution 8-Port Video Encoder with 12 audiounidirectional inputs. Power Supply not included (options: PS1260, PS1281)	EA	\$3,183.38
246 42 1	VERINT	S1708e-T-A	MPEG-4 based high-resolution 8-Port Vide	MPEG-4 based high-resolution 8-Port Video Encoder with 1 bidirectional audio input. Power Supply not included (options: PS1260, PS1281)	EA	\$2,779.85
246 42 1	VERINT	S1708e-T-AS	MPEG-4 based high-resolution 8-Port Vide	MPEG-4 based high-resolution 8-Port Video Encoder with on-board analytics. Analytics license not included	EA	\$2,690.18
246 42 1	VERINT	S1708e-T-AS-A	MPEG-4 based high-resolution 8-Port Vide	MPEG-4 based high-resolution 8-Port Video Encoder with 1 bidirectional audio input and on-board analytics. Analytics license not included	EA	\$2,986.10
246 42 1	VERINT	S1712e-T	MPEG-4 based high-resolution 12-Port Vid	MPEG-4 based high-resolution 12-Port Video Encoder optimized for high port count applications. Power Supply not included (options: PS1260,PS1281)	EA	\$2,555.67
246 42 1	VERINT	S1712e-T-12iA	MPEG-4 based high-resolution 12-Port Vid	MPEG-4 based high-resolution 12-Port Video Encoder with 12 audio unidirectional inputs. Power Supply not included (options: PS1260,PS1281)	EA	\$3,183.38
246 42 1	VERINT	S1712e-T-A	MPEG-4 based high-resolution 12-Port Vid	MPEG-4 based high-resolution 12-Port Video Encoder optimized for high port count applications with 1 bidirectional audio input. Power Supply not included (options: PS1260, PS1281)	EA	\$2,824.69
246 42 1	VERINT	S1724e-T	MPEG-4 based high-resolution 24-Port Vid	MPEG-4 based high-resolution 24-Port Video Encoder optimized for highport count applications . Power Supply not included (options: PS1260, PS1281)	EA	\$3,273.05
246 42 1	VERINT	S1724e-T-A	MPEG-4 based high-resolution 24-Port Vid	MPEG-4 based high-resolution 24-Port Video Encoder optimized for high port count applications with 1 bidirectional audio input. Power Supply not included (options: PS1260, PS1281)	EA	\$3,542.07
246 42 1	VERINT	S1900e-T-AS	MPEG-4 based compact, high-resolution Vi	MPEG-4 based compact, high-resolution Video Encoder with on-board analytics and 1 audio input; 12VDC power supply included. Analytics license not included	EA	\$860.86
246 42 1	VERINT	S1900e-T-AS-XT	MPEG-4 based compact, high-resolution Vi	MPEG-4 based compact, high-resolution Video Encoder with on-board analytics, 1 audio input and extended temperature range (-30/+55°C);12VDC power supply included. Analytics license not included	EA	\$1,085.04
246 42 1	VERINT	S1950e-T	MPEG-4 based compact, affordable, high-r	MPEG-4 based compact, affordable, high-resolution encoder with 1 audio input; 12V DC power supply included	EA	\$506.65
246 42 1	VERINT	S1950e-T-XT	MPEG-4 based compact, affordable, high-r	MPEG-4 based compact, affordable, high-resolution encoder with 1 audioinput and extended temperature range (-30/+60°C); 12V DC power supply included	EA	\$650.13
246 42 1	VERINT	S1970e-R	MPEG-4 based compact, high-resolution Vi	MPEG-4 based compact, high-resolution Video Decoder/receiver with 1 bidirectional audio input; 12V DC power supply included	EA	\$569.42
246 42 1	VERINT	S1970e-R-XT	MPEG-4 based compact, high-resolution Vi	MPEG-4 based compact, high-resolution Video Decoder/receiver with 1 bidirectional audio input and extended temperature range; 12V DC power supply included	EA	\$739.80
246 42 1	VERINT	S1970e-T	MPEG-4 based compact, high-resolution en	MPEG-4 based compact, high-resolution encoder for optimal image quality with 1 audio input; 12V DC power supply included	EA	\$650.13
246 42 1	VERINT	S1970e-T-PoE	MPEG-4 based compact, high-resolution en	MPEG-4 based compact, high-resolution encoder for optimal image quality with 1 audio input and PoE Support (PoE injector not included)	EA	\$712.90
246 42 1	VERINT	S1970e-T-PoE-XT	MPEG-4 based compact, high-resolution en	MPEG-4 based compact, high-resolution encoder for optimal image quality with 1 audio input, PoE (PoE injector not included) and extended temperature range (-30/+50°C)	EA	\$892.24

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	S1970e-T-XT	MPEG-4 based compact, high-resolution en	MPEG-4 based compact, high-resolution encoder for optimal image quality with 1 audio input and extended temperature range (-30/+60°C);12VDC power supply included	EA	\$847.41
246 42 1	VERINT	S24PS-230	24 VAC output, 2.5 amps, for indoor S280	24 VAC output, 2.5 amps, for indoor S2800e Camera Domes	EA	\$40.35
246 42 1	VERINT	S2600e	Super wide dynamic range fixed IP camera	Super wide dynamic range fixed IP camera; MPEG-4; POE or 12V DC (12V DC power supply included)	EA	\$726.35
246 42 1	VERINT	S2600e-AS	DVD-Quality, super wide dynamic range fi	DVD-Quality, super wide dynamic range fixed IP camera with on-board analytics; 12V DC (12V DC power supply included). Analytics license not included.	EA	\$950.53
246 42 1	VERINT	S2600e-AS-L1	DVD-Quality, super wide dynamic range fi	DVD-Quality, super wide dynamic range fixed IP camera with on-board analytics; 12V DC (12V DC power supply and 2.9 to 8mm, F0.95, Auto Iris lens, included). Analytics license not included.	EA	\$986.40
246 42 1	VERINT	S2600e-L1	Super wide dynamic range fixed IP camera	Super wide dynamic range fixed IP camera; MPEG-4; POE or 12V DC (12V DC power supply and 2.9 to 8mm, F0.95, Auto Iris lens, included)	EA	\$762.22
246 42 1	VERINT	S2610e	Super wide dynamic range fixed IP camera	Super wide dynamic range fixed IP camera with day/night support; MPEG-4; POE or 12V DC (12V DC power supply included)	EA	\$816.02
246 42 1	VERINT	S2610e-AS	DVD-Quality, super wide dynamic range fi	DVD-Quality, super wide dynamic range fixed IP camera with day/night support and on-board analytics; 12VDC (12VDC power supply included). Analytics license not included.	EA	\$1,040.20
246 42 1	VERINT	S2610e-AS-L1	DVD-Quality, super wide dynamic range fi	DVD-Quality, super wide dynamic range fixed IP camera with day/night support and on-board analytics; 12VDC (12VDC power supply and 2.9 to 8mm, F0.95, Auto Iris lens, included). Analytics license not included	EA	\$1,076.07
246 42 1	VERINT	S2610e-L1	Super wide dynamic range fixed IP camera	Super wide dynamic range fixed IP camera with day/night support; MPEG-4; POE or 12V DC (12V DC power supply and 2.9 to 8mm, F0.95, AutoIris lens, included)	EA	\$851.89
246 42 1	VERINT	S2700e	MPEG-4 based, NTSC IP mini-dome camera w	MPEG-4 based, NTSC IP mini-dome camera with day-to-night function; PoE or 12V DC (12V DC power supply included)	EA	\$605.29
246 42 1	VERINT	S2700eP	MPEG-4 based, PAL IP mini-dome camera wi	MPEG-4 based, PAL IP mini-dome camera with day-to-night function; PoE or 12V DC (12V DC power supply included)	EA	\$605.29
246 42 1	VERINT	S2700eP-VR	MPEG-4 based, vandal-resistant PAL IP mi	MPEG-4 based, vandal-resistant PAL IP mini-dome camera with Day-to- Night function; PoE or 12V DC (12V DC power supply included)	EA	\$694.96
246 42 1	VERINT	S2700eP-VR-XT	MPEG-4 based, vandal-resistant PAL IP mi	MPEG-4 based, vandal-resistant PAL IP mini-dome camera with Day-to- Night function and extended temperature. (-30°C to 50°C, w/heater); PoE or 12V DC and 24V AC for the heater (12V DC and 24V AC power supplies are included)	EA	\$784.63
246 42 1	VERINT	S2700e-VR	MPEG-4 based, vandal-resistant NTSC IP m	MPEG-4 based, vandal-resistant NTSC IP mini-dome camera with Day-to- Night function; PoE or 12V DC (12V DC power supply included)	EA	\$694.96
246 42 1	VERINT	S2700e-VR-XT	MPEG-4 based, vandal-resistant NTSC IP m	MPEG-4 based, vandal-resistant NTSC IP mini-dome camera with Day-to-Night function and extended temperature (-30°C to 50°C, w/heater); PoE or 12VDC and 24V AC for the heater (12V DC and 24V AC power supplies are included)	EA	\$784.63
246 42 1	VERINT	S2750eNc	Fixed Dome IP Camera (NTSC), Clear Cover	Fixed Dome IP Camera (NTSC), Clear Cover	EA	\$529.07
246 42 1	VERINT	S2750eNs	Fixed Dome IP Camera (NTSC), Smoked Cove	Fixed Dome IP Camera (NTSC), Smoked Cover	EA	\$529.07
246 42 1	VERINT	S2750ePc	Fixed Dome IP Camera (PAL), Clear Cover	Fixed Dome IP Camera (PAL), Clear Cover	EA	\$529.07
246 42 1	VERINT	S2750ePs	Fixed Dome IP Camera (PAL), Smoked Cover	Fixed Dome IP Camera (PAL), Smoked Cover	EA	\$529.07
246 42 1	VERINT	S2800eN-C22	Indoor/in-ceiling, color IP dome; 4CIF/3	Indoor/in-ceiling, color IP dome; 4CIF/30 FPS MPEG4/MJPEGcompressions, includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity high-resolution color camera/lens with ExView™ technology and smoked lower dome	EA	\$2,959.19

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	S2800eN-C22CA	In-ceiling, color IP dome; 4CIF/30 FPS M	In-ceiling, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, housing, 22X high-resolution color camera/lens, and smoked lower dome	EA	\$2,237.33
246 42 1	VERINT	S2800eN-C23	Indoor in-ceiling, day/night IP dome; 4C	Indoor in-ceiling, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, in-ceiling metal housing, 23X day/night camera/lens with wide dynamic range and smoked lower dome	EA	\$3,174.41
246 42 1	VERINT	S2800eN-M23	Impact Resistant, day/night IP dome; 4CI	Impact Resistant, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 23X high-resolution day/night camera/lens with wide dynamic range and clear outer dome	EA	\$3,380.65
246 42 1	VERINT	S2800eN-M35	Impact Resistant, day/night IP dome; 4CI	Impact Resistant, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 35X high-resolution day/night camera/lens with wide dynamic range and image stabilization and clear outer dome	EA	\$3,775.21
246 42 1	VERINT	S2800eN-P22	Indoor/pendant, color IP dome; 4CIF/30 F	Indoor/pendant, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive; pendant upper housing, 22X high-sensitivity high-resolution color camera/lens with ExView™ technology and smoked lower dome	EA	\$3,093.70
246 42 1	VERINT	S2800eN-P22CA	Indoor/pendant, color IP dome; 4CIF/30 F	Indoor/pendant, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, housing, 22X high-resolution color camera/lens and smoked lower dome	EA	\$2,327.00
246 42 1	VERINT	S2800eN-P23	Indoor pendant, day/night IP dome; 4CIF/	Indoor pendant, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, pendant upper housing, 23X day/night camera/lens with wide dynamic range and smoked lower dome	EA	\$3,313.40
246 42 1	VERINT	S2800eN-W22	Outdoor, color IP dome; 4CIF/30 FPS MPEG	Outdoor, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 22X high-sensitivity high-resolution color camera/lens with ExView™ technology and clear outer dome	EA	\$3,174.41
246 42 1	VERINT	S2800eN-W22CA	Outdoor, color IP dome; 4CIF/30 FPS MPEG	Outdoor, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 22X high-resolution color camera/lens and clear outer dome	EA	\$2,416.68
246 42 1	VERINT	S2800eN-W23	Outdoor, day/night IP dome; 4CIF/30 FPS	Outdoor, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 23X high-resolution day/night camera/lens with wide dynamic range and clear outer dome	EA	\$3,362.72
246 42 1	VERINT	S2800eN-W35	Outdoor, day/night IP dome; 4CIF/30 FPS	Outdoor, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 35X high-resolution day/night camera/lens with wide dynamic range and image stabilization and clear outer dome	EA	\$3,761.76
246 42 1	VERINT	S2800eP-C22CA	In-ceiling, color IP dome; 4CIF/30 FPS M	In-ceiling, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, housing, 22X high-resolution color camera/lens, and smoked lower dome	EA	\$2,237.33
246 42 1	VERINT	S2800eP-C23	Indoor in-ceiling, day/night IP dome; 4C	Indoor in-ceiling, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, in-ceiling metal housing, 23X day/night camera/lens with wide dynamic range and smoked lower dome	EA	\$3,174.41
246 42 1	VERINT	S2800eP-M23	Impact Resistant, day/night IP dome; 4CI	Impact Resistant, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 23X high-resolution day/night camera/lens with wide dynamic range and clear outer dome	EA	\$3,380.65
246 42 1	VERINT	S2800eP-M35	Impact Resistant, day/night IP dome; 4CI	Impact Resistant, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 35X high-resolution day/night camera/lens with wide dynamic range and image stabilization and clear outer dome	EA	\$3,775.21
246 42 1	VERINT	S2800eP-P22CA	Indoor/pendant, color IP dome; 4CIF/30 F	Indoor/pendant, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, housing, 22X high-resolution color camera/lens and smoked lower dome	EA	\$2,327.00
246 42 1	VERINT	S2800eP-P23	Indoor pendant, day/night IP dome; 4CIF/	Indoor pendant, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, pendant upper housing, 23X day/night camera/lens with wide dynamic range and smoked lower dome	EA	\$3,313.40
246 42 1	VERINT	S2800eP-W22CA	Outdoor, color IP dome; 4CIF/30 FPS MPEG	Outdoor, color IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 22X high-resolution color camera/lens and clear outer dome	EA	\$2,416.68
246 42 1	VERINT	S2800eP-W23	Outdoor, day/night IP dome; 4CIF/30 FPS	Outdoor, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 23X high-resolution day/night camera/lens with wide dynamic range and clear outer dome	EA	\$3,362.72
246 42 1	VERINT	S2800eP-W35	Outdoor, day/night IP dome; 4CIF/30 FPS	Outdoor, day/night IP dome; 4CIF/30 FPS MPEG4/MJPEG compressions, includes variable-speed drive, environmental housing, 35X high-resolution day/night camera/lens with wide dynamic range and image stabilization and clear outer dome	EA	\$3,761.76
246 42 1	VERINT	S28PS-1	28 VAC output, 2.15 amps, for indoor S28	28 VAC output, 2.15 amps, for indoor S2800e Camera Domes	EA	\$31.39

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	S28WPS-1	28 VAC output, 3 amps, for outdoor S2800	28 VAC output, 3 amps, for outdoor S2800e Camera Domes	EA	\$44.84
246 42 1	VERINT	S28WPS-230	28 VAC output, 4 amps, for outdoor S2800	28 VAC output, 4 amps, for outdoor S2800e Camera Domes	EA	\$98.64
246 42 1	VERINT	S4100	Outdoor Multi-band 2.4/5GHz system inclu	Outdoor Multi-band 2.4/5GHz system including transmitter / receiver with integrated 8.5 dBi, 2.4 GHz antenna and 12dBi 5 GHz antenna (12V DC/24V AC)**	EA	\$2,860.55
246 42 1	VERINT	S4100-2V	Outdoor Multi-band 2.4/5GHz system inclu	Outdoor Multi-band 2.4/5GHz system including transmitter / receiver with two video inputs/outputs and with integrated 8.5 dBi, 2.4 GHz antenna and 12dBi 5 GHz antenna (12V DC/24V AC)	EA	\$3,721.41
246 42 1	VERINT	S4100-2V-49	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz s	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz system including transmitter /receiver with two video inputs/outputs and with integrated 8.5 dBi, 2.4GHz antenna and 12dBi 4.9GHz/5 GHz antenna (12V DC/24V AC)	EA	\$4,801.96
246 42 1	VERINT	S4100-49	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz s	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz system including transmitter /receiver with integrated 8.5 dBi, 2.4 GHz antenna and 12dBi 4.9 GHz/5GHz antenna (12V DC/24V AC) **	EA	\$3,690.03
246 42 1	VERINT	S4200	Outdoor Multi-band 2.4/5GHz Transmitter	Outdoor Multi-band 2.4/5GHz Transmitter with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 5 GHz antenna (12V DC/24V AC). To support audio and alarms functionality, optional CABAA cable is required	EA	\$1,470.63
246 42 1	VERINT	S4200-2V	Outdoor Multi-band 2.4/5GHz Transmitter	Outdoor Multi-band 2.4/5GHz Transmitter with two video inputs and with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 5 GHz antenna (12V DC/24V AC)	EA	\$1,918.99
246 42 1	VERINT	S4200-2V-49	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz T	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz Transmitter with two video inputs and with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 4.9GHz/5GHz antenna (12V DC/24V AC) North America	EA	\$2,470.48
246 42 1	VERINT	S4200-49	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz T	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz Transmitter with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 4.9GHz/5 GHz antenna (12V DC/24V AC) North America. To support audio and alarms functionality, optional CABAA cable is required	EA	\$1,905.54
246 42 1	VERINT	S4200-AS	Outdoor Multi-band 2.4/5GHz Transmitter	Outdoor Multi-band 2.4/5GHz Transmitter with on-board analytics and with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 5 GHz antenna (12V DC/24V AC). To support audio and alarms functionality, optional CABAA cable is required. Analytics license not included	EA	\$1,685.84
246 42 1	VERINT	S4200-AS-2V	Outdoor Multi-band 2.4/5GHz Transmitter	Outdoor Multi-band 2.4/5GHz Transmitter with on-board analytics, two video inputs and with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 5GHz antenna (12V DC/24V AC). Analytics license not included	EA	\$2,134.21
246 42 1	VERINT	S4200-AS-2V-49	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz T	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz Transmitter with on-board analytics, two video inputs and with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi, 4.9GHz/5 GHz antenna (12V DC/24V AC) North America. Analytics license not included	EA	\$2,685.69
246 42 1	VERINT	S4200-AS-49	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz T	Outdoor Multi-band 2.4 GHz/4.9GHz/5GHz Transmitter with on-boardanalytics and with integrated 8.5 dBi, 2.4 GHz antenna and 12 dBi,4.9GHz/5 GHz antenna (12V DC/24V AC) North America. To support audio and alarms functionality, optional CABAA cable is required. Analytics license not included	EA	\$2,120.76
246 42 1	VERINT	S4300-BR	Outdoor 2.4 GHz/5GHz wireless Ethernet b	Outdoor 2.4 GHz/5GHz wireless Ethernet bridge (12V DC/24V AC input) with two 82-foot (25-meter) outdoor Ethernet cables, wall-mount and pole-mount brackets and tri-band integrated antennas (8.5 dBi, 2.4 GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$2,492.90
246 42 1	VERINT	S4300-BR-49	Outdoor 2.4 GHz/4.9GHz/5GHz wireless Eth	Outdoor 2.4 GHz/4.9GHz/5GHz wireless Ethernet bridge (12V DC/24V ACinput) with two 82-foot (25-meter) outdoor Ethernet cables, wall-mount and pole-mount brackets and tri-band integrated antennas (8.5 dBi, 2.4GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$2,981.61
246 42 1	VERINT	S4300-BR-PoE	Outdoor 2.4 GHz/5GHz wireless Ethernet b	Outdoor 2.4 GHz/5GHz wireless Ethernet bridge (48V DC input) comes with two power-over-Ethernet injectors and power supplies, two 25-meter outdoor Ethernet cable, wall-mount and pole-mount brackets and tri-band integrated antennas (8.5 dBi, 2.4 GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$2,412.19
246 42 1	VERINT	S4300-BR-PoE-49	Outdoor 2.4 GHz/4.9GHz/5GHz wireless Eth	Outdoor 2.4 GHz/4.9GHz/5GHz wireless Ethernet bridge (48V DC input)comes with two power-over-Ethernet injectors and power supplies, two82-foot (25-meter) outdoor Ethernet cables, wall-mount and pole-mount brackets and tri-band integrated antennas (8.5 dBi, 2.4 GHz and 12 dBi,4.9GHz/5 GHz)	EA	\$2,900.91
246 42 1	VERINT	S4300-PoE	Outdoor 2.4 GHz/5GHz wireless access poi	Outdoor 2.4 GHz/5GHz wireless access point (48V DC input) comes with power-over-Ethernet injector and power supply, 82-foot (25-meter) outdoor Ethernet cable, wall-mount and pole-mount brackets and tri-band integrated antenna (8.5 dBi, 2.4 GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$1,336.12
246 42 1	VERINT	S4300-PoE-49	Outdoor 2.4 GHz/4.9GHz/5GHz wireless acc	Outdoor 2.4 GHz/4.9GHz/5GHz wireless access point (48V DC input) comes with power-over-Ethernet injector and power supply, 82-foot (25- meter) outdoor Ethernet cable, wall-mount and pole-mount brackets and tri-band integrated antenna (8.5 dBi, 2.4 GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$1,591.69

SIN	Manufacturer (MFR)	MFR Part Number	Product Name	Product Description	Unit of Issue	Awarded GSA Price (with IFF)
246 42 1	VERINT	S4300-RP	Outdoor 2.4 GHz/5GHz wireless Ethernet r	Outdoor 2.4 GHz/5GHz wireless Ethernet repeater (12V DC/24V AC input) with two 6-foot (2-meter) outdoor Ethernet cables, wall-mount and pole-mount brackets and tri-band integrated antennas (8.5 dBi, 2.4 GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$2,403.22
246 42 1	VERINT	S4300-RP-49	Outdoor 2.4 GHz/4.9GHz/5GHz wireless Eth	Outdoor 2.4 GHz/4.9GHz/5GHz wireless Ethernet repeater (12V DC/24V AC input) with two 6-foot (2-meter) outdoor Ethernet cables, wall-mount and pole-mount brackets and tri-band integrated antennas (8.5 dBi, 2.4GHz and 12 dBi, 4.9GHz/5 GHz)	EA	\$2,882.97
246 42 1	VERINT	SmartAccess-4000-3	Point-to-multipoint wireless video solut	Point-to-multipoint wireless video solution, 5.8 GHz band with integrated 12 dBi antennas, 12V DC power supplies, accessories, decoders, documentation and packaging. This kit includes: 1) 3 x Nextiva S4200 Transmitter (5GHz), including power/video/control cables and mounting brackets. 2) 3x 12V DC power supplies (PS1260). 3) 1x Nextiva S4300 Access Point (5 GHz), including PoE injector, weatherproof 25m cable (RJ-45). 4) 3 x Nextiva S1970e-R decoders, including universal power supply	EA	\$7,278.72
246 42 1	VERINT	SmartAccess-4000-4	Point-to-multipoint wireless video solut	Point-to-multipoint wireless video solution, 5.8 GHz band with integrated 12 dBi antennas, 12V DC power supplies, accessories, decoders, documentation and packaging. This kit includes: 4 Nextiva S4200 Transmitter (5GHz), including power/video/control cable	EA	\$9,281.11
246 42 1	VERINT	SmartLink-4000-5G	Point-to-point wireless video solution,	Point-to-point wireless video solution, 5.8 GHz band with integrated 12 dBi antennas, 12V DC power supplies, accessories, documentation and packaging. This kit includes: 1) pair of Nextiva S4100 edge devices (5GHz), including power/video/control cables and mounting brackets. 2) 12V DC power supplies (PS1260)	EA	\$2,839.03
246 42 1	VERINT	SS-HSG1	Sunshade for HSG1	Sunshade for HSG1	EA	\$112.09
246 42 1	VERINT	V-IC-MKT	In-ceiling mount kit, indoor	In-ceiling mount kit, indoor	EA	\$40.35
246 42 1	VERINT	VRM8	Standard black anodized 19 inch rack mou	Standard black anodized 19 inch rack mount panel for 8 units of the Nextiva S1900e series (S1950e-T, S1970e-T/R, S1900e-T-AS).	EA	\$94.16
246 42 1	VERINT	V-UCM	Ceiling mount, indoor/outdoor	Ceiling mount, indoor/outdoor	EA	\$40.35
246 42 1	VERINT	V-UCP	Ceiling panel, indoor	Ceiling panel, indoor	EA	\$71.74
246 42 1	VERINT	V-UPM-1	Parapet mount, outdoor	Parapet mount, outdoor	EA	\$264.53
246 42 1	VERINT	V-URM-1	Roof mount, outdoor	Roof mount, outdoor	EA	\$425.94
246 42 1	VERINT	V-UWM	Wall mount, indoor/outdoor	Wall mount, indoor/outdoor	EA	\$130.03
246 42 1	VERINT	V-WM	Wall mount, short, indoor/outdoor	Wall mount, short, indoor/outdoor	EA	\$85.19