

**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE**

AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA *Advantage!*, a menu-driven database system. The Internet address GSA *Advantage!* is: GSAAdvantage.gov.

ALPER'S JOBBING, LLC (DBA COPSHOES.COM)

**SCHEDULE 84: LAW ENFORCEMENT, SECURITY, MARINE
CRAFT, FIRE/RESCUE & SPECIAL PURPOSE
CLOTHING**

Federal Supply Class: 84

SIN: 633-16
633-19
633-25
633-25

Contract Number: GS-07F-0579T
For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.

Contract Period: September 15, 2007 – September 14, 2012

Contractor: Alper's Jobbing, LLC (dba Copshoes.com)
7648 Reindeer Trail
San Antonio, TX 78238

Point of Contact: Matt Alper, President
E-MAIL: matt@copshoes.com
TEL: 210-647-1400
FAX: 210-568-9547
WEB: www.copshoes.com

Business Size: Small

INFORMATION FOR ORDERING ACTIVITIES

- 1a. **Awarded SIN:** 633-16 - Footwear. Men's Over-the-Sock Boots (Work, Uniform, Sport) and Women's Over-the-Sock Boots (Work, Uniform, Sport)
633-19 - Footwear. Men's Safety Toe Shoes or Boots and Women's Safety Toe Shoes or Boots
633-25 - Footwear. Boots, Insulated, Waterproof, Extreme Cold Weather
633-32 - Structural Fire Fighting Clothing. Boots, Bunker and Hip
- 1b. **Lowest Priced Item** SIN 633-16 – T834-6027 Classic Leather Oxford - \$81.06
SIN 633-19 – T834-6908 Double Track Oxford - \$94.75
SIN 633-25 – T804-6906 Safety Toe Chukka - \$97.68
SIN 633-32 – T804-6371 Structural Fire Fighting Bunker Boot - \$234.50
2. **Maximum Order Limitation:** All SINs - \$50,000
3. **Minimum Order:** None
4. **Scope of Delivery:** CONUS, plus Alaska, Hawaii and Puerto Rico
5. **Point of Production:**
1200 Lake Hearn Drive, Ste. 475, Atlanta, GA 30319 (Fulton County)
100 Premier Drive, Belleville IL 62220 (St. Claire County)
108 S. Polk Street, Merrill, WI. 54452, (Lincoln County)
6. **Discounts:** Prices shown are net. Altama and Weinbrenner: 3%, Belleville: 5%.
7. **Volume Discounts:** Altama and Weinbrenner: 5% on 25-99 pairs; 6% on 100 or more pairs
Belleville: 7% on 25-99 pairs; 8% on 100 or more pairs
8. **Prompt Payment:** Net 30 days
- 9a. **Government Purchase Cards must be accepted at or below the micro-purchase threshold.**
- 9b. **Government Purchase Cards are accepted above the micro-purchase threshold.**
10. **Foreign Items:** None
11. **Delivery Time:**
 - a. Normal – 30 Days
 - b. Expedited – For stock items - UPS next day, UPS 2nd day & UPS 3 day select
 - c. Overnight and 2-day delivery - UPS next day, UPS 2nd day
 - d. Urgent Requirements – UPS next day, UPS 2nd day
12. **FOB:** Destination
13. **Ordering Address:** 7648 Reindeer Trail
San Antonio, TX 78238
Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules)

14. **Payment Address:** 7648 Reindeer Trail
San Antonio, TX 78238
15. **Warranty:** Manufacturer's Warranty
16. **Export packing charges, if applicable:** N/A
17. **Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level):** N/A
18. **Terms and conditions of rental, maintenance, and repair (if applicable):** N/A
19. **Terms and conditions of installation (if applicable):** N/A
20. **Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable):** N/A
- 20a. **Terms and conditions for any other services (if applicable).** Restocking Policy: Replace at no cost up to 30 days if company at fault; if company not at fault, customer is responsible for shipping/restocking fee.
21. **List of service and distribution points (if applicable):** N/A
22. **List of participating dealers (if applicable):** N/A
23. **Preventive maintenance (if applicable):** N/A
- 24a. **Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants):** N/A
25. **DUNS:** 172711942
26. **CCR Registration:** Yes (Cage: 4HK20)

SIN	Part #	Manufacturer	Product Name	Description	Cop Shoes GSA Price
633-16	ALT4155	Altama	Jungle US Mil Spec	Height - 9" Sole Pattern - Panama Black Cordura® and Leather Padded Collar Outsole - Mil Spec Vulcanized Rubber Midsole - Leather Removable Innersole - Cambrelle® Covered Molded Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System In-Step Drainage Vents Steel Shim Spike Protection Steel Shank	\$107.45
633-16	ALT4168	Altama	MS 3 Layer Jungle	Height - 9" Sole Pattern - Vibram® Sierra Quick Drying Cordura® & Black Leather Padded Collar Outsole - Mil Spec Vibram® Sole Midsole - Polyurethane Removable Innersole - Cambrelle® Covered Molded Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System In-Step Drainage Vents Steel Shim Spike Protection Steel Shank	\$117.22
633-19	ALT8755	Altama	Black Safety Toe-Womens	Height - 9" Sole Pattern - Torsion Lug Black Cordura® & Leather Padded Collar Outsole - Direct Injection Polyurethane Midsole - Cushioned Polyurethane Removable Innersole - Super Cushion Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System ANSI-Certified Steel Toe Non-Metallic Shank	\$122.11
633-19	ALT9755	Altama	Black Safety Toe-Mens	Height - 9" Sole Pattern - Torsion Lug Black Cordura® & Leather Padded Collar Outsole - Direct Injection Polyurethane Midsole - Cushioned Polyurethane Removable Innersole - Super Cushion Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System ANSI-Certified Steel Toe Non-Metallic Shank	\$112.34

633-19	ALT8756	Altama	Tan Safety Toe- Womens	Height - 9" Sole Pattern - Torsion Lug Tan Desert Cordura® & Suede Padded Collar Outsole - Direct Injection Polyurethane Midsole - Cushioned Polyurethane Removable Innersole - Super Cushion Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System ANSI-Certified Steel Toe Non-Metallic Shank	\$112.34
633-19	ALT9756	Altama	Tan Safety Toe- Mens	Height - 9" Sole Pattern - Torsion Lug Tan Desert Cordura® & Suede Padded Collar Outsole - Direct Injection Polyurethane Midsole - Cushioned Polyurethane Removable Innersole - Super Cushion Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System ANSI-Certified Steel Toe Non-Metallic Shank	\$112.34
633-16	ALT4150	Altama	USMC Certified Hot Weather Combat Boot	Height - 9" Sole Pattern - Vibram® Sierra Cordura® & Mohave Suede Padded Collar Outsole - Mil Spec Vibram® Sole Midsole - Cushioned Polyurethane Insole Heat Barrier Removable Innersole - Cushioned Polyurethane Nylon Coated Brass Speedhook/Eyelet Lacing System In-Step Drainage Vents	\$110.38
633-16	ALT5852	Altama	Tan Desert Vulcanized Boot	Height - 8" Sole Pattern - Panama Tan Desert Cordura® and Suede Collar - Nylon Webbing Outsole - Vulcanized Rubber Removable Cushion Insole Coated Aluminum Speedhook/Eyelet Lacing System Steel Shank	\$87.91
633-16	ALT5877	Altama	Tan Desert Original Ripple Boot	Height-10" Sole Patter -Ripple Tan Desert Cordura® and Suede Collar - Nylon Webbing Outsole Rubber, Ripple Design Midsole - Cushioned Polyurethane Innersole - Triple Layer Superflex/Foam Sandwich Removable Innersole - Cambrelle® Covered Molded Polyurethane Coated Aluminum Speedhook/Eyelet Lacing System	\$97.68

633-25	ALT6478	Altama	Black Infantry Combat Waterproof Boot	Height - 10" Sole Pattern - Vibram® Sierra Black Cordura®, Leather and Sympatex® Waterproof Lining. Collar - Nylon Webbing Outsole - Rubber, Vibram® Sierra Design Midsole - Full Length Polyurethane Innersole - Triple Layer Superflex/Foam Sandwich Removable Innersole - Cambrelle® Covered Molded Polyurethane.Lacing System - Speedlace & Eyelets	\$97.68
633-16	ALT8852	Altama	Olive Drab Jungle Vulcanized Boot	Height - 8" Sole Pattern - Panama Olive Drab Cordura® and Black Leather. Collar - Nylon Webbing. Outsole - Vulcanized Rubber. Removable Cushion Insole.Coated Aluminum Eyelet Lacing System. In-Step Drainage Vents. Steel Shank	\$83.02
633-19	BEL330ST	Belleville	USN Flight Approved All Leather Steel Toe Brown VANGUARD®	A premium comfort thick Polyurethane center with a durable VIBRAM® Premium Tread Outsole, ANSI Class 75 Steel Toe, CAMBRELLE® Lining, New Improved Chevron Outsole Tread designed to minimize FOD and improve traction, Waterproof Full Grain All-Leather Upper Engineered for Superior Breathability, Polyurethane Removable Insert, Brown Color	\$143.52
633-19	BEL330DE SST	Belleville	Steel Toe Desert VANGUARD®	A premium comfort thick Polyurethane center with a durable VIBRAM® Premium Tread Outsole, ANSI Class 75 Steel Toe, WT-2 Flight Approved Fabric, CAMBRELLE® Lining, New Improved Chevron Outsole Tread designed to minimize FOD and improve traction, CAMBRELLE® Covered Polyurethane Removable Insert, Desert (DES) Color	\$143.52
633-25	BELF340DES	Belleville	Belleville Womens Hot Weather Boot	Very Breathable, Well Suited For Hot Environments Conductive Heat and Flame Resistant through the use of a NOMEX® Blended Fabric X-Static® Silver Coated Lining That Contains Anti-Microbial and Odor Reducing Properties Durable Leather Which Resists Water Absorption Polyurethane Removable Insert	\$138.74

633-25	BELF390DES	Belleville	Belleville Womens USA Approved Desert Combat Boot Non-Steel Toe Desert VANGUARD®	A premium comfort thick Polyurethane center with a durable VIBRAM® Premium Tread Outsole, Durable Leather Which Resists Water Absorption, CORDURA® Nylon Fabric, Polyurethane Removable Insert, Desert (DES) Color	\$119.59
633-25	BELF790	Belleville	Belleville Womens USAF / USA Approved Desert Flight Boot	A premium comfort thick Polyurethane center with a durable VIBRAM® Premium Tread Outsole, GORE-TEX® Fabric Bootie: Durably Waterproof, Breathable, VIBRAM® Premium Tread Outsole, CORDURA® Nylon Fabric, Surlyn Box Toe, Extensive Foam Padding Under and Around the Foot, Polyurethane Removable Insert, Desert (DES) Color	\$143.52
633-19	T804-6906	Weinbrenner	Safety Toe Chukka	Safety Toe Chukka 75 -Safety Toe EH -Electrical Hazard ESR - Electric Shock Resistance NM Non-Marking PC -Postal Certified SR - Slip Resisting USA -Made in the USA UPPER: Black Full Grain Leather CONSTRUCTION: Direct Injection OUTSOLE: SoftStreets™ Dual Density Polyurethane LINING: Comfort Weave INSOLE: Super Cushion Polyurethane Removable Insert SHANK: Fiberglass SPECIAL FEATURES: US Postal Certified. ASTM F 2413-05 M/I/75/C/75 Steel Toe, Electrical Hazard. Tested for and Meets CAN/CSA-195 18,000 Volts Electric Shock Resistance Standard. Made in USA by ISO 9001 Certified Shoe Company	\$97.68
633-16	T834-6027	Weinbrenner	Classic Leather Oxford	Classic Leather Oxford NM -Non-Marking PC -Postal Certified SR - Slip Resisting UPPER: Black Smooth High Shine Leather CONSTRUCTION: Goodyear Welt OUTSOLE: Slip-Resisting Vibram® EVA LINING: Comfort Weave INSOLE: Removable Poly-Pillow Footpacer™ MIDSOLE: Rubber SHANK: Fiberglass SPECIAL FEATURES: US Postal Certified. Made in USA by ISO 9001 Certified Shoe Company	\$81.06

633-32	T804-6371	Weinbrenner	Structural Fire Fighting Bunker Boot	75 -Safety Toe BB -Blood Borne Pathogen EH -Electrical Hazard NM -Non-Marking SF Structural Fire-Fighting SR -Slip Resisting WP -Waterproof UPPER: Black Boulder WATERPROOF, FLAME- and Cut-Resisting Leather With Scuff-Resisting "Shark-Skin" Leather Toe CONSTRUCTION: Goodyear Storm Welt OUTSOLE: Thorogood LINING: Comfort Weave INSOLE: Polyurethane Removable Insert on Flexible Double Rubber MIDSOLE: Rubber SHANK: Steel Triple Ladder Shank SPECIAL FEATURES: Sympatex® WATERPROOF Barrier. Blood Borne Pathogen Compliant. ASTM F 2413-05 M/I/75/C/75 Steel Toe. Electrical Hazard. Stainless Steel Puncture-Resisting Bottom Plate. Made in USA by ISO 9001 Certified Shoe Company.	\$234.50
633-32	T804-6373	Weinbrenner	Structural Fire Fighting Oblique Toe Bunker Boot (Dual Gender Sizing)	75 -Safety Toe BB -Blood Borne Pathogen EH -Electrical Hazard NM -Non-Marking SF -Structural Fire-Fighting SR -Slip Resisting WP -Waterproof UPPER: Black Boulder WATERPROOF, FLAME- and Cut Resisting Leather With Scuff-Resisting "Shark Skin" Leather Toe CONSTRUCTION: Goodyear Storm Welt OUTSOLE: Thorogood LINING: Comfort Weave INSOLE: Polyurethane Removable Insert on Flexible Double Rubber MIDSOLE: Rubber SHANK: Steel Triple Ladder Shank SPECIAL FEATURES: Built In Shin Guard, Black Combat Superknit and 4 oz. Thermal Barrier. Sympatex® WATERPROOF Barrier. Blood Borne Pathogen Compliant. ASTM F 2413-05 M/I/75/C/75 Oblique Steel Toe. Electrical Hazard. Tested for and meets CAN/CSA-2195-M92 Electric Shock Resistance. Stainless Steel Puncture-Resisting Bottom Plate. Made in USA by ISO 9001 Certified	\$244.27

633-16	T834-6333	Weinbrenner	Code 3 Oxford	NM -Non-Marking PC -Postal Certified SR -Slip Resisting UPPER: Black Full Grain Glove Soft Leather CONSTRUCTION: Cement With Side Wall Stitch OUTSOLE: Vibram ® Slip- and Abrasion-Resisting Rubber LINING: Comfort Weave INSOLE: Removable Poly-Pillow Footpacer™ SPECIAL FEATURES: US Postal Certified. Made in USA by ISO 9001 Certified Shoe Company.	\$92.79
633-19	T834-6908	Weinbrenner	Double Track Oxford	NM -Non-Marking PC -Postal Certified SR -Slip Resisting 75 - Safety Toe UPPER: Black Full Grain Leather CONSTRUCTION: Direct Injection OUTSOLE: Soft Streets™ Dual Density Polyurethane LINING: Micro-dri ® / Workforce ® INSOLE: Super Cushion Polyurethane Removable Insert SHANK: Fiberglass SPECIAL FEATURES: ASTM F 2413-05 M/I/75/C/75 Steel Toe. US Postal Certified. Made in USA by ISO 9001 Certified Shoe Company.	\$94.75