

**GENERAL SERVICES ADMINISTRATION  
FEDERAL ACQUISITION SERVICE  
AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through **GSA Advantage!**, a menu-driven database system. The INTERNET address for **GSA Advantage!** is <http://www.gsaadvantage.gov>

**SCHEDULE TITLE:** Federal Supply Schedule 56 – Building Materials FSC Group: 54 – Pre-Engineered/Prefabricated Buildings and Structures

**CONTRACT NUMBER:** GS-07F-0647W  
**CONTRACT PERIOD:** 15 SEPTEMBER 2015 – 14 SEPTEMBER 2020

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link at [www.gsa.gov](http://www.gsa.gov)

**CONTRACTOR:** UH Structures, Inc. dba Ebtech Industrial Building Solutions  
2241 Industrial Drive  
Connellsville, PA 15425  
Phone number: (724) 628-6100  
Fax number: (412) 774-2429  
E-Mail: [dtravis@ebtechindustrial.com](mailto:dtravis@ebtechindustrial.com)

**CONTRACTOR'S ADMINISTRATION SOURCE:** Donald Travis (724) 628-6100

**BUSINESS SIZE:** Small

**Socioeconomic Indicators:** Small

**CUSTOMER INFORMATION:**

**1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)**

<b>SIN</b>	<b>DESCRIPTION</b>
361 10A	Pre-Engineered and Prefabricated Buildings and Structures for Storage Solutions
361 10B	Pre-Engineered and Prefabricated Buildings and Structures for In-Plant Solutions
361 10D	Pre-Engineered and Prefabricated Buildings and Structures for Military, Disaster/ Emergency Response and Medical Facility Solutions
361 10G	Pre-Engineered and Prefabricated Buildings and Structures for Outdoor Shelter and Security Shelter Solutions
361 30	Ancillary Services relating to Pre-Engineered/Prefabricated Buildings and Structures
361 32	Installation and Site Preparation for Pre-Engineered/Prefabricated Buildings and Structures
361 97	Ancillary Repair and Alterations related to Pre-Engineered/Prefabricated Buildings And Structures Solutions – Repair and Alterations ancillary to existing SINs under This Schedule

**1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:**  
(Government net price based on a unit of one)

<u>SIN</u>	<u>MODEL</u>	<u>PRICE</u>
361 10A	EBPF-1213-8	\$ 19,493.67
361 10B	WP-FRP-SMO	\$ .37
361 10D	FTPK-2008-8	\$ 18,174.93
361 10G	MI-INSUL-25B	\$ .46

**1c. HOURLY RATES: (Services Only) NA**

**2. MAXIMUM ORDER\*: per SIN and per order**

361 10A	\$150,000
361 10B	\$200,000
361 10D	\$300,000
361 10G	\$250,000
361 30	\$150,000
361 32	\$350,000
361 97	\$250,000

\*Ordering activities may request a price reduction at any time before placing an order, establishing a BPA, or in conjunction with the annual BPA review. However, the ordering activity shall seek a price reduction when the order or BPA exceeds the simplified acquisition threshold. Schedule contractors are not required to pass on to all schedule users a price reduction extended only to an individual ordering activity for a specific order or BPA.

**3. MINIMUM ORDER:** \$100 unless the contractor agrees to accept a smaller order amount

**4. GEOGRAPHIC COVERAGE:** 50 Contiguous States, Washington, DC, US Territories

**5. POINT(S) OF PRODUCTION:** Connellsville, PA USA

**6. DISCOUNT FROM LIST PRICES:**

*GSA Net Prices are shown on the attached GSA Pricelist. Negotiated discount has been applied and the IFF has been added.*

**7. QUANTITY DISCOUNT(S):** NA

**8. PROMPT PAYMENT TERMS:** Net 30. Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

**9. a Government Purchase Cards must be accepted at or below the micro-purchase threshold.**

**9. b Government Purchase Cards are accepted above the micro-purchase threshold. Contact contractor for limit.**

10. **FOREIGN ITEMS:** None
- 11a. **TIME OF DELIVERY:** 45 DARO on all items except Guard Buildings (and related options) 60 DARO for Guard Buildings (and related options)
- 11b. **EXPEDITED DELIVERY:** Contact Contractor
- 11c. **OVERNIGHT AND 2-DAY DELIVERY:** Contact Contractor
- 11d. **URGENT REQUIRMENTS:** Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.
12. **FOB POINT:** Origin
- 13a. **ORDERING ADDRESS:** Same as contractor
- 13b. **ORDERING PROCEDURES:** for supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in FAR 8.405-3
14. **PAYMENT ADDRESS:** Same as contractor
15. **WARRANTY PROVISION:** Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty
16. **EXPORT PACKING CHARGES:** Contact contractor
17. **TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE**  
Contractor will accept all Government purchase card payments
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR (IF APPLICABLE):** N/A
19. **TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE):** N/A
20. **TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF AVAILABLE):** N/A
- 20a. **TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE):** N/A
21. **LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE):** Connellsville, PA
22. **LIST OF PARTICIPATING DEALERS (IF APPLICABLE):** N/A
23. **PREVENTIVE MAINTENANCE (IF APPLICABLE):** N/A
- 24a. **SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):** N/A
- 24b. **Section 508 Compliance for EIT:** as applicable
25. **DUNS NUMBER:** 809072650

**26. NOTIFICATION REGARDING REGISTRATION IN SYSTEM FOR AWARD MANAGEMENT (SAM) DATABASE:** Contractor has an Active Registration in the SAM database.

SIN	PART NO.	DESCRIPTION	GSA NET
361 10B	BASETRACK-12-300	Base Track is an extruded aluminum alloy with scratch resistant coating and will have a depth of no less than 1-5/8". Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$32.76
361 10G	TOPTRACK-12-300	Top Track is extruded aluminum alloy with a scratch resistant coating and will have an extended lip that protrudes a minimum 1-7/8" beyond top of wall panels. Extended lip is designed to conceal roof panels. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$58.78
361 10B	DH-04-AL-THRESHOLD	Door Threshold, Regular Duty Aluminum, Ribbed Top, 4" W, 1/2" H, .150" Thk, 36" length.	\$38.82
361 10B	DH-03-AL-SWEEP	Door Bottom Sweep w/Nylon Brush Insert, 9/16" Insert Size, Anodized Aluminum Flange, 36" length.	\$23.72
361 10B	DH-07-AL-KICKPLATE	Door Kick plate, 36" Aluminum	\$44.97
361 10B	DH-07-PUSHPULL	Door Push/Pull Plates (set) Aluminum	\$52.70
361 10G	WSTUD-10-300	Wiring Studs, Vertical structural member that joins two panels along a straight line. Structural framework is extruded aluminum alloy with a scratch resistant coating. Wiring Studs will permit the installation of electrical service vertically and accept standard electrical boxes. Wiring Stud will have a removable cover plat that will allow access to the raceway without disturbing the structural integrity of the stud. The Wire Stud has a separate cavity for the insertion of a Tube Insert when required for use on load bearing roofs and two story units. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$86.14
361 10G	WSTUD-12-300	Wiring Studs, Vertical structural member that joins two panels along a straight line. Structural framework is extruded aluminum alloy with a scratch resistant coating. Wiring Studs will permit the installation of electrical service vertically and accept standard electrical boxes. Wiring Stud will have a removable cover plat that will allow access to the raceway without disturbing the structural integrity of the stud. The Wire Stud has a separate cavity for the insertion of a Tube Insert when required for use on load bearing roofs and two story units. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$103.37

361 10G	WSTUD-08-300	Wiring Studs, Vertical structural member that joins two panels along a straight line. Structural framework is extruded aluminum alloy with a scratch resistant coating. Wiring Studs will permit the installation of electrical service vertically and accept standard electrical boxes. Wiring Stud will have a removable cover plat that will allow access to the raceway without disturbing the structural integrity of the stud. The Wire Stud has a separate cavity for the insertion of a Tube Insert when required for use on load bearing roofs and two story units. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$68.91
361 10G	WSTUD-09-300	Wiring Studs, Vertical structural member that joins two panels along a straight line. Structural framework is extruded aluminum alloy with a scratch resistant coating. Wiring Studs will permit the installation of electrical service vertically and accept standard electrical boxes. Wiring Stud will have a removable cover plat that will allow access to the raceway without disturbing the structural integrity of the stud. The Wire Stud has a separate cavity for the insertion of a Tube Insert when required for use on load bearing roofs and two story units. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$76.78
361 10B	CORNER-10-300	Vertical structural member providing 90 degree panel joins. The corner post is sized to receive wall panels and the panels are inserted 3/4". Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$55.94
361 10B	CORNER-12-300	Vertical structural member providing 90 degree panel joins. The corner post is sized to receive wall panels and the panels are inserted 3/4". Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$67.13
361 10B	CORNER-08-300	Vertical structural member providing 90 degree panel joins. The corner post is sized to receive wall panels and the panels are inserted 3/4". Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$44.75
361 10B	CORNER-09-300	Vertical structural member providing 90 degree panel joins. The corner post is sized to receive wall panels and the panels are inserted 3/4". Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$51.89
361 10G	AL-3-START-10	Wall Starter, a 'U' shaped channel sized to receive a wall panel. Used for wall starting, cutout opening framework and other panel edge trim needs. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$34.60

361 10G	AL-3-START-12	Wall Starter, a 'U' shaped channel sized to receive a wall panel. Used for wall starting, cutout opening framework and other panel edge trim needs. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$43.13
361 10G	AL-3-START-08	Wall Starter, a 'U' shaped channel sized to receive a wall panel. Used for wall starting, cutout opening framework and other panel edge trim needs. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$25.94
361 10G	AL-3-START-09	Wall Starter, a 'U' shaped channel sized to receive a wall panel. Used for wall starting, cutout opening framework and other panel edge trim needs. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$30.26
361 10G	SI-3-10	Stud Insert, 'U' shaped channel the same size as the panel. The Stud insert is used to finish open sides of H-studs, wire studs and corner posts. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$29.41
361 10G	SI-3-12	Stud Insert, 'U' shaped channel the same size as the panel. The Stud insert is used to finish open sides of H-studs, wire studs and corner posts. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$34.60
361 10G	SI-3-08	Stud Insert, 'U' shaped channel the same size as the panel. The Stud insert is used to finish open sides of H-studs, wire studs and corner posts. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$25.94
361 10G	SI-3-09	Stud Insert, 'U' shaped channel the same size as the panel. The Stud insert is used to finish open sides of H-studs, wire studs and corner posts. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$27.67
361 10B	HSTUD-10-300	H-Stud is used to join two panels along a straight line. Commonly placed at the hinge side of door units. In tall wall situations the H-stud runs horizontally joining a lower panel to upper panel. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$32.03

361 10B	HSTUD-12-300	H-Stud is used to join two panels along a straight line. Commonly placed at the hinge side of door units. In tall wall situations the H-stud runs horizontally joining a lower panel to upper panel. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$38.92
361 10B	HSTUD-08-300	H-Stud is used to join two panels along a straight line. Commonly placed at the hinge side of door units. In tall wall situations the H-stud runs horizontally joining a lower panel to upper panel. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$24.32
361 10B	HSTUD-09-300	H-Stud is used to join two panels along a straight line. Commonly placed at the hinge side of door units. In tall wall situations the H-stud runs horizontally joining a lower panel to upper panel. Structural framework is extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$28.38
361 10B	FAN-EX-180	Exhaust Fan, 180 CFM with Wall Switch. Exterior wall fan provides ventilation to the outside without the need to cut a hole in the roof or add duct. Grille is white plastic.	\$186.47
361 10B	FL-01-CARPETTILE	Floor Tile, Commercial Grade Carpet. Contact the factory for color choices 1-800-369-4321	\$4.21
361 10B	DH-04-CLOSER	Door Closer, Medium Duty	\$72.97
361 10B	AC-01-CUTOUT	Framed A/C Cutout is made of extruded aluminum alloy with a scratch resistant coating. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$86.48
361 10B	DC-01	Corrugated Steel Decking, 22 GA, 1-1/2" deep x 36" wide, painted grey and cut to length.	\$2.73
361 10G	CBEAM-16	Roof Deck Support Beam 16' or Less	\$170.37
361 10B	EMEZ-COMP	Deck option for EMEZ products, per square foot 20 ga Steel B Deck & 3/4" T & G Composite	\$9.71
361-10A	CLER-1616-20	16'X16'X20' Foam wood rail walk-in holding cooler. 35 degree holding cooler with 4" walls, 4" ceiling, and without floor. Interior and exterior 26 ga Acrylume Embossed steel skin. Ceiling must be supported from overhead from building steel. Price includes one 6'X9' sliding door and one 36"x78" man door. Also includes three vapor proof compact fluorescent globe fixture. REFRIGERATION NOT INCLUDED. Contact the factory to learn more 1-800-369-4321	\$24,485.11
361-10A	CLER-2020-20	20'X20'X20' Foam rail walk-in holding cooler. 35 degree holding cooler with 4" walls, 4" ceiling, and without floor. Interior and exterior 26 ga Acrylume Embossed steel skin. Ceiling must be supported from overhead from building steel. Price includes one 6'X9' sliding door and one 36"x78" man door. Also includes four vapor proof compact fluorescent globe fixture. REFRIGERATION NOT INCLUDED.	\$30,315.00

361-10A	CLER-2030-20	20'X30'X20' Foam rail walk-in holding cooler. 35 degree holding cooler with 4" walls, 4" ceiling, and without floor. Interior and exterior 26 ga Acrylume Embossed steel skin. Ceiling must be supported from overhead from building steel. Price includes one 6'X9' sliding door and one 36"x78" man door. Also includes six vapor proof compact fluorescent globe fixture. REFRIGERATION NOT INCLUDED. Contact the factory to learn more 1-800-369-4321	\$37,887.44
361 10G	COOL-2008	Mobile Cooler 8' x 8' x 20' Insulated with A/C, lights, Lightning Protection. Unit will be insulated, equipped with minimal lighting, electrical panel with outside connection prewired, Air condition capable of keeping inside temperature no more than 120 degrees F when outside temperature exceeds 100 degrees "F". Price does not include site prep or placement, facilities hook up to site, utilities hook up on site. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321.	\$23,100.00
361 10B	DCEIL-24-TILE-GRID	Acoustical Grid Ceiling with 5/8" Mineral Fiber Pads in a white fissured finish. Commercial grade white pre-painted metal main and cross tees. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$1.53
361 10B	DH-06-PANIC-DBL	Door Hardware, Panic Device for Double Steel Door	\$843.16
361 10B	DH-06-PANIC-SGL	Door Hardware, Panic Device for Single Steel Door	\$421.58
361 10B	DR-02	Door, 3070 (36" x 84") 20 gauge steel door, with 18 gauge steel frame and a 24 x 36 window glazed with 1/4" tempered safety glass. Door hardware shall consist of three 4-1/2" x 4-1/2" steel hinges and a keyed entry stainless steel lockset. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$609.90
361 10B	DR-03	Door, 3070 (36" x 84") 20 gauge steel door, with 18 gauge steel frame. Door hardware shall consist of three 4-1/2" x 4-1/2" steel hinges and a keyed entry stainless steel lockset. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$533.31
361 10B	DR-05	Door, 6070 (72" x 84") is made up of two single doors hung in one frame. 20 gauge steel doors, with 18 gauge steel frame and a 24 x 36 window glazed with 1/4" tempered safety glass. Door hardware shall consist of six 4-1/2" x 4-1/2" steel hinges and a keyed entry stainless steel lockset. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$1,390.08
361 10B	EBCR-2070-10-3	Ebtech Clean room , ISO 8,scalable to ISO 6, base dimensions are 20x70x10, 20 lights, 15 outlets, 2 - 3070 doors, 4 windows, standard electric, B-deck roof, FRP/Foam/ GYP wall configuration, HEPA HVAC, shipped KD. Ebtech Clean rooms utilize our movable partition walls and aluminum wall studs painted in a low VOC polyurethane finish to resist particulate generation. This product should be used whenever the environment must be kept to a specific cleanliness level. Positive or negative pressure, recirculated or once thru airflow, vertical/horizontal unidirectional airflow, particulate and cleanliness maintained.	\$54,705.36

361 10G	EB-EXP1-0820	Expandable hard walled shelter system (ESS) 238"X102"x96" (160 sq/ft) stowed, expanding into 376 sq/ft deployed. Shelter equipped with LED dimmable lighting, emergency lighting, electrical outlets, and fold down stowable shelves, and ECU with humidity controls. Electrically wired to accept 120/208 3ph 60 Hz power or 440/220 3ph 50 Hz power. ISO OTR adaptable. Self leveling system and awning/connection tent is included. Optional equipment: generator and ISO mobilizing kits. Other sizes and configurations are available, please contact the factory 1-800-369-4321	\$358,206.65
361 10G	EB-EXP2-0820	Expandable hard walled shelter system (ESS) 238"X102"x96" (160 sq/ft) stowed, expanding into 376 sq/ft deployed. Shelter equipped with LED dimmable lighting, emergency lighting, electrical outlets, and fold down stowable shelves, and ECU with humidity controls. Shelter includes a 42U lockable server rack and communication cabling and LAN ports. Electrically wired to accept 120/208 3ph 60 Hz power or 440/220 3ph 50 Hz power. ISO OTR adaptable. Self leveling system and awning/connection tent is included. Optional equipment: generator and ISO mobilizing kits. Other sizes and configurations are available, please contact the factory 1-800-369-4321	\$374,306.65
361 10B	EBGP-1616-9-3	Ebtech Industrial In Plant Office. Dimensions of 16X16X9, 6 lights, 5 outlets, 1 - 3070 door, one window, standard electric, non-forkliftable base, B-deck roof, Gyp/foam/gyp wall configuration, no HVAC, shipped KD. Class A Fire Rated; sound transmission coefficient: 32; Thermal Rating: R5-R11; built-in wire raceways for electrical, data and communication lines; panels are 4'w x 9'h with 8' clear ceiling height; color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$5,937.88
361 10B	EBGP-2020-9-3	Dimensions of 20X20X9, 8 lights, 5 outlets, 1 - 3070 door, one window, standard electric, B-deck roof, Gyp/foam/gyp wall configuration, no HVAC, shipped KD. Class A Fire Rated; sound transmission coefficient: 30; Thermal Rating: R5-R11; built-in wire raceways for electrical, data and communication lines; panels are 4'w x 9'h with 8' clear ceiling height; color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$7,467.68
361 10A	EBPF-1213-8	Dimensions of 12'X13'X8' 2 lights, 3 outlets, 1-3070 door, no windows, modular electric no standard electric, forkliftable base, OSB/EPS Structural Roof, 1/8" Hardboard over OSB walls, HVAC 8000btu, shipped KD, Our EB-PUF modular wall system meets the challenge. From it's knocked down (KD) shipping size and ease of assembly to its highly insulated walls, the EB-PUF wall system pays dividends from the day it arrives onsite. The rapidly installed wall system available for interior or exterior use combined with the flexibility of configuration and layout makes it adaptable to multiple roles. The units are designed to be structural so two story systems are a breeze. The EB-PUF units are available with modular electric to truly make a plug and play system. EB -PUF buildings are designed to accept ballistic wall systems for even greater protection against outside threats. ADA Ramps are available, other sizes are available, please contact the factory.	\$19,640.98
361 10B	EGAT-0442	Swing Gate to OSHA, Handrail Style 4' x 42" Tall 2 Rails. 1-1/2" 11 ga Tube Painted Yellow. Order two to make an 8' opening. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$178.99

361 10B	EGAT-0642	Double Swing Gate to OSHA, Handrail Style 6' x 42" Tall 2 Rails. 1-1/2" 11 ga Tube Painted Yellow. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$309.55
361 10B	EGAT-1048	Double Swing Gate, Handrail Style 10' x 48" Tall 3 Rails. 1-1/2" 11 ga Tube Painted Yellow. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$584.36
361 10B	EHAN-422RO	Handrail to OSHA 42" Tall 2 Rail w/Kick plate. 1-1/2" 11 ga Tube Painted Yellow. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$34.43
361 10B	EHAN-423RB	Handrail to BOCA/IBC 42" Tall 3 Rail w/Kick plate. 1-1/2" 11 ga Tube Painted Yellow. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$41.12
361 10B	EHAN-423RO	Handrail to OSHA 42" Tall 3 Rail w/Kick plate. 1-1/2" 11 ga Tube Painted Yellow. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$33.09
361 10B	EHAN-482RO	Handrail to OSHA 48" Tall 2 Rail w/Kick plate. 1-1/2" 11 ga Tube Painted Yellow. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$37.90
361 10B	EMEZ-0607	Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 48" (Under clearance); 60" (Top of Deck) PLATFORM: 6' x 7' (Tote Rack) 125 PSF load capacity. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321	\$1,658.31
361 10B	EMEZ-0809	Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 84" (Under clearance); 96" (Top of Deck) PLATFORM: 8' x 9' SQUARE FOOTAGE: 72 s.f. 125 PSF load capacity DECKING: 1/8" Steel Checker Plate (painted). Add the stair and landing option from sizes available. 25 LF Handrail to OSHA 42" tall 2 rail w/Kick plate. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321	\$4,085.24

361 10B	EMEZ-1050	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 134.75" (Under clearance); 146.75" (Top of Deck) PLATFORM: 10' x 50' SQUARE FOOTAGE: 500 s.f. 125 PSF load capacity. DECKING: Roof Deck &amp; 3/4" T &amp; G Plywood or OSB. Add the stair and landing option from sizes available. 110 LF of Handrail to OSHA 48" Tall, 2 Rail w/Kick plate. 1 - Handrail 48" x 10' Wide Double Swing Gate 3 Rail. Need to add landing and stairs to complete the mezzanine. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$23,084.76
361 10B	EMEZ-1224	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 84" (Under clearance); 96" (Top of Deck) PLATFORM: 12' x 24' SQUARE FOOTAGE: 288 s.f. 125 PSF load capacity. DECKING: Roof Deck &amp; Composite Deck 3/4" T &amp; G. External 1 - 8' Tall Stair w/ closed risers &amp; Landing to OSHA. 62 LF of Handrail to OSHA 42" Tall, 2 Rail w/Kick plate. 1 - Handrail Double Swing Gate 6' to OSHA. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$12,730.01
361 10B	EMEZ-1616	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 130" (Under Clearance); 144" (Top of Deck) PLATFORM: 16' X 16' SQUARE FOOTAGE: 256 s.f. 125 PSF load capacity DECKING: Roof Deck - 3/4" T &amp; G Plywood or OSB External Stair 1- 12' Tall staircase to OSHA, 4' x 4' Landing. HANDRAIL: 42" tall, 3 Rail w/ kick plate. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$13,265.01

361 10B	EMEZ-1637	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 103.6" (Under clearance); 115.6" (Top of Deck) PLATFORM: 16' x 37' SQUARE FOOTAGE: 592 s.f. 125 PSF load capacity. DECKING: Roof Deck &amp; Composite Deck 3/4" T &amp; G. External 1 - 11' Tall Stair &amp; Landing to IBC/BOCA. 102 LF of Handrail to BOCA/IBC 42" Tall, 3 Rail w/Kick plate. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$22,809.13
361 10B	EMEZ-2642-9	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 96" (Under clearance); 108" (Top of Deck) PLATFORM: 26' x 42'9" SQUARE FOOTAGE: 1116 s.f. 125 PSF load capacity DECKING: Roof Deck &amp; 3/4" Fire Retardant Plywood. External 1 - 9' Tall Stair and Landing to OSHA. 128 LF of Handrail to OSHA 42" tall, 2 RAIL w/Kick plate. 1 - Handrail 6' Wide Double Swing Gate to OSHA. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$34,906.67
361 10B	EMEZ-2811	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 116' (Under clearance); 128" (Top of Deck) PLATFORM: 11' x 28' SQUARE FOOTAGE: 308 s.f. 125 PSF load capacity DECKING: Roof Deck – Bar Grating prime painted black Internal 1- 11' Tall staircase to BOCA/IBC HANDRAIL: 42" tall, 3 Rail w/ kick plate. 1- Handrail 6' wide double swing gate to OSHA. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$25,673.41

361 10B	EMEZ-29-132	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 106" (Under clearance); 118" (Top of Deck) PLATFORM: 29'1" x 32' SQUARE FOOTAGE: 932 s.f. 125 PSF load capacity. DECKING: Roof Deck &amp; 3/4 Fire Retardant Plywood. External 1 - 10' Tall Stair &amp; Landing to OSHA. 112 LF of Handrail to OSHA 42" tall, 2 Rail w/Kick plate. 1 - Handrail 6' Wide Double Swing Gate to OSHA. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$26,165.01
361 10B	EMEZ-30-648	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 116" (Under clearance); 128" (Top of Deck) PLATFORM: 30'6" x 48' SQUARE FOOTAGE: 1468 s.f. 125 PSF load capacity DECKING: Roof Deck &amp; 3/4" Fire Retardant Plywood. External 1 - 11' Tall staircase and landing to OSHA. 148 LF of Handrail to OSHA 42" tall, 2 Rail w/Kick plate. 1 - Handrail 6' Wide Double Swing Gate to OSHA. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$57,149.01
361 10B	EMEZ-9-515-120	<p>Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 107.5" (Under clearance-Main); 120" (Top of Deck): 9'5" x 15' SQUARE FOOTAGE: 160 s.f. 125 PSF load capacity DECKING: 1" x 1/8" Bar Grating (Prime Painted Black). 25 LF of Handrail to OSHA 42" tall, 2 Rail w/Kick plate. 1 - Handrail 4' Wide Swing Gate to OSHA. Add the stair and landing option from sizes available. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321</p>	\$6,893.30

361 10B	EMEZ-9-515-134.5	Ebtech Industrial Building Solutions Fast Up® mezzanine HEIGHT: 110.5" (Under clearance-Main); 122.5" (Top of Deck): 122.5" (Under clearance-Upper); 134.5" (Top of Deck): 9'5" x 15' SQUARE FOOTAGE: 160 s.f. 125 PSF load capacity DECKING: 1" x 1/8" Bar Grating (Prime Painted Black). 1 - Single Step Stair to BOCA (No Landing) 25 LF of Handrail to OSHA 42" tall, 2 Rail w/Kick plate. 1 - Handrail 4' Wide Swing Gate to OSHA. Add the stair and landing option from sizes available. STEPS: 36"W, 11"D, with 7" rise. GUARD RAIL: 1.5" x 1.5" square tubing uprights; 1.5" horizontal tubing. IBC and OSHA compliant (UBC compliant rails available). Beam to Beam style construction. This mezzanine is designed for 125 pounds per square foot uniform live load. Order will be processed after application requirements are defined and drawings have been approved. Mezzanine platform, stairs and landing are finished in gray. Railing is finished in safety yellow. Made in USA. PE Stamped drawings are available. Other colors, sizes, configurations and options are available. Contact the factory to learn more 1-800-369-4321	\$7,153.77
361 10B	EMEZ-AD-1212-10	Mezzanine 12' x 12' and 110" Top of Deck, Add On Unit with 125 Load Capacity. This unit can be added multiple times to EMEZ-ST-1212-9 to increase the size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$1,863.63
361 10B	EMEZ-AD-1212-11	Mezzanine 12' x 12' and 132" Top of Deck, Add On Unit with 125 Load Capacity. This unit can be added multiple times to EMEZ-ST-1212-9 to increase the size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$1,905.74
361 10B	EMEZ-AD-1212-12	Mezzanine 12' x 12' and 144" Top of Deck, Add On Unit with 125 Load Capacity. This unit can be added multiple times to EMEZ-ST-1212-9 to increase the size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$1,947.86
361 10B	EMEZ-AD-1212-9	Mezzanine 12' x 12' and 108" Top of Deck, Add On Unit with 125 Load Capacity. This unit can be added multiple times to EMEZ-ST-1212-9 to increase the size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$1,821.51
361 10B	EMEZ-BARG	Deck option for EMEZ products, per square foot 1-1/4" x 1/8" (19W4) Bar Grating, Prime Painted Black	\$15.40
361 10B	EMEZ-FR-1632-376	Mezzanine Frame 16' x 32' and 376" Top of Deck, with 125 Load Capacity, used to support machinery. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$7,764.10
361 10B	EMEZ-PLY	Deck option for EMEZ products, per square foot 20 ga Steel B Deck & 3/4" T & G Plywood or OSB	\$5.85
361 10B	EMEZ-ST-1212-10	Mezzanine 12' x 12' and 110" Top of Deck, Starter Unit with 125 Load Capacity. Unit can be a stand alone mezzanine or add multiple EMEZ-AD-1212-9 to increase size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$2,354.28

361 10B	EMEZ-ST-1212-11	Mezzanine 12' x 12' and 132" Top of Deck, Starter Unit with 125 Load Capacity. Unit can be a stand alone mezzanine or add multiple EMEZ-AD-1212-9 to increase size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$2,438.51
361 10B	EMEZ-ST-1212-12	Mezzanine 12' x 12' and 144" Top of Deck, Starter Unit with 125 Load Capacity. Unit can be a stand alone mezzanine or add multiple EMEZ-AD-1212-9 to increase size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$2,521.69
361 10B	EMEZ-ST-1212-9	Mezzanine 12' x 12' and 108" Top of Deck, Starter Unit with 125 Load Capacity. Unit can be a stand alone mezzanine or add multiple EMEZ-AD-1212-9 to increase size. Need to add decking, handrail, gates, landing and stairs to complete the mezzanine. Options sold separately. Other Sizes available contact the factory to learn more 1-800-369-4321	\$2,270.05
361 10B	EXT-PAINT-03	Painting of Extrusions a Custom Color	\$2.43
361 10B	FL-01-LUAUN	Floor Underlayment, 1/4" Luaun	\$0.82
361 10D	FTPK-2008-8	Dimensions of 8'x8'x20' 4 lights, 4 outlets, 1-3070 door, no windows, modular and standard electric, crane lift capable base, Steel structural roof, Aluminum/ EPSS/ FRP Inside wall configuration, no HVAC, shipped KD, Thanks to the Ebtech modular building philosophy and our easy to assemble design, our flat pack modular space solution meets the challenge. From its compact shipping size and ease of assembly to its highly insulated walls, the flat pack starts paying back from day one. The flexibility of configuration and layout makes it adaptable to multiple roles. The units can be connected horizontally and vertically using standard ISO connectors for improved space utilization. The units are available with modular electric to truly make a plug and play system. Flat Packs are designed to accept Ballistic wall systems for even greater protection against outside threats. Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$18,312.27
361 10G	GS-BBHEAT	Baseboard heat furnished and installed to add additional heat to buildings used in colder climates. 1500 watt btu. Available option for Ebtech Guard Buildings and Container Buildings. Contact the factory to learn more 1-800-369-4321	\$430.73
361 10G	GSBR-0406.5-L3	Ballistic Guard Building, 6.5' L x 4' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$27,817.58

361 10G	GSBR-0408-L3	Ballistic Guard Building, 8' L x 4' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$30,189.61
361 10G	GSBR-0606.5-L3	Ballistic Guard Building, 6.5' L x 6' W x 8'H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$32,427.09
361 10G	GSBR-0608-L3	Ballistic Guard Building, 8' L x 6' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$34,366.73
361 10G	GSBR-0610-L3	Ballistic Guard Building, 10' L x 6' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$37,959.91

361 10G	GSBR-0808-L3	Ballistic Guard Building, 8' L x 8' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$38,364.46
361 10G	GSBR-0808-L5	Ballistic Guard Building, 8' L x 8' W x 8' H- UL 752 Level 5. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$41,554.63
361 10G	GSBR-0808-L8	Ballistic Guard Building, 8' L x 8' W x 8' H- UL 752 Level 8. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$42,943.30
361 10G	GSBR-0810-L3	Ballistic Guard Building, 10' L x 8' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$40,218.77

361 10G	GSBR-1012-L3	Ballistic Guard Building, 12' L x 10' W x 8' H- UL 752 Level 3. 1 Ballistic Sliding Door with Window, Ballistic Windows all around, Insulation: Walls R12, Ceiling R19. Aluminum Treadplate Flooring. 1 Steel Counter, 1 Fluorescent Light, 1 Circuit Breaker Box, 125 amp, 12 space. 3 115V Duplex Outlets, 1 230V Outlet. Appropriately Sized Wall Mount HVAC available at an additional charge. Other sizes of guard booths, guard shacks, security shelters, gate houses or pre-assembled buildings on trailers or forkliftable base are available. Other ballistic and blast protection levels (UL, NIJ, GSA) including PBIED and VBIED threat mitigation by integrating Ebtech blast and ballistic panels are available. Please contact the manufacturer for further information. 1-800-369-4321	\$50,956.82
361 10G	GS-ES-GEN-DSL-1000	Portable 10000 watt, electric start, diesel generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$6,501.25
361 10G	GS-ES-GEN-DSL-7500	Portable 7500 watt, electric start, diesel generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$5,048.66
361 10G	GS-ES-GEN-GAS-1000	Portable 10000 watt, electric start, gasoline generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$2,671.03
361 10G	GS-ES-GEN-GAS-7500	Portable 7500 watt, electric start, gasoline generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$2,593.30
361 10G	GS-EXT-FLOOD	Exterior Floodlights furnished and installed when required in stand alone situations, sold as a pair, 2 per on one switch. Option available for Ebtech Guard Buildings and Container Buildings. Contact the factory to learn more 1-800-369-4321	\$572.39
361 10G	GS-FDST-TG	Single fold down step to allow access to the trailer. Stair is 36" wide to come up between the installed guard rails. Option available on Ebtech Trailer Mounted Guard Buildings. Contact the factory to learn more 1-800-369-4321	\$335.01
361 10G	GS-FL-ACCESS	For use primarily in Ballistic buildings to allow for utilities to be brought in from below. Access panel size to be 24" X 24" and includes reinforcement and labor. Factory installed option available on Ebtech Guard Buildings and Container Buildings. Contact the factory for more information 1-800-369-4321	\$502.68
361 10G	GS-GEN-DSL-10000	Portable 10000 watt, recoil start, diesel generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$6,359.59
361 10G	GS-GEN-DSL-7500	Portable 7500 watt, recoil start, diesel generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$4,907.00

361 10G	GS-GEN-GAS-10000	Portable 10000 watt, recoil start, gasoline generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$2,529.36
361 10G	GS-GEN-GAS-7500	Portable 7500 watt, recoil start, gasoline generator, furnished and installed with trailer mounting plate, wiring, weatherproof inlet, and dual power hook up. Option for Ebtech Guard Buildings and Container Buildings. Not for sale in California. Cannot be purchased separately.	\$2,451.64
361 10G	GS-HVAC-RM-13500	Roof Mount 13500 btu Air Conditioner with Ceiling Assembly and 5600 btu Heat Strip. For use in Ebtech Guard Buildings and Container buildings, where the customer prefers the HVAC roof mounted, includes structural supports and installation. Cannot be purchased separately. Please contact the factory for more information 1-800-369-4321	\$1,636.78
361 10G	GS-HVAC-WM-12000	Wall Mount 12000/11000 btu. Furnished and installed Heating, Cooling, Dehumidifying and Fan Ventilation. For use in Ebtech Ballistic Guard Buildings and Container Buildings. 208/230 VAC. Cannot be purchased separately. Please Contact the factory for more information 1-800-369-4321	\$1,805.97
361 10G	GS-HVAC-WM-18000	Wall Mount 18000/16000 btu. Furnished and installed Heating, Cooling, Dehumidifying and Fan Ventilation. For use in Ebtech Ballistic Guard Buildings and Container Buildings. 208/230 VAC. Cannot be purchased separately. Please Contact the factory for more information 1-800-369-4321	\$1,967.75
361 10G	GS-HVAC-WM-8000	Wall Mount 8000/3500 btu. Furnished and installed Heating, Cooling, Dehumidifying and Fan Ventilation. For use in Ebtech Ballistic Guard Buildings and Container Buildings. 115 VAC. Cannot be purchased separately. Please Contact the factory for more information 1-800-369-4321	\$1,437.28
361 10G	GS-ID-CHK	Qty 5 Stop ID Check Signs 24" reflective aluminum. Available option for Ebtech Guard Buildings and Container Buildings. Contact the factory to learn more 1-800-369-4321	\$368.51
361 10G	GS-LEVEL-TG	Set of 4 leveling jacks, furnished and installed at the corners to provide stability when standing alone. Option available on Ebtech Trailer Mounted Guard Buildings. Contact the factory to learn more 1-800-369-4321	\$550.38
361 10G	GS-NES-0820	Fabricated from a standard ISO Shipping container, 8 x 8'6" x 20' with one set of double doors in the rear. This would allow an approximately 160 sq. ft. of space. This building will have a minimum of six (6) 4 x5' windows equally divided on the three sides, and an estimated one window at each end of the same dimension. There will be no windows in the rear doors. These windows will be fixed glass. This building would have one standard 3070 man door on one long side. The building would be wired with overhead fluorescent lighting, (2) wall outlets and one main wall switch, (2) Telephone Jack Connections. The walls, floor and ceiling would all be finished. The walls and ceiling would have a minimum of R 11 insulation; the floor would be finished in VCT tile. All tie down lugs would be provided. The unit would be conditioned by an appropriately sized HVAC system. Other sizes and configurations are available, please contact the factory 1-800-369-4321	\$43,741.14

361 10G	GS-NES-INT-0715	Building would be fabricated on a structural steel base, with forklift pockets for placement on site. The approximate dimensions would be 7' x 15' x 8', this would be 105 sq ft. This building would be made from EB 300 wall panels with exterior steel skin. VCT Tile coated floor. Tie down lugs would be provided as required for bolting down to a concrete slab. This building would have a minimum of eight (8) 3' x 4' windows around its perimeter. One (1) wall switch, (2) wall outlets, (2) Telephone Jack Connections and one 3070 man door. The unit would be conditioned by an appropriately sized HVAC system. Other sizes and configurations are available, please contact the factory 1-800-369-4321	\$24,852.82
361 10G	GSNR-0804	Guard Building 8' L x 4' W x 8' H, 1 light, 2 outlets, 1-3070 door, fixed windows all around, 4' painted steel countertop, forkliftable base - VCT, Rubber membrane over OSB roof, Steel/OSB/Foam/Hardboard wall configuration, HVAC 8000/3500 btu, shipped assembled, color choices of Beige (suffix: BE) or Gray (suffix: GY). Contact the factory for more design options including color, size and armor capabilities, 1-800-369-4321	\$8,588.20
361 10G	GSNR-0805	Guard Building 8' L x 5' W x 8' H, 1 light, 2 outlets, 1-3070 door, fixed windows all around, 5' painted steel countertop, forkliftable base - VCT, Rubber membrane over OSB roof, Steel/OSB/Foam/Hardboard wall configuration, HVAC 8000/3500 btu, shipped assembled, color choices of Beige (suffix: BE) or Gray (suffix: GY). Contact the factory for more design options including color, size and armor capabilities, 1-800-369-4321	\$9,533.63
361 10G	GSNR-0806	Guard Building 8' L x 6' W x 8' H, 1 light, 2 outlets, 1-3070 door, windows all around, 6' painted steel countertop, forkliftable base - VCT, Rubber membrane over OSB roof, Steel/OSB/Foam/Hardboard wall configuration, HVAC 8000/3500 btu, shipped assembled, color choices of Beige (suffix: BE) or Gray (suffix: GY). Contact the factory for more design options including color, size and armor capabilities, 1-800-369-4321	\$10,765.97
361 10G	GSNR-0808	Guard Building 8' L x 8' W x 8' H, 1 light, 2 outlets, 1-3070 door, fixed windows all around plus 1 sliding window, 8' painted steel countertop, forkliftable base - VCT, Rubber membrane over OSB roof, Steel/OSB/Foam/Hardboard wall configuration, HVAC 8000/3500 btu, shipped assembled, color choices of Beige (suffix: BE) or Gray (suffix: GY). Contact the factory for more design options including color, size and armor capabilities, 1-800-369-4321	\$12,509.53
361 10G	GSNR-0810	Guard Building 8' L x 10' W x 8' H, 2 lights, 3 outlets, 1-3070 door, fixed windows all around plus 1 slide window, 8' painted steel countertop, forkliftable base - VCT, Rubber membrane over OSB roof, Steel/OSB/Foam/Hardboard wall configuration, HVAC 8000/3500 btu, shipped assembled, color choices of Beige (suffix: BE) or Gray (suffix: GY). Contact the factory for more design options including color, size and armor capabilities, 1-800-369-4321	\$14,750.76
361 10G	GSNR-1010	Guard Building 10' L x 10' W x 8' H, 2 lights, 3 outlets, 1-3070 door, fixed windows all around plus 1 slide window, 8' painted steel countertop, forkliftable base - VCT, Rubber membrane over OSB roof, Steel/OSB/Foam/Hardboard wall configuration, HVAC 8000/3500 btu, shipped assembled, color choices of Beige (suffix: BE) or Gray (suffix: GY) Contact the factory for more design options including color, size and armor capabilities, 1-800-369-4321	\$16,934.75
361 10G	GSNR-EX-BASE	Structural steel base with steel Treadplate extension priced per square foot. Option available on Ebtech Non Ballistic Guard Buildings. Contact the factory to learn more 1-800-369-4321	\$44.51

361 10G	GSNR-EX-ROOF	Building overhang with structural steel support and protection from water priced per square foot. Option available on Ebtech Non Ballistic Guard Buildings. Contact the factory to learn more 1-800-369-4321	\$36.85
361 10G	GSNR-SAT-TG	A versatile solution for Ebtech Guard Buildings that require mobility, up to building weight of 3,000 pounds. Single Axle Trailer Option must be requested at time of purchase, cannot be converted after building is constructed. Building will be permanently mounted on trailer and will come standard with safety guard rail or we can custom build to suit your specific needs. Many other options available. Contact the manufacturer for more information 1-800-369-4321.	\$3,449.58
361 10G	GSNR-TAT-TG	A versatile solution for Ebtech Guard Buildings that require mobility, up to building weight of 9,000 pounds. Tandem Axle Trailer Option must be requested at time of purchase, cannot be converted after building is constructed. Building will be permanently mounted on trailer and will come standard with safety guard rail or we can custom build to suit your specific needs. Many other options available. Contact the manufacturer for more information 1-800-369-4321.	\$6,630.22
361 10G	GS-PA-SYST	PA System installed with horn and microphone. Option for Ebtech Guard Buildings and Container Buildings. Contact the factory for more information 1-800-369-4321	\$741.81
361 10G	GS-RAMP-TG	Single fold down ramp used in lieu of stairs on the Ebtech trailer mounted guard building to allow for ease of movement off the rear of the trailer, must be requested at time of purchase. Please contact the factory to learn more 1-800-369-4321	\$430.73
361 10G	GS-RED-INT-LT	Red interior light fixture for glare protection furnished and installed with switch. Available as an option for Ebtech Guard Buildings and Container Buildings. Contact the factory to learn more 1-800-369-4321	\$210.58
361 10G	GS-TRMT-TG	Spare Tire: furnished and mounted on the trailer base, with a full size spare tire to match the trailer tire size. Option available on Ebtech Trailer Mounted Guard Buildings. Contact the factory to learn more 1-800-369-4321	\$526.45
361 10G	GS-UC-LT	Under Canopy LED can lighting fixture (2) furnished and installed with switch. Available as an option for Ebtech Guard Buildings and Container Buildings. Contact the factory to learn more 1-800-369-4321	\$559.95
361 10B	FL-01-TILE	Floor Tile, Commercial Grade 1/8" VCT. Contact the factory for color choices 1-800-369-4321	\$1.62
361 10G	LED-EL-0204	Modular LED Light (2 x 4) complete with wired cable. Used in place of Fluorescent, more rugged longer lasting energy efficient choice. Contact the factory to learn more 1-800-369-4321	\$353.76
361 10G	LNDH-5454-108	54"x54" Prefabricated OSHA Stair Landing at greater than 8' up to 9' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,920.21
361 10G	LNDH-5454-120	54"x54" Prefabricated OSHA Stair Landing at greater than 9' up to 10' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,973.30
361 10G	LNDH-5454-132	54"x54" Prefabricated OSHA Stair Landing at greater than 10' up to 11' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,025.23

361 10G	LNDH-5454-144	54"x54" Prefabricated OSHA Stair Landing at greater than 11' up to 12' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,538.74
361 10G	LNDH-5454-156	54"x54" Prefabricated OSHA Stair Landing at greater than 12' up to 13' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,591.83
361 10G	LNDH-5454-168	54"x54" Prefabricated OSHA Stair Landing at greater than 13' up to 14' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,643.76
361 10G	LNDH-5454-180	54"x54" Prefabricated OSHA Stair Landing at greater than 14' up to 15' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,696.84
361 10G	LNDH-5454-192	54"x54" Prefabricated OSHA Stair Landing at greater than 15' up to 16' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,749.92
361 10G	LNDH-5454-204	54"x54" Prefabricated OSHA Stair Landing at greater than 16' up to 17' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,800.69
361 10G	LNDH-5454-216	54"x54" Prefabricated OSHA Stair Landing at greater than 17' up to 18' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,852.62
361 10G	LNDH-5454-228	54"x54" Prefabricated OSHA Stair Landing at greater than 18' up to 19' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,919.56
361 10G	LNDH-5454-24	54"x54" Prefabricated OSHA Stair Landing at 2' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, a straight through intermediate landing or a 90 degree turn landing.	\$1,590.18
361 10G	LNDH-5454-240	54"x54" Prefabricated OSHA Stair Landing at greater than 19' up to 20' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$2,985.33
361 10G	LNDH-5454-36	54"x54" Prefabricated OSHA Stair Landing at greater than 2' up to 3' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,592.49
361 10G	LNDH-5454-48	54"x54" Prefabricated OSHA Stair Landing at greater than 3' up to 4' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,658.26
361 10G	LNDH-5454-60	54"x54" Prefabricated OSHA Stair Landing at greater than 4' up to 5' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,711.35

361 10G	LNDH-5454-72	54"x54" Prefabricated OSHA Stair Landing at greater than 5' up to 6' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,763.28
361 10G	LNDH-5454-84	54"x54" Prefabricated OSHA Stair Landing at greater than 6' up to 7' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,816.35
361 10G	LNDH-5454-96	54"x54" Prefabricated OSHA Stair Landing at greater than 7' up to 8' height range. Landing comes with diamond plate floor and two 54" Long handrails. This landing can be used as a top landing, and straight through intermediate landing or a 90 degree turn landing.	\$1,868.28
361 10G	MI-INSUL-2SB	Sound Batts Insulation 2'x4', unfaced fiberglass blankets. The batt insulation is installed above the ceiling tiles and under the dust cover. Request this option if thermal or sound conditions require increased protection.	\$0.44
361 10B	MOD-EL-01-4T-ELBAL	Modular T8 Fluorescent Light with Electric Ballast (less 4 bulbs) complete with wired cable.	\$138.37
361 10B	MOD-EL-02-SW-SP	Modular Single Pole Light Switch complete with handy box, cover and snap together cable to reach into the ceiling cavity. Commercial grade in a white finish and polycarbonate cover plate.	\$117.92
361 10B	MOD-EL-03-110V-DEDICATED	Modular 110V Single Receptacle complete with handy box, cover and snap together cable to reach into the ceiling cavity. Commercial grade in a white finish and polycarbonate cover plate.	\$150.80
361 10B	MOD-EL-03-110VRECP	Modular 110V Duplex Receptacle complete with handy box, cover and snap together cable to reach into the ceiling cavity. Commercial grade in a white finish and polycarbonate cover plate.	\$94.59
361 10B	MOD-EL-03-220V-DEDICATED	Modular 220V Single Receptacle complete with handy box, cover and snap together cable to reach into the ceiling cavity. Commercial grade in a white finish and polycarbonate cover plate.	\$167.01
361 10B	MOD-EL-05-CBOX-4	Modular 125 Amp 12 Space CB Box with 4 Circuits, junction box will be pre-wired, ready to accept power. Other sizes and options are available. Please contact the factory to learn more 1-800-369-4321.	\$180.79
361 10B	MOD-EL-05-CBOX-6	Modular 125 Amp 12 Space CB Box with 6 Circuits, junction box will be pre-wired, ready to accept power. Other sizes and options are available. Please contact the factory to learn more 1-800-369-4321.	\$202.68
361 10B	MOD-EL-05-CBOX-8	Modular 125 Amp 12 Space CB Box with 8 Circuits, junction box will be pre-wired, ready to accept power. Other sizes and options are available. Please contact the factory to learn more 1-800-369-4321.	\$249.70
361 10A	MTEB-2766	Modular Building, 27'-4"W x 66'L, 12" perimeter steel frame, .019 aluminum siding, 8' interior height, floor load: 50#, wind speed: 90MPH, roof load: 30# GSL, VCT flooring, vinyl covered gypsum interior walls, 5 H/C interior doors, 45 mil EPDM roof, prefinished gypsum ceiling, 1 ADA-compliant restroom, 7LF coffee bar with sink, 22 T-8 lights, 12 J-boxes for data, e emergency exit lights, 2 36 x 80 steel exterior doors, 7 46 x 27 Low-E windows, standard electric, code-compliant insulation, 2 3.5 Ton HVAC with heat, engineered drawings. Other sizes and options are available.	\$117,395.30

361 10A	MTEB-3011-CL	Classified Mobile Facility System at 9 feet in height, 30 feet long and 11 feet wide. Facility shall include steel paneling and sound attenuation or sound proofing for walls, ceilings, and the floor to meet current performance standards for sound absorption to 50 sound transmission class. Facility shall have no windows and the door lock shall be rated to SCI level of security and installed on the access control door with self-powered technology. System shall include a communication system to support NIPR, SIPR, JWICS, A3, and alarm. System will also include LCD TV with wall mount, LED world clock, desk, chairs, conference room table, dehumidifier, HVAC, and electrical power (440/220v 50 HZ). FOB Connellsville, PA	\$269,265.70
361 10D	MWDK-2008	A new standard 8' x 8' x 20' ISO container, weather resistant and water tight. Complete with internal and external galvanized exercise areas. Non slip and coated flooring complete with drains, including dog sleeping platforms and dog doors. R13 insulation, HVAC split system and interior lighting. Plumbed for water hook up and either permanent or temporary power, food dispenser, examination table, UV stabilized kennel roof, fire protection, on board storage, lockable and transportable. Price does not include site prep or placement, facilities hook up to site, utilities hook up on site. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$82,025.92
361 10B	DH-02-LVR	Door Lockset, Standard ADA Lever Type in lieu of standard lockset	\$46.93
361 10G	SSA-3X3	Steel Support Angle 3" x 3" x 1/4" used to distribute roof load throughout its length. In non-load bearing office applications of less than four walls a support angle is secured to the existing wall for dust cover connection.	\$5.90
361 10G	RD-DECKFILLER-RR	Rubber Roof Deck End Filler, optional insert for the open ends of dust cover/roof deck. The insert inhibits dust from entering and accumulating between the steel deck and the ceiling tiles. The insert can reduce steel deck vibration noise and heat loss.	\$1.52
361 10G	ST-ISO-0280	Fabricated from a standard ISO Shipping container, 8' x 8'6" x 20' ground mount, crane liftable from the corner connectors or fork-liftable from the pockets built in, with one set of double doors in the rear. This would allow an approximately 160 sq. ft. of space. This building will have (1) 4 x5' sliding window with screens located on the side wall of the office area. This building will have one standard 3070 man door with window on the opposite wall (8') side from double cargo doors. Vinyl covered hardboard finished walls, Vinyl Composite Tile (VCT) floor, One partition wall at the 10' center line. This building will be wired with overhead fluorescent lighting, (2) wall switches and a minimum of (3) outlets in the office area. All wiring is conduit surface mounted. CB Box in office area. The unit would be conditioned by an appropriately sized HVAC wall mounted system. Other sizes and configurations are available, please contact the factory 1-800-369-4321	\$12,104.10
361 10B	STRH-48108-B	Prefabricated painted steel OSHA stairway with a greater than 8' up to 9' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$1,938.68
361 10G	STRH-48120-B	Prefabricated painted steel OSHA stairway with a greater than 9' up to 10' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$2,157.93

361 10G	STRH-48132-B	Prefabricated painted steel OSHA stairway with a greater than 10' up to 11' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$2,377.19
361 10B	STRH-4824-B	Prefabricated painted steel OSHA stairway with a 2' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$713.16
361 10B	STRH-4836-B	Prefabricated painted steel OSHA stairway with a greater than 2' up to 3' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$877.02
361 10B	STRH-4848-B	Prefabricated painted steel OSHA stairway with a greater than 3' up to 4' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$1,038.58
361 10B	STRH-4860-B	Prefabricated painted steel OSHA stairway with a greater than 4' up to 5' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$1,200.13
361 10B	STRH-4872-B	Prefabricated painted steel OSHA stairway with a greater than 5' up to 6' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$1,361.69
361 10B	STRH-4884-B	Prefabricated painted steel OSHA stairway with a greater than 6' up to 7' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$1,508.24
3610 10B	STRH-4896-B	Prefabricated painted steel OSHA stairway with a greater than 7' up to 8' height range with 48" Black Bar Grating 8-9/16" Treads. (other widths available upon request)	\$1,719.42
361 10G	ACH-12-WM	Wall Mounted A/C-Heat 12000/11000 230 V. Provides both heat and cool temperature control. Other sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$938.31
361 10D	VBPB-0820-8A	8' x 8' x 20' Blast and Ballistic Resistant Viewing Bunker, Designed to meet the specification of 5lbs charge of explosive materials, no fragmentation with a standoff distance of min. 300' and NIJ Level 3, 3 sides. Front, Roof and Both Sides Only. This Box will be delivered with blast calculations, not blast testing. This includes a Siren, PA System good to 1/2 mile, warning light, all additional electrical wiring and materials. Other sizes and options are available. Contact the factory to learn more. 1-800-369-4321	\$104,263.50
361-10D	VBPB-0820-8B	8' x 8' x 20' Blast and Ballistic Resistant Viewing Bunker, NIJ Level III, to be on the front wall, side walls and the roof as well as windows. Three windows, One Personnel Door, Insulation throughout, OSB interior, Apitong floor with painted anti slip finish, Two openings on ends for incoming detonation cables, 5 lbs fire extinguisher, exterior surface painted with tan poly urea coating (custom colors available). Electrical includes One Circuit breaker box, Two single pole switches, Five 110V receptacles, Three Tamperproof, shielded fluorescent overhead lights, One CAT 5E Communication Line/phone jack, One Smoke/Carbon monoxide detector, One Exterior 60W explosion proof light, One Exit/Emergency light w/battery pack, HVAC wall unit - 18,000 BTU. All wiring to N.E.C. Standards. Building ships assembled. Contact the factory to learn more 1-800-369-4321	\$115,884.36
361 10G	ACH-18-WM	Wall Mounted A/C-Heat 18000/16000 230 V. Provides both heat and cool temperature control. Other sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$1,378.24

361 10G	ACH-08-WM	Wall Mounted A/C-Heat 8000/3500 115 V. Provides both heat and cool temperature control. Other sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$830.21
361 10G	WN-01-1/4TEMP	Window, Full Width Fixed with 1/4" TSG 4' x 3'. Frames will be extruded aluminum with a scratch resistant coating. Exposed glass will be 46-1/2" wide x 35-1/2" high x 1/4" thick clear tempered safety glass. Also available, specialty sizes, laminated glass, insulated glass, one-way glass, acrylic glazing or polycarbonate glazing or tinted tempered safety glass. contact the factory to learn more 1-800-369-4321	\$103.77
361 10G	WN-01-1/4TSG-TINT	Tinted Window, Full Width Fixed with 1/4" TSG 4' x 3'. Frames will be extruded aluminum with a scratch resistant coating. Exposed glass will be 46-1/2" wide x 35-1/2" high x 1/4" thick tinted, tempered safety glass. This option is available on Ebtech Guard Buildings and Container Buildings. Also available, specialty sizes, laminated glass, insulated glass, one-way glass, acrylic glazing or polycarbonate glazing or clear tempered safety glass, bullet and blast proof. Please contact the factory to learn more 1-800-369-4321	\$245.28
361 10G	WN-03-SLIDER	Window, Dual Pane, Insulated, Full Width, horizontal Slider w/ screen, TSG 4' x 3' vinyl frame for use with EB300 system	\$301.50
361 10B	WP-300-CL-08	The "Classic" wall panel consists of 1/8" vinyl covered hardboard laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panel shall have a thermal rating of R-13 and a Sound Transmission Coefficient rating of STC 28. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$40.86
361 10B	WP-300-CL-09	The "Classic" wall panel consists of 1/8" vinyl covered hardboard laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panel shall have a thermal rating of R-13 and a Sound Transmission Coefficient rating of STC 28. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$44.50
361 10B	WP-300-CL-10	The "Classic" wall panel consists of 1/8" vinyl covered hardboard laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panel shall have a thermal rating of R-13 and a Sound Transmission Coefficient rating of STC 28. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$48.13
361 10B	WP-300-CL-12	The "Classic" wall panel consists of 1/8" vinyl covered hardboard laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panel shall have a thermal rating of R-13 and a Sound Transmission Coefficient rating of STC 28. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$56.20
361 10G	WP-300-PR-08	The "Premier" wall panel shall be constructed to reduce the transmission of noise and threat of fire. Premier panels shall consist of 1/2" vinyl covered gypsum board laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panels shall have a thermal rating of R-11 and a Sound Transmission Coefficient rating of STC 32. All components in the panel shall be non-combustible. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$46.31

361 10G	WP-300-PR-09	The "Premier" wall panel shall be constructed to reduce the transmission of noise and threat of fire. Premier panels shall consist of 1/2" vinyl covered gypsum board laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panels shall have a thermal rating of R-11 and a Sound Transmission Coefficient rating of STC 32. All components in the panel shall be non-combustible. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$51.76
361 10G	WP-300-PR-10	The "Premier" wall panel shall be constructed to reduce the transmission of noise and threat of fire. Premier panels shall consist of 1/2" vinyl covered gypsum board laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panels shall have a thermal rating of R-11 and a Sound Transmission Coefficient rating of STC 32. All components in the panel shall be non-combustible. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$57.20
361 10G	WP-300-PR-12	The "Premier" wall panel shall be constructed to reduce the transmission of noise and threat of fire. Premier panels shall consist of 1/2" vinyl covered gypsum board laminated to both sides of an expanded polystyrene core. Total panel thickness shall be 3". Panels shall have a thermal rating of R-11 and a Sound Transmission Coefficient rating of STC 32. All components in the panel shall be non-combustible. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors, sizes and options are available. Contact the factory to learn more 1-800-369-4321	\$68.91
361 10B	WP-ALM-1-08	Painted Aluminum Surface on (1) Side of 8' Wall Panel	\$49.33
361 10B	WP-ALM-1-09	Painted Aluminum Surface on (1) Side of 9' Wall Panel	\$55.50
361 10B	WP-ALM-1-10	Painted Aluminum Surface on (1) Side of 10' Wall Panel	\$61.66
361 10B	WP-ALM-1-12	Painted Aluminum Surface on (1) Side of 12' Wall Panel	\$73.99
361 10B	WP-CUTPANEL	Cut Wall Panel to a Custom Size	\$4.32
361 10B	WP-FRP-1-08	FRP Surface, textured fiberglass reinforced plastic sheet material. FRP is durable, moisture resistant and easily cleaned. It is recommended for restroom walls and areas expecting abuse. FRP provides more than just surface durability; the color is solid all the way through. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors and options are available. Contact the factory to learn more 1-800-369-4321	\$16.70
361 10B	WP-FRP-1-09	FRP Surface, textured fiberglass reinforced plastic sheet material. FRP is durable, moisture resistant and easily cleaned. It is recommended for restroom walls and areas expecting abuse. FRP provides more than just surface durability; the color is solid all the way through. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors and options are available. Contact the factory to learn more 1-800-369-4321	\$20.75
361 10B	WP-FRP-1-10	FRP Surface, textured fiberglass reinforced plastic sheet material. FRP is durable, moisture resistant and easily cleaned. It is recommended for restroom walls and areas expecting abuse. FRP provides more than just surface durability; the color is solid all the way through. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors and options are available. Contact the factory to learn more 1-800-369-4321	\$20.75

361 10B	WP-FRP-1-12	FRP Surface, textured fiberglass reinforced plastic sheet material. FRP is durable, moisture resistant and easily cleaned. It is recommended for restroom walls and areas expecting abuse. FRP provides more than just surface durability; the color is solid all the way through. Color choices of Beige (suffix: BE) or Gray (suffix: GY). Other colors and options are available. Contact the factory to learn more 1-800-369-4321	\$24.97
361 10B	WP-FRP-SMO	FRP Smooth Surface Upgrade	\$0.36
361 10B	WP-STL-1-08	Painted Steel Surface on (1) Side of 8' Wall Panel	\$28.58
361 10B	WP-STL-1-09	Painted Steel Surface on (1) Side of 9' Wall Panel	\$32.43
361 10B	WP-STL-1-10	Painted Steel Surface on (1) Side of 10' Wall Panel	\$35.76
361 10B	WP-STL-1-12	Painted Steel Surface on (1) Side of 12' Wall Panel	\$46.70
361 10A	EBC-0820-SCF	20L x 8W Container SCIF with vestibule, HVAC, STC 45 or 50, designed to meet ICD 705. Available are other sizes up to 53L x 8W; Options; TEMPEST mitigation up to 100db of RF attenuation; IDS/ACS systems including UL-2050 certification; mechanical room, generator, filters; raised floors for data centers; SAPF; blast and ballistic protection.	\$83,965.50
361 10A	EBC-0840-SCF	40L x 8W Container SCIF with vestibule, HVAC, STC 45 or 50, designed to meet ICD 705. Available are other sizes up to 53L x 8W; Options: TEMPEST mitigation up to 100 db of RF attenuation; IDS/ACS systems including UL-2050 certification; mechanical room, generator, filters; raised floors for data centers; SAPF; blast and ballistic protection	\$140,227.03
361 10A	EB-4530-2S-SCF	45L x 30W x 24H two-story prefabricated, modular , inplant SCIF building, 2 doors on each floor, Sound Class 3 or 4, STC-45 or STC-50, designed to meet ICD 705; 2 staircases, electrical, HVAC. Available are other sizes, single or multi-story; Options: Installation, TEMPEST mitigation up to 100 db of RF attenuation; IDS/ACS systems including UL-2050 certification; mechanical room, generator, filters; raised floors for data centers; blast, mortar, rocket and ballistic protection.	\$501,940.01
361 10A	EB-4530-1S-SCF	45L x 30W x 12H single-story prefabricated, modular , inplant SCIF building, 2 doors on each floor, Sound Class 3 or 4, STC-45 or STC-50, designed to meet ICD 705; electrical, HVAC. Available are other sizes, single or multi-story; Options: TEMPEST mitigation up to 100 db of RF attenuation; IDS/ACS systems including UL-2050 certification; mechanical room, generator, filters; raised floors for data centers; blast, mortar, rocket and ballistic protection.	\$214,642.38