

GENERAL SERVICES ADMINISTRATION
Federal Acquisition Service - Authorized Federal Supply Schedule Catalog/Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through *GSA Advantage!*, a menu-driven database system. The INTERNET address for *GSA Advantage!* is <http://www.gsadvantage.gov>

SCHEDULE TITLE:

Federal Supply Schedule 056 – Buildings and Building Materials/Industrial Services and Supplies
FSC Group: 61 – Power Distribution Equipment, Generators, and Batteries

CONTRACT NUMBER: GS07F074CA

CONTRACT PERIOD: February 1, 2015 – January 31, 2020

Three (3) Five year options to renew, in accordance with clause I-FSS-163 (4/2000) Option to Extend the Term of the Contract (Evergreen)

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link at www.gsa.gov

CONTRACTOR:



Robroy Industries – Texas, LLC
1100 US Highway 271 south
Gilmer, TX 75644-7702
Phone: 903-843-5591
FAX: 903-843-2516
Email: svoelzke@robroy.com
Web address: www.robroy.com

CONTRACTOR'S ADMINISTRATION SOURCE: Steve Voelzke, President, Conduit Division, Robroy Industries – Texas, LLC; phone: 903-843-5591; email: svoelzke@robroy.com

BUSINESS SIZE: Small

Socioeconomic Indicators: None

NAICS Code: 335932 – Noncurrent-carrying Wiring Device Mfg.

CUSTOMER INFORMATION:

1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)

| SIN | DESCRIPTION |
|------------|------------------------------------------------------------------------------------------------------|
| 412 21 | Electrical, Voltage, Generator Controls, Electric Motors, Motor Controllers/Motor Control Centers |

1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:
(Government net price based on a unit of one)

| <u>SIN</u> | <u>MODEL</u> | <u>PRICE</u> |
|------------|-----------------------------------------|--------------|
| 412 21 | PVC COATED STEEL COUPLING (P/N CPL-100) | \$4.53 |

1c. HOURLY RATES: (Services Only) – N/A

2. MAXIMUM ORDER*: \$200,000 per each order under SIN 412 21

*Ordering activities may request a price reduction at any time before placing an order, establishing a BPA, or in conjunction with the annual BPA review. However, the ordering activity shall seek a price reduction when the order or BPA exceeds the simplified acquisition threshold. Schedule contractors are not required to pass on to all schedule users a price reduction extended only to an individual ordering activity for a specific order or BPA.

3. MINIMUM ORDER: \$250.00

4. GEOGRAPHIC COVERAGE: Domestic, 50 states, Washington, DC, Puerto Rico, US Territories and to a CONUS port or consolidation point for orders received from overseas activities.

5. POINT(S) OF PRODUCTION:

**Robroy Industries – Texas, LLC
1100 US Highway 271 south
Gilmer, TX 75644-7702**

6. DISCOUNT FROM LIST PRICES: PRICES SHOWN HEREIN ARE NET (discount deducted)

7. QUANTITY DISCOUNT(S): 52% from the PERMA-COTE Commercial Pricelist identified in the award document or as updated in the contract for orders of \$100,000+

8. PROMPT PAYMENT TERMS: 2%/10 days prox/net 25. Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

9.a Government Purchase Cards will be accepted at or below the micro-purchase threshold.

9.b Government Purchase Cards are accepted above the micro-purchase threshold. Contact contractor for limit. N/A

11a. TIME OF DELIVERY:

48 hrs. from plant (Two (2) business days from receipt of accepted order)

Delivery date given prior to or after placement of an order is determined to the best of our ability based on our normal production cycle. The delivery date is in no way guaranteed unless otherwise specified in writing. Therefore PERMA-COTE is not indemnitor for any damages, losses, or claims whatsoever due to inability to meet such delivery date.

11b. EXPEDITED DELIVERY: Negotiated on a case by case basis

11c. OVERNIGHT AND 2-DAY DELIVERY: None Offered.

11d. URGENT REQUIRMENTS: Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

12. FOB POINT:

Freight allowance is based on a single order which is to be routed in one shipment to a single destination by common carrier. Freight allowance is best way. Additional requirements will be handled pre-paid and charged or collect. Freight charges include any appropriate and/or extraordinary packaging or handling charge. Shipments will be completed without back orders. If a partial shipment is requested on a freight allowed order and each shipment would not qualify for allowance, freight will be allowed on the portion having the greater weight.

Freight to the Government is prepaid and allowed on \$6,000.00 (net) orders or more (freight as quoted). All shipments are F.O.B. point of shipment, routing method and carrier will be determined by PERMA-COTE. Alaska, Hawaii and export shipments are F.A.S. Port of Embarkation with all export charges to the buyer's account.

On orders that do not qualify for the freight allowance, freight charges will be prepaid and added to the invoice.

Orders under \$6,000 – FOB Origin/Prepay and Add (all locations within US, including shipments to AK, HI, PR, and all US-owned territories)

Orders of \$6,000+ - FOB Origin/Freight Allowed (all locations within US; excludes shipments to AK, HI, PR, and all US-owned territories)

Orders of \$6,000+ for shipments to AK, HI, PR, and US owned territories – FOB Origin/Freight Allowed to the port of consolidation; FOB Origin/Prepay and Add from port of consolidation to destination point.

1) Delivery will be F.O.B. inland carrier, point of exportation (FAR 52.247-38 {See C.2}), with the transportation charges to be paid by the ordering activity from point of exportation to destination as designated exportation in the 48 contiguous States nearest to the designated destination. Such costs will, in all cases be based upon the lowest regularly established rates on file with the Interstate Commerce Commission, the US Postal Service; and must be supported by paid freight or express receipt or by a statement of parcel post charges including weight of shipment.

2) The right is reserved to ordering activities to furnish Government bills of lading.

13a. ORDERING ADDRESS: Same as Contractor

13b. ORDERING PROCEDURES: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in FAR 8.405-3

Final invoices for products purchased shall be submitted by the Contractor when the product has been shipped. Cancellation of purchase order subject to cancellation charges. **PROMPT PAYMENT DISCOUNT, IF APPLICABLE, SHALL BE SHOWN ON THE INVOICE.**

14. PAYMENT ADDRESS: Same as Contractor

15. WARRANTY PROVISION: 5 years from shipment from Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty

16. EXPORT PACKING CHARGES: None

17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:

In order to make a credit card payment, please contact our accounts receivable department at (903) 843-4388 or via email at ar@robroy.com in order to inform them of your payment method. Once the Accounts Receivable department has been notified they will provide a link for online payment of your invoice.

18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR (IF APPLICABLE): N/A

19. TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE): N/A

20. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF AVAILABLE): N/A

20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE): N/A

21. LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE): N/A

22. LIST OF PARTICIPATING DEALERS (IF APPLICABLE): N/A

23. PREVENTIVE MAINTENANCE (IF APPLICABLE): N/A

24a. SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):

The Contractor makes no claim that the products offered herein:

- Are compliant with the recovered and post-consumer material content levels recommended in the Recovered Materials Advisory Notices (RMANs) for EPA-designated products in the CPG program (<http://www.epa.gov/cpg/>);
- Contain recovered materials that either do not meet the recommended levels in the RMANs or are not EPA-designated products in the CPG program (see FAR 23.401 and <http://www.epa.gov/cpg/>);
- Are energy-efficient, as defined by either ENERGY STAR [reg] and/or FEMP's designated top 25th percentile levels (see ENERGY STAR [reg] at <http://www.energystar.gov/> and FEMP at <http://www.eere.energy.gov/>);
- Are water-efficient;
- Use renewable energy technology;
- Are remanufactured; and
- Have other environmental attributes.

24b. Section 508 Compliance for EIT: N/A

25. DUNS NUMBER: 198465387

26. NOTIFICATION REGARDING REGISTRATION IN SYSTEM FOR AWARD MANAGEMENT (SAM) DATABASE: Contractor has an Active Registration in the SAM database.

Amendments to Federal Supply Schedule Price List:

LATEST UPDATES APPEAR IN BLUE TYPE

| Supplement No. & Description | Modification No. | Date |
|-----------------------------------|------------------|---------|
| 1 Admin. Mod./Schedule Refresh 24 | A424 | 3/10/15 |

SPECIAL ITEM NUMBER OVERVIEW OF ITEMS BEING OFFERED:

SIN 412-21 – PVC CONDUIT & RELATED ACCESSORIES & OPTIONS - PERMACOTE

For product literature, or other documents: Email: customerservice@permacote.com

PERMA-COTE PRODUCTS OVERVIEW




Perma-Cote Coated
Conduit
is ISO Certified.

Perma-Cote PVC-coated galvanized rigid conduit and fittings provide unequalled corrosion protection. Manufactured in the U.S.A., ISO 9001-certified Perma-Cote complies with all standards mandated by UL6, NEMA RN-1 and ANSI C80.1. Plus --- Perma-Cote is ETL-Verified for product performance and reliable longevity ten or more times longer than brands that are not ETL-Verified. Look for the combined ETL/UL label to be sure you are receiving the protection you've paid for!




Perma-Cote offers a complete line of PVC coated conduit, fittings and accessories to provide resistance to corrosion for your electrical raceway systems in the most demanding environments. Perma-Cote PVC coated conduit carries the ETL PVC-001 Verified label and provides product service life lasting 10 times longer than those who do not carry the ETL PVC-001 label. For additional information and products available visit www.permacote.com

Perma-Cote is not simply a product --- it is a key link in a system designed to beat the high cost of corrosion damage. The following graphic illustrates how the beneficial differentiators of Perma-Cote provide added value in making the system work.



Our Unique V-Seal


Our V-Seal® gasket --- with special interlocking “V” groove ---- is the most effective way of preventing corrosion damage by sealing PVC coated Form 8 Conduit Bodies, sizes 1/2" to 2".



Labels and Listings

Perma-Cote complies with standards including NEMA RN-1, ANSI C80.1, UL 6 and ETL PVC-001.

UL6 is an important standard that addresses safety for rigid metal conduit. ETL PVC-001 is an internationally recognized listing based on performance evaluations and on predicting service life. It is on the basis of independent, objective product comparisons by ETL that Perma-Cote has been proven to provide ten or more times the protective service life of brands that are not authorized to carry the ETL PVC-001 label.



Here are some additional facts that you should know:

- ETL PVC-001 validates the coating performance of PVC-coated galvanized rigid conduit based on ASTM D870 and ASTM D1151/ASTM D2247 --- the accepted ASTM tests for predicting product service life. These tests are not intended to replicate a specific environment. Rather, they are designed to predict the service life of a coating under the two most common conditions that affect adhesive bonds: heat and humidity.
- Perma-Cote re-earns its ETL PVC-001 label on a quarterly basis by repeatedly and successfully passing the stringent performance tests required for verification.
- ETL verification is an “open standard”. Testing is open to any manufacturer who believes that the quality of its protective coating can consistently meet ETL verification requirements. If you do not see an ETL label on a brand of PVC-coated galvanized rigid conduit, you have every right to ask “why not?”

Want more good news?

You won't have to pay more for the best available protection than you would for a standard fitting. It's all part of the unequaled value provided to you through Perma-Cote.

Invoices And Payment

Final invoices for products purchased shall be submitted by the Contractor when the product has been shipped. Cancellation of purchase order subject to cancellation charges. PROMPT PAYMENT DISCOUNT, IF APPLICABLE, SHALL BE SHOWN ON THE INVOICE.

| PART NUMBER | SIN NO. | DESCRIPTION | UNIT OF ISSUE | GSA PRICE | COUNTRY OF ORIGIN |
|-------------|---------|-------------|---------------|-----------|-------------------|
|-------------|---------|-------------|---------------|-----------|-------------------|

CONDUIT AND RELATED OPTIONS, PARTS AND ACCESSORIES PURCHASE PRICING

PVC COATED STEEL CONDUIT

| | | | | | |
|---------|--------|-------------------------------------------------------------------------------|-------|-----------|----------------------|
| 050-CON | 412-21 | 1/2 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 30.05 | USA or * (see below) |
| 075-CON | 412-21 | 3/4 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 34.84 | USA or * (see below) |
| 100-CON | 412-21 | 1 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 45.11 | USA or * (see below) |
| 125-CON | 412-21 | 1-1/4 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 57.09 | USA or * (see below) |
| 150-CON | 412-21 | 1-1/2 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 69.43 | USA or * (see below) |
| 200-CON | 412-21 | 2 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 90.57 | USA or * (see below) |
| 250-CON | 412-21 | 2-1/2 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 137.15 | USA or * (see below) |
| 300-CON | 412-21 | 3 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 173.13 | USA or * (see below) |
| 350-CON | 412-21 | 3-1/2 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 211.74 | USA or * (see below) |
| 400-CON | 412-21 | 4 DIAMETER CONDUIT/10 FT. LENGTH, INCLUDES 1 APPLICABLE DIAMETER COUPLING | 10 FT | \$ 249.55 | USA or * (see below) |

PVC COATED STEEL COUPLINGS

| | | | | | |
|---------|--------|-------------------------|---|----------|----------------------|
| CPL-050 | 412-21 | 1/2 DIAMETER COUPLING | 1 | \$ 33.31 | USA or * (see below) |
| CPL-075 | 412-21 | 3/4 DIAMETER COUPLING | 1 | \$ 34.92 | USA or * (see below) |
| CPL-100 | 412-21 | 1 DIAMETER COUPLING | 1 | \$ 4.53 | USA or * (see below) |
| CPL-125 | 412-21 | 1-1/4 DIAMETER COUPLING | 1 | \$ 5.28 | USA or * (see below) |
| CPL-150 | 412-21 | 1-1/2 DIAMETER COUPLING | 1 | \$ 6.28 | USA or * (see below) |
| CPL-200 | 412-21 | 2 DIAMETER COUPLING | 1 | \$ 9.19 | USA or * (see below) |
| CPL-250 | 412-21 | 2-1/2 DIAMETER COUPLING | 1 | \$ 22.76 | USA or * (see below) |
| CPL-300 | 412-21 | 3 DIAMETER COUPLING | 1 | \$ 27.64 | USA or * (see below) |

| PART NUMBER | SIN NO. | DESCRIPTION | UNIT OF ISSUE | GSA PRICE | COUNTRY OF ORIGIN |
|-------------|---------|-------------------------|---------------|-----------|----------------------|
| CPL-350 | 412-21 | 3-1/2 DIAMETER COUPLING | 1 | \$ 35.46 | USA or * (see below) |
| CPL-400 | 412-21 | 4 DIAMETER COUPLING | 1 | \$ 41.46 | USA or * (see below) |

PVC COATED STANDARD FACTORY BENT 90 DEGREE STEEL ELBOWS

| | | | | | |
|-----------|--------|--------------------------------|---|-----------|----------------------|
| EL-050X90 | 412-21 | 1/2X90 DEGREE STANDARD ELBOW | 1 | \$ 12.01 | USA or * (see below) |
| EL-075X90 | 412-21 | 3/4X90 DEGREE STANDARD ELBOW | 1 | \$ 12.46 | USA or * (see below) |
| EL-100X90 | 412-21 | 1X90 DEGREE STANDARD ELBOW | 1 | \$ 14.30 | USA or * (see below) |
| EL-125X90 | 412-21 | 1-1/4X90 DEGREE STANDARD ELBOW | 1 | \$ 17.56 | USA or * (see below) |
| EL-150X90 | 412-21 | 1-1/2X90 DEGREE STANDARD ELBOW | 1 | \$ 21.59 | USA or * (see below) |
| EL-200X90 | 412-21 | 2X90 DEGREE STANDARD ELBOW | 1 | \$ 30.13 | USA or * (see below) |
| EL-250X90 | 412-21 | 2-1/2X90 DEGREE STANDARD ELBOW | 1 | \$ 56.77 | USA or * (see below) |
| EL-300X90 | 412-21 | 3X90 DEGREE STANDARD ELBOW | 1 | \$ 90.72 | USA or * (see below) |
| EL-350X90 | 412-21 | 3-1/2X90 DEGREE STANDARD ELBOW | 1 | \$ 119.03 | USA or * (see below) |
| EL-400X90 | 412-21 | 4X90 DEGREE STANDARD ELBOW | 1 | \$ 129.53 | USA or * (see below) |
| EL-500X90 | 412-21 | 5X90 DEGREE STANDARD ELBOW | 1 | \$ 312.15 | USA or * (see below) |

PVC COATED FERROUS METAL FITTINGS

| | | | | | |
|-------|--------|-------------------------|---|-----------|----------------------|
| C75 | 412-21 | 3/4 FORM 8 C FITTING | 1 | \$ 35.97 | USA or * (see below) |
| C100 | 412-21 | 1 FORM 8 C FITTING | 1 | \$ 48.15 | USA or * (see below) |
| LB50 | 412-21 | 1/2 FORM 8 LB FITTING | 1 | \$ 32.45 | USA or * (see below) |
| LB75 | 412-21 | 3/4 FORM 8 LB FITTING | 1 | \$ 35.97 | USA or * (see below) |
| LB100 | 412-21 | 1 FORM 8 LB FITTING | 1 | \$ 48.15 | USA or * (see below) |
| LB125 | 412-21 | 1-1/4 FORM 8 LB FITTING | 1 | \$ 69.91 | USA or * (see below) |
| LB150 | 412-21 | 1-1/2 FORM 8 LB FITTING | 1 | \$ 85.36 | USA or * (see below) |
| LB200 | 412-21 | 2 FORM 8 LB FITTING | 1 | \$ 125.86 | USA or * (see below) |
| LB300 | 412-21 | 3 FORM 8 FITTING | 1 | \$ 290.63 | USA or * (see below) |
| LL75 | 412-21 | 3/4 FORM 8 LL FITTING | 1 | \$ 35.97 | USA or * (see below) |
| LL100 | 412-21 | 1 FORM 8 LL FITTING | 1 | \$ 48.15 | USA or * (see below) |

| PART NUMBER | SIN NO. | DESCRIPTION | UNIT OF ISSUE | GSA PRICE | COUNTRY OF ORIGIN |
|-------------|---------|------------------------|---------------|-----------|----------------------|
| LR75 | 412-21 | 3/4 FORM 8 LR FITTING | 1 | \$ 35.97 | USA or * (see below) |
| LR100 | 412-21 | 1 FORM 8 LR FITTING | 1 | \$ 48.15 | USA or * (see below) |
| T50 | 412-21 | 1/2 FORM 8 T FITTING | 1 | \$ 37.47 | USA or * (see below) |
| T75 | 412-21 | 3/4 FORM 8 T FITTING | 1 | \$ 46.93 | USA or * (see below) |
| T100 | 412-21 | 1 FORM 8 T FITTING | 1 | \$ 56.06 | USA or * (see below) |
| T125 | 412-21 | 1-1/4 FORM 8 T FITTING | 1 | \$ 78.89 | USA or * (see below) |
| T150 | 412-21 | 1-1/2 FORM 8 T FITTING | 1 | \$ 98.55 | USA or * (see below) |
| T200 | 412-21 | 2 FORM 8 T FITTING | 1 | \$ 143.12 | USA or * (see below) |
| TB75 | 412-21 | 3/4 FORM 8 TB FITTING | 1 | \$ 46.93 | USA or * (see below) |
| TB100 | 412-21 | 1 FORM 8 TB FITTING | 1 | \$ 56.06 | USA or * (see below) |
| C27 | 412-21 | 3/4 FORM 7 C FITTING | 1 | \$ 35.98 | USA or * (see below) |
| C37 | 412-21 | 1 FORM 7 C FITTING | 1 | \$ 48.16 | USA or * (see below) |
| LB27 | 412-21 | 3/4 FORM 7 LB FITTING | 1 | \$ 35.98 | USA or * (see below) |
| LB37 | 412-21 | 1 FORM 7 LB FITTING | 1 | \$ 48.16 | USA or * (see below) |
| LL27 | 412-21 | 3/4 FORM 7 LL FITTING | 1 | \$ 35.98 | USA or * (see below) |
| LL37 | 412-21 | 1 FORM 7 LL FITTING | 1 | \$ 48.16 | USA or * (see below) |
| LR27 | 412-21 | 3/4 FORM 7 LR FITTING | 1 | \$ 35.98 | USA or * (see below) |
| LR37 | 412-21 | 1 FORM 7 LR FITTING | 1 | \$ 48.16 | USA or * (see below) |
| T27 | 412-21 | 3/4 FORM 7 T FITTING | 1 | \$ 46.93 | USA or * (see below) |
| T37 | 412-21 | 1 FORM 7 T FITTING | 1 | \$ 56.07 | USA or * (see below) |
| TB27 | 412-21 | 3/4 FORM 7 TB FITTING | 1 | \$ 46.93 | USA or * (see below) |
| TB37 | 412-21 | 1 FORM 7 TB FITTING | 1 | \$ 56.07 | USA or * (see below) |

PVC COATED CAST DEVICE BOXES – FERROUS METAL

| | | | | | |
|----------|--------|-------------------------------------|---|----------|----------------------|
| FD-1-75 | 412-21 | 3/4 FD (DEEP) BODY WITHOUT COVER | 1 | \$ 43.13 | USA or * (see below) |
| FDC-1-75 | 412-21 | 3/4 FD (DEEP) BODY WITHOUT COVER | 1 | \$ 54.40 | USA or * (see below) |
| FS-1-75 | 412-21 | 3/4 FS (SHALLOW) BODY WITHOUT COVER | 1 | \$ 38.87 | USA or * (see below) |

| PART NUMBER | SIN NO. | DESCRIPTION | UNIT OF ISSUE | GSA PRICE | COUNTRY OF ORIGIN |
|-------------|---------|-------------------------------------|---------------|-----------|----------------------|
| FSC-1-75 | 412-21 | 3/4 FS (SHALLOW) BODY WITHOUT COVER | 1 | \$ 45.99 | USA or * (see below) |
| DS23 | 412-21 | FD (DEEP)/FS (SHALLOW) 1 GANG COVER | 1 | \$ 28.40 | USA or * (see below) |
| DS23G | 412-21 | FD (DEEP)/FS (SHALLOW) 1 GANG COVER | 1 | \$ 46.45 | USA or * (see below) |
| DS32G | 412-21 | FD (DEEP)/FS (SHALLOW) 1 GANG COVER | 1 | \$ 39.13 | USA or * (see below) |
| GUALB75 | 412-21 | 3/4 GUAB BODY W/ AL COVER | 1 | \$ 92.56 | USA or * (see below) |
| GUAC75 | 412-21 | 3/4 GUAC BODY W/AL COVER | 1 | \$ 92.56 | USA or * (see below) |
| GUAL75 | 412-21 | 3/4 GUAL BODY W/AL COVER | 1 | \$ 92.56 | USA or * (see below) |
| GUAT100 | 412-21 | 1 GUAT BODY W/AL COVER | 1 | \$ 103.44 | USA or * (see below) |
| GUAX75 | 412-21 | 3/4 GUAX BODY W/AL COVER | 1 | \$ 104.69 | USA or * (see below) |
| GUAX100 | 412-21 | 1 GUAX BODY W/AL COVER | 1 | \$ 113.32 | USA or * (see below) |

PVC COATED SEALING FITTINGS – FERROUS METAL

| | | | | | |
|---------|--------|-------------------------------|---|-----------|----------------------|
| EYA-50 | 412-21 | 1/2 F/F SEALING FITTING | 1 | \$ 43.71 | USA or * (see below) |
| EYA-75 | 412-21 | 3/4 F/F SEALING FITTING | 1 | \$ 48.48 | USA or * (see below) |
| EYA-100 | 412-21 | 1 F/F SEALING FITTING | 1 | \$ 56.84 | USA or * (see below) |
| EYAM-75 | 412-21 | 3/4 M/F SEALING FITTING | 1 | \$ 50.10 | USA or * (see below) |
| EYD-75 | 412-21 | 3/4 F/F SEALING FITTING W/DRN | 1 | \$ 98.12 | USA or * (see below) |
| UNF50 | 412-21 | 1/2 FEMALE TO FEMALE UNION | 1 | \$ 35.23 | USA or * (see below) |
| UNF75 | 412-21 | 3/4 FEMALE TO FEMALE UNION | 1 | \$ 35.86 | USA or * (see below) |
| UNF100 | 412-21 | 1 FEMALE TO FEMALE UNION | 1 | \$ 48.08 | USA or * (see below) |
| UNF150 | 412-21 | 1-1/2 FEMALE TO FEMALE UNION | 1 | \$ 93.46 | USA or * (see below) |
| UNF200 | 412-21 | 2 FEMALE TO FEMALE UNION | 1 | \$ 124.50 | USA or * (see below) |
| UNY50 | 412-21 | 1/2 FEMALE TO MALE UNION | 1 | \$ 36.46 | USA or * (see below) |
| UNY75 | 412-21 | 3/4 FEMALE TO MALE UNION | 1 | \$ 40.43 | USA or * (see below) |
| UNY100 | 412-21 | 1 FEMALE TO MALE UNION | 1 | \$ 50.49 | USA or * (see below) |
| UNY150 | 412-21 | 1-1/2 FEMALE TO MALE UNION | 1 | \$ 99.50 | USA or * (see below) |
| UNY200 | 412-21 | 2 FEMALE TO MALE UNION | 1 | \$ 124.50 | USA or * (see below) |

| PART NUMBER | SIN NO. | DESCRIPTION | UNIT OF ISSUE | GSA PRICE | COUNTRY OF ORIGIN |
|-------------|---------|-------------|---------------|-----------|-------------------|
|-------------|---------|-------------|---------------|-----------|-------------------|

4" TRAVEL XJG SERIES PVC COATED CONDUIT EXPANSION JOINTS – FERROUS METAL

| | | | | | |
|-------|--------|-----------------------|---|-------------|----------------------|
| AX75 | 412-21 | 3/4 EXPANSION JOINT 4 | 1 | \$ 235.50 | USA or * (see below) |
| AX100 | 412-21 | 1 EXPANSION JOINT 4 | 1 | \$ 261.69 | USA or * (see below) |
| AX200 | 412-21 | 2 EXPANSION JOINT 4 | 1 | \$ 505.29 | USA or * (see below) |
| AX300 | 412-21 | 3 EXPANSION JOINT 4 | 1 | \$ 942.32 | USA or * (see below) |
| AX400 | 412-21 | 4 EXPANSION JOINT 4 | 1 | \$ 1,513.32 | USA or * (see below) |

PVC COATED CHANNEL- FERROUS METAL

| | | | | | |
|-----------|--------|------------------------------|-------|----------|----------------------|
| P1000-10 | 412-21 | 1-5/8 CHANNEL | 10 FT | \$ 9.94 | USA or * (see below) |
| P1001-10 | 412-21 | 1-5/8 CHANNEL BACK TO BACK | 10 FT | \$ 18.79 | USA or * (see below) |
| SH1000-10 | 412-21 | 1-5/8 CHANNEL -SLOTTED HOLES | 10 FT | \$ 10.83 | USA or * (see below) |
| P3300-10 | 412-21 | 1-5/8 CHANNEL SHALLOW | 10 FT | \$ 7.20 | USA or * (see below) |
| SH3300-10 | 412-21 | 1-5/8 CHANNEL -SLOTTED HOLES | 10 FT | \$ 7.75 | USA or * (see below) |

INSTALLATION TOOLS FOR PVC COATED

| | | | | | |
|-------------|--------|------------------------------|---|-----------|----------------------|
| SPIN-IT-3/4 | 412-21 | 3/4 SPIN-IT | 1 | \$ 103.39 | USA or * (see below) |
| SPIN-IT-1 | 412-21 | 1 SPIN-IT | 1 | \$ 111.15 | USA or * (see below) |
| JPZ1 | 412-21 | 1-1/2 - 1-1/4 Z-WRENCH | 1 | \$ 104.23 | USA or * (see below) |
| JPZ2 | 412-21 | 1-1/2 - 2-1/2 Z-WRENCH | 1 | \$ 143.13 | USA or * (see below) |
| JAWS3-#23 | 412-21 | JAWS3 #23 PIPE VISE | 1 | \$ 240.04 | USA or * (see below) |
| JAWS3-#40-A | 412-21 | JAWS3 #40-A TRIPOD PIPE VISE | 1 | \$ 240.04 | USA or * (see below) |

TOUCHUP COMPOUND FOR PVC COATED

| | | | | | |
|-----------------|--------|--------------------------------------------|---|----------|----------------------|
| TC-1600 | 412-21 | PT EXTERIOR GRAY TOUCH UP | 1 | \$ 41.98 | USA or * (see below) |
| TC-1700 | 412-21 | 12 OZ SPRAY EXTERIOR GRAY TOUCH UP | 1 | \$ 36.90 | USA or * (see below) |
| THREAD-COMPOUND | 412-21 | APPROVED CONDUCTIVE COMPOUND-BRUSHTOP PINT | 1 | \$ 42.68 | USA or * (see below) |

PVC COATED CAST DEVICE BOX COVES – ALUMINUM

| | | | | | |
|--------|--------|----------------------------------------|---|----------|----------------------|
| DS100G | 412-21 | FS (SHALLOW)/FD (DEEP) AL 1 GANG COVER | 1 | \$ 31.56 | USA or * (see below) |
|--------|--------|----------------------------------------|---|----------|----------------------|

**** USA or Participating TAA PLUS Substantial Transformation***