



**GENERAL SERVICES ADMINISTRATION
FEDERAL ACQUISITION SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through **GSA Advantage!**, a menu-driven database system. The INTERNET address for **GSA Advantage!** is <http://www.gsaadvantage.gov>

SCHEDULE TITLE: Total Solutions for Law Enforcement, Security, Facilities Management, Fire, Rescue, Clothing, Marine Craft and Emergency/Disaster Response

FSC Group: 084

CONTRACT NUMBER: GS-07F-077CA

CONTRACT PERIOD: February 1, 2015 to January 31, 2020

Pricelist current through modification PA-0004, dated December 15, 2015.

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link at www.gsa.gov

CONTRACTOR: Shelby Group International Inc., DBA MCR Safety
1255 Schilling Blvd W
Collierville, NT 38017-7190
Phone: (844) 627-4721; Fax: (901) 202-6277
Email: gsaorders@mcrsafety.com; Web Address: www.mcrsafety.com

CONTRACTOR'S ADMINISTRATION SOURCE: Rick A. Knox, (844) 627-4721, rknox@mcrsafety.com

BUSINESS SIZE: Other than Small

Socioeconomic Indicators: Not Applicable

CUSTOMER INFORMATION:

1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)

| SIN | DESCRIPTION |
|------------|---|
| 426 4J | Target Systems/Target Range Accessories |
| 633 1 | Gloves – Industrial, Work and Cold Weather Gloves |
| 633 70 | Cool/Hot Products |

1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:
(Government net price based on a unit of one)

See Attached Pricing

1c. HOURLY RATES: Not Applicable

2. MAXIMUM ORDER*: SIN 426 4J, \$200,000; SIN 633 1, \$50,000; SIN; SIN 633 70, \$50,000 per SIN

*Ordering activities may request a price reduction at any time before placing an order, establishing a BPA, or in conjunction with the annual BPA review. However, the ordering activity shall seek a price reduction when the order or BPA exceeds the simplified acquisition threshold. Schedule contractors are not required to pass on to all schedule users a price reduction extended only to an individual ordering activity for a specific order or BPA.

3. MINIMUM ORDER: \$300.00

4. GEOGRAPHIC COVERAGE: Domestic

5. POINT(S) OF PRODUCTION: See Attached Pricing

6. DISCOUNT FROM LIST PRICES: Prices listed are net, discounts have been deducted and the industrial funding fee has been added.

7. QUANTITY DISCOUNT(S): Additional 1% on overs over \$100,000.00.

8. PROMPT PAYMENT TERMS: Net 30. Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

9.a Government Purchase Cards must be accepted at or below the micro-purchase threshold.

9.b Government Purchase Cards are accepted above the micro-purchase threshold. Contact contractor for limit.

10. FOREIGN ITEMS: See Attached Pricing

11a. TIME OF DELIVERY: Shipped 5 Days after receipt of order (if in stock)

11b. EXPEDITED DELIVERY: 1-2 Days after receipt of order (contact contractor for additional cost)

11c. OVERNIGHT AND 2-DAY DELIVERY: Contact Contractor

11d. URGENT REQUIRMENTS: Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

12. **FOB POINT:** Destination
- 13a. **ORDERING ADDRESS:** Shelby Group International Inc., DBA MCR Safety
1255 Schilling Blvd W
Collierville, NT 38017-7190
- 13b. **ORDERING PROCEDURES:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in FAR 8.405-3
14. **PAYMENT ADDRESS:** Same As Above
15. **WARRANTY PROVISION:** Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.
16. **EXPORT PACKING CHARGES:** None
17. **TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:** Not Applicable
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR:** Not Applicable
19. **TERMS AND CONDITIONS OF INSTALLATION:** Not Applicable
20. **TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES:** Not Applicable
- 20a. **TERMS AND CONDITIONS FOR ANY OTHER SERVICES:** Not Applicable
21. **LIST OF SERVICE AND DISTRIBUTION POINTS:** Not Applicable
22. **LIST OF PARTICIPATING DEALERS:** Not Applicable
23. **PREVENTIVE MAINTENANCE:** Not Applicable
- 24a. **SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):** Not Applicable
- 24b. **Section 508 Compliance for EIT:** Not Applicable
25. **DUNS NUMBER:** 07-841-3758
26. **NOTIFICATION REGARDING REGISTRATION IN SYSTEM FOR AWARD MANAGEMENT (SAM) DATABASE:** Contractor has an Active Registration in the SAM database.

GSA Pricing:

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 426 4J | TB112AFZ | (Priced by PR - Sold by PR) Tribal - Graphite Frame and Gray Anti-Fog, Polarized Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$22.62 | TW |
| 426 4J | FF120 | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Clear Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can Achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds ANSI Z87+. | \$6.88 | TW |
| 426 4J | FF214 | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Amber Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$8.04 | TW |
| 426 4J | MO112 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Gray Lens. It features a single wrap around, dual focal point lens with integral side shields. The bayonet temple design offers 5 position ratchet action. A non-slip, soft material is used for the temple sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$4.95 | TW |
| 426 4J | MO119 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Indoor/Outdoor Clear Mirror Lens. It features a single wrap around, dual focal point lens with integral side shields. The bayonet temple design offers 5 position ratchet action. A non-slip, soft material is used for the temple sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$4.95 | TW |
| 426 4J | FF122 | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Gray Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can Achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.19 | TW |
| 426 4J | FF132 | (Priced by PR - Sold in Qty of 12) ForceFlex - Translucent Orange Frame and Gray Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can Achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.19 | TW |
| 426 4J | MODL117 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Silver Mirror Lens. Featured is a stylish wrap around lens with greater side protection. A full length, non-slip, soft temple sleeve makes the glass comfortable. The nose pad is a soft, secure TPR material. The lens are protected by Exclusive Duramass scratch resistant coating. Meets or Exceeds Z87+. | \$6.80 | TW |
| 426 4J | MO110 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Clear Lens. It features a single wrap around, dual focal point lens with integral side shields. The bayonet temple design offers 5 position ratchet action. A non-slip, soft material is used for the temple sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$4.65 | TW |
| 426 4J | MODL110 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Clear Lens. Featured is a stylish wrap around lens with greater side protection. A full length, non-slip, soft temple sleeve makes the glass comfortable. The nose pad is a soft, secure TPR material. The lens are protected by Exclusive Duramass scratch resistant coating. Meets or Exceeds Z87+. | \$5.66 | TW |
| 426 4J | MODL112 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Gray Lens. Featured is a stylish wrap around lens with greater side protection. A full length, non-slip, soft temple sleeve makes the glass comfortable. The nose pad is a soft, secure TPR material. The lens are protected by Exclusive Duramass scratch resistant coating. Meets or Exceeds Z87+. | \$5.94 | TW |
| 426 4J | FF124 | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Amber Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can Achieve military ballistic level | \$7.51 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | | |
| 426 4J | MO117 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Silver Mirror Lens. It features a single wrap around, dual focal point lens with integral side shields. The bayonet temple design offers 5 position ratchet action. A non-slip, soft material is used for the temple sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$5.82 | TW |
| 426 4J | FF128B | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Blue Diamond Mirror Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can Achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.94 | TW |
| 426 4J | FF137 | (Priced by PR - Sold in Qty of 12) ForceFlex - Translucent Orange Frame and Silver Mirror Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can Achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.94 | TW |
| 426 4J | MO114 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Amber Lens. It features a single wrap around, dual focal point lens with integral side shields. The bayonet temple design offers 5 position ratchet action. A non-slip, soft material is used for the temple sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$5.24 | TW |
| 426 4J | S2210 | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Clear Lens. 15% smaller than standard Blackjack -s to fit smaller faces. Rimless designed for unobstructed vision. Fully adjustable metal alloy hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | \$3.11 | TW |
| 426 4J | FF210 | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Clear Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.41 | TW |
| 426 4J | FF220 | (Priced by PR - Sold in Qty of 12) ForceFlex - Translucent Brown Frame and Clear Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.41 | TW |
| 426 4J | MODL114 | (Priced by PR - Sold in Qty of 12) Mossy Oak Camo Pattern Frame and Amber Lens. Featured is a stylish wrap around lens with greater side protection. A full length, non-slip, soft temple sleeve makes the glass comfortable. The nose pad is a soft, secure TPR material. The lens are protected by Exclusive Duramass scratch resistant coating. Meets or Exceeds Z87+. | \$6.23 | TW |
| 426 4J | FF212 | (Priced by PR - Sold in Qty of 12) ForceFlex - Opaque Black Frame and Gray Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.73 | TW |
| 426 4J | FF222 | (Priced by PR - Sold in Qty of 12) ForceFlex - Translucent Brown Frame and Gray Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.73 | TW |
| 426 4J | FF232 | (Priced by PR - Sold in Qty of 12) ForceFlex - Translucent Yellow Frame and Gray Lens. Multi-injection molding lens with a flexible Thermo Plastic Urethane (TPU) frame. Can achieve military ballistic level impact resistance at over 1,000 feet per second. Unparalleled levels of protection. Dual temple material combines TPR for comfort and polycarbonate for durability. Meets or Exceeds Z87+. | \$7.73 | TW |
| 426 4J | S2210AF | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Clear Anti-Fog Lens. 15% smaller than standard Blackjack -s to fit smaller faces. Rimless designed for unobstructed vision. Fully adjustable metal alloy | \$3.37 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | | |
| 426 4J | SH110AF | (Priced by PR - Sold in Qty of 12) Shock - Onyx / Graphite Gray Frame and Clear Anti-Fog Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$4.34 | TW |
| 426 4J | SH130AF | (Priced by PR - Sold in Qty of 12) Shock - Chameleon / Clear Chrome Frame and Clear Anti-Fog Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$4.34 | TW |
| 426 4J | SH118B | (Priced by PR - Sold in Qty of 12) Shock - Onyx / Graphite Gray Frame and Blue Diamond Mirror Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$5.10 | TW |
| 426 4J | SH13G | (Priced by PR - Sold in Qty of 12) Shock - Chameleon / Clear Chrome Frame and Emerald Mirror Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$5.10 | TW |
| 426 4J | SH14R | (Priced by PR - Sold in Qty of 12) Shock - Crimson / Stone Frame and Fire Mirror Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$5.10 | TW |
| 426 4J | SH152AF | (Priced by PR - Sold in Qty of 12) Shock - Carbon / Silver Frame and Gray Anti-Fog Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$5.10 | TW |
| 426 4J | SH112AF | (Priced by PR - Sold in Qty of 12) Shock - Onyx / Graphite Gray Frame and Gray Anti-Fog Lens. The dual color axis design offers fashionable protection. The Bayonet temple design with non-slip, soft temple sleeves offer comfort. Purchase includes storage/cleaning bag and breakaway cord. Meets or Exceeds Z87+. | \$4.58 | TW |
| 426 4J | S2212 | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Gray Lens. 15% smaller than standard Blackjack -s to fit smaller faces. Rimless designed for unobstructed vision. Fully adjustable metal alloy hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | \$3.37 | TW |
| 426 4J | T4112AF | (Priced by PR - Sold in Qty of 12) Rubicon - Curved Frameless Lens Design and Gray Anti-Fog Lens. Features include a close orbital seal, gel nose piece for comfort, and durable spring hinge metal temples with non-slip temple sleeves. Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$6.13 | TW |
| 426 4J | K3H10 | Klondike Plus Magnifiers - 1.0 Strength - Black Frame and Clear Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$5.66 | TW |
| 426 4J | K3H15 | Klondike Plus Magnifiers - 1.5 Strength - Black Frame and Clear Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$5.66 | TW |
| 426 4J | K3H20 | Klondike Plus Magnifiers - 2.0 Strength - Black Frame and Clear Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$5.66 | TW |
| 426 4J | K3H25 | Klondike Plus Magnifiers - 2.5 Strength - Black Frame and Clear Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$5.66 | TW |
| 426 4J | T4110AF | (Priced by PR - Sold in Qty of 12) Rubicon - Curved Frameless Lens Design and Clear Anti-Fog Lens. Features include a close orbital seal, gel nose piece for comfort, and durable spring hinge metal temples | \$5.77 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | with non-slip temple sleeves. Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | | |
| 426 4J | T411G | (Priced by PR - Sold in Qty of 12) Rubicon - Curved Frameless Lens Design and Emerald Mirror Lens. Features include a close orbital seal, gel nose piece for comfort, and durable spring hinge metal temples with non-slip temple sleeves. Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$7.27 | TW |
| 426 4J | T411R | (Priced by PR - Sold in Qty of 12) Rubicon - Curved Frameless Lens Design and Fire Mirror Lens. Features include a close orbital seal, gel nose piece for comfort, and durable spring hinge metal temples with non-slip temple sleeves. Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$7.27 | TW |
| 426 4J | SS110 | (Priced by PR - Sold in Qty of 12) Stratos - Black Frame and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.66 | TW |
| 426 4J | SS112 | (Priced by PR - Sold in Qty of 12) Stratos - Black Frame and Gray Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.66 | TW |
| 426 4J | TB112AF | (Priced by PR - Sold in Qty of 12) Tribal - Graphite Frame and Gray Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$5.10 | TW |
| 426 4J | TB110AF | (Priced by PR - Sold in Qty of 12) Tribal - Graphite Frame and Clear Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$4.84 | TW |
| 426 4J | TC110 | (Priced by PR - Sold in Qty of 12) Tacoma - Black Temples and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.96 | TW |
| 426 4J | TC120 | (Priced by PR - Sold in Qty of 12) Tacoma - Blue Temples and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.96 | TW |
| 426 4J | SS010 | (Priced by PR - Sold in Qty of 12) Stratos - Black Frame and Clear Uncoated Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.60 | TW |
| 426 4J | 181640 | (Priced by PR - Sold in Qty of 25) Clear Universal PETG .40 Visor - 8"x16" | \$1.39 | TW |
| 426 4J | 181540 | (Priced by PR - Sold in Qty of 25) Clear Universal Polycarbonate .40 Visor - 8"x15.5" | \$1.75 | TW |
| 426 4J | TC112 | (Priced by PR - Sold in Qty of 12) Tacoma - Black Temples and Gray Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$1.11 | TW |
| 426 4J | TB13R | (Priced by PR - Sold in Qty of 12) Tribal -Graphite/Red Tattoo Frame and Fire Mirror Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$5.95 | TW |
| 426 4J | TB148B | (Priced by PR - Sold in Qty of 12) Tribal - Onyx/Blue Tattoo Frame and Blue Diamond Mirror Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$5.95 | TW |
| 426 4J | TC110XL | (Priced by PR - Sold in Qty of 12) Tacoma XL - Black Temples and Clear Lens. Larger size made to fit over most prescription glasses. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 | \$1.72 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | position ratchet for comfort. Meets or Exceeds Z87+. | | |
| 426 4J | S2119 | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Indoor/Outdoor Clear Mirror Lens. Rimless designed for unobstructed vision. Fully adjustable metal alloy hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | \$3.52 | TW |
| 426 4J | CL114 | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.90 | TW |
| 426 4J | T1110AF | (Priced by PR - Sold in Qty of 12) Triwear - Black Onyx Frame and Clear Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$3.97 | TW |
| 426 4J | T1112AF | (Priced by PR - Sold in Qty of 12) Triwear - Black Onyx Frame and Gray Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$3.97 | TW |
| 426 4J | CL110AF | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.11 | TW |
| 426 4J | CL010 | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear, Uncoated Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Meets or Exceeds Z87+. | \$0.60 | TW |
| 426 4J | 2400 | (Priced by PR - Sold in Qty of 12) Goggle - Smoke Frame and Clear Lens, Indirect Vents, Elastic Strap | \$2.74 | TW |
| 426 4J | CL117 | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.10 | TW |
| 426 4J | CL119 | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.10 | TW |
| 426 4J | 2410 | (Priced by PR - Sold in Qty of 12) Goggle - Smoke Frame and Clear Anti-Fog Lens, Indirect Vents, Elastic Strap | \$3.31 | TW |
| 426 4J | 2410F | (Priced by PR - Sold in Qty of 12) Goggle - Smoke Frame With Foam Lining - Clear Anti-Fog Lens, Indirect Vents, Elastic Strap | \$4.01 | TW |
| 426 4J | CL110 | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.68 | TW |
| 426 4J | CL112 | (Priced by PR - Sold in Qty of 12) Checklite - Light Weight Frame and Clear Lens. The frame is smaller to fit smaller faces. Good for everyday use or a visitor spec. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.68 | TW |
| 426 4J | TB11G | (Priced by PR - Sold in Qty of 12) Tribal - Graphite Frame and Emerald Mirror Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The lens are coated with an exclusive Duramass scratch resistant coating. The purchase includes a dual purpose storage/cleaning bag and a breakaway cord. Meets or Exceeds Z87+. | \$5.80 | TW |
| 426 4J | BK212 | (Priced by PR - Sold in Qty of 12) Made for Smaller Faces -Bearkat - Strong, Lightweight Frame and Gray Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.00 | TW |
| 426 4J | 9800XL | (Priced by PR - Sold in Qty of 144) Yukon XL - Clear Frame and Temples. Larger size fits over most prescription glasses. Contemporary wrap-around lens design and molded-in brow guard with vented side shields offer additional protection. The dielectric (no metal parts) design make the glass an excellent choice for electrical work. Meets or | \$1.00 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | Exceeds Z87+. | | |
| 426 4J | TK110AF | (Priced by PR - Sold in Qty of 12) Tomahawk - Black Frame and Clear Anti-Fog Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.67 | TW |
| 426 4J | TK120AF | (Priced by PR - Sold in Qty of 12) Tomahawk - Blue Frame and Clear Anti-Fog Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.67 | TW |
| 426 4J | TK130AF | (Priced by PR - Sold in Qty of 12) Tomahawk - Red/White/Blue Frame and Gray Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.67 | TW |
| 426 4J | CK117 | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Silver Mirror Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.84 | TW |
| 426 4J | 2310AF | (Priced by PR - Sold in Qty of 12) Premium Goggle - Clear Anti-Fog Lens, Indirect Vents, Rubber Strap | \$2.68 | TW |
| 426 4J | IA110AF | (Priced by PR - Sold in Qty of 12) Inertia - Black Frame and Clear Anti-Fog Lens. The Dielectric (no metal parts) frame make this glass excellent for electrical work. This glass features a unique Flare fit temple design with TPR sleeves designed for grip and comfort. Meets or exceeds Z87+. | \$3.36 | TW |
| 426 4J | PA112AF | (Priced by PR - Sold in Qty of 12) Plasma - Black Frame and Gray Anti-Fog Lens. This glass features resilient spring hinge temples, non-slip, soft temple sleeves and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$3.36 | TW |
| 426 4J | DS112 | (Priced by PR - Sold in Qty of 12) Desperado - Black Frame and Gray Lens. The single wrap around, dual focus lens offers great protection and two optical centers. Bayonet temples with soft, non-slip sleeves are featured. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.67 | TW |
| 426 4J | HB110AF | (Priced by PR - Sold in Qty of 12) Hombre - Black Frame, Silver Nose Pad & Temple Sleeves and Clear Anti-Fog Lens. The single wrap around lens offers more protection and a dual focus design. It also features a non-slip, soft temple sleeve and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$2.67 | TW |
| 426 4J | BK210 | (Priced by PR - Sold in Qty of 12) Made for Smaller Faces -Bearkat - Strong, Lightweight Frame and Clear Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.91 | TW |
| 426 4J | DL410 | (Priced by PR - Sold in Qty of 12) Dallas - Digital Camo Pattern Frame and Clear Lens. Features fully coated flexible bayonet temples and stylish wraparound lens for side impact protection. The nose pad is made from soft, secure TPR material. Exclusive Duramass scratch coating protects the lens. Meets or Exceeds Z87+. | \$4.02 | TW |
| 426 4J | DS14R | (Priced by PR - Sold in Qty of 12) Desperado - Silver Frame and Fire Mirror Lens. The single wrap around, dual focus lens offers great protection and two optical centers. Bayonet temples with soft, non-slip sleeves are featured. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.68 | TW |
| 426 4J | KD212 | (Priced by PR - Sold in Qty of 12) Klondike - Metal Frame, Spring Hinge Temples and Gray Lens. This glass features unique twin bridge adjustable nose piece, flexible lightweight metal frame and spring hinge temples. Meets or Exceeds Z87+. | \$3.51 | TW |
| 426 4J | 45810 | (Priced by PR - Sold in Qty of 12) Contractor - Caramel Frame with 58MM Clear Lens. Features molded side shields for protection and wire reinforced spatula temples for strength and durability. Meets or Exceeds Z87+. | \$2.15 | TW |
| 426 4J | PA312AF | (Priced by PR - Sold in Qty of 12) Plasma - Digital Camo Pattern Frame and Gray Anti-Fog Lens. This glass features resilient spring hinge temples, non-slip, soft temple sleeves and a soft, secure TPR | \$4.35 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | nose pad. Meets or Exceeds Z87+. | | |
| 426 4J | DL110AF | (Priced by PR - Sold in Qty of 12) Dallas - Polished Lightweight Black Frame and Clear Anti-Fog Lens. Features fully coated flexible bayonet temples and stylish wraparound lens for side impact protection. The nose pad is made from soft, secure TPR material. Exclusive Duramass scratch coating protects the lens. Meets or Exceeds Z87+. | \$2.99 | TW |
| 426 4J | KD213 | (Priced by PR - Sold in Qty of 12) Klondike - Metal Frame, Spring Hinge Temples and Light Blue Lens. This glass features unique twin bridge adjustable nose piece, flexible lightweight metal frame and spring hinge temples. Meets or Exceeds Z87+. | \$3.84 | TW |
| 426 4J | CK119 | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Indoor/Outdoor Clear Mirror Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.63 | TW |
| 426 4J | TM128B | (Priced by PR - Sold in Qty of 6) Tremor - Indigo Blue Frame and Blue Diamond Mirror Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$4.51 | TW |
| 426 4J | TM13R | (Priced by PR - Sold in Qty of 6) Tremor - Taupe Frame and Fire Mirror Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$4.51 | TW |
| 426 4J | TM148B | (Priced by PR - Sold in Qty of 6) Tremor - Silver Frame and Blue Diamond Mirror Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$4.51 | TW |
| 426 4J | TM14G | (Priced by PR - Sold in Qty of 6) Tremor - Silver Frame and Emerald Mirror Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$4.51 | TW |
| 426 4J | TM110 | (Priced by PR - Sold in Qty of 6) Tremor - Black Onyx Frame and Clear Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$3.32 | TW |
| 426 4J | TM120 | (Priced by PR - Sold in Qty of 6) Tremor - Indigo Blue Frame and Clear Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$3.32 | TW |
| 426 4J | TM130 | (Priced by PR - Sold in Qty of 6) Tremor - Taupe Frame and Clear Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$3.32 | TW |
| 426 4J | SR110 | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished Black Frame and Clear Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$3.15 | TW |
| 426 4J | SR130 | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Crimson Red Frame and Clear Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$3.15 | TW |
| 426 4J | BKH10 | (Priced by PR - Sold in Qty of 12) 1.0 Strength - Bearkat - Strong, Lightweight Frame and Clear Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.98 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 426 4J | BKH15 | (Priced by PR - Sold in Qty of 12) 1.5 Strength - Bearkat - Strong, Lightweight Frame and Clear Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.98 | TW |
| 426 4J | BKH20 | (Priced by PR - Sold in Qty of 12) 2.0 Strength - Bearkat - Strong, Lightweight Frame and Clear Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.98 | TW |
| 426 4J | BKH25 | (Priced by PR - Sold in Qty of 12) 2.5 Strength - Bearkat - Strong, Lightweight Frame and Clear Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.98 | TW |
| 426 4J | T3112AF | (Priced by PR - Sold in Qty of 12) Triwear - Spring Hinge, Metal Temple Frame and Gray Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The purchase includes a breakaway cord. Meets or Exceeds Z87+. | \$5.35 | TW |
| 426 4J | IA120AF | (Priced by PR - Sold in Qty of 12) Inertia - Silver Frame and Clear Anti-Fog Lens. The Dielectric (no metal parts) frame make this glass excellent for electrical work. This glass features a unique Flare fit temple design with TPR sleeves designed for grip and comfort. Meets or exceeds Z87+. | \$3.66 | TW |
| 426 4J | PA118B | (Priced by PR - Sold in Qty of 12) Plasma - Black Frame and Blue Diamond Mirror Lens. This glass features resilient spring hinge temples, non-slip, soft temple sleeves and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$4.11 | TW |
| 426 4J | 85110 | (Priced by PR - Sold in Qty of 12) Prodigy - Black Lightweight Nylon Frame and Clear Lens. The glass features 58mm lens and built on side shields for added protection. Exclusive Duramass scratch-resistant coating protects the lens. The glass weights only 1.2 ozs. Meets or Exceeds Z87+. | \$1.96 | TW |
| 426 4J | CK212AF | (Priced by PR - Sold in Qty of 12) Checkmate 2 - Smoke Temples w/Sliver Nose Pad & Temple Sleeves and Gray Anti-Fog Lens. This Glass provides a near total orbital seal and features flexible bayonet temples. Gel temple sleeves and a gel nose bridge adds comfort to the glass. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.96 | TW |
| 426 4J | LW210AF | (Priced by PR - Sold in Qty of 12) Law Plus - Wrap-Around Clear Anti-Fog Lens. Dielectric (no metal parts) make this glass excellent for electrical work. The single lens design with integral side shields offer greater orbital seal. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$1.57 | TW |
| 426 4J | LW212AF | (Priced by PR - Sold in Qty of 12) Law Plus - Wrap-Around Gray Anti-Fog Lens. Dielectric (no metal parts) make this glass excellent for electrical work. The single lens design with integral side shields offer greater orbital seal. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$1.57 | TW |
| 426 4J | LW217 | (Priced by PR - Sold in Qty of 12) Law Plus - Wrap-Around Silver Mirror Lens. Dielectric (no metal parts) make this glass excellent for electrical work. The single lens design with integral side shields offer greater orbital seal. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$1.57 | TW |
| 426 4J | LW219 | (Priced by PR - Sold in Qty of 12) Law Plus - Wrap-Around Indoor/Outdoor Clear Mirror Lens. Dielectric (no metal parts) make this glass excellent for electrical work. The single lens design with integral side shields offer greater orbital seal. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$1.57 | TW |
| 426 4J | LW210 | (Priced by PR - Sold in Qty of 12) Law Plus - Wrap-Around Clear Lens. Dielectric (no metal parts) make this glass excellent for electrical work. The single lens design with integral side shields offer greater orbital seal. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$1.12 | TW |
| 426 4J | LW212 | (Priced by PR - Sold in Qty of 12) Law Plus - Wrap-Around Gray Lens. Dielectric (no metal parts) make this glass excellent for electrical work. The single lens design with integral side shields offer greater orbital seal. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$1.12 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 426 4J | 61110 | (Priced by PR - Sold in Qty of 12) Engineer - Nickel-Silver Alloy Frame and Clear Lens. Features spatula temples with side shields for greater protection. The nose pad is soft, pliable PVC and it is adjustable. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.60 | TW |
| 426 4J | 62110 | (Priced by PR - Sold in Qty of 12) Engineer - Black Alloy Frame and Clear Lens. Features spatula temples with side shields for greater protection. The nose pad is soft, pliable PVC and it is adjustable. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.60 | TW |
| 426 4J | CK110 | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Clear Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.90 | TW |
| 426 4J | CK112 | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Gray Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.90 | TW |
| 426 4J | SR112 | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished Black Frame and Gray Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$3.42 | TW |
| 426 4J | DS110AF | (Priced by PR - Sold in Qty of 12) Desperado - Black Frame and Clear Anti-Fog Lens. The single wrap around, dual focus lens offers great protection and two optical centers. Bayonet temples with soft, non-slip sleeves are featured. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.97 | TW |
| 426 4J | RT110AF | (Priced by PR - Sold in Qty of 12) Rattler - Black Frame and Clear Lens. The glass features interchangeable 3-position ratcheting bayonet temples and an adjustable head band with each pair. The temple sleeve is made of non-slip TRP for comfort and grip. A closed cell foam seal provides protection from small particles and debris. Meets or Exceeds Z87+. | \$5.50 | TW |
| 426 4J | LW310AF | (Priced by PR - Sold in Qty of 12) Law 3 - Wrap-Around Clear Anti-Fog Lens. Open cell foam lining the inside of the glass protects from small particles and debris by creating a tighter orbital seal. Dielectric (no metal parts) make this glass excellent for electrical work. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$2.75 | TW |
| 426 4J | LW312AF | (Priced by PR - Sold in Qty of 12) Law 3 - Wrap-Around Gray Anti-Fog Lens. Open cell foam lining the inside of the glass protects from small particles and debris by creating a tighter orbital seal. Dielectric (no metal parts) make this glass excellent for electrical work. TPR temple inserts and nose pads enhance grip and comfort. Meets or Exceeds Z87+. | \$2.75 | TW |
| 426 4J | OG112AF | (Priced by PR - Sold in Qty of 12) Law Over The Glass - Oversized Frame To Fit Over Prescription Glasses, Gray Anti-Fog Lens. The dielectric design features no metal parts. 5 position ratchet action temples allows for lens angle adjustment and comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.75 | TW |
| 426 4J | HB110 | (Priced by PR - Sold in Qty of 12) Hombre - Black Frame, Silver Nose Pad & Temple Sleeves and Clear Lens. The single wrap around lens offers more protection and a dual focus design. It also features a non-slip, soft temple sleeve and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$2.08 | TW |
| 426 4J | F2117 | (Priced by PR - Sold in Qty of 12) (Frostbite 2) - Black Lightweight Frame and Silver Mirror Lens. Features a smaller frame size with spatula temples. Exclusive Duramass scratch-resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.25 | TW |
| 426 4J | R2120 | (Priced by PR - Sold in Qty of 12) Rattler 2 - Chrome Frame and Clear Lens. It features a durable, lightweight metal alloy frame and a non-slip, soft temple sleeve. Built on side shields offer greater protection. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.25 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 426 4J | CK210 | (Priced by PR - Sold in Qty of 12) Checkmate 2 - Smoke Temples w/Sliver Nose Pad & Temple Sleeves and Clear Lens. This Glass provides a near total orbital seal and features flexible bayonet temples. Gel temple sleeves and a gel nose bridge adds comfort to the glass. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.40 | TW |
| 426 4J | SR114 | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished Black Frame and Amber Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$3.53 | TW |
| 426 4J | IA128B | (Priced by PR - Sold in Qty of 12) Inertia - Silver Frame and Blue Diamond Mirror Lens. The Dielectric (no metal parts) frame make this glass excellent for electrical work. This glass features a unique Flare fit temple design with TPR sleeves designed for grip and comfort. Meets or exceeds Z87+. | \$4.26 | TW |
| 426 4J | ST110 | (Priced by PR - Sold in Qty of 12) Storm - Black Frame and Clear Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.13 | TW |
| 426 4J | ST120 | (Priced by PR - Sold in Qty of 12) Storm - Navy Frame and Clear Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.13 | TW |
| 426 4J | ST130 | (Priced by PR - Sold in Qty of 12) Storm - Red Frame and Clear Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.13 | TW |
| 426 4J | CK310 | (Priced by PR - Sold in Qty of 12) Luminator - Wrap Around Gray Lens and Black Bayonet Temples. The temple integrates retro-reflective material for greater visibility and safety. The lens are protected by Exclusive Duramass scratch resistant coating. Meets or Exceeds Z87+. | \$2.41 | TW |
| 426 4J | PA110AF | (Priced by PR - Sold in Qty of 12) Plasma - Black Frame and Clear Anti-Fog Lens. This glass features resilient spring hinge temples, non-slip, soft temple sleeves and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$3.13 | TW |
| 426 4J | T3119AF | (Priced by PR - Sold in Qty of 12) Triwear - Spring Hinge, Metal Temple Frame and Indoor/Outdoor Clear Mirror Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The purchase includes a breakaway cord. Meets or Exceeds Z87+. | \$5.65 | TW |
| 426 4J | SR122AF | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished White Frame and Gray Anti-Fog Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$3.69 | TW |
| 426 4J | SR132AF | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Crimson Red Frame and Gray Anti-Fog Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$3.69 | TW |
| 426 4J | 99910 | (Priced by PR - Sold in Qty of 12) Excalibur - - Black Nylon Frame and Clear Lens. A single polycarbonate lens design offers contemporary styling. An incorporated side shield offers an exceptional wide angle of unrestricted vision and protection. The Spatula temples have an extendable adjustment. Meets or Exceeds Z87+. | \$1.51 | TW |
| 426 4J | 99920 | (Priced by PR - Sold in Qty of 12) Excalibur - Blue Nylon Frame and Clear Lens. A single polycarbonate lens design offers contemporary styling. An incorporated side shield offers an exceptional wide angle of unrestricted vision and protection. The Spatula temples have an extendable adjustment. Meets or Exceeds Z87+. | \$1.51 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 426 4J | 99960 | (Priced by PR - Sold in Qty of 12) Excalibur - Red/White/Blue Nylon Frame and Clear Lens. A single polycarbonate lens design offers contemporary styling. An incorporated side shield offers an exceptional wide angle of unrestricted vision and protection. The Spatula temples have an extendable adjustment. Meets or Exceeds Z87+. | \$1.51 | TW |
| 426 4J | OG110AF | (Priced by PR - Sold in Qty of 12) Law Over The Glass - Oversized Frame To Fit Over Prescription Glasses, Clear Anti-Fog Lens. The dielectric design features no metal parts. 5 position ratchet action temples allows for lens angle adjustment and comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.52 | TW |
| 426 4J | IA112 | (Priced by PR - Sold in Qty of 12) Inertia - Black Frame and Gray Lens. The Dielectric (no metal parts) frame make this glass excellent for electrical work. This glass features a unique Flare fit temple design with TPR sleeves designed for grip and comfort. Meets or exceeds Z87+. | \$3.29 | TW |
| 426 4J | CK100 | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Clear Uncoated Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Meets or Exceeds Z87+. | \$0.78 | TW |
| 426 4J | CK312 | (Priced by PR - Sold in Qty of 12) Luminator - Wrap Around Clear Lens and Black Bayonet Temples. The temple integrates retro-reflective material for greater visibility and safety. The lens are protected by Exclusive Duramass scratch resistant coating. Meets or Exceeds Z87+. | \$2.62 | TW |
| 426 4J | SR118B | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished Black Frame and Blue Diamond Mirror Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$4.06 | TW |
| 426 4J | SR11R | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished Black Frame and Fire Mirror Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$4.06 | TW |
| 426 4J | SR128B | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Polished White Frame and Blue Diamond Mirror Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$4.06 | TW |
| 426 4J | SR13R | (Priced by PR - Sold in Qty of 12) Swagger - Bold, Crimson Red Frame and Fire Mirror Lens. The temples are made of a non-slip, soft, co-injected material. The wider temple design offer better side protection. The nose pad is made of a soft, secure TPR material. Exclusive Duramass scratch resistant coating protects the lens. A breakaway cord is included with the glass. Meets or Exceeds Z87+. | \$4.06 | TW |
| 426 4J | T3118B | (Priced by PR - Sold in Qty of 12) Triwear - Spring Hinge, Metal Temple Frame and Blue Diamond Mirror Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The purchase includes a breakaway cord. Meets or Exceeds Z87+. | \$6.25 | TW |
| 426 4J | T311R | (Priced by PR - Sold in Qty of 12) Triwear - Spring Hinge, Metal Temple Frame and Fire Mirror Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The purchase includes a breakaway cord. Meets or Exceeds Z87+. | \$6.25 | TW |
| 426 4J | ST1130 | (Priced by PR - Sold in Qty of 12) Storm - Black Frame and 3.0 Filter Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.62 | TW |
| 426 4J | ST1150 | (Priced by PR - Sold in Qty of 12) Storm - Black Frame and 5.0 Filter Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$3.62 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 426 4J | DL412 | (Priced by PR - Sold in Qty of 12) Dallas - Digital Camo Pattern Frame and Gray Lens. Features fully coated flexible bayonet temples and stylish wraparound lens for side impact protection. The nose pad is made from soft, secure TPR material. Exclusive Duramass scratch coating protects the lens. Meets or Exceeds Z87+. | \$4.23 | TW |
| 426 4J | S2110 | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Clear Lens. Rimless designed for unobstructed vision. Fully adjustable metal alloy hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | \$3.11 | TW |
| 426 4J | 102 | (Priced by PR - Sold in Qty of 6) Aluminum Face Shield Bracket for Hardhat | \$4.39 | TW |
| 426 4J | DL112 | (Priced by PR - Sold in Qty of 12) Dallas - Polished Lightweight Black Frame and Gray Lens. Features fully coated flexible bayonet temples and stylish wraparound lens for side impact protection. The nose pad is made from soft, secure TPR material. Exclusive Duramass scratch coating protects the lens. Meets or Exceeds Z87+. | \$2.94 | TW |
| 426 4J | TM112 | (Priced by PR - Sold in Qty of 6) Tremor - Black Onyx Frame and Gray Lens. The hingless temple design has no metal parts. It is ideal for electrical work. A curved lens is featured with a tight orbital seal. The temple is bayonet designed with a non-slip temple sleeve. A breakaway cord is included with the purchase. Meets or Exceeds Z87+. | \$3.56 | TW |
| 426 4J | F2110 | (Priced by PR - Sold in Qty of 12) (Frostbite 2) - Black Lightweight Frame and Clear Lens. Features a smaller frame size with spatula temples. Exclusive Duramass scratch-resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.77 | TW |
| 426 4J | T3110AF | (Priced by PR - Sold in Qty of 12) Triwear - Spring Hinge, Metal Temple Frame and Clear Anti-Fog Lens. It features a stylish, hybrid temple design made of a non-slip, soft material. The nose pad is a soft and secure TPR material. The purchase includes a breakaway cord. Meets or Exceeds Z87+. | \$5.06 | TW |
| 426 4J | IA122AF | (Priced by PR - Sold in Qty of 12) Inertia - Silver Frame and Gray Anti-Fog Lens. The Dielectric (no metal parts) frame make this glass excellent for electrical work. This glass features a unique Flare fit temple design with TPR sleeves designed for grip and comfort. Meets or exceeds Z87+. | \$3.89 | TW |
| 426 4J | PA112 | (Priced by PR - Sold in Qty of 12) Plasma - Black Frame and Gray Lens. This glass features resilient spring hinge temples, non-slip, soft temple sleeves and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$3.05 | TW |
| 426 4J | DC110 | (Priced by PR - Sold in Qty of 12) Deuce - Smoke Temples and Clear Anti-Fog Lens. The single wrap around lens offers great protection. Bayonet temples with soft, non-slip sleeves are featured. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.88 | TW |
| 426 4J | DC120 | (Priced by PR - Sold in Qty of 12) Deuce - Blue Temples and Clear Anti-Fog Lens. The single wrap around lens offers great protection. Bayonet temples with soft, non-slip sleeves are featured. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.88 | TW |
| 426 4J | IA110 | (Priced by PR - Sold in Qty of 12) Inertia - Black Frame and Clear Lens. The Dielectric (no metal parts) frame make this glass excellent for electrical work. This glass features a unique Flare fit temple design with TPR sleeves designed for grip and comfort. Meets or exceeds Z87+. | \$3.04 | TW |
| 426 4J | DL110 | (Priced by PR - Sold in Qty of 12) Dallas - Polished Lightweight Black Frame and Clear Lens. Features fully coated flexible bayonet temples and stylish wraparound lens for side impact protection. The nose pad is made from soft, secure TPR material. Exclusive Duramass scratch coating protects the lens. Meets or Exceeds Z87+. | \$2.71 | TW |
| 426 4J | TK110 | (Priced by PR - Sold in Qty of 12) Tomahawk - Black Frame and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.10 | TW |
| 426 4J | S2110AF | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Clear Anti-Fog Lens. Rimless designed for unobstructed vision. Fully adjustable metal alloy hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | \$3.37 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 426 4J | DS110 | (Priced by PR - Sold in Qty of 12) Desperado - Black Frame and Clear Lens. The single wrap around, dual focus lens offers great protection and two optical centers. Bayonet temples with soft, non-slip sleeves are featured. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.37 | TW |
| 426 4J | HB112 | (Priced by PR - Sold in Qty of 12) Hombre - Black Frame, Silver Nose Pad & Temple Sleeves and Gray Lens. The single wrap around lens offers more protection and a dual focus design. It also features a non-slip, soft temple sleeve and a soft, secure TPR nose pad. Meets or Exceeds Z87+. | \$2.37 | TW |
| 426 4J | ST110AF | (Priced by PR - Sold in Qty of 12) Storm - Black Frame and Clear Anti-Fog Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.37 | TW |
| 426 4J | KD119 | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Indoor/Outdoor Clear Mirror Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. Meets or Exceeds Z87+. | \$1.97 | TW |
| 426 4J | KD210 | (Priced by PR - Sold in Qty of 12) Klondike - Metal Frame, Spring Hinge Temples and Clear Lens. This glass features unique twin bridge adjustable nose piece, flexible lightweight metal frame and spring hinge temples. Meets or Exceeds Z87+. | \$3.19 | TW |
| 426 4J | F2112 | (Priced by PR - Sold in Qty of 12) (Frostbite 2) - Black Lightweight Frame and Gray Lens. Features a smaller frame size with spatula temples. Exclusive Duramass scratch-resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.19 | TW |
| 426 4J | F2119 | (Priced by PR - Sold in Qty of 12) (Frostbite 2) - Black Lightweight Frame and Indoor/Outdoor Clear Mirror Lens. Features a smaller frame size with spatula temples. Exclusive Duramass scratch-resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.19 | TW |
| 426 4J | CK210AF | (Priced by PR - Sold in Qty of 12) Checkmate 2 - Smoke Temples w/Sliver Nose Pad & Temple Sleeves and Clear Anti-Fog Lens. This Glass provides a near total orbital seal and features flexible bayonet temples. Gel temple sleeves and a gel nose bridge adds comfort to the glass. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.68 | TW |
| 426 4J | CK212 | (Priced by PR - Sold in Qty of 12) Checkmate 2 - Smoke Temples w/Sliver Nose Pad & Temple Sleeves and Gray Lens. This Glass provides a near total orbital seal and features flexible bayonet temples. Gel temple sleeves and a gel nose bridge adds comfort to the glass. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.68 | TW |
| 426 4J | CK110AF | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Clear Anti-Fog Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.35 | TW |
| 426 4J | CK114 | (Priced by PR - Sold in Qty of 12) Checkmate - Super Light Weight Frame and Amber Lens. This Glass provides a near total orbital seal and features flexible bayonet temples and a universal nose bridge. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.35 | TW |
| 426 4J | TK112 | (Priced by PR - Sold in Qty of 12) Tomahawk - Black Frame and Gray Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.35 | TW |
| 426 4J | ST112 | (Priced by PR - Sold in Qty of 12) Storm - Black Frame and Gray Lens. The glass features a single wrap around, dual focal point lens with integral side shields. The bayonet temples have a 5 position ratchet action adjustment. The temples have a non-slip, soft sleeve. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$2.39 | TW |
| 426 4J | BK110AF | (Priced by PR - Sold in Qty of 12) Bearkat - Strong, Lightweight Frame and Clear Anti-Fog Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.27 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 426 4J | BK112AF | (Priced by PR - Sold in Qty of 12) Bearkat - Strong, Lightweight Frame and Gray Anti-Fog Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.27 | TW |
| 426 4J | BK119 | (Priced by PR - Sold in Qty of 12) Bearkat - Strong, Lightweight Frame and Indoor/Outdoor Clear Mirror Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.27 | TW |
| 426 4J | S2112 | (Priced by PR - Sold in Qty of 12) Blackjack - Wrap-around Gray Lens. Rimless designed for unobstructed vision. Fully adjustable metal alloy hybrid temples. Non-slip, soft temple sleeve. Universal nose bridge. Meets or Exceeds Z87+. | \$3.37 | TW |
| 426 4J | BK113 | (Priced by PR - Sold in Qty of 12) Bearkat - Strong, Lightweight Frame and Light Blue Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$1.05 | TW |
| 426 4J | BK110 | (Priced by PR - Sold in Qty of 12) Bearkat - Strong, Lightweight Frame and Clear Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.83 | TW |
| 426 4J | BK112 | (Priced by PR - Sold in Qty of 12) Bearkat - Strong, Lightweight Frame and Gray Lens. The single lens design with integral side shields offers an unobstructed view. Non-slip, soft temple sleeves provide comfort. Exclusive Duramass scratch resistant coating protects the lens. Meets or Exceeds Z87+. | \$0.83 | TW |
| 426 4J | KD312AF | (Priced by PR - Sold in Qty of 12) Klondike Plus - Black Frame and Gray Anti-Fog Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$2.55 | TW |
| 426 4J | KD310 | (Priced by PR - Sold in Qty of 12) Klondike Plus - Black Frame and Clear Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$1.97 | TW |
| 426 4J | KD310AF | (Priced by PR - Sold in Qty of 12) Klondike Plus - Black Frame and Clear Anti-Fog Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$2.26 | TW |
| 426 4J | KD312 | (Priced by PR - Sold in Qty of 12) Klondike Plus - Black Frame and Gray Lens. The frame offers a matte finish and the spatula temples have a 5-position adjustable ratchet. The glass features a dual wrap around lens design with a full orbital seal. The nose pad is soft, secure TPR. Meets or Exceeds Z87+. | \$2.26 | TW |
| 426 4J | KD112AF | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Gray Anti-Fog Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. Meets or Exceeds Z87+. | \$2.20 | TW |
| 426 4J | PGX110AF | (Priced by PR - Sold in Qty of 6) Premium Innovative Goggle - Clear Anti-Fog Lens, Elastic Strap | \$10.43 | TW |
| 426 4J | SS132 | (Priced by PR - Sold in Qty of 12) Stratos - Red/White/Blue Frame and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.77 | TW |
| 426 4J | SS130 | (Priced by PR - Sold in Qty of 12) Stratos - Red/White/Blue Frame and Gray Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment for comfort. Meets or Exceeds Z87+. | \$0.66 | TW |
| 426 4J | KD112 | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Gray Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. Meets or Exceeds Z87+. | \$1.72 | TW |
| 426 4J | KD113 | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Light Blue Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. | \$1.72 | TW |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | Meets or Exceeds Z87+. | | |
| 426 4J | KD114 | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Amber Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. Meets or Exceeds Z87+. | \$1.72 | TW |
| 426 4J | 9800 | (Priced by PR - Sold in Qty of 144) Yukon - Clear Frame and Temples. Contemporary wrap-around lens design and molded-in brow guard with vented side shields offer additional protection. The dielectric (no metal parts) design make the glass an excellent choice for electrical work. Meets or Exceeds Z87+. | \$0.73 | TW |
| 426 4J | KD110AF | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Clear Anti-Fog Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. Meets or Exceeds Z87+. | \$1.82 | TW |
| 426 4J | KD110 | (Priced by PR - Sold in Qty of 12) Klondike - Matte Black Frame and Clear Lens. The dual lens design offers a full orbital seal. Featured are extendable spatula temples and a soft secure TPR nose pad. Meets or Exceeds Z87+. | \$1.44 | TW |
| 426 4J | TK120 | (Priced by PR - Sold in Qty of 12) Tomahawk - Blue Frame and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.10 | TW |
| 426 4J | TK130 | (Priced by PR - Sold in Qty of 12) Tomahawk - Red/White/Blue Frame and Clear Lens. One piece wrap-around lens with integral side shields offers a wide area of protection. The spatula temple offers extendable adjustment with a 5 position ratchet for comfort. Meets or Exceeds Z87+. | \$1.10 | TW |
| 633 1 | 9662L | Size L - 7 Gauge Hi-Vis Yellow, 100% Acrylic String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$8.83 | BD |
| 633 1 | 9662S | Size S - 7 Gauge Hi-Vis Yellow, 100% Acrylic String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$8.83 | BD |
| 633 1 | 9378T | 18" Yellow Kevlar Sleeve with a Thumb Slot. ANSI Cut Rating 3. | \$2.55 | MX |
| 633 1 | 9675XLM | Size XL - 7 Gauge Orange, Cotton/Polyester "Honey Grip" String Knit. This heavy weight glove has a knit wrist and is coated with PVC in a honeycomb pattern. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$6.41 | MX |
| 633 1 | 9675LM | Size L - 7 Gauge Orange, Cotton/Polyester "Honey Grip" String Knit. This heavy weight glove has a knit wrist and is coated with PVC in a honeycomb pattern. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$6.29 | MX |
| 633 1 | 9675MM | Size M - 7 Gauge Orange, Cotton/Polyester "Honey Grip" String Knit. This heavy weight glove has a knit wrist and is coated with PVC in a honeycomb pattern. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$6.29 | MX |
| 633 1 | 9675SM | Size S - 7 Gauge Orange, Cotton/Polyester "Honey Grip" String Knit. This heavy weight glove has a knit wrist and is coated with PVC in a honeycomb pattern. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$6.29 | MX |
| 633 1 | 9663L | Size L - 7 Gauge Hi-Vis Orange, 100% Acrylic String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$8.34 | BD |
| 633 1 | 9663S | Size S - 7 Gauge Hi-Vis Orange, 100% Acrylic String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$8.34 | BD |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|---|-----------|-------------------|
| 633 1 | 9374E | 14" Yellow Kevlar Economy Weight Sleeve. ANSI Cut Rating 3. | \$1.45 | MX |
| 633 1 | 9667L | Size L - 7 Gauge Natural Color, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides and pvc finger tips. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.59 | BD |
| 633 1 | 9667S | Size S - 7 Gauge Natural Color, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides and pvc finger tips. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.59 | BD |
| 633 1 | 9378 | 18" Yellow Kevlar Sleeve. ANSI Cut Rating 3. | \$2.45 | MX |
| 633 1 | 9374 | 14" Yellow Kevlar Sleeve. ANSI Cut Rating 3. | \$2.02 | MX |
| 633 1 | 9390L | Size L - DuPont Kevlar Yellow Shell. This 10 gauge, medium weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$36.63 | MX |
| 633 1 | 9378E | 18" Yellow Kevlar Economy Weight Sleeve. ANSI Cut Rating 3. | \$1.81 | MX |
| 633 1 | 9378KCT | 14" Yellow 7 Gauge Kevlar Shell / Cotton Interior Sleeve. Includes thumb slot. ANSI Cut Rating 3. | \$1.81 | MX |
| 633 1 | 9365L | Size L - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on one side. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$38.09 | MX |
| 633 1 | 9365S | Size S - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on one side. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$38.09 | MX |
| 633 1 | 9365M | Size M - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on one side. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$38.09 | MX |
| 633 1 | 9366XL | Size XL - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$41.95 | MX |
| 633 1 | 9378TE | 18" Yellow Kevlar Economy Weight Sleeve With Thumb Slot. ANSI Cut Rating 3. | \$1.95 | MX |
| 633 1 | 9366L | Size L - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$38.81 | MX |
| 633 1 | 9366M | Size M - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$38.81 | MX |
| 633 1 | 9366S | Size S - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$38.81 | MX |
| 633 1 | 9366XS | Size XS - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. | \$38.81 | MX |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|---|-----------|-------------------|
| | | ANSI Cut Level 3. | | |
| 633 1 | 9365XL | Size XL - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and black PVC dots on one side. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$41.23 | MX |
| 633 1 | 9370L | Size L - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$36.39 | MX |
| 633 1 | 9370M | Size M - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$36.39 | MX |
| 633 1 | 9370S | Size S - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$36.39 | MX |
| 633 1 | 9500L | Size L - 7 Gauge White, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$2.78 | BD |
| 633 1 | 9500M | Size M - 7 Gauge White, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$2.78 | BD |
| 633 1 | 9500S | Size S - 7 Gauge White, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$2.78 | BD |
| 633 1 | 9642LM | Size L - 7 Gauge Multi-Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$2.78 | MX |
| 633 1 | 9642MM | Size M - 7 Gauge Multi-Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$2.78 | MX |
| 633 1 | 9642SM | Size S - 7 Gauge Multi-Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$2.78 | MX |
| 633 1 | 9370XL | Size XL - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$39.54 | MX |
| 633 1 | 9636LM | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a knit wrist. Excellent for general hand protection in light duty applications. | \$2.66 | MX |
| 633 1 | 9636MM | Size M - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a knit wrist. Excellent for general hand protection in light duty applications. | \$2.66 | MX |
| 633 1 | 9636SM | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a knit wrist. Excellent for general hand protection in light duty applications. | \$2.66 | MX |
| 633 1 | 9610LM | Size L - 10 Gauge Natural Color, 100% Cotton String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$3.51 | MX |
| 633 1 | 9610SM | Size S - 10 Gauge Natural Color, 100% Cotton String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$3.51 | MX |
| 633 1 | 9500LM | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$3.39 | MX |
| 633 1 | 9500MM | Size M - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$3.39 | MX |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|--|-----------|-------------------|
| 633 1 | 9500SM | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$3.39 | MX |
| 633 1 | 9500XSM | Size XS - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$3.39 | MX |
| 633 1 | 9638L | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$2.42 | BD |
| 633 1 | 9638M | Size M - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$2.42 | BD |
| 633 1 | 9638S | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$2.42 | BD |
| 633 1 | 9500XLM | Size XL - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$3.99 | MX |
| 633 1 | 9643LM | Size L - 7 Gauge Multi-Color, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.99 | MX |
| 633 1 | 9643MM | Size M - 7 Gauge Multi-Color, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.99 | MX |
| 633 1 | 9643SM | Size S - 7 Gauge Multi-Color, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.99 | MX |
| 633 1 | 6600 | Size L - Yellow, Single Dipped PVC Coated Glove. This interlock lined glove is 10" long and has a smooth finish with a knit wrist. It provides protection in light chemical applications. | \$11.12 | BD |
| 633 1 | 9420KM | Size L - Gray Terry Cloth, 7 Gauge Cotton/Polyester Glove. This 22 oz. glove features a knit wrist. It is most often used for light heat applications in the industrial market. | \$7.01 | MX |
| 633 1 | 9638LM | Size L - 7 Gauge Natural Color, Cotton String Knit Glove. Excellent as a glove liner or for general hand protection in light duty applications. | \$2.30 | MX |
| 633 1 | 9638MM | Size M - 7 Gauge Natural Color, Cotton String Knit Glove. Excellent as a glove liner or for general hand protection in light duty applications. | \$2.30 | MX |
| 633 1 | 9638SM | Size S - 7 Gauge Natural Color, Cotton String Knit Glove. Excellent as a glove liner or for general hand protection in light duty applications. | \$2.30 | MX |
| 633 1 | 9507L | Size L - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.02 | BD |
| 633 1 | 9507M | Size M - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.02 | BD |
| 633 1 | 9507S | Size S - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.02 | BD |
| 633 1 | 9410KM | Size L - Natural Terry Cloth, 7 Gauge Cotton/Polyester Glove. This 16 oz. glove features loop-in material and a continuous knit wrist. The glove is seamless and reversible. It is most often used for light heat applications in the industrial market. | \$6.89 | MX |
| 633 1 | 9681L | Size L - 10 Gauge Natural Color, Cotton/Polyester Blend String Knit with Green Latex Coated Palm and Fingertips. This medium weight glove has a knit wrist. Excellent for general hand protection in light duty applications. | \$6.89 | KR |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|---|-----------|-------------------|
| 633 1 | 9681S | Size S - 10 Gauge Natural Color, Cotton/Polyester Blend String Knit with Green Latex Coated Palm and Fingertips. This medium weight glove has a knit wrist. Excellent for general hand protection in light duty applications. | \$6.89 | KR |
| 633 1 | 6200SJ | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 10" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a gauntlet cuff are featured. This glove protects against basic liquids and light chemicals. | \$22.25 | BD |
| 633 1 | 9394L | Size L - DuPont Kevlar Yellow Shell. This 13 gauge, ultra light weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$19.10 | MX |
| 633 1 | 9394M | Size M - DuPont Kevlar Yellow Shell. This 13 gauge, ultra light weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$19.10 | MX |
| 633 1 | 9394S | Size S - DuPont Kevlar Yellow Shell. This 13 gauge, ultra light weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$19.10 | MX |
| 633 1 | 9394XL | Size XL - DuPont Kevlar Yellow Shell. This 13 gauge, ultra light weight glove has a knit wrist. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 2. | \$22.13 | MX |
| 633 1 | 6212 | Size L - Black, Single Dipped PVC Coated Glove. This interlock lined glove is 12" long and has a smooth finish with a gauntlet cuff. It provides protection in light chemical applications. | \$11.37 | BD |
| 633 1 | 9676L | Size L - Ultra Tech Dyneema Salt & Pepper Blended Shell. This 13 gauge glove has a gray PU coating on the palm and finger tips. It features a knit wrist and has an ANSI cut rating of 2. CE 4343. | \$76.17 | KR |
| 633 1 | 9676M | Size M - Ultra Tech Dyneema Salt & Pepper Blended Shell. This 13 gauge glove has a gray PU coating on the palm and finger tips. It features a knit wrist and has an ANSI cut rating of 2. CE 4343. | \$76.17 | KR |
| 633 1 | 9676S | Size S - Ultra Tech Dyneema Salt & Pepper Blended Shell. This 13 gauge glove has a gray PU coating on the palm and finger tips. It features a knit wrist and has an ANSI cut rating of 2. CE 4343. | \$76.17 | KR |
| 633 1 | 9676XL | Size XL - Ultra Tech Dyneema Salt & Pepper Blended Shell. This 13 gauge glove has a gray PU coating on the palm and finger tips. It features a knit wrist and has an ANSI cut rating of 2. CE 4343. | \$76.17 | KR |
| 633 1 | 9676XXL | Size XXL - Ultra Tech Dyneema Salt & Pepper Blended Shell. This 13 gauge glove has a gray PU coating on the palm and finger tips. It features a knit wrist and has an ANSI cut rating of 2. CE 4343. | \$76.17 | KR |
| 633 1 | 9676XS | Size XS - Ultra Tech Dyneema Salt & Pepper Blended Shell. This 13 gauge glove has a gray PU coating on the palm and finger tips. It features a knit wrist and has an ANSI cut rating of 2. CE 4343. | \$76.17 | KR |
| 633 1 | 6612 | Size L - Yellow, Single Dipped PVC Coated Glove. This interlock lined glove is 10" long and has a smooth finish with a gauntlet cuff. It provides protection in light chemical applications. | \$12.94 | BD |
| 633 1 | 9380L | Size L - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and a leather palm with a reinforced thumb crotch. This glove is used for general purpose work applications to provide cut and abrasion resistance. ANSI Cut Level 3. | \$60.09 | MX |
| 633 1 | 9380M | Size M - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and a leather palm with a reinforced thumb crotch. This glove is used for general purpose work applications to provide cut and abrasion resistance. ANSI Cut Level 3. | \$60.09 | MX |
| 633 1 | 9380S | Size S - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and a leather palm with a reinforced thumb crotch. This glove is used for general purpose work applications to provide cut and abrasion resistance. ANSI Cut Level 3. | \$60.09 | MX |
| 633 1 | 9380XL | Size XL - DuPont Kevlar Yellow Shell. This 7 gauge, regular weight glove has a knit wrist and a leather palm with a reinforced thumb crotch. This glove is used for general purpose work applications to provide cut and abrasion resistance. ANSI Cut Level 3. | \$63.11 | MX |
| 633 1 | 6200 | Size L - Black, Single Dipped PVC Coated Glove. This interlock lined glove is 10" long and has a smooth finish with a gauntlet cuff. It provides protection in light chemical applications. | \$11.24 | BD |
| 633 1 | 9662LM | Size L - 7 Gauge Gray, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The | \$4.47 | MX |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|---|-----------|-------------------|
| | | glove provides extra grip and has abrasion resistance. | | |
| 633 1 | 9662SM | Size S - 7 Gauge Gray, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.47 | MX |
| 633 1 | 9637LM | Size L - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$2.90 | MX |
| 633 1 | 9637SM | Size L - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$2.90 | MX |
| 633 1 | 9637XSM | Size XS - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$2.90 | MX |
| 633 1 | 6300R | Size L - Black, Single Dipped PVC Coated Glove. This interlock lined glove is 14" long and has a rough finish with a gauntlet cuff. It provides protection in light chemical applications. | \$14.15 | BD |
| 633 1 | 9400KM | Size L - Natural Terry Cloth, 7 Gauge Cotton/Polyester Glove. This 18 oz. glove features loop-in material and a continuous knit wrist. The glove is seamless and reversible. It is most often used for light heat applications in the industrial market. | \$6.53 | MX |
| 633 1 | 9660LM | Size L - 7 Gauge Natural Color, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$5.08 | MX |
| 633 1 | 9660SM | Size S - 7 Gauge Natural Color, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$5.08 | MX |
| 633 1 | 9650LM | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has pvc dots on both sides and a hemmed knit wrist. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | MX |
| 633 1 | 9650MM | Size M - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has pvc dots on both sides and a hemmed knit wrist. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | MX |
| 633 1 | 9650SM | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has pvc dots on both sides and a hemmed knit wrist. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | MX |
| 633 1 | 9650XSM | Size XS - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has pvc dots on both sides and a hemmed knit wrist. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | MX |
| 633 1 | 9650L | Size L - 7 Gauge White, Cotton/Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on one side and pvc finger tips. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$3.51 | BD |
| 633 1 | 9650S | Size S - 7 Gauge White, Cotton/Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on one side and pvc finger tips. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$3.51 | BD |
| 633 1 | 9695L | Size L - 13 Gauge White Nylon Shell with White PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9695M | Size M - 13 Gauge White Nylon Shell with White PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|--|-----------|-------------------|
| 633 1 | 9695S | Size S - 13 Gauge White Nylon Shell with White PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9695XL | Size XL - 13 Gauge White Nylon Shell with White PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9695XXL | Size XXL - 13 Gauge White Nylon Shell with White PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9695XS | Size XS - 13 Gauge White Nylon Shell with White PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9696L | Size L - 13 Gauge Gray Nylon Shell with Gray PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9696M | Size M - 13 Gauge Gray Nylon Shell with Gray PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9696S | Size S - 13 Gauge Gray Nylon Shell with Gray PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9696XL | Size XL - 13 Gauge Gray Nylon Shell with Gray PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9696XXL | Size XXL - 13 Gauge Gray Nylon Shell with Gray PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9696XS | Size XS - 13 Gauge Gray Nylon Shell with Gray PU Palm and PU Dipped Fingertips. The seamless shell offers outstanding breathability. The PU coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$12.21 | KR |
| 633 1 | 9660XLM | Size XL - 7 Gauge Natural Color, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$5.68 | MX |
| 633 1 | 9660XSM | Size XS - 7 Gauge Natural Color, 60% Cotton/40% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.72 | MX |
| 633 1 | 9658L | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has pvc dots on one side and a hemmed knit wrist. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$3.26 | BD |
| 633 1 | 9658S | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has pvc dots on both sides and a hemmed knit wrist. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$3.26 | BD |
| 633 1 | 9637L | Size L - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$1.93 | BD |
| 633 1 | 9637M | Size M - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$1.93 | BD |
| 633 1 | 9637S | Size S - 7 Gauge Gray, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$1.93 | BD |
| 633 1 | 9507LM | Size L - 7 Gauge Gray, 90% Cotton/10% Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good | \$3.75 | MX |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|---|-----------|-------------------|
| | | for laundering and hiding dirt. | | |
| 633 1 | 9507SM | Size S - 7 Gauge Gray, 90% Cotton/10% Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering and hiding dirt. | \$3.75 | MX |
| 633 1 | 9682L | Size L - 10 Gauge Natural Color, Cotton/Polyester Blend String Knit with Blue Latex Coated Palm and Fingertips. This medium weight glove has a knit wrist. Excellent for general hand protection in light duty applications. | \$6.89 | KR |
| 633 1 | 9682S | Size S - 10 Gauge Natural Color, Cotton/Polyester Blend String Knit with Blue Latex Coated Palm and Fingertips. This medium weight glove has a knit wrist. Excellent for general hand protection in light duty applications. | \$6.89 | KR |
| 633 1 | 9636L | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$2.42 | BD |
| 633 1 | 9636M | Size M - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$2.42 | BD |
| 633 1 | 9636S | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. | \$2.42 | BD |
| 633 1 | 9506L | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$3.63 | BD |
| 633 1 | 9506M | Size M - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$3.63 | BD |
| 633 1 | 9506S | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$3.63 | BD |
| 633 1 | 6410 | Size L - Green, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 10" long, has a sandy non-slip finish and a gauntlet cuff. It is formulated to hold up in petrochemical applications. | \$20.55 | BD |
| 633 1 | 9683L | Size L - 15 Gauge White Nylon Shell with Gray Nitrile Coated Palm and Fingertips. The seamless shell offers outstanding breathability. The Nitrile coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$15.36 | BD |
| 633 1 | 9683M | Size M - 15 Gauge White Nylon Shell with Gray Nitrile Coated Palm and Fingertips. The seamless shell offers outstanding breathability. The Nitrile coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$15.36 | BD |
| 633 1 | 9683S | Size S - 15 Gauge White Nylon Shell with Gray Nitrile Coated Palm and Fingertips. The seamless shell offers outstanding breathability. The Nitrile coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$15.36 | BD |
| 633 1 | 9683XL | Size XL - 15 Gauge White Nylon Shell with Gray Nitrile Coated Palm and Fingertips. The seamless shell offers outstanding breathability. The Nitrile coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$15.36 | BD |
| 633 1 | 9683XS | Size XS - 15 Gauge White Nylon Shell with Gray Nitrile Coated Palm and Fingertips. The seamless shell offers outstanding breathability. The Nitrile coating provides grip, puncture resistance, abrasion resistance and dexterity. | \$15.36 | BD |
| 633 1 | 6451S | Size L - Red, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 10" long, has a sandy non-slip finish and a gauntlet cuff. It is chemical resistant to acids and caustics. | \$26.48 | BD |
| 633 1 | 6454S | Size L - Red, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 14" long, has a sandy non-slip finish and a gauntlet cuff. It is chemical resistant to acids and caustics. | \$29.38 | BD |
| 633 1 | 9657L | Size L - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on one side and pvc finger tips. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$3.87 | BD |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|-------|-------------|---|-----------|-------------------|
| 633 1 | 9657S | Size S - 7 Gauge Natural Color, Cotton/Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on one side and pvc finger tips.. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$3.87 | BD |
| 633 1 | 6200S | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 10" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a gauntlet cuff are featured. This glove protects against basic liquids and light chemicals. | \$21.64 | BD |
| 633 1 | 9660L | Size L - 7 Gauge White, 70% Cotton/30% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | BD |
| 633 1 | 9660M | Size M - 7 Gauge White, 70% Cotton/30% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | BD |
| 633 1 | 9660S | Size S - 7 Gauge White, 70% Cotton/30% Polyester Blend String Knit. This regular weight glove has a knit wrist and pvc dots on both sides. Excellent for general hand protection in light duty applications. The glove provides extra grip and has abrasion resistance. | \$4.35 | BD |
| 633 1 | 6450S | Size L - Red, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 10" long, has a sandy non-slip finish and a knit wrist. It is chemical resistant to acids and caustics. | \$23.09 | BD |
| 633 1 | 6452S | Size L - Red, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 12" long, has a sandy non-slip finish and a gauntlet cuff. It is chemical resistant to acids and caustics. | \$26.36 | BD |
| 633 1 | 9506LM | Size L - 7 Gauge Natural Color, 100% Cotton String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$4.72 | MX |
| 633 1 | 9506MM | Size M - 7 Gauge Natural Color, 100% Cotton String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$4.72 | MX |
| 633 1 | 9506SM | Size S - 7 Gauge Natural Color, 100% Cotton String Knit. This heavy weight glove is reversible, and has a hemmed knit wrist. Excellent for general hand protection in light duty applications. Good for laundering. | \$4.72 | MX |
| 633 1 | 6212SJ | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 12" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a gauntlet cuff are featured. This glove protects against basic liquids and light chemicals. | \$22.25 | BD |
| 633 1 | 6412 | Size L - Green, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 12" long, has a sandy non-slip finish and a gauntlet cuff. It is formulated to hold up in petrochemical applications. | \$22.25 | BD |
| 633 1 | 6400 | Size L - Green, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 10" long, has a sandy non-slip finish and a knit wrist. It is formulated to hold up in petrochemical applications. | \$19.35 | BD |
| 633 1 | 6212S | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 12" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a gauntlet cuff are featured. This glove protects against basic liquids and light chemicals. | \$21.64 | BD |
| 633 1 | 6414 | Size L - Green, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 14" long, has a sandy non-slip finish and a gauntlet cuff. It is formulated to hold up in petrochemical applications. | \$24.66 | BD |
| 633 1 | 6100S | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 10" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a knit wrist are featured. This glove protects against basic liquids and light chemicals. | \$17.29 | BD |
| 633 1 | 6100 | Size L - Black, Single Dipped PVC Coated Glove. This interlock lined glove is 10" long and has a smooth finish with a knit wrist. It provides protection in light chemical applications. | \$9.07 | BD |
| 633 1 | 6300SJ | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 14" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a gauntlet cuff are featured. This glove protects against basic liquids and light chemicals. | \$23.46 | BD |
| 633 1 | 9369L | Size L - DuPont Kevlar Yellow Shell. This fingerless 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$30.95 | MX |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 1 | 9369M | Size M - DuPont Kevlar Yellow Shell. This fingerless 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$30.95 | MX |
| 633 1 | 9369S | Size S - DuPont Kevlar Yellow Shell. This fingerless 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$30.95 | MX |
| 633 1 | 6100SJ | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 10" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a knit wrist are featured. This glove protects against basic liquids and light chemicals. | \$17.65 | BD |
| 633 1 | 9369XL | Size XL - DuPont Kevlar Yellow Shell. This fingerless 7 gauge, regular weight glove has a knit wrist and black PVC dots on both sides. This glove is used for general purpose work applications to provide cut and abrasion resistance and to protect the hands when working with sharp objects. ANSI Cut Level 3. | \$34.22 | MX |
| 633 1 | 6300S | Size L - Black, Premium Double Dip PVC Coated Glove. This interlock lined glove is 14" long and is treated with Actifresh to lock out odors. A sandy, non-slip finish and a gauntlet cuff are featured. This glove protects against basic liquids and light chemicals. | \$23.34 | BD |
| 633 1 | 6218 | Size L - Black, Single Dipped PVC Coated Glove. This interlock lined glove is 18" long and has a smooth finish with a gauntlet cuff. It provides protection in light chemical applications. | \$18.38 | BD |
| 633 1 | 6418 | Size L - Green, Premium Double Dip PVC, Nitrile Reinforced Glove. This jersey lined glove is 18" long, has a sandy non-slip finish and a gauntlet cuff. It is formulated to hold up in petrochemical applications. | \$30.59 | BD |
| 633 1 | 6300 | Size L - Black, Single Dipped PVC Coated Glove. This interlock lined glove is 14" long and has a smooth finish with a gauntlet cuff. It provides protection in light chemical applications. | \$12.82 | BD |
| 633 70 | CC1B34 | Max Comfort FR Gear - Size 34, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B36 | Max Comfort FR Gear - Size 36, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B36T | Max Comfort FR Gear - Size 36 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B38 | Max Comfort FR Gear - Size 38, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B38T | Max Comfort FR Gear - Size 38 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B40 | Max Comfort FR Gear - Size 40, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B40T | Max Comfort FR Gear - Size 40 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B42 | Max Comfort FR Gear - Size 42, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B42T | Max Comfort FR Gear - Size 42 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B44 | Max Comfort FR Gear - Size 44, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. | \$50.85 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | CC1B44T | Max Comfort FR Gear - Size 44 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B46 | Max Comfort FR Gear - Size 46, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B46T | Max Comfort FR Gear - Size 46 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B48 | Max Comfort FR Gear - Size 48, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B48T | Max Comfort FR Gear - Size 48 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B50 | Max Comfort FR Gear - Size 50, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B50T | Max Comfort FR Gear - Size 50 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G34 | Max Comfort FR Gear - Size 34, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G36 | Max Comfort FR Gear - Size 36, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G36T | Max Comfort FR Gear - Size 36 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G38 | Max Comfort FR Gear - Size 38, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G38T | Max Comfort FR Gear - Size 38 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G40 | Max Comfort FR Gear - Size 40, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G40T | Max Comfort FR Gear - Size 40 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G42 | Max Comfort FR Gear - Size 42, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G42T | Max Comfort FR Gear - Size 42 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G44 | Max Comfort FR Gear - Size 44, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | CC1G44T | Max Comfort FR Gear - Size 44 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G46 | Max Comfort FR Gear - Size 46, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G46T | Max Comfort FR Gear - Size 46 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G48 | Max Comfort FR Gear - Size 48, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G48T | Max Comfort FR Gear - Size 48 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G50 | Max Comfort FR Gear - Size 50, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1G50T | Max Comfort FR Gear - Size 50 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N34 | Max Comfort FR Gear - Size 34, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N36 | Max Comfort FR Gear - Size 36, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N36T | Max Comfort FR Gear - Size 36 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N38 | Max Comfort FR Gear - Size 38, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N38T | Max Comfort FR Gear - Size 38 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N40 | Max Comfort FR Gear - Size 40, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N40T | Max Comfort FR Gear - Size 40 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N42 | Max Comfort FR Gear - Size 42, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N42T | Max Comfort FR Gear - Size 42 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N44 | Max Comfort FR Gear - Size 44, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N44T | Max Comfort FR Gear - Size 44 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. | \$50.85 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | CC1N46 | Max Comfort FR Gear - Size 46, Navy Blue, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N46T | Max Comfort FR Gear - Size 46 Tall, Navy Blue, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N48 | Max Comfort FR Gear - Size 48, Navy Blue, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N48T | Max Comfort FR Gear - Size 48 Tall, Navy Blue, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N50 | Max Comfort FR Gear - Size 50, Navy Blue, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1N50T | Max Comfort FR Gear - Size 50 Tall, Navy Blue, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R34 | Max Comfort FR Gear - Size 34, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R36 | Max Comfort FR Gear - Size 36, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R36T | Max Comfort FR Gear - Size 36 Tall, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R38 | Max Comfort FR Gear - Size 38, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R38T | Max Comfort FR Gear - Size 38 Tall, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R40 | Max Comfort FR Gear - Size 40, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R40T | Max Comfort FR Gear - Size 40 Tall, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R42 | Max Comfort FR Gear - Size 42, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R42T | Max Comfort FR Gear - Size 42 Tall, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R44 | Max Comfort FR Gear - Size 44, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R44T | Max Comfort FR Gear - Size 44 Tall, Red, 100% Cotton, 7 oz. Overall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | CC1R46 | Max Comfort FR Gear - Size 46, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R46T | Max Comfort FR Gear - Size 46 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R48 | Max Comfort FR Gear - Size 48, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R48T | Max Comfort FR Gear - Size 48 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R50 | Max Comfort FR Gear - Size 50, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1R50T | Max Comfort FR Gear - Size 50 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T34 | Max Comfort FR Gear - Size 34, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T36 | Max Comfort FR Gear - Size 36, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T36T | Max Comfort FR Gear - Size 36 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T38 | Max Comfort FR Gear - Size 38, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T38T | Max Comfort FR Gear - Size 38 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T40 | Max Comfort FR Gear - Size 40, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T40T | Max Comfort FR Gear - Size 40 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T42 | Max Comfort FR Gear - Size 42, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T42T | Max Comfort FR Gear - Size 42 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T44 | Max Comfort FR Gear - Size 44, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T44T | Max Comfort FR Gear - Size 44 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T46 | Max Comfort FR Gear - Size 46, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL | \$50.85 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | CC1T46T | Max Comfort FR Gear - Size 46 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T48 | Max Comfort FR Gear - Size 48, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T48T | Max Comfort FR Gear - Size 48 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T50 | Max Comfort FR Gear - Size 50, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1T50T | Max Comfort FR Gear - Size 50 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC1B52 | Max Comfort FR Gear - Size 52, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1B52T | Max Comfort FR Gear - Size 52 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1B54 | Max Comfort FR Gear - Size 54, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1B54T | Max Comfort FR Gear - Size 54 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1B56 | Max Comfort FR Gear - Size 56, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1B56T | Max Comfort FR Gear - Size 56 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1G52 | Max Comfort FR Gear - Size 52, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1G52T | Max Comfort FR Gear - Size 52 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1G54 | Max Comfort FR Gear - Size 54, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1G54T | Max Comfort FR Gear - Size 54 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1G56 | Max Comfort FR Gear - Size 56, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1G56T | Max Comfort FR Gear - Size 56 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | CC1N52 | Max Comfort FR Gear - Size 52, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1N52T | Max Comfort FR Gear - Size 52 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1N54 | Max Comfort FR Gear - Size 54, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1N54T | Max Comfort FR Gear - Size 54 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1N56 | Max Comfort FR Gear - Size 56, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1N56T | Max Comfort FR Gear - Size 56 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1R52 | Max Comfort FR Gear - Size 52, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1R52T | Max Comfort FR Gear - Size 52 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1R54 | Max Comfort FR Gear - Size 54, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1R54T | Max Comfort FR Gear - Size 54 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1R56 | Max Comfort FR Gear - Size 56, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1R56T | Max Comfort FR Gear - Size 56 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1T52 | Max Comfort FR Gear - Size 52, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1T52T | Max Comfort FR Gear - Size 52 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1T54 | Max Comfort FR Gear - Size 54, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1T54T | Max Comfort FR Gear - Size 54 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1T56 | Max Comfort FR Gear - Size 56, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |
| 633 70 | CC1T56T | Max Comfort FR Gear - Size 56 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$53.96 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | DC1RG34 | Max Comfort FR Reflective Gear - Size 34, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG36 | Max Comfort FR Reflective Gear - Size 36, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG36T | Max Comfort FR Reflective Gear - Size 36 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG38 | Max Comfort FR Reflective Gear - Size 38, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG38T | Max Comfort FR Reflective Gear - Size 38 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG40 | Max Comfort FR Reflective Gear - Size 40, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG40T | Max Comfort FR Reflective Gear - Size 40 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG42 | Max Comfort FR Reflective Gear - Size 42, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG42T | Max Comfort FR Reflective Gear - Size 42 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG44 | Max Comfort FR Reflective Gear - Size 44, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG44T | Max Comfort FR Reflective Gear - Size 44 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | DC1RG46 | Max Comfort FR Reflective Gear - Size 46, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG46T | Max Comfort FR Reflective Gear - Size 46 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG48 | Max Comfort FR Reflective Gear - Size 48, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG48T | Max Comfort FR Reflective Gear - Size 48 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG50 | Max Comfort FR Reflective Gear - Size 50, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RG50T | Max Comfort FR Reflective Gear - Size 50 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR34 | Max Comfort FR Reflective Gear - Size 34, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR36 | Max Comfort FR Reflective Gear - Size 36, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR36T | Max Comfort FR Reflective Gear - Size 36 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR38 | Max Comfort FR Reflective Gear - Size 38, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR38T | Max Comfort FR Reflective Gear - Size 38 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR40 | Max Comfort FR Reflective Gear - Size 40, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | DC1RR40T | Max Comfort FR Reflective Gear - Size 40 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR42 | Max Comfort FR Reflective Gear - Size 42, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR42T | Max Comfort FR Reflective Gear - Size 42 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR44 | Max Comfort FR Reflective Gear - Size 44, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR44T | Max Comfort FR Reflective Gear - Size 44 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR46 | Max Comfort FR Reflective Gear - Size 46, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR46T | Max Comfort FR Reflective Gear - Size 46 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR48 | Max Comfort FR Reflective Gear - Size 48, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR48T | Max Comfort FR Reflective Gear - Size 48 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR50 | Max Comfort FR Reflective Gear - Size 50, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | DC1RR50T | Max Comfort FR Reflective Gear - Size 50 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$72.64 | DO |
| 633 70 | CC2N46T | Max Comfort FR Gear - Size 46 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | CC2N48 | Max Comfort FR Gear - Size 48, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N60 | Max Comfort FR Gear - Size 60, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2N60T | Max Comfort FR Gear - Size 60 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2N62T | Max Comfort FR Gear - Size 62 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2N64T | Max Comfort FR Gear - Size 64 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2N66T | Max Comfort FR Gear - Size 66 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T46T | Max Comfort FR Gear - Size 46 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T48 | Max Comfort FR Gear - Size 48, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T60 | Max Comfort FR Gear - Size 60, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T60T | Max Comfort FR Gear - Size 60 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T62T | Max Comfort FR Gear - Size 62 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T64T | Max Comfort FR Gear - Size 64 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T66T | Max Comfort FR Gear - Size 66 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2N44 | Max Comfort FR Gear - Size 44, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N44T | Max Comfort FR Gear - Size 44 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N46 | Max Comfort FR Gear - Size 46, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N56T | Max Comfort FR Gear - Size 56 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2N58 | Max Comfort FR Gear - Size 58, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to | \$50.85 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | CC2N58T | Max Comfort FR Gear - Size 58 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T44 | Max Comfort FR Gear - Size 44, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T44T | Max Comfort FR Gear - Size 44 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T46 | Max Comfort FR Gear - Size 46, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T56T | Max Comfort FR Gear - Size 56 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2T58 | Max Comfort FR Gear - Size 58, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2T58T | Max Comfort FR Gear - Size 58 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$50.85 | DO |
| 633 70 | CC2N34 | Max Comfort FR Gear - Size 34, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N36 | Max Comfort FR Gear - Size 36, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N36T | Max Comfort FR Gear - Size 36 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N38 | Max Comfort FR Gear - Size 38, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N38T | Max Comfort FR Gear - Size 38 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N40 | Max Comfort FR Gear - Size 40, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N40T | Max Comfort FR Gear - Size 40 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N42 | Max Comfort FR Gear - Size 42, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N42T | Max Comfort FR Gear - Size 42 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N48T | Max Comfort FR Gear - Size 48 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | CC2N50 | Max Comfort FR Gear - Size 50, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N50T | Max Comfort FR Gear - Size 50 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2N52 | Max Comfort FR Gear - Size 52, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2N52T | Max Comfort FR Gear - Size 52 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2N54 | Max Comfort FR Gear - Size 54, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2N54T | Max Comfort FR Gear - Size 54 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2N56 | Max Comfort FR Gear - Size 56, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2T34 | Max Comfort FR Gear - Size 34, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T36 | Max Comfort FR Gear - Size 36, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T36T | Max Comfort FR Gear - Size 36 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T38 | Max Comfort FR Gear - Size 38, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T38T | Max Comfort FR Gear - Size 38 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T40 | Max Comfort FR Gear - Size 40, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T40T | Max Comfort FR Gear - Size 40 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T42 | Max Comfort FR Gear - Size 42, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T42T | Max Comfort FR Gear - Size 42 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T48T | Max Comfort FR Gear - Size 48 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T50 | Max Comfort FR Gear - Size 50, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA | \$40.47 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | CC2T50T | Max Comfort FR Gear - Size 50 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$40.47 | DO |
| 633 70 | CC2T52 | Max Comfort FR Gear - Size 52, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2T52T | Max Comfort FR Gear - Size 52 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2T54 | Max Comfort FR Gear - Size 54, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2T54T | Max Comfort FR Gear - Size 54 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC2T56 | Max Comfort FR Gear - Size 56, Tan, 100% Cotton, 7 oz. Coverall. Features Elastic Inserts in Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$45.66 | DO |
| 633 70 | CC1B58 | Max Comfort FR Gear - Size 58, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1B58T | Max Comfort FR Gear - Size 58 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1B60 | Max Comfort FR Gear - Size 60, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1B60T | Max Comfort FR Gear - Size 60 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1B62T | Max Comfort FR Gear - Size 62 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1B64T | Max Comfort FR Gear - Size 64 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1B66T | Max Comfort FR Gear - Size 66 Tall, Royal Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1G58 | Max Comfort FR Gear - Size 58, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1G58T | Max Comfort FR Gear - Size 58 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1G60 | Max Comfort FR Gear - Size 60, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1G60T | Max Comfort FR Gear - Size 60 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | CC1G62T | Max Comfort FR Gear - Size 62 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1G64T | Max Comfort FR Gear - Size 64 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1G66T | Max Comfort FR Gear - Size 66 Tall, Gray, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N58 | Max Comfort FR Gear - Size 58, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N58T | Max Comfort FR Gear - Size 58 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N60 | Max Comfort FR Gear - Size 60, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N60T | Max Comfort FR Gear - Size 60 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N62T | Max Comfort FR Gear - Size 62 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N64T | Max Comfort FR Gear - Size 64 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1N66T | Max Comfort FR Gear - Size 66 Tall, Navy Blue, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R58 | Max Comfort FR Gear - Size 58, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R58T | Max Comfort FR Gear - Size 58 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R60 | Max Comfort FR Gear - Size 60, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R60T | Max Comfort FR Gear - Size 60 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R62T | Max Comfort FR Gear - Size 62 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R64T | Max Comfort FR Gear - Size 64 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1R66T | Max Comfort FR Gear - Size 66 Tall, Red, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1T58 | Max Comfort FR Gear - Size 58, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL | \$57.08 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | CC1T58T | Max Comfort FR Gear - Size 58 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1T60 | Max Comfort FR Gear - Size 60, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1T60T | Max Comfort FR Gear - Size 60 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1T62T | Max Comfort FR Gear - Size 62 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1T64T | Max Comfort FR Gear - Size 64 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | CC1T66T | Max Comfort FR Gear - Size 66 Tall, Tan, 100% Cotton, 7 oz. Coverall. Features Bi-Swing Gusset Back, Elastic Waist, Front and Back Pockets, and Reinforced Stitching. ATPV - 9.6 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$57.08 | DO |
| 633 70 | DC1RG52 | Max Comfort FR Reflective Gear - Size 52, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RG52T | Max Comfort FR Reflective Gear - Size 52 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RG54 | Max Comfort FR Reflective Gear - Size 54, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RG54T | Max Comfort FR Reflective Gear - Size 54 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RG56 | Max Comfort FR Reflective Gear - Size 56, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RG56T | Max Comfort FR Reflective Gear - Size 56 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RR52 | Max Comfort FR Reflective Gear - Size 52, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | DC1RR52T | Max Comfort FR Reflective Gear - Size 52 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RR54 | Max Comfort FR Reflective Gear - Size 54, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RR54T | Max Comfort FR Reflective Gear - Size 54 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RR56 | Max Comfort FR Reflective Gear - Size 56, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1RR56T | Max Comfort FR Reflective Gear - Size 56 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$75.76 | DO |
| 633 70 | DC1T34 | Max Comfort FR Gear - Size 34, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T36 | Max Comfort FR Gear - Size 36, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T36T | Max Comfort FR Gear - Size 36 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T38 | Max Comfort FR Gear - Size 38, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T38T | Max Comfort FR Gear - Size 38 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T40 | Max Comfort FR Gear - Size 40, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T40T | Max Comfort FR Gear - Size 40 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T42 | Max Comfort FR Gear - Size 42, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | DC1T42T | Max Comfort FR Gear - Size 42 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T44 | Max Comfort FR Gear - Size 44, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T44T | Max Comfort FR Gear - Size 44 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T46 | Max Comfort FR Gear - Size 46, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T46T | Max Comfort FR Gear - Size 46 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T48 | Max Comfort FR Gear - Size 48, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T48T | Max Comfort FR Gear - Size 48 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T50 | Max Comfort FR Gear - Size 50, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1T50T | Max Comfort FR Gear - Size 50 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B34 | Max Comfort FR Gear - Size 34, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B36 | Max Comfort FR Gear - Size 36, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B36T | Max Comfort FR Gear - Size 36 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B38 | Max Comfort FR Gear - Size 38, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B38T | Max Comfort FR Gear - Size 38 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | DC1B40 | Max Comfort FR Gear - Size 40, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B40T | Max Comfort FR Gear - Size 40 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B42 | Max Comfort FR Gear - Size 42, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B42T | Max Comfort FR Gear - Size 42 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B44 | Max Comfort FR Gear - Size 44, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B44T | Max Comfort FR Gear - Size 44 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B46 | Max Comfort FR Gear - Size 46, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B46T | Max Comfort FR Gear - Size 46 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B48 | Max Comfort FR Gear - Size 48, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B48T | Max Comfort FR Gear - Size 48 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B50 | Max Comfort FR Gear - Size 50, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1B50T | Max Comfort FR Gear - Size 50 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G34 | Max Comfort FR Gear - Size 34, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G36 | Max Comfort FR Gear - Size 36, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | DC1G36T | Max Comfort FR Gear - Size 36 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G38 | Max Comfort FR Gear - Size 38, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G38T | Max Comfort FR Gear - Size 38 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G40 | Max Comfort FR Gear - Size 40, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G40T | Max Comfort FR Gear - Size 40 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G42 | Max Comfort FR Gear - Size 42, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G42T | Max Comfort FR Gear - Size 42 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G44 | Max Comfort FR Gear - Size 44, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G44T | Max Comfort FR Gear - Size 44 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G46 | Max Comfort FR Gear - Size 46, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G46T | Max Comfort FR Gear - Size 46 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G48 | Max Comfort FR Gear - Size 48, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G48T | Max Comfort FR Gear - Size 48 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1G50 | Max Comfort FR Gear - Size 50, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | DC1G50T | Max Comfort FR Gear - Size 50 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N34 | Max Comfort FR Gear - Size 34, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N36 | Max Comfort FR Gear - Size 36, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N36T | Max Comfort FR Gear - Size 36 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N38 | Max Comfort FR Gear - Size 38, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N38T | Max Comfort FR Gear - Size 38 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N40 | Max Comfort FR Gear - Size 40, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N40T | Max Comfort FR Gear - Size 40 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N42 | Max Comfort FR Gear - Size 42, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N42T | Max Comfort FR Gear - Size 42 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N44 | Max Comfort FR Gear - Size 44, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N44T | Max Comfort FR Gear - Size 44 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N46 | Max Comfort FR Gear - Size 46, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N46T | Max Comfort FR Gear - Size 46 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | DC1N48 | Max Comfort FR Gear - Size 48, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N48T | Max Comfort FR Gear - Size 48 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N50 | Max Comfort FR Gear - Size 50, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1N50T | Max Comfort FR Gear - Size 50 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R34 | Max Comfort FR Gear - Size 34, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R36 | Max Comfort FR Gear - Size 36, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R36T | Max Comfort FR Gear - Size 36 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R38 | Max Comfort FR Gear - Size 38, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R38T | Max Comfort FR Gear - Size 38 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R40 | Max Comfort FR Gear - Size 40, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R40T | Max Comfort FR Gear - Size 40 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R42 | Max Comfort FR Gear - Size 42, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R42T | Max Comfort FR Gear - Size 42 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R44 | Max Comfort FR Gear - Size 44, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | DC1R44T | Max Comfort FR Gear - Size 44 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R46 | Max Comfort FR Gear - Size 46, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R46T | Max Comfort FR Gear - Size 46 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R48 | Max Comfort FR Gear - Size 48, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R48T | Max Comfort FR Gear - Size 48 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R50 | Max Comfort FR Gear - Size 50, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1R50T | Max Comfort FR Gear - Size 50 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$64.34 | DO |
| 633 70 | DC1RG58 | Max Comfort FR Reflective Gear - Size 58, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RG58T | Max Comfort FR Reflective Gear - Size 58 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RG60 | Max Comfort FR Reflective Gear - Size 60, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RG60T | Max Comfort FR Reflective Gear - Size 60 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RG62T | Max Comfort FR Reflective Gear - Size 62 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RG64T | Max Comfort FR Reflective Gear - Size 64 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| 633 70 | DC1RG66T | Max Comfort FR Reflective Gear - Size 66 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR58 | Max Comfort FR Reflective Gear - Size 58, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR58T | Max Comfort FR Reflective Gear - Size 58 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR60 | Max Comfort FR Reflective Gear - Size 60, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR60T | Max Comfort FR Reflective Gear - Size 60 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR62T | Max Comfort FR Reflective Gear - Size 62 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR64T | Max Comfort FR Reflective Gear - Size 64 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1RR66T | Max Comfort FR Reflective Gear - Size 66 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Reflective Tape Around Legs, Arms and Shoulders. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$78.87 | DO |
| 633 70 | DC1T52 | Max Comfort FR Gear - Size 52, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1T52T | Max Comfort FR Gear - Size 52 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1T54 | Max Comfort FR Gear - Size 54, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1T54T | Max Comfort FR Gear - Size 54 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1T56 | Max Comfort FR Gear - Size 56, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Standards. | | |
| 633 70 | DC1T56T | Max Comfort FR Gear - Size 56 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1B52 | Max Comfort FR Gear - Size 52, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1B52T | Max Comfort FR Gear - Size 52 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1B54 | Max Comfort FR Gear - Size 54, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1B54T | Max Comfort FR Gear - Size 54 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1B56 | Max Comfort FR Gear - Size 56, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1B56T | Max Comfort FR Gear - Size 56 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1G52 | Max Comfort FR Gear - Size 52, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1G52T | Max Comfort FR Gear - Size 52 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1G54 | Max Comfort FR Gear - Size 54, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1G54T | Max Comfort FR Gear - Size 54 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1G56 | Max Comfort FR Gear - Size 56, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1G56T | Max Comfort FR Gear - Size 56 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1N52 | Max Comfort FR Gear - Size 52, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced | \$67.46 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | DC1N52T | Max Comfort FR Gear - Size 52 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1N54 | Max Comfort FR Gear - Size 54, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1N54T | Max Comfort FR Gear - Size 54 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1N56 | Max Comfort FR Gear - Size 56, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1N56T | Max Comfort FR Gear - Size 56 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1R52 | Max Comfort FR Gear - Size 52, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1R52T | Max Comfort FR Gear - Size 52 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1R54 | Max Comfort FR Gear - Size 54, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1R54T | Max Comfort FR Gear - Size 54 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1R56 | Max Comfort FR Gear - Size 56, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | DC1R56T | Max Comfort FR Gear - Size 56 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$67.46 | DO |
| 633 70 | P1D2830 | Max Comfort FR Gear - Size 2830, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D2832 | Max Comfort FR Gear - Size 2832, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D2834 | Max Comfort FR Gear - Size 2834, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for | \$37.36 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | | |
| 633 70 | P1D3030 | Max Comfort FR Gear - Size 3030, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3032 | Max Comfort FR Gear - Size 3032, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3034 | Max Comfort FR Gear - Size 3034, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3036 | Max Comfort FR Gear - Size 3036, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3230 | Max Comfort FR Gear - Size 3230, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3232 | Max Comfort FR Gear - Size 3232, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3234 | Max Comfort FR Gear - Size 3234, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3236 | Max Comfort FR Gear - Size 3236, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3430 | Max Comfort FR Gear - Size 3430, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3432 | Max Comfort FR Gear - Size 3432, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3434 | Max Comfort FR Gear - Size 3434, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3436 | Max Comfort FR Gear - Size 3436, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3630 | Max Comfort FR Gear - Size 3630, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3632 | Max Comfort FR Gear - Size 3632, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for | \$37.36 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | | |
| 633 70 | P1D3634 | Max Comfort FR Gear - Size 3634, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3636 | Max Comfort FR Gear - Size 3636, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3830 | Max Comfort FR Gear - Size 3830, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3832 | Max Comfort FR Gear - Size 3832, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3834 | Max Comfort FR Gear - Size 3834, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D3836 | Max Comfort FR Gear - Size 3836, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4030 | Max Comfort FR Gear - Size 4030, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4032 | Max Comfort FR Gear - Size 4032, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4034 | Max Comfort FR Gear - Size 4034, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4036 | Max Comfort FR Gear - Size 4036, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4230 | Max Comfort FR Gear - Size 4230, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4232 | Max Comfort FR Gear - Size 4232, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4234 | Max Comfort FR Gear - Size 4234, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4236 | Max Comfort FR Gear - Size 4236, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for | \$37.36 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | | |
| 633 70 | P1D4430 | Max Comfort FR Gear - Size 4430, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4432 | Max Comfort FR Gear - Size 4432, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4434 | Max Comfort FR Gear - Size 4434, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4436 | Max Comfort FR Gear - Size 4436, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4630 | Max Comfort FR Gear - Size 4630, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4632 | Max Comfort FR Gear - Size 4632, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4634 | Max Comfort FR Gear - Size 4634, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4636 | Max Comfort FR Gear - Size 4636, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4830 | Max Comfort FR Gear - Size 4830, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4832 | Max Comfort FR Gear - Size 4832, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4834 | Max Comfort FR Gear - Size 4834, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D4836 | Max Comfort FR Gear - Size 4836, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D5030 | Max Comfort FR Gear - Size 5030, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D5032 | Max Comfort FR Gear - Size 5032, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for | \$37.36 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | | |
| 633 70 | P1D5034 | Max Comfort FR Gear - Size 5034, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | P1D5036 | Max Comfort FR Gear - Size 5036, 100 % Cotton, 14.75 oz., Indigo Blue Jeans. Features Include, Relaxed Fit and Enzyme Washed for Comfort, Deep Pockets, Coin Pocket, Stress Points Bar Tacked for Durability, Reinforced Belt Loops. ATPV 20 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E standards. | \$37.36 | DO |
| 633 70 | DC1T58 | Max Comfort FR Gear - Size 58, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1T58T | Max Comfort FR Gear - Size 58 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1T60 | Max Comfort FR Gear - Size 60, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1T60T | Max Comfort FR Gear - Size 60 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1T62T | Max Comfort FR Gear - Size 62 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1T64T | Max Comfort FR Gear - Size 64 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1T66T | Max Comfort FR Gear - Size 66 Tall, Tan, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1B58 | Max Comfort FR Gear - Size 58, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1B58T | Max Comfort FR Gear - Size 58 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1B60 | Max Comfort FR Gear - Size 60, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1B60T | Max Comfort FR Gear - Size 60 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1B62T | Max Comfort FR Gear - Size 62 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced | \$70.57 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | DC1B64T | Max Comfort FR Gear - Size 64 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1B66T | Max Comfort FR Gear - Size 66 Tall, Royal Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G58 | Max Comfort FR Gear - Size 58, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G58T | Max Comfort FR Gear - Size 58 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G60 | Max Comfort FR Gear - Size 60, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G60T | Max Comfort FR Gear - Size 60 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G62T | Max Comfort FR Gear - Size 62 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G64T | Max Comfort FR Gear - Size 64 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1G66T | Max Comfort FR Gear - Size 66 Tall, Gray, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1N58 | Max Comfort FR Gear - Size 58, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1N58T | Max Comfort FR Gear - Size 58 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1N60 | Max Comfort FR Gear - Size 60, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1N60T | Max Comfort FR Gear - Size 60 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1N62T | Max Comfort FR Gear - Size 62 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced | \$70.57 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|--|-----------|-------------------|
| | | Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | DC1N64T | Max Comfort FR Gear - Size 64 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1N66T | Max Comfort FR Gear - Size 66 Tall, Navy Blue, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R58 | Max Comfort FR Gear - Size 58, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R58T | Max Comfort FR Gear - Size 58 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R60 | Max Comfort FR Gear - Size 60, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R60T | Max Comfort FR Gear - Size 60 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R62T | Max Comfort FR Gear - Size 62 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R64T | Max Comfort FR Gear - Size 64 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | DC1R66T | Max Comfort FR Gear - Size 66 Tall, Red, 88% Cotton / 12% Nylon, 7 oz. Coverall. Features Generous Bi-Swing Gusset Back, Full Elastic Waist, Front and Back Pockets, and Triple Needle Reinforced Stitching. ATPV - 9.3 cal/cm2, CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$70.57 | DO |
| 633 70 | S1GL | Max Comfort FR Gear - Size L, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GLT | Max Comfort FR Gear - Size L Tall, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GM | Max Comfort FR Gear - Size M, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GMT | Max Comfort FR Gear - Size M Tall, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL | \$33.21 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| | | Certified to NFPA 2112-2012 and NFPA 70E Standards. | | |
| 633 70 | S1GX2 | Max Comfort FR Gear - Size X2, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GX2T | Max Comfort FR Gear - Size X2 Tall, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GXL | Max Comfort FR Gear - Size XL, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GXLT | Max Comfort FR Gear - Size XL Tall, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NL | Max Comfort FR Gear - Size L, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NLT | Max Comfort FR Gear - Size L Tall, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NM | Max Comfort FR Gear - Size M, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NMT | Max Comfort FR Gear - Size M Tall, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NX2 | Max Comfort FR Gear - Size X2, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NX2T | Max Comfort FR Gear - Size X2 Tall, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1NXL | Max Comfort FR Gear - Size XL, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | S1NXLT | Max Comfort FR Gear - Size XL Tall, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TL | Max Comfort FR Gear - Size L, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TLT | Max Comfort FR Gear - Size L Tall, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TM | Max Comfort FR Gear - Size M, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TMT | Max Comfort FR Gear - Size M Tall, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TX2 | Max Comfort FR Gear - Size X2, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TX2T | Max Comfort FR Gear - Size X2 Tall, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TXL | Max Comfort FR Gear - Size XL, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1TXLT | Max Comfort FR Gear - Size XL Tall, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$33.21 | DO |
| 633 70 | S1GX3 | Max Comfort FR Gear - Size X3, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1GX3T | Max Comfort FR Gear - Size X3 Tall, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1GX4 | Max Comfort FR Gear - Size X4, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |

| SIN | Part Number | Product Description | GSA Price | Country of Origin |
|--------|-------------|---|-----------|-------------------|
| 633 70 | S1GX4T | Max Comfort FR Gear - Size X4 Tall, Gray, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1NX3 | Max Comfort FR Gear - Size X3, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1NX3T | Max Comfort FR Gear - Size X3 Tall, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1NX4 | Max Comfort FR Gear - Size X4, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1NX4T | Max Comfort FR Gear - Size X4 Tall, Navy, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1TX3 | Max Comfort FR Gear - Size X3, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1TX3T | Max Comfort FR Gear - Size X3 Tall, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1TX4 | Max Comfort FR Gear - Size X4, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |
| 633 70 | S1TX4T | Max Comfort FR Gear - Size X4 Tall, Tan, 6.5 oz. Soft Sateen 88% Cotton / 12% Nylon Fabric, Features include: Button Down Collar, 2 Button Down Chest Pockets, Pencil Trough in Left Pocket, Two Needle Top Stitching On Major Seams, Extended Back Tail to Stay Tucked in. ASTM F1506 Electric Arc Protection. ATPV 9.5 cal/cm2. CAT2. UL Certified to NFPA 2112-2012 and NFPA 70E Standards. | \$36.32 | DO |