




# *GSA Price List*

**Prices Shown Herein are Net (Discount Deducted)  
with IFF Applied**



## **Identiv, Inc.**

General Services Administration  
Federal Supply Service  
Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is: [GSAAdvantage.gov](http://GSAAdvantage.gov)

SCHEDULE TITLE: MAS

CONTRACT NUMBER: GS-07F-078DA

CONTRACT PERIOD: February 8, 2021 through February 7, 2026  
Modification PA-0026 dated September 15, 2020

Identiv, Inc.  
2201 Walnut Ave., STE 100  
Fremont, CA 94538  
1-888-809-8880  
1-949-250-7372 FAX  
[www.identiv.com](http://www.identiv.com)  
Business Size: Small

**Contract Administration Contact:**  
John R Norman III  
Telephone: 540-305-4325  
Email: [gsasales@identiv.com](mailto:gsasales@identiv.com)



## Customer Information

### 1a. Table of Awarded SINs:

334290L Physical Access Control Systems (PACS) - Legacy SIN Includes physical access control systems (PACS), such as card-controlled access, biometrics, security barriers, etc.

NOTE: Subject to Cooperative Purchasing

334290PACS Physical Access Control Systems (PACS) - FIPS 201 Includes physical access control systems (PACS), such as card-controlled access, biometrics, security barriers, etc.

NOTE: The GSA FIPS 201 Evaluation Program defines product categories for the FIPS 201 APL as required to implement the mandates in OMB Memoranda M-05-24 and M-06-18. For the avoidance of doubt, **ONLY THOSE PRODUCTS FOUND ON THE GSA APL ARE FIPS 201 COMPLIANT.** All approved products can be found on the APL (Approved Products List) at [idmanagement.gov](http://idmanagement.gov).

NOTE: Subject to Cooperative Purchasing

334512 Total Solution Support Products for Facilities Management Systems 334512 includes products to support facilities management systems, such as repair parts, surveillance systems, security functions, energy functions, building comfort systems, etc. This SIN is used for ESPC contracts and the use of the DoE ENABLE Program

NOTE: Subject to Cooperative Purchasing

541330L Security System Integration, Design, Management, and Life Cycle Support Includes services involving the security integration/management discipline, which supports security products and systems throughout their lifecycle. Services may include, but are not limited to: testing, production, fielding, process improvement, disposal, etc.

NOTE: Subject to Cooperative Purchasing

541330SEC Security System Integration, Design, Management, and Life Cycle Support Includes services related to PACS design, integration, and implementation, and installation/testing. Employees of offerors of this SIN are CSEIP (Certified System Engineer ICAM PACS) certificated and such certification can be verified at [IDmanagment.gov](http://IDmanagment.gov)." It should read: "Includes services related to PACS design, integration, and implementation, and installation/testing. Offerors under this SIN have at least one employee who is CSEIP (Certified System Engineer ICAM PACS) certified and such certification can be verified at [IDmanagment.gov](http://IDmanagment.gov)."

NOTE: Subject to Cooperative Purchasing

OLM Order-Level Materials (OLM) OLMs are supplies and/or services acquired in direct support of an individual task or delivery order placed against a Schedule contract or



BPA. OLM pricing is not established at the Schedule contract or BPA level, but at the order level. Since OLMs are identified and acquired at the order level, the ordering contracting officer (OCO) is responsible for making a fair and reasonable price determination for all OLMs.

OLMs are procured under a special ordering procedure that simplifies the process for acquiring supplies and services necessary to support individual task or delivery orders placed against a Schedule contract or BPA. Using this new procedure, ancillary supplies and services not known at the time of the Schedule award may be included and priced at the order level.

OLM SIN-Level Requirements/Ordering Instructions:

OLMs are:

- Purchased under the authority of the FSS Program
- Unknown until an order is placed
- Defined and priced at the ordering activity level in accordance with GSAR clause 552.238-115 Special Ordering Procedures for the Acquisition of Order-Level Materials. (Price analysis for OLMs is not conducted when awarding the FSS contract or FSS BPA; therefore, GSAR 538.270 and 538.271 do not apply to OLMs)
- Only authorized for use in direct support of another awarded SIN.
- Only authorized for inclusion at the order level under a Time-and-Materials (T&M) or Labor-Hour (LH) Contract Line Item Number (CLIN)
- Subject to a Not To Exceed (NTE) ceiling price

OLMs are not:

- Open Market Items.
- Items awarded under ancillary supplies/services or other direct cost (ODC) SINs (these items are defined, priced, and awarded at the FSS contract level)

OLM Pricing:

- Prices for items provided under the Order-Level Materials SIN must be inclusive of the Industrial Funding Fee (IFF).
- The value of OLMs in a task or delivery order, or the cumulative value of OLMs in orders against an FSS BPA awarded under an FSS contract, cannot exceed 33.33%.

NOTE: When used in conjunction with a Cooperative Purchasing eligible SIN, this SIN is Cooperative Purchasing Eligible.

b. Lowest Priced Model Number and price for Each SIN: See Pricing

c. Hourly Rates –See Pricing

2. Maximum Order: \$250,000 – SINs 334290L, 334290PACS, 334512, 541330L, 541330SEC

3. Minimum order: \$100

4. Geographic coverage (delivery area): Domestic, 50 United States, Washington D.C., Puerto Rico, U.S. Territories and to a conus port of consolidation for orders received from overseas activities.



5. Point(s) of production: US, Cambodia, France, Germany, Mexico, Singapore, Taiwan
6. Discount from list prices: GSA Net Prices are shown on the attached GSA Pricing and the IFF has been included.
7. Volume discount: 1% on orders of \$150,000 or more; 1.5% on orders of \$250,000 or more.
8. Payment terms: Net 30 days
- 9a. Government purchase cards are accepted at or below the micro-purchase threshold.
- 9b. Government purchase cards are accepted above the micro-purchase threshold.
10. Foreign items: Cambodia, France, Germany, Mexico, Singapore, Taiwan
- 11a. Time of delivery: 30 days ARO
- 11b. Expedited Delivery: Consult with Contractor
- 11c. Overnight Delivery: Consult with Contractor
- 11d. Urgent Requirements: Consult with Contractor
12. F.O.B. point(s): Origin
- 13a. Ordering address: IAW Clause 552.216-73, Identiv or their designated GSA Participating Dealers may accept orders via fax or mail. Reference approved Dealer List for contact information:  
  
Identiv, Inc.  
1900 Carnegie Ave.,  
Building B  
Santa Ana, CA 92705  
  
Or GSA Participating Dealers at Dealer Address see attached GSA Dealer List
- 13b. Ordering Procedures: For Supplies and Services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found at FAR 8.405-3.
14. Payment address: Same as Contractor's Address or GSA Participating Dealers
15. Warranty Provision: Standard Commercial Warranty, customer should contact contractor for a copy of the warranty.
16. Export packing charges: N/A
17. Terms and conditions of Government purchase card acceptance: None



18. Terms and conditions of Rental, maintenance and repair, if applicable: N/A
19. Terms and conditions of installation, if applicable: N/A
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices, if applicable: N/A
- 20a. Terms and Conditions for any other services (if applicable): N/A
21. List of service and distribution points: See participating dealers or factory.
22. List of participating dealers: See attached list of GSA approved dealers
23. Preventive maintenance, if applicable: N/A
- 24a. Special Attributes, such as Environmental Attributes (e.g. recycled content, energy efficiency, and or reduced pollutants): N/A
- 24b. Section 508 compliant for EIT: N/A
25. DUNS number: 859666471
26. Notification regarding registration in System for Award Management (SAM) database: Contract has an active registration in the SAM database.

**Identiv, Inc.'s GSA Approved Dealers**

Account Name	Street	City	State	Zip Code	Phone No.	Fax No.	GSA POC Email
A1 Corporate Hardware - Springfield, IL	101 N 4TH ST	SPRINGFIELD	Illinois	62701	2177447575	2175237139	lauren@a-1lock.com
Absco Solutions, Inc. - Lynnwood, WA	PO BOX 2246	LYNNWOOD	Washington	98036	4257711166	4257714422	dan.norton@abscosolutions.com
Advanosys Security & Automation Technologies - Gaithersburg, MD	PO BOX 5247	Gaithersburg	Maryland	20882	720-839-5789	844-301-2728	tmiller@advanosys.com
American Communications - Merrick, NY	2136 Merrick Rd	Merrick	New York	11566	5165463000	5165461957	acooper@americancommunications.com
Applied Security Technologies (AST) - Houston, TX	PO BOX 1282	CYPRESS	Texas	77410-1282	2813518884	2818979962	steve.polnick@appsectech.com
Audio and Security Engineers - Minneapolis, MN	212 11th Avenue South	Minneapolis	Minnesota	55415	6126308100	6123339039	bob.leonard@asengineers.com
Baker Group - Des Moines, IA	1600 SE Corporate Woods Drive	Ankeny	Iowa	50021-7501	5152994168	5152994039	burzlaffa@thebakergroup.com
Condortech Services, Inc. - Springfield, VA	10777 Main Street Suite 200	Fairfax	Virginia	22030	7039169200	7036425184	jlozano@condortech.com
Controlled Key Systems (CKS) - Irvine, CA	17248 Red Hill Avenue	Irvine	California	92614	9497561121	9497561143	paulw@controlledkey.com
Defender Security and Communications - Atlanta, GA	495 North Ave NE	Atlanta	Georgia	30308	4048761487	4048757544	derrick@defenderaccess.com
Ener-Tel Services 1, LLC - San Angelo, TX	1911 S Bryant Blvd	San Angelo	Texas	76903-8709	3256588375	3256532936	zane.crouch@ener-tel.com
Enterprise Security Systems (ESI) - Anaheim, CA	1060 N TUSTIN AVE	ANAHEIM	California	92807	7146309100	7146309800	troy1@entersecurity.com
Faith Technologies, Inc. - Menasha, WI	PO BOX 260	MENASHA	Wisconsin	54952	9202256500	9207381515	alex.dominguez@faithtechnologies.com
FiberPlus, Inc. - Jessup, MD	8240 PRESTON CT	JESSUP	Maryland	20794	3013173300	3013178585	shall@fiberplusinc.com
Fleenor Security Systems, Inc. - Johnson City, TN	3 MORGAN CT	JOHNSON CITY	Tennessee	37604	4232823755	4232620353	debbieb@fleenorsecurity.com
GC & E Systems Group, Inc	5835 Peachtree Corners East, Suite A	Norcross	Georgia	30092	7704483908	770.448.3918	EFerrell@gcesg.com
Gerelcom, Inc. - Port Lucie, FL (recently added)	560 NW Enterprise Dr.	Port Saint Lucie	Florida	34986	772-340-5998	772-340-3666	blanham@gerelco.com
GSC Systems, Inc. - Fort Walton Beach, FL	15 Industrial St NW	Fort Walton Beach	Florida	32548	(850) 243-8812	(850) 244-2530	c.gibson-15@gscsystems.net
Integrated Access Systems - Frisco, TX	6500 Pinecrest Drive	Plano	Texas	75024	4692467200	4692467212	janelle_weidenbenner@wmainc.net
InterTech Security - Pittsburgh, PA	1501 Preble Ave	Pittsburgh	Pennsylvania	15233	4122461200	4128942600	dscherrer@intechsecurity.com
Johnson Controls Federal Systems - Gaithersburg, MD	50 W. Watkins Mill Road	Gaithersburg	Maryland	20878	(240) 683-7600	(240) 683-7601	john.s.wenzel@jcfederal.com
KBRwyle Technology Solutions, LLC	7000 Columbia Gateway Dr.	Columbia	MD	21046	(760) 608 6610		<u><a href="mailto:Stephen.Meredith@us.kbr.com">Stephen.Meredith@us.kbr.com</a></u>

**Identiv, Inc.'s GSA Approved Dealers**

Account Name	Street	City	State	Zip Code	Phone No.	Fax No.	GSA POC Email
Key-Rite Security - Denver, CO	5570 EAST YALE AVENUE	Denver	Colorado	80222	3037595013	3037591390	cdiguardi@key-rite.com
M.C. DEAN, Inc.	1765 Greensboro Station Place	Tysons Corner	VA	22102	(703) 802-6231	(703) 421-4670	<a href="mailto:GSA84.ESS@mcdean.com">GSA84.ESS@mcdean.com</a> ; <a href="mailto:Gerard.Skinner@mcdean.com">Gerard.Skinner@mcdean.com</a>
					703 802 6231 x 7143	(703) 421-4670	<a href="mailto:beate.ritz@mcdean.com">beate.ritz@mcdean.com</a>
Native Security Services (NSS) - San Antonio, TX	12793 Cogburn Ave.	San Antonio	Texas	78249	210-231-6060	(210) 231-6098	mike@nativesecurity.net
Panhandle Alarm and Telephone Co. - Pensacola, FL	10 Industrial Blvd.	Pensacola	Florida	32503	(850) 478-2108	(850) 478-2250	dgrossman@panhandlesystems.com
Pro-Alarm - Marine, IL	PO BOX 517	MARINE	Illinois	62061	6188874803	6188874027	<a href="mailto:keypad@proalarm.net">keypad@proalarm.net</a>
Security & Access Systems - Albuquerque, NM	PO BOX 66315	ALBUQUERQUE	New Mexico	87193	5058231561	5053449551	cdipiotis@sasnm.net
(Add'l Contract info)							bfernandez@securityandaccess.com
Security & Access Systems - Albuquerque, NM	PO BOX 66315	ALBUQUERQUE	New Mexico	87193	5058231561	5053449551	cipiotis@sasnm.net
Security Corporation - Novi, MI	22325 ROETHEL DR	NOVI	Michigan	48375	2483745814	2483745854	greg.miskulin@securitycorp.com
SecurityHunter, Inc. - Baltimore, MD	7249 AMBASSADOR RD	BALTIMORE	Maryland	21244	800-397-5300	443-436-0450	xluera@securityhunter.com
Signet Electronic Systems - Norwell, MA	90 Longwater Dr	Norwell	Massachusetts	02061	7818715888	7818714757	linda.anderson@signetgroup.net
Signet Technologies - Beltsville, MD	12300 KILNCT STE E	BELTSVILLE	Maryland	20705	2402643295	2402643296	angela.pulliam@signetinc.com
Sound & Signal Systems - Albuquerque, NM	7131 WASHINGTON ST NE	ALBUQUERQUE	New Mexico	87109	5058841217	5058899079	kkesselman@soundandsignalnm.com
Superior Alarm Systems - Canoga Park, CA	9001 CANOGA AVE	CANOGA PARK	California	91304	8187007100	8187179700	dleener@sassecurity.com
Tel Tech Networks, Inc. - Phoenix, AZ	810 E HAMMOND LN	PHOENIX	Arizona	85034	6024319399	6024319780	al.chavez@teltechnetworks.com
TESS, Inc. - San Antonio, TX	7492 Reindeer Trail	San Antonio	Texas	78238	2105208737	2105682526	mike@tessinc.com
The Gilbertson Group - Coatesville, PA	101 Cheshire Court	Coatesville	Pennsylvania	19320	6104669600	6104669018	jeff@gilbertsongroup.com
The RedTop Group, LLC - Westbrookville, NY	2979 State Route 209	Wurtsboro	New York	12790	917-416-8598	212-271-4500	rspringwaldt@redtopgroup.com
TIC Security, LLC - Gaithersburg, MD	6550 Rock Spring Dr.	Bethesda	Maryland	20817	240-683-3840	240-238-9777	radoski@ticsecurity.com
(Add'l Contract info)							roger.echeandia@ticsecurity.com
Vantage Burglar Alarm, Corp. - Little Neck, NY	54-40 LITTLE NECK PKWY STE 1	LITTLE NECK	New York	11362	5167790624	7184233709	ralphovale@vantagealarmcorp.com
Versar, Inc. - Springfield, VA	6850 Versar Center	GAITHERSBURG	Virginia	22151	2406837600	2406837660	crummage@versar.com
Viking Security Systems, Inc. - Orlando, FL	4301 Vineland Road	Orlando	Florida	32811	407-985-5069	407-985-5070	lynn.martin@vikingsecurity.us

**Identiv, Inc.'s GSA Labor Pricsheet**

SIN	MANUFACTURER PART #	SERVICE PROPOSED	LABOR DESCRIPTIONS	MINIMUM EDUCATION/ CERTIFICATION LEVEL	MINIMUM YEARS OF EXPERIENCE	UNIT OF ISSUE	GSA NET
334512, 541330L, 541330SEC	PS-LABOR-SYSENGR	<i>Professional Services</i> <i>System Engineer</i>	Responsible for cradle to grave management of assigned projects. He/she serves as Point of Contact with customers. Performs Site Surveys and develops Installation Schedules. Installs custom integration software provides troubleshooting and repair of these custom systems. Responsible for custom design install and maintenance of PSG developed software. Must be Certified by the Smartcard Alliance as a Certified SmartCard Industry Professional.	BS/BA or 6 years experience	7 yr	Hour	\$244.33
334512, 541330L, 541330SEC,	PS-LABOR-DEV	<i>Professional Services</i> <i>Labor Development</i>	Engineers custom software for electronic security systems based on contract requirements, site conditions, manufacturer specifications. Verifies system design concept and equipment required for complex, multisite systems. Works independently with the customer to design, write and deliver custom software and software integrations to meet the client requirement. Must be Certified by the Smartcard Alliance as a Certified SmartCard Industry Professional.	BS/BA or 6 years experience	7 yr	Hour	\$244.33

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
5020-MDSRM-001	IDENTIV, INC.	TS Migration 256B + Prox ISO Card (Composite) with non-sequential card numbers, 37 bits non-facility code	334290L	US	\$3.42
5020-MDSSM-001	IDENTIV, INC.	TS Migration 256B + Prox ISO Card (Composite) with sequential card numbers, 35 bits with company code	334290L	US	\$3.42
5020-SDSRM-001	IDENTIV, INC.	TS Standard 256B ISO Card (Composite) with non-sequential card numbers, 37 bits non-facility code	334290L	US	\$2.40
5020-SDSSM-001	IDENTIV, INC.	TS Standard 256B ISO Card (Composite) with sequential card numbers, 35 bits with company code	334290L	US	\$2.40
8002ABP0000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$162.92
8002ABPF000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIFARE	334290L	SG	\$202.82
8002ABPR000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82
8002ABT0000	IDENTIV, INC.	TS Mullion Government Reader - Terminal LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$162.92
8002ABTF000	IDENTIV, INC.	TS Mullion Government Reader - Terminal - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIFARE	334290L	SG	\$202.82
8002ABTR000	IDENTIV, INC.	TS Mullion Government Reader - Terminal - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8012ABP0000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$182.87
8012ABPF000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIFARE	334290L	SG	\$202.82
8012ABPR000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82
8012ABT0000	IDENTIV, INC.	TS Mullion Government Reader - Terminal - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$182.87
8012ABTF000	IDENTIV, INC.	TS Mullion Government Reader - Terminal - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIFARE	334290L	SG	\$202.82
8012ABTR000	IDENTIV, INC.	TS Mullion Government Reader - Terminal - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82
8032ABP0000	IDENTIV, INC.	TS Network Reader - Pigtail - Power over Ethernet - TAA compliant - Wiegand - HF: uTrust TS Cards, PIV, PIVI, CAC, MIFARE Classic, MIFARE DESFire EV1, PLAID [ISO/IEC 25185], ISO15693 UID, ISO14443A UID; LF: HID Prox, Indala , Casi Rusco , AWID, Farp	334290L	SG	\$234.08
8032ABPF000	IDENTIV, INC.	TS Mullion Government Reader Pigtail - Network (PoE) - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS	334290L	SG	\$254.03
8032ABPR000	IDENTIV, INC.	TS Mullion Government Reader Pigtail - Network (PoE) - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8032ABT0000	IDENTIV, INC.	TS Network Reader - Terminal - Power over Ethernet - TAA compliant - Wiegand - HF: uTrust TS Cards, PIV, PIVI, CAC, MIFARE Classic, MIFARE DESFire EV1, PLAID [ISO/IEC 25185], ISO15693 UID, ISO14443A UID; LF: HID Prox, Indala , Casi Rusco , AWID, Far	334290L	SG	\$234.08
8032ABTF000	IDENTIV, INC.	TS Mullion Government Reader Terminal - Network (PoE) - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS	334290L	SG	\$254.03
8032ABTR000	IDENTIV, INC.	TS Mullion Government Reader Terminal - Network (PoE) - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03
8052ABP0000	IDENTIV, INC.	TS Mullion Government Reader - Pigtail Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; Wiegand	334290L	SG	\$234.08
8052ABPF000	IDENTIV, INC.	TS Mullion Government Reader Pigtail - Network (PoE) - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS	334290L	SG	\$254.03
8052ABPR000	IDENTIV, INC.	TS Mullion Government Reader Pigtail - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03
8052ABT0000	IDENTIV, INC.	TS Mullion Government Reader - Terminal Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; Wiegand	334290L	SG	\$234.08
8052ABTF000	IDENTIV, INC.	TS Mullion Government Reader Terminal - Network (PoE) - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS	334290L	SG	\$254.03
8052ABTR000	IDENTIV, INC.	TS Mullion Government Reader Terminal - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03

### Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8102ABP0000	IDENTIV, INC.	TS Wall Mount Government Reader - Pigtail - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO1444A; WIEGAND	334290L	SG	\$162.92
8102ABPF000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIFA	334290L	SG	\$202.82
8102ABPR000	IDENTIV, INC.	TS Wall Mount Government Reader - Pigtail - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82
8102ABT0000	IDENTIV, INC.	TS Wall Mount Government Reader - Terminal - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO1444A; WIEGAND	334290L	SG	\$162.92
8102ABTF000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIF	334290L	SG	\$202.82
8102ABTR000	IDENTIV, INC.	TS Wall Mount Government Reader - Terminal - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82
8112ABP0000	IDENTIV, INC.	TS Wall Mount Government Reader - Pigtail - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$182.87
8112ABPF000	IDENTIV, INC.	TS Wall Mount Government Reader - Pigtail - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIFA	334290L	SG	\$202.82
8112ABPR000	IDENTIV, INC.	TS Wall Mount Government Reader - Pigtail - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$202.82
8112ABT0000	IDENTIV, INC.	TS Wall Mount Government Reader - Terminal - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$182.87

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8112ABTF000	IDENTIV, INC.	TS Wall Mount Government Reader - Terminal - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS DESFire, MIF	334290L	SG	\$202.82
8112ABTR000	IDENTIV, INC.	TS Wall Mount Government Reader - Terminal - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO1444A; RS-485/OSDP	334290L	SG	\$202.82
8132ABP0000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - Network (PoE) - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$234.08
8132ABPF000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - Network (PoE) - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv	334290L	SG	\$254.03
8132ABPR000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - Network (PoE) - P LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03
8132ABT0000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - Network (PoE) - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$234.08
8132ABTF000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - Network (PoE) - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv	334290L	SG	\$254.03
8132ABTR000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - Network (PoE) - P LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03
8152ABP0000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$234.08
8152ABPF000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - Network (PoE) - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv	334290L	SG	\$254.03

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8152ABPR000	IDENTIV, INC.	TS Wall Mount Government Reader Pigtail - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03
8152ABT0000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$234.08
8152ABTF000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - Network (PoE) - FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv	334290L	SG	\$254.03
8152ABTR000	IDENTIV, INC.	TS Wall Mount Government Reader Terminal - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$254.03
8202ABT0000	IDENTIV, INC.	TS Keypad Government Reader Terminal - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO1444A; WIEGAND	334290L	SG	\$300.57
8202ABTF000	IDENTIV, INC.	TS Keypad Government Reader Terminal FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, Software configurable support for secure high frequency 13.56GHz Identiv TS, DESFire, MIFARE	334290L	SG	\$352.44
8202ABTR000	IDENTIV, INC.	TS Keypad Government Reader Terminal - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$352.44
8212ABT0000	IDENTIV, INC.	TS Keypad Government Reader Terminal LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	SG	\$332.49
8212ABTF000	IDENTIV, INC.	TS Keypad Government Reader Terminal - FICAM PIV CAK certificate processing at the door, Military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Identiv TS, DESFire, MIFARE	334290L	SG	\$352.44

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8212ABTR000	IDENTIV, INC.	TS Keypad Government Reader Terminal - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$352.44
8232ABT0000	IDENTIV, INC.	TS Keypad Government Reader Terminal - Network (PoE) LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; Wiegand	334290L	SG	\$405.64
8232ABTF000	IDENTIV, INC.	TS Keypad Government Reader Terminal -Network (PoE) LF: Prox, CASI, Indala and others; HF: FICAM CAK, 200-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$425.59
8232ABTR000	IDENTIV, INC.	TS Keypad Government Reader Terminal -Network (PoE) - LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$425.59
8252ABT0000	IDENTIV, INC.	TS Keypad Government Reader Terminal - Network (PoE) LF: Disabled; HF: FICAM CAK, 75-bit FASC-N, TS Cards, ISO14443A, 15693; Wiegand	334290L	SG	\$405.64
8252ABTF000	IDENTIV, INC.	TS Keypad Government Reader Network (PoE) - Terminal FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, Software configurable support for secure high frequency 13.56GHz Identiv TS,	334290L	SG	\$425.59
8252ABTR000	IDENTIV, INC.	TS Keypad Government Reader Terminal - Network (PoE) - LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	SG	\$425.59
8332ABT0000	IDENTIV, INC.	TS ScramblePad Terminal - Network (PoE) LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; Wiegand	334290L	US	\$605.14
8332ABTF000	IDENTIV, INC.	TS ScramblePad Network (PoE) Terminal FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, Software configurable support for secure high frequency 13.56GHz Identiv TS, DESFire, MIFAR	334290L	US	\$605.14

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8332ABTR000	IDENTIV, INC.	TS ScramblePad Terminal - Network (PoE) LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	US	\$605.14
8336ABT0000	IDENTIV, INC.	TS ScramblePad SC with Contact Smart Card Government Reader Network (PoE) - Terminal LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	US	\$824.58
8336ABTF000	IDENTIV, INC.	TS ScramblePad SC with integrated contact smart card reader - Network (PoE) Terminal - FICAM PIV PAK and CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, Software configurable support for se	334290L	US	\$824.58
8336ABTR000	IDENTIV, INC.	TS ScramblePad SC with Contact Smart Card Government Reader Network (PoE) - Terminal LF: Prox, CASI, Indala and others; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	US	\$824.58
8352ABT0000	IDENTIV, INC.	TS ScramblePad Network (PoE) Terminal LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; Wiegand	334290L	US	\$585.19
8352ABTF000	IDENTIV, INC.	TS ScramblePad NetwTS ScramblePad Network (PoE) Terminal FICAM PIV CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for secure high frequency 13.56GHz Ident	334290L	US	\$605.14
8352ABTR000	IDENTIV, INC.	TS ScramblePad Network (PoE) Terminal LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	US	\$605.14
8356ABT0000	IDENTIV, INC.	TS ScramblePad SC with Contact Smart Card Government Reader Network (PoE) - Terminal LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; WIEGAND	334290L	US	\$804.63
8356ABTF000	IDENTIV, INC.	TS ScramblePad SC with integrated contact smart card Reader Network (PoE) - Terminal FICAM PIV PAK and CAK certificate processing at the door, military CAC and other PIV cards without CAK output 75-bit FASC-N, software configurable support for se	334290L	US	\$824.58

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
8356ABTR000	IDENTIV, INC.	TS ScramblePad SC with Contact Smart Card Government Reader Network (PoE) - Terminal LF: Disabled; HF: PIV, PIV-I, CAC, TWIC 75-bit FASC-N, TS Cards, ISO14443A, 15693; RS-485/OSDP	334290L	US	\$824.58
AEB8	IDENTIV, INC.	Adds 8 additional high security alarm inputs. Velocity supports up to 4 boards in M2, M8, MSP, M64 and up to 2 boards in M16. Each input requires appropriate Line Module. Features removable connectors. UL Listed. CE.	334290L	US	\$275.97
BCHM	IDENTIV, INC.	Cable connects standby batteries to the Molex connector on the DIGI*TRAC controller motherboard.	334290L	US	\$17.29
CCM-F	IDENTIV, INC.	Flash Memory based Command and Control Module (CCM) for DIGI*TRAC controllers. Ships with Version 7.2.03 or later firmware. UL Listed. This daughterboard mounts on the DIGI*TRAC motherboard.	334290L	US	\$275.97
CCM-FM	IDENTIV, INC.	An Expansion Board mounted in a dedicated Digi*Trac controller, utilized to rapidly update a CCM (Command and Control Module) to the latest firmware version. For manual deployment of the CCM rather than downloading firmware. Ships with latest versi	334290L	US	\$824.58
CCM-FMU	IDENTIV, INC.	Firmware update for the CCM - Flashmaster so the Flashmaster can flash the CCM to the latest version of CCM firmware. Requires prior purchase of Flashmaster and Digi*Trac controller.	334290L	US	\$275.97
CL2-M2	IDENTIV, INC.	Current Limiting Class 2 Module-M2,MX	334290L	US	\$63.17
CL2-M8	IDENTIV, INC.	Current Limiting Class 2 Module-M8	334290L	US	\$63.17
CLIENT-ADD-5	IDENTIV, INC.	Velocity security management application software, Server edition: Additional 5 Thick Clients. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,329.97
CR12L	IDENTIV, INC.	Black, weather resistant for use in exterior locations. Swipe design. Reads high/low energy, ABA/ISO track 2. 12" Pigtail. Powered directly by MR1A, MR1B, DS47L or DL1. Use with IDC10 cards.	334290L	US	\$214.79
CR-PC-PAM-BARE	IDENTIV, INC.	pivCLASS Authentication Module (PAM). FIPS-201 hardware module. Firmware pre-loaded. Includes documentation. No enclosure. Supports two readers (not included). For PIV/TWIC credentials and CAK/CHUID authentication. PAM-MS-AF is required for first yea	334290L	US	\$1,572.70
CR-PC-PAM-BDL-R	IDENTIV, INC.	pivCLASS Authentication Module (PAM). FIPS-201 hardware module. Firmware preloaded. Includes documentation. Enclosure INCLUDED. Includes two readers- CR-PC-R40 (see reader section). For CAK/CHUID authentication. M&S for PAM is required for first year	334290L	US	\$1,978.34

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
CR-PC-PAM-BDL-RKCL	IDENTIV, INC.	pivCLASS Authentication Module (PAM). FIPS-201 hardware module. Firmware preloaded. Includes documentation. Enclosure INCLUDED. Includes two readers- CR-PC-RKCL40 (see reader section). For CAK/CHUID authentication. M&S for PAM is required for first y	334290L	US	\$2,623.38
CR-PC-PAM-BDL-RP	IDENTIV, INC.	pivCLASS Authentication Module (PAM). FIPS-201 hardware module. Firmware preloaded. Includes documentation. Enclosure INCLUDED. Includes two readers- CR-PC-RP40 (see reader section). For CAK/CHUID authentication. M&S for PAM is required for first yea	334290L	US	\$2,028.21
CR-PC-PAM-BDL-RPKCL	IDENTIV, INC.	pivCLASS Authentication Module (PAM). FIPS-201 hardware module. Firmware preloaded. Includes documentation. Enclosure INCLUDED. Includes two readers- CR-PC-RPKCL40 (see reader section). For CAK/CHUID authentication. M&S for PAM is required for first	334290L	US	\$2,706.50
CR-PC-PAM-CASE	IDENTIV, INC.	pivCLASS Authentication Module (PAM). FIPS-201 hardware module. Firmware pre-loaded. Includes documentation. Enclosure INCLUDED. Supports two readers (not included). For PIV/TWIC credentials and CAK/CHUID authentication. PAM-MS-AF is required for fir	334290L	US	\$1,846.67
CR-PC-R10	IDENTIV, INC.	Black. 13.56MHz, Reads FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 1.5 to 3.5" read range. Mini Mullion mount. 1.9"x4.04"x0.9". Powered directly by MR1A, MR1B, DS47L. 18" pigtail. Wiegand output (standard 75 bit FASC-N for PIV cards, 56-bit MIFA	334290L	US	\$182.87
CR-PC-R15	IDENTIV, INC.	Black 13.56MHz, Reads FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 1.5 to 3.5" read range. Mullion mount, 1.90"x6.10"x.90". Powered directly by MR1A, MR1B, DS47L. 18" pigtail. Wiegand output (standard 75 bit FASC-N for PIV cards, 56-bit MIFARE/DE	334290L	US	\$269.32
CR-PC-R40	IDENTIV, INC.	Black 13.56MHz, Reads FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 2.0 to 4.25" read range. Wallswitch mount, 3.30"x4.80"x.95". Powered directly by MR1A, MR1B, DS47L. 18" pigtail. Wiegand output (standard 75 bit FASC-N for PIV cards, 56-bit MIFAR	334290L	US	\$269.32
CR-PC-R40-PAM	IDENTIV, INC.	Black 13.56MHz, Reads FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 2.0 to 4.25" read range. Wallswitch mount, 3.30"x4.80"x.95". 12VDC (MPSH-12 or other) recommended. Terminal strip connection. RS485 output for connection to CR-PC-PAM-XXXX.	334290L	US	\$269.32
CR-PC-RKCL40-PAM	IDENTIV, INC.	Black. 13.56MHz. Contact and Contactless Reader with Keypad (PIN to CARD) and LCD display. Reads FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 1.0 to 4.25" read range. Double gang mount, 6.60"x4.80"x.95". 12VDC (MPSH-12 or other) recommended. Term	334290L	US	\$599.82
CR-PC-RP10	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Reads all 125kHz prox, FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 1.5 to 3.5" read range. Mini Mullion mount. 1.9"x4.04"x0.9". Powered directly by MR1A, MR1B, or DS47L. 18" pigtail. Wiegand output, 75 bit for PIV car	334290L	US	\$202.82

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
CR-PC-RP15	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Reads all 125kHz prox, FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 1.0 to 4.0" read range. Mullion mount, 1.90"x6.10"x.90". Powered directly by MRIA, MRIB, or DS47L. 18" pigtail. All 125kHz proximity, including Indala	334290L	US	\$295.92
CR-PC-RP15-T	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Reads all 125kHz prox, FIPS 201 PIV/PIV-I, MIFARE and HID iCLASS cards. 1.0 to 4.0" read range. Mullion mount, 1.90"x6.10"x.90". Powered directly by MRIA, MRIB, or DS47L. Terminal strip connection. All 125kHz proximity, in	334290L	US	\$295.92
CR-PC-RP40	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Reads all 125kHz prox, FIPS 201 PIV, MIFARE and HID iCLASS cards. 1.0 to 4.25" read range. Wallswitch mount, 3.30"x4.80"x.95". Powered directly by MRIA, MRIB, DS47L. 18" pigtail. All 125kHz proximity, including Indala. Wie	334290L	US	\$295.92
CR-PC-RP40-PAM	IDENTIV, INC.	Black 125kHz and 13.56MHz Contactless. Reads FIPS 201 PIV, HID iCLASS and all 125kHz. 2.0 to 4.25" read range. Wallswitch mount, 3.30"x4.80"x.95". Powered directly by MRIA, MRIB, DS47L. Terminal. RS485 output for connection to CR-PC-PAM-XXXX.	334290L	US	\$295.92
CR-PC-RP40-T	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Reads all 125kHz prox, FIPS 201 PIV, MIFARE and HID iCLASS cards. 1.0 to 4.25" read range. Wallswitch mount, 3.30"x4.80"x.95". Powered directly by MRIA, MRIB, DS47L. Terminal strip connection. All 125kHz proximity, includi	334290L	US	\$295.92
CR-PC-RPKCL40-PAM	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Contact and Contactless Reader with Keypad (PIN to CARD) and LCD display. Reads all 125kHz prox, FIPS 201 PIV, MIFARE and HID iCLASS cards. 1.0 to 4.25" read range. Double gang mount, 6.60"x4.80"x.95". 12VDC (MPSH-12 or ot	334290L	US	\$613.78
CR-PC-RPKCL40-T	IDENTIV, INC.	Black. 125kHz and 13.56MHz. Contact and Contactless Reader with Keypad (PIN to PAC) and LCD display. Reads all 125kHz prox, FIPS 201 PIV, MIFARE and HID iCLASS cards. 1.0 to 4.25" read range. Double Gang mount, 6.60"x4.80"x.95". 12VDC (MPSH-12 or oth	334290L	US	\$619.77
DMES-H	IDENTIV, INC.	Card Enrollment & Programming Station to directly enroll HID 125 kHz proximity cards into a single standalone DIGI*TRAC controller. Includes ScramblePad, CR20L ProxPoint Card Reader, ES2 Enrollment Stand, and cable. Use with PR1 Printer.	334290L	US	\$478.79
DMES-M	IDENTIV, INC.	Card Enrollment & Programming Station to directly enroll Mag Stripe cards into a single standalone DIGI*TRAC controller. Includes ScramblePad, Mag Stripe Card Reader, ES2 Enrollment Stand, and cable. Use with PR1 Printer.	334290L	US	\$478.79
DMES-U	IDENTIV, INC.	Card Enrollment & Programming Station (without card reader) to directly enroll cards into a single standalone DIGI*TRAC controller. Use with compatible reader heads. Includes ScramblePad, ES1 Enrollment Stand, and cable. Use with PR1 Printer.	334290L	US	\$332.49

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
DS47L	IDENTIV, INC.	Patented scrambling display & viewing restriction. Includes audible annunciator, 4 status LEDs & physical tamper switch. Moisture, dust, dirt and ESD resistant. Includes Standard (non-custom) MATCH function for 1 or 2 readers. 2 MATCH connectors wit	334290L	US	\$275.97
DS47L-HL	IDENTIV, INC.	High Secure scrambling display & viewing restriction. High intensity LED (Orange) display for installation in high ambient light environments. Includes audible annunciator, 4 status LEDs & physical tamper switch. Moisture, dust, dirt and ESD resistan	334290L	US	\$548.61
DS47L-SPX-TS	IDENTIV, INC.	DS47L ScramblePad with embedded Proximity reader and antenna. Installs in Hirsch mounting boxes. Compatible with most 125 kHz proximity cards.	334290L	US	\$548.61
DS47L-SPX-TS-HL	IDENTIV, INC.	High intensity orange LED display version of DS47L-SPX-TS ScrambleProx. Install in high ambient light environments. Installs in Hirsch mounting boxes. Use MB5, exterior mounting box for exterior applications. Compatible with most 125 kHz proximity ca	334290L	US	\$824.58
DS47L-SSP-TS	IDENTIV, INC.	Scramblepad with TS Migration Reader (for use with DIGI*TRAC/MX)	334290L	US	\$585.19
DS47L-SSP-TS-HL	IDENTIV, INC.	Scramblepad with TS Migration Reader (for use with DIGI*TRAC/MX) - High Intensity - Orange	334290L	US	\$824.58
DS47L-SS-TS	IDENTIV, INC.	DS47L ScramblePad with embedded Proximity reader and antenna. Installs in Hirsch mounting boxes. Compatible with most 13.56MHz smart cards.	334290L	US	\$548.61
DS47L-SS-TS-HL	IDENTIV, INC.	High intensity Orange LED display version of DS47L-SS-TS ScrambleSmart. Install in high ambient light environments. Installs in Hirsch mounting boxes. Use MB5, exterior mounting box for exterior applications. Compatible with most 13.56MHz smart cards	334290L	US	\$824.58
DSB	IDENTIV, INC.	For DS37L & DS47L series. Plastic.	334290L	US	\$23.27
DSBZ	IDENTIV, INC.	For DS37L & DS47L series. Plastic. Package of 5	334290L	US	\$19.95
DSDC	IDENTIV, INC.	For ScramblePad & MATCH demo applications with DIGI*TRAC controller. 3' (1m)	334290L	US	\$9.97
DSDPB-47	IDENTIV, INC.	Combination display and processor board for DS47L	334290L	US	\$192.85
DSDPB-47HI	IDENTIV, INC.	Combination display and processor board for DS47L-HI	334290L	US	\$465.49
DSKA1	IDENTIV, INC.	No * or # silkscreening on keyface. Use with any version ScramblePad. Rubber. Package of 10	334290L	US	\$139.65

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
DSKA3	IDENTIV, INC.	Includes * and # silkscreened on keyface. Use with any version ScramblePad. Rubber. Package of 10	334290L	US	\$156.27
DSMA	IDENTIV, INC.	For DS37L and DS47L	334290L	US	\$139.65
DSMA-HI	IDENTIV, INC.	For DS37L-HI, and DS47L-HI	334290L	US	\$69.82
DSMF	IDENTIV, INC.	For DS37L or DS47L. Package of 50	334290L	US	\$36.57
DSMS	IDENTIV, INC.	For DS37L or DS47L. Package of 5	334290L	US	\$76.47
DSPP-47	IDENTIV, INC.	For DS47L. Package of 5	334290L	US	\$69.82
DSPP-47X	IDENTIV, INC.	For DS47L-SPX. Package of 5	334290L	US	\$69.82
DSSP	IDENTIV, INC.	Clear Plastic Sub-Panel Only. Package of 5	334290L	US	\$19.95
DSVR	IDENTIV, INC.	Lens Assembly for DS37L & DS47L series, but not for ScrambleProx	334290L	US	\$36.57
DSVR-47L-HI	IDENTIV, INC.	Opaque mask for DS47L-HI. Package of 5	334290L	US	\$19.95
DTLM1	IDENTIV, INC.	1 input for Alarm/Door monitoring. Enables Auto-Relock function on a door. Consists of MELM1 prewired to one side of a two row terminal block. Locate at door or device supervised.	334290L	US	\$11.30
DTLM2	IDENTIV, INC.	2 inputs for alarm/door monitoring and alarm mask/RQE. Enables Auto-Relock function on a door. Consists of MELM2 prewired to one side of a two row terminal block. Locate at door or device supervised.	334290L	US	\$11.30
DTLM3	IDENTIV, INC.	3 inputs for alarm/door monitoring, alarm mask/RQE and tamper. Enables Auto-Relock function on a door. Consists of MELM3 prewired to one side of a two row terminal block. Locate at door or device supervised.	334290L	US	\$11.30

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
DTMXSPKIT	IDENTIV, INC.	Mx Spare Parts Kit	334290L	US	\$49.87
DTSPKIT	IDENTIV, INC.	Includes: MPB1 (Memory Protection Battery - Replacable), FKIT (Fuse Assortment and Fuse Holder), one HDR (Heavy Duty Relay - Door), one MDR (Medium Duty Relay - Alarm),	334290L	US	\$49.87
ES1	IDENTIV, INC.	Contains one position for ScramblePad or MATCH2	334290L	US	\$36.57
ES2	IDENTIV, INC.	Contains two positions for ScramblePad and MATCH2	334290L	US	\$43.22
ESC1	IDENTIV, INC.	Cable Assembly to connect the P2 serial port on a MATCH2 to a DB25 RS-232 Port on a HOST PC. Included with SMES Enrollment Stations.	334290L	US	\$29.92
ESC2-USB	IDENTIV, INC.	Enrollment Station Connect 1	334290L	US	\$49.87
FICAM-KIT-8	IDENTIV, INC.	All components required for FICAM compliance on 8 entry doors. Kit includes Mx-8-N3-FICAM, VELFED100, VEL-VCCS, and 8 x 8132ABPF000 (Wallmount high-speed CAK readers).	334290L	US	\$9,642.32
FKIT	IDENTIV, INC.	Assortment of DIGI*TRAC 5 x 20mm, Slo-Blo fuses( 2 each .5 A, 2 A, 2.5A, 5A, and 10A and 5 each 1A) and Power Supply Fuse Holder (1)	334290L	US	\$19.95
HMS-DB-CAL5	IDENTIV, INC.	Microsoft SQL Server Client Access Licenses (CAL), Device Based, required for computer connections when the customer does not provide MS License for SQL CAL. DVD media delivery, covers 5 client machines.	334290L	MX	\$1,542.77
HMS-DB-SW	IDENTIV, INC.	Microsoft SQL Server Standard Edition, required to run Velocity when SQL Express is not adequate or when the customer does not provide MS License for SQL. DVD media delivery, covers 1 server.	334290L	MX	\$1,324.65
HMS-L1R	IDENTIV, INC.	Rack Server with current version of Microsoft Windows Server OS, 5 OS CAL Client Licenses included. - May be used as a Velocity Server. Minimum Hardware Configuration: 3.0 GHz Processor, 8MB cache, 4C/4T, Turbo, 8GB UDIMM, 2400MT/s, ECC, 2 x 1TB 7	334290L	MX	\$5,120.40
HMS-L1RD	IDENTIV, INC.	Rack Server with current version of Microsoft Windows Server OS, 5 OS CAL Client Licenses included. - May be used as a Velocity Server. Minimum Hardware Configuration: 3.0 GHz Processor, 8MB cache, 4C/4T, Turbo, 8GB UDIMM, 2400MT/s, ECC, 2 x 1TB 7	334290L	MX	\$7,979.85

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
HMS-L2R	IDENTIV, INC.	Rack Server with current version of Microsoft Windows Server OS, 5 OS CAL Client Licenses included. - May be used as a Velocity Server. Minimum Hardware Configuration: 3.0GHz Processor, 8MB cache, 4C/8T, Turbo, 16GB UDIMM, 2400MT/s, ECC, 2 x 600GB	334290L	MX	\$5,652.39
LIF-ICD705-CLIENT	IDENTIV, INC.	FIPS 140-2 Certified Encrypted tunneling device (Client) - Creates an encrypted tunnel through IP networks. The Device uses a FIPS certified encryption module. AES is used for the bulk data encryption. SHA1 is used for signing and RSA 2048 for key ex	334290L	US	\$1,994.96
LIF-ICD705-HOST	IDENTIV, INC.	FIPS 140-2 Certified Encrypted tunneling device (Server) - Creates an encrypted tunnel through IP networks. Device supports up to 25 simultaneous clients. The Device uses a FIPS certified encryption module. AES is used for the bulk data encryption. S	334290L	US	\$1,861.96
M16CB	IDENTIV, INC.	M16 Controller Board.	334290L	US	\$930.98
M16N2	IDENTIV, INC.	16 Input Controller. 4000 Users. Includes 16 Alarm Inputs (requires Line Modules), enclosure, power supply, battery, tamper switch, Medeco lock and SNIB2. Supports Expansion Boards. Provides 10/100 Ethernet or direct connect RS-232 to Host PC with	334290L	US	\$1,712.34
M16N2-230	IDENTIV, INC.	16 Input Controller.. 4000 Users. Includes 16 Alarm Inputs (requires Line Modules), enclosure, power supply, battery, tamper switch, Medeco lock and SNIB2. Supports Expansion Boards. Provides 10/100 Ethernet or direct connect RS-232 to Host PC wit	334290L	US	\$1,712.34
M16N3-FICAM	IDENTIV, INC.	16 Input Controller. 4000 Users. Includes 16 Alarm Inputs (requires Line Modules), enclosure, power supply, battery, tamper switch, Medeco lock and SNIB3 and RREB. Provides 10/100/1000 encrypted Ethernet to Host PC and downstream controllers (Mx and	334290L	US	\$2,104.69
M1N	IDENTIV, INC.	Controls 1 Supervised Door. 4000 Users. Includes 1 SNIB Port (RS-485 & RS-232 terminal blocks), 1 door relay, 3 miscellaneous relays, 4 Alarm Inputs (requires Line Modules), enclosure, power supply, battery, tamper switch, Medeco lock. Does NOT supp	334290L	US	\$721.51
M1N-230	IDENTIV, INC.	Controls 1 Supervised Door. 4000 Users. Includes 1 SNIB Port (RS-485 & RS-232 terminal blocks), 1 door relay, 3 miscellaneous relays, 4 Alarm Inputs (requires Line Modules), enclosure, power supply, battery, tamper switch, Medeco lock. Does NOT supp	334290L	US	\$721.51
M1NCB	IDENTIV, INC.	M1N Controller Board.	334290L	US	\$625.09
M2MB	IDENTIV, INC.	Heavy gauge steel mounting box. (Also used for Mx Controllers). 18"H x 15"W x 5.5"D (45.7cm x 38.7cm x 14cm)	334290L	US	\$232.75

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
M64N2	IDENTIV, INC.	Modular Controller. 4000 Users. Includes 64 programmable relays, enclosure, power supply, battery, tamper switch, Medeco lock and SNIB2. Supports Expansion Boards (except REB8, 4 Max + SNIB2). Controls elevators, equipment, cabinets, etc.	334290L	US	\$3,973.30
M64N2-230	IDENTIV, INC.	Modular Controller. 4000 Users. Includes 64 programmable relays, enclosure, power supply, battery, tamper switch, Medeco lock and SNIB2. Supports Expansion Boards (except REB8, 4 Max + SNIB2). Controls elevators, equipment, cabinets, etc. 230 VA	334290L	US	\$3,973.30
M64N3-FICAM	IDENTIV, INC.	Modular Controller. 4000 Users. Includes 64 programmable relays, enclosure, power supply, battery, tamper switch, Medeco lock and SNIB3 and RREB. Supports Expansion Boards (except REB8). Controls elevators, equipment, cabinets, etc. Provides 10/100/1	334290L	US	\$4,365.64
MB/FFP	IDENTIV, INC.	From MB3/MB4 for dry wall mount without back box. Includes 5/32 hex key and adaptor plate.	334290L	US	\$41.56
MB/SFP	IDENTIV, INC.	From MB8/MB9 for dry wall mount without back box. Includes 5/32 hex key and adaptor plate.	334290L	US	\$56.52
MB/SWS	IDENTIV, INC.	Semi-flush spacer ring for MB3 and MB8. Includes 5/32 hex key.	334290L	US	\$28.26
MB1	IDENTIV, INC.	Self Supporting. No conduit entry. 5 5/8"H x 4 1/4"W x 2 1/2"D. 5"H x 3 7/8"W cutout.	334290L	US	\$28.26
MB10	IDENTIV, INC.	Rear conduit entry. For DS47L Family of ScramblePad, ScrambleProx, ScrambleSmart with LCD display. Use with MB10-LCD (ordered separately) .	334290L	US	\$33.25
MB10-LCD	IDENTIV, INC.	Faceplate with LCD (limited capability). LCD connects to Reader 2 port of DS47 for power and P1 for data. For DS47L Family of ScramblePad, ScrambleProx, ScrambleSmart (ordered separately). Use with MB10 mounting box (ordered separately) .	334290L	US	\$139.65
MB2	IDENTIV, INC.	Rear and bottom conduit entry. 5 5/8"H x 4 1/4"W x 2 7/8"D.	334290L	US	\$28.26
MB20	IDENTIV, INC.	For DS47L ScramblePad and CR12L Mag Swipe reader mounted on same faceplate and backbox. DS47L can be flush or sloped with CR12L mounted on the left. Rear conduit entry. Includes 5/32 hex key and heavy duty gasket for DS47L only. 7 1/2"H x 7 3/4"	334290L	US	\$99.75
MB2S	IDENTIV, INC.	Rear and bottom conduit entry. For DS47L & DS47L-SPX. 5 5/8"H x 4 1/4"W x 2 1/16"D.	334290L	US	\$28.26

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
MB2SL	IDENTIV, INC.	Rear conduit entry. For DS47L & DS47L-SPX. 5 5/8"H x 4 1/4"W x 4" D. Use MBX Mounting box Extender with DS47L-SSP series ScrambleSmart or ScrambleSmartProx.	334290L	US	\$33.25
MB3	IDENTIV, INC.	Conduit entry on 4 sides and rear. Includes 5/32 hex key and heavy duty gasket. 10 1/8"H x 8 1/8"W x 4 1/4"D. 7 7/8"H x 5 7/8"W x 3 7/8"D cutout.	334290L	US	\$69.82
MB4	IDENTIV, INC.	Rear conduit entry. Includes 5/32 hex key and heavy duty gasket. 10 1/8"H x 8 1/8"W x 4"D.	334290L	US	\$83.12
MB5	IDENTIV, INC.	Rear conduit entry. Includes heavy duty gasket. Rust-Free Aluminum. 7"H x 5 1/4"W x 7"D (8"D overhang).	334290L	US	\$83.12
MB8	IDENTIV, INC.	Rear conduit entry. Includes 5/32 hex key and heavy duty gasket. 10 1/8"H x 8 1/8"W x 4 1/4"D. 7 7/8"H x 5 7/8"W x 3 7/8"D cutout.	334290L	US	\$83.12
MB9	IDENTIV, INC.	Rear conduit entry. Includes 5/32 hex key and heavy duty gasket. 10 1/8"H x 8 1/8"W x 4"D.	334290L	US	\$99.75
MB-HDG	IDENTIV, INC.	For ScramblePad when installed in MB3, MB4, MB5, MB8, MB9 Mounting Boxes. Package of 5.	334290L	US	\$6.65
MB-HDG-R	IDENTIV, INC.	For use between MB5 (not included) and mounting surface for increased protection against ingress of contaminants. Use with Hirsch post (MP35, MP41 or MP4057) or other hard mounting surface. Fasteners not included. Package of 5. (Single gasket ships	334290L	US	\$9.97
MBRMB	IDENTIV, INC.	Mounting bracket and spacer for mounting standard size readers over the security bezel on a Hirsch MR1A when used with a standard Hirsch mounting box. Used to replace the blank faceplate (for small readers) on a standard MR1A. Mounts to the stando	334290L	US	\$13.30
MBSF	IDENTIV, INC.	4 each with wrench, for MB3, MB4, MB8, MB9.	334290L	US	\$7.31
MBX	IDENTIV, INC.	inch extension for surface mounted boxes used with ScramblePad or bezel mounted reader assemblies where the mounting box depth is too shallow for the electronics, as with some of the ScrambleSmart products. Includes 4 extra long screws. Suitable	334290L	US	\$26.60

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
MBX-FL	IDENTIV, INC.	inch extension for flush mounted boxes used with ScramblePad or bezel mounted reader assemblies where the mounting box depth is too shallow for the electronics, as with some of the ScrambleSmart products. Includes 4 extra long screws. Suitable fo	334290L	US	\$26.60
MC1	IDENTIV, INC.	Use to connect a Modem's DB25 RS232 port directly to the RS-232 port of a SNIB in a DIGI*TRAC controller. Includes cable and 4 pin RS232 terminal plug.	334290L	US	\$33.25
MCRH	IDENTIV, INC.	MATCH Card Reader Harness.	334290L	US	\$3.32
MEB/BE	IDENTIV, INC.	Memory Expansion Board Buffer - For IRS end use only	334290L	US	\$275.97
MEB/CB128	IDENTIV, INC.	Expands CODE Memory by 128,000 (from 4000 to 132,000) with CCM 7.X on Velocity. Not recognized by CCM 6.6 or earlier. A portion of the Code Memory may be allocated to alarm and event Buffers on Velocity only. Protected from data loss during power f	334290L	US	\$412.29
MEB/CB64	IDENTIV, INC.	Expands CODE Memory by 64,000 (from 4,000 to 68,000) with CCM 7.X on Velocity. Not recognized by CCM 6.6 or earlier. A portion of the Code Memory may be allocated to alarm and event Buffers on Velocity only. Protected from data loss during power fa	334290L	US	\$275.97
MELM1	IDENTIV, INC.	1 input for Alarm/Door monitoring. Enables Auto-Relock function on a door. Includes 12" color coded flying leads. For installation within the body of most alarm sensors. Locate at door or device supervised.	334290L	US	\$7.31
MELM2	IDENTIV, INC.	2 inputs for Alarm/Door monitoring and alarm mask/RQE. Enables Auto-Relock function on a door. Includes 12" color coded flying leads. For installation within the body of most alarm sensors. Locate at door or device supervised.	334290L	US	\$7.31
MELM3	IDENTIV, INC.	3 inputs for Alarm/Door monitoring, alarm mask/RQE and tamper. Enables Auto-Relock function on a door. Includes 12" color coded flying leads. For installation within the body of most alarm sensors. Locate at door or device supervised.	334290L	US	\$7.31
MLC	IDENTIV, INC.	Includes 2 Cut Keys. For DIGI*TRAC	334290L	US	\$53.20
MLK	IDENTIV, INC.	Includes 1 Key. For DIGI*TRAC	334290L	US	\$6.65

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
MOD-ADD-1024	IDENTIV, INC.	Velocity security management application software, Server edition: Additional 1024 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$9,575.82
MOD-ADD-128	IDENTIV, INC.	Velocity security management application software, Server edition: Additional 128 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,994.96
MOD-ADD-16	IDENTIV, INC.	Velocity security management application software, Server edition: Additional 16 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$465.49
MOD-ADD-512	IDENTIV, INC.	Velocity security management application software, Server edition: Additional 512 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$5,319.90
MP35	IDENTIV, INC.	For MB5, curb height, 35" high.	334290L	US	\$142.97
MP4057	IDENTIV, INC.	For MB5, street height. Lower arm 40" high for car access. Upper arm 57" high for truck access. Includes access port and cover for wiring at lower post join with wiring terminal block and tamper screws..	334290L	US	\$295.92
MP41	IDENTIV, INC.	For MB5, street height, 41" high.	334290L	US	\$142.97
MPB1	IDENTIV, INC.	NiCad battery. Universal replacement for DIGI*TRAC memory protection. 2 leads solder to motherboard - thereafter replacable without soldering using plug connectors. Includes nylon tie and adhesive.	334290L	US	\$23.27
MPSH	IDENTIV, INC.	Supports powering the DM9600A-DL modem from the DIGI*TRAC controller's power supply. Included with DM9600A-DL. DO NOT USE TO POWER 12VDC READERS FROM KEYPAD/MATCH 28VDC SOURCES.	334290L	US	\$39.90
MR20LA	IDENTIV, INC.	CR20L-BL Black Short Range Proximity Card Reader on MR1A MATCH Reader Interface Assembly, which includes mounting Base and Bezel. Supports second reader (such as CR20LA-BL) for entry/exit control (MATCH conector with 6" pigtail included). Installs i	334290L	US	\$179.55
MR1A	IDENTIV, INC.	Includes MR1B, mounting Base and Bezel, Physical Tamper Switch and blank faceplate. 2 MATCH connectors with 6" pigtails. Installs in Hirsch mounting boxes. Use MB1, MB2 or MB5. UL Listed. CE.	334290L	US	\$139.65
MR1A-LR	IDENTIV, INC.	MR1A used for readers that mount on threaded standoffs spaced 3 1/4" apart.. Includes MR1B, mounting Base and Bezel, Physical Tamper Switch and blank faceplate. 2 MATCH connectors with 6" pigtails. Installs in Hirsch mounting boxes. Use MB1, MB2 or	334290L	US	\$139.65

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
MRIB	IDENTIV, INC.	Accepts up to 2 readers & 2 ScramblePads for dual technology entry & exit control of 1 door. Use with CCM 6.4 (or higher) & CR readers (see DIGI*TRAC Manual for compatible readers). 2 MATCH connectors with 6" pigtails. Provides 5VDC @ 250mA reader po	334290L	US	\$126.35
MSP-64RB	IDENTIV, INC.	Model 64 Relay Board.	334290L	US	\$1,838.69
MSPSP	IDENTIV, INC.	For Model SP-64R	334290L	US	\$904.38
MX-1	IDENTIV, INC.	Controls 1 Fully Supervised Door. 4000 Users, 1 door relay, 1 auxiliary relay (both relays support optional wet power setting), 2 Alarm Inputs (requires Line Modules), plastic enclosure, requires PoE+ power supply, tamper switch, integrated SNIB3 and	334290L	US	\$598.49
MX-1-ME	IDENTIV, INC.	Controls 1 fully supervised door. 4000 users (Expandable to 132,000 with MEB/CB128), 1 door relay, 1 auxiliary relay (both relays support optional wet power setting), 2 Alarm Inputs (requires Line Modules), metal enclosure, switching power supply (11	334290L	US	\$964.23
MX-1-W	IDENTIV, INC.	Velocity security management application software, Server edition: Add 8 Wireless Locks, counts against module license, must use Mx-1 controller. Requires VEL-SERVER or VELFED100+.	334290L	US	\$531.99
MX-2	IDENTIV, INC.	Controls 2 Fully Supervised Doors. 4000 Users, 2 door relays, 4 Alarm Inputs (requires Line Modules), enclosure, power supply, battery (1.3Ah), tamper switch, lock and integrated SNIB2. Built in software configurable Wiegand interface for direct read	334290L	US	\$1,063.98
MX-2-CB	IDENTIV, INC.	Complete Mx PCBA with CCMx-2	334290L	US	\$1,047.36
MX-2-N3	IDENTIV, INC.	Controls 2 fully supervised doors. 4000 users, 2 door relays, 2 Alarm Inputs (requires Line Modules), enclosure, power supply, batt (1.3Ah), tamper switch, lock and SNIB3. Built in software configurable Wiegand interface for direct reader connection.	334290L	US	\$1,196.98
MX-2-N3-FICAM	IDENTIV, INC.	Controls 2 Fully Supervised Doors. 4000 Users, 2 door relays, 2 Alarm Inputs (requires Line Modules), enclosure, pwr supply, batt (1.3Ah), tamper switch, lock and SNIB3 and RREB. Built in software configurable Wiegand interface for direct reader conn	334290L	US	\$1,456.32
MX-4	IDENTIV, INC.	Controls 4 Fully Supervised Doors. 4000 Users, 4 door relays, 4 Alarm Inputs (requires Line Modules), enclosure, power supply, battery (7Ah), tamper switch, lock and integrated SNIB2. Built in software configurable Wiegand interface for direct reader	334290L	US	\$1,662.47

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
MX-4-CB	IDENTIV, INC.	Complete Mx PCBA with CCMx-4	334290L	US	\$1,629.22
MX-4-N3	IDENTIV, INC.	Controls 4 fully supervised doors. 4000 users, 4 door relays, 4 Alarm Inputs (requires Line Modules), enclosure, power supply, batt (7Ah), tamper switch, lock and SNIB3. Built-in software configurable Wiegand interface for direct reader connection. S	334290L	US	\$1,795.47
MX-4-N3-FICAM	IDENTIV, INC.	Controls 4 Fully Supervised Doors. 4000 Users, 4 door relays, 4 Alarm Inputs (requires Line Modules), enclosure, pwr supply, batt (7Ah), tamper switch, lock and SNIB3 and RREB. Built in software configurable Wiegand interface for direct reader connec	334290L	US	\$2,121.31
MX-8	IDENTIV, INC.	Controls 8 Fully Supervised Doors. 4000 Users, 8 door relays, 4 Alarm Inputs (requires Line Modules), enclosure, power supply, battery (7Ah), tamper switch, lock and integrated SNIB2. Built in software configurable Wiegand interface for direct reader	334290L	US	\$2,925.94
MX-8-CB	IDENTIV, INC.	Complete Mx PCBA with CCMx-8	334290L	US	\$2,792.95
MX-8-N3	IDENTIV, INC.	Controls 8 fully supervised doors. 4000 users, 8 door relays, 8 Alarm Inputs (requires Line Modules), enclosure, power supply, batt (7Ah), tamper switch, lock and SNIB3. Built-in software configurable Wiegand interface for direct reader connection. S	334290L	US	\$3,058.94
MX-8-N3-FICAM	IDENTIV, INC.	Controls 8 Fully Supervised Doors. 4000 Users, 8 door relays, 8 Alarm Inputs (requires Line Modules), enclosure, power supply, batt (7Ah), tamper switch, lock, SNIB3 and RREB. Built in software configurable Wiegand and RS-485 interface for direct rea	334290L	US	\$3,318.29
MX-DEMOKIT-FICAM	IDENTIV, INC.	VELFED100 (current Velocity version DVD), VEL-VCCS (Velocity Certificate Checking Service) and Mx-4-CB controller board mounted on backplane. Includes 1 SNIB3, 1 RREB, 1 8010ABPF000 wall-mount multi-technology reader, 1 8110ABPF000 mullion-mount mult	334290L	US	\$5,981.56
MX-M2-RK-MX2	IDENTIV, INC.	Retrofit kit for an M2N2 Controller. Replace the M2 PCBA and retain the existing mounting box and conduit connections to reduce disruption on site. Allows upgraded Mx Controller features to be used. Includes a complete Mx PCBA, CCMx-2, connectors (2	334290L	US	\$1,047.36
MX-M2-RK-MX8	IDENTIV, INC.	Retrofit kit for an M2N2 Controller. Replace the M2 PCBA and retain the existing mounting box and conduit connections to reduce disruption on site. Allows upgraded Mx Controller features to be used. Includes a complete Mx PCBA, CCMx-8, Mx Power Suppl	334290L	US	\$2,859.45
MX-M8-RK-MX8	IDENTIV, INC.	Retrofit kit for an M8N2 Controller. Remove the M8 PCBA, install the adapter plate and Mx PCBA to allow use of Mx Controller features. Includes a complete Mx PCBA, CCMx-8, adapter plate, connectors (8 fully supervised doors) and mounting screws. Exis	334290L	US	\$2,859.45

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
MX-UK-2-4	IDENTIV, INC.	Upgrade kit for an Mx-2 Controller. Expand to 4 fully supervised doors. Kit comes in two packages: (1) CCMx-4, 2 x door connector set (4pc ea) and (2) 1 x 7Ah battery. (Requires return of original CCMx-2. Packing is reusable for this purpose and prep	334290L	US	\$731.49
MX-UK-2-8	IDENTIV, INC.	Upgrade kit for an Mx-2 Controller. Expand to 8 fully supervised doors. Kit comes in two packages: (1) 1 x CCMx-8, 6 x door connector set (4pc ea) and (2) 1 x 7Ah battery. (Requires return of original CCMx-2. Packing is reusable for this purpose and	334290L	US	\$1,994.96
MX-UK-4-8	IDENTIV, INC.	Upgrade kit for an Mx-4 Controller. Expand to 8 fully supervised doors. Kit comes in one package: 1 x CCMx-8, 4 x door connector set (4pc ea). (Requires return of original CCMx-4. Packing is reusable for this purpose and prepaid shipping label is inc	334290L	US	\$1,595.97
NET*MUX4	IDENTIV, INC.	Provides 1 input & 4 output ports, each optically isolated RS232 or RS485, with status LEDs. Up to 16 DIGI*TRAC controllers per output port. Cascading supported (2 levels deep). Includes enclosure, 115VAC power supply, battery, key lock. 12"H x 12"	334290L	US	\$565.24
NET*MUX4-230	IDENTIV, INC.	Provides 1 input & 4 output ports, each optically isolated RS232 or RS485, with status LEDs. Up to 16 DIGI*TRAC controllers per output port. Cascading supported (2 levels deep). Includes enclosure, 230VAC power supply, battery, key lock. 12"H x 12"	334290L	US	\$565.24
NM4CB	IDENTIV, INC.	NET*MUX4 Controller Board	334290L	US	\$412.29
NMMB	IDENTIV, INC.	12"H x 12"W x 4"D	334290L	US	\$83.12
PAM-MS-AF	IDENTIV, INC.	pivCLASS Authentication Module (PAM) Maintenance and Support Fee. Mandatory for first year. Note: pivCLASS software and M&S required. Contact inside sales for further details.	334290L	US	\$182.87
PC-CM	IDENTIV, INC.	pivCLASS Software for periodic revalidation of user certificates. Software suspends credential with revoked or invalid certificates by connecting directly to Velocity and (optionally) sending external email.	334290L	US	\$11,504.28
PC-CM-MS	IDENTIV, INC.	1-year Maintenance and Support (manufacturer). 8x5 Central M-F.	334290L	US	\$1,498.88
PC-RE	IDENTIV, INC.	pivCLASS Software for Registration/Validation of credentials in FICAM environment. Includes Velocity (PACS) plugin (valid SDK license required but not included).	334290L	US	\$9,568.50

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
PC-RE-MS	IDENTIV, INC.	1-year Maintenance and Support (manufacturer). 8x5 Central M-F.	334290L	US	\$1,246.85
PC-RS	IDENTIV, INC.	pivCLASS Software interface used to manage and control reader/authentication devices (PAM and attached readers). One copy per server is required. 1st year M&S included.	334290L	US	\$199.50
PC-RS-MS	IDENTIV, INC.	1-year Maintenance and Support (manufacturer). 8x5 Central M-F.	334290L	US	\$26.60
PRC3	IDENTIV, INC.	Green, Male. Bag of 5	334290L	US	\$7.31
PRC3-MX-A	IDENTIV, INC.	Mx Removable Connector - ALARM	334290L	US	\$7.31
PRC3-MX-R	IDENTIV, INC.	Mx Removable Connector - RELAY	334290L	US	\$7.31
PRC4	IDENTIV, INC.	Green, Male. Bag of 5.	334290L	US	\$8.64
PRC5	IDENTIV, INC.	Green, Male. Bag of 5.	334290L	US	\$10.64
PRC5-MX-M	IDENTIV, INC.	Mx Removable Connector - MATCH	334290L	US	\$10.64
PRC5-MX-S	IDENTIV, INC.	Mx Removable Connector - SNIB2	334290L	US	\$10.64
PRC6-MX-W	IDENTIV, INC.	Mx Removable Connector - Wiegand	334290L	US	\$13.30
PS2	IDENTIV, INC.	24V DC power for 2 locks, ScramblePads & MATCH. 16Amps inrush & 300mA holding current per lock. 2 heavy duty relays (1 powered, 1 dry) per lock. Includes lockable enclosure, transformer, 115 VAC line cord & batteries. UL 294. 115VAC. 12"H x 12"W	334290L	US	\$412.29
PS2-230	IDENTIV, INC.	24V DC power for 2 locks, ScramblePads & MATCH. 16Amps inrush & 300mA holding current per lock. 2 heavy duty relays (1 powered, 1 dry) per lock. Includes lockable enclosure, transformer, & batteries. UL 294. 230VAC. 12"H x 12"W x 4"D.	334290L	US	\$412.29
PS2CB	IDENTIV, INC.	PS2 Controller Board.	334290L	US	\$302.57
PSFH	IDENTIV, INC.	For DIGI*TRAC Power Supplies. Package of 10	334290L	US	\$69.82

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
PSH2A	IDENTIV, INC.	Power Supply 2 Amp Fused, 90-130V AC Harness (PVA-115 default). Specify 180-260V AC Harness (PVA-230) if required. For M16, MSP-8R, and M2 (fits Version 6 enclosure only).	334290L	US	\$289.27
PSH5A	IDENTIV, INC.	Power Supply 5 Amp Fused, 90-130V AC Harness (PVA-115 default). Specify 180-260V AC Harness (PVA-230) if required. For MSP-64R (M64) and M8 (fits both Version 5 & Version 6 enclosures).	334290L	US	\$355.77
PSH-MX	IDENTIV, INC.	Power Supply - Harnessed - MX	334290L	US	\$249.37
PSIT	IDENTIV, INC.	Power Internal Transformer. Specify 100, 115 or 230 Volt AC. For M1N, PS2, Net*Mux and ScrambleLock (Version 3).	334290L	US	\$69.82
PVA-115	IDENTIV, INC.	50/60HZ - Black Connector "Plug". Connects 115 VAC taps of DIGI*TRAC power supply to line terminal block.	334290L	US	\$6.65
PVA-230	IDENTIV, INC.	50/60HZ - White Connector "Plug". Connects 230VAC taps of DIGI*TRAC power supply to line terminal block.	334290L	US	\$6.65
REB8	IDENTIV, INC.	Adds 8 additional 2 Amp Form C relays to an M2, M8, M16 or MSP-8R. May not be installed in an M64. A total of 5 (4 if networked) REB8 Boards may be installed in all M2, M8, M16, and M64 DIGI*TRAC controllers. Removable connectors & status LEDs. UL Li	334290L	US	\$275.97
RREB	IDENTIV, INC.	RS-485 Reader Expansion Board (RREB) provides OSDP communication with up to 16 readers across 8 doors for processing PIV/PIV-I/CIV credentials at time of access in compliance with FICAM.	334290L	SG	\$275.97
RREBN3	IDENTIV, INC.	FICAM Controller Upgrade Kit, RS-485 Reader Expansion Board (RREB) provides OSDP communication with up to 16 readers across 8 doors for processing PIV/PIV-I/CIV credentials at time of access in compliance with FICAM. Includes SNIB3, . Replace SNIB2 a	334290L	US	\$1,196.98
SBMS3-2707A	IDENTIV, INC.	Sentrol #2707A-L14 with integral MELM3. High-Security triple biased door contact combines 2% multistage line supervision, RQE and TAMPER on a single pair of shielded wires. UL Listed for vaults and safes. Aluminum housing, 3ft armored cable. 3/16 to	334290L	US	\$146.30
SBMS3-L2HSS	IDENTIV, INC.	Magnasphere Level 2 Series High Security Sensor with integral Hirsch MELM3. High-Security triple biased door contact combines 2% multistage line supervision, RQE and TAMPER on a single pair of shielded wires. UL 634 Level 2 High Security Standard Lis	334290L	US	\$239.40

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
SDS	IDENTIV, INC.	Used to fill existing Mounting Box when removing ScramblePads. Consists of Keyface, Bezel and Base Assembly only.	334290L	US	\$69.82
SMES-H	IDENTIV, INC.	Card Enrollment Station to enroll HID 125kHz Proximity cards into a PC with Velocity software. Includes MATCH2, CR20L ProxPoint Card Reader, ES1 Enrollment Stand, Cables and Plug-In Power Supply.	334290L	US	\$342.47
SMES-M	IDENTIV, INC.	Card Enrollment Station to enroll Mag Stripe cards into a PC with Velocity software. Includes MATCH2, Mag Stripe Card Reader, ES1 Enrollment Stand, Cables and Plug-In Power Supply.	334290L	US	\$249.37
SMES-PC-RP40-USB	IDENTIV, INC.	Software Enrollment Station - Prox & PIV	334290L	US	\$581.86
SMES-TS-USB	IDENTIV, INC.	Software Enrollment Station - Prox & PIV	334290L	US	\$528.66
SMES-U	IDENTIV, INC.	Card Enrollment Station (without card reader) to enroll cards into a PC with Velocity software. Use with compatible reader heads. Includes MATCH2, ES2 Enrollment Stand, Cables and Plug-In Power Supply.	334290L	US	\$166.25
SMES-U-USB	IDENTIV, INC.	Software Enrollment Station - USB	334290L	US	\$166.25
SMRIA	IDENTIV, INC.	Blank metal faceplate assembly only. Ready to screw onto a Hirsch mounting box when ScramblePad, MATCH, or reader assembly is removed.	334290L	US	\$29.92
SNIB2	IDENTIV, INC.	Networks DIGI*TRAC controller to PC (with Velocity Version 2.6 SP2 or later only) via 10/100 Ethernet (TCP/IP), RS-232 (direct connect only), or RS-485 (solo controller only). Optically isolated RS-485 and RS-232 ports. RS-485 for multidrop between	334290L	US	\$548.61
SNIB3	IDENTIV, INC.	Networks DIGI*TRAC controller to PC (with Velocity Version 3.6 SP1 or later only) via 10/100/1000 Ethernet (TCP/IP). Optically isolated RS-485 port for multi-drop between SNIB2s at baud rates up to 115K Bps. Supports AES (128 and 256 bit Rijndael) e	334290L	US	\$1,014.11
SPSH-1	IDENTIV, INC.	ScramblePad Space Heater Assembly.	334290L	US	\$43.22

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
SSA-CLIENT-5	IDENTIV, INC.	Velocity security management application maintenance license, starts 2nd year, Server edition: Additional 5 Thick Clients. Requires VEL-SERVER or VELFED100+.	334290L	US	\$265.99
SSA-CLIENT-5-1MO	IDENTIV, INC.	Velocity security management application maintenance license, Monthly, Server edition: Additional 5 Thick Clients. Requires VEL-SERVER or VELFED100+.	334290L	US	\$28.26
SSA-CLIENT-5-3YR	IDENTIV, INC.	Velocity security management application maintenance license: 3 Year Agreement, starts 2nd year, Server edition: Additional 5 Thick Clients. Requires VEL-SERVER or VELFED100+.	334290L	US	\$774.05
SSA-CLIENT-5-5YR	IDENTIV, INC.	Velocity security management application maintenance license: 5 Year Agreement, starts 2nd year, Server edition: Additional 5 Thick Clients. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,263.48
SSA-MOD-1024	IDENTIV, INC.	Velocity security management application maintenance license, starts 2nd year, Server edition: Additional 1024 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,915.16
SSA-MOD-1024-1MO	IDENTIV, INC.	Velocity security management application maintenance license, Monthly, Server edition: Additional 1024 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$199.50
SSA-MOD-1024-3YR	IDENTIV, INC.	Velocity security management application maintenance license: 3 Year Agreement, starts 2nd year, Server edition: Additional 1024 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$5,572.59
SSA-MOD-1024-5YR	IDENTIV, INC.	Velocity security management application maintenance license: 5 Year Agreement, starts 2nd year, Server edition: Additional 1024 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$9,097.03
SSA-MOD-128	IDENTIV, INC.	Velocity security management application maintenance license, starts 2nd year, Server edition: Additional 128 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$398.99
SSA-MOD-128-1MO	IDENTIV, INC.	Velocity security management application maintenance license, Monthly, Server edition: Additional 128 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$41.56

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
SSA-MOD-128-3YR	IDENTIV, INC.	Velocity security management application maintenance license: 3 Year Agreement, starts 2nd year, Server edition: Additional 128 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,161.07
SSA-MOD-128-5YR	IDENTIV, INC.	Velocity security management application maintenance license: 5 Year Agreement, starts 2nd year, Server edition: Additional 128 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,895.21
SSA-MOD-16	IDENTIV, INC.	Velocity security management application maintenance license, starts 2nd year, Server edition: Additional 16 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$116.37
SSA-MOD-16-1MO	IDENTIV, INC.	Velocity security management application maintenance license, Monthly, Server edition: Additional 16 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$12.47
SSA-MOD-16-3YR	IDENTIV, INC.	Velocity security management application maintenance license: 3 Year Agreement, starts 2nd year, Server edition: Additional 16 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$338.64
SSA-MOD-16-5YR	IDENTIV, INC.	Velocity security management application maintenance license: 5 Year Agreement, starts 2nd year, Server edition: Additional 16 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$552.77
SSA-MOD-512	IDENTIV, INC.	Velocity security management application maintenance license, starts 2nd year, Server edition: Additional 512 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$1,063.98
SSA-MOD-512-1MO	IDENTIV, INC.	Velocity security management application maintenance license, Monthly, Server edition: Additional 512 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$111.39
SSA-MOD-512-3YR	IDENTIV, INC.	Velocity security management application maintenance license: 3 Year Agreement, starts 2nd year, Server edition: Additional 512 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$3,096.18
SSA-MOD-512-5YR	IDENTIV, INC.	Velocity security management application maintenance license: 5 Year Agreement, starts 2nd year, Server edition: Additional 512 Modules. Requires VEL-SERVER or VELFED100+.	334290L	US	\$5,053.90

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
SSA-MX-1-W	IDENTIV, INC.	Velocity security management application maintenance license, starts 2nd year, Server edition: Add 8 Wireless Locks, counts against module license, must use Mx-1 controller. Requires VEL-SERVER or VELFED100+.	334290L	US	\$106.40
SSA-MX-1-W-1MO	IDENTIV, INC.	Velocity security management application maintenance license, Monthly, Server edition: Add 8 Wireless Locks, counts against module license, must use Mx-1 controller. Requires VEL-SERVER or VELFED100+.	334290L	US	\$11.64
SSA-MX-1-W-3YR	IDENTIV, INC.	Velocity security management application maintenance license: 3 Year Agreement, starts 2nd year, Server edition: Add 8 Wireless Locks, counts against module license, must use Mx-1 controller. Requires VEL-SERVER or VELFED100+.	334290L	US	\$309.88
SSA-MX-1-W-5YR	IDENTIV, INC.	Velocity security management application maintenance license: 5 Year Agreement, starts 2nd year, Server edition: Add 8 Wireless Locks, counts against module license, must use Mx-1 controller. Requires VEL-SERVER or VELFED100+.	334290L	US	\$505.39
SSA-VEL-EXPRESS	IDENTIV, INC.	Velocity security management Express maintenance license - Yearly; service for support of 32 modules, a single workstation and application features. One license required per Velocity Express version 3.7 or higher, starts second year, required for acc	334290L	US	\$99.75
SSA-VEL-EXPRESS-3YR	IDENTIV, INC.	Velocity security management server maintenance license - 3 Year Agreement; service for support of 32 modules, a single workstation and application features. One license required per Velocity Express version 3.7 or higher, starts second year, require	334290L	US	\$290.27
SSA-VEL-EXPRESS-5YR	IDENTIV, INC.	Velocity security management server maintenance license - 5 Year Agreement; service for support of 32 modules, a single workstation and application features. One license required per Velocity Express version 3.7 or higher, starts second year, require	334290L	US	\$473.80
SSA-VELFED100	IDENTIV, INC.	Velocity security management server maintenance license - yearly; service for support of up to 64 modules, 10 client connections and application features. One license required per Velocity Server version 3.7 or higher, starts second year, required fo	334290L	US	\$398.99
SSA-VELFED250	IDENTIV, INC.	Velocity security management server maintenance license - Yearly; service for support of up to 64 modules, 10 client connections and application features. One license required per Velocity Server version 3.7 or higher, starts second year, required fo	334290L	US	\$359.09
SSA-VEL-SERVER	IDENTIV, INC.	Velocity security management server maintenance license - Yearly; service for support of 64 modules, 10 thick client connections and application features. One license required per Velocity Server version 3.7 or higher, starts second year, required fo	334290L	US	\$398.99

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
SSA-VEL-SERVER-3YR	IDENTIV, INC.	Velocity security management server maintenance license - 3 Year Agreement; service for support of 64 modules, 10 thick client connections and application features. One license required per Velocity Server version 3.7 or higher, starts second year, r	334290L	US	\$1,161.07
SSA-VEL-SERVER-5YR	IDENTIV, INC.	Velocity security management server maintenance license - 5 Year Agreement; service for support of 64 modules, 10 thick clients and application features. One license required per Velocity Server version 3.7 or higher, starts second year, required for	334290L	US	\$1,895.21
STR-1	IDENTIV, INC.	(8Hr/Day) Rate. Subject to Instructor availability. Excludes Equipment, Freight, Travel & Living Expense. Standard Course only, 8 Students or Less. Custom or Modified standard courses - contact Learning Center for Special Quote. Expenses, including t	334290L	US	\$1,662.47
STR-C	IDENTIV, INC.	This courses covers the material in the Hardware, Velocity Operator, and Administrator Courses in a hand-ons classroom environment.	334290L	US	\$1,130.48
SWBOXSIM	IDENTIV, INC.	Switchbox to simulate 2 doors and 4 alarms. Doors have an MELM3 connected to a toggle switch for the door contact, a NO pushbutton for the RQE and a NC pushbutton for the Tamper. Alarm have an MELM1 connected to a NC pushbutton for the alarm input	334290L	US	\$199.50
TRANSORB	IDENTIV, INC.	Ground line suppression for ScramblePads and MRIBs. Package of 50	334290L	TW	\$66.50
UMK	IDENTIV, INC.	ADA Style, for use with MB2. Adjustable for slope, semi-flush or flush mounting. Includes 5/32 hex key. 7 3/8"H x 5 7/8"W. 5 7/16"H (flush, semiflush) 6 9/16"H (sloped) x 4 7/16"W x 3"D (flush) 2"D (semiflush) 2 1/2"D (sloped) cutout.	334290L	US	\$28.26
USB-BIO-FICAM	IDENTIV, INC.	Card enrollment accessories to connect PIV and FICAM compatible credentials into a PC with Velocity software. Includes USB fingerprint verification pedestal. Requires Velocity 3.6 SP2.1 or later.	334290L	US	\$332.49
VEL2VMS-M	IDENTIV, INC.	Velocity to Visitor Management Software Integration software Annual Maintenance Agreement. Required after first year.	334290L	US	\$930.98
VEL-3VR-PLUGIN	IDENTIV, INC.	Velocity Integration for 3VR	334290L	US	\$1,329.97
VEL-AD-PLUGIN	IDENTIV, INC.	Velocity Integrations for American Dynamics	334290L	US	\$1,329.97
VEL-AVENTURA-PLUGIN	IDENTIV, INC.	Velocity Integration for Aventura NVR	334290L	US	\$1,329.97

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
VEL-CCC-C	IDENTIV, INC.	Installation of Client Edition of Hirsch Velocity and SQL Database Software on Hirsch Management System. Includes loading Hirsch software (ordered separately), checking and verifying OS & setup files. Computer & OS must meet specifications for use as	334290L	US	\$664.99
VEL-CCC-S	IDENTIV, INC.	Installation of Server Edition of Hirsch Velocity and SQL Database Software on a purchased Hirsch Management System. Includes loading Hirsch software (ordered separately), checking and verifying OS & setup files. Computer & OS must meet specification	334290L	US	\$1,462.97
VEL-DBRB	IDENTIV, INC.	Factory Services to rebuild customer provided Velocity database after corruption. Badly damaged databases may not be repairable.	334290L	US	\$1,994.96
VEL-EXACQ-PLUGIN	IDENTIV, INC.	Velocity Integration for Exacq	334290L	US	\$1,329.97
VEL-EXPRESS	IDENTIV, INC.	Velocity security management application software, Express edition: Users, readers and web client connections are unrestricted. Includes all Velocity standard features such as graphics/badging module and Velocity Web Console. DVD installs 30-day demo	334290L	US	\$498.74
VELFED100	IDENTIV, INC.	Velocity security management application software, Server edition: Users and web client connections are unrestricted. This version is used for government accreditation and approvals. Adds basic support for PIV/CAC/TWIC. Includes all Velocity standa	334290L	US	\$1,994.96
VELFED250	IDENTIV, INC.	Current version Velocity security management application software. Federal/Government edition: For use by customers with between 101-250 sites or servers. Users (unlimited), doors (64), and client connections (10) are licensed. Includes all Velocit	334290L	US	\$1,795.47
VEL-MEDIA	IDENTIV, INC.	Velocity security management application software. DOWNLOAD VELOCITY WITH QUALIFIED PURCHASE. DVD installs 30-day demonstration version. License key enables unrestricted use on single workstation or server. Designed for single and networked DIGI*TRAC	334290L	US	\$49.87
VEL-SERVER	IDENTIV, INC.	Velocity security management application software, Server edition: Users and web client connections are unrestricted. Includes all Velocity standard features such as graphics/badging module and Velocity Web Console. DVD installs 30-day demonstration	334290L	US	\$1,994.96
VEL-UPDSUITE	IDENTIV, INC.	Upgrades Velocity Single User, Server and Client application software from Verson 2.0 or later to the latest version (3.1 R2 at publication). All intermediate Version Updates. Includes support for new installations for backup and ongoing expansion.	334290L	US	\$531.99
VEL-VCCS	IDENTIV, INC.	Velocity Certificate Checking Service license included; service for support of PIV/CAC/TWIC certificate checking for FICAM compliance. One license required per Velocity Server version 3.6 SP2 or higher.. Requires VEL36-FED-VUE. Professional Services	334290L	US	\$2,659.95

## Identiv, Inc.'s GSA Net Pricebook

PART NUMBER	MANUFACTURER	DESCRIPTION	SIN	CoO	GSA NET
VEL-VCCS-M	IDENTIV, INC.	Velocity Certificate Checking Service maintenance license - Yearly; service for support of PIV/CAC/TWIC certificate checking for FICAM compliance. One license required per Velocity Server version 3.6 SP2 or higher, starts second year, required for ac	334290L	US	\$531.99
VEL-VCCS-M-3YR	IDENTIV, INC.	Velocity Certificate Checking Service maintenance license - 3 year agreement; service for support of PIV/CAC/TWIC certificate checking for FICAM compliance. One license required per Velocity Server version 3.6 SP2 or higher, starts second year, requi	334290L	US	\$1,548.09
VEL-VCCS-M-5YR	IDENTIV, INC.	Velocity Certificate Checking Service maintenance license - 5 year agreement; service for support of PIV/CAC/TWIC certificate checking for FICAM compliance. One license required per Velocity Server version 3.6 SP2 or higher, starts second year, requi	334290L	US	\$2,526.95
VEL-VSM-PLUGIN	IDENTIV, INC.	Velocity Integration for Cisco VSM	334290L	US	\$1,329.97
V-PIVAUTH	IDENTIV, INC.	Stealth Dual: For PIV, PIV-I, CAC, TWIC, ISO 7816 & ISO 14443. Compact form factor (5" X 3" X 1.5"); dual card read interface (contact & contactless); LEDs and audible signaling; metal domed backlit keypad for tactile feedback; Wiegand & RS-485; IP-6	334290L	US	\$977.53
V-PIVAUTH-BIO	IDENTIV, INC.	Stealth Bio: For PIV, PIV-I, CAC, TWIC, ISO 7816 & ISO 14443. Compact form factor (7" X 3" X 1.5"); dual card read interface (contact & contactless); fingerprint biometrics; LEDs and audible signaling; metal domed backlit keypad for tactile feedback;	334290L	US	\$1,728.97