

MAS

Multiple Award Schedule

Federal Supply Service- Authorized Federal Supply Schedule Price List



www.BWSystems.net
GSASales@BWSystems.net

**Southern Colorado
Office**
4305 Northpark Drive
Colorado Springs, CO
80907

Phone: 719-633-0718
Fax: 719-633-8351

**Northern Colorado
Office**
1831 Lefthand Circle,
Suite B
Longmont, CO 80501

Phone: 720-652-0495
Fax: 720-652-0410

Company Name: **B W Electric, Inc DBA B W Systems**

Contract Number: **GS-07F-093CA**

Period Covered by Contract: **March 1, 2015** thru **February 28, 2025**

Pricelist current through Modification **PS-0045**, dated **9/17/2020**

Contact for Contract Administration

Primary: Steve Cress, Director of Sales, scress@BWSystems.net

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!®, a menu-driven database system. The INTERNET address GSA Advantage!® is: GSAAdvantage.gov.

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.

TABLE OF CONTENTS

1.	TABLE OF AWARDED SIN	1
1B.	IDENTIFICATION OF THE LOWEST PRICED MODEL AND LOWEST UNIT PRICE FOR THAT MODEL FOR EACH SPECIAL ITEM NUMBER AWARDED IN THE CONTRACT	1
1C.	DESCRIPTION OF PROPOSED HOURLY RATES	1
2.	MAXIMUM ORDER	1
3.	MINIMUM ORDER	2
4.	GEOGRAPHIC COVERAGE.....	2
5.	POINT OF PRODUCTION	2
6.	DISCOUNT FROM LIST	2
7.	QUANTITY DISCOUNT	2
8.	PROMPT PAYMENT TERMS	2
9.	NOTIFICATION THAT GOVERNMENT PURCHASE CARDS ARE ACCEPTED AT OR BELOW THE MICRO-PURCHASE THRESHOLD	2
9B.	NOTIFICATION WHETHER GOVERNMENT PURCHASE CARDS ARE ACCEPTED OR NOT ACCEPTED ABOVE THE MICRO-PURCHASE THRESHOLD	2
10.	FOREIGN ITEMS.....	2
11.	TIME OF DELIVERY	2
11B.	EXPEDITED DELIVERY	2
11C.	OVERNIGHT AND 2-DAY DELIVERY	2
11D.	URGENT REQUIREMENTS	2
12.	F.O.B. TERMS.....	2
13.	ORDERING ADDRESS	3
13B.	ORDERING PROCEDURES	3
14.	PAYMENT ADDRESS	3
15.	WARRANTY PROVISION	3
16.	EXPORT PACKING CHARGES.....	3
17.	TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE (ANY THRESHOLD ABOVE THE MICRO-PURCHASE LEVEL).	3
18.	TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR.....	3
19.	TERMS AND CONDITIONS OF INSTALLATION.....	3
20.	TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATES OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES	3
20A.	TERMS AND CONDITIONS FOR ANY OTHER SERVICES.....	3
21.	LIST OF SERVICE AND DISTRIBUTION POINTS.....	3
22.	LIST OF PARTICIPATING DEALERS	3
23.	PREVENTIVE MAINTENANCE	4
24.	SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (E.G., RECYCLED CONTENT, ENERGY EFFICIENCY, AND/OR REDUCED POLLUTANTS.....	4
24B.	SECTION 508 COMPLIANCE	4
25.	DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER	4
26.	NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE. 4	4

Customer Information

1. TABLE OF AWARDED SIN

SINS	DESCRIPTION	ATTACHMENT
238910	INSTALLATION AND SITE PREPARATION SERVICE	1
541330L	SECURITY SYSTEM INTEGRATION, DESIGN, MANAGEMENT, AND LIFE CYCLE SUPPORT	1
334512	TOTAL SOLUTION SUPPORT PRODUCTS FOR FACILITIES MANAGEMENT SYSTEMS	2
334290L	PHYSICAL ACCESS CONTROL SYSTEMS (PACS) - LEGACY SIN	2
334220	SURVEILLANCE SYSTEMS, WEARABLE BODY CAMERAS, AND VEHICULAR VIDEO	2
OLM	ORDER-LEVEL MATERIALS (OLM)	N/A

1b. IDENTIFICATION OF THE LOWEST PRICED MODEL AND LOWEST UNIT PRICE FOR THAT MODEL FOR EACH SPECIAL ITEM NUMBER AWARDED IN THE CONTRACT

SIN	PRODUCT NUMBER	PRODUCT NAME	GSA NET PRICE
541330L	N/A FOR SERVICES		
238910	N/A FOR SERVICES		
OLM	N/A FOR ORDER-LEVEL MATERIALS		
334512	SWG-1490	ONGUARD ACCESS CONTROL	\$0.32
334290L	ISO-PVC	CREDENTIALS	\$0.25
334220	ML-MCPR-DXPCOM-**	VIDEO MANAGEMENT SOLUTIONS	\$0.02

1c. DESCRIPTION OF PROPOSED HOURLY RATES

Title	Description
Project Designer	The Project Designer works closely with the end-user/client to engineer and design a comprehensive and expandable unified security, asset protection and process surveillance solution to fit their needs. The Project Designer works beside the Project Manager to translate scope, goals, and timeframes.
Project Manager	The Project Manager acts as the onsite manager and overall point of contact for specific projects. The Project Manager directs and coordinates with project-specific staff and reviews work products for completeness and adherence to customer requirements. The Project Manager develops overall project milestones and monitors the execution of the project against planned timelines.
Installer	The installer provides on-site installation of product solutions. The Installer's function varies per project and may include the installation of advanced detection devices, proximity card readers, physical access control doors controllers, and many other options to meet the client's security needs.
Technician	The Technician provides on-site programming, installation and maintenance. The Technician works in tandem with the installer to provide technical requirements of security product solutions including programming and troubleshooting the access control systems.



2. **MAXIMUM ORDER**
\$250,000 for all SINS.
3. **MINIMUM ORDER**
\$100
4. **GEOGRAPHIC COVERAGE**
Domestic, 50 states, Washington, DC and to a CONUS port or consolidation point for orders received from overseas activities.
5. **POINT OF PRODUCTION**
Santa Maria, CA
6. **DISCOUNT FROM LIST**
Prices shown are net prices; basic discounts have been deducted
7. **QUANTITY DISCOUNT**
Additional 0.5% on orders \$1,000,000 or more
8. **PROMPT PAYMENT TERMS**
Net 30 Days
9. **NOTIFICATION THAT GOVERNMENT PURCHASE CARDS ARE ACCEPTED AT OR BELOW THE MICRO-PURCHASE THRESHOLD**
B W Systems will accept Government purchase cards at or below the micro-purchase threshold.
- 9b. **NOTIFICATION WHETHER GOVERNMENT PURCHASE CARDS ARE ACCEPTED OR NOT ACCEPTED ABOVE THE MICRO-PURCHASE THRESHOLD**
B W Systems will accept Government purchase cards above the micro-purchase threshold.
10. **FOREIGN ITEMS**
None
11. **TIME OF DELIVERY**
Shipped 30 days ARO
- 11b. **EXPEDITED DELIVERY**
Shipped 15 days ARO, subject to availability
- 11c. **OVERNIGHT AND 2-DAY DELIVERY**
Contact the Contractor's representative to affect a faster delivery.
- 11d. **URGENT REQUIREMENTS**
Contact the Contractor's representative to affect a faster delivery.
12. **F.O.B. TERMS**
Origin.



13. ORDERING ADDRESS

BW Electric, Inc.
4305 Northpark Dr
Colorado Springs, CO 80907

13b. ORDERING PROCEDURES

For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3

14. PAYMENT ADDRESS

BW Electric, Inc.
4305 Northpark Dr.
Colorado Springs, CO 80907

15. WARRANTY PROVISION

Standard Commercial Warranty.

16. EXPORT PACKING CHARGES

Not applicable.

17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE (ANY THRESHOLD ABOVE THE MICRO-PURCHASE LEVEL).

Not applicable.

18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR

Returns are subject to a 20% restocking charge; Ingersoll Rand/Schlage products incur a 35% restocking charge. Returned items must be unused and in the same condition as when shipped by B W Systems. The restocking charge shall NOT apply to Products returned because they are defective or non-conforming. NO Products may be returned to B W Systems for restocking after ninety (90) days from shipment by B W Systems.

19. TERMS AND CONDITIONS OF INSTALLATION

Not applicable.

20. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATES OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES

Not applicable.

20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES

Not applicable.

21. LIST OF SERVICE AND DISTRIBUTION POINTS

BW Electric, Inc. dba B W Systems
4305 Northpark Dr
Colorado Springs, CO 80907

BW Electric, Inc. dba B W Systems



1831 Lefthand Circle, Suite B
Longmont, CO 80501

22. LIST OF PARTICIPATING DEALERS

Not applicable.

23. PREVENTIVE MAINTENANCE

Not applicable.

24. SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (E.G., RECYCLED CONTENT, ENERGY EFFICIENCY, AND/OR REDUCED POLLUTANTS

Not applicable.

24b. SECTION 508 COMPLIANCE

Products in this pricelist are not subject to Section 508 compliance. The EIT standard can be found at:
www.Section508.gov/

25. DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER

099904609

26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE.

B W Systems is registered in the SAM Database formerly known as CCR; Cage code 0ER91

Attachment 1: Service Pricing

SIN	Title	Minimum Education	Minimum Experience	GSA Rate W/FF
541330L 238910	Project Designer	High School	6 Years	\$ 110.33
541330L 238910	Project Manager	High School	4 Years	\$ 99.29
541330L 238910	Installer	High School	2 Years	\$ 55.16
541330L 238910	Technician	High School	2 Years	\$ 84.58

Service Contract Act (SCA) Matrix

SCA Eligible Contract Labor Category	SCA Equivalent Code Title	WD Number
Installer	23181: Electronics Technician Maintenance I	05-2081, Revision 12
Technician	23182: Electronics Technician Maintenance II	05-2081, Revision 12

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

Attachment 2: Product Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01003-001	AXIS F1004 PINHOLE SENSOR UNIT	AXIS F1004 Pinhole Sensor Unit. Pinhole lens for extremely discreet surveillance. Provides HDTV 720p and 57° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. Comes with a mounting bracket for the sensor unit.	\$107.05
334220	AXIS	01013-001	AXIS Q8741-LE 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$10,434.13
334220	AXIS	01017-001	AXIS Q8742-LE 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$13,132.85
334220	AXIS	01019-001	AXIS Q8742-LE ZOOM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$21,228.99
334220	AXIS	01021-001	AXIS Q3517-LV	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.	\$988.63
334220	AXIS	01022-001	AXIS Q3517-LVE	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$1,123.57
334512	AXIS	01025-001	AXIS C8033 NETWORK AUDIO BRIDGE	AXIS C8033 Network Audio Bridge is a smart solution for connecting and combining analog and digital audio systems. With this scalable and cost-efficient product, you can connect analog audio sources to Axis network speaker system, connect digital audio sources to an analog speaker system, or combine analog and digital speaker systems to act as one. Based on open standards, the audio bridge is easily integrated with other systems. It is small, easy to place, and easy to connect using Power over Ethernet.	\$179.01
334512	AXIS	01033-001	AXIS D2050-VE	Phased array FMCW (Frequency Modulated Continuous Wave), 24 GHz outdoor radar motion detector. 120 degrees horizontal and 5-50 meter detection range (16-164 feet). Serves as a complement to video surveillance and enables filtering on distance, customizable detection zones, and autotracking for PTZ cameras. Trigger events to activate camera recording, audio notification or light for deterrence. Open API for software integration, microSD/SDHC memory card slot for edge storage, 4 input/output ports, 24 V DC relay port. Wall mount. Powered by PoE+ (IEEE 802.3at, Type 2 Class 4), IP66, IK08 and NEMA 4X. Operating conditions -40°C to 60°C (-40°F to 140°F). Midspan not included.	\$1,168.54
334220	AXIS	01036-001	AXIS M3106-L MK II	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$376.92
334220	AXIS	01037-001	AXIS M3106-LVE MK II	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$421.90
334220	AXIS	01051-001	AXIS Q1647	1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-Iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.	\$1,258.50
334220	AXIS	01051-041	AXIS Q1647 BARE BONE	AXIS Q1647 Barebone in single pack. No lens. No power supply.	\$1,078.59
334220	AXIS	01052-001	AXIS Q1647-LE	1/2" sensor, outdoor, NEMA 4X, IP66 and IK10-rated, 5 MP, Day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-Iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm and shock detection. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.	\$1,528.37
334220	AXIS	01054-001	AXIS P1447-LE	Compact outdoor, 5MP resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-Iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 30 meters (98 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C (-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	\$673.78

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01055-001	AXIS P1448-LE	Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-9.8 mm F1.6 P-Iris lens with remote 3.5x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 25 meters (82 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	\$853.69
334220	AXIS	01056-001	AXIS P3374-V	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$538.84
334220	AXIS	01058-001	AXIS P3374-LV	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$628.80
334220	AXIS	01060-001	AXIS P3375-V	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$628.80
334220	AXIS	01061-001	AXIS P3375-VE	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Operation in -40 °C to 55 °C (-40 °F to 131 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$808.72
334220	AXIS	01062-001	AXIS P3375-LV	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$718.76
334220	AXIS	01063-001	AXIS P3375-LVE	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Operation in -40 °C to 55 °C (-40 °F to 131 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$898.67
334220	AXIS	01071-001	AXIS P3904-R Mk II M12	720p fixed dome onboard camera with female M12 D-coded connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$403.91
334220	AXIS	01071-021	AXIS P3904-R MkII (M12) in bulk 10-PCS	AXIS P3904-R MkII (M12) in bulk 10-pack. 720p fixed dome onboard camera with female M12 D-coded connector.	\$3,836.67
334220	AXIS	01071-031	AXIS P3904-R Mk II M12 BULK 50PCS	AXIS P3904-R MkII (M12) in bulk 50-pack. 720p fixed dome onboard camera with female M12 D-coded connector.	\$19,159.98
334220	AXIS	01072-001	AXIS P3905-R Mk II	1080p fixed dome onboard camera with male RJ-45 network connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$493.86
334220	AXIS	01072-021	AXIS P3905-R MkII (RJ45) in bulk 10-PCS	AXIS P3905-R MkII (RJ45) in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-45 network connector.	\$4,691.27
334220	AXIS	01072-031	AXIS P3905-R MkII (RJ45) in bulk 50-PCS	AXIS P3905-R MkII (RJ45) in bulk 50-pack. 1080p fixed dome onboard camera with male RJ-45 network connector.	\$23,387.97
334220	AXIS	01073-001	AXIS P3905-R Mk II M12	1080p fixed dome onboard camera with female M12 D-coded connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$493.86
334220	AXIS	01073-021	AXIS P3905-R MkII (M12) in bulk 10-PCS	AXIS P3905-R MkII (M12) in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector.	\$4,691.27
334220	AXIS	01073-031	AXIS P3905-R Mk II M12 BULK 50 PCS	AXIS P3905-R MkII (M12) in bulk 50-pack. 1080p fixed dome onboard camera with female M12 D-coded connector.	\$23,387.97
334220	AXIS	01074-001	AXIS P3915-R Mk II	1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$538.84
334220	AXIS	01074-021	AXIS P3915-R MkII (RJ45) in bulk 10-PCS	AXIS P3915-R MkII (RJ45) in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O.	\$5,118.56
334220	AXIS	01074-031	AXIS P3915-R Mk II BULK 50 PCS	AXIS P3915-R MkII (RJ45) in bulk 50-pack. 1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O.	\$25,546.94
334220	AXIS	01075-001	AXIS P3915-R Mk II M12	1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$538.84
334220	AXIS	01075-021	AXIS P3915-R MkII (M12) in bulk 10-PCS	AXIS P3915-R MkII (M12) in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O.	\$5,118.56
334220	AXIS	01075-031	AXIS P3915-R Mk II M12 BULK 50 PCS	AXIS P3915-R MkII (M12) in bulk 50-pack. 1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O.	\$25,546.94
334220	AXIS	01078-001	AXIS P3904-R Mk II	720p fixed dome onboard camera with male RJ-45 network connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$403.91
334220	AXIS	01078-021	AXIS P3904-R MkII (RJ45) in bulk 10-PCS	AXIS P3904-R MkII (RJ45) in bulk 10-pack. 720p fixed dome onboard camera with male RJ-45 network connector.	\$3,836.67
334220	AXIS	01078-031	AXIS P3904-R Mk II BULK 50 PCS	AXIS P3904-R MkII (RJ45) in bulk 50-pack. 720p fixed dome onboard camera with male RJ-45 network connector.	\$19,159.98
334220	AXIS	01079-001	AXIS M5054	Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocus, HDTV 720p (1280x720) 25/30fps in H.264 with Zipstream and Motion JPEG. IP51 protection against dust and water. Basic analytics are included. Only PoE, midspan not included. Surface ceiling mounting brackets included	\$448.89
334220	AXIS	01085-001	AXIS T92G20 OUTDOOR HOUSING	Outdoor PoE+ camera housing with IR illumination, window & camera heaters, and fan. Compatible with AXIS Q1645 and AXIS Q1647. Polycarbonate sunshield, aluminum wall mount and torx screwdriver included.	\$430.89
334220	AXIS	01092-001	XF40-Q2901 CSA 8.3FPS 19MM-40C	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to CSA. Certification part code 1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three M20 cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$17,090.96

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01101-001	XP40-Q1942 CSA 8.3FPS 19MM -40C	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$22,488.40
334220	AXIS	01107-004	AXIS M5065 US	Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocus. HDTV 1080p (1920x1080) 30fps in H.264 with Zipstream and Motion JPEG. IP51 protection against dust and water. Basic analytics are included. Only PoE, midspan not included. Surface ceiling mounting brackets included 4 wireless I/O using Z-wave communication.	\$538.84
334220	AXIS	01111-001	XF40-Q1765 -50C UL	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-15. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$7,105.72
334220	AXIS	01113-001	XP40-Q1765 -50C UL	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$18,620.24
334220	AXIS	01118-001	AXIS Q1659 55-250MM F/4-5.6	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Ziplens that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing	\$4,676.87
334220	AXIS	01119-001	AXIS Q8641-E 35MM 30 FPS 24V	High accuracy outdoor PT positioning thermal camera. 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$5,216.62
334220	AXIS	01121-001	AXIS Q8642-E 60MM 30 FPS 24V	High accuracy outdoor PT positioning thermal camera. 640x480 resolution, 30 fps and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$8,545.03
334220	AXIS	01124-001	XF60-Q1765 -50C 110V UL	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL2410-02. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$7,555.50
334220	AXIS	01126-001	XP40-Q1765 -50C 110V UL	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67 rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110VAC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$18,890.11
334220	AXIS	01128-001	XF40-Q2901 CSA 8.3FPS 19MM -60C	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to CSA. Certification part code 1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three M20 cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$17,630.71
334220	AXIS	01133-001	XF40-Q2901 UL 8.3FPS 19MM 50C	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$18,890.11
334220	AXIS	01135-001	XF60-Q2901 UL 8.3FPS 19MM 50C 110V	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. It supports ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$19,609.77

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01137-001	XP40-Q1942 CSA 8.3FPS 19MM -60C	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$23,387.97
334220	AXIS	01142-001	XP40-Q1942 UL 8.3FPS 19MM 50C	Explosion-protected 316L stainless steel PT Thermal Network camera certified for hazardous areas according to UL. Certification part code UL1410-10-TI-50/UL2420-01. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$26,536.47
334220	AXIS	01144-001	XP40-Q1942 UL 8.3FPS 19MM 50C 110V	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$26,986.25
334220	AXIS	01160-001	AXIS T6101 AUDIO AND I/O INTERFACE	AXIS T6101 Audio and I/O interface enabling two-way audio and configurable supervised inputs / digital outputs for Axis cameras that do not have such functionality built-in. Powered by standard Power over Ethernet, no midspan included. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	\$89.06
334220	AXIS	01161-001	AXIS Q1785-LE	Robust outdoor, 2 MP/HDTV, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.	\$1,078.59
334220	AXIS	01162-001	AXIS Q1786-LE	Robust outdoor, 4 MP/Quad HD1440p, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1440p /4MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.	\$1,258.50
334220	AXIS	01168-001	AXIS P1290-E 4 MM 8.3 FPS	AXIS P1290-E Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/ 39.4ft cable and dome casing. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. The camera provides 208x156 resolution, a 4 mm lens with 35.4° horizontal FOV. It supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, edge storage using microSD card and built-in analytics with support for AXIS Camera Application Platform, which enables the usage of a broad range of third-party applications. The main unit is powered with PoE. The sensor unit has 12 m/39.4 ft cable.	\$763.74
334512	AXIS	01170-001	POWER SUPPLY PS24 240 W	24V DC power supply with 240 W output power.	\$206.00
334512	AXIS	01171-001	EX WALL MOUNT XF60	Electro-polished 316L stainless steel wall mount for XF60, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Ex pole mount XF40, for pole mounting. It features a swivel movement of pan ±90° and tilt 60° down.	\$898.67
334220	AXIS	01182-001	RJ12 PLUG SHIELDED 10 PCS	Shielded RJ12 connectors for use with AXIS modular cameras. 10-pack.	\$26.09
334220	AXIS	01186-004	AXIS T8705 VIDEO DECODER	Network Video Decoder for easy display of video from IP cameras on big screens. With the 1080p HDMI output, Ethernet input and compact size, it is very easy to setup and use. It can display the video both as sequence or multimode and with the integrated VAPIX support, it automatically finds Axis cameras on the network for plug-and-play configuration.	\$268.97
334512	AXIS	01191-004	AXIS T8508 POE+ NETWORK SWITCH	PoE+ managed fanless gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 8 PoE+ ports with 130W power supply. Built in DCHP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$358.93
334512	AXIS	01192-004	AXIS T8524 POE+ NETWORK SWITCH	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 24 PoE+ ports with 370W power supply. Built in DCHP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$808.72
334512	AXIS	01208-001	2N SIP MIC	2N SIP Mic allows paging to several zones with a simple push of a button. It is ideal for live or pre-recorded announcements. It has a built-in audio-management server for configuration, which means less equipment as well as flexible, easy and cost-efficient installation. The network microphone console has 12 buttons that can be configured with actions of your choice. 2N SIP Mic's 12 buttons give you a smart paging solution for up to 12 zones, and if your system grows you can easily connect the microphone console to a PBX system thanks to support for SIP. The microphone is based on open standards and connects to standard networks using PoE.	\$988.63
334220	AXIS	01210-001	AXIS T90D20 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$403.91
334220	AXIS	01211-001	AXIS T90D20 POE IR-LED	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$403.91
334220	AXIS	01212-001	AXIS T90D30 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$718.76
334220	AXIS	01213-001	AXIS T90D30 POE IR-LED	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$718.76
334220	AXIS	01214-001	AXIS T90D40 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°-140° beam angles. Beam distance ranges 105m to 500m (345ft to 1640ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$1,078.59

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01215-001	AXIS T90D25 W-LED	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$403.91
334220	AXIS	01216-001	AXIS T90D25 POE W-LED	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$403.91
334220	AXIS	01217-001	AXIS T90D35 W-LED	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$718.76
334220	AXIS	01218-001	AXIS T90D35 POE W-LED	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$718.76
334220	AXIS	01219-001	AXIS T90 WALL-AND-POLE MOUNT	Mounting bracket for AXIS T90 illuminators.	\$35.08
334220	AXIS	01220-001	AXIS T90 SINGLE BRACKET	Mounting bracket for AXIS T90 illuminators.	\$44.08
334220	AXIS	01221-001	AXIS T90 MULTI BRACKET	Mounting bracket for AXIS T90 illuminators.	\$62.07
334220	AXIS	01222-001	AXIS Q1645	1/2" image sensor, HDTV, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.	\$1,078.59
334220	AXIS	01222-041	AXIS Q1645 BARE BONE	AXIS Q1645 Barebone in single pack. No lens. No power supply.	\$898.67
334220	AXIS	01223-001	AXIS Q1645-LE	1/2" image sensor, outdoor, NEMA 4X, IP66 and IK10-rated HDTV, day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.	\$1,348.46
334220	AXIS	01226-001	AXIS T99A10 24V AC/DC	High accuracy outdoor positioning unit with AXIS T93F10 camera housing. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. Recommended for AXIS P13 and Q16 network camera series. Optional wall mount and pole mount accessories available separately.	\$1,618.33
334220	AXIS	01227-001	AXIS T99A11 24V AC/DC	High accuracy outdoor positioning unit to be used with PT Mount models in AXIS Q19 and Q29 series. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Optional wall mount and pole mount accessories available separately. Powered by 24 V AC/DC.	\$1,618.33
334290L	AXIS	01230-001	AXIS T6112 AUDIO AND I/O INTERFACE	AXIS T6112 Audio and I/O Interface combines AXIS T6101 Audio and I/O Interface with an omnidirectional microphone in a discreet casing suitable for indoor installation on wall or ceiling. Powered by standard Power over Ethernet, no midspan included. Two-way audio and configurable supervised inputs / digital outputs for Axis cameras that do not have such functionality built-in. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	\$134.04
334220	AXIS	01234-004	AXIS Q6125-LE 60HZ	Top of the line PTZ with IR, HDTV 1080 and 30x optical zoom, H264/265 with Zipstream and Motion JPEG. IP66 for both indoor and outdoor use, WDR . Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keeper analytics. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot and RJ45 input included.	\$2,697.82
334220	AXIS	01235-001	AXIS IR LENS D 120 DEG	Accessory lens providing 120° beam angle	\$35.08
334220	AXIS	01237-001	AXIS Q3517-SLVE	Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for Forensic WDR, Lightfinder and OptimizedIR IR illumination. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$1,213.52
334220	AXIS	01252-001	2N IP VERSO - INFOPANEL	2N IP Verso - Infopanel	\$89.96
334220	AXIS	01253-001	2N IP VERSO - KEYPAD	2N IP Verso - Keypad	\$215.00
334220	AXIS	01254-001	2N IP VERSO - KEYPAD BLACK	2N IP Verso - Keypad, black	\$215.00
334220	AXIS	01255-001	2N IP VERSO - RFID 125kHz	2N IP Verso - RFID 125kHz card reader	\$118.74
334220	AXIS	01257-001	2N IP VERSO - I/O	2N IP Verso - 2 inputs and 2 output relays. This module is installed beneath other modules.	\$53.97
334220	AXIS	01258-001	2N IP VERSO - 5 BUTTONS	2N IP Verso - 5 buttons	\$116.94
334220	AXIS	01259-001	2N IP VERSO - WIEGAND	2N IP Verso - Wiegand. This module is installed beneath other modules.	\$80.96
334220	AXIS	01260-001	2N IP VERSO - TAMPER SWITCH	2N IP Verso - Tamper switch. This module is installed beneath other modules.	\$35.08
334220	AXIS	01261-001	2N IP VERSO - BLIND PANEL	2N IP Verso - Blind panel	\$21.59
334220	AXIS	01263-001	2N IP VERSO - INDUCTION LOOP	2N IP Verso - Induction loop	\$202.40
334220	AXIS	01266-001	2N IP VERSO - BLUETOOTH	2N IP Verso - Bluetooth	\$278.87
334220	AXIS	01267-001	2N IP VERSO - EXTENSION CABLE 1M	2N IP Verso - Extension cable 1m	\$17.09
334220	AXIS	01268-001	2N IP VERSO - EXTENSION CABLE 3M	2N IP Verso - Extension cable 3m	\$17.99
334220	AXIS	01269-001	2N IP VERSO - EXTENSION CABLE 5M	2N IP Verso - Extension cable 5m	\$23.39
334220	AXIS	01270-001	2N IP VERSO - BLIND BUTTON	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module.	\$19.79
334220	AXIS	01271-001	2N IP VERSO - MAIN WO CAMERA	2N IP Verso - Main unit without camera	\$474.97
334220	AXIS	01272-001	2N IP VERSO - MAIN WO CAMERA BLACK	2N IP Verso - Main unit without camera, black	\$474.97
334220	AXIS	01273-001	2N IP VERSO - MAIN W CAMERA	2N IP Verso - Main unit with camera	\$895.07
334220	AXIS	01274-001	2N IP VERSO - MAIN W CAMERA BLACK	2N IP Verso - Main unit with camera, black	\$895.07
334220	AXIS	01275-001	2N IP VERSO - TOUCH DISPLAY	2N IP Verso - Touch display	\$692.67
334220	AXIS	01276-001	2N IP VERSO - FINGERPRINT	2N IP Verso - Fingerprint	\$478.57
334220	AXIS	01277-001	2N IP VERSO - TOUCH KEYPAD	2N IP Verso - Touch keypad	\$151.13
334220	AXIS	01278-001	2N IP VERSO - 1M FLUSH FRAME	2N IP Verso - 1 module flush frame	\$67.47

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01279-001	2N IP VERSO - 1M FLUSH FRAME BLACK	2N IP Verso - 1 module flush frame, black	\$67.47
334220	AXIS	01280-001	2N IP VERSO - 2M FLUSH FRAME	2N IP Verso - 2 modules flush frame	\$76.46
334220	AXIS	01281-001	2N IP VERSO - 2M FLUSH FRAME BLACK	2N IP Verso - 2 modules flush frame, black	\$76.46
334220	AXIS	01282-001	2N IP VERSO - 3M FLUSH FRAME	2N IP Verso - 3 modules flush frame	\$76.46
334220	AXIS	01283-001	2N IP VERSO - 3M FLUSH FRAME BLACK	2N IP Verso - 3 modules flush frame, black	\$76.46
334220	AXIS	01284-001	2N IP VERSO - 1M FLUSH BOX	2N IP Verso - 1 module flush box	\$22.49
334220	AXIS	01285-001	2N IP VERSO - 2M FLUSH BOX	2N IP Verso - 2 modules flush box	\$26.99
334220	AXIS	01286-001	2N IP VERSO - 3M FLUSH BOX	2N IP Verso - 3 modules flush box	\$28.79
334220	AXIS	01287-001	2N IP VERSO - 1M SURFACE FRAME	2N IP Verso - 1 module surface frame	\$49.48
334220	AXIS	01288-001	2N IP VERSO - 1M SURFACE FRAME BL	2N IP Verso - 1 module surface frame, black	\$49.48
334220	AXIS	01289-001	2N IP VERSO - 2M SURFACE FRAME	2N IP Verso - 2 modules surface frame	\$62.97
334220	AXIS	01290-001	2N IP VERSO - 2M SURFACE FRAME BL	2N IP Verso - 2 modules surface frame, black	\$62.97
334220	AXIS	01291-001	2N IP VERSO - 3M SURFACE FRAME	2N IP Verso - 3 modules surface frame	\$98.95
334220	AXIS	01292-001	2N IP VERSO - 3M SURFACE FRAME BL	2N IP Verso - 3 modules surface frame, black	\$98.95
334220	AXIS	01293-001	2N IP VERSO - 1M BACKPLATE	2N IP Verso - 1 module backplate for surface installation	\$43.18
334220	AXIS	01294-001	2N IP VERSO - 2M BACKPLATE	2N IP Verso - 2 modules backplate for surface installation	\$50.38
334220	AXIS	01295-001	2N IP VERSO - 3M BACKPLATE	2N IP Verso - 3 modules backplate for surface installation	\$58.47
334220	AXIS	01296-001	2N IP VERSO - 2x2M BACKPLATE	2N IP Verso - 2x2 modules backplate for surface installation	\$72.87
334220	AXIS	01297-001	2N IP VERSO - 3x2M BACKPLATE	2N IP Verso - 3x2 modules backplate for surface installation	\$93.56
334220	AXIS	01298-001	2N IP VERSO - 2x3M BACKPLATE	2N IP Verso - 2x3 modules backplate for surface installation	\$88.16
334220	AXIS	01299-001	2N IP VERSO - 3x3M BACKPLATE	2N IP Verso - 3x3 modules backplate for surface installation	\$125.94
334220	AXIS	01300-001	2N IP SOLO - FLUSH MOUNT	2N IP Solo - flush mount	\$927.46
334220	AXIS	01301-001	2N IP SOLO - SURFACE MOUNT	2N IP Solo - surface mount	\$908.57
334220	AXIS	01302-001	2N IP SOLO - SURFACE MOUNT BLACK	2N IP Solo - surface mount, black	\$908.57
334220	AXIS	01303-001	2N IP SOLO - FLUSH MOUNT BLACK	2N IP Solo - flush mount, black	\$927.46
334220	AXIS	01304-001	2N IP SOLO - FLUSH BACKBOX	2N IP Solo - backbox for flush installation	\$22.49
334220	AXIS	01305-001	2N IP SOLO - BACKPLATE	2N IP Solo - backplate for easier surface installation	\$45.88
334220	AXIS	01306-001	2N IP VARIO - 1 BTN	2N IP Vario - 1 button	\$499.26
334220	AXIS	01307-001	2N IP VARIO - 3 BTN	2N IP Vario - 3 buttons	\$512.76
334220	AXIS	01308-001	2N IP VARIO - 3X2 BTN	2N IP Vario - 3x2 buttons	\$526.25
334220	AXIS	01309-001	2N IP VARIO - 1 BTN + KEYPAD	2N IP Vario - 1 button + keypad	\$539.74
334220	AXIS	01310-001	2N IP VARIO - 3 BTN + KEYPAD	2N IP Vario - 3 buttons + keypad	\$553.24
334220	AXIS	01311-001	2N IP VARIO - 3X2 BTN + KEYPAD	2N IP Vario - 3x2 buttons + keypad	\$566.73
334220	AXIS	01312-001	2N IP VARIO - 3X2 BTN + KPD + DISP	2N IP Vario - 3x2 buttons + keypad + display	\$1,048.00
334220	AXIS	01313-001	2N IP VARIO - 1 BTN + CAMERA	2N IP Vario - 1 button + camera	\$791.62
334220	AXIS	01314-001	2N IP VARIO - 3 BTN + CAMERA	2N IP Vario - 3 buttons + camera	\$800.62
334220	AXIS	01315-001	2N IP VARIO - 3x2 BTN + CAMERA	2N IP Vario - 3x2 buttons + camera	\$818.61
334220	AXIS	01316-001	2N IP VARIO - 1 BTN + KPD + CAMERA	2N IP Vario - 1 button + keypad + camera	\$854.59
334220	AXIS	01317-001	2N IP VARIO - 3 BTN + KPD + CAMERA	2N IP Vario - 3 buttons + keypad + camera	\$863.59
334220	AXIS	01318-001	2N IP VARIO - 3x2 BTN + KPD + CAM	2N IP Vario - 3x2 buttons + keypad + camera	\$881.58
334220	AXIS	01319-001	2N IP VARIO - 3x2BTN+ KPD+DISP+CAM	2N IP Vario - 3x2 buttons + keypad + display + camera	\$1,304.38
334220	AXIS	01320-001	2N IP VARIO - EXTENDER 8 BTN	2N IP Vario - extender 8 single buttons	\$143.93
334220	AXIS	01321-001	2N IP VARIO - EXTENDER 8 DBTN	2N IP Vario - extender 8 double buttons	\$170.92
334220	AXIS	01322-001	2N IP VARIO - INFOPANEL	2N IP Vario - infopanel	\$116.94
334220	AXIS	01323-001	2N IP VARIO - 1M ROOF	2N IP Vario - 1 module roof	\$58.47
334220	AXIS	01324-001	2N IP VARIO - 2M ROOF	2N IP Vario - 2 modules roof	\$67.47
334220	AXIS	01325-001	2N IP VARIO - 1M FLUSH BOX	2N IP Vario - 1 module flush box	\$62.97
334220	AXIS	01326-001	2N IP VARIO - 2M FLUSH BOX	2N IP Vario - 2 modules flush box	\$67.47
334220	AXIS	01327-001	2N IP VARIO - 1M FLUSH BOX + ROOF	2N IP Vario - 1 modules flush box and roof	\$107.95
334220	AXIS	01328-001	2N IP VARIO - 2M FLUSH BOX + ROOF	2N IP Vario - 2 modules flush box and roof	\$125.94
334220	AXIS	01329-001	2N IP VARIO - SPARE SINGLE BUTTON	2N IP Vario - spare single button	\$3.60
334220	AXIS	01330-001	2N IP VARIO - SPARE DOUBLE BUTTON	2N IP Vario - spare double button	\$3.60
334220	AXIS	01331-001	2N IP VARIO - SPARE INFO COVER	2N IP Vario - spare info cover	\$9.00
334220	AXIS	01332-001	2N IP VARIO - ADDITIONAL SWITCH	2N IP Vario - Additional switch including one NO/NC output relay	\$26.99
334220	AXIS	01333-001	2N IP VARIO - 125kHz RFID	2N IP Vario - 125kHz RFID card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays.	\$89.96
334220	AXIS	01334-001	2N IP FORCE - 1 BTN, HD CAM, PICT	2N IP Force - 1 button + HD camera + pictograms + 10W speaker, card reader ready	\$1,200.93
334220	AXIS	01335-001	2N IP FORCE - 1 BTN, PICT.	2N IP Force - 1 button + pictograms + 10W speaker, card reader ready	\$890.58
334220	AXIS	01336-001	2N IP FORCE - 1 BTN	2N IP Force - 1 button + 10W speaker	\$845.60
334220	AXIS	01337-001	2N IP FORCE - 1 BTN + HD CAM	2N IP Force - 1 button + HD camera + 10W speaker	\$1,169.44

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01338-001	2N IP FORCE - 1 BTN + KEYPAD	2N IP Force - 1 button + keypad + 10W speaker	\$944.55
334220	AXIS	01339-001	2N IP FORCE - 1 BTN + HD CAM + KPD	2N IP Force - 1 button + HD camera + keypad + 10W speaker	\$1,178.44
334220	AXIS	01340-001	2N IP FORCE - 2 BTN + HD CAM	2N IP Force - 2 buttons + HD camera + 10W speaker, card reader ready	\$1,182.94
334220	AXIS	01341-001	2N IP FORCE - 2 BTN	2N IP Force - 2 buttons + 10W speaker, card reader ready	\$863.59
334220	AXIS	01342-001	2N IP FORCE - 4 BTN	2N IP Force - 4 buttons + 10W speaker	\$935.55
334512	AXIS	01343-001	2N IP FORCE - 4 BTN + HD CAM	2N IP Force - 4 button + HD camera + 10W speaker	\$1,191.93
334512	AXIS	01344-001	2N IP FORCE - 125kHz RFID	2N IP Force - 125kHz card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch.	\$114.25
334512	AXIS	01345-001	2N IP FORCE - SAFETY SCREWS	2N IP Force - safety screws, torx with pin	\$10.79
334512	AXIS	01348-001	2N IP FORCE/SAFETY - FLUSH BOX	2N IP Force and Safety - Brick flush mounting box	\$85.46
334512	AXIS	01349-001	2N IP FORCE/SAFETY - PLASTER BOX	2N IP Force and Safety - Plasterboard flush mounting box	\$76.46
334512	AXIS	01350-001	2N IP FORCE/SAFETY - ADD SWITCH	2N IP Force and Safety - Additional switch + Tamper switch.	\$49.48
334512	AXIS	01351-001	2N IP FORCE/SAFETY - GOOSENECK	2N IP Force and Safety - Gooseneck stand, height 120cm/47in	\$227.59
334512	AXIS	01352-001	2N IP FORCE/SAFETY - INST. ADAPTER	2N IP Force and Safety - Installation adapter for Code Blue and Talkaphone	\$107.95
334512	AXIS	01353-001	2N IP SAFETY - 1 BTN	2N IP Safety - 1 button + 10W speaker	\$877.08
334512	AXIS	01354-001	2N IP SAFETY - 2 BTN	2N IP Safety - 2 buttons + 10W speaker	\$899.57
334512	AXIS	01355-001	2N IP SAFETY - RED BTN	2N IP Safety - red emergency button + 10W speaker	\$877.08
334512	AXIS	01356-001	2N IP SAFETY - FRAME	2N IP Safety - metal frame (orange color)	\$31.49
334512	AXIS	01357-001	2N IP BASE - CAM BLACK	2N IP Base - camera, black frame	\$598.22
334512	AXIS	01358-001	2N IP BASE - 125kHz RFID	2N IP Base - 125kHz RFID card reader	\$80.96
334512	AXIS	01359-001	2N IP BASE - 13.56MHz RFID	2N IP Base - 13.56MHz RFID card reader, reads UID	\$121.44
334512	AXIS	01360-001	2N IP BASE - BACKPLATE	2N IP Base - backplate for easier surface installation	\$53.97
334512	AXIS	01361-001	2N IP UNI - 1 BTN	2N IP Uni - 1 button	\$364.33
334512	AXIS	01362-001	2N IP UNI - 2 BTN	2N IP Uni - 2 buttons	\$377.82
334512	AXIS	01363-001	2N IP UNI - 1 BTN, PICTOGRAMS	2N IP Uni - 1 button, pictograms	\$382.32
334512	AXIS	01364-001	2N IP UNI - SURFACE MOUNT BOX	2N IP Uni - surface mount box	\$71.97
334512	AXIS	01365-001	2N AU - RFID 125kHz	2N Access Unit - RFID 125kHz. Comes without frame and/or flush box - those are from IP Verso.	\$359.83
334512	AXIS	01366-001	2N AU - RFID 13.56MHz NFC READY	2N Access Unit - RFID 13.56MHz NFC ready. Comes without frame and/or flush box - those are from IP Verso.	\$359.83
334512	AXIS	01367-001	2N AU - FINGERPRINT	2N Access Unit - Fingerprint (9137423E USB reader needed for user enrollment) Comes without frame and/or flush box - those are from IP Verso.	\$575.73
334512	AXIS	01368-001	2N AU - BLUETOOTH	2N Access Unit - Bluetooth. Comes without frame and/or flush box - those are from IP Verso.	\$395.81
334512	AXIS	01370-001	2N AU - TOUCH KEYPAD	2N Access Unit - Touch keypad Comes without frame and/or flush box - those are from IP Verso.	\$287.86
334512	AXIS	01371-001	2N AU - RJ45 CONNECTOR CABLE	2N Access Unit - RJ45 connector cable	\$9.00
334512	AXIS	01386-001	2N SECURITY RELAY	2N Security Relay	\$98.95
334512	AXIS	01387-001	2N WIEGAND ISOLATOR	2N Wiegand Isolator	\$134.94
334512	AXIS	01388-001	2N MAGNETIC DOOR CONTACT	2N Magnetic door contact	\$17.99
334512	AXIS	01391-001	2N INDUCTION LOOP	2N External induction loop for IP Intercom	\$152.93
334512	AXIS	01393-001	2N INDUCTION LOOP - POWER SUPPLY	2N Power supply for the induction loop	\$35.98
334512	AXIS	01396-001	EMARINE RFID PROX KEY Fob 125kHz	Proximity Key Fob Emarine 125kHz	\$4.50
334512	AXIS	01397-001	WEB RELAY - 1 OUTPUT, 1 INPUT	Web IP Relay - 1 output, 1 input	\$215.90
334512	AXIS	01398-001	WEB RELAY - 4 OUTPUTS, 0 INPUT, PoE	WEB RELAY - 4 OUTPUTS, 0 INPUT, PoE	\$278.87
334512	AXIS	01400-001	USB RFID READER 13MHz & 125kHz	External RFID Reader 13.56MHz + 125kHz (USB interface)	\$301.36
334512	AXIS	01402-001	USB BLUETOOTH READER	External Bluetooth reader (USB interface)	\$25.19
334512	AXIS	01404-001	2N 2WIRE - SET WITH US PLUG	2N 2Wire - set of 2 adaptors and power source for the US plug	\$305.85
334512	AXIS	01423-001	2N IDT - POWER SUPPLY FLUSH	2N Indoor Touch External power supply, 12V 2A DC, flush mounted	\$89.96
334512	AXIS	01425-001	2N IDT - DESK STAND BLACK	2N Indoor Touch - Desk stand black	\$71.97
334512	AXIS	01426-001	2N IDT - DESK STAND WHITE	2N Indoor Touch - Desk stand white	\$71.97
334512	AXIS	01429-001	2N SIP AUDIO CONVERTER	2N SIP Audio Converter (SIP Audio to analogue audio converter)	\$368.82
334512	AXIS	01430-001	2N SIP AUDIO CONVERTER SET	2N SIP Audio Converter set with Speaker and Mic	\$382.32
334512	AXIS	01431-001	2N SIP SPEAKER - WALL MOUNTED, B	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$413.80
334512	AXIS	01432-001	2N SIP SPEAKER - WALL MOUNTED, W	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$413.80
334512	AXIS	01433-001	2N SIP SPEAKER - HORN	2N SIP Speaker - Horn (outdoor SIP based active hornspeaker)	\$465.98
334512	AXIS	01435-001	2N IP AUDIO POWER SUPPLY - US PLUG	2N IP Audio Power Supply - US plug	\$67.47
334512	AXIS	01440-001	AXIS Q86 FRONT KIT A	Replacement front window assembly for AXIS Q8685-E/-LE. Window in clear tempered glass. Includes built-in heater, wiper mechanism, and heat sink.	\$313.95
334512	AXIS	01441-001	AXIS Q86 WIPER KIT A 5P	Replacement wiper blades for selected AXIS Q86 and Q87 cameras. Made from long-life, UV-resistant silicone rubber. 5pcs per pack.	\$44.08
334512	AXIS	01468-001	AXIS T8643 POE+ OVER COAX COMPACT	AXIS T8643 PoE+ over Coax Compact enables legacy coax cabling to be kept when converting an analog system to digital. The design allows for improved installation and cable management as it can easily be integrated in housings and backboxes. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling.	\$186.21
334512	AXIS	01478-001	2N IP AUDIO KIT - MIC & SPK SET	2N IP Audio Kit - microphone & speaker set	\$35.98
334512	AXIS	01479-001	2N IP AUDIO KIT - BUTTON	2N IP Audio Kit - stainless steel backlit button	\$26.99
334512	AXIS	01480-001	D201-S XPT Q6055	Explosion-protected, top performance, PoE powered HDTV 1080p PTZ dome network camera with 32x zoom, FM listed for hazardous locations Class I Division 1, Groups B, C, D, T6; Class 1 Zone 1 IIB + H2 T6, -20°C ≤ Ta ≤ +55°C (FM17US0156). Stainless Steel 316L housing. Auto day/night functionality, Zipstream, wide dynamic range, electronic image stabilization, highlight compensation. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p@30 fps, 720@60 fps. High PoE midspan with fiber slot is included (for installation in safe area or Ex d enclosure), AXIS Surveillance SD Card 64GB. Optional accessories: Wall and pole mount. Built to order, 6 weeks lead time.	\$13,492.68
334512	AXIS	01489-001	AXIS T8645 PoE+ COAX COMPACT KIT	AXIS T8645 PoE+ over Coax Compact Kit enables legacy coax cabling to be kept when converting an analog system to digital, and comprises AXIS T8641 PoE+ Over Coax Base and AXIS T8643 PoE+ over Coax Compact. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling. The compact design of the AXIS T8643 PoE+ over Coax Compact allows for improved installation and cable management as it can easily be integrated in housings and backboxes.	\$372.42

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	01493-001	AXIS Q3518-LVE	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. Up to 4K/8MP at 30 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$1,213.52
334220	AXIS	01497-001	AXIS BISPECTRAL TOP COVER A	Top cover for Axis bi-spectral cameras. Includes top housing, 38mm Germanium front window for thermal and glass window for visual camera, wiper etc.	\$1,078.59
334220	AXIS	01498-001	AXIS BISPECTRAL TOP COVER B	Top cover for Axis bi-spectral cameras. Includes top housing, 60mm Germanium front window for thermal and glass window for visual camera, wiper etc.	\$1,798.24
334220	AXIS	01504-001	AXIS P3717-PLE	AXIS P3717-PLE Network Camera is a compact 8-megapixel camera with four varifocal lenses enabling overview and detailed surveillance. With one IP address and one network cable, the four-camera-in-one unit provides a flexible, cost-effective solution for multidirectional surveillance. 360° IR illumination, Forensic WDR and Lightfinder technology provides excellent video quality in any light conditions. Each camera head can be individually positioned (pan, tilt, roll and twist) along a circular track. Remote zoom and focus makes it easy to install and the clear cover, with no sharp edges, ensures undistorted views in all directions. The camera comes with an integrated weathershield.	\$1,213.52
334220	AXIS	01506-001	AXIS P1445-LE	Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	\$628.80
334220	AXIS	01507-001	AXIS A1601	With door controllers from Axis, you install one smart, independent device by each door to create a scalable access control system. The open platform allows you to mix and match best-of-breed software and hardware, and enables easy integration with other systems such as video surveillance, intrusion detection, and time and attendance. AXIS A1601 Network Door Controller is ideal for advanced access management in mid-sized and large, multi-site installations using third-party software (no embedded Entry Manager software). It has a powerful processor, expanded storage and memory, relays, and I/O ports. AXIS A1601 is powered by PoE+ and can also power connected equipment.	\$628.80
334220	AXIS	01515-001	AXIS P37 CLEAR DOME KIT A	Dome kit for AXIS P3717-PLE. The dome is pre-mounted in the standard white top cover casing.	\$89.06
334220	AXIS	01516-001	AXIS T91R61 WALL MOUNT	Tilttable wall-mount for AXIS D2050-VE Network Radar Detector. Includes arm, AXIS T94R01P CONDUIT BACK BOX and conduit 260 mm (10 inch) cable kit.	\$116.04
334512	AXIS	01519-004	AXIS AUDIO MANAGER C7050 SERVER	AXIS Audio Manager provides easy, remote management of large IP audio installations. Take control of your complete audio system from one single user interface which handles, for example, system setup of audio devices, zone management, audio content management, and audio scheduling. Especially useful in retail or in schools, AXIS Audio Manager helps you broadcast music, live or scheduled announcements, emergency messages, and more, either individually in separate zones or centrally to all devices. With quick installation, intuitive operation, and online device status monitoring, AXIS Audio Manager realizes the benefits of network audio.	\$2,694.22
334220	AXIS	01521-001	WALL MOUNT D201-S XPT	316L Stainless steel wall mount for use with D201-S AXIS Q6055 explosion-protected camera.	\$403.91
334220	AXIS	01522-001	POLE MOUNT D201-S XPT	316L Stainless steel pole mount adapter for the D201-S AXIS Q6055 explosion-protected camera. To be used together with Wall Mount D201-S.	\$673.78
334512	AXIS	01523-001	2N IP VERSO BLIND BUTTON BLACK	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module. Black	\$19.79
334512	AXIS	01524-001	2N IP VERSO - 1M GANG PLATE	2N IP Verso - 1 module backplate for surface installation on a 2-gang backbox	\$43.18
334512	AXIS	01525-001	2N IP VERSO - 2M GANG PLATE	2N IP Verso - 2 modules backplate for surface installation on a 2-gang backbox	\$50.38
334512	AXIS	01526-001	2N IP AUDIO KIT	2N IP Audio Kit – SIP module for embedded installation	\$289.66
334512	AXIS	01527-001	USB SEC RFID READER 13MHz & 125kHz	External RFID secured reader 13.56MHz + 125kHz (USB interface)	\$386.82
334512	AXIS	01550-001	2N IP FORCE /SAFETY - DBL GOOSENECK	2N IP Force and Safety - Gooseneck stand double, 45" / 80"	\$494.76
334220	AXIS	01551-001	RADAR DETECTION STICKER EN 10PCS	Axis branded sticker showing a radar detection illustration. Text: Radar detection in operation	\$7.20
334512	AXIS	01568-031	AXIS Q1659 BAREBONE	Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing	\$4,407.00
334220	AXIS	01571-001	CORNER MOUNT D201-S XPT	316L Stainless steel corner mount adapter for the D201-S AXIS Q6055 explosion-protected camera. To be used together with Wall Mount D201-S.	\$898.67
334512	AXIS	01584-001	AXIS Q3517-SLVE CLEAR DOME 2P	Original clear dome in polycarbonate with anti-scratch hard coating. IK10+ vandal-resistant and high chemical resistance. Compatible with AXIS Q3517-SLVE. 2x domes per pack.	\$80.06
334220	AXIS	01585-001	AXIS Q3517-SLVE NYLON DOME 2P	Accessory clear dome in a special nylon blend with anti-scratch hard coating. IK10+ vandal-resistant with superior chemical resistance. Compatible with AXIS Q3517-SLVE but not recommended to use with IR illumination. 2x domes per pack.	\$143.03
334512	AXIS	0160-050	AXIS H. 264 50-user decoder license pack	A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio.	\$40.48
334512	AXIS	0160-060	AXIS H.264 +AAC decoder 50-user decoder license pack	A license document that grants installation of AXIS AVC/H.264 and ACC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio.	\$49.48
334220	AXIS	01614-001	AXIS S1148 24TB	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	\$8,634.99
334220	AXIS	01615-001	AXIS S1148 64TB	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	\$12,593.11
334220	AXIS	01616-001	AXIS S1148 140TB	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	\$18,890.11

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	AXIS	01633-001	AXIS T8504-R INDUSTRIAL POE SWITCH	AXIS T8504-R Industrial PoE Switch is a 4-port managed industrial PoE++ Gigabit switch. In addition, the switch is equipped with 2 x RJ45 and 2x SFP data ports that allows for extra devices to be connected. The switch uses the same intuitive administrator interface as AXIS T85 PoE Network Switch Series, is ruggedized with a wide temperature range and NEMA TS2 compliant.	\$628.80
334512	AXIS	01638-001	2N IP VERSO COMBI KEYPAD RFID SEC.	2N IP Verso – Touch keypad & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)	\$492.97
334512	AXIS	01639-001	2N IP VERSO COMBI BLUE TOOTH RFID SEC.	2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)	\$579.32
334512	AXIS	01640-001	VERSO/SOLO SPEAKER COVER,5x	2N IP Verso and Solo speaker cover - plastic cover of speaker on the main unit - 5pcs	\$61.17
334512	AXIS	01641-001	VERSO/SOLO CAMERA WINDOW,5x	2N IP Verso and Solo camera window- camera version -plastic cover on the main unit - 5pcs	\$40.48
334512	AXIS	01642-001	VERSO WINDOW NON-CAMERA,5x	2N IP Verso camera window- non-camera version -plastic cover on the main unit - 5pcs	\$44.98
334512	AXIS	01643-001	VERSO/SOLO REFLECTOR,2N LOGO,5x	2N IP Verso and Solo Reflector with 2N logo - plastic part under the camera - 5pcs	\$55.77
334512	AXIS	01644-001	VERSO/SOLO BUTTON NAMETAG,10x	2N IP Verso and Solo button nametag - plastic button with nametag - 10pcs	\$80.96
334512	AXIS	01645-001	VERSO FLUSH/SURFACE LOWER FIX,5x	2N IP Verso Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$40.48
334512	AXIS	01646-001	SOLO FLUSH/SURFACE LOWER FIX,5x	2N IP Solo Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$35.98
334512	AXIS	01647-001	VERSO/SOLO FLUSH TOP FIX,5x	2N IP Verso and Solo Flush mount upper fixture - metal part to hold the frame - 5pcs	\$35.98
334512	AXIS	01648-001	VERSO/SOLO SURFACE TOP FIX,5x	2N IP Verso and Solo Surface mount upper fixture - metal part to hold the frame - 5pcs	\$31.49
334512	AXIS	01649-001	VERSO BUS SHORT,80MM,10x	2N IP Verso bus short, 80mm - vbus cabel to connect the modules - 10pcs	\$40.48
334512	AXIS	01650-001	VERSO BUS SHORT,220MM,10x	2N IP Verso bus short, 220mm - vbus cabel to connect the modules - 10pcs	\$49.48
334512	AXIS	01651-001	VERSO MICROPHONE SET,10x	2N IP Verso microphone set - microphone with cable to 3 module extension - 10pcs	\$62.97
334512	AXIS	01652-001	FORCE/SAFETY SPEAKER 1W	2N IP Force and Safety Speaker 1W, 16 Ohm, 77mm - 1pc	\$26.99
334512	AXIS	01653-001	FORCE/SAFETY SPEAKER10W,4pcs	2N IP Force and Safety Speaker 10W, 4 Ohm, 76mm - 4pcs	\$58.47
334512	AXIS	01654-001	FORCE/SAFETY GASKET FOR MIC,5x	2N IP Force and Safety Gasket for microphone - 5pcs	\$9.00
334512	AXIS	01655-001	FORCE/SAFETY MIC WITH CABLE,5x	2N IP Force and Safety microphone with cable - 10pcs	\$136.73
334512	AXIS	01656-001	FORCE BUTTON	2N IP Force and analog Force Button nametag to plastic part - 5pcs	\$13.49
334512	AXIS	01657-001	FORCE PLASTIC BUTTON ON PCB,5x	2N IP Force and analog Force Plastic clear button on the PCB board - 10pcs	\$19.79
334512	AXIS	01658-001	FORCE 1 BUTTON BOARD,1x	2N IP Force and analog Force 1 button board - 1pc	\$26.99
334512	AXIS	01659-001	FORCE 1 BUTTON BOARD, PICTOGRAM,5x	2N IP Force and analog Force 1 button board, pictograms - 1pc	\$22.49
334512	AXIS	01660-001	FORCE 2 BUTTONS BOARD,1x	2N IP Force and analog Force 2 buttons board - 1pc	\$31.49
334512	AXIS	01661-001	FORCE 4 BUTTON BOARD,1x	2N IP Force and analog Force 4 buttons board - 1pc	\$35.98
334512	AXIS	01672-001	2N AC - BOX PC	The 2N® Access Commander Box is an ultra compact computer with pre-installed 2N® Access Commander – software designed for access control configuration and 2N devices management. It is ready to use, plug and play solution which requires only a power supply and an Ethernet cable to be connected to the computer. It is perfectly optimised for small and medium-size installations with up to 50 2N IP intercoms/Access Units and 1000 users. Free license 01372-001 for +5 devices (to be requested at the TechSupport) is included in the product price.	\$463.28
334512	AXIS	01687-001	AXIS Q17 FRONT WINDOW KIT B	Accessory front window assembly in polycarbonate for AXIS Q1785/86-LE, IK10 rated. Not recommended for installation that requires more than 22x optical zoom.	\$44.08
334512	AXIS	01688-001	AXIS WIPER KIT B	Wiper arm with blade for easy replacement. Spare part.	\$53.07
334512	AXIS	01698-001	2N INDOOR TALK BLACK	2N Indoor Talk PoE – Black Elegant answering unit with HD sound. The design of the 2N® Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door from the comfort of your home. The 2N Indoor Talk Black requires the 2N Indoor Flush Box (01700-001) for installation.	\$263.57
334512	AXIS	01699-001	2N INDOOR TALK WHITE	2N Indoor Talk PoE – White Elegant answering unit with HD sound. The design of the 2N® Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door from the comfort of your home. The 2N Indoor Talk White requires the 2N Indoor Flush Box (01700-001) for installation.	\$263.57
334512	AXIS	01700-001	2N INDOOR FLUSH BOX	2N Indoor answering unit flush installation box, required for the 2N Indoor Talk (01698-001 or 01699-001).	\$19.79
334220	AXIS	01703-001	F101-A XF P1367	Explosion-protected, PoE powered, 5 MP fixed network camera, FM listed for hazardous locations Class I/II/III Division 1, Groups B, C, D, E, F, G, T6; Class I Zone 1 IIB + H2 AEx d IIB+H2 T6, Class II Zone 21, AEx d IIC T6 Db, -20°C ≤ Ta ≤ +60°C. Powder coated aluminum housing (RAL 3017), i-CS mount lens, 2.8 - 8mm, F1.2. Lightfinder, Zipstream, WDR - forensic capture. AXIS Surveillance SD Card 64GB, sunshield included. Built to order, 6 weeks lead time.	\$3,597.39
334290L	AXIS	01712-001	2N IP VERSO - RFID 13MHz NFC SEC	2N IP Verso - RFID 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, ISO15693 compatible	\$269.87
334512	AXIS	01733-001	2N IP FORCE SAFETY SET OF BUSHINGS	2N IP Force and Safety set of bushing for ethernet cable -5 pcs	\$55.77
334512	AXIS	01734-001	2N IP FORCE FRAME	2N IP Force Frame for the main unit - 1 pc	\$26.99
334512	AXIS	01735-001	2N IP FORCE TORX SCREW BLACK	2N IP Force Torx 4 screws black for the front panel - 5 packages of screws	\$18.89
334512	AXIS	01736-001	2N IP FORCE PANEL4 BUTTONS	2N IP Force front panel with 4 buttons - 1pc	\$116.94
334512	AXIS	01737-001	2N IP FORCE PANEL 1 BUTTON	2N IP Force front panel with 1 button - 1pc	\$82.76
334512	AXIS	01738-001	2N IP FORCE PANEL 1 BTN PICTOGRAMS	2N IP Force front panel with 1 button and pictograms -	\$100.75
334512	AXIS	01739-001	2N IP FORCE PANEL 1 BTN KEYPD READY	2N IP Force front panel with 1 button ready for keypad - 1pc	\$85.46
334512	AXIS	01740-001	2N IP FORCE PANEL 2 BTN CARD READER	2N IP Force front panel with 2 buttons ready for card reader - 1pc	\$107.95
334512	AXIS	01741-001	YEALINK SIP-T58A BUTTON EXTENDER	Button extedern for Yealink T-58A SIP phone	\$179.91
334220	Axis	0267-001	AXIS 291 1U VIDEO SERVER RACK < GENERIC >	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.	\$358.77
334512	AXIS	0267-004	AXIS 291 1U VIDEO SERV RACK	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$358.93

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0267-600	EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$21.59
334220	AXIS	0306C001	CANON NETWORK CAMERA VB-R11	Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.	\$2,419.34
334220	AXIS	0308C001	CANON NETWORK CAMERA VB-M641VE	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU641-VB sold separately.	\$961.74
334220	AXIS	0309C001	CANON NETWORK CAMERA VB-M641V	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$683.22
334220	AXIS	0310C001	CANON NETWORK CAMERA VB-M640VE	Outdoor vandal resistant fixed dome network camera with PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IP66, NEMA250 and IK10-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and micro SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$691.82
334220	AXIS	0311C001	CANON NETWORK CAMERA VB-M640V	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IK10-rated. Powered by PoE (Power supply not included) and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Supplied with wall/ceiling mounting plate.	\$557.25
334220	Axis	0319-004	AXIS P7701	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	\$448.69
334220	Axis	0319-041	AXIS P7701 VIDEO DECODER BARE BONE	Bare board 1 channel video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply.	\$448.69
334220	Axis	0319-051	AXIS P7701 VIDEO DEC BB BULK 20PCS	AXIS P7701 BARE BOARD in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$8,973.88
334220	Axis	0319-600	EXT. WARRANTY AXIS P7701	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$26.98
334220	Axis	0321-600	EXT. WARRANTY AXIS P8221	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$18.89
334220	Axis	0333-011	AXIS CROSS LINE DETECTION	Single unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$26.07
334220	Axis	0333-031	AXIS CROSS LINE DETECTION 10-PACK	Ten (10) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$250.87
334220	Axis	0333-051	AXIS CROSS LINE DETECTION 50-PACK	Fifty (50) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$1,221.99
334220	Axis	0333-608	ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	Single unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$268.85
334220	Axis	0333-609	ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	Ten (10) unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$2,687.66
334220	AXIS	0344-001	AXIS T92E05 PROTECTIVE HOUSING	Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$179.01
334220	Axis	0354-001	AXIS Q7414 VIDEO ENCODER BLADE	Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$898.29
334220	Axis	0354-021	AXIS Q7414 VIDEO ENCODER BULK 10PCS	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	\$8,534.18
334220	Axis	0354-600	EXT. WARRANTY AXIS Q7414 VIDEO ENC BLADE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$53.95
334220	Axis	0406-600	EXT. WARRANTY AXIS P3367 V	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$62.95

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0407-600	EXT. WARRANTY AXIS P3367-VE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$59.00
334220	Axis	0418-001	AXIS P7224 VIDEO ENCODER BLADE	AXIS P7224: Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$358.77
334220	Axis	0418-021	AXIS P7224 VID ENC BLADE BULK 10PCS	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	\$3,478.94
334220	Axis	0418-600	EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$21.59
334220	Axis	0433-001	AXIS T9E20 OUTDOOR HOUSING	Outdoor PoE camera housing with window/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$295.83
334220	Axis	0518-004	AXIS Q7411 VIDEO ENCODER	Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 VD and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	\$358.77
334220	Axis	0518-021	AXIS Q7411 VIDEO ENCODER BULK 10PCS	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$3,478.94
334220	Axis	0518-600	EXT. WARRANTY AXIS Q7411 VIDEO ENCODER	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$21.59
334220	Axis	0532-001	AXIS P1214	Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$448.69
334220	Axis	0532-021	AXIS P1214 BULK 10 PCS	AXIS P1214 in pack of 10 units	\$4,450.06
334220	Axis	0532-600	EXT. WARRANTY AXIS P1214	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$26.98
334220	Axis	0533-001	AXIS P1214-E	Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$448.69
334220	Axis	0533-021	AXIS P1214-E BULK 10 PCS	AXIS P1214-E in pack of 10 units	\$4,450.06
334220	Axis	0533-600	EXT. WARRANTY AXIS P1214-E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$26.98
334220	Axis	0535-600	EXT. WARRANTY AXIS M3024-LVE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$29.67
334220	Axis	0536-600	EXT. WARRANTY AXIS M3025-VE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$29.67
334512	Axis	0540-001	AXIS A1001 NETWORK DOOR CONTROLLER	AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).	\$538.60
334512	Axis	0540-021	AXIS A1001 BULK 10PCS NETWORK DOOR CONTROLLER	AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).	\$5,386.12
334512	Axis	0540-600	EXT. WARRANTY AXIS A1001	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$32.37

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0541-004	AXIS M7016 VIDEO ENCODER	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$898.29
334220	Axis	0541-600	EXT. WARRANTY AXIS M7016 VIDEO ENCODER	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$53.95
334220	Axis	0542-004	AXIS P7216 VIDEO ENCODER	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$1,168.04
334220	Axis	0542-600	EXT. WARRANTY AXIS P7216 VIDEO ENCODER	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$70.14
334220	Axis	0547-600	EXT. WARRANTY AXIS M3026 VE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$35.06
334220	Axis	0548-001	AXIS M3037-PVE	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/270°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to SMP resolution at 12 fps. Two-way, echo-free audio communication with built-in microphone and speaker. SIP support for IP phone system integration. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.	\$718.45
334220	Axis	0548-600	EXT. WARRANTY AXIS M3037-PVE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$43.16
334220	Axis	0575-004	AXIS Q7920 VIDEO ENCODER CHASSIS	5 U rack-mount video encoder chassis, providing an expandable solution for migrating large-scale analog installations to network video. Holds up to 14 hot-swappable video encoder blades supporting up to 84 analog cameras.	\$2,336.98
334220	Axis	0575-600	EXT. WARRANTY AXIS Q7920	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$140.26
334220	Axis	0584-600	EXT. WARRANTY AXIS Q7436 VIDEO ENC BLADE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$64.74
334220	Axis	0588-600	EXT. WARRANTY AXIS P5414-E 60HZ	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$115.10
334220	Axis	0589-600	EXT. WARRANTY AXIS P5415-E 60HZ	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$143.87
334220	Axis	0591-001	AXIS M1145-L	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. Optimized IR, a power-efficient LED technology that provides an adaptable angle of IR illumination up to 15 meters (50 feet) MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	\$407.83
334220	Axis	0591-021	AXIS M1145-L BULK 10PCS	AXIS M1145-L in 10-pack/bulk. Cannot be sold separately as single packs.	\$4,450.07
334220	Axis	0591-600	EXT. WARRANTY AXIS M1145-L	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$26.97
334220	Axis	0632-004	AXIS V5914 60HZ	Generic PTZ camera with 30x zoom, autofocus and HDTV 720p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity, CD-audio quality in stereo. Compliance with SMPTE 296M Power supply and wall mount bracket are included.	\$1,797.47
334220	Axis	0634-004	AXIS V5915 60HZ	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity, CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	\$2,336.98

**BW Electric Inc. dba BW Systems
GSA Schedule Pricing**

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0634-600	EXT. WARRANTY AXIS V5915 60HZ < US >	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$187.04
334220	Axis	0637-600	EXT. WARRANTY AXIS P1428-E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$53.05
334220	AXIS	0645-001	AXIS Q2901-E 9MM 8.3 FPS	AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform.	\$4,676.87
334220	AXIS	0646-001	AXIS Q2901-E PTMOUNT 9MM 8.3 FPS	AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform.	\$4,676.87
334220	AXIS	0647-001	AXIS Q2901-E 19MM 8.3 FPS	AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform.	\$4,676.87
334220	AXIS	0648-001	AXIS Q2901-E PTMOUNT 19MM 8.3 FPS	AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform.	\$4,676.87
334220	Axis	0654-001	AXIS P1224-E	Miniature HDTV camera for discreet indoor/outdoor surveillance with 145° horizontal field of view. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$448.69
334220	Axis	0654-600	EXT. WARRANTY AXIS P1224-E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$26.98
334220	Axis	0656-600	EXT. WARRANTY AXIS Q7436/Q7920 KIT	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$1,003.49
334220	Axis	0658-001	AXIS F41 MAIN UNIT	AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-28 V DC support.	\$403.73
334220	Axis	0658-600	EXT. WARRANTY AXIS F41	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$24.28
334220	Axis	0664-001	AXIS Q3709-PVE	Multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. Multiple, individually configurable H.264 and Motion JPEG streams; high-quality 4K video in 30 fps from each of 3 sensors and up to 33 MP resolution in total, together providing a 180° view. Video motion detection and active tampering alarm. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.	\$2,157.14
334220	Axis	0664-600	EXT. WARRANTY AXIS Q3709-PVE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$129.48
334290L	Axis	0673-001	AXIS A8004-VE	AXIS A8004-VE Network Video Door Station is an open, IP-based door station for two-way communication, video and remote entry control. By combining exceptional audio capabilities, including a high performing solution for echo cancellation and noise suppression, with an integrated HDTV camera with WDR and excellent low-light performance, the unit offers reliable 24/7 identification and remote entry control also in the most demanding situations. Based on open IP standards and interfaces such as Onvif, PoE and SIP, AXIS A8004-VE Network Video Door Station offers great integration possibilities and is a perfect complement to any video surveillance system.	\$1,123.07
334290L	Axis	0673-600	EXT. WARRANTY AXIS A8004-VE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$67.44
334220	Axis	0675-001	AXIS F1005-E SENSOR UNIT 3M	AXIS F1005-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$223.89
334220	Axis	0676-001	AXIS F1005-E SENSOR UNIT 12M	AXIS F1005-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$241.88

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0677-001	AXIS F1015 SENSOR UNIT 3M	AXIS F1015 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Varifocal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$250.87
334220	Axis	0678-001	AXIS F1015 SENSOR UNIT 12M	AXIS F1015 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Varifocal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$268.85
334220	Axis	0709-001	AXIS Q8414-LVS METAL	AXIS Q8414-LVS Network Camera Metal is a brushed stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5-6 mm, 105°-49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$1,168.04
334220	Axis	0709-600	EXT. WARRANTY AXIS Q8414 LVS METAL	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$70.14
334220	Axis	0710-001	AXIS Q8414-LVS WHITE	AXIS Q8414-LVS Network Camera White is a powder coated stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5-6 mm, 105°-49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$1,168.04
334220	Axis	0710-600	EXT. WARRANTY AXIS Q8414 LVS WHITE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$70.14
334220	AXIS	0711C001	CANON CEILING MOUNTING KIT CM10-VB	Ceiling mount Back Box for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box and PA10-15-VE bayonet camera fitting - 342mm drop.	\$330.14
334220	AXIS	0712C001	CANON CONDUIT BOX CB740-VB	Conduit box for VB-H76x/H751LE/M74x outdoor bullets.	\$106.15
334220	AXIS	0713C001	CANON CONDUIT ADAPTER CA640-VB	Conduit adaptor for VB-M64xVE outdoor Domes.	\$92.66
334220	AXIS	0714C001	CANON REC MOUNT KIT SR11-S-VB	Indoor recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of mounting template, in-ceiling cage and cover - Titanium White	\$295.06
334220	AXIS	0715C001	CANON REC MOUNT KIT SR640-S-VB	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes. Comprising of in-ceiling cage and cover - Titanium White	\$248.28
334220	AXIS	0716C001	CANON PLEN REC MOUNT KIT SR11-P-VB	Indoor plenum recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$483.97
334220	AXIS	0717C001	CANON PLEN REC MOUNTKIT SR640-P-VB	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes. Comprising of in-ceiling cage and cover - Titanium White	\$314.85
334220	AXIS	0718C001	CANON 1.5 IN PIPE ADPT PA10-15-VB	1.5inch Pipe Adaptor for VB-R1xVE outdoor PTZ Domes with standard NPSM screw thread and bayonet camera fitting - 100mm long.	\$77.36
334220	AXIS	0719C001	CANON PENDANT MOUNTING KIT PC640-VB	Indoor pendant mounting cap for VB-R13/11 indoor PTZ Domes, VB-H65x/M64x domes, and VB-H76x/H751LE/M74x bullets. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Titanium White.	\$80.06
334220	AXIS	0720C001	CANON WALL MOUNTING KIT WM10-VB	Wall mount bracket for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box, right angle extender and PA10-15-VE bayonet camera fitting - 215mm stand-off.	\$410.20
334220	AXIS	0721C001	CANON SMOKED DOME UNIT DU10-S-VB	Smoked dome cover for VB-R1xVE & VB-R1x PTZ Domes	\$72.87
334220	AXIS	0722C001	CANON SMOKED DOME UNIT DU640-S-VB	Smoked dome cover for VB-H651VE/V & VB-M64xVE/V domes	\$39.58
334220	AXIS	0723C001	CANON SUNSHADE COVER SC640-VB	Sunshade cover for VB-H651LVE/VE outdoor Domes. Includes securing bolts for easy installation.	\$75.56
334220	AXIS	0724C001	CANON HEATER UNIT HU641-VB	Optional heater element for VB-H651VE/M641VE outdoor Domes. Requires 24V AC power.	\$115.15
334220	Axis	0734-001	AXIS F1025 SENSOR UNIT 12M	AXIS F1025 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.	\$241.88
334220	Axis	0735-001	AXIS F1025 SENSOR UNIT 3M	AXIS F1025 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.	\$223.89
334220	Axis	0736-001	AXIS F1035-E SENSOR UNIT 12M	AXIS F1035-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$241.88
334220	Axis	0737-001	AXIS F1035-E SENSOR UNIT 3M	AXIS F1035-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$223.89
334220	Axis	0742-001	AXIS Q7424-R MKII VIDEO ENCODER	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps.	\$808.36
334220	Axis	0742-021	AXIS Q7424-R MKII VID ENC BULK 10P	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps. 10 PCS.	\$7,679.95
334220	Axis	0742-600	EXT. WARRANTY AXIS Q7424 R MKII VIDEO ENC	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$48.56
334290L	Axis	0745-001	AXIS A4011-E READER	AXIS A4011-E Reader is a generic touch-free reader with keypad and illuminated symbols. It is a perfect match to the Network Door Controller A1001. The reader is intended for both indoor and outdoor use and it supports most smart card formats with 13.56 MHz.	\$329.96
334290L	Axis	0745-600	EXT. WARRANTY AXIS A4011-E READER	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$19.77

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0747-600	EXT. WARRANTY AXIS M1124	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$18.89
334220	Axis	0748-600	EXT. WARRANTY AXIS M1124 E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$24.28
334220	Axis	0749-600	EXT. WARRANTY AXIS M1125	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$22.48
334220	Axis	0750-600	EXT. WARRANTY AXIS M1125 E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$27.88
334220	Axis	0764-001	AXIS M7011 VIDEO ENCODER	Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG support. Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS. AVHS and ACAP support. No midspan included.	\$178.93
334220	Axis	0765-001	AXIS F1004 SENSOR UNIT	AXIS F1004 Sensor Unit with a fixed lens. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. A flush ceiling/wall mount kit is included.	\$89.02
334220	Axis	0767-001	AXIS C3003-E NETWORK HORN SPEAKER	AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliability through the Auto Speaker Test.	\$448.69
334220	Axis	0767-600	EXT. WARRANTY AXIS C3003-E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$26.98
334220	Axis	0775-001	AXIS F4005-E DOME SENSOR UNIT	AXIS F4005-E Dome Sensor Unit with a 12-meter (39-foot) cable to an AXIS F Series Main Unit. Comes with a clear dome cover and damask at the back that makes it IK09 and IP66 rated. Fixed lens that provides 110° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	\$259.86
334220	Axis	0777-600	EXT. WARRANTY AXIS P1435-LE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$24.28
334220	Axis	0778-001	AXIS F34 MAIN UNIT	AXIS F34 Main Unit. 4-channel main unit to be used with any of AXIS F Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Supports edge storage through NAS or SD cards (optional). Two SD card slots. Power over Ethernet or 8-28 V DC input. Power supply not included.	\$358.77
334220	Axis	0778-600	EXT. WARRANTY AXIS F34 MAIN	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$21.59
334220	Axis	0779-004	AXIS F34 SURVEILLANCE SYSTEM	AXIS F34 Surveillance System. Includes one AXIS F34 Main Unit, 4 x AXIS F1004 Sensor Units, 4 x AXIS F8214 Dome Accessory, 4 x AXIS F8224 Recessed Mount, 4 x AXIS F7315 Cable White 15 m (49 ft) for connecting sensor units to the main unit and 2 x AXIS Surveillance microSDXC card 64 GB. Comes with a power supply.	\$718.45
334220	Axis	0786-001	AXIS Q1941-E 7MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, IP66- and IP67-rated, 384x288 resolution, 30 fps, and 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, local storage, I/O ports, PoE, motion and audio detection, shock detection, and AXIS Camera Application Platform. It includes AXIS VMD 3 pre-installed.	\$2,516.81
334220	Axis	0786-600	EXT. WARRANTY AXIS Q1941-E 7MM 30 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$151.07
334220	Axis	0787-001	AXIS Q1941-E 13MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, IP66- and IP67-rated, 384x288 resolution, 30 fps, and 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, local storage, I/O ports, PoE, motion and audio detection, shock detection, and AXIS Camera Application Platform. It includes AXIS VMD 3 pre-installed.	\$2,516.81
334220	Axis	0787-600	EXT. WARRANTY AXIS Q1941-E 13MM 30 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$151.07
334220	Axis	0788-001	AXIS Q1941-E 35MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, IP66- and IP67-rated, 384x288 resolution, 30 fps, and 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, local storage, I/O ports, PoE, motion and audio detection, shock detection, and AXIS Camera Application Platform. It includes AXIS VMD 3 pre-installed.	\$3,416.01

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0788-600	EXT. WARRANTY AXIS Q1941-E 35MM 30 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: <u>Extended Warranty is non-cancellable, non-changeable and non-returnable.</u>	\$205.03
334220	Axis	0789-001	AXIS Q1941-E 60MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, IP66- and IP67-rated, 384x288 resolution, 30 fps, and 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, local storage, I/O ports, PoE, motion and audio detection, shock detection, and AXIS Camera Application Platform. It includes AXIS VMD 3 pre-installed.	\$4,764.79
334220	Axis	0789-600	EXT. WARRANTY AXIS Q1941-E 60MM 30 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: <u>Extended Warranty is non-cancellable, non-changeable and non-returnable.</u>	\$285.94
334220	Axis	0798-001	AXIS F4005 DOME SENSOR UNIT	AXIS F4005 Dome Sensor Unit with a 12-meter (39-foot) cable to an AXIS F Series Main Unit. Recessed dome without a clear dome cover. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	\$250.87
334220	Axis	0799-004	AXIS Q6128-E 60HZ	Compact, top performance 4K Comparable with SMPTE 2036 3840x2160 resolution in 30fps, (8MP). With 12x optical zoom for outdoor as well as indoor use. Day/night, Automatic defog, DNR 2D/3D and EIS. IP66, Active gatekeeper, tour recording and autotracking. Perfect image quality in all directions, without distortion, repaintable surface. Mounting brackets are not included (several different accessories available). Midspan included.	\$2,876.49
334220	Axis	0799-600	EXT. WARRANTY AXIS Q6128-E 60HZ	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: <u>Extended Warranty is non-cancellable, non-changeable and non-returnable.</u>	\$215.81
334220	AXIS	0801-001	AXIS Q3708-PVE	180° multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. 3 x QHD resolution, up to 15MP total in 4:3 format. WDR Forensic Capture, Zipstream and one single IP address. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.	\$1,798.24
334220	AXIS	0810-004	AXIS M1065-LW	Small, full-featured wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	\$268.97
334220	AXIS	0811-001	AXIS M1065-L	Small, full-featured indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Powered over Ethernet (PoE) or by accessory power supply. Includes wall, corner bracket and table top bracket for easy mounting. Power supply not included.	\$250.98
334220	AXIS	0812-004	AXIS M1045-LW	Small, wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	\$206.00
334220	AXIS	0820-001	AXIS A9188 NETWORK I/O RELAY MODULE	AXIS A9188 Network I/O Relay Module is an intelligent module with 8 configurable I/Os and 8 form C relays and supports supervised inputs. Open API, including VAPIX, for software integration. High level of integration with AXIS A1001 Network Door Controller for elevator control for floor management etc. Supported by AXIS Video Hosting System, AXIS Camera Station and third party partner software. The module provides 12 and 24 V DC output to I/O devices and can extend the functionality of any Axis product where you need additional I/Os or relays. Powered by PoE+ or 12 and 24 V DC input	\$448.89
334220	AXIS	0821-001	AXIS A9161 NETWORK I/O RELAY MODULE	AXIS A9161 Network I/O Relay Module has 6 configurable I/Os with supervised inputs and a relay. The module reacts on inputs, such as signals from PIR motion detectors or switches, to trigger actions. Supplying power to I/O devices, it can extend the functionality of Axis products where additional I/Os or relays are needed. Its enclosure makes installation easy and flexible. -6 I/Os and 1 form C relays -12 and 24 V DC output/input or PoE+ -Based on Axis open platforms, VAPIX and ACAP -Used with AXIS Camera station or third-party software	\$223.99
334220	AXIS	0824-001	AXIS Q8741-E 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$8,994.82
334220	AXIS	0828-001	AXIS Q8742-E 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$11,693.53

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	0830-001	AXIS Q8742-E ZOOM 30 FPS 24V	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$19,789.68
334220	AXIS	0831-001	AXIS A9188-VE NETWORK I/O RELAY MODULE	AXIS A9188-VE Network I/O Relay Module comes with AXIS T98A15-VE Surveillance Cabinet making it outdoor-ready, vandal-resistant, and UL294-approved. With its 8 configurable I/Os and relays, its open platform enables a high level of integration with AXIS A1001 Network Door Controller and other facility systems. -8 I/Os with supervised inputs and 8 form C relays -UL294-approved with cabinet AXIS T98A15-VE Surveillance Cabinet -12 and 24 V DC output/input or PoE+ -Open API, support for VAPIX, ACAP -Used with AXIS Camera station or third-party software	\$718.76
334512	AXIS	0833-001	AXIS C1004-E NETW CAB SPEAKER WHITE	AXIS C1004-E Network Cabinet Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$493.86
334512	AXIS	0834-001	AXIS C2005 NETW CEILING SPEAK WHITE	AXIS C2005 Network Ceiling Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C2005 is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$358.93
334220	AXIS	0835-031	XF40-Q1765 -60C INMETRO	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to INMETRO. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$6,835.85
334220	Axis	0835-041	XF40-Q1765 CSA	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC(Power supply not included). Includes a removable sunshield.	\$6,293.40
334220	Axis	0835-051	XF40-Q1765 -60C CSA	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield.	\$6,832.91
334220	Axis	0836-041	XP40-Q1765 CSA	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. IP66 and IP67 rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC(Power supply not included). Includes a removable sunshield.	\$15,734.85
334220	Axis	0836-051	XP40-Q1765 -60C CSA	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. IP66 and IP67 rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield.	\$16,634.03
334220	AXIS	0862-001	AXIS Q8685-E 24V AC/DC	High accuracy outdoor PTZ positioning camera. HDTV 1080p video, 30x optical zoom, focus recall, extreme light sensitivity and Axis Zipstream. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)	\$3,237.56
334220	AXIS	0864-001	AXIS Q8685-LE 24V AC/DC	High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)	\$4,676.87
334220	AXIS	0865-001	AXIS M3104-L	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$223.99
334220	AXIS	0866-001	AXIS M3104-LVE	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$268.97
334220	AXIS	0867-001	AXIS M3105-L	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$286.96
334220	AXIS	0868-001	AXIS M3105-LVE	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$331.94
334220	Axis	0877-001	AXIS Q1941-E 19MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, IP66- and IP67-rated, 384x288 resolution, 30 fps, and 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, local storage, I/O ports, PoE, motion and audio detection, shock detection, and AXIS Camera Application Platform. It includes AXIS VMD 3 pre-installed.	\$2,516.81
334220	Axis	0877-600	EXT. WARRANTY AXIS Q1941 E 19MM 30 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$151.07

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	0879-010	ACS CORE DEVICE E-LICENSE	One (1) AXIS Camera Station version 5.0 Core Device license. Applicable for AXIS devices. A total of 32 Core Device licenses may be registered on a system. AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification. <u>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</u>	\$71.03
334220	Axis	0879-020	ACS UNIVERSAL DEVICE E-LICENSE	One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up. AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification. <u>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</u>	\$133.98
334220	Axis	0879-030	ACS CORE TO UNIVERSAL UPG E-LICENSE	This license is primarily used when merging two or more version 5 systems into one large system. One (1) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license. <u>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</u>	\$71.03
334220	Axis	0879-040	ACS 4 TO UNIVERSAL UPG E-LICENSE	One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license. <u>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</u>	\$17.08
334220	AXIS	0883-001	AXIS Q1615 Mk II	HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles.Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Power supply not included.	\$898.67
334220	AXIS	0883-041	AXIS Q1615 Mk II BAREBONE	<u>AXIS Q1615 Mk II Barebone in single pack. No lens. No power supply.</u>	\$808.72
334220	AXIS	0884-001	AXIS Q1615-E Mk II	Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles.Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$1,168.54
334220	AXIS	0885-001	AXIS P3227-LV	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$700.77
334220	AXIS	0886-001	AXIS P3227-LVE	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$808.72
334220	AXIS	0887-001	AXIS P3228-LV	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$880.68
334220	AXIS	0888-001	AXIS P3228-LVE	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$988.63
334220	AXIS	0916-001	AXIS Q1942-E 10MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$4,496.96
334220	AXIS	0918-001	AXIS Q1942-E 19MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$4,496.96
334220	AXIS	0920-001	AXIS Q1942-E 35MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$5,396.53
334220	AXIS	0922-001	AXIS Q1942-E 60MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$6,745.89
334220	AXIS	0923-001	AXIS C1004-E NETW CAB SPEAKER BLACK	AXIS C1004-E Network Cabinet Speaker (black) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$493.86
334220	AXIS	0935-001	AXIS F1004 BULLET SENSOR UNIT	AXIS F1004 Bullet Sensor Unit with a fixed lens. Bullet-style mechanics enabling easy mounting on walls or ceilings and with the ability to tilt and rotate. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit.	\$107.05
334220	AXIS	0936-001	AXIS F44 DUAL AUDIO INPUT	AXIS F44 Dual Audio Input Main Unit. 4-channel main unit to be used with any of AXIS F Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD cards (optional). Two SD card slots. PoE and 8-28 V DC support. Comes with a stereo-to-mono adapter cable that allows two audio inputs. This article replaces AXIS F44 Main Unit (0659-00x) and the US version of AXIS F44 Dual Audio Input (0936-004).	\$493.86

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	0940-001	AXIS P1280-E 4MM 8.3 FPS	AXIS P1280-E Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/ 39.4ft cable. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. The camera provides 208x156 resolution, a 4 mm lens with 35.4° horizontal FOV. It supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, edge storage using microSD card and built-in analytics with support for AXIS Camera Application Platform, which enables the usage of a broad range of third-party applications. The flexible form factor allows it to be placed in locations with limited space and a wide range of mounting accessories enables wall, ceiling and recessed installations. <u>The main unit is powered with PoE. The sensor unit has 12 m/39.4 ft cable.</u>	\$718.76
334220	AXIS	0943-001	AXIS Q6055-C 60HZ	Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720P@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Power supply and brackets are not included. (several different accessories available).	\$3,687.34
334220	AXIS	0945-001	AXIS Q6055-S 60HZ	Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Brackets and power adapter are not included (several different accessories available).	\$4,047.17
334220	AXIS	0962-001	AXIS Q1659 24MM F/2.8	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$4,496.96
334220	AXIS	0963-001	AXIS Q1659 35MM F/2	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$5,306.57
334220	AXIS	0964-001	AXIS Q1659 50MM F/1.4	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$4,856.79
334220	AXIS	0965-001	AXIS Q1659 85MM F/1.2	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$7,330.61
334220	AXIS	0966-001	AXIS Q1659 100MM F/2.8	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$5,846.32

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	0967-001	AXIS Q1659 10-22MM F/3.5-4.5	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$5,306.57
334220	AXIS	0968-001	AXIS Q1659 70-200MM F/2.8	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > <u>Optional accessory housing</u>	\$7,555.50
334220	AXIS	0973-001	AXIS Q1941-E PT MOUNT 7MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$2,517.90
334220	AXIS	0974-001	AXIS Q1941-E PT MOUNT 13MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$2,517.90
334220	AXIS	0975-001	AXIS Q1941-E PT MOUNT 35MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$3,417.47
334220	AXIS	0977-001	AXIS Q1941-E PT MOUNT 60MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$4,766.83
334220	AXIS	0979-001	AXIS Q1941-E PT MOUNT 19MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$2,517.90
334220	AXIS	0981-001	AXIS Q1942-E PT MOUNT 10MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$4,496.96
334220	AXIS	0983-001	AXIS Q1942-E PT MOUNT 19MM 30 FPS	Q1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$4,496.96
334220	AXIS	0985-001	AXIS Q1942-E PT MOUNT 35MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$5,396.53
334220	AXIS	0987-001	AXIS Q1942-E PT MOUNT 60MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$6,745.89
334220	AXIS	1061C001	CANON NETWORK CAMERA VB-H652LVE	Outdoor vandal resistant fixed dome network camera with IR LED illumination up to 20m, and NTSC video out for manual PT configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU652-VB sold separately.	\$1,294.81
334220	AXIS	1064C001	CANON NETWORK CAMERA VB-M50B	Indoor PTZ network camera with 348° rotation and large aperture lens ideal for low light applications. 5x optical zoom, auto focus, day/night switching and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Only available in Black.	\$3,057.96
334220	AXIS	1065C001	CANON PLE. REC MOUNT KIT SR30-P-VB	Indoor plenum recessed ceiling mount kit for VB-S30D/S31D/S80XD mini-domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$108.85

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	1381V097	CANON A-ODW7C(OW)	Wall mount 7" clear vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$421.00
334220	AXIS	1381V099	CANON A-ODW7CS(OW)	A-ODW7C(OW) with sunshield	\$555.94
334220	AXIS	1381V100	CANON A-CM100	Narrow ceiling mount bracket. Steel construction with powder coat finish	\$103.45
334220	AXIS	1381V101	CANON A-CM100NPT	Ceiling mount bracket for 1 1/2" NPT. Steel construction with powder coat finish	\$90.86
334220	AXIS	1381V102	CANON A-CP100NPT	Coupling for dome housing for 1 1/2" NPT. Steel construction with powder coat finish	\$57.57
334220	AXIS	1381V103	CANON A-RCP5T	Replacement capsule, 5" Tinted (for A-ODW5 / A-ID5 / A-SWD5)	\$85.46
334220	AXIS	1381V104	CANON A-RCP7T	Replacement capsule, 7" Tinted (for A-ODW7 / A-ID7)	\$91.76
334220	AXIS	1381V105	CANON A-PS2412	24VAC-12VDC Converter (for A-ODW / A-ID / A-OH15)	\$95.35
334220	AXIS	1381V106	CANON A-BK3S(OW)	Pole Mount Adapter and 59" length Non-Tool Stainless Clamp (Minimum Pole Diameter 4")	\$109.75
334220	AXIS	1381V107	CANON A-CM3	Corner Mount Adapter	\$93.56
334220	AXIS	1381V108	CANON A-VC50BRK	Adapter bracket for VC-C50iR	\$27.89
334220	AXIS	1381V111	CANON A-ID7CF	Indoor clear recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$162.82
334220	AXIS	1381V112	CANON A-ID7TF	Indoor tinted recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$162.82
334220	AXIS	1381V118	CANON A-SWD5VC	Tough Dome. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	\$230.29
334220	AXIS	1381V119	CANON A-SWD5VT	Tough Dome. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	\$230.29
334220	AXIS	1381V120	CANON A-SWD5VCHB	A-SWD5VC with Heater & Blower	\$313.95
334220	AXIS	1381V121	CANON A-SWD5VTHB	A-SWD5VT with Heater & Blower	\$313.95
334220	AXIS	1381V122	CANON A-PS2412SWD5	24VAC-12VDC Converter (for A-SWD5)	\$95.35
334220	AXIS	1381V125	CANON A-VSM4TL	Vandal Resistant M4 Screws & Tool Set; consists of 7 vandal resistant M4 screws and 1 tool	\$19.79
334220	AXIS	1381V126	CANON A-OH15FBHSET(OW)	Outdoor camera housing with heater & blower and Wall bracket in Steel for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$214.10
334220	AXIS	1381V127	CANON A-CA15G	Ceiling mount adapter	\$32.38
334220	AXIS	1381V128	CANON A-SY15	Sunshield	\$38.68
334220	AXIS	1383C001	CANON NETWORK CAMERA VB-R13	Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.	\$2,625.63
334220	AXIS	1384C001	CANON NETWORK CAMERA VB-H651VE	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with	\$1,107.37
334220	AXIS	1385C001	CANON NETWORK CAMERA VB-H651V	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IK10-rated. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$799.58
334220	AXIS	1387C001	CANON NETWORK CAMERA VB-S30VE	Outdoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to + 122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone. Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.	\$662.08
334220	AXIS	1388C001	CANON NETWORK CAMERA VB-S800VE	Outdoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (93.8° AOV 16:9), digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to + 122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone. Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.	\$454.28
334220	AXIS	1389C001	CANON NETWORK CAMERA VB-S910F	Indoor compact fixed box network camera. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. Powered by PoE (Power supply not included). Audio output port and in-built microphone. Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White.	\$394.91
334220	AXIS	1497C001	CANON SMOKED DOME UNIT DU652-S-VB	Smoked Dome Unit for VB-H652LVE outdoor dome	\$58.47
334220	AXIS	1498C001	CANON HEATER UNIT HU652-VB	Optional heater element for VB-H652LVE outdoor Dome. Requires AC24V power	\$134.94
334220	AXIS	1586V919	CANON A-ODW7T(OW)	Wall mount 7" tinted vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$421.00
334220	AXIS	1586V921	CANON A-ODW7TS(OW)	A-ODW7T(OW) with sunshield	\$555.94
334220	AXIS	1588V039	CANON A-OH15F	Outdoor camera housing with Wall bracket for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$148.43
334220	AXIS	1923V396	CANON A-ODW7C12(OW)	Wall mount 7" clear vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$421.00
334220	AXIS	1923V397	CANON A-ODW7T12(OW)	Wall mount 7" tinted vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$421.00
334220	AXIS	1923V398	CANON A-ODW7C12S(OW)	A-ODW7C12(OW) with sunshield	\$555.94
334220	AXIS	1923V399	CANON A-ODW7T12S(OW)	A-ODW7T12(OW) with sunshield	\$555.94
334220	AXIS	1968V994	CANON A-SWD5ZWB	Wall bracket for A-SWD5V & A-SWD5Z	\$184.41
334220	AXIS	2030V463	CANON A-RCP5C	Replacement capsule, 5" Clear (for A-ODW5 / A-ID5 / A-SWD5)	\$87.26
334220	AXIS	2030V464	CANON A-RCP7C	Replacement capsule, 7" Clear (for A-ODW7 / A-ID7)	\$91.76
334220	AXIS	2038V640	CANON A-H24	Additional Heater for A-ODW	\$28.79
334220	AXIS	2038V641	CANON A-OH15FBHSET-S(OW)	Outdoor camera housing with heater & blower and Wall bracket in Stainless for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$258.18
334220	AXIS	2038V642	CANON A-SWD5ZWB-2	Attachment Plate for A-SWD5ZWB (Required if installing VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600)	\$50.38
334220	AXIS	2064V111	CANON A-SWD5ZC	Tough Dome Lite. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$184.41
334220	AXIS	2064V112	CANON A-SWD5ZT	Tough Dome Lite. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$184.41
334220	AXIS	2120V066	CANON A-BK3(OW)	Pole Mount Adapter and 59" length Non-Tool Aluminum Clamp (Minimum Pole Diameter 4")	\$67.47
334220	AXIS	2120V067	CANON A-SWD5BH2	Blower & Heater for A-SWD5, A-SWD5Z, A-SWD5V	\$80.96
334220	AXIS	2384V844	CANON A-RCP5VC	Replacement capsule, 5" Clear (for A-SWD5V / A-SWD5Z)	\$87.26
334220	AXIS	2384V845	CANON A-RCP5VT	Replacement capsule, 5" Tinted (for A-SWD5V / A-SWD5Z)	\$87.26

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	2541C001	CANON NETWORK CAMERA VB-H45S	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$2,113.41
334220	AXIS	2541C002	CANON NETWORK CAMERA VB-H45B	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (B).	\$2,113.41
334220	AXIS	2542C001	CANON NETWORK CAMERA VB-M44S	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$1,357.45
334220	AXIS	2542C002	CANON NETWORK CAMERA VB-M44B	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (B).	\$1,357.45
334220	AXIS	2545C001	CANON NETWORK CAMERA VB-S30D MkII	Indoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$538.65
334220	AXIS	2546C001	CANON NETWORK CAMERA VB-S31D MkII	Indoor compact network camera with lite-PTZ operation. Fixed 2.7mm wide angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$511.97
334220	AXIS	2551C001	CANON NETWORK CAMERA VB-H730F MkII	Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports, and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$583.96
334220	AXIS	2552C001	CANON NETWORK CAMERA VB-S800D MkII	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$358.70
334220	AXIS	2553C001	CANON NETWORK CAMERA VB-S900F MkII	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$386.20
334220	AXIS	2554C001	CANON NETWORK CAMERA VB-S805D MkII	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$314.00
334220	AXIS	2556C001	CANON NETWORK CAMERA VB-S905F MkII	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9), digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE. (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$314.38
334220	AXIS	2787V308	CANON A-SWD5WB3	Wall bracket for VB-H43, VB-H41, VB-M42, VB-M40, VB-S30D, VB-S31D, VB-S800D, VB-S805D	\$93.56
334220	AXIS	2943V528	CANON ITS-S-RK RECESSED KIT	Recessed Mounting Kit for VB-S30D, VB-S31D, VB-S800D, VB-S805D	\$98.05
334220	AXIS	3063V605	CANON A-BK4	Pole Mount Adapter and Stainless U-Bolt for 1 1/2" NPT (2x) (Pole Diameter 1.5" - 2.0")	\$91.76
334220	AXIS	3067V199	CANON A-ODW5C(OV)	Wall mount 6" clear dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$365.23
334220	AXIS	3067V200	CANON A-ODW5CS(OV)	A-ODW5C(OV) with sunshield	\$459.68
334220	AXIS	3067V201	CANON A-ODW5T(OV)	Wall mount 6" tinted dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$365.23
334220	AXIS	3067V202	CANON A-ODW5C12(OV)	Wall mount 6" clear dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$365.23
334220	AXIS	3067V203	CANON A-ODW5C12S(OV)	A-ODW5C12(OV) with sunshield	\$459.68
334220	AXIS	3067V204	CANON A-ODW5T12(OV)	Wall mount 6" tinted dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$360.73
334220	AXIS	3067V205	CANON A-ODW5T12S(OV)	A-ODW5T12(OV) with sunshield	\$459.68
334220	AXIS	3067V206	CANON A-SWD5C	Surface mount dome 6" clear for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$116.04
334220	AXIS	3067V207	CANON A-SWD5T	Surface mount dome 6" tinted for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$116.04
334220	AXIS	3067V208	CANON A-SWD5CHB	A-SWD5C w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$202.40
334220	AXIS	3067V209	CANON A-SWD5THB	A-SWD5T w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$202.40
334220	AXIS	3067V210	CANON A-ID5T5	Indoor tinted recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$123.24
334220	AXIS	3067V211	CANON A-ID5C5	Indoor clear recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$123.24
334220	AXIS	3067V212	CANON A-ODW5TS(OV)	A-ODW5T(OV) with sunshield	\$459.68
334220	AXIS	3072V366	CANON A-SWD5WB2	Indoor universal wall mount bracket suitable for VB-R13/R11 indoor PTZ Domes, and VB-H/M domes. 172mm standoff to centre	\$100.75
334220	AXIS	3497V728	CANON A-SWD5CA2	Ceiling adapter for A-SWD5 (Pipe is not provided)	\$154.73
334220	AXIS	4962B001	CANON CEILIN MOUNT COV S SS40-S-VB	Indoor surface mount ceiling cover (Silver) for VB-H43/M42 PTZ's Comprising of a metal mounting plate and "skirt" cover - Silver	\$55.77
334220	AXIS	4962B002	CANON CEILIN MOUNT COV B SS40-B-VB	Indoor surface mount ceiling cover (Black) for VB-H43B/M42B PTZ's. Comprising of a metal mounting plate and "skirt" cover - Black	\$55.77
334220	Axis	5000-001	ACC MAINS ADAPTOR AXIS PS24	24VAC power adapter for outdoor use. Output max 63VA.	\$133.98
334220	Axis	5000-011	WALL MOUNT AXIS PS24	Metal box to mount AXIS PS24 to a wall.	\$71.04
334220	Axis	5005-001	ACC DOME AXIS 216FD GLASS SMOKED	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301	\$26.07
334220	Axis	5005-011	ACC DOME AXIS 216FD GLASS CLEAR	Casing with clear transparent cover for AXIS 216FD/216MFD/P3301	\$26.07
334220	Axis	5005-061	ACC DOME AXIS 216FD-V GLASS SMOKED	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V	\$62.04
334220	Axis	5010-641	AXIS T95A64 BRACKET CORNER	Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	\$80.03
334220	Axis	5010-671	AXIS T95A67 BRACKET POLE	Pole bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	\$115.99

**BW Electric Inc. dba BW Systems
GSA Schedule Pricing**

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	5020-001	AXIS T8310 CONTROL BOARD	Modular control board for professional camera and video management. AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311 Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-connecting the units and a 2 meter USB cable to the workstation. AXIS T8310 Video Surveillance Control Board is supported in ACS ver. 3.3 or later.	\$1,033.16
334220	Axis	5020-101	AXIS T8311 JOYSTICK	Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later.	\$358.77
334220	Axis	5020-201	AXIS T8312 KEYPAD	Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later.	\$403.73
334220	Axis	5020-301	AXIS T8313 JOG DIAL	Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later.	\$358.77
334220	Axis	5024-101	AXIS T90C10 FIXED DOME IR-LED	IR-illuminator for AXIS P334X-VE cameras. 18-56 VDC input. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m power cable with gaskets.	\$313.82
334220	Axis	5024-201	AXIS T90C20 FIXED DOME IR-LED	IR-illuminator for AXIS P334X-VE cameras. PoE IEEE802.3af compliant. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m network cable with gaskets.	\$313.82
334220	Axis	5026-401	AXIS T8640 POE+ OVER COAX ADAP	Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power requirement at the device end. Diagnostics LEDs for power and link status in both base and device unit. Connectors: BNC and RJ45 connector and power input (for optional power supply). The package contains one base unit and one device unit.	\$372.27
334220	Axis	5026-411	AXIS T8640 WALL MOUNT BRACKET	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.	\$22.48
334220	Axis	5026-421	AXIS T8640 RACK MOUNT BRACKET	Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	\$55.74
334220	Axis	5026-431	AXIS T8640 DIN RAIL CLIP	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	\$19.77
334220	Axis	5027-041	AXIS T8604 MEDIA CONVERTER SWITCH	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F).	\$358.77
334220	Axis	5027-421	AXIS T8642 POE+ OVER COAX DEVI	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	\$186.13
334220	Axis	5028-411	AXIS T8641 POE+ OVER COAX BASE	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	\$186.13
334220	Axis	5030-064	AXIS T8006 PS12	Power supply with extended temperature specification -40°C to +75°C (-40°F to +167°F) providing 12 V DC to units such as AXIS T8604 and AXIS Q7424-R.	\$80.03
334220	Axis	5032-531	AXIS T8353A MICROPHONE 3.5MM	AXIS T8353A Microphone 3.5mm is an omnidirectional microphone with a 3.5mm adaptor, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. AXIS T8353A Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$403.73
334220	Axis	5500-051	ACC LENS CS VARIF 3-8MM DC-IR	CS mount Varifocal 3-8 mm DC-Iris for 211	\$89.02
334220	Axis	5500-201	ACC DOME AXIS 23XD+ SMOKED COVER	Smoked plastic dome for AXIS 231/232D+ dome cameras	\$25.19
334220	Axis	5500-301	ACC TOP COVER AXIS 209FD R 10PCS	Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags	\$223.89
334220	Axis	5500-491	ACC ALLEN-KEY M3 TAMP PROOF 10PACK	Allen-key for AXIS 209FD-R 10-pack	\$35.06
334220	Axis	5500-821	ACC TOP CLEAR ASS 216FD BLACK	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover.	\$26.07
334220	Axis	5500-831	SPR CONN KIT AXIS Q7401	Connectors for AXIS Q7410 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	\$17.08
334220	Axis	5500-851	CONN KIT AXIS P1311	Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one 2P STR 3.81MM BP LF.	\$8.09
334220	Axis	5502-051	ACC MALE RJ45 AXIS 209FD-R 10PCS	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera. 10 pack	\$133.98
334220	Axis	5502-061	ACC MALE RJ45 AXIS 209FD-R	Vibration resistant male RJ-45 connector suitable for RJ-45 version of AXIS M31XX-R and AXIS 209FD-R/MFD-R Network Cameras.	\$13.50
334220	Axis	5502-091	ACC DOME AXIS 212PTZ-V GLASS CLEAR	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	\$62.04
334220	Axis	5502-131	CONNECTOR M12 MALE 4P 10PCS	Rugged, male D-coded M12 connector compatible with AXIS M31XX-R M12 and Connector M12 Female 4P. Field installable with screw-in contacts. 10 pcs	\$133.98
334220	Axis	5502-141	CONNECTOR M12 FEMALE 4P 10PCS	Rugged, female D-coded M12 connector compatible with Connector M12 male 4P, 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs	\$133.98
334220	Axis	5502-551	ACC PL ADAPTER CURVED AXIS M311X 10PCS	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$26.07
334220	Axis	5502-661	AXIS LENS CLOTH 10PCS	Axis accessory lens cloth. 10 pack	\$35.06
334220	Axis	5502-701	M10 STAND EXTENSION 10CM 10PCS	AXIS M10-series 10 cm stand extension. 10 pcs. Cable clip included.	\$26.07
334220	Axis	5502-711	CABLE SEALING IP65 FOR Q8108-R	Accessory cable sealing to meet IP65 rating for Q8108-R.	\$223.89
334220	Axis	5502-721	AXIS LENS CLOTH 50PCS	Axis accessory lens cloth. 50 pack	\$151.95
334220	Axis	5502-731	AXIS Q603X-E CABLE RJ45 OUTDOOR 5M	Outdoor CAT6 Ethernet cable. IP66 rated male push pull connector for AXIS Q603X-E and AXIS P55-E, IP20 rated male RJ45 connector for midspan. Length: 5 meters. Color: black.	\$71.03
334220	Axis	5502-811	SURVEILLANCE STICKER ENG 10PCS	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$7.20
334220	Axis	5502-821	SURVEILLANCE STICKER ENG 50PCS	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$45.00
334220	Axis	5503-061	ADAPTER CURV L GREY M311X 10PCS	Optional light grey adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$26.07
334220	Axis	5503-071	PL ADAPTER FLAT L GREY M311X 10PCS	Optional light grey plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	\$26.07
334220	Axis	5503-191	AXIS M320X DOME KIT SM BLK	Interchangeable black casing with smoked dome for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304.	\$26.07
334220	Axis	5503-192	ADAPTER AXIS 209 TO M31/P39 50 PCS	Adapter plate for mounting an AXIS M31 using the same foot print as the AXIS 209. 50 PCS	\$223.89
334220	Axis	5503-272	NETWORK CABLE COUPLER INDOOR SLIM	Female/female RJ45 coupler. Slim and compact size. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$17.08
334220	Axis	5503-431	NETWORK CABLE COUPLER IP66	Compact IP66-rated female/female RJ45 cable coupler. Perfect when you need to extend a pre-terminated outdoor cable.	\$26.07
334220	Axis	5503-521	ELECTRICAL SAFETY KIT A 120VAC	Electrical safety kit for AXIS T98A in countries where the mains power is 120 V DC. Included products: Surge protector class 2, Fuse/main switch, terminal blocks and an intrusion door switch.	\$178.93
334220	Axis	5503-551	AXIS T98A SUNSHIELD	Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$66.54
334220	Axis	5503-561	LENS TOOL KIT AXIS M311X 2MM 4PCS	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X cameras with 2mm lens. Content: Lens tool and Opening tool 4 pcs of each.	\$21.59
334220	Axis	5503-741	GASKET A CABLE 3.5-7MM 10PCS	M20 Gasket for cable diameter 3,5mm to 7mm. 10 pcs.	\$8.09
334220	Axis	5503-751	GASKET B M20 CABLE 6-13MM 10PCS	M20 Gasket for cable diameter 6-13mm, 10 pcs.	\$8.09
334220	Axis	5503-761	CABLE GLAND A M20 5PCS	M20 cable gland, 5 pcs.	\$8.09
334220	Axis	5503-771	NETWORK CABLE COUPLER INDOOR	Female/female RJ45 coupler. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$9.90
334220	Axis	5503-781	AXIS T91A6 PIPE SEAL 1PCS	Pipe seal for AXIS T91A6, to protect from dust, water and bugs.	\$9.90
334220	Axis	5503-791	GASKET C M25 CABLE 8-17MM 10PCS	M20 Gasket for cable 8-17mm, 10 pcs.	\$8.09

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	5503-811	AXIS P1214 SENSOR UNIT	Original sensor unit for AXIS P1214 with premounted cable. Flush mount bracket included.	\$178.93
334220	Axis	5503-821	AXIS P1214-E SENSOR UNIT	Original sensor unit for AXIS P1214-E with premounted cable. Flush mount bracket and sensor unit housing included.	\$178.93
334220	Axis	5503-831	CABLE GLAND A M25 5PCS	M25 Cable gland, 5 pcs.	\$17.08
334220	Axis	5503-841	AXIS DOOR SWITCH A	Intrusion door switch for AXIS T98A, connection to I/O port.	\$26.07
334220	Axis	5503-951	CABLE GLAND M20X1.5 RJ45 5PCS	M20 cable gland for RJ45. Ease of installation, no need of cutting the cable.	\$17.08
334220	Axis	5503-961	AXIS Q60-E/C SMOKED DOME D	Stand alone smoked dome for AXIS Q60XX-E/-C series	\$71.03
334220	Axis	5504-731	AXIS Q603X-E CABLE RJ45 OUTDOOR 15M	Outdoor CAT6 Ethernet cable. IP66 rated male push pull connector for AXIS Q603X-E and AXIS P55-E, IP20 rated male RJ45 connector for midspan. Length:15 meters. Color: black.	\$133.98
334220	Axis	5504-791	AXIS Q604X-S SMOKED DOME A	Smoked dome for AXIS Q604X-S cameras	\$71.03
334220	Axis	5504-911	AXIS T94D01S MT BRACKET FL WT 10PCS	White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.	\$26.07
334220	Axis	5504-921	AXIS T94D02S MT BRACKET CU WT 10PCS	White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on curved surfaces. 10 pack.	\$26.07
334220	Axis	5505-041	AXIS T8353 MOUNT	Mounting accessory for AXIS T8353 Microphones	\$17.08
334220	Axis	5505-251	AXIS CONNECTOR A 4P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 4pos terminal block. 10pack	\$26.07
334220	Axis	5505-261	AXIS CONNECTOR A 2P2.5 STR 10PCS	Axis male connector for legacy IO port . Pitch: 2.50 mm. 2pos terminal block. 10pack.	\$17.08
334220	Axis	5505-271	AXIS CONNECTOR A 6P2.5 STR 10PCS	Axis male connector for extended IO port . Pitch: 2.50 mm. 6pos terminal block. 10pack	\$53.05
334220	Axis	5505-281	AXIS CONNECTOR A 3P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 3pos terminal block. 10pack	\$26.07
334220	Axis	5505-291	AXIS CONN A 4P3.81 STR IN/OUT 10P	Axis male connector for audio. Pitch: 3.81 mm. 2+2pos terminal block. 10pack	\$35.06
334220	Axis	5505-301	AXIS CONNECTOR A 2P5.08 STR 10PCS	Axis male connector for low voltage power. Pitch: 5.08 mm. 2pos terminal block. 10pack	\$26.07
334220	Axis	5505-351	AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system compoents: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$808.36
334220	Axis	5505-361	AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system compoents: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$808.36
334220	Axis	5505-371	AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system compoents: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$808.36
334220	Axis	5505-381	AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A18-VE Surveillance cabinet with following system compoents: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3) AXIS T8604 Media Converter, (4) Power cable and DIN clip for midspan AXIS T8124, (5) Internal cables and mounts. Tested and verified with Axis cameras.	\$808.36
334220	Axis	5505-391	AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system compoents: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$808.36
334220	Axis	5505-651	AXIS CABINET LOCK A	Door lock for AXIS T98A surveillance cabinet. Uses a generic key but it is possible to change locking cylinder to a unique key solution (not supplied from Axis)	\$53.05
334220	Axis	5505-681	AXIS WL LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance is 15 m (49 ft). Compatible with AXIS T90B25 W-LED.	\$26.07
334220	Axis	5505-691	AXIS WL LENS C 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B35 W-LED.	\$30.58
334220	Axis	5505-701	AXIS IR LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B20 IR-LED.	\$26.07
334220	Axis	5505-711	AXIS IR LENS C 120 DEG	Accessory lens compatible with AXIS T90B30 IR-LED providing 120° beam angle, beam distance 30 m (98 ft). Also compatible with AXIS T90B40 IR-LED (two lenses are required as the illuminator has two panels). The beam angle can be adjusted between 120° and 180°, with a beam distance stretching from 65 m to 45 m (213 ft to 148 ft). This sales part includes one lens.	\$30.58
334220	Axis	5505-721	AXIS T94A01L RECESSED MOUNT	Outdoor recessed mount for AXIS Q60-E cameras. Can be mounted in panels, wood or pre-made holes solid concrete. The mount is very sturdy and made of aluminum and stainless steel. It supports the IK10 impact rating of the camera and has two 3/4" conduit holes for a plenum rated and rodent safe installation.	\$223.89
334220	Axis	5505-911	AXIS T96B05 OUTDOOR HOUSING	Outdoor housing for AXIS P39-R cameras. Enables P39-R cameras to be mounted outside vehicles such as buses, trams, trucks and emergency vehicles. Includes lens tool and top cover tool.	\$89.02
334220	Axis	5506-231	AXIS T8415 WIRELESS INSTALLATION TOOL	Camera installation made easy. Battery driven Wi-Fi access point with PoE+ to camera for use with AXIS Installation application on your iOS or Android device.	\$538.60
334220	Axis	5506-251	AXIS 10-PIN PUSH-PULL SYSTEM CONN	10-pin system connector for power, audio and I/O.	\$35.06
334220	Axis	5506-291	AXIS T8642 MOUNTING KIT A	Kit for mounting an AXIS T8642 e.g. inside an AXIS Q8414-LVS. Kit contents: cable tie 432mm (17 in) long, BNC male to female angled adapter and network cable 135 mm (5.3 in) long.	\$12.59
334220	Axis	5506-311	AXIS Q8414-LVS BACK CHASSIS WHITE	Spare part powder coated white stainless steel back chassis with gaskets for AXIS Q8414-LVS.	\$178.93
334220	Axis	5506-321	AXIS Q8414-LVS BACK CHASSIS METAL	Spare part brushed stainless steel metal back chassis with gaskets for AXIS Q8414-LVS.	\$178.93
334220	Axis	5506-341	AXIS Q8414-LVS IR WINDOW A 5P	Standard IR window with microphone hole and water-stop membrane for AXIS Q8414-LVS. 5 pcs.	\$133.98
334220	Axis	5506-371	AXIS Q8414-LVS IR WINDOW B 5P	Accessory IR window without microphone hole. 5 pcs.	\$107.00
334220	Axis	5506-441	LENS TOOLKIT P39XX-R 4 PCS	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS P39xx-R cameras with the standard lens and the 2.8 mm accessory lens. Content: Lens tool, Allen key and Opening tool. 4 pcs of each.	\$17.08
334220	Axis	5506-451	AXIS PATCH CABLE A 200MM 6PCS	Set of patch cables for AXIS T8085 PS57 RACK MOUNT 500W 1U to connect AXIS T8646 POE+ OVER COAX BLADE	\$71.03
334220	Axis	5506-551	AXIS INSTALLATION TOOL BATTERY 12V3.4AH	Additional battery for AXIS T8415 Wireless Installation Tool.	\$89.02
334220	Axis	5506-561	AXIS INSTALLATION CHARGER ADAPTOR 12V1A	Charging adaptor for AXIS T8415 Wireless Installation Tool.	\$44.06
334220	AXIS	5506-661	AXIS T94U02D PENDANT KIT	Outdoor pendant kit with weather shield for AXIS Q3505-SVE, made of stainless steel.	\$376.92
334220	AXIS	5506-701	AXIS Q3505-SVE CLEAR DOME 2P	Standard clear dome for AXIS Q3505-SVE. 2pcs	\$80.06
334220	Axis	5506-731	AXIS LENS TAMRON C 4-13MM DC-IRIS	Standard C mounted varifocal DC-Iris lens 4-13mm for AXIS Q1635.	\$358.77
334220	Axis	5506-851	AXIS T96B05 FRONT KIT 5 PCS	Spare part window and window holder for AXIS T96B05 Outdoor Housing and AXIS P3905-RE. 5 Pcs. Includes screws.	\$151.95
334220	Axis	5506-881	AXIS T8415 WIRELESS INST TOOL KIT	Kit including AXIS T8415 Wireless Installation Tool, one extra AXIS Installation Tool Battery 12V3.4Ah and one AXIS Installation Bag.	\$628.53
334220	Axis	5507-191	BRACKET POLE TOP XF40 EX	The Electro-polished 316L stainless steel bracket pole top is specifically designed for top mounting installations of XF40 and suitable for onshore, offshore, marine and heavy industrial applications. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 1.1kg.	\$403.73
334220	Axis	5507-201	BRACKET WALL MOUNT XF40 EX	Electro-polished 316L stainless steel wall mount for XF40, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Bracket Pole Clamp Adaptor XF40 EX for pole mounting. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 2.5 kg.	\$808.36
334220	Axis	5507-211	BRACKET WALL MOUNT XP40 EX	Electro-polished 316L stainless steel wall mount for XP40, designed for onshore, offshore, marine and heavy industrial applications. Weight 14 kg.	\$718.45

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Axis	5507-221	BRACKET POLE CLAMP ADAPTER XF40 EX	Pole mounting explosion protected fixed network cameras is made simple using this elector-polished 316L stainless steel pole clamp adapter, accompanied by the requisite Wall Mount Bracket. The Pole Clamp Adaptor is specifically designed to mount Bracket Wall Mount XF40 EX to poles of a diameter from 90mm to 120mm. Weight 4.2 kg.	\$538.60
334220	AXIS	5507-471	MOUNT KIT CODEBLUE/A8004	Stainless steel adapter plate for mounting AXIS A8004-VE Network Video Door Station in Code Blue emergency stanchions and call boxes, combining intelligent video surveillance with emergency communication in a single device. The adapter plate is compatible with all Code Blue help points, suitable for new deployments and retrofitting existing installations.	\$107.05
334220	AXIS	5507-681	AXIS T93C10 OUTDOOR HOUSING	Outdoor camera housing for Axis cameras with EF lenses (e.g.: AXIS Q1659). Made of IK10 impact resistant thermoplastic with dual-layer UV protection. IP66, NEMA 4X rated and UL listed. Powered by 24 VDC (power supply not included). Heavy duty wall mount included.	\$1,168.54
334220	AXIS	5507-701	AXIS WASHER KIT B	Washer kit for spraying cleaning fluid on the windows of AXIS positioning cameras and positioning units. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube, nozzle and custom-made mounting bracket for the nozzle.	\$898.67
334220	AXIS	5507-711	AXIS 4IN1 SECURITY SCREWDRIVER	The AXIS 4-in-1 Security Screwdriver Kit is a great tool for installing Axis products. The kit features two double-sided insert bits type that match Axis products using tamper resistant torx and standard philips head. The kit comes with a quick-release, non-slip rubber handle, and a velcro-sealed polyester pouch with belt clip. Insert bits material in chrome vanadium (TR10+PH1) and in stainless steel (TR20+TR30).	\$21.59
334220	Axis	5700-301	SPR AXIS P3343/-V SCREW KIT	Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	\$3.60
334220	Axis	5700-371	SPR CONN PUSH PULL PLUG IDC-8 IP67	Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.	\$44.06
334220	Axis	5700-751	AXIS Q604X-S CLEAR DOME A	Original clear dome for AXIS Q604X-S cameras	\$62.04
334220	Axis	5700-971	ELECTRONIC KIT AXIS T92E20	Sparepart including the electronics module of the AXIS T92E20 housing including fan and screws.	\$160.94
334220	Axis	5800-081	AXIS Q603X-E CLEAR DOME C	Stand alone HD quality clear dome without line for the AXIS Q603X-E.	\$71.03
334220	Axis	5800-271	SPR FAN CASSETTE AXIS Q7900 E2	Original spare part fan cassette for AXIS Q7900 E2.	\$178.93
334220	Axis	5800-301	FRONT KIT 35MM AXIS Q872X-E	Frontkit for AXIS Q872X-E with 30mm lens as spare part	\$628.53
334220	Axis	5800-311	FRONT KIT 60MM AXIS Q872X-E	Frontkit for AXIS Q872X-E with 60mm lens as spare part.	\$1,347.87
334220	Axis	5800-321	AXIS Q872X-E SUNSHIELD KIT	Sunshield for AXIS Q872x-E as sparepart. Including screws and washer	\$268.85
334220	Axis	5800-351	AXIS T98A MOUNTING BRACKET	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	\$53.05
334220	Axis	5800-401	AXIS P5544 LENS KIT	Spare part lens kit for AXIS P5544	\$358.77
334220	Axis	5800-481	AXIS Q60-E/C CLEAR DOME D	Clear dome cover for AXIS Q60XX-E/C series	\$71.03
334220	Axis	5800-521	AXIS T98A05 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.	\$115.99
334220	Axis	5800-531	AXIS T98A06 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.	\$115.99
334220	Axis	5800-541	AXIS T98A07 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/LVE and the outdoor bullet-style Q1765 and Q1931 cameras. Used in T98A17-VE Cabinets.	\$115.99
334220	Axis	5800-551	AXIS T98A08 CABINET DOOR	Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.	\$115.99
334220	Axis	5800-611	CONN KIT AXIS P7214/Q7411	Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	\$8.09
334220	Axis	5800-621	CONN KIT AXIS M7014	Terminal connectors for AXIS M7014. Includes 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	\$8.09
334220	Axis	5800-851	SPR FAN CASSETTE AXIS Q7920	Original spare part fan cassette for AXIS Q7920.	\$89.02
334220	Axis	5800-871	AXIS T98A09 CABINET DOOR	Cabinet door for AXIS T98A. Compatible products: AXIS P54-Series. Used in T98A19-VE Cabinets.	\$115.99
334220	Axis	5800-881	SPR 5 PORT GB ETHERNET SWITCH KIT	Spare part internal switch for the AXIS Q8721-E/22-E Dual cameras. Includes brackets, network cable coupler and a short patch cable.	\$538.60
334220	Axis	5800-891	AXIS CONNECTOR A 4P2.5 STR 10PCS	Axis male connector for limited and full IO port . Pitch: 2.50 mm. 4pos terminal block. 10pack.	\$17.08
334220	Axis	5800-901	AXIS CONNECTOR A 2P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 2pos terminal block. 10pack	\$17.08
334220	Axis	5800-921	PT IR ILLUMINATOR KIT B	Spare part illuminator kit for AXIS Q8665-LE. NOTE: it is not possible to upgrade a Q8665-E to become LE version	\$1,168.04
334220	Axis	5800-931	AXIS T90B REMOTE CONTROL	The remote control is compatible with all Axis T90B illuminators and provides the possibility to adjust settings of light intensity, photocell sensitivity and more conveniently from the ground level. No lift or ladder required. The remote control feature can be disabled after the installation is finalized to avoid tampering.	\$35.06
334220	Axis	5800-951	AXIS Q8721-E/22-E BASE	Base assembly for the AXIS Q8721-E/22-E.	\$628.53
334220	Axis	5800-961	CABLE GLAND A M16 5PCS	M16 cable gland for cable diameter of 4.5 to 10mm. IP68. 5 pcs.	\$17.08
334220	Axis	5800-991	SPR P1224-E SENSOR UNIT	Original sensor unit for AXIS P1224-E with premounted cable. Flush mount bracket included.	\$178.93
334220	Axis	5801-111	SPR TOP COVER AXIS P39-R 10 PCS	Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.	\$223.89
334512	Axis	5801-141	AXIS A9801 SECURITY RELAY	AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of the door. If an intruder attempt to tamper with the door station to access the door lock wires, AXIS A9801 Security relay will cut the connection and ensure that the door remains securely locked.	\$107.00
334220	AXIS	5801-171	AXIS Q8665-E BASE UNIT 24 V AC	Spare part base unit for AXIS Q86-E 24 V AC.	\$1,078.59
334220	AXIS	5801-181	AXIS Q8665-E BASE UNIT 120 V AC	Spare part base unit for AXIS Q86-E 120 V AC.	\$1,078.59
334220	AXIS	5801-191	AXIS Q8665-LE BASE UNIT 24V AC	Spare part base unit for AXIS Q86-LE 24 V AC.	\$1,078.59
334220	AXIS	5801-201	AXIS Q8665 WIPER	Spare part wiper blade for AXIS Q8665-E/LE including the stainless steel holder	\$53.07
334220	AXIS	5801-281	AXIS Q8665 HOUSING TOP	Spare part top housing with glass window for AXIS Q8665-E/LE.	\$358.93
334220	AXIS	5801-291	AXIS Q8631-E/32-E HOUSING TOP	Spare part top housing with germanium window for AXIS Q8631-E/32-E.	\$538.84
334220	AXIS	5801-311	AXIS Q8631/32/65 SUNSHIELD	Spare parte sunshield for AXIS Q8631-E/32-E/65-E/65-LE	\$53.07
334220	AXIS	5801-671	AXIS A8004-VE ACCESSIBILITY KIT	AXIS A8004-VE Accessibility kit is an easy way to improve access to your building and comply with regulations on barrier-free accessibility. It's designed as a new front plate that mounts on and connects directly to any AXIS A8004-E Network Video Door Station. The product includes an inductive loop for hearing aids, illuminated pictograms for user feedback and a tactile dot for the call button, all of which help to simplify interaction for people with impaired hearing or vision.	\$179.01
334220	AXIS	5801-694	AXIS T8516 PoE+ NETWORK SWITCH	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 16 PoE+ ports with 250W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$628.80
334220	AXIS	5801-801	AXIS T8611 SFP MODULE LC.LX	Small Form Factor Pluggable (SFP) transceiver module. Single mode 1310nm, 10km. Industrial grade.	\$89.06
334220	AXIS	5801-811	AXIS T8612 SFP MODULE LC.SX	Small Form Factor Pluggable (SFP) transceiver module. Multi mode 850nm, 550m. Industrial grade.	\$71.07

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	AXIS	5801-821	AXIS T8613 SFP MODULE 1000BASE-T	Small Form Factor Pluggable (SFP) transceiver module. Ethernet RJ-45, Industrial grade.	\$89.06
334220	AXIS	5801-901	AXIS PT IR ILLUMINATOR KIT C	850nm IR LED illuminator kit compatible with AXIS T99A Positioning Units for visual cameras. Kit includes one pair of IR illuminators, one metal mounting bracket, and three different diverging lenses. Note: this is the same illuminator kit as used in AXIS Q8685-LE PTZ Network Camera.	\$1,618.33
334220	AXIS	5801-931	ECP081208 PS 24V UL	The power supply is UL certified and made of epoxy powder coated copper free aluminum with stainless steel cover bolts and hinges. It is pre-mounted with fuses, terminals, RJ45 coupler and 115/230 V AC transformer, which provides 24 V AC for Explosion Protected Cameras. The cabinet has 3 open 1/2"NPT cable entries and a fourth plugged entry and is Class I, Div 1 & 2, Class II, Div 1 & 2, Class 3, cUL to CSA C22.2 No. 30, No. 25 and NEMA 3 & 4 certified for temperatures between -40°C and +55°C. Weight is 67.3 lb (30.5 kg).	\$6,476.02
334220	Axis	5900-151	AXIS T98A15-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	\$241.88
334220	Axis	5900-161	AXIS T98A16-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS M111X-E, P13XX-E, Q16XX-E, Q1755-E, Q191X-E Q192X-E.	\$241.88
334220	Axis	5900-171	AXIS T98A17-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS P33-VE/LVE.	\$241.88
334220	Axis	5900-181	AXIS T98A18-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS T91B61 Wall bracket for use with AXIS P55, P56, Q60 and Q61-series or fixed dome pendant kits.	\$241.88
334220	Axis	5900-261	AXIS T93F05 PROTECTIVE HOUSING	Fixed box protective camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$142.97
334220	Axis	5900-321	AXIS T98A19-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS P5414-E/15-E.	\$241.88
334220	AXIS	5901-261	AXIS T8606 MEDIA CONV SWITCH 24VDC	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F). 24 V DC power in.	\$358.93
334220	AXIS	5901-271	AXIS T8607 MEDIA CONV SWITCH 24VDC	Media converter switch - 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports and a combined communication and powering port for the camera. Temp spec. -40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount. 24 V DC power in.	\$403.91
334220	AXIS	5901-401	AXIS T91K61 WALL MOUNT	Marine-grade stainless steel wall mount for AXIS Q6055-S PTZ Network Camera. Compatible with stainless steel pole mount (sold separately).	\$358.93
334220	AXIS	5901-411	AXIS T94A02D PENDANT KIT	Marine-grade stainless steel pendant kit for AXIS Q60-S with 1.5" NPT male thread.	\$116.04
334220	AXIS	5901-421	AXIS T93C WALL-POLE CONDUIT BACKBOX	Aluminum conduit back box for wall or pole mount. Space for outdoor power supply, and electrical connection boxes. Steel straps for pole mount are sold separately. Recommended to use with POWER SUPPLY PS24 240W (not included).	\$179.01
334220	AXIS	6816B001	CANON INDOOR DOME HOUSING DR41-C-VB	Indoor recessed ceiling mount kit for VB-H43(B) & VB-M42(B) PTZ's. Comprising of in-ceiling cage and Clear Dome - Silver	\$193.41
334220	AXIS	6816B002	CANON INDOOR DOME HOUSING DR41-S-VB	Indoor recessed ceiling mount kit for VB-H43(B) & VB-M42(B) PTZ's. Comprising of in-ceiling cage and Smoked Dome - Silver	\$193.41
334290L	Lenel	033-200004	Readers	Environmental Enclosure for Stealth Series Readers (fully encloses reader) required for outdoor operation of Stealth Bio-Reader.	\$190.05
334290L	Lenel	033-200500	Readers	"Heavy Weather" Visor for Stealth Series Readers (Heavy Duty version); required for outdoor operation of Stealth Bio-Reader.	\$225.53
334290L	Lenel	033-200600	Readers	Spacer: Plastic spacer to isolate reader from electrical box. Each package contains 12 spacers.	\$130.50
334290L	Lenel	1324GBN22	Credentials	Direct Image PVC Labels with peel off adhesive back for use with Prox Card II (0.020 thick card) no slot punch. Will not work with all direct card printers, check printer specifications. [Min Order QTY of 100]	\$0.72
334290L	Lenel	1324GGN31	Credentials	Direct Image, PVC Labels for use with Prox Card II with peel off self adhesive front part number 1326-LASMV (0.025 thick cards) no slot punch. Will not work with all direct card printers, check printer specifications. [Min Order QTY of 100]	\$0.72
334290L	Lenel	1326-LASMV	Credentials	ProxCard II Proximity Access Card - includes 26-bit Wiegand format, adhesive front, back has molded HID logo, printed sequential matching (internal/external) number and vertical slot punch capability. [Min Order QTY of 100]	\$2.37
334290L	Lenel	1326-LSSMV	Credentials	ProxCard II Proximity Access Card - standard card includes, 26-bit format, HID ProxCard II artwork with matte finish, printed sequential number with gaps and vertical slot punch. [Min Order QTY of 100]	\$2.00
334290L	Lenel	1336-LGGMN	Credentials	DuoProx Card Prox with Mag Stripe Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, with printed sequential numbering with no gaps and 1/2 inch Hi-Co magstripe [Min Order QTY of 100]	\$4.21
334290L	Lenel	1336-LGSMN	Credentials	DuoProx Card Prox with Mag Stripe - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork, matte finish on back with laser sequential numbering with no gaps and 1/2 inch Hi-Co magstripe [Min Order QTY of 100]	\$4.06
334290L	Lenel	1346-LNSMN	Credentials	ProxKey III Proximity Access Keyfob - keyfob includes; 26 bit format, Black with Grey Insert and HID standard logo on the front; standard back packaging; inkjetted sequential matching internal/external keyfob numbering (Minimum order 100)	\$3.97
334290L	Lenel	1351-LBSMN	Credentials	Prox Pass Long Range Proximity Tag for Vehicle Access Control (6' to 8') read range with MaxiProx readers. [Min Order QTY of 50]	\$22.88
334290L	Lenel	1386LGGMN	Credentials	ISO Prox II Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, printed ID number and No gaps in card sequence [Min Order QTY of 100]	\$4.07
334290L	Lenel	1386-LGSMN	Credentials	ISO Prox II Graphics Quality- standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork with matte finish on back, printed ID number and No gaps in card sequence [Min Order QTY of 100]	\$3.69
334290L	Lenel	1391-LSSMN	Credentials	Microprox Tag - for assets retrofit applications - standard tag includes 125kHz programming, HID standard artwork on front, adhesive back, sequential matching numbering internal/external. [Min Order QTY of 100]	\$2.68
334290L	Lenel	1430-MGGMN	Credentials	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain white back, sequential matching internal/external number and no slot punch. [Min Order QTY of 100]	\$2.80
334290L	Lenel	1430-NGGNN	Credentials	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 KByte Memory with 16 Sectors - this card is unprogrammed, plain white front, plain white back, no slot punch. [Min Order QTY of 100]	\$2.41
334290L	Lenel	1431-BG1MNN	Credentials	HID FlexSmart® Proximity & MIFARE Contactless Smart Card w/mag - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID" - this card is programmed (must specify programming information at the time of order), plain white front, plain white back with magnetic stripe, sequential matching internal/external number and no slot punch. [Min Order QTY of 100]	\$5.31
334290L	Lenel	1431-BGGMNN	Credentials	HID FlexSmart® Proximity & MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID" - this card is programmed (must specify programming information at the time of order), plain white front, plain white back, sequential matching internal/external number and no slot punch. [Min Order QTY of 100]	\$4.51
334290L	Lenel	1440-NGGNN	Credentials	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 4KByte Memory with 40 Sectors - this card is unprogrammed, plain white front, plain white back, no slot punch. [Min Order QTY of 100]	\$4.69
334290L	Lenel	2000NG1NN	Credentials	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering. (minimum order qty. 100)	\$3.85
334290L	Lenel	2000NGGNN	Readers	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. iCLASS must be encoded by OnGuard before card can be used (minimum order qty. 100)	\$3.12

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	2001NG1NN	Credentials	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering. (minimum order qty. 100)	\$6.37
334290L	Lenel	2001NGGNN	Readers	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. Direct replacement for 2002NGGNN. (minimum order qty. 100)	\$5.64
334290L	Lenel	2002PGGNN	Credentials	iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, programmed, no external card numbering. (minimum order qty. 100)	\$5.64
334290L	Lenel	2020AG1NNM	Credentials	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz, direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum order qty. 100)	\$7.44
334290L	Lenel	2020AGGNNM	Credentials	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz, direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum order qty. 100)	\$6.71
334290L	Lenel	2021AGGNNM	Credentials	iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz, direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum order qty. 100)	\$7.92
334290L	Lenel	2022AGGNNM	Credentials	iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz & HID Proximity 125kHz, direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum order qty. 100)	\$7.92
334290L	Lenel	2050NNNNN	Credentials	iCLASS Contactless Smart Hexagonal Key Ring Tag, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. (minimum order qty. 100)	\$4.04
334290L	Lenel	2080PGSNV	Credentials	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas, configured, programmed, Gloss plain white PVC front, Std HID Logo base, No external Numbering, Vertical Slot punch. (minimum order qty. 100)	\$2.08
334290L	Lenel	2101NG1NN	Credentials	Composite iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering. (minimum order qty. 100)	\$6.49
334290L	Lenel	23458565	Credentials	Interior Shim Plate - AD-401	\$10.56
334290L	Lenel	23458599	Credentials	Exterior Shim Plate	\$8.21
334512	Lenel	32ES-32RUP	Upgrades	32 Access Readers upgrade for all 32ES systems (max of 64 readers).	\$1,303.52
334290L	Lenel	402-105800	Readers	Extended Stealth Main Cable: 24 inch long cable Each package contains 3 cables.	\$86.16
334290L	Lenel	5006PGGMN	Readers	COMPOSITE iCLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. iCLASS #, NO SLOT, LAM (NOTE SEOS PROGRAMMED)	\$3.48
334290L	Lenel	5355-ABK09	Readers	ProxPro, Beige w/ Keypad, (12 VDC)	\$273.30
334290L	Lenel	5355-AGK09	Readers	ProxPro, Gray, w/ Keypad, (12 VDC)	\$273.30
334290L	Lenel	5365-EGH00	Readers	Hazardous Location MiniProx Reader, 5-16 VDC, terminal strip	\$312.34
334290L	Lenel	5365-EGP00	Readers	MiniProx, Gray w/ Pigtail Leads (5-16 VDC)	\$131.58
334290L	Lenel	5375-AGN00	Readers	MaxiProx, Gray, (24 VDC)	\$444.87
334290L	Lenel	5455BGN00	Readers	ProxPro II, Gray, (5-16 VDC)	\$160.70
334290L	Lenel	562-110600	Readers	Waterproof DC/DC Converter 24V Step Down to 12V/20A 240W Power Supply Module Operating temperature: -40 °C to +85 °C	\$114.03
334290L	Lenel	6236CKN000509	Readers	iCLASS RMPK40 Combination Tech Reader; Wiegand Magnetic stripe; HID and AWID Prox; iCLASS US/EU APAC Back Box Mount; Wall switch form factor Read Only; Black; with Pigtail; Mag Stripe - ABA Card all ABA Digits; 8 bit message keypad	\$430.73
334512	Lenel	64ADV-64RUP	Upgrades	64 Access Readers upgrade for all ADV systems (max of 256 readers).	\$2,078.09
334290L	Lenel	842-200100	Readers	Pedestal Mount for Non-Bio readers. Includes custom mounting adaptor for simplified installation.	\$262.27
334290L	Lenel	842-200200	Readers	Pedestal Mount for Stealth Bio-Readers. Includes custom mounting adaptor for simplified installation.	\$262.27
334290L	Lenel	862-109500	Readers	Mullion Mount Adaptor: a mullion mount adaptor for use with Stealth Readers (Bio and non-Bio) is available to insure safe and secure mounting of Verid readers. The standard reader mounting plate secures directly to adaptor. Can be mounted in both left or right side of mullion	\$149.51
334290L	Lenel	900NHPTEK000HR-L02	Readers	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE	\$108.65
334290L	Lenel	900NHRTEK0000C	Readers	PIVClass R10 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO - SEOS - FIPS 201 - CAK; Mullion mount size; LED Red - Flash Green - Buzzer On; 475 Full Duplex; Open Collector and Optical Tamper; FIPS 200 bit; with HID standard logo	\$107.05
334290L	Lenel	900NTNNEK00000-L00	Readers	iCLASS SE R10 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO - SEOS; Mini-Mullion mount size; LED Red - Flash Green - Buzzer On; CSN 32 bit; with Lenel logo [artwork code L110317] [direct replacement for 6100CKN0000L]	\$85.64
334290L	Lenel	900NTPTEK0033V	Readers	iCLASS SE R10 reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO - SEOS; Mullion mount size; LED Red - Flash Green - Buzzer On; 485 Full Duplex; Open Collector and Optical Tamper; with HID standard logo	\$107.05
334290L	Lenel	900PHPTEK000HU-L02	Readers	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485HDX, TERM, BLK, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF, EM4102 32-BIT, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE	\$133.90
334290L	Lenel	900PMNTEKMA003-L01	Readers	Model RP10 Reader, MULTICLASS SE E, 125 kHz HID Proximity and 13.56 MHz Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup, idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$165.51
334290L	Lenel	900PTPTEK00340	Readers	MultiCLASS SE RP10 reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO - SEOS and HID Prox capabilities; Mullion mount size; LED Red - Flash Green - Buzzer On; 485 Full Duplex; Open Collector and Optical Tamper; with HID standard logo	\$132.24
334290L	Lenel	900W2026-DLXON	Readers	Stealth: For PIV, PIV I, CAC, TWIC, ISO 14443. Compact form factor (5" X 3" X 1.5"); contactless card read interface; LED's and audible signaling; metal domed backlit keypad for tactile feedback; intuitive prompting simplifies instructions to cardholder; light bar indicates access status (red/green); tamper resistant mounting with tamper switch; Wiegand and Serial interfaces; IP-65 rated.	\$904.64
334290L	Lenel	900W2027-DLXON	Readers	Stealth Lite: For PIV, PIV I, CAC, TWIC, ISO 14443. Compact form factor (5" X 3" X 1.5"); contactless card read interface; LED's and audible signaling; light bar indicates access status (red/green); tamper resistant mounting with tamper switch; Wiegand and Serial interfaces; IP-65 rated.	\$624.63
334290L	Lenel	900W2030-DLXON	Readers	Stealth Bio: For PIV, PIV I, CAC, TWIC, ISO 7816 & ISO 14443. Compact form factor (7" X 3" X 1.5"); dual card read interface (contactless & contact); fingerprint biometrics; LED's and audible signaling; metal domed backlit keypad for tactile feedback; intuitive prompting simplifies instructions to cardholder; light bar indicates access status (red/green); tamper resistant mounting with tamper switch; Wiegand and Serial interfaces; IP-65 rated.	\$1,493.80
334290L	Lenel	900W2036-DLXON	Readers	Stealth Dual: For PIV, PIV I, CAC, TWIC, ISO 7816 & ISO 14443. Compact form factor (5" X 3" X 1.5"); dual card read interface (contactless & contact); LED's and audible signaling; metal domed backlit keypad for tactile feedback; intuitive prompting simplifies instructions to cardholder; light bar indicates access status (red/green); tamper resistant mounting with tamper switch; Wiegand and Serial interfaces; IP-65 rated.	\$904.64
334290L	Lenel	900W2037-DLXON	Readers	Stealth Dual Lite: For PIV, PIV I, CAC, TWIC, ISO 7816 & ISO 14443. Compact form factor (5" X 3" X 1.5"); dual card read interface (contactless & contact); LED's and audible signaling; light bar indicates access status (red/green); tamper resistant mounting with tamper switch; Wiegand and Serial interfaces; IP-65 rated.	\$624.63
334290L	Lenel	91000BNNNN	Readers	Authentication module hardware with plastic enclosure, firmware and installation manuals. Includes pivCLASS Reader Services component. Rev B	\$1,719.32
334290L	Lenel	91000BNNNN	Readers	M2000 PIVCLASS AUTHENTICATION MODULE (PAM), CCA ONLY, NO ENCLOSURE	\$1,474.79
334290L	Lenel	91000-MS	Readers	PAM Firmware Maintenance & Support, annual fee (per 91000Axxxx), first year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$36.74
334290L	Lenel	910NMNTEKMA001-L01	Readers	Model R15 Reader, iCLASS SE E, 13.56 MHz Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup, idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$221.06
334290L	Lenel	910NTNNEK00000-L00	Readers	iCLASS SE R15 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO - SEOS; Mullion mount size; LED Red - Flash Green - Buzzer On; CSN 32 bit; with Lenel logo [artwork code L110317] [direct replacement for 6140CKN0000L]	\$166.25
334290L	Lenel	910NTPTEK0033V	Readers	iCLASS SE R15 Reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO - SEOS; Mullion mount size; LED Red - Flash Green - Buzzer On; RS485 Half Duplex; Open Collector and OSDP Tamper Enabled; with HID standard logo	\$187.66

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	910PMNTEKMA003-L01	Readers	Model RP15 Reader, MULTICLASS SE E, 125 kHz HID Proximity and 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup, idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$247.61
334290L	Lenel	910PTNNEK00000-L001	Readers	MultiCLASS SE RP15 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO -SEOS and HID Prox capabilities; Mullion mount size; LED Red - Flash Green - Buzzer On; CSN 32 bit; with Lenel logo [artwork code L110317][direct replacement for 6145CKN0000L]	\$192.70
334290L	Lenel	910PTPTEK00340	Readers	MultiCLASS SE RP15 Reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO -SEOS HID Prox capabilities; Mullion mount size; LED Red - Flash Green - Buzzer On; RS485 Half Duplex; Open Collector and OSDP Tamper Enabled; with HID standard logo	\$212.85
334290L	Lenel	920NHPTEK000HR-L02	Readers	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE	\$190.76
334290L	Lenel	920NMNTEKMA001-L01	Readers	Model R40 Reader, iCLASS SE E, 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup, idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$221.06
334290L	Lenel	920NTNNEK00000-L001	Readers	iCLASS SE R40 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO -SEOS; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; CSN 32 bit; with Lenel logo [artwork code L110317][direct replacement for 6120CKN0000L]	\$166.25
334290L	Lenel	920NTPTTEK0033V	Readers	iCLASS SE 40 Reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO -SEOS; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; RS485 Half Duplex; Open Collector and OSDP Tamper Enabled; with HID standard logo	\$187.66
334290L	Lenel	920PHPTTEK000HU-L02	Readers	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485HDX, TERM, BLK, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF, EM4102 32-BIT, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE	\$216.00
334290L	Lenel	920PTNNEK00000-L001	Readers	MultiCLASS SE RP40 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO -SEOS and HID Prox capabilities; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; CSN 32 bit; with Lenel logo [artwork code L110317][direct replacement for 6125CKN0000L]	\$192.70
334290L	Lenel	920PTPTEK00340	Readers	MultiCLASS SE RP40 Reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO -SEOS HID Prox capabilities; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; RS485 Half Duplex; Open Collector and OSDP Tamper Enabled; with HID standard logo	\$212.85
334290L	Lenel	921NHPTEK000HT-L02	Readers	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, OSDP TAMP ENABLED, FIPS 200-BIT, KP, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	\$332.24
334290L	Lenel	921NMNTEKMA002-L01	Readers	Model RK40 Reader with Keypad, iCLASS SE E, 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup, idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo, KP, ASCII, BFFRD 1 KEY	\$361.28
334290L	Lenel	921NTNNEK0002K-L001	Readers	iCLASS SE RK40 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO -SEOS; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; CSN 32 bit; 8-bit msg keypad; with Lenel logo [artwork code L110317][direct replacement for 6130CKN000009L]	\$303.53
334290L	Lenel	921NTPTTEK0033Y	Readers	iCLASS SE RK40 Reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO -SEOS; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; RS485 Half Duplex; Open Collector and OSDP Tamper Enabled; 8-bit msg keypad; with HID standard logo	\$324.94
334290L	Lenel	921PHPTTEK000HV-L02	Readers	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, KP, ASCII, BFFRD 1 KEY, IPM OFF, WIEG OFF, LENEL DIW LOGO & GUIDE	\$356.22
334290L	Lenel	921PMNTEKMA004-L01	Readers	Model RPK40 Reader with Keypad, MULTICLASS SE E, 125 kHz HID Proximity and 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup, idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo, KP, ASCII, BFFRD 1 KEY	\$387.83
334290L	Lenel	921PTNNEK0001V-L001	Readers	MultiCLASS SE RPK40 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO -SEOS and HID Prox capabilities; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; CSN 32 bit; 8-bit msg keypad; with Lenel logo [artwork code L110317][direct replacement for 6136CKN000009L]	\$329.97
334290L	Lenel	921PTPTEK00341	Readers	MultiCLASS SE RPK40 Reader; Black; Terminal; OSDP; consists of Legacy iCLASS - SIO -SEOS HID Prox capabilities; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; RS485 Half Duplex; Open Collector and OSDP Tamper Enabled; 8-bit msg keypad; with HID standard logo	\$350.13
334290L	Lenel	923NPPTTEK000NT-L02	Readers	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OC, FIPS 200-BIT, KP, ASCII, BFFRD 1 KEY, LCD1F, IPM OFF, UART OFF, WIEG OFF, LENEL LOGO LBL, INSTALL GUIDE	\$524.24
334290L	Lenel	923NPRTEK000K8-L02	Readers	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OC, FIPS 200-BIT, KP, ASCII, BFFRD 1 KEY, LCD1F, IPM OFF, UART OFF, WIEG OFF, LENEL LOGO LBL, INSTALL GUIDE	\$524.24
334290L	Lenel	923PPPTEK000NU-L02	Readers	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW, 485HDX, TERM, BLK, A/V OFF, OPT TAMP, OC, FIPS 200-BIT, KP, ASCII, BFFRD 1 KEY, LCD1F, IPM OFF, UART OFF, WIEG OFF, LENEL LOGO LBL, INSTALL GUIDE	\$549.48
334290L	Lenel	923PPRTEK0053W-L001	Readers	PIVClass RPKCL40-P reader; iCLASS SE; Cont LCD; SIO; SEOS; FIPS; CAK; DIW; 485 Full Duplex; Terminal Block; Black; Wiegand; LED Red; Flash Green; Buzzer on; Optical tamper disabled; FIPS 200-Bit; LCD 1F; EM4102 34-Bit; No parity; 8-Bit message; Lenel Logo	\$541.06
334290L	Lenel	924NPRTEK000K8-L02	Readers	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD BIOD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW, 485FDX, TERM, BLK, LED RED, FLSH GRN, BZR ON, KP, ASCII, BFFRD 1 KEY, LCD1F, IPM OFF, UART ON, WIEG OFF, LENEL DIW, LENEL LOGO LBL, INSTALL GUIDE	\$886.74
334512	Lenel	AA-AP-AH30RN1	Electro-Mechanical Locks	Aperio 1 to 8 Wireless lock hub using Authentic Mercury; RS-485 connection to ISC; capable of handling up to 8 wireless locks per hub	\$241.52
334512	Lenel	AA-AP-APA-10-PC	Electro-Mechanical Locks	ASSA ABLOY Aperio Programming Kit; includes USB Radio Dongle for programming; includes test card and memory stick [QTY of 1 each]	\$379.35
334290L	Lenel	AA-AP-K100-622-IPS-BF	Electro-Mechanical Locks	ASSA ABLOY Aperio K100 Cabinet lock; K100-622-IPS-BP APERIO V3 CABINET LOCK, PROX BLACK THUMBTURN	\$395.81
334512	Lenel	AA-AP-K100-622PA-W1	Electro-Mechanical Locks	ASSA ABLOY Aperio K100 Cabinet lock; with HID 125 kHz Prox reader; white color; with round knob	\$347.73
334512	Lenel	AA-AP-K100-622SE-B1	Electro-Mechanical Locks	ASSA ABLOY Aperio K100 Cabinet lock; with HID iCLASS SE reader; black color; with round knob	\$347.73
334512	Lenel	AA-AP-K100-622SE-W1	Electro-Mechanical Locks	ASSA ABLOY Aperio K100 Cabinet lock; with HID iCLASS SE reader; white color; with round knob	\$347.73
334512	Lenel	ABT-12	Controllers	Battery Kit, includes, 12 VDC, 12 AH Battery (PS-12120) (Available North America Only)	\$56.68
334512	Lenel	ALX-ACM4	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (4) OUTPUTS, 5.175IN X 3.36IN X 1.25IN ALTRONIX PN: ACM4	\$48.15
334512	Lenel	ALX-ACM4CB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (4) PTC OUTPUTS, 5.175IN X 3.36IN X 1.25IN ALTRONIX PN: ACM4CB	\$48.15
334512	Lenel	ALX-ACM8	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (8) OUTPUTS, 8IN X 4.5IN X 1.25IN ALTRONIX PN: ACM8	\$63.35
334512	Lenel	ALX-ACM8CB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (8) PTC OUTPUTS, 8IN X 4.5IN X 1.25IN ALTRONIX PN: ACM8CB	\$63.35
334512	Lenel	ALX-BL3	Controllers	18IN BATTERY LEADS (BLACK AND RED) ALTRONIX PN: BL3	\$2.65
334512	Lenel	ALX-BL4	Controllers	8IN BATTERY SERIES JUMPERS (YELLOW) ALTRONIX PN: BL4	\$2.66
334512	Lenel	ALX-BL6	Controllers	68IN BATTERY LEADS (BLACK AND RED) ALTRONIX PN: BL6	\$6.63
334512	Lenel	ALX-EFLOW102NB	Controllers	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 12 VDC @ 10A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 7.625IN X 1.875IN ALTRONIX PN: EFLOW102NB	\$209.06
334512	Lenel	ALX-EFLOW104NB	Controllers	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 24 VDC @ 10A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 8.25IN X 1.6IN ALTRONIX PN: EFLOW104NB	\$242.00
334512	Lenel	ALX-EFLOW4NB	Controllers	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 12 VDC OR 24 VDC @ 4A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 7.5IN X 1.6IN ALTRONIX PN: EFLOW4NB	\$177.38
334512	Lenel	ALX-EFLOW6NB	Controllers	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 12 VDC OR 24 VDC @ 6A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 7.5IN X 1.6IN ALTRONIX PN: EFLOW6NB	\$209.06
334512	Lenel	ALX-LINQ2	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, NETWORK COMMUNICATION MODULE, CONNECT UPTO (2) EFLOW POWER SUPPLY/CHARGERS, 3.25IN X 3.65IN X 0.96IN ALTRONIX PN: LINQ2	\$105.16

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	ALX-LINQ8PD	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, NETWORK POWER DISTRIBUTION MODULE, CONTROL, MONITOR AND REPORT POWER/DIAGNOSTICS, (8) OUTPUTS, 5.5IN X 3.625IN X 0.96IN ALTRONIX PN: LINQ8PD	\$207.79
334512	Lenel	ALX-LINQ8PDCB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, NETWORK POWER DISTRIBUTION MODULE, CONTROL, MONITOR AND REPORT POWER/DIAGNOSTICS, (8) PTC OUTPUTS, 5.5IN X 3.625IN X 0.96IN ALTRONIX PN: LINQ8PDCB	\$207.79
334512	Lenel	ALX-PD16W	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (16) OUTPUTS, 5.875IN X 6IN X 0.95IN ALTRONIX PN: PD16W	\$39.28
334512	Lenel	ALX-PD16WCB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (16) PTC OUTPUTS, 5.875IN X 6IN X 0.95IN ALTRONIX PN: PD16WCB	\$39.28
334512	Lenel	ALX-PD4UL	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (4) OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD4UL	\$24.07
334512	Lenel	ALX-PD4ULCB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (4) PTC OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD4ULCB	\$24.07
334512	Lenel	ALX-PD8UL	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (8) OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD8UL	\$27.87
334512	Lenel	ALX-PD8ULCB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (8) PTC OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD8ULCB	\$27.87
334512	Lenel	ALX-PDS8	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, DUAL INPUT POWER DISTRIBUTION MODULE, (8) OUTPUTS, 5.375IN X 3.0IN X 1.0IN ALTRONIX PN: PDS8	\$35.48
334512	Lenel	ALX-PDS8CB	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, DUAL INPUT POWER DISTRIBUTION MODULE, (8) PTC OUTPUTS, 5.375IN X 3.0IN X 1.0IN ALTRONIX PN: PDS8CB	\$35.48
334512	Lenel	ALX-PDS8CBK1	Controllers	TROVE Series Power Distribution / Sub Assemblies, Dual Input Power Distribution Module and Voltage Regulator Kit includes PDS8 and VR6 ALTRONIX PN: PDS8CBK1	\$89.96
334512	Lenel	ALX-PDS8K1	Controllers	TROVE Series Power Distribution / Sub Assemblies, Dual Input Power Distribution Module and Voltage Regulator Kit includes PDS8 and VR6 ALTRONIX PN: PDS8K1	\$89.96
334512	Lenel	ALX-RSB2	Controllers	ROCKER SWITCH BRACKET - INCLUDES TWO (2) MASTER POWER ON/OFF SWITCHES AND WIRES ALTRONIX PN: RSB2	\$32.94
334512	Lenel	ALX-T1RAL33F16	Controllers	TROVE 1A11R - (2) EFLOW6NB (6A@12/24VDC) POWER SUPPLY, (2) ACMS8 DUAL VOLTAGE ACCESS POWER CONTROLLER, INCLUDES: CAM LOCK, TAMPER SWITCH, 6FT. LINE CORD AND MOUNTING HARDWARE. ALTRONIX PN: T1RAL33F16	\$1,044.01
334512	Lenel	ALX-T1RAL3F8	Controllers	TROVE 1A11R - EFLOW6NB (6A@12/24VDC) POWER SUPPLY, VR6 - VOLTAGE REGULATOR, 24VDC INPUT INTO 5VDC OR 12VDC OUTPUT, ACMS8 DUAL VOLTAGE ACCESS POWER CONTROLLER, PDS8 DUAL VOLTAGE POWER DISTRIBUTION MODULE. INCLUDES: CAM LOCK, TAMPER SWITCH, 6FT. LINE CORD AND MOUNTING HARDWARE. ALTRONIX PN: T1RAL3F8	\$921.11
334512	Lenel	ALX-T1RM3F4	Controllers	TROVE 1M1R - EFLOW6NB (6A@12/24VDC) POWER SUPPLY, ACM4 - 4 FUSED OUTPUT ACCESS POWER CONTROLLER, VR6 - VOLTAGE REGULATOR, 24VDC INPUT INTO 5VDC OR 12VDC OUTPUT, PDS8 DUAL VOLTAGE POWER DISTRIBUTION MODULE, 4-DOOR, (2) BOARDS LNL-1100, LNL-1200, LNL-1320, LNL-1300, LNL-1300E, LNL-2220, LNL-4420, LNL-3300, LNL-2210, LNL-8000, NO ROOM FOR BATTERY BACKUP. 2U RACK MOUNT CHASSIS. INCLUDES: CAM LOCK, TAMPER SWITCH, Z-BRACKET, 6FT. LINE CORD AND MOUNTING HARDWARE. ALTRONIX PN: T1RM3F4	\$912.24
334512	Lenel	ALX-T2MK3F4	Controllers	TROVE 2 SERIES KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4	\$576.49
334512	Lenel	ALX-T2MK3F4D	Controllers	TROVE 2 SERIES KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4D	\$576.49
334512	Lenel	ALX-T2MK3F4DQ	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4DQ	\$741.20
334512	Lenel	ALX-T2MK3F4Q	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4Q	\$741.20
334512	Lenel	ALX-T2MK3F8	Controllers	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM8, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8	\$591.69
334512	Lenel	ALX-T2MK3F8D	Controllers	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM8CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8D	\$591.69
334512	Lenel	ALX-T2MK3F8DQ	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM8CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8DQ	\$757.67
334512	Lenel	ALX-T2MK3F8Q	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM8, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8Q	\$757.67
334512	Lenel	ALX-T2MK75F16	Controllers	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8, PD8UL, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16	\$870.43
334512	Lenel	ALX-T2MK75F16D	Controllers	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8CB, PD8ULCB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16D	\$870.43
334512	Lenel	ALX-T2MK75F16DQ	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, EFLOW102NB, EFLOW104NB, 2 - ACM8CB, PD8ULCB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16DQ	\$1,007.27
334512	Lenel	ALX-T2MK75F16Q	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, EFLOW102NB, EFLOW104NB, 2 - ACM8, PD8UL, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16Q	\$1,007.27
334512	Lenel	ALX-T2MK77F16	Controllers	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, 2 - EFLOW104NB, 2 - ACM8, VR6, PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16	\$946.45
334512	Lenel	ALX-T2MK77F16D	Controllers	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, 2 - EFLOW104NB, 2 - ACM8CB, VR6, PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16D	\$946.45
334512	Lenel	ALX-T2MK77F16DQ	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, 2 - EFLOW104NB, 2 - ACM8CB, VR6, PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16DQ	\$1,080.75
334512	Lenel	ALX-T2MK77F16Q	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, 2 - EFLOW104NB, 2 - ACM8, VR6, PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16Q	\$1,080.75
334512	Lenel	ALX-T2MK7F8	Controllers	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8	\$655.04
334512	Lenel	ALX-T2MK7F8D	Controllers	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8D	\$655.04
334512	Lenel	ALX-T2MK7F8DQ	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, LINQ2, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8DQ	\$774.14
334512	Lenel	ALX-T2MK7F8Q	Controllers	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, LINQ2, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8Q	\$774.14
334512	Lenel	ALX-T3MK75F16	Controllers	TROVE 3 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8, PD8UL, RSB2, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 36.25IN X 30.125IN X 7.06IN ALTRONIX PN: T3MK75F16	\$1,241.66
334512	Lenel	ALX-T3MK75F16D	Controllers	TROVE 3 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8CB, PD8ULCB, RSB2, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 36.25IN X 30.125IN X 7.06IN ALTRONIX PN: T3MK75F16D	\$1,241.66
334512	Lenel	ALX-TM1	Controllers	TROVE 1 SERIES, BACKPLANE ONLY, 8-DOOR, (4) BOARDS LNL-2210, LNL-2220, LNL-4420, LNL-1300, LNL-1300E, LNL-1320, LNL-1100, LNL1200, .16.625IN X 12.5IN X 0.5IN ALTRONIX PN: TM1	\$96.29

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	ALX-TM2	Controllers	TROVE 2 SERIES, BACKPLANE ONLY, 12-DOOR, (6) BOARDS LNL-2210, LNL-2220, LNL-3300, LNL-4420, LNL-1300, LNL-1300E, LNL-1320, LNL-1100, LNL1200, LNL-8000, 25.375IN X 19.375IN X 0.5IN ALTRONIX PN: TM2	\$121.63
334512	Lenel	ALX-TM3	Controllers	TROVE 3 SERIES, BACKPLANE ONLY, 24-DOOR, (12) BOARDS LNL-2220, LNL-3300, LNL-4420, LNL-1320, LNL-1100, LNL1200, LNL-8000, 34.0IN X 28.0IN X 0.5IN ALTRONIX PN: TM3	\$234.40
334512	Lenel	ALX-TM400	Controllers	TROVE ENCLOSURE, 3-DOOR, (2) BOARDS LNL-2210, LNL-2220, LNL-4420, LNL-1300, LNL-1300E, LNL-1320, LNL-1100, LNL1200, NO ROOM FOR BATTERY BACKUP, 12.25IN X 15.5IN X 4.5IN ALTRONIX PN: TM400	\$110.23
334512	Lenel	ALX-TMV2	Controllers	TROVE 2/3 SERIES, DOOR BACKPLANE ONLY, 12-DOOR, (6) BOARDS LNL-2220, LNL-3300, LNL-4420, LNL-1320, LNL-1100, LNL1200, LNL-8000, 25.75IN X 18.0IN X 0.5IN ALTRONIX PN: TMV2	\$93.76
334512	Lenel	ALX-TROVE1M1	Controllers	TROVE 1 SERIES, ENCLOSURE WITH BACKPLANE, 8-DOOR, (4) BOARDS LNL-2210, LNL-2220, LNL-4420, LNL-1300, LNL-1300E, LNL-1320, LNL-1100, LNL1200, ACCOMMODATES TWO (2) 12 VDC / 7AH MAX, 18IN X 14.5IN X 4.625IN ALTRONIX PN: TROVE1M1	\$229.33
334512	Lenel	ALX-TROVE1M1R	Controllers	ACCESS & POWER INTEGRATION RACK ENCLOSURE FOR COMBINATIONS OF LENEL BOARDS WITH ALTRONIX POWER SUPPLY/CHARGERS. ACCOMMODATES THE FOLLOWING LENEL BOARDS UP TO (4) LNL-1100, LNL-1200, LNL-1320, LNL-2220, UP TO (2) LNL-1300, LNL-1300E, LNL-3300, LNL-2210, LNL-8000. 2U RACK MOUNT CHASSIS. INCLUDES TM1R BACKPLANE, CAM LOCK, TAMPER SWITCH, Z-BRACKET AND MOUNTING HARDWARE. ALTRONIX PN: Trove1M1R	\$647.44
334512	Lenel	ALX-TROVE1M1WP	Controllers	ACCESS & POWER INTEGRATION OUTDOOR ENCLOSURE FOR COMBINATIONS OF LENEL/MERCURY MODULES WITH ALTRONIX POWER SUPPLY/CHARGERS FOR UP TO THREE (3) DOORS. ACCOMMODATES UP TO (1) LNL-1100, LNL-1200, LNL-1320, LNL-2220, LNL-4420, UP TO (2) LNL-1300, LNL-1300E, LNL-3300, LNL-2210, LNL-8000. ENCLOSURE DIMENSIONS 17.53"H X 15.3"W X 6.67"D. INCLUDES TM1X BACKPLANE, STANDOFFS AND SCREWS. ALTRONIX PN: Trove1M1WP	\$394.04
334512	Lenel	ALX-TROVE2M2	Controllers	TROVE 2 SERIES, ENCLOSURE WITH BACKPLANE, 12-DOOR, (6) BOARDS LNL-2210, LNL-2220, LNL-3300, LNL-4420, LNL-1300, LNL-1300E, LNL-1320, LNL-1100, LNL1200, LNL-8000, ACCOMMODATES FOUR (4) 12 VDC / 12AH MAX, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: TROVE2M2	\$312.95
334512	Lenel	ALX-TROVE3M3	Controllers	TROVE 3 SERIES, ENCLOSURE WITH BACKPLANE, 24-DOOR, (12) BOARDS LNL-2220, LNL-3300, LNL-4420, LNL-1320, LNL-1100, LNL1200, LNL-8000, ACCOMMODATES FOUR (4) 12 VDC / 12AH MAX, 36.25IN X 30.125IN X 7.06IN ALTRONIX PN: TROVE3M3	\$665.18
334512	Lenel	ALX-VR6	Controllers	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, SUB ASSEMBLY, VOLTAGE REGULATOR, FOR USE WITH PDS8/CB, AMCS8/CB OR LINO8PD/CB, (1) OUTPUTS, CONVERTS 24VDC TO 12VDC OR 5VDC, 5.375IN X 3.0IN X 1.0IN ALTRONIX PN: VR6	\$53.21
334512	Lenel	ALX-WM25	Controllers	MAGNETIC CABLE TIE MOUNT. ACCOMMODATES STANDARD ZIP TIES. 16 LBS HOLDING FORCE. PACK OF 25. ALTRONIX PN: WM25	\$74.75
334512	Lenel	ALX-WM5	Controllers	MAGNETIC CABLE TIE MOUNT. ACCOMMODATES STANDARD ZIP TIES. 16 LBS HOLDING FORCE. PACK OF 5. ALTRONIX PN: WM5	\$17.74
334512	Lenel	ANT400-REM-I/O	Electro-Mechanical Locks	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.	\$342.18
334290L	Lenel	B920NHRTEK000HW-L0	Readers	PIVCLASS BUNDLE, TWO R40-H PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 00H PW PIVCLASS CONFIG, LENEL DIW, LENEL LOGO & INSTALL GUIDE	\$1,719.32
334290L	Lenel	B923NPRTEK000K8-L02	Readers	PIVCLASS BUNDLE, TWO RKCL40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 00K8 PIVCLASS CONFIG, LENEL DIW, LENEL LOGO & INSTALL GUIDE	\$2,261.60
334290L	Lenel	B924NPRTEK000K8-L02	Readers	PIVCLASS BUNDLE, TWO RKCL840-P PIVCLASS REV E TERM BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 00K8 PIVCLASS CONFIG, LENEL DIW, LENEL LOGO & INSTALL GUIDE	\$2,924.24
334290L	Lenel	BC-BIOMINI2	Readers	Second Generation Fingerprint Biometric USB enrollment scanner. Compatible with BioConnect 4.7 or above.	\$285.08
334290L	Lenel	BC-BNA	Readers	BioLite N2 Fingerprint Biometric Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR), Touch Keypad, 1.7" LCD IP67, 10:000 1:N, 10:000 1:1	\$1,260.67
334290L	Lenel	BC-BND	Readers	BioLite N2 Biometric Fingerprint reader/controller, Dual RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693). Also supports "EM" Prox. NO HID PROX(I), 2.4GHz BLE, Optical Sensor (OP6), IP67, PIN pad / 3 factor	\$1,038.94
334290L	Lenel	BC-BPA	Readers	BioEntry P2 Biometric Fingerprint Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP6)	\$848.89
334290L	Lenel	BC-BPD	Readers	BioEntry P2 Biometric Fingerprint Reader, Dual RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693). Also supports "EM" Prox. NO HID PROX(I), Optical Sensor (OP6)	\$753.87
334290L	Lenel	BC-BSH	Readers	BioStation 2 Fingerprint Biometric Reader, RFID (125kHz HID Prox), Optical Sensor (OP5), PoE, WiFi, IP65 rated, BASIC OnGuard OSDP Biometric support (Card+PIN only - No pinpad, led, or LCD emulation)	\$1,577.42
334290L	Lenel	BC-BSI	Readers	BioStation 2 Fingerprint Biometric Reader, RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, WiFi, IP65 rated, BASIC OnGuard OSDP Biometric support (Card+PIN only - No pinpad, led, or LCD emulation)	\$1,666.11
334290L	Lenel	BC-BSM	Readers	BioStation 2 Fingerprint Biometric Reader, RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, WiFi, IP65 rated, BASIC OnGuard OSDP Biometric support (Card+PIN only - No pinpad, led, or LCD emulation)	\$1,501.40
334290L	Lenel	BC-BWA	Readers	BioEntry W2 Fingerprint Biometric Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, Live Finger Detection, IP67, IK08, BASIC OnGuard OSDP Biometric support (Card+PIN only - No pinpad, led, or LCD emulation)	\$1,114.96
334290L	Lenel	BC-BWD	Readers	BioEntry W2 Fingerprint Biometric Reader, Dual RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693). Also supports "EM" Prox. NO HID PROX(I), Optical Sensor (OP5), PoE, Live Finger Detection, IP67, IK08, BASIC OnGuard OSDP Biometric support (Card+PIN only - No pinpad, led, or LCD emulation)	\$937.58
334290L	Lenel	BC-BWH	Readers	BioEntry W2 Fingerprint Biometric Reader, RFID (125kHz HID Prox), Optical Sensor (OP5), PoE, Live Finger Detection, IP67, IK08, BASIC OnGuard OSDP Biometric support (Card+PIN only - No pinpad, led, or LCD emulation)	\$1,000.93
334290L	Lenel	BC-FSA	Readers	FaceStation 2 Facial Recognition Touchless Biometric Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR), NFC, ISO14443A/B, ISO15693, WiFi, BLE (Bluetooth Low Energy)	\$2,046.21
334290L	Lenel	BC-FSD	Readers	FaceStation 2 Facial Recognition Touchless Biometric Reader, Dual RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693). Also supports "EM" Prox. NO HID PROX(I)	\$1,805.48
334290L	Lenel	BDC-BLUETOOTH	OnGuard Access Control	This Configuration card disables the Bluetooth radio used for mobile credentials. This card will also be used to enable the Bluetooth radio once it has been disabled by use of this card. Requires BlueDiamond reader firmware version DEV38 and greater.	\$3.80
334290L	Lenel	BDC-CSN	OnGuard Access Control	This card is used to enable the reader to read the Card Serial Number for smart cards (Class, Mifare and DESFire).	\$3.80
334290L	Lenel	BDC-LED	OnGuard Access Control	This card is used to set the default LED behavior (Wiegand and SF/2F modes) on the reader. (Solid Blue - Default, Shimmer Blue, Solid Red, Shimmer Red). NOTE: OSDP commands override LED behavior.	\$3.80
334290L	Lenel	BDC-OSDPADD	OnGuard Access Control	This card is used to set the OSDP Address of the reader (0-3). OSDP supports multiple readers per port with OnGuard version 7.5 or greater.	\$3.80
334290L	Lenel	BDC-OSDPBAUD	OnGuard Access Control	Use this card to set the OSDP Baud Rate at each BlueDiamond reader using OSDP Output (9,600kbps; 19,200kbps; 38,400kbps; 115,200kbps).	\$3.80
334290L	Lenel	BDC-OSDPSEC	OnGuard Access Control	This card will be used to enable OSDP Secure Channel Communications. Enable default base Key for Secure Channel Pairing.	\$3.80
334290L	Lenel	BDC-OUTPUT	OnGuard Access Control	This card is used to change output mode of the reader from Wiegand (Default) to 2-State SF2/F, 4-State SF2/F or back to Wiegand. If reader has been wired for OSDP, it autosenses the output type. To bring back to a Wiegand output requires this configuration card.	\$3.80
334290L	Lenel	BDC-RDO	OnGuard Access Control	Use this card to enable or disable the 125kHz or the 13.56MHz radios in the reader. By default, both are enabled.	\$3.80
334290L	Lenel	BDC-TONE	OnGuard Access Control	Use this card to either enable or disable the "Tone" on a valid card read.	\$3.80
334290L	Lenel	BDC-TREADER	OnGuard Access Control	This card is used to enable a 2-State SF2/F 12-Digit output. This is the standard "T-Reader" configuration.	\$3.80
334290L	Lenel	BDC-UID	OnGuard Access Control	This card will set the passthrough of raw data for the badges 1. Passthrough (Big Endian); 2. 32 bit (Big Endian); 3. Passthrough (Little Endian); 4. 32 bit (Little Endian); 5. Mifare 4byte/DESFire 7byte - 4002.	\$3.80

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	BDC-UNLOCK	OnGuard Access Control	When presenting this card to the BlueDiamond reader, it will unlock the reader and within 30 seconds present the appropriate configuration card. This is an optional card so a user doesn't have to recycle power of reader.	\$3.80
334290L	Lenel	BDM-CRD-1	OnGuard Access Control	BlueDiamond Mobile Credential 12 month Initial Purchase (Order in blocks of 100) - This license enables a single mobile credential for one year. Credentials may be moved from person-to-person or phone-to-phone.	\$3.53
334290L	Lenel	BDR-CRD-1	OnGuard Access Control	BlueDiamond Mobile Credential 12 month Renewal (Order in blocks of 100) - This license renews a single BDM-CRD-1 mobile credential for one year. Credentials may be moved from person-to-person or phone-to-phone.	\$3.53
334290L	Lenel	BT-ASP-HID	Readers	Non-destructible HID proximity reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof, solid state pezo sounder technology and red and green status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$316.75
334290L	Lenel	BT-ASP-CLASS	Readers	Non-destructible HID iCLASS reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof, solid state pezo sounder technology and red and green status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$506.80
334290L	Lenel	BT-ASPKP-HID	Readers	HID proximity reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 5 to 12 VDC, 150 mA, 2 to 3 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, green and yellow status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$373.77
334290L	Lenel	BT-ASPKP-CLASS	Readers	iCLASS reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 12 to 16 VDC, 170 mA, up to a 2 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, green and yellow status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$570.15
334290L	Lenel	C1000	Credentials	Corporate 1000 Card Formats - Require end user information, card format number, facility code and starting card number at the time of order.	\$0.25
334512	Lenel	CAM-24C708AF-USB	Photo ID Equipment	Camera only 5MP USB 2.0 with synchronized flash and auto focus, UVC Compliant, includes power supply and 6 ft USB cable, Twain Data Source and camera control / set-up software.	\$842.19
334290L	Lenel	CE-401-001	Credentials	Configuration card to change LED status to flashing red; for X02_51 or higher	\$6.34
334290L	Lenel	CE-401-002	Credentials	Configuration card to change LED status from flashing red to solid red; for X02_51 or higher	\$6.34
334290L	Lenel	CE-401-200	Credentials	Configuration card - PIV Enable 200 bit for X02_51 or higher	\$6.34
334290L	Lenel	CE-401-201	Credentials	Aptiq Configuration Card for Embedded Authentication, OSDP Extended Packet Mode	\$6.31
334290L	Lenel	CE-404-033	Credentials	Configuration card for Mifare report CSN; Disables Secure Mifare; PIV and EV1 PACSA; for X02_51 or higher	\$6.31
334290L	Lenel	CRD633ZZ-xxxxxx	Credentials	HID Mobile ID. Mobile IDs are virtual credentials electronically delivered to the Organizations Mobile Access Portal account. CRD633ZZ-xxxxx, Custom Mobile ID, xxxxx specific to organization and issued at time of part number creation.	\$5.67
334290L	Lenel	CRDT-G5	Credentials	Third Party Credential Credits. Credit for MIFARE DESFire Credentials with Custom Data	\$1.76
334512	Lenel	CS-AAR-ALL	Enhanced Audit Reports	Enhanced Audit Reports (Cardholder, Badge, Access Level Assignments AND Hardware) - details per-field changes to include pre and post modification	\$12,315.81
334512	Lenel	CS-AAR-CRED	Enhanced Audit Reports	Enhanced Audit Reports (Cardholder, Badge, Access Level Assignments) - details perfield changes to include pre and post modification	\$6,157.91
334512	Lenel	CS-AAR-HW	HW Enhanced Audit Reports (Hardware)	HW Enhanced Audit Reports (Hardware) - details per-field changes to include pre and post modification	\$6,157.91
334512	Lenel	CS-DEV-AD	Custom Solutions	Active Directory Synchronizations (includes SWG-1140)	\$11,831.27
334512	Lenel	CS-DEV-ECMON	NEC	NEC ExpressCluster Monitoring Software. NEC ExpressCluster Monitoring software is designed to monitor the status of the NEC ExpressCluster LAN/WAN solution and to proactively report any failures or problems. Alerts are configurable and can be sent to Alarm Monitoring and/or Email recipients. This component is designed to work with all Lenel supported versions of the NEC ExpressCluster software. (requires SWG-1140)	\$2,534.01
334512	Lenel	CS-DEV-FTMON	NEC	NEC Fault Tolerant Server Monitor Software: The Lenel NEC Fault Tolerant Server Monitoring Service is a Windows Service designed to monitor changes in hardware and network status on NEC Fault Tolerant servers. Status changes include hardware that is removed, malfunctions, fails diagnostics, or becomes otherwise disconnected. This service will monitor for these conditions and will send an alarm for each failure to Lenel Alarm Monitoring as well as send an email message detailing the status change. This service is designed to work with any NEC Fault Tolerant server that reports status events. (requires SWG-1140)	\$2,534.01
334512	Lenel	CS-DEV-SOL	Custom Solutions	Custom Solutions will develop a detailed scope and design for a proposed solution. Includes requirements gathering workshops with the VAR and/or End User as needed. Development costs of the proposed solution will be discounted by 20% up to 100% of CS-DEV-SOL costs.	\$3,167.51
334512	Lenel	CS-ELVDB-SCHIND	Custom Solutions	Custom Solutions Schindler Elevator Cardholder Database Integration	\$12,670.03
334512	Lenel	CS-ELVT-SCHIND	Custom Solutions	Custom Solutions Schindler Elevator Turnstile Integration	\$19,005.04
334512	Lenel	CS-KONE-ALL	Custom Solutions	Custom Solutions KONE Destination Dispatch Integration & KONE Turnstile Integration	\$31,675.06
334512	Lenel	CS-KONE-DOP	Custom Solutions	Custom Solutions KONE Destination Dispatch Integration	\$19,005.04
334512	Lenel	CS-KONE-TS	Custom Solutions	Custom Solutions KONE Turnstile Integration	\$19,005.04
334512	Lenel	CSS-EXTWAR	Photo ID Equipment	Annual Extended Hardware Warranty this includes one additional year of hardware warranty.	\$63.35
334290L	Lenel	CTP-TVIST-500	Visitor System	TrustVisitor™ Perpetual Software: 500 - 999 Users (minimum quantity = 500) First Year of Annual Software Assurance Included This must be ordered with IPC-309-CRTP01-B	\$96.62
334290L	Lenel	DS-200	Readers	Acrylic demo stand for F-Series readers	\$68.90
334220	Lenel	DV-CH-8UP	OnGuard Video	8 Camera channel device license to Non Lenel supplied server solutions.	\$1,259.45
334512	Lenel	DVC-HD-C-A00-08-4T	OnGuard Video	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD	\$12,763.78
334512	Lenel	DVC-HD-C-A00-08-6T	OnGuard Video	Eight 6TB data drives, 35.7TB Usable RAID5 or 40.8TB Usable JBOD	\$14,950.63
334512	Lenel	DVC-HD-C-A00-16-4T	OnGuard Video	Sixteen 4TB data drives, 50.4TB Usable RAID5 or 53.8TB Usable JBOD	\$15,485.30
334512	Lenel	DVC-HD-C-A00-16-6T	OnGuard Video	Sixteen 6TB data drives, 71.4TB Usable RAID5 or 81.6TB Usable JBOD	\$20,272.04
334220	Lenel	DVC-LP-A-MEM-UPG	OnGuard Video	2 x 4GB DDR3 1333MHz ECC UDIMM memory modules - Memory upgrade kit for DVC-LP-A from 4GB to 8GB	\$233.00
334512	Lenel	DVC-ST-C-A16-03-4T	OnGuard Video	Three 4TB data drives; 10.1TB Usable JBOD; Supports up to 16 analog channels.	\$4,505.09
334512	Lenel	DVC-SX-A-A00-03-4T	OnGuard Video	Three 4TB data drives; 6.8TB Usable RAID5 or 10.2TB Usable JBOD	\$8,362.22
334512	Lenel	DVC-SX-A-A00-04-2T	OnGuard Video	Four 2TB data drives; 5.1TB Usable RAID5 or 6.8TB Usable JBOD	\$7,982.12
334512	Lenel	DVC-SX-A-A00-04-6T	OnGuard Video	Four 6TB data drives; 15.3TB Usable RAID5 or 20.4TB Usable JBOD	\$9,629.22
334512	Lenel	DVC-SX-A-A00-08-2T	OnGuard Video	Eight 2TB data drives; 11.9TB Usable RAID5 or 13.6TB Usable JBOD	\$8,869.02
334512	Lenel	DVC-SX-A-A00-08-4T	OnGuard Video	Eight 4TB data drives; 23.8TB Usable RAID5 or 27.2TB Usable JBOD	\$10,896.22
334512	Lenel	DVC-SX-A-A00-08-6T	OnGuard Video	Eight 6TB data drives; 35.7TB Usable RAID5 or 40.8TB Usable JBOD	\$13,303.53
334512	Lenel	DVC-SX-A-A16-03-4T	OnGuard Video	Three 4TB data drives; 6.8TB Usable RAID5 or 10.2TB Usable JBOD; Supports up to 16 analog channels.	\$9,249.12
334512	Lenel	DVC-SX-A-A16-04-2T	OnGuard Video	Four 2TB data drives; 5.1TB Usable RAID5 or 6.8TB Usable JBOD; Supports up to 16 analog channels.	\$8,869.02
334512	Lenel	DVC-SX-A-A16-04-6T	OnGuard Video	Four 6TB data drives; 15.3TB Usable RAID5 or 20.4TB Usable JBOD; Supports up to 16 analog channels.	\$10,516.12
334512	Lenel	DVC-SX-A-A16-08-2T	OnGuard Video	Eight 2TB data drives; 11.9TB Usable RAID5 or 13.6TB Usable JBOD; Supports up to 16 analog channels.	\$9,755.92
334512	Lenel	DVC-SX-A-A16-08-4T	OnGuard Video	Eight 4TB data drives; 23.8TB Usable RAID5 or 27.2TB Usable JBOD; Supports up to 16 analog channels.	\$11,783.12
334512	Lenel	DVC-SX-A-A16-08-6T	OnGuard Video	Eight 6TB data drives; 35.7TB Usable RAID5 or 40.8TB Usable JBOD; Supports up to 16 analog channels.	\$14,190.43
334220	Lenel	DVG-RM	OnGuard Video	Remote Monitor Client - Single Remote Monitor Client Software license. Video can be transmitted to a remote computer on the network running the Remote Monitoring Client Software. (Requires License Key Number for every upgrade order).	\$324.93
334290L	Lenel	E91000-MS	Readers	Embedded Authentication Firmware Maintenance & Support, annual fee (per license EA-LICENSE2), first year included with purchase, 8 am to 5 pm Central Time Monday through Friday.	\$36.74
334290L	Lenel	E920NHPTK000HR-L02	Readers	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO R40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE.PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$722.19
334290L	Lenel	E920PHPTK000HU-L02	Readers	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RP40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE.PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$766.54
334290L	Lenel	E923NPPTEK000NT-L02	Readers	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RKCL40-P TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE.PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$1,317.68
334290L	Lenel	E923PPPTEK000NU-L02	Readers	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RPKCL40-P TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE.PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$1,362.03
334290L	Lenel	EA-LICENSE2	Readers	Two (2) Embedded Authentication Licenses	\$386.44
334512	Lenel	ECK400	Electro-Mechanical Locks	Elevator Control Kit; includes WRI400 - PIM400-TD2 - ANT400-REM-I/O and 12 VDC power Supply.	\$1,771.44
334512	Lenel	EHK-K42U-A	Photo ID Equipment	Professional Continuous Lighting Kit - includes two 600-watt quartz lights, two bounce back white umbrellas, two stands, mounting brackets and carrying case (110VAC)	\$563.82

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	EL-96000-SVM10	Visitor System	SVM - Main Application (per client): includes Administrator TM (admin / reporting) [correlates to EasyLobby part number EL-96000-SVM10]	\$2,023.40
334290L	Lenel	EL-98000-EADV10	Visitor System	Web pre-registration (per web server)[correlates to EasyLobby part number EL-98000-EADV10]	\$2,428.84
334290L	Lenel	EL-ADMIN	Visitor System	Administrator TM (additional licenses per workstation)[correlates to EasyLobby part number EL-96300-ADM10]	\$421.91
334290L	Lenel	EL-EADV-UPGRD	Visitor System	EADVANCE SOFTWARE UPGRADE TO LATEST VERSION	\$2,027.20
334290L	Lenel	EL-OG-INT	Visitor System	EasyLobby Access Control Integration to OnGuard (per server) [REQUIRED for OnGuard integration] [correlates to EasyLobby part number EL-ACI-LENEL]	\$2,375.63
334290L	Lenel	EL-SAT	Visitor System	Satellite TM - check point station (per client)[correlates to EasyLobby part number EL-96200-SAT]	\$791.88
334290L	Lenel	EL-SVM10-UPGRD	Visitor System	SVM SOFTWARE UPGRADE TO SVM10	\$1,623.03
334290L	Lenel	EL-SWG-OITVM	Visitor System	SWG-OITVM and SWG-OITVM-5 bundle for EasyLobby [REQUIRED for OnGuard integration]	\$3,279.00
334290L	Lenel	EM-801-F3	Readers	Memory Expansion - 9728 Users for original HK-CR, HK-2.	\$229.33
334512	Lenel	ES2001-4P-4T	IFS Transmission	8-Port 10/100Base-T Copper Ports Unmanaged Fast Ethernet Switch with 4-Ports PoE af (55 Watts PoE budget) (0-50°C)	\$115.29
334512	Lenel	ES2402-16P-2C	IFS Transmission	Economy 16-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (220W PoE Budget)	\$491.23
334512	Lenel	ES2402-24P-2C	IFS Transmission	Economy 24-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (380W PoE Budget)	\$691.74
334512	Lenel	ES2402-8P-2C	IFS Transmission	Economy 8-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (125W PoE Budget)	\$340.86
334512	Lenel	EV-30256	Photo ID Equipment	Peel and stick labels – 2 5/16" x 4" labels, 300 per roll	\$29.14
334512	Lenel	EV-G06337	Photo ID Equipment	DYMO label writer 450 TURBO USB printer – Black and white, 300 DPI, support for XP USB and prints 71 labels per minute, with auto switching power supply	\$177.38
334290L	Lenel	FP-ISO	Readers	ISO Image 30, Direct Printable both sides, standard configuration includes 26-bit Wiegand format, direct printable glossy front and back finish, inkjet sequential number marking on back matching internal proximity number [Min Order QTY of 100]	\$3.74
334512	Lenel	FRGO-82601	Photo ID Equipment	Polyguard 1.0 mil Overlamine Clear 250 count (for use with HDP5000 cartridge 1-2)	\$67.15
334512	Lenel	FRGO-82604	Photo ID Equipment	Polyguard 1.0 mil Overlamine High Secure Orbit Design Universal orientation 250 count (for use with HDP5000 cartridge 1-2)	\$124.17
334512	Lenel	FRGO-82615	Photo ID Equipment	Thermal Transfer Overlamine Clear 500 count (for use with HDP5000 cartridge 1-2)	\$51.95
334512	Lenel	FRGO-84050	Photo ID Equipment	HDP5000 YMC: Full-color ribbon [750 prints per roll]	\$216.66
334512	Lenel	FRGO-84051	Photo ID Equipment	HDP5000 YMCK: Full-color ribbon with resin black panel [500 prints per roll]	\$196.39
334512	Lenel	FRGO-84052	Photo ID Equipment	HDP5000 YMCKK: Full-color ribbon with two resin black panels [500 prints per roll]	\$234.40
334512	Lenel	FRGO-84053	Photo ID Equipment	HDP5000 HDP Film [1,500 prints per roll]	\$122.90
334512	Lenel	FRGO-84056	Photo ID Equipment	HDP5000 YMCKK: Full-color ribbon with resin black and Heat Seal panel [500 prints per roll]	\$268.60
334512	Lenel	FRGO-86414	Photo ID Equipment	Asure ID 7 Exchange - For organizations looking for intuitive card design, data management and advanced card personalization. Smart card management and maximum flexibility with external data.	\$2,321.15
334512	Lenel	FRGO-89001	Photo ID Equipment	HDP5000 Dual-Sided Printing Module	\$760.20
334512	Lenel	FRGO-89200	Photo ID Equipment	HDP 5000 Cleaning Kit - includes 4 Printhead Cleaning Swabs; 10 Cleaning Cards; 10 Cleaning Pads and 3 Alcohol Cleaning Cards	\$36.74
334512	Lenel	FRGO-89201	Photo ID Equipment	HDP5000 ISO Magnetic Stripe Encoder, Tracks 1-3	\$456.12
334512	Lenel	FRGO-89660	Photo ID Equipment	HDP5000 Dual-Side Base Model Printer with Single-Side Lamination; 300 DPI resolution; USB Cable and Power cord included; three year printer warranty [including On-Call Express in the US for the first year] and lifetime warranty on the printhead	\$5,726.85
334220	Lenel	HDD-2TB-ENT-SPARE	OnGuard Video	Spare 3.5" 2TB SATA3 7,200rpm hard drive for use with DVC-SE, -EX, or -HD chassis. This is a bare drive not installed in any chassis. Drive carrier not included.	\$377.83
334220	Lenel	HDD-4TB-ENT-SPARE	OnGuard Video	Spare 3.5" 4TB SATA3 7,200rpm hard drive for use with DVC-EX, or -HD chassis. This is a bare drive not installed in any chassis. Drive carrier not included.	\$629.72
334512	Lenel	HDD-4TB-SV-SPARE	OnGuard Video	Spare 3.5" 4TB SATA3 7,200rpm hard drive for use with DVC-LP or -ST chassis. This is a bare drive not installed in any chassis. Drive carrier not included.	\$339.56
334290L	Lenel	HK-CR	Readers	HandKey F-Series with memory for 512 users (HK-2-F3) - this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2220 controller. [DOES NOT INCLUDE POWER SUPPLY]	\$1,827.02
334290L	Lenel	HK-CR-PROX	Readers	Schlage HK-CR Reader with externally top mounted HID ProxPoint Pro Reader; 26 bit Wiegand output format standard; pre-mounted from factory. [DOES NOT INCLUDE POWER SUPPLY]	\$2,157.71
334512	Lenel	HOC-56KEXT	Controllers	Communications Cable for all Lenel Intelligent Systems Controllers to LNL-56KEXT Dial up modem.	\$30.23
334512	Lenel	HOC-BC00301	Controllers	Host to modem cable 6 foot length	\$30.23
334290L	Lenel	ID-CHAIN	Credentials	Neck Chain, 36", Nickel Plated (100 units)	\$50.68
334290L	Lenel	ID-CLIP	Credentials	Badge Clip, Clear Vinyl (100 units)	\$31.68
334290L	Lenel	ID-LANYARD	Credentials	Lanyard, Breakaway, Black* (100 units)	\$76.02
334290L	Lenel	ID-MBHL	Credentials	Magnetic Badge Holder, Landscape, CC, Black (100 units)	\$139.37
334290L	Lenel	ID-MBHP	Credentials	Magnetic Badge Holder, Portrait, CC, Black (100 units)	\$139.37
334290L	Lenel	ID-RETRACT	Credentials	Retractable Badge Clip, Black* (100 units)	\$380.10
334290L	Lenel	ID-SPHH	Credentials	Slot Punch, Hand Held, Heavy Duty	\$126.70
334290L	Lenel	ID-SPTT	Credentials	Slot Punch, Table Top, Heavy Duty	\$633.50
334512	Lenel	IDVM-ADV-FD	OnGuard Access Control	Front Desk for OnGuard ADV system	\$3,245.59
334512	Lenel	IDVM-ES-FD	OnGuard Access Control	Front Desk for OnGuard ES system	\$1,828.61
334290L	Lenel	IDVM-FRONTDESK	OnGuard Access Control	Adds one (1) additional Front Desk Admin Client license to any of the IDVM FD licenses above	\$511.87
334512	Lenel	IDVM-PRO/ENT-FD	OnGuard Access Control	Front Desk for OnGuard PRO or Enterprise system	\$4,223.94
334290L	Lenel	IPC-011-32ES	OnGuard Access Control	Partner integration license, support, and upgrades on OnGuard 32ES system with 32 readers or less. [Must be ordered with a corresponding IPC-011 partner code SKU above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$2,875.59
334290L	Lenel	IPC-042-32ES	OnGuard Access Control	Partner integration license, support, and upgrades on OnGuard 32ES system with 32 readers or less. [Must be ordered with a corresponding IPC-042 partner code SKU above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$1,188.58
334290L	Lenel	IPC-051-010	OnGuard Access Control	Partner integration 12 month license and support for an additional 10 devices/units used by any IPC-051-xxx partner. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$1,111.89
334290L	Lenel	IPC-051-SOLO01-B	OnGuard Access Control	Soloinsight CloudGate Visitor Management 12 month base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 devices/units being used by Soloinsight CloudGate Visitor. Additional devices/units can be purchased using IPC-051-010] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$1,543.23
334290L	Lenel	IPC-051-SPLN01-B	OnGuard Access Control	SPLAN Visitor Management base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 devices/units being used by SPLAN Visitor. Additional devices/units can be purchased using IPC-051-010] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$1,543.23
334290L	Lenel	IPC-052-1024	OnGuard Access Control	Partner integration license, support, and upgrades on Pro, Region, or Master system with 1024 readers or less. [Must be ordered with a matching IPC-052 partner code above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$2,208.45
334290L	Lenel	IPC-052-128	OnGuard Access Control	Partner integration license, support, and upgrades on Pro, Region, or Master system with 128 readers or less. [Must be ordered with a matching IPC-052 partner code above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$981.53
334290L	Lenel	IPC-052-128ADV	OnGuard Access Control	Partner integration license, support, and upgrades on ADV system with 256 readers or less. [Must be ordered with a corresponding IPC-052 partner code SKU above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$613.46
334290L	Lenel	IPC-052-1536	OnGuard Access Control	Partner integration license, support, and upgrades on Pro, Region, or Master system with 1536 readers or less. [Must be ordered with a matching IPC-052 partner code above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$2,821.91
334290L	Lenel	IPC-052-256	OnGuard Access Control	Partner integration license, support, and upgrades on ADV, Pro, Region, or Master system with 256 readers or less. [Must be ordered with a matching IPC-052 partner code above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$1,349.61
334290L	Lenel	IPC-052-32ES	OnGuard Access Control	Partner integration license, support, and upgrades on OnGuard 32ES system with 64 readers or less. [Must be ordered with a corresponding IPC-052 partner code SKU above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$368.08

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	IPC-052-512	OnGuard Access Control	Partner integration license, support, and upgrades on Pro, Region, or Master system with 512 readers or less. [Must be ordered with a matching IPC-052 partner code above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$1,594.99
334290L	Lenel	IPC-052-768	OnGuard Access Control	Partner integration license, support, and upgrades on Pro, Region, or Master system with 768 readers or less. [Must be ordered with a matching IPC-052 partner code above.] This is automatically added to SUSP annually w/ the 1st renewal pro-rated.	\$1,717.68
334290L	Lenel	IPC-054-1000	OnGuard Access Control	1 year license and support for an additional 1000 Trusted Visitor users. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$490.77
334290L	Lenel	IPC-054-CRTP-B	OnGuard Access Control	Certipath Trusted Visitor 1 year license and support on any OnGuard system for 1st 1000 users. [This is the integration license that must be ordered for the first 1000 Trusted Visitor users. Additional users can be purchased using IPC-054-1000]. This is automatically added to the required SUSP annually with the first renewal pro-rated.	\$1,840.38
334290L	Lenel	IPC-081-10	OnGuard Access Control	1 year license and support for an additional 10 devices to be monitored by WebCTRL. This is automatically added to the required SUSP annually with the first renewal pro-rated.	\$122.69
334290L	Lenel	IPC-081-ALC01-B	OnGuard Access Control	Automated Logics Corporation WebCTRL integration 1 year license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 devices being monitored by the integration. Additional devices can be purchased using IPC-081-10]. This is automatically added to the required SUSP annually with the first renewal pro-rated.	\$736.15
334290L	Lenel	IPC-093-05	OnGuard Access Control	Partner integration 1 year license and support for an additional 5 devices/units used by any IPC-093-xxx partner. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$306.73
334290L	Lenel	IPC-093-SEKUR01-B	OnGuard Access Control	SecureID Xenio Smart Devices - Controller-Less (does not require OnGuard ISC or reader board) 1 year base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 SecureID Xenio devices/units. Additional devices/units can be purchased using IPC-093-05] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$981.53
334290L	Lenel	IPC-094-DIGBI01-B	OnGuard Access Control	Digitus Biometrics DAS-SQL 1 year base integration license on any OnGuard system. [This is the integration license that must be ordered for the first 10 Digitus Biometric readers. Additional Digitus Biometric reader licenses can be purchased using IPC-094-10] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$705.48
334290L	Lenel	IPC-094-HIK01-B	OnGuard Access Control	HIKVision DS-K5603 1 year base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 HIKVision DS-K5603-Z readers. Additional DS-K5603-Z reader licenses can be purchased using IPC-094-10] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$705.48
334290L	Lenel	IPC-094-IDONE01-B	OnGuard Access Control	Identity One TWIClink 1 year integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 TWIClink readers. Additional Identity One TWIClink reader licenses can be purchased using IPC-094-10]. This is automatically added to the required SUSP annually with the first renewal pro-rated.	\$718.90
334290L	Lenel	IPC-094-IEVO01-B	OnGuard Access Control	ievo Rev4 1 year integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 Rev4 readers. Additional Rev4 reader licenses can be purchased using IPC-094-10]. This is automatically added to the required SUSP annually with the first renewal pro-rated.	\$718.90
334290L	Lenel	IPC-094-MRPHO01-B	OnGuard Access Control	Idemia MorphoTrak 1 year base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 MorphoTrak readers. Additional MorphoTrak reader licenses can be purchased using IPC-094-10] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$705.48
334290L	Lenel	IPC-094-PRNID01-B	OnGuard Access Control	Princeton Identity IOM Access Control Product Suite base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 Princeton Identity readers. Additional Princeton Identity reader licenses can be purchased using IPC-094-10] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$709.31
334290L	Lenel	IPC-094-STNLK01-B	OnGuard Access Control	Stone Lock 1 year base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 Stone Lock biometric readers. Additional Stone Lock biometric reader licenses can be purchased using IPC-094-10] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$705.48
334290L	Lenel	IPC-096-010	OnGuard Access Control	Partner integration 1 year license and support for an additional 10 devices/units used by any IPC-096-xxx partner. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$245.38
334290L	Lenel	IPC-096-ALGO01-B	OnGuard Access Control	AllGoVision Alarm Center Partner base integration 1 year license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 readers being used by AllGoVision Alarm Center. Additional readers can be purchased using IPC-096-ALGO01-10]. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$696.85
334290L	Lenel	IPC-096-UMBO01-B	OnGuard Access Control	Umbo Computer Vision Umbo Light 1 year base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 10 readers/doors being monitored by Umbo Light. Additional devices/units can be purchased using IPC-096-010] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$674.80
334290L	Lenel	IPC-098-01	OnGuard Access Control	Reader/Device Partner integration 1 year license and support for an additional 1 readers/devices used by any IPC-098-xxx partner. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$122.69
334290L	Lenel	IPC-098-MOBSS01-B	OnGuard Access Control	MOBSS Precog commandCenter mobile reader 1 year base integration license and support on any OnGuard system. [This is the integration license that must be ordered for the first 3 MOBSS readers. Additional MOBSS reader licenses can be purchased using IPC-098-01] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$705.48
334290L	Lenel	IPC-303-25	OnGuard Access Control	Reader/Device Partner integration 1 year license and support for an additional 25 readers monitored by any IPC-303-xxx partner. This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$92.98
334290L	Lenel	IPC-303-DETR01-B	OnGuard Access Control	Detrios DAX 1 year base integration license on any OnGuard system. [This is the integration license that must be ordered for the first 100 readers being monitored. Additional DAX reader licenses can be purchased using IPC-303-25] This is automatically added to the required SUSP annually w/ the 1st renewal pro-rated.	\$705.48
334290L	Lenel	IRIS-iCAM7000S-B	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,107.81
334290L	Lenel	IRIS-iCAM7000S-T	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,107.81
334290L	Lenel	IRIS-iCAM7010S-H1B	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, WITH HID ICLASS SE READER, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,280.60
334290L	Lenel	IRIS-iCAM7010S-H1T	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, WITH HID ICLASS SE READER, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,280.60
334290L	Lenel	IRIS-iCAM7101S-B	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, WITH LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,491.22
334290L	Lenel	IRIS-iCAM7101S-T	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, WITH LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,491.22
334290L	Lenel	IRIS-iCAM7111S-H1B	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, WITH HID ICLASS SE READER AND LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,705.05
334290L	Lenel	IRIS-iCAM7111S-H1T	Readers	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, WITH HID ICLASS SE READER AND LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	\$2,705.05
334290L	Lenel	IRIS-iCAM7-PWR	Readers	Power Supply for iCAM7000 series	\$57.51
334512	Lenel	ISG-CMS100K	OnGuard Access Control	Integration for encoding 100,000 ActivIdentity Certificates	\$65,176.33
334512	Lenel	ISG-CMS10K	OnGuard Access Control	Integration for encoding 10,000 ActivIdentity Certificates	\$16,292.19
334512	Lenel	ISG-CMS1K	OnGuard Access Control	Integration for encoding 1,000 ActivIdentity Certificates	\$2,282.11
334512	Lenel	ISG-CMS500	OnGuard Access Control	Integration for encoding 500 ActivIdentity Certificates	\$1,303.52
334512	Lenel	ISG-CMS5K	OnGuard Access Control	Integration for encoding 5,000 ActivIdentity Certificates	\$9,778.34
334290L	Lenel	ISO-PVC	Credentials	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	\$0.79
334290L	Lenel	ISO-PVCM	Credentials	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides with 1/2" 2750 HICO Mag Stripe, polywrapped in qty's of 100	\$0.29

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	ISO-PVCST	Credentials	VPVC Credit card size (500 Qty.), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	\$0.38
334290L	Lenel	ITM-HR-NR-ADV	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, or TR-3 support plan.	\$524.54
334290L	Lenel	ITM-HR-NR-ES	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-ES support plan.	\$361.10
334290L	Lenel	ITM-HR-NR-MAS	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-MAS support plan.	\$1,967.65
334290L	Lenel	ITM-HR-NR-MAS-LT	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-MAS-LT support plan.	\$1,443.12
334290L	Lenel	ITM-HR-NR-PRO-A	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	\$918.58
334290L	Lenel	ITM-HR-NR-PRO-B	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	\$1,443.12
334290L	Lenel	ITM-HR-NR-PRO-C	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-5 support plan.	\$1,967.65
334290L	Lenel	ITM-HR-NR-REG-A	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$1,573.62
334290L	Lenel	ITM-HR-NR-REG-B	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$1,835.89
334290L	Lenel	ITM-HR-NR-REG-C	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-5 support plan.	\$1,967.65
334290L	Lenel	ITM-HR-NR-REG-LT	OnGuard Access Control	First time 12 month license for OnGuard OpenAccess Internal integration. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan.	\$918.58
334290L	Lenel	ITR-HR-NR-ADV	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-ADV license and active SUSP-ADV-TR-1, TR-2, or TR-3 support plan.	\$524.54
334290L	Lenel	ITR-HR-NR-ES	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-ES license and active SUSP-ES support plan.	\$361.10
334290L	Lenel	ITR-HR-NR-MAS-LT	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	\$1,443.12
334290L	Lenel	ITR-HR-NR-PRO-A	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-PRO-A license and active SUSP-PRO-TR-1 or TR-2 support plan.	\$918.58
334290L	Lenel	ITR-HR-NR-PRO-B	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-PRO-B license and active SUSP-PRO-TR-3 or TR-4 support plan.	\$1,443.12
334290L	Lenel	ITR-HR-NR-REG-A	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-REG-A license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$1,573.62
334290L	Lenel	ITR-HR-NR-REG-B	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-REG-B license and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$1,835.89
334290L	Lenel	ITR-HR-NR-REG-C	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-REG-C license and active SUSP-ENT-REG-TR-5 support plan.	\$1,967.65
334290L	Lenel	ITR-HR-NR-REG-LT	OnGuard Access Control	12 month renewal or extension for OnGuard OpenAccess Internal integration. Requires ITM-HR-NR-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	\$918.58
334512	Lenel	K380-001	Electro-Mechanical Locks	Single Battery, WA/AD Series Battery Pack used to power WA5200, WA5600, WA993, WPR2, WSM, and WPR400	\$37.82
334512	Lenel	KP	Electro-Mechanical Locks	Keypad Only Reader Module.	\$242.12
334512	Lenel	LGE-00R	Training	Instructor Regional Travel Expense Surcharge (PER STUDENT)	\$304.08
334512	Lenel	LGE-00X	Training	Onsite Training Expense Surcharge (PER WEEK) Includes instructor expenses, access control hardware, student laptop rental, and network equipment rental for up to 15 students.	\$10,452.77
334512	Lenel	LGE-ACCESS	Training	Advanced Access Control	\$1,368.36
334512	Lenel	LGE-BIOMETRICS	Training	Credentialing Technology & Biometrics	\$456.12
334512	Lenel	LGE-CORE	Training	OnGuard Hardware & Software Fundamentals	\$2,280.60
334512	Lenel	LGE-CUSTOMREPORTS	Training	Custom Reports	\$456.12
334512	Lenel	LGE-DATABASE	Training	Database	\$456.12
334512	Lenel	LGE-DATACONDUIT	Training	DataConduit	\$456.12
334512	Lenel	LGE-DATAEXCHANGE	Training	DataExchange	\$456.12
334512	Lenel	LGE-DESIGNARCHITECT	Training	Design Architect	\$2,280.60
334512	Lenel	LGE-FC	Training	FC/Wnx	\$1,824.48
334512	Lenel	LGE-INTRUSION	Training	Intrusion	\$912.24
334512	Lenel	LGE-LLC	Training	Lenel Learning Credit	\$760.20
334512	Lenel	LGE-LLC-Custom	Training	Customization of course content available on request. Requests require a pre-training planning call with the customer contact to determine customization needs and estimate of effort (hourly rate).	\$69.69
334512	Lenel	LGE-NGP	Training	Next Generation Panel	\$912.24
334512	Lenel	LGE-PP	Training	Picture Perfect	\$2,280.60
334512	Lenel	LGE-PP2OG	Training	Picture Perfect to OnGuard Migration	\$1,368.36
334512	Lenel	LGE-SPECIALIST	Training	System Administrator Specialist	\$2,280.60
334512	Lenel	LGE-VIDEO	Training	Digital Video	\$1,368.36
334512	Lenel	LGE-WIRELESSLOCKS	Training	Wireless Lock Technology	\$456.12
334512	Lenel	LNL-108A	Controllers	Converter RS-232 to RS-485	\$453.40
334512	Lenel	LNL-109A	Controllers	Converter RS-232 to RS-485 with Optical Isolation	\$654.91
334512	Lenel	LNL-1100-20DI	Controllers	Input Control Module, 12 VDC; 20 zone input module RoHS	\$413.35
334512	Lenel	LNL-1100-18	Controllers	Lenel Migration replacement for iSTAR Pro I8 Board, Eight Supervised Inputs. Board Only. No Connectors.	\$547.35
334512	Lenel	LNL-1100-S3	Controllers	Input Control Module (Series three) -12/24 VDC, 16 zone input monitor module, (32) 1K resistors (with 2 programmable output relays), RoHS, CE, C-Tick and UL294 certified	\$613.23
334512	Lenel	LNL-1200-16DO	Controllers	Output Control Module, 12 VDC; 16 driver open collector module : RoHS	\$413.35
334512	Lenel	LNL-1200-16DOR	Controllers	Output Control Module, 12 VDC; 16 relay output control module : RoHS	\$413.35
334512	Lenel	LNL-1200-R8	Controllers	Lenel Migration replacement for iSTAR Pro R8 Board, Eight Relay Outputs. Board Only. No Connectors.	\$614.50
334512	Lenel	LNL-1200-S3	Controllers	Output Control Module (Series three) - 12/24 VDC, 16 relay output control module, RoHS, CE, C-Tick and UL294 certified	\$613.23
334512	Lenel	LNL-1300-S3	Controllers	Single Reader Interface Module (Series 3 - Supports OSDP Readers) - 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail, RoHS, CE, C-Tick and UL294 certified	\$264.80
334512	Lenel	LNL-1320-2RP	Controllers	Dual Reader Interface Module (Supports Wiegand, Magstripe, F2F, Supervised F2F Rdr). 12/ VDC; 2 Rdr interface; 4 unsupervised inputs; 6 (5A) form C relays : RoHS	\$413.35
334512	Lenel	LNL-1320-S2RP	Controllers	Dual Reader Interface Module (Supports Wiegand, Magstripe, F2F & SF2FRdr) 12 VDC; 2 Rdr interface; 4 supervised inputs; 6 (5A) form C relays : RoHS	\$413.35
334512	Lenel	LNL-1320-S3	Controllers	Dual Reader Interface Module (Series 3 - Supports OSDP Readers) - 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays, RoHS, CE, C-Tick and UL294 certified	\$534.68
334512	Lenel	LNL-1324E	Controllers	IP Door Interface, OSDP Readers only, two doors supported, maximum of four OSDP readers on a single RS-485 bus, in/out readers on each door, door contact, REX, and Strike strike for each door. If no readers are connected, LNL-1324E can be used as an IP Alarm Panel, with six inputs, and four relay outputs. Options to power the LNL-1324E: POE, POE+ OR 12VDC. Dimensions: 5.5 in. (140 mm) W x 2.75 in. (70 mm) L x 0.96 in. (24 mm) H without bracket 5.5 in. (140 mm) W x 3.63 in. (92 mm) L x 1.33 in. (34 mm) H with bracket. Requires OnGuard 7.6 or higher. Will not be available until OnGuard 7.6 is released.	\$1,201.12
334512	Lenel	LNL-1380-8RP	Controllers	Eight Reader Interface Module (Supports SF2F Rdr) 12/VDC; 8 Rdr interface: RoHS	\$649.88
334512	Lenel	LNL-1380-ACM	Controllers	Lenel Migration replacement for iSTAR Pro ACM Board 8 Wiegand Reader Ports and 16 Inputs. Eight RS-485 ports that can support LNL-1300/LNL-1320 reader interfaces. Should not exceed eight readers per LNL-1380-ACM. Board Only. No Connectors.	\$1,792.81
334512	Lenel	LNL-1K-32	Controllers	Resistors - one complete set of sixteen, 1K-ohm resistors for the LNL-1100, LNL-1300 or LNL-1320 modules	\$12.59
334290L	Lenel	LNL-2010W-5	Readers	Magnetic Card Access Reader - 5 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	\$183.72
334512	Lenel	LNL-2240-RS4	Controllers	Replacement ISC for ACURS2, ACURS4, ACURT2 and ACURT4 Controllers, only communicates to OnGuard 7.3 or higher.. Board only. Connectors not included	\$1,759.87
334512	Lenel	LNL-3300-ACUJXL	Controllers	Replacement ISC for ACUJXL16 Controller, only communicates to OnGuard 7.3 or higher.. Board Only. Connectors Not Included.	\$1,849.82
334512	Lenel	LNL-3300-GCM	Controllers	Lenel Migration replacement for iSTAR Pro GCM Board. Board Only. No Connectors.	\$2,100.69
334512	Lenel	LNL-3300-M5	Controllers	Intelligent System Controller, 12 VDC, Size (4 in. W x 10.25 in. L) RoHS	\$869.02

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	LNL-400X-CE220	Controllers	Lenel CE Listed 4A, 220VAC Power Supply – 12VDC output, 220/230 VAC input, continuous supply current with enclosure (15.5" x 12.5" x 4.5"), lock and open frame transformer, tamper switch UPS capable (Battery Optional) CE Approved	\$392.63
334512	Lenel	LNL-4420	Controllers	Intelligent Dual Reader Controller – 12 or 24 VDC @ 500mA (w/o Rdr Power), size 6" (152mm) W x 8" (203mm) L x 1" (25mm)H, (5 year lithium battery or 3 months full run) 16 MB standard cardholder flash memory (96MB cardholder table can be enabled in OnGuard 7.4 or higher), 50,000 of Event memory, maximum of 64 devices, On-board Ethernet, on-board two door control with OSDP Secure Channel encryption, eight inputs, four outputs, cabinet tamper and power fault input monitors. Two RS-485 ports for downstream devices. RoHS, CE, C-Tick and UL 294 OnGuard 7.2 or higher required.	\$2,749.40
334512	Lenel	LNL-600X6-CE220	Controllers	Lenel CE Listed Power Supply – 12VDC output (switch selectable), 220/230 VAC (1.6 amps) input, continuous supply current with enclosure (24" x 18" x 4.5"), lock and open frame transformer, tamper switch, power distribution module, UPS capable (Battery Optional) CE Approved	\$637.79
334290L	Lenel	LNL-7410	Credentials	PROX clamshell card; plain white matte finish; 26-bit format pre-programmed; printed ID numbers; vertical slot punch [Min Order QTY of 100]	\$1.76
334290L	Lenel	LNL-7510M1	Credentials	PROX card with magnetic stripe; direct printable ISO Card; 26-bit format pre-programmed; printed ID numbers [Min Order QTY of 100]	\$3.86
334290L	Lenel	LNL-7610	Credentials	PROX Key Fob; gray finish; 26-bit format pre-programmed [Min Order QTY of 50]	\$3.70
334512	Lenel	LNL-8000	Controllers	Star Multiplexer –12 VDC, (8) Downstream RS-485 2-wire ports or (4) RS-485 4-wire ports and stand-offs	\$457.93
334512	Lenel	LNL-8000-M5	Controllers	8 Port RS-485 Multiplexer, form factor for M5/M3000 card cage, Typically replaces 8RP. Reuse existing wiring to deploy LNL-1300 in WIU or M/RJ location, allows upgrade to new reader technologies such as encrypted OSDP	\$475.13
334512	Lenel	LNL-8000-MCOM	Controllers	Power/ Communications Module-Provides RS485 comm & Power to enclosure; Size (4 in. W x 10.25 in. L) RoHS	\$168.51
334290L	Lenel	LNL-826S121NN	Readers	Brushed Aluminum Keypad, 2 keys across and 6 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for mullion mounting	\$209.06
334290L	Lenel	LNL-834S121NN	Readers	Lenel Brushed Aluminum Keypad, 3 keys across and 4 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for a single gang electrical box	\$209.06
334512	Lenel	LNL-837A	Controllers	RS-232/RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, (115 Kbps)	\$396.73
334512	Lenel	LNL-838A	Controllers	RS-232/RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, Optically isolated from data ground (115.2 Kbps)	\$440.81
334290L	Lenel	LNL-9420	Credentials	MIFARE 2.5k bit 14443 memory card; clamshell style; with vertical slot punch [Min Order QTY of 100]	\$2.11
334290L	Lenel	LNL-9520	Credentials	MIFARE 2.5k bit 14443 memory card; direct printable ISO Card [Min Order QTY of 100]	\$2.67
334290L	Lenel	LNL-9520M1	Credentials	MIFARE 2.5k bit 14443 memory card with magnetic stripe; direct printable ISO Card [Min Order QTY of 100]	\$3.01
334290L	Lenel	LNL-9551	Credentials	MIFARE 13.56 Mhz Card; 1 Kbyte/8Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$3.26
334290L	Lenel	LNL-9551M1	Credentials	MIFARE 13.56 Mhz Card with magnetic stripe; 1 Kbyte/8Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$3.61
334290L	Lenel	LNL-9558	Credentials	MIFARE 13.56 Mhz Card; 14Kbyte/32Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$4.60
334290L	Lenel	LNL-9558M1	Credentials	MIFARE 13.56 Mhz Card with magnetic stripe; 14Kbyte/32Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$4.94
334290L	Lenel	LNL-9651	Credentials	MIFARE 1 Kbyte/8Kbit 14443 memory Key Fob; gray finish [Min Order QTY of 50]	\$4.20
334290L	Lenel	LNL-9951	Credentials	MIFARE/PROX Combo Card; 125KHz/13.56MHz; ISO 14443; HID Prox with Mifare 1K; preprogrammed 26 bit Prox; direct printable ISO Card [Min Order QTY of 100]	\$4.46
334290L	Lenel	LNL-9958	Credentials	MIFARE/PROX Combo Card; 125KHz/13.56MHz; ISO 14443; HID Prox with Mifare 4K; preprogrammed 26 bit Prox; direct printable ISO card [Min Order QTY of 100]	\$5.38
334290L	Lenel	LNL-9958M1	Credentials	MIFARE/PROX Combo Card with magnetic stripe; 125KHz/13.56MHz; ISO 14443; HID Prox with Mifare 4K; preprogrammed 26 bit Prox; direct printable ISO card [Min Order QTY of 100]	\$6.32
334512	Lenel	LNL-AL400ULX	Controllers	Lenel UL Listed 4A, 110VAC Power Supply – 12VDC 4A output, 115VAC input, continuous supply current with enclosure (15.5" x 12.5" x 4.5"), lock, tamper switch, UPS capable (Battery Optional) UL & CUL Approved	\$365.74
334512	Lenel	LNL-AL600ULX-4CB6	Controllers	Lenel UL Listed Power Supply – 12VDC 6A output, 115VAC (1.6 amps) input, continuous supply current with enclosure (24" x 18" x 4.5"), lock, tamper switch, power distribution module, UPS capable (Battery Optional) UL & CUL Approved	\$597.01
334512	Lenel	LNL-CAM1	Controllers	Lock assembly and keys for Lenel standard power supply cabinets	\$6.30
334512	Lenel	LNL-CBSB1001ART	Controllers	Sticky back nylon spacers to mount LNL-500; LNL-3300; LNL-8000 on LNL Cabinets or Power Supplies [100 per bag]	\$50.38
334290L	Lenel	LNL-CK	Readers	Command Display terminal Lenel Command Keypad - 32-character back-lit LCD display with a 16-position keypad, supports both direct RS-485 communication with the ISC and Wiegand TTL output, supports one external Wiegand input, 12VDC±15% @ 175mA (keypad only), C-Tick Certified	\$296.48
334512	Lenel	LNL-CONV-1	Controllers	Plastic Adapter plate to mount a single LNL-1300 module and a single LNL-2210 (2.75" x 4.25")	\$5.04
334512	Lenel	LNL-CONV-4	Controllers	Adapter plate to mount up to 4 LNL-1300s in any CTX enclosure. Maximum two per LNL-CTX enclosure	\$18.89
334512	Lenel	LNL-CTX	Controllers	Lenel UL listed hardware enclosure (15.5" x 12.5" x 4.5"), only with lock and tamper switch. (UL Approved) (can house 2 boards)	\$86.57
334512	Lenel	LNL-CTX-6	Controllers	Lenel UL listed hardware enclosure (24" x 18" x 4.5"), only with lock and tamper switch. (UL Approved) (can house up to 6 boards)	\$159.82
334512	Lenel	LNL-DC336K	Controllers	12 VDC powered/33.6K External modem for Intelligent System Controller Dial-up, includes HOC-56KEXT custom made modem to ISC communication cable as well as the 12 VDC power cable when purchase from Lenel RoHS compliant device.	\$692.70
334512	Lenel	LNL-EMCSTO	Controllers	Standoffs for LNL-ETHLAN-MICR [100 per pack]	\$31.49
334290L	Lenel	LNL-EV22KNP	Credentials	DESFire EV2 ISO PVC 2K 13.56MHz - Non-Programmed for LenelS2 BlueDiamond Mobile Readers [Min Order QTY of 100]	\$3.48
334290L	Lenel	LNL-EV22KNPFOB	Credentials	DESFire EV2 Plastic Keyfob 2K 13.56MHz - Non-Programmed for LenelS2 BlueDiamond Readers (Min order QTY of 100)	\$3.80
334290L	Lenel	LNL-EV22KPP	Credentials	DESFire EV2 ISO PVC 2K 13.56MHz - Pre-Programmed for LenelS2 BlueDiamond Mobile Readers [Min Order QTY of 100]	\$3.48
334290L	Lenel	LNL-EV22KPPFOB	Credentials	DESFire EV2 Plastic Keyfob 2K 13.56MHz - Pre-Programmed for LenelS2 BlueDiamond Readers (Min order QTY of 100)	\$5.27
334290L	Lenel	LNL-EV22KPPMG	Credentials	DESFire EV2 ISO PVC 2K 13.56MHz - Pre-Programmed with Mag Stripe (no pre-programmed encoding on Mag) for LenelS2 BlueDiamond Mobile Readers [Min Order QTY of 100]	\$4.75
334290L	Lenel	LNL-EV28KNP	Credentials	DESFire EV2 ISO Composite 8K 13.56 MHz -Non-Programmed [Min Order QTY of 100]	\$5.07
334290L	Lenel	LNL-EV28KNPMG	Credentials	DESFire EV2 ISO PVC 2K 13.56MHz - Non-Programmed with Mag Stripe (no pre-programmed encoding on Mag) for LenelS2 BlueDiamond Mobile Readers [Min Order QTY of 100]	\$4.75
334290L	Lenel	LNL-EV28KPP	Credentials	DESFire EV2 ISO Composite 8K 13.56 MHz -Pre-Programmed for Lenel BlueDiamond Mobile Readers [Min Order QTY of 100]	\$5.70
334290L	Lenel	LNL-EV28KPPMG	Credentials	DESFire EV2 ISO PVC 8K 13.56MHz - Pre-Programmed with Mag Stripe (no pre-programmed encoding on Mag) for LenelS2 BlueDiamond Mobile Readers [Min Order QTY of 100]	\$5.70
334290L	Lenel	LNL-EV28KPXNP	Credentials	DESFire EV2 ISO Composite 8K with Proximity Chip Card - Dual Technology - Non-Programmed 13.56MHz (Application ID and Keys and Badge ID); Pre- Programmed Proximity format, requires formatting from "How to order Guide" - NOT SLOT PUNCHABLE [Min Order QTY of 100]	\$6.95
334290L	Lenel	LNL-EV28KPXPP	Credentials	DESFire EV2 ISO Composite 8K with Proximity Chip Card - Dual Technology - Pre-Programmed Proximity and Pre-Programmed 13.56MHz (for Lenel BlueDiamond Mobile Readers). Badge IDs will match between High and Low frequency - NOT SLOT PUNCHABLE [Min Order QTY of 100]	\$7.92
334512	Lenel	LNL-MOM-5	Controllers	Multi-output power supply interface (board Only)	\$88.16
334290L	Lenel	LNL-MT11	Readers	Multi-Technology Mullion Reader: Designed to be mounted to a door mullion; Black ; Wiegand interface;75 bit PIV [will also read cards encoded through OnGuard; Secure Mifare]	\$217.17
334290L	Lenel	LNL-MT11-401-201	Readers	Aptiq Mullion Reader, Black, OSDP, setup for Extended Packet Mode, for use in Embedded Authentication solution	\$225.53
334290L	Lenel	LNL-MT11-PIV3	Readers	Multi-Technology Mullion Reader: Designed to be mounted to a door mullion; Black ; Wiegand interface; 200-bit PIV / FASC-N [will also read cards encoded through OnGuard Secure Mifare]	\$217.17
334290L	Lenel	LNL-MT15	Readers	Multi-Technology Single Gang Reader: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface;75 bit PIV [will also read cards encoded through OnGuard; Secure Mifare]	\$217.17
334290L	Lenel	LNL-MT15-401-201	Readers	Aptiq Single Gang Reader, Black, OSDP, setup for Extended Packet Mode, for use in Embedded Authentication solution	\$225.53
334290L	Lenel	LNL-MT15-PIV3	Readers	Multi-Technology Single Gang Reader: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface; 200-bit PIV / FASC-N [will also read cards encoded through OnGuard Secure Mifare]	\$217.17

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	LNL-MTK15	Readers	Multi-Technology Single Gang Reader with Keypad: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface;75 bit PIV [will also read cards encoded through OnGuard; Secure Mifare]	\$348.50
334290L	Lenel	LNL-MTK15-401-201	Readers	Aptiq Single Gang with Keypad Reader, Black, OSDP, setup for Extended Packet Mode, for use in Embedded Authentication solution	\$361.10
334290L	Lenel	LNL-MTK15-PIV3	Readers	Multi-Technology Single Gang Reader with Keypad: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface; 200-bit PIV /FASC-N [will also read cards encoded through OnGuard Secure Mifare]	\$348.50
334512	Lenel	LNL-OLS120A	Controllers	4.0 A Power Supply - Board Only - The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, UPS capable (Battery Optional)	\$172.03
334512	Lenel	LNL-OLS120ACTXP2	Controllers	4.0 A Power Supply with Enclosure - The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, UPS capable (Battery Optional) with enclosure and lock (can house 2 boards); H 15.75" 400mm x W 12.25" 311mm x D 4.5" 114mm	\$324.35
334512	Lenel	LNL-OLS75A	Controllers	2.5 A Power Supply Only - The OLS75A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional)	\$145.28
334512	Lenel	LNL-OLS75ACTX	Controllers	2.5 A Power Supply with enclosure-The OLS75 is a power limited supply/ chargers that will convert a 115 VAC/60Hz or 230 VAC/50Hz input; into a 12 or 24VDC power limited output; with 2.5 amps of continuous supply current; UPS capable (Battery Optional) with enclosure and lock (can house 2 boards); H 15.75" 400mm x W 12.25" 311mm x D 4.5" 114mm	\$303.29
334290L	Lenel	LNL-PR10	Readers	Proximity Mini-Mullion Reader: Compact proximity reader, designed to fit in small spaces, or to be mounted to a door mullion; Black ; Wiegand interface	\$95.03
334290L	Lenel	LNL-R11030-85TB	Readers	BlueDiamond Prox + Mobile Reader- Mini-Mullion form-factor Proximity card reader with BlueDiamond mobile credential support. This reader can be used with standard 125kHz RFID badges and BlueDiamond mobile credentials as a stand-alone reader, or, this reader can also be wired in parallel with an existing non-Bluetooth Wiegand reader, allowing any door to be Bluetooth enabled. Whether mounted near the door in an inconspicuous location or adjacent to it, this device will update a legacy system with the latest technology, while continuing to support existing badges - regardless of card technology or format. No additional reader license is required for this configuration.	\$190.05
334290L	Lenel	LNL-R11320-05TB	Readers	BlueDiamond Multi-Tech US Single Gang - Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1/EV2 Open Encoding, HID Proximity, LenelProx, and ProxLite. Connects to access panel via Wiegand, Supervised F/2F (2-state or 4-state supervision), OSDP with Secure Channel encryption support, Terminal Block connection, Black (BDC-TREADER or BDC-OUTPUT configuration card required for F/2F output).	\$285.08
334290L	Lenel	LNL-R11325-05TB	Readers	BlueDiamond Multi-Tech US Single Gang Reader with Keypad - Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1/EV2 Open Encoding, HID Proximity, LenelProx, and ProxLite. Connects to access panel via Wiegand, Supervised F/2F (2-state or 4-state supervision), OSDP with Secure Channel encryption support, Terminal Block connection, Black (BDC-TREADER or BDC-OUTPUT configuration card required for F/2F output).	\$443.45
334290L	Lenel	LNL-R11330-05TB	Readers	BlueDiamond Multi-Tech Mini-Mullion Reader - Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1/EV2 Open Encoding, HID Proximity, LenelProx, and ProxLite. Connects to access panel via Wiegand, Supervised F/2F (2-state or 4-state supervision), OSDP with Secure Channel encryption support, Terminal Block connection, Black (BDC-TREADER or BDC-OUTPUT configuration card required for F/2F output).	\$228.06
334290L	Lenel	LNL-RCC	Readers	Reader Connector Cable, Replacement (Lots of 5)	\$19.01
334290L	Lenel	LNL-SM10	Readers	Smart Mini-Mullion Reader: Compact smart reader, designed to fit in small spaces, or to be mounted to a door mullion; Black ; Wiegand interface; 75 bit PIV	\$101.36
334290L	Lenel	LNL-SS	Readers	Security Screw (Lot of 10)	\$8.87
334290L	Lenel	LNL-SSK	Readers	Security Screw Key for A-SS (Lot of 5)	\$19.01
334512	Lenel	LNL-STANDOFF	Controllers	Standoffs to mount any LNL board on LNL Cabinets or Power Supplies [includes screws] [25 per bag]	\$16.37
334290L	Lenel	LNL-WP10	Readers	Wall Plate cover for Single Gang electrical box (Grey)	\$8.87
334290L	Lenel	LNL-WP10-BL	Readers	Wall Plate cover for Single Gang electrical box (Black)	\$8.87
334290L	Lenel	LNL-WP20	Readers	Wall Plate cover for Double Gang electrical box (Grey)	\$11.40
334290L	Lenel	LNL-WP20-BL	Readers	Wall Plate cover for Double Gang electrical box (Black)	\$11.40
334290L	Lenel	LNL-WS10	Readers	Single Reader Weather Shield for LNL-2005W, 2010W and 2020W	\$32.94
334512	Lenel	LNL-X2210	Controllers	Intelligent Single Door Controller; powered by PoE, POE+ or 12 VDC @ 1.8A maximum; size 5.5 in. (140 mm) W x 3.63 in. (92 mm) L x 1.33 in. (34 mm) H with bracket; 6 MB standard cardholder flash memory, 50,000 of event memory; maximum of one door, two readers (entry and exit reader, OSDP Secure Channel encryption for one reader with OnGuard 7.2 and up, On-board PoE or PoE+ Ethernet, Dual Path capability, two inputs (supervised/unsupervised) for Door Contact and REX, two outputs (NO/NC), power fault input and cabinet tamper monitors. Reader power 12VDC @ 300mA max. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, cUL/ORD-C1076	\$734.86
334512	Lenel	LNL-X2220	Controllers	Intelligent Dual Reader Controller - powered by 12 or 24 VDC @ 500mA (w/o Rdr Power), size (6" (152mm) W x 8" (203mm) L x 1" (25mm)H); 6 MB standard cardholder flash memory, 50,000 of event memory, maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel encryption with OnGuard 7.2, Wiegand or F2F; eight inputs, four outputs, cabinet tamper and power fault input monitors. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, cUL/ORD-C1076	\$1,533.07
334512	Lenel	LNL-X3300	Controllers	Intelligent System Controller - powered by 12 or 24 VDC @250mA,size (5 in.(127mm) Wx6 in.(152.4mm) L x1 in.(25mm)H); 15 MB standard cardholder flash memory, 50,000 Event memory. Two RS-485 ports for downstream devices, maximum of 64 devices, On-board Ethernet, Dual Path capability, cabinet tamper and power fault input monitors. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, cUL/ORD-C1076	\$1,663.57
334512	Lenel	LNL-X4420	Controllers	Intelligent Dual Reader Controller - powered by 12 or 24 VDC @ 500mA (w/o Rdr Power), size (6" (152mm) W x 8" (203mm) L x 1" (25mm)H); 16 MB standard cardholder flash memory (96MB cardholder table can be enabled in OnGuard 7.4 or higher), 50,000 of Event memory, Two RS-485 ports for downstream devices, maximum of 64 devices, On-board Ethernet, Dual Path capability, on-board two door control with OSDP Secure Channel encryption or Wiegand; eight inputs, four outputs, cabinet tamper and power fault input monitors. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, cUL/ORD-C1076	\$2,734.19
334290L	Lenel	LP-CS	Credentials	"Clam Shell" style Prox Badge, with laser etched card number, 26 bit default format, others available, Pre-punched in Portrait Orientation (min order qty 100)	\$1.51
334290L	Lenel	LP-CS-CSTM	Credentials	"Clam Shell" style Prox Badge, with laser etched card number, Custom format, Pre-punched in Portrait Orientation (min order qty 100)	\$1.52
334290L	Lenel	LP-GR	Credentials	Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, (min order qty 100)	\$2.51
334290L	Lenel	LP-GR-1KM	Credentials	1K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 250) 10 week lead time. 7 byte Mifare CSN.	\$5.16
334290L	Lenel	LP-GR-4KM	Credentials	4K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 250) 10 week lead time 7 Byte Mifare CSN.	\$5.74
334290L	Lenel	LP-GR-CSTM	Credentials	Graphics Quality both sides, ISO compliant credential with laser etched card number, Custom format (min order qty 100)	\$2.52
334290L	Lenel	LP-GRMAG	Credentials	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, with 3 track High-Co ABA Magnetic Stripe (min order qty 100)	\$2.83
334290L	Lenel	LP-GRMAG-CSTM	Credentials	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, Custom format, with 3 track High-Co ABA Magnetic Stripe (min order qty 100)	\$2.85
334290L	Lenel	LPGR-UHF-0-U	Credentials	UHF, GRAPHICS QUALITY BADGE [min order qty 50]	\$3.80
334290L	Lenel	LPHT-UHF-0-0	Credentials	UHF HANG TAG, BLANK [min order qty 50]	\$5.68
334290L	Lenel	LPKP-684GRMP	Readers	LENELPROX, Gray, Proximity Card switchplate-type reader combined with a 12-key numeric Keypad, fits on a single-gang box. Read range up to 8 inches. (color Gray)	\$176.32
334290L	Lenel	LP-KT	Credentials	Proximity Key Tag with laser etched card number, 26 bit default format, others available, (Key Fob) (min order qty 50)	\$2.71

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	LP-KT-CSTM	Credentials	Proximity Key Tag with laser etched card number, Custom format, (Key Fob) (min order qty 50)	\$2.72
334290L	Lenel	LPLR-2000BU	Readers	LenelProx Long Range UHF Reader - Wiegand output, passive tag reader with directional 9 to 11 foot Read Range, 5 to 15 VDC [1.5A to 0.4 A typical], (color Beige only) - Works Only with UHF Tags (1 year warranty). INSTALLER KIT LPLR-2000KIT00 required for set up and installation (not RoHS Compliant)	\$1,460.85
334290L	Lenel	LPLR-2000HILOMABU	Readers	LenelProx Long Range UHF Reader with dual antennas - Same as LPLR-2000BU, but includes 2nd remote antenna and 4ft Coax cable to provide expanded read range in 1 axis only, to allow greater range of tag locations in either the horizontal OR vertical axis - Works Only with UHF Tags (1 year warranty). INSTALLER KIT LPLR-2000KIT00 required for set up and installation (not RoHS Compliant)	\$2,124.76
334290L	Lenel	LPLRMB	Readers	Mounting Bracket for LPLR-2000 and LR-911 Reader, 11 inches long with pan & tilt swivel head. Order 2 for HiLo applications.	\$44.08
334290L	Lenel	LPMM-6800GRMP	Readers	LenelProx/HID Prox Mullion Mount Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, Metal Compensated, 5-12 VDC [65 to 85 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	\$110.83
334290L	Lenel	LPMP-1824GRMP	Readers	LenelProx/HID Prox Mid Range Reader, Wiegand and RS232 (simultaneous) output, 18 to 24 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8"x8"x1", Indoor/Outdoor, (color Gray)	\$226.70
334290L	Lenel	LPMP-1824MCGMP	Readers	LenelProx/HID Prox Mid Range Reader Metal Compensated, Wiegand and RS232 (simultaneous) output, 14 to 16 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8"x8"x1", Indoor/Outdoor, (color Gray)	\$283.38
334290L	Lenel	LP-MT	Credentials	Metal Mount Tag High Frequency, for use with LPLR-911 and LPLR-911HILO only, (minimum order qty 50)	\$8.82
334290L	Lenel	LPMT-UHF-0-0	Credentials	UHF METAL MOUNT TAG [min order qty 50]	\$8.78
334290L	Lenel	LP-PW	Credentials	Proximity Wafer, 1 inch diameter, adhesive backing, with laser etched card number, 26 bit default format, others available, (min order qty 50)	\$2.33
334290L	Lenel	LP-PW-CSTM	Credentials	Proximity Wafer, 1 inch diameter, adhesive backing, with laser etched card number, Custom format, (min order qty 50)	\$2.34
334290L	Lenel	LPRV-UHF-0-0	Credentials	UHF REAR VIEW MIRROR TAG [min order qty 50]	\$8.02
334290L	Lenel	LPSP-6820GRMP	Readers	LenelProx/HID Prox Switch Plate Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, 5-12 VDC [65 to 85 mA typical], Single Gang Box Mount, (color Gray)	\$110.83
334290L	Lenel	LPSR-2400GRMP	Readers	LenelProx/HID Prox Special Range Reader, Wiegand output, 4 to 5.5 inch Read Range, Metal Compensated, 5-12 VDC [40 to 70 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	\$70.53
334290L	Lenel	LPUA-612MU	Credentials	UHF Access Proximity Reader - Works Only with UHF Tags, 6-12in. read range, Midnight Black, RoHS	\$330.69
334290L	Lenel	LPVT-UHF-0-U	Credentials	UHF VISOR TAG [min order qty 50]	\$6.34
334290L	Lenel	LP-WS	Credentials	Windshield Tag High Frequency, for use with LPLR-911 and LPLR-911HILO only, adhesive mount (minimum order qty 50)	\$8.82
334290L	Lenel	LPWS-UHF-0-U	Credentials	UHF WINDSHIELD TAG [min order qty 50]	\$8.02
334290L	Lenel	LSM-3PA-ADV	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard ADV system. Requires OnGuard 7.5 or higher and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan at the time of purchase.	\$632.23
334290L	Lenel	LSM-3PA-ES	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard 32ES system. Requires OnGuard 7.5 or higher and active SUSP-W-ES support plan at the time of purchase.	\$315.48
334290L	Lenel	LSM-3PA-MAS	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard Enterprise Master (ENTMAS1) size system. Requires OnGuard 7.5 or higher and active SUSP-ENT-MAS support plan at the time of purchase.	\$5,055.34
334290L	Lenel	LSM-3PA-MAS-LT	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 5 size system. Requires OnGuard 7.5 or higher and active SUSP-W-ENT-MAS-LT support plan at the time of purchase.	\$2,527.67
334290L	Lenel	LSM-3PA-PRO-A	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 1 or 2 size system. Requires OnGuard 7.5 or higher and active SUSP-PRO-TR-1 or TR-2 support plan at the time of purchase.	\$1,264.47
334290L	Lenel	LSM-3PA-PRO-B	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 3 or 4 size system. Requires OnGuard 7.5 or higher and active SUSP-PRO-TR-3 or TR-4 support plan at the time of purchase.	\$2,527.67
334290L	Lenel	LSM-3PA-PRO-C	OnGuard Access Control	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 5 size system. Requires OnGuard 7.5 or higher and active SUSP-PRO-TR-5 support plan at the time of purchase.	\$5,055.34
334290L	Lenel	LSM-CSS-ADV	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ADV support plan.	\$1,977.79
334290L	Lenel	LSM-CSS-ES	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ES support plan.	\$1,426.64
334290L	Lenel	LSM-CSS-MAS	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-MAS support plan.	\$6,713.85
334290L	Lenel	LSM-CSS-MAS-LT	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-MAS-LT support plan.	\$3,357.56
334290L	Lenel	LSM-CSS-PRO-A	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-1 or TR-2 support plan.	\$3,461.45
334290L	Lenel	LSM-CSS-PRO-B	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-3 or TR-4 support plan.	\$12,224.04
334290L	Lenel	LSM-CSS-PRO-C	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-5 support plan.	\$23,604.26
334290L	Lenel	LSM-CSS-REG-A	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$3,461.45
334290L	Lenel	LSM-CSS-REG-B	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$7,133.22
334290L	Lenel	LSM-CSS-REG-C	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-5 support plan.	\$12,588.94
334290L	Lenel	LSM-CSS-REG-LT	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-LT support plan.	\$1,678.78
334290L	Lenel	LSM-CSS-REG-SM	OnGuard Access Control	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-SM support plan.	\$1,426.64
334290L	Lenel	LSM-MCI-ADV	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan at the time of purchase.	\$1,180.85
334290L	Lenel	LSM-MCI-ES	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ES support plan at the time of purchase.	\$796.94
334290L	Lenel	LSM-MCI-MAS	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-MAS support plan at the time of purchase.	\$18,799.78
334290L	Lenel	LSM-MCI-MAS-LT	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-MAS-LT support plan at the time of purchase.	\$7,049.60
334290L	Lenel	LSM-MCI-PRO-A	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan at the time of purchase.	\$2,233.73
334290L	Lenel	LSM-MCI-PRO-B	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan at the time of purchase.	\$7,109.15
334290L	Lenel	LSM-MCI-PRO-C	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-5 support plan at the time of purchase.	\$17,624.01
334290L	Lenel	LSM-MCI-REG-A	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan at the time of purchase.	\$1,939.78
334290L	Lenel	LSM-MCI-REG-B	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan at the time of purchase.	\$4,524.47
334290L	Lenel	LSM-MCI-REG-C	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-5 support plan at the time of purchase.	\$8,225.38
334290L	Lenel	LSM-MCI-REG-LT	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan at the time of purchase.	\$940.12
334290L	Lenel	LSM-MCI-REG-SM	OnGuard Access Control	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-SM support plan at the time of purchase.	\$524.54
334290L	Lenel	LSM-VSS	OnGuard Access Control	Non-expiring license for (1) Visitor Self Service Module (iPad Only Support). iPad not included. Quantity should be for total number of configured tablets. Requires at least one IDVM front desk license on the OnGuard server. iPad not included.	\$2,517.53
334290L	Lenel	LSM-WATCH-ADV	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ADV support plan.	\$1,977.79

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	LSM-WATCH-ES	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ES support plan.	\$1,426.64
334290L	Lenel	LSM-WATCH-MAS	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-MAS support plan.	\$6,713.85
334290L	Lenel	LSM-WATCH-MAS-LT	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-MAS-LT support plan.	\$3,357.56
334290L	Lenel	LSM-WATCH-PRO-A	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	\$3,461.45
334290L	Lenel	LSM-WATCH-PRO-B	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	\$12,224.04
334290L	Lenel	LSM-WATCH-PRO-C	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-5 support plan.	\$23,604.26
334290L	Lenel	LSM-WATCH-REG-A	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$3,461.45
334290L	Lenel	LSM-WATCH-REG-B	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$7,133.22
334290L	Lenel	LSM-WATCH-REG-C	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-5 support plan.	\$12,588.94
334290L	Lenel	LSM-WATCH-REG-LT	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-LT support plan.	\$1,678.78
334290L	Lenel	LSM-WATCH-REG-SM	OnGuard Access Control	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-SM support plan.	\$1,426.64
334512	Lenel	LSP-12DRLOCK-PWR	Power Supply	LSP LOCK POWER SUPPLY, 6A AT 24VDC OR 6A AT 12VDC, 16 LOCK OUTPUTS WITH INPUTS, FUSED AT 3A EACH, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 20HX16WX4.5D, UL, CUL, LIFETIME WARRANTY, FPV6-2R8E2	\$519.52
334512	Lenel	LSP-150W-PS-ENCL	Power Supply	150W PS/CHARGER, 12A 12VDC OR 6A 24VDC, INTEGRATED FAI (FIRE ALARM INPUT), FAULT MONITORING, NETWORK READY, 14H X 12W ENCLOSURE, UL, CUL, LIFETIME WARRANTY, FPO150-E1	\$309.15
334512	Lenel	LSP-16DR-E6M1	Power Supply	LSP-16DR, E6M1 30H X 23W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2C8P2D8PE6M1	\$1,140.30
334512	Lenel	LSP-16DR-E6M1WPA	Power Supply	LSP-16DR, E6M1 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2C8P3D8PE6M1/P16-A	\$2,023.40
334512	Lenel	LSP-16DR-E8M1	Power Supply	LSP-16DR, E8M1 36H X 30W ENCL, FITS 8 LENEL CONTROLLERS PLUS (2) IO BOARDS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2C8P2D8PE8M1	\$1,317.68
334512	Lenel	LSP-16DR-E8M1WPA	Power Supply	LSP-16DR, E8M1 36H X 30W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320 PANDUIT (WITH IO SPACE), 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2C8P3D8PE8M1/P16-A	\$2,290.74
334512	Lenel	LSP-16DR-E8M2	Power Supply	LSP-16DR, E8M2 36H X 30W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2C8P2D8PE8M2	\$1,250.53
334512	Lenel	LSP-16DR-E8M2WPA	Power Supply	LSP-16DR, E8M2 36H X 30W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2C8P3D8PE8M2/P16-A	\$2,099.42
334512	Lenel	LSP-16DRN-E6M1	Power Supply	LSP-16DR-NET, E6M1 30H X 23W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2D8P2M8PNL4E6M1	\$1,509.00
334512	Lenel	LSP-16DRN-E6M1WPA	Power Supply	LSP-16DR-NET, E6M1 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-3D8P2M8PNL4E6M1/P16-A	\$2,392.10
334512	Lenel	LSP-16DRN-E8M1	Power Supply	LSP-16DR-NET, E8M1 36H X 30W ENCL, FITS EIGHT LNL CONTROLLERS PLUS (2) IO BOARDS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2D8P2M8PNL4E8M1	\$1,685.11
334512	Lenel	LSP-16DRN-E8M1WPA	Power Supply	LSP-16DR-NET, E8M1 36HX30W ENCL PREWIRED FOR X2220, X4420, 2220 AND 7 1320 PANDUIT (WITH IO SPACE) 12A 12VDC SYSTEM AND 10A 24VDC LOCK 24 AUX PTC AND 16 MANAGED PTC OUTPUTS FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WRTY, FPO150/250-3D8P2M8PNL4E8M1/P16-A	\$2,659.44
334512	Lenel	LSP-16DRN-E8M2	Power Supply	LSP-16DR-NET, E8M2 36H X 30W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-2D8P2M8PNL4E8M2	\$1,619.23
334512	Lenel	LSP-16DRN-E8M2WPA	Power Supply	LSP-16DR-NET, E8M2 36H X 30W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150/250-3D8P2M8PNL4E8M2/P16-A	\$2,468.12
334512	Lenel	LSP-20DRLOCK-PWR	Power Supply	LSP LOCK POWER SUPPLY, 10A AT 24VDC, 24 LOCK OUTPUTS WITH INPUTS, FUSED AT 3A EACH, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 20HX16WX4.5D, UL, CUL, LIFETIME WARRANTY, FPV104-3R8E2	\$605.79
334512	Lenel	LSP-4DR-E4M	Power Supply	LSP-4DR, E4M 24H X 20W ENCL, FITS TWO LNL CONTROLLERS, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 AUX PTC AND 4 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO75-B100C4PD8PE4M	\$439.65
334512	Lenel	LSP-4DR-E4MWTA	Power Supply	LSP-4DR, E4M 24H X 20W ENCL, PREWIRED FOR X2220, X4420, 2220, 1320, TIE WRAP, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 AUX PTC AND 4 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO75-B100C4PD8PE4M/T4-A	\$611.96
334512	Lenel	LSP-4DRN-E4M	Power Supply	LSP-4DR-NET, E4M 24H X 20W ENCL, FITS TWO LNL CONTROLLERS, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO75-B100M8PNL4E4M	\$703.19
334512	Lenel	LSP-4DRN-E4MWTA	Power Supply	LSP-4DR-NET, E4M 24H X 20W ENCL, PREWIRED FOR X2220, X4420, 2220, 1320, TIE WRAP, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO75-B100M8PNL4E4M/T4-A	\$875.50
334512	Lenel	LSP-4DRN-RGM	Power Supply	LSP-4DR NETWORK RACKDRAWER, FITS (2) LENEL PANELS, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 MANAGED PTC OUTPUTS, ENCL 19.00W x 3.50H x 20.50D W/ LOCKSET, WIRE MGMT ARM, UL, CUL, LIFETIME WARRANTY, RGM75-M8PNZ	\$1,064.28
334512	Lenel	LSP-4DRN-RGMWTA	Power Supply	LSP-4DR NETWORK RACKDRAWER, FITS (2) LENEL PANELS PREWIRED FOR X2220, X4420, 2220 AND 1320 TIE WRAP, POWER: 2A 12VDC SYS AND 2A 24VDC LOCK, 8 MANAGED PTC OUTS, ENCL 19.00WX3.50HX20.50D W/ LOCKSET, WIRE MGMT ARM, UL, CUL, LIFETIME WRTY, RGM75B-M8PNZ/T4-A	\$1,307.55
334512	Lenel	LSP-4DR-RGM	Power Supply	LSP-4DR RACKDRAWER, FITS (2) LENEL PANELS, POWER: 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 LOCK PTC OUTPUTS, ENCL 19.00Wx3.50Hx20.50D W/ LOCKSET, WIRE MGMT ARM, UL, CUL, LIFETIME WARRANTY, RGM75B-C8PZ	\$747.53
334512	Lenel	LSP-4DR-RGMWTA	Power Supply	LSP-4DR RACKDRAWER, FITS (2) LENEL PANELS PREWIRED FOR X2220, X4420, 2220, 1320 TIE WRAP. POWER: 2A 12VDC SYSTEM AND 2A 24VDC LOCK 8 LOCK PTC OUTPUTS, ENCL 19.00x3.50x20.50 W/ LOCKSET, WIRE MGMT ARM, UL, CUL, LIFETIME WARRANTY, RGM75B-C8PZ/T4-A	\$990.80
334512	Lenel	LSP-6DRLOCK-PWR	Power Supply	LSP LOCK POWER SUPPLY, 3A AT 24VDC OR 4A AT 12VDC, 8 LOCK OUTPUTS WITH INPUTS, FUSED AT 3A EACH, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 14HX12WX4.5D, UL, CUL, LIFETIME WARRANTY, FPV4-R8E1	\$237.72
334512	Lenel	LSP-75W-PS-ENCL	Power Supply	75W PS/CHARGER, 6A 12VDC OR 3A 24VDC, INTEGRATED FAI (FIRE ALARM INPUT), FAULT MONITORING, NETWORK READY, 14H X 12W ENCLOSURE, UL, CUL, LIFETIME WARRANTY, FPO75-E1	\$212.86
334512	Lenel	LSP-8DR-E4M1	Power Supply	LSP-8DR, E4M1 24H X 20W ENCL WITH DOOR MOUNT, FITS FOUR LNL CONTROLLERS (TWO MAIN, TWO DOOR), 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150-B100C8PD8PE4M1	\$594.22
334512	Lenel	LSP-8DR-E4M1WTA	Power Supply	LSP-8DR, E4M1 24H X 20W ENCL WITH DOOR MOUNT, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, TIE WRAP, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150-B100C8PD8PE4M1/T8-A	\$1,017.40
334512	Lenel	LSP-8DR-E6M	Power Supply	LSP-8DR, E6M 30H X 23W ENCL, FITS FOUR LNL CONTROLLERS, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL, CUL, LIFETIME WARRANTY, FPO150-B100C8PD8PE6M	\$791.88

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	LSP-8DR-E6MWPA	Power Supply	LSP-8DR, E6M 30H X 23W ENCL. PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, PANDUIT, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100C8P2D8PE6M/P8-A	\$1,263.20
334512	Lenel	LSP-8DRN-E4M1	Power Supply	LSP-8DR-NET, E4M1 24H X 20W ENCL WITH DOOR MOUNT, FITS FOUR LNL CONTROLLERS, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100D8PM8PNL4E4M1	\$870.43
334512	Lenel	LSP-8DRN-E4M1WTA	Power Supply	LSP-8DR-NET, E4M1 24H X 20W ENCL WITH DOOR MOUNT, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, TIE WRAP, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100D8PM8PNL4E4M1/78-A	\$1,293.61
334512	Lenel	LSP-8DRN-E6M	Power Supply	LSP-8DR-NET, E6M 30H X 23W ENCL, FITS FOUR LNL CONTROLLERS, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100D8PM8PNL4E6M	\$1,094.69
334512	Lenel	LSP-8DRN-E6MWPA	Power Supply	LSP-8DR-NET, E6M 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, PANDUIT, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100D8PM8PNL4E6M/P8-A	\$1,538.14
334512	Lenel	LSP-CTX12DR	Power Supply	LSP 12DR PRE-WIRED CTX CROSS - SINGLE VOLTAGE - WIRED FOR 6 LENEAL PANELS MAIN-DOOR, 12A 12VDC OR 6A 24VDC, 8 AUXILIARY PTC OUTPUTS, FAI, LOW BATTERY DISCONNECT NETWORK READY FITS 8AH BATTERYS, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPO150-D8PE2M1	\$386.44
334512	Lenel	LSP-CTX20DR	Power Supply	LSP 20DR PRE-WIRED CTX CROSS - SINGLE VOLTAGE - WIRED FOR 4 LENEAL PANELS MAIN-DOOR, 12A 12VDC OR 6A 24VDC, 8 AUXILIARY PTC OUTPUTS, FAI, LOW BATTERY DISCONNECT NETWORK READY FITS 8AH BATTERYS, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPO150-D8PE4M1	\$519.47
334512	Lenel	LSP-CTX4DR	Power Supply	LSP 4DR PRE-WIRED CTX CROSS - SINGLE VOLTAGE - WIRED FOR 2 LENEAL PANELS, 6A 12VDC OR 3A 24VDC, FAI, LOW BATTERY DISCONNECT NETWORK READY FITS 8AH BATTERY SETS, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPV4-E2M	\$278.74
334512	Lenel	LSP-CTX6DR	Power Supply	LSP 6DR PRE-WIRED CTX CROSS - SINGLE VOLTAGE - WIRED FOR 3 LENEAL PANELS, 6A 12VDC OR 3A 24VDC, 8 AUXILIARY PTC OUTPUTS, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPV4-D8PE2M	\$296.48
334512	Lenel	LSP-E1M	Power Supply	E1M ENCLOSURE WITH LENEL BOARD MOUNTING, 14H x 12W x 4.5D, BACKPLATE PATTERN FOR (1) CONTROLLER, MOUNTING KIT, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E1M	\$193.85
334512	Lenel	LSP-E2M	Power Supply	E2M ENCLOSURE WITH LENEL BOARD MOUNTING, 20H x 16W x 4.5D, BACKPLATE PATTERN FOR (4) CONTROLLERS (2-3) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E2M	\$221.73
334512	Lenel	LSP-E4M	Power Supply	E4M ENCLOSURE WITH LENEL BOARD MOUNTING, 24H x 20W x 4.5D, BACKPLATE PATTERN FOR (6) CONTROLLERS (4-5) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E4M	\$268.60
334512	Lenel	LSP-E4M1	Power Supply	E4M1 ENCLOSURE WITH LENEL BOARD MOUNTING IN MAIN AND DOOR, 24H x 20W x 4.5D, BACKPLATE PATTERN FOR (12) CONTROLLERS (8-10) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E4M1	\$378.83
334512	Lenel	LSP-E6M	Power Supply	E6M ENCLOSURE WITH LENEL BOARD MOUNTING, 30H x 23W x 6.5D, BACKPLATE PATTERN FOR (6) CONTROLLERS (4-5) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E6M	\$533.41
334512	Lenel	LSP-E6M1	Power Supply	E6M1 ENCLOSURE WITH LENEL BOARD MOUNTING ON BACKPLATE AND DOOR, 30H x 23W x 6.5D, BACKPLATE PATTERN FOR (12) CONTROLLERS (8-10) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E6M1	\$660.11
334512	Lenel	LSP-E8M	Power Supply	E8M ENCLOSURE WITH LENEL BOARD MOUNTING, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (6) CONTROLLERS WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8M	\$641.10
334512	Lenel	LSP-E8M1	Power Supply	E8M1 ENCLOSURE WITH LENEL BOARD MOUNTING ON BACKPLATE AND DOOR, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (12) CONTROLLERS WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8M1	\$772.87
334512	Lenel	LSP-E8M2	Power Supply	E8M2 ENCLOSURE WITH LENEL BOARD MOUNTING, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (8) CONTROLLERS WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8M2	\$706.99
334512	Lenel	LSP-E8MH	Power Supply	E8MH ENCLOSURE WITH LENEL BOARD MOUNTING, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (9) CONTROLLERS (7-8) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8MH	\$767.80
334512	Lenel	LSP-EDGE-ENCL	Power Supply	POE ENCLOSURE FOR LNL-2210, 8.5H x 11W x 3.0D, ACCOMMODATES UP TO TWO LNL-2210 CONTROLLERS, MOUNTING KIT AND LOCKSET INCLUDED, LIFETIME WARRANTY, E5M	\$69.69
334512	Lenel	LSP-EDGE-PWR-LRG	Power Supply	LSP-EDGE-LARGE, E1M, 14H X 12W ENCL, FITS (1) LNL-2210 PANEL WITH TWO 7AH BATTERIES, POWER: 6A 12VDC OR 3A 24VDC, FOUR LOCK OUTPUTS WITH INPUTS, PTC, CLASS 2 POWER LIMITED AT 2.5A, UL294, CUL S319, LIFETIME WARRANTY, FPO75-C4PE1M	\$290.14
334512	Lenel	LSP-EDGE-PWR-SML	Power Supply	LSP-EDGE-SMALL, E5M, 8.5H X 11W ENCL, FITS (1) LNL-2210 PANEL WITH 4AH BATTERY, POWER: 6A 12VDC OR 3A 24VDC, UL294, CUL S319, LIFETIME WARRANTY, FPO75-E5M	\$164.71
334512	Lenel	LSP-FPO250W-PS-BRD	Power Supply	FPO 250W POWER SUPPLY BOARD INPUT 110/230VAC, OUTPUT 12V 20A OR 24V 10A, 80AH BATTERY CHARGER INTEGRATED FAI, FAULT MONITORING, NETWORK READY, 8.25W x 5.5H x 2.5D INCLUDES MOUNTING HARDWARE, UL CUL, LIFETIME WARRANTY, FPO250	\$261.00
334512	Lenel	LSP-FPO75W-PS-BRD	Power Supply	FPO 75W POWER SUPPLY BOARD, INPUT 110/230VAC, OUTPUT 12V 6A OR 24V 3A, 40AH BATTERY CHARGER, INTEGRATED FAI, FAULT MONITORING, NETWORK READY, 4.0Wx6.0Hx2.5D INCLUDES MOUNTING HARDWARE, UL CUL, LIFETIME WARRANTY, FPO75	\$126.70
334512	Lenel	LSP-MSM-25	Power Supply	BLOCK OF 25 LICENSES FOR MSM-ENTERPRISE. PURCHASE MULTIPLE BLOCKS FOR ADDITIONAL LICENSES. LSP ITEM: MSM-25	\$479.26
334512	Lenel	LSP-NPR250-16M	Power Supply	250W 16 PORT POE MIDSPAN INJECTOR, 1U HEIGHT 19.0W x 1.75H x 15.50D, NETWORK MANAGED, REMOTE PORT SHUTDOWN, 48V BATTERY CHARGER, UL 60950-1, CSA C22.2 NO. 60950-1, CE, LIFETIME WARRANTY, NPR250-16M	\$1,025.01
334512	Lenel	LSP-NPR500-16M	Power Supply	500W 16 PORT POE MIDSPAN INJECTOR, 1U HEIGHT 19.0W x 1.75H x 15.50D, NETWORK MANAGED, REMOTE PORT SHUTDOWN, 48V BATTERY CHARGER, UL 60950-1, CSA C22.2 NO. 60950-1, CE, LIFETIME WARRANTY, NPR500-16M	\$1,152.97
334512	Lenel	LSP-RBE	Power Supply	BATTERY RACKMOUNT ENCLOSURE, 19.00W x 3.50H x 20.50D (2 OR 4 POST RACK), HOLDS UP TO FOUR (4) 12VDC, 7 - 8AH BATTERIES, LIFETIME WARRANTY, RBE	\$259.74
334290L	Lenel	MC-1000-H5xxxx	Credentials	Corp 1000 indicator specifying the Corp 1000 format number [H5xxxx]	\$0.25
334512	Lenel	MC-MA250YMCKOK	Photo ID Equipment	Rio Pro YMCKOK Dye Film [250 prints per roll]	\$117.65
334512	Lenel	MC-MA300YMCKO	Photo ID Equipment	Rio Pro YMCKO Dye Film [300 prints per roll]	\$100.46
334512	Lenel	MC-MA600KO	Photo ID Equipment	Rio Pro Black Resin with Overcoat [600 prints per roll]	\$72.40
334512	Lenel	MC-PRIMA431	Photo ID Equipment	Prima 4 YMCK Dye Film & Retransfer Film Set [1000 prints per roll]	\$474.47
334512	Lenel	MC-PRIMA433	Photo ID Equipment	Prima 4 YMCK Dye Film [750 prints per roll double sided]	\$426.55
334512	Lenel	MC-PRIMA434	Photo ID Equipment	Prima 4 YMCK-UV Dye Film - with UV panel [750 prints per roll]	\$426.55
334512	Lenel	MC-PRIMA451	Photo ID Equipment	Prima 4 Inline Laminator - Single-sided. 3 year UltraCoverPlus unlimited warranty	\$2,710.49
334512	Lenel	MC-PRIMA452	Photo ID Equipment	Prima 4 Inline Laminator - Double-sided. 3 year UltraCoverPlus unlimited warranty	\$3,615.48
334512	Lenel	MG	Electro-Mechanical Locks	Magnetic Stripe Reader Module (Track 1, 2, or 3).	\$295.10
334220	Lenel	ML-DXPCOBT-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT CORPORATE BASE LICENSE	\$1.40
334220	Lenel	ML-DXPCODL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT CORPORATE DEVICE LICENSE	\$0.15
334220	Lenel	ML-DXPCOMIDL-**	Video Management Solutions	ONE DAY CARE PLUS FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$0.04
334220	Lenel	ML-DXPETBL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT EXPERT BASE LICENSE	\$0.88
334220	Lenel	ML-DXPETDL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT EXPERT DEVICE LICENSE	\$0.12
334220	Lenel	ML-DXPEXCL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT EXPRESS DEVICE LICENSE	\$0.04
334220	Lenel	ML-DXPEPLUSDL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT EXPRESS PLUS DEVICE LICENSE	\$0.04
334220	Lenel	ML-DXPPCL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$0.07
334220	Lenel	ML-DXPPPLUSDL-**	Video Management Solutions	MILESTONE ONE DAY CARE PLUS FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$0.07
334220	Lenel	ML-HX2-07	Video Management Solutions	Husky X2 barebone	\$2,966.65
334220	Lenel	ML-HX2P16-07	Video Management Solutions	Husky X2 barebone w/16 PoE switch	\$3,445.91
334220	Lenel	ML-HX2S10TB-2-07	Video Management Solutions	2*10TB HDD (20TB total) w/tray for X2	\$1,581.57
334220	Lenel	ML-HX2S12TB-2-07	Video Management Solutions	2*12TB HDD (24TB total) w/tray for X2	\$1,816.41
334220	Lenel	ML-HX2S2TB-2-07	Video Management Solutions	2*2TB HDD (4TB total) w/tray for X2	\$378.62

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Lenel	ML-HX2S4TB-2-07	Video Management Solutions	2*4TB HDD (8TB total) w/tray for X2	\$599.08
334220	Lenel	ML-HX2S6TB-2-07	Video Management Solutions	2*6TB HDD (12TB total) w/tray for X2	\$953.74
334220	Lenel	ML-HX2S8TB-2-07	Video Management Solutions	2*8TB HDD (16TB total) w/tray for X2	\$1,241.30
334220	Lenel	ML-HX2ST-2-07	Video Management Solutions	2*HDD tray for X2	\$71.89
334220	Lenel	ML-HX8R-07	Video Management Solutions	Husky X8 barebone w/RAID	\$11,018.29
334220	Lenel	ML-HX8RC-07	Video Management Solutions	Husky X8 barebone w/RAID and CNA	\$11,976.82
334220	Lenel	ML-HXGS10TB-4-07	Video Management Solutions	4*10TB HDD (40TB total) w/tray for X8	\$3,115.22
334220	Lenel	ML-HXGS12TB-4-07	Video Management Solutions	4*12TB HDD (48TB total) w/tray for X8	\$3,637.62
334220	Lenel	ML-HXGS4TB-4-07	Video Management Solutions	4*4TB HDD (16TB total) w/tray for X8	\$1,198.16
334220	Lenel	ML-HXGS6TB-4-07	Video Management Solutions	4*6TB HDD (24TB total) w/tray for X8	\$1,816.41
334220	Lenel	ML-HXGS8TB-4-07	Video Management Solutions	4*8TB HDD (32TB total) w/tray for X8	\$2,444.25
334220	Lenel	ML-HXGST-4-07	Video Management Solutions	4*HDD tray for X8	\$119.82
334220	Lenel	ML-MCPR-Y1STD**	Video Management Solutions	ONE YEAR CARE ELITE MILESTONE SUPPORT PACKAGE	\$44,345.09
334220	Lenel	ML-MCPR-DXPCO**	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT CORPORATE BASE LICENSE	\$0.55
334220	Lenel	ML-MCPR-DXPCOD**	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT CORPORATE DEVICE LICENSE	\$0.06
334220	Lenel	ML-MCPR-DXPCOM**	Video Management Solutions	ONE DAY CARE PREMIUM FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$0.02
334220	Lenel	ML-MCPR-DXPET**	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT EXPERT BASE LICENSE	\$0.35
334220	Lenel	ML-MCPR-DXPETD**	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT EXPERT DEVICE LICENSE	\$0.05
334220	Lenel	ML-MCPR-DXPEX**	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT EXPRESS DEVICE LICENSE	\$0.02
334220	Lenel	ML-MCPR-DXPEXD**	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$0.04
334220	Lenel	ML-MCPR-DXPPDL*	Video Management Solutions	MILESTONE ONE DAY CARE PREMIUM FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$0.04
334220	Lenel	ML-MCPR-START**	Video Management Solutions	MILESTONE CARE PREMIUM START-UP FEE	\$1,330.35
334220	Lenel	ML-MCPR-Y2XPCO**	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT CORPORATE BASE LICENSE	\$367.18
334220	Lenel	ML-MCPR-Y2XPCOD**	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT CORPORATE DEVICE LICENSE	\$38.14
334220	Lenel	ML-MCPR-Y2XPCOM**	Video Management Solutions	TWO YEARS CARE PREMIUM FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$7.98
334220	Lenel	ML-MCPR-Y2XPET**	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT EXPERT BASE LICENSE	\$230.59
334220	Lenel	ML-MCPR-Y2XPETD**	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT EXPERT DEVICE LICENSE	\$31.04
334220	Lenel	ML-MCPR-Y2XPEX**	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT EXPRESS DEVICE LICENSE	\$7.98
334220	Lenel	ML-MCPR-Y2XPCL**	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$17.74
334220	Lenel	ML-MCPR-Y2XPPDL*	Video Management Solutions	MILESTONE TWO YEARS CARE PREMIUM FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$19.51
334220	Lenel	ML-MCPR-Y3XPCO**	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT CORPORATE BASE LICENSE	\$508.19
334220	Lenel	ML-MCPR-Y3XPCOD**	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT CORPORATE DEVICE LICENSE	\$53.21
334220	Lenel	ML-MCPR-Y3XPCOM**	Video Management Solutions	THREE YEARS CARE PREMIUM FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$11.53
334220	Lenel	ML-MCPR-Y3XPET**	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT EXPERT BASE LICENSE	\$319.28
334220	Lenel	ML-MCPR-Y3XPETD**	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT EXPERT DEVICE LICENSE	\$43.46
334220	Lenel	ML-MCPR-Y3XPEX**	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT EXPRESS DEVICE LICENSE	\$11.53
334220	Lenel	ML-MCPR-Y3XPCL**	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$23.95
334220	Lenel	ML-MCPR-Y3XPPDL*	Video Management Solutions	MILESTONE THREE YEARS CARE PREMIUM FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$27.49
334220	Lenel	ML-MCPR-Y5XPCO**	Video Management Solutions	MILESTONE FIVE YEARS CARE PREMIUM FOR XPROTECT CORPORATE BASE LICENSE	\$778.93
334220	Lenel	ML-MCPR-Y5XPCOD**	Video Management Solutions	MILESTONE FIVE YEARS CARE PREMIUM FOR XPROTECT CORPORATE DEVICE LICENSE	\$80.71
334220	Lenel	ML-MCPR-Y5XPCOM**	Video Management Solutions	FIVE YEARS CARE PREMIUM FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$16.85
334220	Lenel	ML-MCPR-Y5XPET**	Video Management Solutions	MILESTONE FIVE YEARS CARE PREMIUM FOR XPROTECT EXPERT BASE LICENSE	\$487.80
334220	Lenel	ML-MCPR-Y5XPETD**	Video Management Solutions	MILESTONE FIVE YEARS CARE PREMIUM FOR XPROTECT EXPERT DEVICE LICENSE	\$65.63
334220	Lenel	ML-MCPR-Y5XPEX**	Video Management Solutions	MILESTONE FIVE YEARS CARE PREMIUM FOR XPROTECT EXPRESS DEVICE LICENSE	\$16.85
334220	Lenel	ML-MCPR-Y5XPCL**	Video Management Solutions	MILESTONE FIVE YEARS CARE PREMIUM FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$41.68
334220	Lenel	ML-MCPR-YXPCO**	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT CORPORATE BASE LICENSE	\$197.78
334220	Lenel	ML-MCPR-YXPCOD**	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT CORPORATE DEVICE LICENSE	\$21.29
334220	Lenel	ML-MCPR-YXPCOM**	Video Management Solutions	ONE YEAR CARE PREMIUM FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$4.43
334220	Lenel	ML-MCPR-YXPET**	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT EXPERT BASE LICENSE	\$124.17
334220	Lenel	ML-MCPR-YXPETD**	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT EXPERT DEVICE LICENSE	\$16.85
334220	Lenel	ML-MCPR-YXPEX**	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT EXPRESS DEVICE LICENSE	\$4.43
334220	Lenel	ML-MCPR-YXPPCL**	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$9.76
334220	Lenel	ML-MCPR-YXPPDL*	Video Management Solutions	MILESTONE ONE YEAR CARE PREMIUM FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$10.64
334220	Lenel	ML-OGINT-32ES	Video Management Solutions	INTEGRATION OF MILESTONE XPROTECT PLATFORM INTO ONGUARD 32ES SYSTEMS (INCLUDES DATACONDUIT- SWG-1140 AND SWG-DV VIDEO ENABLER LICENSES)	\$3,801.01
334220	Lenel	ML-OGINT-ADV	Video Management Solutions	INTEGRATION OF MILESTONE XPROTECT PLATFORM INTO ONGUARD ADV SYSTEMS (INCLUDES DATACONDUIT- SWG-1140 AND SWG-DV VIDEO ENABLER LICENSES)	\$6,335.01
334220	Lenel	ML-OGINT-PROENT	Video Management Solutions	INTEGRATION OF MILESTONE XPROTECT PLATFORM INTO ONGUARD PRO OR ENTERPRISE SYSTEMS (INCLUDES DATACONDUIT- SWG-1140 AND SWG-DV VIDEO ENABLER LICENSES)	\$12,670.03
334220	Lenel	ML-XPABL**	Video Management Solutions	MILESTONE XPROTECT ACCESS BASE LICENSE	\$114.41
334220	Lenel	ML-XPADL**	Video Management Solutions	MILESTONE XPROTECT ACCESS DOOR LICENSE	\$34.59
334220	Lenel	ML-XPCOBT**	Video Management Solutions	XPROTECT CORPORATE BASE LICENSE	\$2,823.01
334220	Lenel	ML-XPCODL**	Video Management Solutions	XPROTECT CORPORATE DEVICE LICENSE	\$291.79
334220	Lenel	ML-XPCOMIDL**	Video Management Solutions	XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$61.20
334220	Lenel	ML-XPETBL**	Video Management Solutions	XPROTECT EXPERT BASE LICENSE	\$1,772.92
334220	Lenel	ML-XPETDL**	Video Management Solutions	XPROTECT EXPERT DEVICE LICENSE	\$238.58
334220	Lenel	ML-XPEXBL**	Video Management Solutions	XPROTECT EXPRESS BASE LICENSE	\$16.85
334220	Lenel	ML-XPEXCL**	Video Management Solutions	XPROTECT EXPRESS DEVICE LICENSE	\$61.20
334220	Lenel	ML-XPEXPLUSBL**	Video Management Solutions	XPROTECT EXPRESS PLUS BASE LICENSE	\$16.85
334220	Lenel	ML-XPEXPLUSDL**	Video Management Solutions	XPROTECT EXPRESS PLUS DEVICE LICENSE	\$66.52
334220	Lenel	ML-XPBL**	Video Management Solutions	XPROTECT PROFESSIONAL BASE LICENSE	\$442.56
334220	Lenel	ML-XPCL**	Video Management Solutions	XPROTECT PROFESSIONAL DEVICE LICENSE	\$132.15
334220	Lenel	ML-XPP-PLUS-BL**	Video Management Solutions	XPROTECT PROFESSIONAL PLUS BASE LICENSE	\$442.56
334220	Lenel	ML-XPP-PLUS-DL**	Video Management Solutions	XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$149.89
334220	Lenel	ML-Y2XPCOBT**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT CORPORATE BASE LICENSE	\$846.99
334220	Lenel	ML-Y2XPCODL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT CORPORATE DEVICE LICENSE	\$88.69
334220	Lenel	ML-Y2XPCOMIDL**	Video Management Solutions	TWO YEARS CARE PLUS FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$18.62
334220	Lenel	ML-Y2XPETBL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT EXPERT BASE LICENSE	\$532.14
334220	Lenel	ML-Y2XPETDL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT EXPERT DEVICE LICENSE	\$71.84
334220	Lenel	ML-Y2XPEXCL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT EXPRESS DEVICE LICENSE	\$15.96
334220	Lenel	ML-Y2XPEXPLUSDL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT EXPRESS PLUS DEVICE LICENSE	\$20.40
334220	Lenel	ML-Y2XPPCL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$39.91
334220	Lenel	ML-Y2XPPPLUSDL**	Video Management Solutions	MILESTONE TWO YEARS CARE PLUS FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$45.23
334220	Lenel	ML-Y3OIXPCOBT**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT CORPORATE BASE LICENSE	\$1,524.58
334220	Lenel	ML-Y3OIXPCODL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT CORPORATE DEVICE LICENSE	\$157.87
334220	Lenel	ML-Y3OIXPCOMIDL**	Video Management Solutions	THREE YEARS OPT-IN CARE PLUS FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$33.70
334220	Lenel	ML-Y3OIXPETBL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT EXPERT BASE LICENSE	\$957.85
334220	Lenel	ML-Y3OIXPETDL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT EXPERT DEVICE LICENSE	\$129.49
334220	Lenel	ML-Y3OIXPEXCL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT EXPRESS DEVICE LICENSE	\$37.25
334220	Lenel	ML-Y3OIXPEXPLUSDL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT EXPRESS PLUS DEVICE LICENSE	\$37.25
334220	Lenel	ML-Y3OIXPPCL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$71.84
334220	Lenel	ML-Y3OIXPPPLUSDL**	Video Management Solutions	MILESTONE THREE YEARS OPT-IN CARE PLUS FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$82.48
334220	Lenel	ML-Y3XPCOBT**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT CORPORATE BASE LICENSE	\$1,104.19
334220	Lenel	ML-Y3XPCODL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT CORPORATE DEVICE LICENSE	\$115.30
334220	Lenel	ML-Y3XPCOMIDL**	Video Management Solutions	THREE YEARS CARE PLUS FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$23.95
334220	Lenel	ML-Y3XPETBL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT EXPERT BASE LICENSE	\$691.78
334220	Lenel	ML-Y3XPETDL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT EXPERT DEVICE LICENSE	\$93.12
334220	Lenel	ML-Y3XPEXCL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT EXPRESS DEVICE LICENSE	\$21.29
334220	Lenel	ML-Y3XPEXPLUSDL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT EXPRESS PLUS DEVICE LICENSE	\$26.61

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334220	Lenel	ML-Y3XPPCL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$52.33
334220	Lenel	ML-Y3XPPPLUSDL**	Video Management Solutions	MILESTONE THREE YEARS CARE PLUS FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$58.54
334220	Lenel	ML-Y5XPCOBT**	Video Management Solutions	MILESTONE FIVE YEARS CARE PLUS FOR XPROTECT CORPORATE BASE LICENSE	\$1,693.98
334220	Lenel	ML-Y5XPCODL**	Video Management Solutions	MILESTONE FIVE YEARS CARE PLUS FOR XPROTECT CORPORATE DEVICE LICENSE	\$177.38
334220	Lenel	ML-Y5XPCOMIDL**	Video Management Solutions	FIVE YEARS CARE PLUS FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$37.25
334220	Lenel	ML-Y5XPETBL**	Video Management Solutions	MILESTONE FIVE YEARS CARE PLUS FOR XPROTECT EXPERT BASE LICENSE	\$1,064.28
334220	Lenel	ML-Y5XPETDL**	Video Management Solutions	MILESTONE FIVE YEARS CARE PLUS FOR XPROTECT EXPERT DEVICE LICENSE	\$143.68
334220	Lenel	ML-Y5XPPLUSDL**	Video Management Solutions	MILESTONE FIVE YEARS CARE PLUS FOR XPROTECT EXPRESS PLUS DEVICE LICENSE	\$39.91
334220	Lenel	ML-Y5XPPPLUSDL**	Video Management Solutions	MILESTONE FIVE YEARS CARE PLUS FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$90.46
334220	Lenel	ML-YXPCOBT**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT CORPORATE BASE LICENSE	\$509.97
334220	Lenel	ML-YXPCODL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT CORPORATE DEVICE LICENSE	\$53.21
334220	Lenel	ML-YXPCOMIDL**	Video Management Solutions	ONE YEAR CARE PLUS FOR XPROTECT CORPORATE MILESTONE INTERCONNECT CAMERA LICENSE	\$11.53
334220	Lenel	ML-YXPETBL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT EXPERT BASE LICENSE	\$319.28
334220	Lenel	ML-YXPETDL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT EXPERT DEVICE LICENSE	\$43.46
334220	Lenel	ML-YXPETDL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT EXPRESS DEVICE LICENSE	\$11.53
334220	Lenel	ML-YXPPLUSDL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT EXPRESS PLUS DEVICE LICENSE	\$12.42
334220	Lenel	ML-YXPPCL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT PROFESSIONAL DEVICE LICENSE	\$23.95
334220	Lenel	ML-YXPPPLUSDL**	Video Management Solutions	MILESTONE ONE YEAR CARE PLUS FOR XPROTECT PROFESSIONAL PLUS DEVICE LICENSE	\$27.49
334512	Lenel	MTK	Electro-Mechanical Locks	125 kHz Proximity and 13.56 Mhz Smart Card Reader Module.	\$326.10
334512	Lenel	MTK	Electro-Mechanical Locks	125 kHz Proximity and 13.56 Mhz Smart Card Reader Plus Keypad Module.	\$486.10
334512	Lenel	NEC-FT-A320F-E4A	NEC	FT Server SW & HW Chassis: R320F-E4 with Windows Server 2016 (5-Device CALs, 16-Core DG); One (1) Logical CPU (Intel Xeon E5-2630 V4); FT Control SW, 3-year standard warranty REDUNDANT NODES EACH CONTAINING: - 8GB DDR4 RAM - 300GB 15K SAS Drive (OS) - 1.2TB 10K SAS Drive (Storage)	\$22,806.05
334512	Lenel	NEC-FT-A320F-E4B	NEC	FT Server SW & HW Chassis: R320F-E4 with Windows Server 2016 (5-Device CALs, 16-Core DG); One (1) Logical CPU (Intel Xeon E5-2630 V4); FT Control SW, 3-year standard warranty REDUNDANT NODES EACH CONTAINING: - 16GB DDR4 RAM - 600GB 15K SAS Drive (OS) - 1.2TB 10K SAS Drive (Storage)	\$23,756.30
334512	Lenel	NEC-FT-A320F-E4C	NEC	FT Server SW & HW Chassis: R320F-E4 with Windows Server 2016 (5-Device CALs, 16-Core DG); One (1) Logical CPU (Intel Xeon E5-2630 V4); FT Control SW, 3-year standard warranty REDUNDANT NODES EACH CONTAINING: - 16GB DDR4 RAM - 300GB 15K SAS Drive (OS) - 1.2TB 10K SAS Drive (Storage) - 10GbE Ethernet Port	\$24,706.55
334512	Lenel	NIS-5302HS1	Photo ID Equipment	LAMINATOR HOT SWAP/ Heat roller Unit 1st year USA Only	\$1,242.93
334512	Lenel	NIS-53xxHS2	Photo ID Equipment	PRINTER HOT SWAP Warranty -Year 2 USA Only	\$653.77
334512	Lenel	NIS-BK	Photo ID Equipment	NISCA BK Blck Only Ribbon - PR-C201 Retransfer Printer	\$111.50
334512	Lenel	NIS-CLEARPRC201	Photo ID Equipment	Clear 1mil Patch for PRC201/L201	\$87.42
334512	Lenel	NIS-CLAR-TF	Photo ID Equipment	NISCAclear-TF - Clear Thinfilm / Overlay [softcoat/overlay][450 printers/roll]	\$67.78
334512	Lenel	NIS-CLKIT-53	Photo ID Equipment	Nisca Cleaningkit53 for P53xx and PRC151 printers. Includes supplies for 1,250 prints, 5 sticky cards, 5 snap sticks and a cleaning pen [Requires Printer firmware 4.3 or higher]	\$73.49
334512	Lenel	NIS-CLKIT-C101	Photo ID Equipment	Nisca Cleaning Kit PR5500K574KIT for PRC101 and PRC201: 5 Low-Tack cards-5000 prints	\$25.68
334512	Lenel	NIS-CVR-C101	Photo ID Equipment	Nisca DC-NI-101 Dust cover for PR-C101 printers	\$64.62
334512	Lenel	NIS-G2THIN	Photo ID Equipment	NiscaGenuine2 - Generic NiscaGenuineV2 - Thinfilm [softcoat / overlay][450/roll]	\$82.36
334512	Lenel	NIS-GSTHIN	Photo ID Equipment	NiscaSecureID-TF - Generic Secure ID - Thinfilm / Overlay [softcoat/overlay][450/roll]	\$81.09
334512	Lenel	NIS-L201	Photo ID Equipment	Laminator for PR-C201 - Single & Double sided lamination, 1 Mil hardcoat, Thinfilm softcoat, Field Upgradeable, 1 Year Laminator Warranty on L201 Laminator	\$2,036.07
334512	Lenel	NIS-NGYMCKH	Photo ID Equipment	NISCA YMCKH Heat Seal Ribbon - PR-C201 Retransfer Printer	\$235.66
334512	Lenel	NIS-NGYMCKK	Photo ID Equipment	NISCA YMCKK Ribbon - PR-C201 Retransfer Printer	\$186.25
334512	Lenel	NIS-NGYMCKO3	Photo ID Equipment	Nisca ribbon NGYMCKO3/3BP for PR5350/PR3560LE/PR53LE & PRC151 printers [250 prints/roll]	\$105.16
334512	Lenel	NIS-NGYMCKOPRC	Photo ID Equipment	Nisca Ribbon NGYMCKOPRC cartridge & cleaning rollers for the PRC-101 printer [250 /roll]	\$105.16
334512	Lenel	NIS-NSC-CVR	Photo ID Equipment	Nisca DC-NI-53 Dust cover for PR53xx and PRC151 printers	\$64.62
334512	Lenel	NIS-PR5350HED	Photo ID Equipment	Nisca replacement print head for 5350 [change every 20K cards]	\$1,242.93
334512	Lenel	NIS-PR5500K569	Photo ID Equipment	Nisca Cleaning Input Rollers PR5500K569 for PR53xx [change every 10K cards]	\$173.58
334512	Lenel	NIS-PRC151	Photo ID Equipment	PR-C151 High Speed Smart Card Printer - 300dpi Dual-Sided Printer - Edge-to-Edge, 32MB Memory, Self aligning print head module, Dual-sided printing, Dual-sided lamination w/ optional Heat Roller, Magnetic Stripe 3-Track encoding, Password authentication, Downloadable firmware, Card standards: PVC, CR-80 & 79, 20 to 50mil thickness. (Includes 2 Year Printer and Print Head Warranty and 1 Year HOTSWAP)	\$3,276.47
334512	Lenel	NIS-PRL151A	Photo ID Equipment	1mil hardcoat / chip / patch laminator/heat roller unit for PR53xx & PR-C151 Printers - provides additional registered security holographic over-lamination for either front, back or front and back printing. Adds an additional 20 seconds per side. 120VAC.	\$1,858.06
334512	Lenel	NIS-PRL151D	Photo ID Equipment	Thinfilm softcoat / overlay laminator/heat roller unit for PR53xx & PR-C151 Printers - provides additional registered security holographic over-lamination for either front, back or front and back printing. Adds an additional 20 seconds per side. 120VAC.	\$1,858.06
334512	Lenel	NIS-REXFERFLM	Photo ID Equipment	NISCA Retransfer Film - PR-C201 Retransfer Printer Only	\$84.89
334512	Lenel	NIS-SECUREIDPRC201	Photo ID Equipment	Generic Secure ID - 1mil Hologapch* for PRC201 Printer/L201 Laminator	\$96.29
334512	Lenel	NIS-YMCKF	Photo ID Equipment	Nisca ribbon NGYMCKF for PR5300, PR5310, PR5360LE, PR5350 & PRC151 printers [250 prints/roll]	\$112.76
334512	Lenel	NIS-YMCKOK2	Photo ID Equipment	Nisca ribbon NGYMCKOK2 for PR5100, PR5200, PR5300, PR5310, PR5350 and PRC151 printers [210 prints/roll]	\$116.56
334512	Lenel	NS-10G-CBL-50	IFS Transmission	10G SFP+ Direct Attach Copper Cable - 0.5 Meters Stacking	\$50.13
334512	Lenel	NS2051-4P/1T	IFS Transmission	4-Port 10/100Base-Tx IEEE802.3af Copper Ports + 1-Port 10/100Base-Tx Unmanaged Fast Ethernet Switch (4x 15.4W PoE budget) (-40-75°C) - Power 24-48V DC or 24V AC	\$275.69
334512	Lenel	NS3500-28T-4S	IFS Transmission	28-Port 10/100/1000Base-T Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Switch (0-50°C)	\$596.50
334512	Lenel	NS3550-2T-8S	IFS Transmission	8-port 100/1000 SFP + 2-Ports 100/1000BaseT Managed Switch - ERPS (-40-75°C) - Power 12-48V DC	\$701.76
334512	Lenel	NS3550-8T-2S	IFS Transmission	8-Port 10/100/1000 Base-Tx Copper Ports + 2-Ports 100/1000 SFP Managed Switch - ERPS (-40-75°C) - Power 12-48VDC or 24VAC	\$751.89
334512	Lenel	NS3552-8P-2S	IFS Transmission	8-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP Managed Switch - ERPS - Layer-3 (-40-75°C) - Power 48V DC	\$952.39
334512	Lenel	NS3702-24P-4S	IFS Transmission	24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Switch(24x15.4W/12x30.8 W / 380W PoE Budget) and Static Routing (0-50°C)	\$967.43
334512	Lenel	NS4750-24S-4T-4X	IFS Transmission	24-Port SFP Slots with 4 shared 10/100/1000Base-T Copper Ports Managed Gigabit Ethernet Switch and 4 1/10BaseG SFP+ Uplinks - ERPS (0-50°C AC, or -10-60°C DC External PSU)	\$1,102.77
334512	Lenel	NS4802-24P-4S-2X	IFS Transmission	24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Stacking Switch (380W PoE Budget) and Static Routing and 2 1/10BaseG SFP+ Uplinks (0-50°C)	\$1,604.03
334512	Lenel	NVR-SNCA1B-8R-4TB	NVR	SENECA DATA CONFIGURED FOCUS I MINI MATX TOWER SERVER; 8GB RAM; 4TB STORAGE; 250GB SSD OS MEMORY; INTEL CORE I5-8400 CPU; INTEL 1 GBE NIC; WINDOWS 10 IOT ENTERPRISE 2016; 3 YEAR SUPPORT	\$2,132.37
334290L	Lenel	OCB-A-ADV-1	OnGuard Access Control	Non-expiring license for one seat of OnGuard Credentials Client and one seat of OnGuard Monitor client for OnGuard ADV systems only. Requires OnGuard 7.3 or higher for Credentials client, 7.4 or higher for monitor client.	\$2,527.67
334290L	Lenel	OCB-A-ES-1	OnGuard Access Control	Non-expiring license for one seat of OnGuard Credentials Client and one seat of OnGuard Monitor client for OnGuard 32ES systems only. Requires OnGuard 7.3 or higher for Credentials client, 7.4 or higher for monitor client.	\$196.39
334290L	Lenel	OCB-A-PROENT-1	OnGuard Access Control	Non-expiring license for one seat of OnGuard Credentials Client and one seat of OnGuard Monitor client for OnGuard PRO and Enterprise systems only. Requires OnGuard 7.3 or higher for Credentials client, 7.4 or higher for monitor client.	\$2,527.67
334290L	Lenel	OCP-AMC-1	OnGuard Access Control	Non-expiring license for OnGuard Access Manager client. One required per concurrent client seat. Ordering this item increases the licensed client count by one. Requires OnGuard 7.4 or higher.	\$524.54

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	OCP-OVC-ADD-1	OnGuard Access Control	Enables an additional OnGuard Visitor Client to extend an existing OnGuard Visitor Management system. Includes: Non-expiring license for (1) OnGuard Visitor client. Purchase requires OnGuard 7.5 or higher and that System has OnGuard Visitor Management License enabled.	\$394.04
334290L	Lenel	OCP-OVM-ADV	OnGuard Access Control	Non-expiring license for (2) OnGuard Visitor client and Visitor Management for ADV OnGuard systems. Purchase requires OnGuard 7.5 or higher. Allows unlimited number of visits. DOES NOT include CSS Visitor Host or Visitor Self Service (must be purchased separately).	\$2,884.96
334290L	Lenel	OCP-OVM-ES	OnGuard Access Control	Non-expiring license for (1) OnGuard Visitor client and Visitor Management for 32ES OnGuard systems. Purchase requires OnGuard 7.5 or higher. Allows unlimited number of visits. DOES NOT include CSS Visitor Host or Visitor Self Service (must be purchased separately).	\$1,639.50
334290L	Lenel	OCP-OVM-PRO/ENT	OnGuard Access Control	Non-expiring license for (3) OnGuard Visitor client and Visitor Management for Pro and Enterprise OnGuard systems. Purchase requires OnGuard 7.5 or higher. Allows unlimited number of visits. DOES NOT include CSS Visitor Host or Visitor Self Service (must be purchased separately).	\$3,934.04
334512	Lenel	OG-32ES-2EP2	OnGuard Access Control	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-OLS75ACTX power supply with enclosure; [2] LNL-PR10 OpenProx mini-mullion readers; [100] LP-CS Lenel Prox clam shell access cards and first year support plan for new systems.	\$2,121.45
334512	Lenel	OG-32ES-2NCR2	OnGuard Access Control	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-OLS75ACTX power supply with cabinet and first year support plan for new systems.	\$1,703.34
334512	Lenel	OG-32ES-M-16EP2	OnGuard Access Control	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure; [1] LNL-CTX6 enclosure; [16] LNL-PR10 OpenProx mini-mullion readers; [100] LP-CS Lenel Prox clam shell access cards and first year support plan for new systems.	\$6,846.61
334512	Lenel	OG-32ES-M-16NCR2	OnGuard Access Control	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure; [1] LNL-CTX-6 enclosure and first year support plan for new systems.	\$4,830.36
334512	Lenel	OG-32ES-M-4EP2	OnGuard Access Control	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two door interface module; [1] LNL-OLS75ACTX power supply with enclosure; [4] LNL-PR10 OpenProx mini-mullion readers; [100] LP-CS Lenel Prox clam shell access cards and first year support plan for new systems.	\$2,750.89
334512	Lenel	OG-32ES-M-4NCR2	OnGuard Access Control	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two door interface module; [1] LNL-OLS75ACTX power supply with enclosure and first year support plan for new systems.	\$2,087.56
334512	Lenel	OG-32ES-M-8EP2	OnGuard Access Control	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure; [8] LNL-PR10 OpenProx mini-mullion readers; [100] LP-CS Lenel Prox clam shell access cards and first year support plan for new systems.	\$4,239.29
334512	Lenel	OG-32ES-M-8NCR2	OnGuard Access Control	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure and first year support plan for new systems.	\$3,063.34
334512	Lenel	ONT-KTF-XPPM	Electro-Mechanical Locks	Onity Portable Programmer for Integra Locks with memory module and 12V transformer (Serial Port required on Computer)	\$1,110.58
334290L	Lenel	PACS-SVC-14-00	Readers	pivCLASS PACS Service Component pivCLASS PACS Plug-in Software. This accessory must accompany any IDPublisher order. No separate maintenance and support required for this component.	\$3.56
334512	Lenel	PCC-32ES	OnGuard Access Control	OnGuard 32ES Client System with PC – includes PC with Microsoft Windows 7 Professional 64bit loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer and Login Driver. (INCLUDES PC CONFIGURATION #6E)	\$1,451.47
334512	Lenel	PCC-32ESI	OnGuard Access Control	OnGuard 32ESI Client System with PC – includes PC with Microsoft Windows 7 Professional 64-bit loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder Image Export and Enhanced Imaging Option (ChromaKey and Ghosting). (INCLUDES PC CONFIGURATION #6E)	\$1,788.87
334512	Lenel	PCC-ADV	OnGuard Access Control	OnGuard ADV Client System with PC – includes PC with Microsoft Windows 7 Professional 64bit loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer and Login Driver. (INCLUDES PC CONFIGURATION #6E)	\$3,382.52
334512	Lenel	PCC-ADVI	OnGuard Access Control	OnGuard ADVI Client System with PC – includes PC with Microsoft Windows 7 Professional 64-bit loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder Image Export and Enhanced Imaging Option (ChromaKey and Ghosting). (INCLUDES PC CONFIGURATION #6)	\$6,150.11
334290L	Lenel	PCC-HPC-ADVI	OnGuard Access Control	OnGuard ADVI High Performance Client System with PC – includes PC with Microsoft Windows Client OS (see PC Config) and loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder Image Export and Enhanced Imaging Option (ChromaKey and Ghosting). (INCLUDES PC-CONFIG#7 PLATFORM)	\$8,773.99
334512	Lenel	PCC-HPC-DV	OnGuard Video	OnGuard Video Client Software with PC – includes single digital video client software with PC. (INCLUDES PC-CONFIG#7 Platform)	\$4,371.16
334512	Lenel	PCC-IDADV	OnGuard Access Control	OnGuard IDADV Client System with PC – includes PC with Microsoft Windows 7 Professional 64-bit loaded with OnGuard Client software license which includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Enhanced Imaging Option (ChromaKey and Ghosting) and Login Driver. (INCLUDES PC CONFIGURATION #6E)	\$2,654.05
334512	Lenel	PCC-IDES	OnGuard Access Control	OnGuard IDES Client System with PC – includes PC with Microsoft Windows 7 Professional 64-bit loaded with OnGuard Client software license which includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Enhanced Imaging Option (ChromaKey and Ghosting) and Login Driver. (INCLUDES PC CONFIGURATION #6E)	\$1,459.54
334512	Lenel	PCS-32ES	OnGuard Access Control	OnGuard 32ES Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 32 card access readers and first year support plan for new systems. (Use PC ONFIGURATION #3D)	\$3,063.97
334512	Lenel	PCS-32ESI	OnGuard Access Control	OnGuard 32ESI Server System with PC – includes PC with Microsoft Windows 7 Professional 64-bit and SQL 2014 Express database loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 32 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Comm. Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (ChromaKey and Ghosting) and first year support plan for new systems. (INCLUDES PC CONFIGURATION #3D)	\$4,027.14
334512	Lenel	PCS-ADV	OnGuard Access Control	OnGuard ADV Server System with PC –includes PC with Microsoft Windows 7 Professional SP1 64-bit and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers and first year support plan for new systems. (INCLUDES PC CONFIGURATION #3D)	\$5,661.37

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	PCS-ADVI	OnGuard Access Control	OnGuard ADVI Server System with PC – includes PC with Microsoft Windows 7 Professional 64-bit and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (INCLUDES PC CONFIGURATION #3D)	\$9,428.27
334220	Lenel	PCS-DV	OnGuard Video	OnGuard Video Security Server System with PC – include this part number if you DO NOT HAVE an OnGuard Security Server PC- includes Microsoft Windows 7 Professional 64-bit, SQL 2008 R2 Express database, OnGuard digital video security server software license with PC, System Administration for video, Communication Server for video, Alarm Monitoring for video, a single OnGuard digital video client license and first year support plan for new systems. Note: Digital Video Recorders are sold separately. (INCLUDES CONFIGURATION #3D)	\$2,967.36
334512	Lenel	PCS-ENTMAS1	OnGuard Access Control	OnGuard Enterprise Server System with PC – includes PC with Microsoft Windows Server 2014; Standard Edition; x64 includes 5 CALS and SQL 2012 x64 server database enterprise edition (Single Application License; 10 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting); support for up to 10 Regions and first year support plan for new systems. (INCLUDES PC CONFIGURATION #5D)	\$49,275.82
334512	Lenel	PCS-ENTMAS1-REDU	OnGuard Access Control	OnGuard Enterprise Master Redundant Server System with PC – includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database enterprise edition (Single Application License; 10 CALS) loaded with OnGuard Redundant Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting); support for up to 10 Regions and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$49,275.82
334512	Lenel	PCS-ENTREG1	OnGuard Access Control	OnGuard Regional Server System with PC – includes PC with Microsoft Windows Server 2014; Standard Edition; x64 includes 5 CALS and SQL 2012 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (INCLUDES PC CONFIGURATION #5D)	\$29,754.41
334512	Lenel	PCS-ENTREG1-REDU	OnGuard Access Control	OnGuard Regional Redundant Server System with PC – includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Redundant Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$29,754.41
334512	Lenel	PCS-ENTREG-LT	OnGuard Access Control	OnGuard Regional Lite Server System with PC – includes PC with Microsoft Windows Server 2014; Standard Edition; x64 includes 5 CALS and SQL 2012 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (INCLUDES PC CONFIGURATION #5D)	\$23,457.18
334512	Lenel	PCS-IDADV	OnGuard Access Control	OnGuard IDADV Server System with PC – includes PC with Microsoft Windows 7 Professional 64-bit and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems.(INCLUDES PC CONFIGURATION #3D)	\$6,090.86
334512	Lenel	PCS-IDES	OnGuard Access Control	OnGuard IDES Server System with PC – includes PC with Microsoft Windows 7 Professional 64-bit and SQL 2014 Express database loaded with OnGuard Server software license which includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (INCLUDES PC CONFIGURATION #3D)	\$3,480.54
334512	Lenel	PCS-IDPRO	OnGuard Access Control	OnGuard IDPRO Server System with PC – includes PC with Microsoft Windows Server 2012; Standard Edition; x64 includes 5 CALS and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems.(INCLUDES PC CONFIGURATION #5D)	\$20,308.56
334512	Lenel	PCS-PRO	OnGuard Access Control	OnGuard PRO Server System with PC – includes PC with Microsoft Windows Server 2012; Standard Edition; x64 includes 5 CALS and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers and first year support plan for new systems.(INCLUDES PC CONFIGURATION #5D)	\$19,971.47
334512	Lenel	PCS-PROI	OnGuard Access Control	OnGuard PROI Server System with PC – includes PC with Microsoft Windows Server 2012; Standard Edition; x64 includes 5 CALS and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (INCLUDES PC CONFIGURATION #5D)	\$26,195.00
334512	Lenel	PCS-PROI-REDU	OnGuard Access Control	OnGuard PROI Redundant Server System with PC – includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Redundant Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$25,371.54
334512	Lenel	PCS-PRO-REDU	OnGuard Access Control	OnGuard PRO Redundant Server System with PC – includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Redundant Server software license which includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers and first year support plan for new systems. (does not bump existing SUSP) (INCLUDES PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$18,948.36
334512	Lenel	PES-CON-ORA	PES	Database Conversion - Oracle to SQL	\$15,520.78
334512	Lenel	PES-DE-OT1	PES	One-time DataExchange import from 1 database into a blank database	\$4,434.51
334512	Lenel	PES-DE-OT2	PES	One-time DataExchange import from 1 database into an existing database	\$6,968.51

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	PES-DII-FCWNX	PES	SecurePerfect v3-v6, Diamond II v. 2.3 or older versions of FCWNX upgrade to the current version of FCWNX. Database is submitted to Lenel for upgrade.	\$2,534.01
334512	Lenel	PES-DVA-DLT	PES	OnGuard Digital Video Assessment (Audit) Survey 0-10 recorders *	\$3,167.51
334512	Lenel	PES-DVP-PLN	PES	OnGuard Digital Video Planning Session	\$4,434.51
334512	Lenel	PES-EMR-SCH	PES	Emergency Scheduling Fee (less than 3 days travel notice)	\$15,204.03
334512	Lenel	PES-EPS-ENT	PES	Enterprise Deployment Planning Session [Required for OnGuard Enterprise]	\$6,968.51
334512	Lenel	PES-FAT-ENT	PES	Enterprise 1-5 Regions Factory Acceptance Test (FAT)	\$8,235.52
334512	Lenel	PES-FAT-PROI	PES	PRO/ES/ADV Factory Acceptance Test (FAT)	\$6,081.61
334512	Lenel	PES-FC2OG-CDHB	PES	Cardholder and hardware(where applicable) conversion to OnGuard ES/ADV/PRO from FCWNX 7.7	\$3,801.01
334512	Lenel	PES-FC2OG-LEGACY	PES	Cardholder and hardware(where applicable) conversion to OnGuard ES/ADV/PRO from Diamond, Diamond II, Sapphire, Secure Perfect, or FC 7.6 or earlier	\$6,335.01
334512	Lenel	PES-IDP-ENT	PES	Enterprise 3-5 Regions Install and Deployment Package	\$6,968.51
334512	Lenel	PES-IDP-ENTL	PES	Enterprise 2 Regions or less Install and Deployment Package	\$5,701.51
334512	Lenel	PES-IDP-PROI	PES	PRO Installation and Deployment Package	\$4,434.51
334512	Lenel	PES-LGCV-FCWNX	PES	Sapphire Pro or Diamond I Upgrade to current version of FCWNX. Database is submitted to Lenel for upgrade.	\$5,068.01
334512	Lenel	PES-NEC-INS	PES	NEC Inspection and Certification - 1 Cluster	\$3,040.81
334512	Lenel	PES-NEC-LAN-WAN	PES	Pre-planning, remote NEC ExpressCluster LAN or WAN Deployment and Post Project Support per Cluster. Remote connection to site required for deployment. (Add PES-00X for OnSite Deployment.)	\$7,602.02
334512	Lenel	PES-NEC-PLANNING	PES	Remote Pre-Planning session for LAN or WAN Systems	\$1,013.60
334512	Lenel	PES-NEC-UPG	PES	PES onsite or remote assistance with an NEC ExpressCluster upgrade. *Requires the purchase of a separate NEC Support Plan.	\$5,068.01
334512	Lenel	PES-PP2OG-MDK-LG	PES	PP2OG Migration Deployment Services for PP systems with over 512 readers	\$26,683.07
334512	Lenel	PES-PP2OG-MDK-SM	PES	PP2OG Migration Deployment Services for PP systems with 512 readers or less	\$12,999.45
334512	Lenel	PES-PP2OG-PTK-LG	PES	PP2OG Planning and Testing Services for PP systems with over 512 readers	\$23,718.29
334512	Lenel	PES-PP2OG-PTK-SM	PES	PP2OG Planning and Testing Services for PP systems with 512 readers or less	\$11,555.06
334512	Lenel	PES-SRA-ENT	PES	Enterprise 3 - 5 Regions System Assessment	\$8,235.52
334512	Lenel	PES-SRA-ENTL	PES	Enterprise 2 Regions or less System Assessment	\$6,081.61
334512	Lenel	PES-SRA-PROI	PES	PRO System Assessment	\$6,081.61
334512	Lenel	PES-UPG-ENT	PES	Enterprise 3 - 5 Regions Software and Database Upgrade	\$11,403.02
334512	Lenel	PES-UPG-ENTL	PES	Enterprise 2 Regions or less Software and Database Upgrade	\$8,869.02
334512	Lenel	PIM400-1501-KIT	Electro-Mechanical Locks	PIM400-1501-KIT; 16 wireless lock controller; consists of PIM400-485 & LNL-2210 in the same enclosure; RJ-45 and USB port on outside of controller; powered by POE. NOTE: LNL-2210 is provided separately and needs to be installed and connected inside the enclosure.	\$1,645.42
334512	Lenel	PIM400-485	Electro-Mechanical Locks	PIM400-485; 16 wireless lock hub; RS-485 connection; includes weatherproof enclosure, internal antenna with ability to add remote antenna; requires 12 or 24 VDC power supply. (7.1" x 7.1" enclosure) [starting with OnGuard 6.6 SP1 this connects via RS-485 to downstream port on ISC]	\$983.58
334512	Lenel	PIM400-TD2	Electro-Mechanical Locks	Schlage Panel Interface Module: Wiegand (data1/data0) or magnetic stripe (clock & data) output; includes weatherproof enclosure; internal antenna with ability to add remote antenna; requires 12 or 24 VDC power supply. Dry Contact board not included. (7.1 x 7.1 inches enclosure). For use with any Schlage AD-400 Lock.	\$532.82
334512	Lenel	PRO-64RUP	Upgrades	64 Access Readers upgrade for all PRO systems, no maximum on number of readers.	\$2,078.35
334290L	Lenel	PS-110	Readers	Power supply for HK-CR and HK-2. 120VAC to 13.5 VDC with connector for HK-CR ONLY	\$45.61
334290L	Lenel	PS-220	Readers	Power supply for HK-CR and HK-2. 220VAC to 13.5 VDC with connector for HK-CR ONLY	\$54.48
334290L	Lenel	PVC-API-RTL	Readers	pivCLASS FIPS 201 SDK, RUN TIME LICENSE, DOWNLOAD, OEM ONLY	\$2,850.76
334290L	Lenel	PVC-CM	Readers	pivCLASS Certificate Manager Includes software only. One license per PACS. Second license required for redundant PACS if present. First year M&S included in purchase price.	\$11,705.84
334290L	Lenel	PVC-CM-MS	Readers	Certificate Manager Maintenance & Support Annual subscription service. First year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$1,526.74
334290L	Lenel	PVC-CM-REDNT	Readers	pivCLASS Certificate Manager - Redundant Copy For use as hot backup. One license per PACS. Primary PVC-CM required. First year M&S included in purchase price.	\$5,373.36
334290L	Lenel	PVC-CM-REDNT-MS	Readers	pivCLASS Certificate Manager Redundant Copy Maintenance & Support Annual subscription service. First year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$700.65
334290L	Lenel	PVC-IDPUB500-MS	Readers	IDPublisher 500 Maintenance & Support Annual subscription service. First year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$752.60
334290L	Lenel	PVC-IDPUBUNL	Readers	pivCLASS IDPublisher UNL Unlimited badge capacity. You must also order the appropriate PACS-SVCxx-yy component. First year M&S included in purchase price.	\$20,235.30
334290L	Lenel	PVC-IDPUBUNL-MS	Readers	IDPublisher UNL Maintenance & Support Annual subscription service. First year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$2,639.17
334290L	Lenel	PVC-MPX-CNSL	Readers	pivCLASS MultiPACS Console Provides management interface to the system. First year M&S included in purchase price.	\$11,702.04
334290L	Lenel	PVC-MPX-CNSL-MS	Readers	MultiPACS Console Maintenance & Support Annual subscription service. First year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$1,526.74
334290L	Lenel	PVC-MPX-CNSL-REDNT	Readers	pivCLASS MultiPACS Console Provides management interface to the system. First year M&S included in purchase price.	\$5,616.62
334290L	Lenel	PVC-MPX-CNX-14-00	Readers	pivCLASS MultiPACS Connector A PACS specific connector is required for each separate PACS being serviced. First year M&S included in purchase price.	\$7,590.61
334290L	Lenel	PVC-MPX-CNX-MS	Readers	MultiPACS Connector Maintenance & Support Annual subscription service. First year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$989.53
334290L	Lenel	Reader # + OT	Readers	Tamper Contact - for both direct & data Outputs (must order with reader, only available for LNL-2010 or LNL-2020 readers)	\$6.34
334512	Lenel	REGSM-16RUP	Upgrades	16 Access Readers upgrade for any OnGuard Enterprise Regional SM systems, maximum of 32 readers.	\$774.56
334512	Lenel	RLBD	Electro-Mechanical Locks	Optional Dry contact board available for PIM400-TD2 to simplify installation with Access Control Panels that require relays. Configurable for Normally Open/Closed	\$152.75
334512	Lenel	S00200-DVD	Computers & Peripheral Equipment	SQL Server® 2017 Standard for Embedded Systems (5 Client) (ESD) "Install DVD"	\$826.09
334512	Lenel	S00201	Computers & Peripheral Equipment	SQL Server® 2017 for one CAL "License only"	\$168.51
334512	Lenel	S00205	Computers & Peripheral Equipment	SQL Server® 2017 for five CALs "License only"	\$826.09
334290L	Lenel	S-CB-232-F3	Readers	RS-232 Cable to connect HK-CR to PC	\$25.34
334512	Lenel	SCH-GWE	Electro-Mechanical Locks	SCHLAGE ENGAGE Gateway with RS-485, 12/24 VDC Input or PoE. Can be mixed on same bus a PIM400. Clear line of sight range to lock approximately 30.5m (100 ft). Environment and building construction materials will cause range variations. Single Gateway can support up to ten (10) NDE or LE wireless locks (if they are located within range).	\$475.64
334290L	Lenel	SEC9X-CRD-0-P021	Credentials	CONFIGURATION CARD: CHANGES CONFIGURATION FROM WIEGAND TO OSDP COMMUNICATION PROTOCOL, ENABLE OSDP V2, AV OFF, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, WIEG OFF, UART OFF	\$25.34
334290L	Lenel	SEC9X-CRD-0-P022	Credentials	CONFIGURATION CARD: CHANGES CONFIGURATION FROM WIEGAND TO OSDP COMMUNICATION PROTOCOL, ENABLE OSDP V2, AV OFF, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, KPF, ASCII, BFFRD 1 KEY, WIEG OFF, UART OFF	\$25.34
334290L	Lenel	SEC9X-CRD-0-P023	Credentials	CONFIGURATION CARD: CHANGES CONFIGURATION FROM OSDP TO WIEGAND: LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, WIEG ON, FIPS 200-bit	\$25.34
334290L	Lenel	SEC9X-CRD-0-P024	Credentials	CONFIGURATION CARD: CHANGES CONFIGURATION FROM OSDP TO WIEGAND: LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, WIEG ON, FIPS 200-bit, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG	\$18.97

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	SEC9X-CRD-0-P025	Credentials	CONFIGURATION CARD: CHANGES CONFIGURATION FROM OSDP TO WIEGAND- LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, WIEG ON, FIPS 200-bit, KPF, BFFRD 1 KEY, DORADO, NO PAR, 8-BIT MSG	\$25.34
334290L	Lenel	SERIII-W	Readers	Scramble Keypad (Gray): The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. This unit may be powered from the SRCNX Reader Controller boards via a reader interface. Power requirements: 8-14 VDC. Standard color is gray	\$1,084.93
334512	Lenel	SIS-DELL	Computers & Peripheral Equipment	Installation and integration of OnGuard and SQL on server or client PC	\$196.39
334290L	Lenel	SMA-BIO-WR	Readers	SIGMA Series - Outdoor/WR/IP65, Multi-factor Bio/PIN (3k users incl.), 1M logs storage capacity, PoE incl.	\$1,562.40
334290L	Lenel	SMA-ICLASS-EX	Readers	MorphoAccess SIGMA EXTREME iClass: Fingerprint + iClass reader: IP65 & IK09 Ruggedized for harsh environments, Touchscreen, 1.5k Users expandable to 100k, FBI PIV IQS Sensor	\$1,794.08
334290L	Lenel	SMA-ICLASS-EX-FFD	Readers	MorphoAccess SIGMA EXTREME iClass: Fingerprint + iClass reader: IP65 & IK09 Ruggedized for harsh environments, Touchscreen, 1.5k Users expandable to 100k, FFD FBI PIV IQS Sensor	\$2,324.95
334290L	Lenel	SMA-ICLASS-WR	Readers	SIGMA Series - Outdoor/WR/IP65, Multi-factor Bio/Card/PIN/BioPIN (3k users incl.), HID iClass, 1M logs storage capacity, PoE incl.	\$1,692.76
334290L	Lenel	SMA-L-BIO	Readers	MA SIGMA Lite - Bio, Mono-factor Bio only, IP65, 500 users, CE	\$624.63
334290L	Lenel	SMA-L-ICLASS	Readers	MA SIGMA Lite - iCLASS, Multi-factor Bio/Card, HID iCLASS, 500 users, IP65, CE	\$807.08
334290L	Lenel	SMA-L-MULTI	Readers	MA SIGMA Lite - Multi, Multi-factor Bio/Card, MIFARE/MIFARE Plus/DESFIRE, 500 users, IP65, CE	\$779.21
334290L	Lenel	SMA-LP-BIO	Readers	MA SIGMA Lite Plus - Bio, 2.8 inch QVGA touchscreen, Mono-factor Bio only, IP65, 500 users, CE	\$739.93
334290L	Lenel	SMA-LP-ICLASS	Readers	MA SIGMA Lite Plus - iCLASS, 2.8 inch QVGA touchscreen, Multi-factor Bio/Card, HID iCLASS, IP65, 500 users, CE	\$916.04
334290L	Lenel	SMA-LP-MULTI	Readers	MA SIGMA Lite Plus - Multi, 2.8 inch QVGA touchscreen, Multi-factor Bio/Card, MIFARE/MIFARE Plus/DESFIRE, IP65, 500 users, CE	\$897.04
334290L	Lenel	SMA-LP-PROX	Readers	MA SIGMA Lite Plus - Prox, 2.8 inch QVGA touchscreen, Multi-factor Bio/Card, HID Prox, IP65, 500 users, CE	\$897.04
334290L	Lenel	SMA-L-PROX	Readers	MA SIGMA Lite - Prox, Multi-factor Bio/Card, HID Prox, 500 users, IP65, CE	\$779.21
334290L	Lenel	SMA-MM-PRO	Readers	MorphoManager PRO Software, includes an Morpho Smart Optic 300 USB Desktop Enrollment Scanner. For enrollment, template management, terminal management and reporting. More information on the use of this software package can be obtained from the Lenel OAAP Partner product site.	\$732.33
334290L	Lenel	SMA-MSO-1300-E3	Readers	MorphoSmart MSO 1300E3, Compact USB scanner for OnGuard OpenCapture enrollment. Plastic Housing. FBI IQS Certified	\$291.41
334290L	Lenel	SMA-MSO-1300-V3	Readers	MorphoSmart MSO 1300V3, Compact USB scanner for OnGuard OpenCapture enrollment. Plastic Housing.	\$178.65
334290L	Lenel	SMA-MSO300	Readers	MorphoSmart 500 ppi Optical Fingerprint sensor (Metal Housing, USB)	\$421.91
334290L	Lenel	SMA-MSO301	Readers	MSO-300 with Fake Finger detection	\$779.21
334290L	Lenel	SMA-MSO350PIV	Readers	MSO-300 with contact smart card reader and FBI certified sensor	\$619.56
334290L	Lenel	SMA-MSO351	Readers	MSO-300 with Fake Finger detection and contact smart card reader	\$853.96
334290L	Lenel	SMA-MULTI-EX	Readers	MorphoAccess SIGMA EXTREME MULTI: Fingerprint + Mifare/Desfire/NFC reader: IP65 & IK09 Ruggedized for harsh environments, Touchscreen, 1.5k Users expandable to 100k, FBI PIV IQS Sensor	\$1,794.08
334290L	Lenel	SMA-MULTI-EX-FFD	Readers	MorphoAccess SIGMA EXTREME MULTI: Fingerprint + Mifare/Desfire/NFC reader: IP65 & IK09 Ruggedized for harsh environments, Touchscreen, 1.5k Users expandable to 100k, FFD FBI PIV IQS Sensor	\$2,324.95
334290L	Lenel	SMA-MULTI-WR	Readers	SIGMA Series - Outdoor/WR/IP65, Multi-factor Bio/Card/PIN/BioPIN (3k users incl.), 1M logs storage capacity, PoE incl.	\$1,649.63
334290L	Lenel	SMA-PROX-EX	Readers	MorphoAccess SIGMA EXTREME Prox: Fingerprint + Prox reader: IP65 & IK09 Ruggedized for harsh environments, Touchscreen, 1.5k Users expandable to 100k, FBI PIV IQS Sensor	\$1,794.08
334290L	Lenel	SMA-PROX-EX-FFD	Readers	MorphoAccess SIGMA EXTREME Prox: Fingerprint + Prox reader: IP65 & IK09 Ruggedized for harsh environments, Touchscreen, 1.5k Users expandable to 100k, FFD FBI PIV IQS Sensor	\$2,324.95
334290L	Lenel	SMA-PROX-WR	Readers	SIGMA Series - Outdoor/WR/IP65, Multi-factor Bio/Card/PIN/BioPIN (3k users incl.), HID Prox, 1M logs storage capacity, PoE incl.	\$1,649.63
334512	Lenel	SMK-2	Electro-Mechanical Locks	Scramble Keypad Surface Mount Kit (Gray): Surface Mount Kit and tamper proof screws. Standard color is gray.	\$141.62
334512	Lenel	SMK-2B	Electro-Mechanical Locks	Scramble Keypad Surface Mount Kit (Black): Surface Mount Kit and tamper proof screws. Color is black.	\$141.62
334290L	Lenel	SM-PS-BUILD	Readers	PreScan Ridge Builder film (1.5" x 2") Increases the quality of the capture on the Morpho Smart sensors, recommended for each Morpho Smart sensor	\$44.35
334512	Lenel	SPMK-2	Electro-Mechanical Locks	Panel Mount Kit w/ Steel Back Box (Gray): Steel back box with tamper proof screws	\$123.92
334512	Lenel	SPMK-2B	Electro-Mechanical Locks	Panel Mount Kit w/ Steel Back Box (Black): Steel back box with tamper proof screws	\$123.92
334290L	Lenel	SSM-CSS-ADV	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ADV support plan.	\$617.03
334290L	Lenel	SSM-CSS-ES	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ES support plan.	\$445.72
334290L	Lenel	SSM-CSS-MAS	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-MAS support plan.	\$2,098.16
334290L	Lenel	SSM-CSS-MAS-LT	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-MAS-LT support plan.	\$1,049.08
334290L	Lenel	SSM-CSS-PRO-A	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSM-CSS-REG-A	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSM-CSS-REG-B	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$2,229.92
334290L	Lenel	SSM-CSS-REG-LT	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-LT support plan.	\$524.54
334290L	Lenel	SSM-CSS-REG-SM	OnGuard Access Control	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-SM support plan.	\$445.72
334290L	Lenel	SSM-MCI-ADV	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, or TR-3 support plan.	\$368.70
334290L	Lenel	SSM-MCI-ES	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ES support plan.	\$249.60
334290L	Lenel	SSM-MCI-MAS-LT	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-MAS-LT support plan.	\$2,203.32
334290L	Lenel	SSM-MCI-PRO-A	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	\$698.12
334290L	Lenel	SSM-MCI-PRO-B	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	\$2,221.06
334290L	Lenel	SSM-MCI-REG-A	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$605.63
334290L	Lenel	SSM-MCI-REG-B	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$1,413.97
334290L	Lenel	SSM-MCI-REG-LT	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan.	\$293.94
334290L	Lenel	SSM-MCI-REG-SM	OnGuard Access Control	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-SM support plan.	\$162.95
334290L	Lenel	SSM-VSS	OnGuard Access Control	12 month license for [1] Visitor Self Service Module (iPad Only Support). iPad not included. Quantity should be for total number of configured tablets. Requires at least one IDVM front desk license on the OnGuard server. iPad not included.	\$786.81
334290L	Lenel	SSM-WATCH-ADV	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ADV support plan.	\$617.03
334290L	Lenel	SSM-WATCH-ES	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ES support plan.	\$445.72
334290L	Lenel	SSM-WATCH-MAS	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-MAS support plan.	\$2,098.16
334290L	Lenel	SSM-WATCH-MAS-LT	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-MAS-LT support plan.	\$1,049.08
334290L	Lenel	SSM-WATCH-PRO-A	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	\$1,082.02

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	SSM-WATCH-REG-A	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSM-WATCH-REG-B	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$2,229.92
334290L	Lenel	SSM-WATCH-REG-LT	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-LT support plan.	\$524.54
334290L	Lenel	SSM-WATCH-REG-SM	OnGuard Access Control	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-SM support plan.	\$445.72
334290L	Lenel	SSR-CSS-ADV	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-ADV license and active SUSP-ADV support plan.	\$617.03
334290L	Lenel	SSR-CSS-ES	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-ES license and active SUSP-W-ES support plan.	\$445.72
334290L	Lenel	SSR-CSS-MAS	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-MAS license and active SUSP-ENT-MAS support plan.	\$2,098.16
334290L	Lenel	SSR-CSS-MAS-LT	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	\$1,049.08
334290L	Lenel	SSR-CSS-PRO-A	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-PRO-A license and active SUSP-PRO-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSR-CSS-REG-A	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-REG-A license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSR-CSS-REG-B	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-REG-B license and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$2,229.92
334290L	Lenel	SSR-CSS-REG-LT	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	\$524.54
334290L	Lenel	SSR-CSS-REG-SM	OnGuard Access Control	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SSM-CSS-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	\$445.72
334290L	Lenel	SSR-MCI-ADV	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-ADV license and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan.	\$368.70
334290L	Lenel	SSR-MCI-ES	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-ES license and active SUSP-W-ES support plan.	\$249.60
334290L	Lenel	SSR-MCI-MAS-LT	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	\$2,203.32
334290L	Lenel	SSR-MCI-PRO-A	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-PRO-A license and active SUSP-PRO-TR-1 or TR-2 support plan.	\$698.12
334290L	Lenel	SSR-MCI-PRO-B	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-PRO-B license and active SUSP-PRO-TR-3 or TR-4 support plan.	\$2,221.06
334290L	Lenel	SSR-MCI-REG-A	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-REG-A license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$605.63
334290L	Lenel	SSR-MCI-REG-B	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-REG-B license and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$1,413.97
334290L	Lenel	SSR-MCI-REG-LT	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	\$293.94
334290L	Lenel	SSR-MCI-REG-SM	OnGuard Access Control	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SSM-MCI-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	\$162.95
334290L	Lenel	SSR-VSS	OnGuard Access Control	12 month renewal license for Qty 1 SSM-VSS. Quantity must match number of existing SSM-VSS licenses. Maximum total subscription is 3 years. iPad not included.	\$786.81
334290L	Lenel	SSR-WATCH-ADV	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-ADV license and active SUSP-ADV support plan.	\$617.03
334290L	Lenel	SSR-WATCH-ES	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-ES license and active SUSP-ES support plan.	\$445.72
334290L	Lenel	SSR-WATCH-MAS	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-MAS license and active SUSP-ENT-MAS support plan.	\$2,098.16
334290L	Lenel	SSR-WATCH-MAS-LT	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	\$1,049.08
334290L	Lenel	SSR-WATCH-PRO-A	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-PRO-A license and active SUSP-PRO-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSR-WATCH-REG-A	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-REG-A license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$1,082.02
334290L	Lenel	SSR-WATCH-REG-B	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-REG-B license and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$2,229.92
334290L	Lenel	SSR-WATCH-REG-LT	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	\$524.54
334290L	Lenel	SSR-WATCH-REG-SM	OnGuard Access Control	12 month Renewal or Extension for OnGuard WATCH. Requires SSM-WATCH-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	\$445.72
334512	Lenel	STENTO-100000610	Intercom	98520 Station Cord	\$13.18
334512	Lenel	STENTO-100000611	Intercom	98525 Station Cord	\$8.24
334512	Lenel	STENTO-100000612	Intercom	MOS-80 Receptacle	\$8.24
334512	Lenel	STENTO-100008062000	Intercom	Desk Housing for 8031	\$424.13
334512	Lenel	STENTO-1000096283	Intercom	96283 Speaker Int	\$46.12
334512	Lenel	STENTO-1000104300	Intercom	Stentofon 1043 SS Box Hood: 1072104300	\$426.60
334512	Lenel	STENTO-1000104800	Intercom	Lamp Strobe 24 Volt DC	\$331.07
334512	Lenel	STENTO-1000104900	Intercom	SS BACKBOX WITH HOOD - YELLOW	\$402.91
334512	Lenel	STENTO-1000106400	Intercom	1064 Elevator Sub	\$248.71
334512	Lenel	STENTO-1000107800	Intercom	1078 Page Adapter	\$166.36
334512	Lenel	STENTO-10001078IP	Intercom	IP Page Adapter	\$686.02
334512	Lenel	STENTO-10001082C	Intercom	1082C VRB Recording Unit	\$802.14
334512	Lenel	STENTO-1000109900	Intercom	1099 Data/Audio Unit	\$675.31
334512	Lenel	STENTO-1000111210	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1000111210	\$167.24
334512	Lenel	STENTO-1000117000	Intercom	1170 Transzorb	\$42.82
334512	Lenel	STENTO-1000117100	Intercom	1171 Ground Strap	\$32.94
334512	Lenel	STENTO-1000117300	Intercom	1173 Fid End Adaptor	\$51.06
334512	Lenel	STENTO-1000138610	Intercom	Stentofon - 1386-1 Data Unit	\$592.96
334512	Lenel	STENTO-100014010901	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100014010901	\$36.24
334512	Lenel	STENTO-1000140224	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1000140224	\$205.25
334512	Lenel	STENTO-100014050901	Intercom	GS400 SERIES MASTER DESKTOP	\$633.50
334512	Lenel	STENTO-100014070201	Intercom	BUTTON TURBINE ADAPTER PLATE FOR 1600 SERIES	\$172.31
334512	Lenel	STENTO-1000141000	Intercom	STENTOFON IP VANDAL SUBSTN	\$541.90
334512	Lenel	STENTO-1000141300	Intercom	413 Footswitch	\$56.00
334512	Lenel	STENTO-1000142000	Intercom	Stentofon 420 substation	\$237.18
334512	Lenel	STENTO-1000142600	Intercom	GS 400 ceiling substation	\$196.01
334512	Lenel	STENTO-100015012100	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100015012100	\$1,168.18
334512	Lenel	STENTO-100015012900	Intercom	Grandstream GVX3275 IP Telephone	\$648.71
334512	Lenel	STENTO-1000151015	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1000151015	\$206.52
334512	Lenel	STENTO-1000160202	Intercom	1602 Deluxe Wall mount	\$2,781.96
334512	Lenel	STENTO-1000160800	Intercom	1608 EcoTower Mount with Blue Lig:2809016080	\$2,736.66
334512	Lenel	STENTO-100016102500	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:100016102500 US	\$1,729.46
334512	Lenel	STENTO-1000161107	Intercom	CO161107-00 ONE TIME SETUP FEE	\$913.51
334512	Lenel	STENTO-100017021498	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100017021798	\$4,414.24
334512	Lenel	STENTO-100017021499	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100017021499	\$6,828.47
334512	Lenel	STENTO-1000176400	Intercom	1764 Ceiling Speaker 4 inch	\$28.00
334512	Lenel	STENTO-1000177400	Intercom	SDR-DR25 Rack	\$798.02
334512	Lenel	STENTO-1000177700	Intercom	SDR-CR20 Rack	\$644.84
334512	Lenel	STENTO-1000177800	Intercom	SDR-DR20 Rack	\$662.14
334512	Lenel	STENTO-1000178400	Intercom	SDR-DR10 Rack	\$398.60
334512	Lenel	STENTO-100018073001	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100018073001	\$954.05

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	STENTO-1000181300	Intercom	Rck Mnt Kit 1806 & 1812	\$26.35
334512	Lenel	STENTO-1000181610	Intercom	Stento 18161 CeilSpk_5w/70v	\$31.29
334512	Lenel	STENTO-1000183000	Intercom	1830 CEILING BACK BOX	\$14.82
334512	Lenel	STENTO-1000183100	Intercom	1831 Ceiling Mnt for 4 inches	\$12.35
334512	Lenel	STENTO-1000183200	Intercom	Stento 1832 Ceiling Mnt for 8	\$9.85
334512	Lenel	STENTO-1000184000	Intercom	1840 10W Horn Bohm	\$39.53
334512	Lenel	STENTO-1000602000	Intercom	6020 Flush Backbox	\$23.06
334512	Lenel	STENTO-1000602800	Intercom	6028 Blank Cover Plate	\$59.30
334512	Lenel	STENTO-1000603000	Intercom	6030 Surface backbox	\$98.83
334512	Lenel	STENTO-1000603100	Intercom	6031SurfaceBackBox	\$45.30
334512	Lenel	STENTO-1000629100	Intercom	6291 W/Red Button	\$253.65
334512	Lenel	STENTO-100062922SMI	Intercom	62922-7 Sub 2-Button	\$321.19
334512	Lenel	STENTO-100062927IP	Intercom	62927 IP Sub	\$822.73
334512	Lenel	STENTO-1000629400	Intercom	6294RM Substation	\$253.65
334512	Lenel	STENTO-100062941IP	Intercom	6294-1 IP Sub	\$740.37
334512	Lenel	STENTO-100062942SMI	Intercom	6294-2 SS Substn	\$308.01
334512	Lenel	STENTO-10006294IPR	Intercom	IP6294R Sub Kit	\$576.49
334512	Lenel	STENTO-10006294IPS	Intercom	IP6294S Sub Kit	\$584.72
334512	Lenel	STENTO-1000629800	Intercom	6298 Surface Back Box	\$56.00
334512	Lenel	STENTO-1000629910	Intercom	62991 Cast WP Box	\$47.77
334512	Lenel	STENTO-1000629950	Intercom	62995 Rain Hood	\$57.65
334512	Lenel	STENTO-1000632120	Intercom	63212 Rack for 1078's: 9590212100	\$498.25
334512	Lenel	STENTO-10007007GM	Intercom	7007 Gooseneck Mic	\$224.01
334512	Lenel	STENTO-100070366EU	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100070366EU	\$534.68
334512	Lenel	STENTO-1000705300	Intercom	7053 Rck Mount: 1070705300	\$1,171.09
334512	Lenel	STENTO-1000705301	Intercom	7053CRM Dsk: STENTO-1000705301	\$1,238.62
334512	Lenel	STENTO-1000928220	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1000928220	\$382.63
334512	Lenel	STENTO-1000944000	Intercom	94400 Module Controller Board	\$1,008.85
334512	Lenel	STENTO-1000945700	Intercom	9457 Connection Cable	\$102.12
334512	Lenel	STENTO-1000948210	Intercom	94821 Alpha Audio Int	\$255.30
334512	Lenel	STENTO-1000962000	Intercom	9620 Standard TR Substation	\$527.07
334512	Lenel	STENTO-100110606MBTA	Intercom	Custom 2 button call w braille	\$1,387.37
334512	Lenel	STENTO-100110606MBTA	Intercom	Custom call button for MBTA	\$1,093.42
334512	Lenel	STENTO-100130805MBTA	Intercom	IP Elevator Station w/Sub Plat	\$950.25
334512	Lenel	STENTO-1002000099	Intercom	ICX-500 SYSTEM WITH 3 IP STATION LICENSES	\$2,463.05
334512	Lenel	STENTO-1002600100	Intercom	IP-STATION LICENSE	\$300.28
334512	Lenel	STENTO-1002600200	Intercom	IP-STATION LICENSE, CRM	\$503.00
334512	Lenel	STENTO-1002600300	Intercom	IP-STATION LICENSE, SOFTCLIENT	\$700.65
334512	Lenel	STENTO-1002600400	Intercom	IP-ARIO AUDIO LICENSE - 1 IP-ARIO	\$300.28
334512	Lenel	STENTO-1002600700	Intercom	SIP STATION LICENSE	\$296.48
334512	Lenel	STENTO-1002602001	Intercom	ALPHANET, 2 LINES	\$1,445.65
334512	Lenel	STENTO-1002602003	Intercom	ALPHANET, 8 LINES	\$3,158.64
334512	Lenel	STENTO-1002602101	Intercom	SIP TRUNKING, 2 LINES	\$1,919.51
334512	Lenel	STENTO-1002602102	Intercom	SIP TRUNKING, 4 LINES	\$2,990.13
334512	Lenel	STENTO-1002602103	Intercom	SIP TRUNKING, 8 LINES	\$4,035.40
334512	Lenel	STENTO-1002602201	Intercom	ACTIVE RECORDING INTERFACE - 2 USERS	\$625.90
334512	Lenel	STENTO-1002602203	Intercom	ACTIVE RECORDING INTERFACE - 8 USERS	\$1,515.34
334512	Lenel	STENTO-1002602204	Intercom	ACTIVE RECORDING INTERFACE - 16 USERS	\$2,639.17
334512	Lenel	STENTO-1002602205	Intercom	ACTIVE RECORDING INTERFACE - 32 USERS	\$4,999.59
334512	Lenel	STENTO-1002602208	Intercom	ACTIVE RECORDING INTERFACE - 256 USERS	\$29,133.46
334512	Lenel	STENTO-1002602209	Intercom	ACTIVE RECORDING INTERFACE - 512 USERS	\$35,515.35
334512	Lenel	STENTO-1002602306	Intercom	API LICENSE SUPPORTING 64 STATIONS	\$750.07
334512	Lenel	STENTO-1002602309	Intercom	API LICENSE SUPPORTING 512 STATIONS	\$4,513.06
334512	Lenel	STENTO-1002602400	Intercom	INTERFACE ENABLING - ALL INTERFACES NOT ON PORTS 6	\$1,498.86
334512	Lenel	STENTO-1002604000	Intercom	BASIC AUDIO MESSAGING LICENSE	\$1,498.86
334512	Lenel	STENTO-1002604100	Intercom	ENHANCED AUDIO MESSAGING LICENSE	\$2,248.93
334512	Lenel	STENTO-1002604500	Intercom	HIGH BANDWIDTH AUDIO LICENSE	\$1,387.37
334512	Lenel	STENTO-1002606006	Intercom	REDUNDANCY LICENSE 64 USERS	\$2,948.31
334512	Lenel	STENTO-1002606008	Intercom	REDUNDANCY LICENSE 256 USERS	\$4,516.86
334512	Lenel	STENTO-1002606009	Intercom	REDUNDANCY LICENSE 512 USERS	\$8,343.21
334512	Lenel	STENTO-1006292792MS	Intercom	62927-92 Stat. 2 Btn	\$527.07
334512	Lenel	STENTO-1007006110	Intercom	7006110 48 Button Mod	\$1,984.76
334512	Lenel	STENTO-1007006180	Intercom	Single Housing Only	\$678.61
334512	Lenel	STENTO-1007006181	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1007006181	\$963.56
334512	Lenel	STENTO-1007006182	Intercom	2 Housing Mnt Kit	\$144.95
334512	Lenel	STENTO-1007007000	Intercom	7007 Dual Display St	\$446.36
334512	Lenel	STENTO-1007034210	Intercom	70342 Mst W/Hndst	\$347.54
334512	Lenel	STENTO-1007034310	Intercom	DESK WALL MASTER STATION W DIS	\$481.78
334512	Lenel	STENTO-1007036210	Intercom	70362 Mst/W/D-10	\$322.83
334512	Lenel	STENTO-1007036310	Intercom	70363 DESK MASTER W-DISPLAY	\$444.72
334512	Lenel	STENTO-1007040000	Intercom	7040 Wall Master	\$337.66
334512	Lenel	STENTO-1007042000	Intercom	7042 Wall Mstr-Disp 8DAK	\$527.07
334512	Lenel	STENTO-1007056100	Intercom	Stentofon 7056 VR Substation	\$627.55
334512	Lenel	STENTO-1007060120	Intercom	Remote Call Button	\$297.30
334512	Lenel	STENTO-1007060155	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1007060155	\$196.39
334512	Lenel	STENTO-1007061000	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1007061000	\$1,000.93
334512	Lenel	STENTO-1007071090	Intercom	7071 Dsk Mstr/Disp	\$433.19
334512	Lenel	STENTO-1007072090	Intercom	7072 Dsk Mstr/Disp	\$449.66
334512	Lenel	STENTO-1007080000	Intercom	7080 WR Lt Indus Mstr	\$576.49
334512	Lenel	STENTO-1007102000	Intercom	Substation Kit-Tradition	\$269.30
334512	Lenel	STENTO-1008000000	Intercom	80000 IP DESK MASTER-DISPLAY-WHITE	\$679.11
334512	Lenel	STENTO-1008001000	Intercom	IP desk master_display	\$864.73
334512	Lenel	STENTO-1008001100	Intercom	80011 IP Dsk Master-Handset&Display-Black	\$864.10
334512	Lenel	STENTO-1008007000	Intercom	IP Desk Dual Display Station	\$852.38
334512	Lenel	STENTO-1008010100	Intercom	IP DAK-48 Unit	\$979.39
334512	Lenel	STENTO-1008010101	Intercom	JGE Enabler Integration	\$28.00
334512	Lenel	STENTO-1008015000	Intercom	8015 IP or Mst-Dsp	\$1,288.54
334512	Lenel	STENTO-1008031000	Intercom	8031 IP Wall Master&Display	\$886.97
334512	Lenel	STENTO-1008041100	Intercom	IP vandal resistant substation	\$740.37
334512	Lenel	STENTO-1008041150	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008041150	\$1,009.80
334512	Lenel	STENTO-1008051000	Intercom	80511 TR IP Sub	\$822.73
334512	Lenel	STENTO-1008070000	Intercom	IP HOT LINE STATION, HANDSET ONLY	\$1,925.84
334512	Lenel	STENTO-1008072120	Intercom	IP HD TELEPHONE-HOTLINE	\$1,832.09
334512	Lenel	STENTO-1008072200	Intercom	IP HD Tel w/Keypad	\$2,338.89
334512	Lenel	STENTO-1008072220	Intercom	Stentofon Heavy Duty IP Phone	\$2,096.89
334512	Lenel	STENTO-1008080110	Intercom	Flowire Ethernet Converter	\$454.60
334512	Lenel	STENTO-1008080120	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008080120	\$454.85
334512	Lenel	STENTO-1008080210	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008080210	\$454.85
334512	Lenel	STENTO-1008090200	Intercom	IP Substation Kit	\$471.90
334512	Lenel	STENTO-1008090250	Intercom	IP Sub Kit: Conforml Coat	\$554.95
334512	Lenel	STENTO-1008091000	Intercom	Stentofon part; mounted assemb	\$123.53
334512	Lenel	STENTO-1008091100	Intercom	Wall Bracket	\$19.77
334512	Lenel	STENTO-1008095201	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008095201	\$967.99
334512	Lenel	STENTO-1008097500	Intercom	Goose Neck Mic	\$384.60
334512	Lenel	STENTO-1008098000	Intercom	8098000 Surf BB	\$114.47

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	STENTO-1008098001	Intercom	8098001 Surface BB	\$86.47
334512	Lenel	STENTO-1008098100	Intercom	8098100 B-Flush	\$65.88
334512	Lenel	STENTO-1008098300	Intercom	3-Gang Flush BB	\$29.65
334512	Lenel	STENTO-1008098600	Intercom	Surface Backbox for 8031 IP un	\$163.06
334512	Lenel	STENTO-1008098700	Intercom	80987 Flush Box	\$103.77
334512	Lenel	STENTO-1008098800	Intercom	80988 Flush Backbox	\$80.71
334512	Lenel	STENTO-1008111010	Intercom	TCIS-1.Yellow 1-Button w/M&C Keys	\$822.73
334512	Lenel	STENTO-1008111020	Intercom	TCIS-2-SS 1-Button	\$822.28
334512	Lenel	STENTO-1008111030	Intercom	TCIS-3-Black 1-Button	\$720.92
334512	Lenel	STENTO-1008111040	Intercom	TCIS-4.Black 1-But w-Display	\$872.14
334512	Lenel	STENTO-1008111050	Intercom	TCIS-5.Black 2-But w-Display	\$954.50
334512	Lenel	STENTO-1008111060	Intercom	TCIS-6.Black Scroll-Display	\$1,036.85
334512	Lenel	STENTO-1008111100	Intercom	TCIS-2 WITH BLACK BUTTON, SPECIAL ORDER	\$840.02
334512	Lenel	STENTO-1008111901	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008111901	\$1,235.33
334512	Lenel	STENTO-1008111902	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008111902	\$897.04
334512	Lenel	STENTO-1008111903	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008111903	\$734.86
334512	Lenel	STENTO-1008113020	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008113020	\$586.62
334512	Lenel	STENTO-1008114010	Intercom	TCAS-1-YEL 1-BUT-M&C	\$328.60
334512	Lenel	STENTO-1008114020	Intercom	TCAS-2-SS 1-BUTTON	\$295.66
334512	Lenel	STENTO-1008114030	Intercom	TCAS-3-BLACK 1-BUTTON	\$287.42
334512	Lenel	STENTO-1008115020	Intercom	TCIV-2 Vandal/Stainless Steel	\$1,543.21
334512	Lenel	STENTO-1008115030	Intercom	TCIV-3 Black Single Button	\$1,404.16
334512	Lenel	STENTO-1008115060	Intercom	TCIV-6 Black Scrolling	\$1,683.85
334512	Lenel	STENTO-1008116010	Intercom	TMIS-1, 1-Button	\$657.48
334512	Lenel	STENTO-1008116020	Intercom	TMIS-2, SS 1-Button	\$648.71
334512	Lenel	STENTO-1008116020NL	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008116020NL	\$648.71
334512	Lenel	STENTO-1008116900	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008116900	\$596.76
334512	Lenel	STENTO-1008122010	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008122010	\$1,610.36
334512	Lenel	STENTO-1008122020	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008122020	\$1,610.36
334512	Lenel	STENTO-1008123010	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008123010	\$3,547.61
334512	Lenel	STENTO-1008123030	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008123030	\$3,495.66
334512	Lenel	STENTO-1008131020	Intercom	TKIS-2 Turbine Station Kit	\$357.29
334512	Lenel	STENTO-1008132020	Intercom	TKIE-2 Turbine Extended Module	\$745.00
334512	Lenel	STENTO-1008133020	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008133020	\$481.46
334512	Lenel	STENTO-1008140010	Intercom	Surface Back box Turbine onwall box (TA-1)	\$74.94
334512	Lenel	STENTO-1008140020	Intercom	Flush Backbox Turbine TA-2	\$23.88
334512	Lenel	STENTO-1008140030	Intercom	Flush Backbox Drywall Turbine	\$32.12
334512	Lenel	STENTO-1008140050	Intercom	Turbine TA-5 Bracket for 2-gan	\$32.12
334512	Lenel	STENTO-1008140120	Intercom	Turbine Mini On Wall Back Box Black - TA-12	\$106.43
334512	Lenel	STENTO-1008140130	Intercom	Turbine Mini On Wall Back Box White - TA-13	\$106.43
334512	Lenel	STENTO-1008140140	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008140140	\$71.65
334512	Lenel	STENTO-1008140160	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$234.40
334512	Lenel	STENTO-1008140170	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008140170	\$143.17
334512	Lenel	STENTO-1008140180	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:1008140180	\$139.37
334512	Lenel	STENTO-1008140230	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008140230	\$1,140.30
334512	Lenel	STENTO-1008195002	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008195002	\$333.22
334512	Lenel	STENTO-1008195003	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1008195003	\$333.22
334512	Lenel	STENTO-1009101010	Intercom	9101 ASLT Board	\$1,526.04
334512	Lenel	STENTO-1009202100	Intercom	AMC-IP BOARD VERSION 11	\$1,404.98
334512	Lenel	STENTO-1009296100	Intercom	SIM Card-XE1 & XE7	\$90.59
334512	Lenel	STENTO-1009296101	Intercom	Kit-E7/AMC-IP11-Basic Ms	\$2,465.71
334512	Lenel	STENTO-1009296200	Intercom	Stentofon-SIM Card-XE20 & XE26	\$1,773.11
334512	Lenel	STENTO-1009301000	Intercom	9301 APC Board	\$2,375.12
334512	Lenel	STENTO-1009303001	Intercom	9303 AGA Board	\$3,096.55
334512	Lenel	STENTO-1009501011	Intercom	9501-11 Filter & Cable	\$125.18
334512	Lenel	STENTO-1009501100	Intercom	9501100 Term. Kit-E7: 9590410000	\$31.29
334512	Lenel	STENTO-1009503000	Intercom	APC Connection Kit	\$183.65
334512	Lenel	STENTO-1009505000	Intercom	FBSAR Board	\$363.19
334512	Lenel	STENTO-1009601003	Intercom	AlphaCom XE1 Audio Serv.	\$2,058.88
334512	Lenel	STENTO-1009608000	Intercom	AlphaCom XE7 Package	\$3,817.99
334512	Lenel	STENTO-1009608100	Intercom	AlphaCom XE7 w/1 ASLT	\$2,460.77
334512	Lenel	STENTO-1009608106	Intercom	AlphaCom XE7:1 ASLT Board	\$3,817.99
334512	Lenel	STENTO-1009608300	Intercom	Alpha Com 12 Station Server	\$3,870.69
334512	Lenel	STENTO-1009608301	Intercom	XE7 W-6 IP STATION LIC	\$2,820.35
334512	Lenel	STENTO-1009627002	Intercom	Redundant System Module	\$9,895.80
334512	Lenel	STENTO-1009627100	Intercom	Alpha Com XE26 Floor Cabinet	\$15,354.30
334512	Lenel	STENTO-1009640002	Intercom	9640-002 2 Static Lic	\$1,400.04
334512	Lenel	STENTO-1009640008	Intercom	9640-008 8 Dynamic Lic	\$3,211.85
334512	Lenel	STENTO-1009640016	Intercom	9640-016 16 Dynamic Lic	\$6,225.23
334512	Lenel	STENTO-1009640030	Intercom	9640-030 30 Dynamic Lic	\$12,847.41
334512	Lenel	STENTO-1009640108	Intercom	STENTO-1009640108 9640-108 UPGD 2 TO 8 CHA	\$2,342.69
334512	Lenel	STENTO-1009641001	Intercom	9641-001 1 Station License	\$411.78
334512	Lenel	STENTO-1009642001	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009642001	\$1,235.33
334512	Lenel	STENTO-1009642002	Intercom	9642-002 SIP Trunking 2-Lines	\$2,284.77
334512	Lenel	STENTO-1009642004	Intercom	9642-004 SIP Trunking 4-Lines	\$3,063.61
334512	Lenel	STENTO-1009642008	Intercom	9642-008SIP Trk 8	\$4,201.30
334512	Lenel	STENTO-1009642016	Intercom	9642-016 Trk 16	\$9,800.26
334512	Lenel	STENTO-1009643001	Intercom	9643-001 SIP Station License-1 User	\$244.53
334512	Lenel	STENTO-1009643006	Intercom	9643-006 SIP Station License-6 User	\$1,647.10
334512	Lenel	STENTO-1009643111	Intercom	Pulse IP Telephone License	\$244.59
334512	Lenel	STENTO-1009643112	Intercom	PULSE TELEPHONE GATEWAY LICENSE-1 LINE	\$979.39
334512	Lenel	STENTO-1009643121	Intercom	Pulse SIP gateway	\$887.79
334512	Lenel	STENTO-1009647801	Intercom	Redundancy License - 36 Users	\$4,227.29
334512	Lenel	STENTO-1009647802	Intercom	REDUNDANCY LICENSE-138 USER	\$6,587.15
334512	Lenel	STENTO-1009647803	Intercom	REDUNDANCY LICENSE-276 USER	\$10,129.69
334512	Lenel	STENTO-1009647804	Intercom	9647-804 Redundancy License	\$16,214.91
334512	Lenel	STENTO-1009648001	Intercom	License to use CRMV	\$523.78
334512	Lenel	STENTO-1009648011	Intercom	Soft Client - 1 license	\$720.61
334512	Lenel	STENTO-1009648013	Intercom	Softclient-12 Licenses	\$7,846.55
334512	Lenel	STENTO-1009648014	Intercom	Softclient-36 Licenses	\$23,535.84
334512	Lenel	STENTO-1009648092	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009648092	\$757.67
334512	Lenel	STENTO-1009648093	Intercom	ACTIVE RECORDING-6 USERS	\$1,701.58
334512	Lenel	STENTO-1009648094	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009648094	\$3,010.40
334512	Lenel	STENTO-1009648095	Intercom	9648-095 Active Recording	\$6,452.84
334512	Lenel	STENTO-1009648500	Intercom	Basic Auto Message Lic	\$1,852.99
334512	Lenel	STENTO-1009648501	Intercom	Enhanced Auto Message License	\$2,676.54
334512	Lenel	STENTO-1009648502	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009648502	\$1,810.55
334512	Lenel	STENTO-1009649901	Intercom	OPC License-40 Users	\$796.94
334512	Lenel	STENTO-1009649902	Intercom	API LICENSE - 80 USERS	\$1,597.69
334512	Lenel	STENTO-1009649903	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009649903	\$2,395.90
334512	Lenel	STENTO-1009649905	Intercom	API License 320 Users	\$3,977.12
334512	Lenel	STENTO-1009649907	Intercom	API License 552 Users	\$5,579.88
334512	Lenel	STENTO-1009660002	Intercom	PULSE SERVER - ENTERPRISE (INCLUDES 50 TRUNKS AND	\$1,881.50
334512	Lenel	STENTO-1009661001	Intercom	Pulse IP Station License (Req. above 16 PULSE stations)	\$262.27
334512	Lenel	STENTO-1009661101	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$761.47

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	STENTO-1009661201	Intercom	1 x Pulse-Server-SIP-Client Extensions	\$291.41
334512	Lenel	STENTO-1009661206	Intercom	6 X PULSE-SERVER-SIP-CLIENT EXTENSIONS	\$1,743.40
334512	Lenel	STENTO-1009662001	Intercom	Pulse-Server-Telephone Trunk Directly to IPBX's	\$724.73
334512	Lenel	STENTO-1009662101	Intercom	PULSE TRUNKING LICENSE	\$405.44
334512	Lenel	STENTO-1009665306	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009665306	\$250.87
334512	Lenel	STENTO-1009670000	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009670000	\$633.50
334512	Lenel	STENTO-1009703000	Intercom	9703 Power Supply	\$3,223.38
334512	Lenel	STENTO-1009800140	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$215.39
334512	Lenel	STENTO-1009800230	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1009800230	\$49.41
334512	Lenel	STENTO-1009930200	Intercom	99302 Krone Conn. Block	\$123.53
334512	Lenel	STENTO-1009930300	Intercom	99303AGA Program Kit	\$594.60
334512	Lenel	STENTO-1009930330	Intercom	AGA AlphaNet Cable Kit	\$255.30
334512	Lenel	STENTO-1009970200	Intercom	99702 Relay Unit	\$466.13
334512	Lenel	STENTO-1009970500	Intercom	99705 RIO Unit	\$1,060.73
334512	Lenel	STENTO-1009971000	Intercom	Interguard 60W Amplifier	\$1,361.33
334512	Lenel	STENTO-1020600305	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:1020600305	\$617.03
334512	Lenel	STENTO-1020603700	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:1020603700	\$356.03
334512	Lenel	STENTO-1023000000	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023000000	\$6,057.54
334512	Lenel	STENTO-1023200030	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023200030	\$1,118.76
334512	Lenel	STENTO-1023200033	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023200033	\$798.02
334512	Lenel	STENTO-1023253008	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023253008	\$831.15
334512	Lenel	STENTO-1023300010	Intercom	IP Ceiling Speaker	\$695.90
334512	Lenel	STENTO-1023301310	Intercom	ELS II -10H IP Horn 10w	\$691.78
334512	Lenel	STENTO-1023303010	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023303010	\$122.90
334512	Lenel	STENTO-1023533011	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023533011	\$518.20
334512	Lenel	STENTO-1023595010	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023595010	\$172.31
334512	Lenel	STENTO-1023595020	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023595020	\$188.78
334512	Lenel	STENTO-1023595060	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1023595060	\$40.54
334512	Lenel	STENTO-1030604500	Intercom	Weather Protection Frame	\$103.77
334512	Lenel	STENTO-1038000535	Intercom	IP Desktop Station with Video	\$3,870.69
334512	Lenel	STENTO-1038001535	Intercom	IP Master Station with Handset	\$3,953.05
334512	Lenel	STENTO-1070106300	Intercom	1063 Elevator Substation Kit	\$160.91
334512	Lenel	STENTO-1070629110	Intercom	6291 2-Gang Analog Substation	\$254.67
334512	Lenel	STENTO-1070629400	Intercom	6294-1 S/Steel T/R Substation	\$254.67
334512	Lenel	STENTO-1070705300	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1070705300	\$1,170.71
334512	Lenel	STENTO-1072097124	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1072097124	\$214.12
334512	Lenel	STENTO-1072097125	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1072097125	\$22.81
334512	Lenel	STENTO-1072103300	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1072103300	\$67.53
334512	Lenel	STENTO-1072103900	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1072103900	\$481.46
334512	Lenel	STENTO-1072104000	Intercom	1040 SS BACKBOX NO HOOD - YELLOW	\$263.54
334512	Lenel	STENTO-1072104300	Intercom	1043 SS Backbox with Hood	\$400.37
334512	Lenel	STENTO-1072104900	Intercom	1049 SS BACKBOX WITH HOOD - YELLOW	\$402.91
334512	Lenel	STENTO-1072160000	Intercom	1600 Series Turbine Sub Plate	\$106.43
334512	Lenel	STENTO-1072160020	Intercom	1600 SERIES TURBINE ADAPTER 2 BUTTON PLATE	\$172.31
334512	Lenel	STENTO-1072629200	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1072629200	\$182.45
334512	Lenel	STENTO-1072629400	Intercom	6294 TURBINE SUB PLATE	\$95.03
334512	Lenel	STENTO-1072629500	Intercom	IP6295 IP/ANALOG ADAPTER UNIT	\$1,070.62
334512	Lenel	STENTO-1072809101	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$29.14
334512	Lenel	STENTO-1072924950	Intercom	92495 Handset-7053R	\$167.24
334512	Lenel	STENTO-1072968903	Intercom	9689-3 Relay Board	\$119.10
334512	Lenel	STENTO-1190100100	Intercom	Stentofon Recording Software	\$7,367.49
334512	Lenel	STENTO-1190100101	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1190100101	\$13,592.40
334512	Lenel	STENTO-1190100102	Intercom	Stentofon Recording Software	\$21,547.91
334512	Lenel	STENTO-1190100103	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 1190100103	\$2,981.26
334512	Lenel	STENTO-1190110110	Intercom	VS RECORDER - PLAYBACK/CONFIGURATION CLIENT SOFTWA	\$715.86
334512	Lenel	STENTO-1190110131	Intercom	VS RECORDER - STREAM RECORDING MODULE, 1 DEVICE LI	\$263.54
334512	Lenel	STENTO-1190110138	Intercom	VS RECORDER - STREAM RECORDING MODULE, 8 DEVICE	\$1,198.58
334512	Lenel	STENTO-1190110180	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$715.86
334512	Lenel	STENTO-1190119120	Intercom	STENTOFON 16 CHANNEL ALPHACOM RECORDER LICENSE	\$11,453.70
334512	Lenel	STENTO-1190119130	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$5,902.96
334512	Lenel	STENTO-1401110100	Intercom	IP Video Door Station with 1 c	\$1,690.75
334512	Lenel	STENTO-1401199101	Intercom	flush mount box	\$103.77
334512	Lenel	STENTO-1401199111	Intercom	on wall housing	\$186.12
334512	Lenel	STENTO-1401199112	Intercom	weather protection roof	\$222.36
334512	Lenel	STENTO-1408001635	Intercom	IP Desk Master w Hndst and Mon	\$1,885.93
334512	Lenel	STENTO-1490111103	Intercom	Power Tranformer, 24VAC, 6A	\$149.89
334512	Lenel	STENTO-2200002000	Intercom	MP-11x Rack Mounting Kit	\$82.36
334512	Lenel	STENTO-2809016000	Intercom	1600 Deluxe Tower, Additional Customer Information Required when ordering	\$5,197.24
334512	Lenel	STENTO-2809016002	Intercom	1600 tower w/mass notification option	\$12,702.97
334512	Lenel	TENTO-2809016002-JA	Intercom	US ORDERS ONLY: 1600 TOWER W/MASS. SPECIAL CUSTOM	\$12,172.09
334512	Lenel	STENTO-2809016004	Intercom	1600-04 Tower (OPT 4) w/ CCTV Mount Arm	\$6,549.14
334512	Lenel	STENTO-2809016006	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 2809016006	\$14,740.75
334512	Lenel	STENTO-2809016010	Intercom	1601 Econo Tower, Additional Customer Information Required when ordering	\$3,754.13
334512	Lenel	STENTO-2809016020	Intercom	1602 DeluxeWall, Additional Customer Information Required when ordering	\$2,122.23
334512	Lenel	STENTO-2809016020B	Intercom	1602ECONO WALL IN SAFETY BLUE	\$2,364.23
334512	Lenel	STENTO-2809016022	Intercom	1602 Deluxe Intercom stanchion w/Mass notification	\$4,124.09
334512	Lenel	TENTO-2809016022-JA	Intercom	US ORDERS ONLY: 1602 WALL W/ MASS. SPECIAL CUSTOM	\$3,899.83
334512	Lenel	STENTO-2809016029	Intercom	Deluxe Wall Unit-Slim	\$2,122.23
334512	Lenel	TENTO-2809016029-JA	Intercom	US ORDERS ONLY: DELUX WALL UNIT - SLIM. SPECIAL C	\$2,003.13
334512	Lenel	STENTO-2809016030	Intercom	1603 Econo Wall, Additional Customer Information Required when ordering	\$1,569.82
334512	Lenel	STENTO-2809016030B	Intercom	1603 ECONO WALL UNIT IN SAFETY BLUE	\$1,982.86
334512	Lenel	STENTO-2809016039	Intercom	Economy Wall Unit-Slim	\$1,571.08
334512	Lenel	STENTO-2809016040	Intercom	1604 72.INCH TOWER	\$3,754.13
334512	Lenel	STENTO-2809016100	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 2809016100	\$566.35
334512	Lenel	STENTO-2809016101	Intercom	PARKING DECK MOUNT KIT FOR 2809016000, 2809016002,	\$566.60
334512	Lenel	STENTO-2810020001	Intercom	Desk Stand, IP Flush Master	\$805.81
334512	Lenel	STENTO-2810020002	Intercom	Dual Desk Stand, IP Handset	\$636.04
334512	Lenel	STENTO-2810020004	Intercom	Desk Stand CRM-V Triple, Handset + Station + DAK48	\$572.69
334512	Lenel	STENTO-2810020005	Intercom	Desk Stand CRM-V Dual, Handset + Station	\$492.86
334512	Lenel	STENTO-2990000064	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 2990000064	\$803.28
334512	Lenel	STENTO-2990101120	Intercom	STENTO-2990101120 XP POWER SUPPLY 48VDC 120 WATT	\$245.80
334512	Lenel	STENTO-3005020033	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 3005020033	\$429.07
334512	Lenel	STENTO-3006100051	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 3006100051	\$245.80
334512	Lenel	STENTO-3006100088	Intercom	VML-1520Horn-20ohm15W	\$129.30
334512	Lenel	STENTO-3006202035	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:3006202035	\$1,481.13
334512	Lenel	STENTO-3006204094	Intercom	MP-114 SIP Gateway	\$822.28
334512	Lenel	STENTO-3006204099	Intercom	MP-118 SIP Gateway	\$2,744.07
334512	Lenel	STENTO-3006600012	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:3006600012	\$53.21
334512	Lenel	STENTO-555518073001	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 555518073001	\$954.05
334512	Lenel	STENTO-555519042901	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 555519042901	\$648.71
334512	Lenel	STENTO-9590030616	Intercom	STENTO-9590030616 ETP-EL 12/24DC LAMP STROBE	\$511.87
334512	Lenel	STENTO-95900306160	Intercom	ETP-EL 120VAC Lamp/Strobe	\$511.87
334512	Lenel	STENTO-95900306161	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT	\$143.17
334512	Lenel	STENTO-9590103900	Intercom	1039 Lamp Replacement Bulb	\$27.18
334512	Lenel	STENTO-9590103901	Intercom	1039 Strobe Replacement Flash	\$106.24

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	STENTO-9590160000	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 9590160000	\$116.56
334512	Lenel	STENTO-9590276800	Intercom	SPEAKER 2X3 WP-45 OHM	\$14.82
334512	Lenel	STENTO-9590603800	Intercom	6038 Circuit Board - US Versio	\$127.65
334512	Lenel	STENTO-9590620001	Intercom	Red Mushroom Button w/ DPDT	\$45.30
334512	Lenel	STENTO-9590629200	Intercom	SPEAKER 6292 SUBSTATION SPEAK	\$13.18
334512	Lenel	STENTO-9590629215	Intercom	629215 Louver Cover	\$34.59
334512	Lenel	STENTO-9590629401	Intercom	6294 switch assy w/clip ring	\$53.53
334512	Lenel	STENTO-9590630630	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 9590630630	\$9.06
334512	Lenel	STENTO-9590809710	Intercom	80971 Handset Adapter Pl	\$68.35
334512	Lenel	STENTO-9590962101	Intercom	9621 Surface Mount 2 Gang Junc	\$30.47
334512	Lenel	STENTO-9590967001	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 9590967001	\$18.12
334512	Lenel	STENTO-9600992003	Intercom	Din Rail	\$20.59
334512	Lenel	STENTO-9690225800	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 9690225800	\$0.60
334512	Lenel	STENTO-A100C07814	Intercom	Master Station Kit for DIS	\$1,049.20
334512	Lenel	STENTO-A100C08022	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: A100C08022	\$466.26
334512	Lenel	STENTO-A100D03201	Intercom	black handset receiver	\$135.06
334512	Lenel	STENTO-ACXE201202	Intercom	ALPHACOM XE20 FOR 19 RACK	\$11,437.23
334512	Lenel	STENTO-ACXE7360601	Intercom	AlphaCom XE7 Exchange-6	\$2,460.77
334512	Lenel	STENTO-ACXE7361202	Intercom	XE7-6 IP ST Lic & 1 ASLT	\$3,817.99
334512	Lenel	STENTO-ACXE7361803	Intercom	XE7 Audio Server Package	\$5,684.15
334512	Lenel	STENTO-ACXE7362404	Intercom	AlphaCom XE7 Exchange-24	\$7,550.32
334512	Lenel	STENTO-ACXE7363005	Intercom	Stentofon XE7 Audio Server Pkg	\$9,330.84
334512	Lenel	STENTO-ACXE7363606	Intercom	XE7 Audio Server Package	\$11,282.66
334512	Lenel	STENTO-AFXE26/138/02	Intercom	XE26 Audio Server Pack	\$15,354.30
334512	Lenel	STENTO-AFXE26/138/03	Intercom	XE26 Audio Server Pack	\$17,219.64
334512	Lenel	STENTO-AFXE26/138/04	Intercom	XE26 Audio Server Pack	\$21,036.80
334512	Lenel	STENTO-AFXE26/138/05	Intercom	XE26 Audio Server Pack	\$25,024.44
334512	Lenel	STENTO-AFXE26/138/10	Intercom	AlphaCom Intercom Exch	\$42,073.61
334512	Lenel	STENTO-AFXE26/138/12	Intercom	XE26 Audio Server Pack	\$48,944.50
334512	Lenel	STENTO-AFXE26/138/13	Intercom	XE26 Audio Server Pack	\$55,306.43
334512	Lenel	STENTO-AFXE26138012	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: AFXE26138012	\$15,354.80
334512	Lenel	STENTO-AFXE26138099	Intercom	AFXE26/138/096 XE26 Audio Server Pack	\$39,697.72
334512	Lenel	STENTO-C0060612-00	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100006061200	\$135.57
334512	Lenel	STENTO-C0060612-01	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 100006061201	\$497.93
334512	Lenel	STENTO-CQ120815-00	Intercom	STANCHION PEDISTAL UNIT: 100012081500	\$5,429.11
334512	Lenel	STENTO-CQ130123-00	Intercom	IP EXIGO HORN SPEAKER WITH CQ HANGING MIC: 1000130	\$1,006.00
334512	Lenel	STENTO-CQ131011-00	Intercom	IP Ceiling Speaker w mcphn:100013101100	\$943.79
334512	Lenel	STENTO-CQ140109-01	Intercom	Brackets to Mount Exigo IP Ce	\$35.84
334512	Lenel	STENTO-CQ140702-03	Intercom	CP-CAM Viewer 1 User :100014070203	\$220.81
334512	Lenel	STENTO-CQ150819-01	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: 10001508901	\$11,927.56
334512	Lenel	STENTO-CQ-151015-00	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: CQ-151015-00	\$226.79
334512	Lenel	STENTO-CQ160203-00	Intercom	TRUBINE ADAPTER PLATE FOR MICROSOFT REV. 2: 100016	\$172.31
334512	Lenel	STENTO-CQ170131-00	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:100017013100	\$1,070.62
334512	Lenel	STENTO-CQ170206-00	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:1000170206	\$115.30
334512	Lenel	STENTO-CQ170228-00	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT:100017022800	\$4,355.95
334512	Lenel	STENTO-ENAUD10100	Intercom	STENTOFON-ZENITEL SERIES EQUIPMENT: ENAUD10100	\$4.94
334512	Lenel	STENTO-LABOR003	Intercom	Labor on site	\$3,224.20
334512	Lenel	STENTO-LABOR007	Intercom	AMC board programming services	\$220.71
334512	Lenel	STENTO-LABOR020	Intercom	1-Day Off-site Training	\$366.16
334512	Lenel	STENTO-LABORSTD	Intercom	LABOR STANDARD SERVICES	\$195.12
334512	Lenel	STENTO-TV2KIT	Intercom	TURBINE VIDEO ENTRY KIT, WITH TCIV-2	\$1,930.91
334512	Lenel	STENTO-TV3KIT	Intercom	Turbine Video Entry Kit with TCIV-3	\$1,810.55
334512	Lenel	SUSDS-NES-32	SUSP	OnGuard User Direct Technical Support for 32ES/32ESI systems	\$629.72
334512	Lenel	SUSDS-NES-64	SUSP	OnGuard User Direct Technical Support for ADV & ADVI systems	\$1,385.39
334512	Lenel	SUSDS-NES-ENT	SUSP	OnGuard User Direct Technical Support for Enterprise customers	\$9,445.84
334512	Lenel	SUSDS-NES-ENT-LT	SUSP	OnGuard User Direct Technical Support for Enterprise Lite customers	\$5,667.51
334512	Lenel	SUSDS-NES-PRO	SUSP	OnGuard User Direct Technical Support for PRO & PROI systems	\$3,400.50
334512	Lenel	SUSDS-NES-VID	SUSP	OnGuard User Direct Technical Support for OG Video Only systems	\$125.94
334512	Lenel	SUSP-ADV-TR-1	SUSP	ADV SUSP PLAN - Tier 1: 64-128 Readers. Covers ADV / ADVI / IDADV Systems	\$1,235.78
334512	Lenel	SUSP-ADV-TR-2	SUSP	ADV SUSP PLAN - Tier 2: 129-192 Readers. Covers ADV / ADVI Systems	\$1,692.43
334512	Lenel	SUSP-ADV-TR-3	SUSP	ADV SUSP PLAN - Tier 3: 193-256 Readers. Covers ADV / ADVI Systems	\$2,149.87
334512	Lenel	SUSP-DV	SUSP	DV Channel SUSP PLAN; SW support for each single video channel licenses Includes LNVR / LDVR / HVR / Integrated SkyPoint Licenses; Integrated goVision channels, Integrated TruVision channels, OAAP channels and Integrated Prism Channels	\$12.59
334512	Lenel	SUSP-ENT-MAS	SUSP	Enterprise Master SUSP PLAN - Covers Enterprise Master Server	\$8,329.40
334512	Lenel	SUSP-ENT-REG-TR-1	SUSP	Enterprise Region SUSP PLAN - Tier 1: 128-256 Readers. Covers ENTREG1 Systems	\$3,385.65
334512	Lenel	SUSP-ENT-REG-TR-2	SUSP	Enterprise Region SUSP PLAN - Tier 2: 257-512 Readers. Covers ENTREG1 Systems	\$5,205.97
334512	Lenel	SUSP-ENT-REG-TR-3	SUSP	Enterprise Region SUSP PLAN - Tier 3: 513-1024 Readers. Covers ENTREG1 Systems	\$7,027.71
334512	Lenel	SUSP-ENT-REG-TR-4	SUSP	Enterprise Region SUSP PLAN - Tier 4: 1025-2048 Readers. Covers ENTREG1 Systems	\$10,671.96
334512	Lenel	SUSP-ENT-REG-TR-5	SUSP	Enterprise Region SUSP PLAN - Tier 5: 2049 or more Readers. Covers ENTREG1 Systems	\$15,617.13
334512	Lenel	SUSP-PRO-TR-1	SUSP	PRO SUSP PLAN - Tier 1: 128-256 Readers. Covers PRO / IDPRO / PROI Systems	\$3,385.65
334512	Lenel	SUSP-PRO-TR-2	SUSP	PRO SUSP PLAN - Tier 2: 257-512 Readers. Covers PRO / PROI Systems	\$5,205.97
334512	Lenel	SUSP-PRO-TR-3	SUSP	PRO SUSP PLAN - Tier 3: 513-1024 Readers. Covers PRO / PROI Systems	\$7,027.71
334512	Lenel	SUSP-PRO-TR-4	SUSP	PRO SUSP PLAN - Tier 4: 1025-2048 Readers. Covers PRO / PROI Systems	\$10,671.96
334512	Lenel	SUSP-PRO-TR-5	SUSP	PRO SUSP PLAN - Tier 5: 2049 or more Readers. Covers PRO / PROI Systems	\$15,617.13
334512	Lenel	SUSP-VO	SUSP	Video Only SUSP PLAN - SW support for Video Only Systems [SWS-DV purchases] SUSP-DV required for QTY of cameras on Video Only System.	\$66.01
334512	Lenel	SUSP-W-ENT-MAS-LT	SUSP	Enterprise Master Lite SUSP PLAN: covers up to 64 readers	\$4,034.26
334512	Lenel	SUSP-W-ENT-REG-LT	SUSP	Enterprise Region Lite SUSP PLAN: covers up to 64 readers	\$2,059.89
334512	Lenel	SUSP-W-ENT-REG-SM	SUSP	Enterprise Region Small SUSP PLAN: covers up to 32 readers	\$322.36
334512	Lenel	SUSP-W-ES	SUSP	32ES SUSP PLAN. Covers 32ES, 32ESI, IDES Systems	\$128.21
334512	Lenel	SWC-32ES	OnGuard Access Control	OnGuard 32ES Client Software License - OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer and Login Driver. (Use PC CONFIGURATION #6E)	\$200.25
334512	Lenel	SWC-32ESI	OnGuard Access Control	OnGuard 32ESI Client Software License - OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder Image Export and Enhanced Imaging Option (Chromakey and Ghosting. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #6E)	\$547.86
334512	Lenel	SWC-ADV	OnGuard Access Control	OnGuard ADV Client Software License - OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer and Login Driver. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #6E)	\$2,191.44
334512	Lenel	SWC-ADVI	OnGuard Access Control	OnGuard ADVI Client Software License - OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder Image Export and Enhanced Imaging Option (Chromakey and Ghosting. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #6E)	\$5,055.68
334220	Lenel	SWC-DV	OnGuard Video	OnGuard Video Client Software License - includes a single digital video client software for any client workstation.	\$875.31
334220	Lenel	SWC-DV-10	OnGuard Video	OnGuard Video Client Software License (Qty 10) - includes ten concurrent digital video client software licenses for any client workstation.	\$7,934.51
334220	Lenel	SWC-DV-25	OnGuard Video	OnGuard Video Client Software License (Qty 25) - includes twenty-five digital video client software licenses for any client workstation.	\$17,632.24
334220	Lenel	SWC-DV-5	OnGuard Video	OnGuard Video Client Software License (Qty 5) - includes five concurrent digital video client software licenses for any client workstation.	\$4,219.14
334512	Lenel	SWC-IDADV	OnGuard Access Control	OnGuard IDADV Client Software License - OnGuard Client software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Enhanced Imaging Option (Chromakey and Ghosting) and Login Driver. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #6E)	\$2,650.72

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	SWC-IDES	OnGuard Access Control	OnGuard IDES Client Software License – OnGuard Client software license includes: ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Enhanced Imaging Option (Chromakey and Ghosting) and Login Driver. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #6E)	\$392.95
334290L	Lenel	SWC-MOB-IDNH	OnGuard Access Control	Mobile Badging (Distributed Id) Station Client System Software License – support mobile badging functionality using a local (replicated) cardholder database. OnGuard Client software licenses includes: Replication Administration; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder Image Export and Enhanced Imaging Option (Chromakey and Ghosting).	\$2,746.86
334512	Lenel	SWC-VIEW10	OnGuard Access Control	View Client Workstation Software License - 10 License Pack (*)	\$5,863.98
334512	Lenel	SWC-VIEW100	OnGuard Access Control	View Client Workstation Software License - 100 License Pack (*)	\$32,591.94
334512	Lenel	SWC-VIEW1ADV	OnGuard Access Control	View Client Workstation Software License - Single License Pack (*)	\$978.59
334512	Lenel	SWC-VIEW1ES	OnGuard Access Control	View Client Workstation Software License - Single License Pack	\$196.47
334512	Lenel	SWC-VIEW25	OnGuard Access Control	View Client Workstation Software License - 25 License Pack (*)	\$13,035.26
334512	Lenel	SWC-VIEW5	OnGuard Access Control	View Client Workstation Software License - 5 License Pack (*)	\$3,260.70
334512	Lenel	SWC-VIEW50	OnGuard Access Control	View Client Workstation Software License - 50 License Pack (*)	\$22,813.60
334220	Lenel	SW-DVR2NVR-CH1	OnGuard Video	DVR to NVR Channel Conversion – Single channel conversion of Lenel DVR licenses (DV-CH-XXX) to Lenel NVR licenses (SW-LNR-CH1) for end users moving from away from Lenel DVR [analog recorders]. This part will convert 1 channel from DVR to LNVR allowing it to be used for an IP camera or a Hybrid recorder.	\$94.46
334512	Lenel	SWG-1120	OnGuard Access Control	OnGuard Mustering Software Option	\$1,302.52
334512	Lenel	SWG-1140	OnGuard Access Control	DataConduIT includes one connection license, supporting documentation and scripting examples	\$3,234.83
334512	Lenel	SWG-1210	OnGuard Access Control	OnGuard FormsDesigner (User definable Fields)	\$1,949.62
334512	Lenel	SWG-1225	OnGuard Access Control	DataExchange – Global Data Import/Export Utility	\$4,889.17
334512	Lenel	SWG-1240	OnGuard Access Control	Database Segmentation [included with all Regional and Master server licenses]	\$3,906.80
334512	Lenel	SWG-1250	OnGuard Access Control	Automatic Alarm Export, provides an output text file for configured alarms. The text file can be pulled into a third party application to report on alarm conditions	\$646.10
334512	Lenel	SWG-1290	OnGuard Access Control	Oracle Support for PRO based servers only	\$6,513.85
334512	Lenel	SWG-1293	OnGuard Access Control	Oracle Support for Enterprise Regional Server only [ENTERPRISE ONLY]	\$11,727.96
334512	Lenel	SWG-1295	OnGuard Access Control	Oracle Support for Enterprise Master Servers [ENTERPRISE ONLY]	\$13,027.71
334512	Lenel	SWG-1330	OnGuard Access Control	Multiple instances of Alarm Event Monitoring on a single client workstation - This license bit allows the customer to run multiple instances of Alarm Monitoring on the same workstation. Its purpose is to allow customers to take advantage of having separate instances of Alarm Monitoring running on multiple client machines. The customer can then use these instances to monitor separate monitor zones within the same system [database] or to monitor zones within the same Enterprise system but different regional databases. [each Alarm Monitoring instance uses an additional client] Note: Multi-regional monitoring is available in OnGuard 6.0 and higher without this license option. Multi-Regional monitoring is not Multiple instances of Alarm Monitoring; it instead allows for monitor zones to be created via Alarm Monitoring to monitor other regions.	\$2,599.50
334512	Lenel	SWG-1340	OnGuard Access Control	Intercom Communication Interface for OnGuard- check compatibility chart for intercom systems	\$1,295.97
334512	Lenel	SWG-1350	OnGuard Access Control	Fire Alarm Panel Comm Interface for OnGuard- check compatibility chart for panel support	\$1,302.52
334512	Lenel	SWG-1355	OnGuard Access Control	Visonic Technologies SLC-5 – Communications device driver per SLC-5 controller (includes 255 bus transmitters) (requires SWS-VSA)	\$646.10
334512	Lenel	SWG-1360	OnGuard Access Control	OnGuard support for Remote Desktop Protocol; Citrix Support [see compatability chart for versions] and Terminal Services for 32ES, ADV, and PRO Level solutions [DOES NOT INCLUDE CITRIX]	\$2,599.50
334512	Lenel	SWG-1370	OnGuard Access Control	OnGuard support for Remote Desktop Protocol; Citrix Support [see compatability chart for versions] and Terminal Services for any Enterprise level solutions [DOES NOT INCLUDE CITRIX]	\$5,206.55
334512	Lenel	SWG-1400	OnGuard Access Control	OnGuard RSI Hand Geometry Interface Global Software Option for OnGuard - for ID3D, Handkey CR and Handkey II Readers (LNL-500B required but has limited stock available).	\$3,253.15
334512	Lenel	SWG-1402	OnGuard Access Control	Bioscript and Integrated Engineering interface for Fingerprint authentication option	\$3,253.15
334290L	Lenel	SWG-1407	OnGuard Access Control	CrossMatch/Sagem-Morpho - Fingerprint Capture. Captures 500PPI images, ANSI378 templates, and Idemia-Morpho PKCOMP templates (also for OSDP panel-based biometrics and legacy Lenel/HID bioCLASS support)	\$3,271.40
334512	Lenel	SWG-1410	OnGuard Access Control	Central Station Receiver Interface – communication software for central station receivers, must order one SWG-1410 for each receiver. Check compatibility chart for central station receivers	\$3,253.41
334512	Lenel	SWG-1411	OnGuard Access Control	Only lock integration license - License is needed for every lock that is integrated with OnGuard. Locks with a KTDL includes the license with the lock price.	\$4.57
334512	Lenel	SWG-1415	OnGuard Access Control	Suprema/EnterTech SW interface for biometric fingerprint authentication option [Includes DataConduIT - SWG-1140]	\$3,234.83
334512	Lenel	SWG-1440	OnGuard Access Control	Oracle Support for ADV based servers only	\$1,564.23
334512	Lenel	SWG-1450	OnGuard Access Control	Intrusion Panel Support Option (per panel) - check compatibility chart for panel support	\$169.24
334290L	Lenel	SWG-1450-3	OnGuard Access Control	DMP Intrusion Panel Support Option (per panel) - check compatibility chart for panel support. Note: This is an OAAP Addon provided by Custom Solutions. The addon must be downloaded.	\$612.50
334512	Lenel	SWG-1460-1	OnGuard Access Control	OPC Data Access Server Allows external OPC client access to OnGuard data sources. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	\$3,234.83
334512	Lenel	SWG-1460-2	OnGuard Access Control	OPC Alarms and Events Server Allows external OPC clients to view OnGuard Alarms and Events. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	\$3,234.83
334512	Lenel	SWG-1465	OnGuard Access Control	OPC Client Option Allows all OnGuard Alarm Monitoring workstations to accept alarms and events from external OPC servers that comply with the industry OPC standard for alarms and events. This option allows for unlimited 3rd party OPC server connections to OnGuard. This option does not require DataConduIT.	\$1,656.93
334512	Lenel	SWG-1475	OnGuard Access Control	INTELLI-CHECK Software communications interface option per unit option	\$392.95
334512	Lenel	SWG-1476	OnGuard Access Control	OnGuard CSSN Scanner Option. For support of CSS-800 and 1000 series scanners. One license is required per scanner.	\$392.95
334512	Lenel	SWG-1480	OnGuard Access Control	OnGuard SNMP Manager software support option is for applications that run from a monitoring center and used to monitor a number of SNMP agents. This option does not require DataConduIT.	\$1,656.93
334512	Lenel	SWG-1485	OnGuard Access Control	OnGuard SNMP Agent with message queue option supports a single hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	\$3,234.83
334512	Lenel	SWG-1485-5	OnGuard Access Control	OnGuard SNMP Agent with message queue option supports five hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	\$6,477.12
334512	Lenel	SWG-1490	OnGuard Access Control	HID Custom Key Generator Software Option – includes the ability to create site specific custom iCLASS/MIFARE keys for customer cards encoded with HID Access Control or HID MIFARE applications, it also includes the ability to create HID Corporate 1000 site specific formats. This is a per card encoding cost. (note – this option requires either a standalone HID Programmer or an inline HID programmer unit from Lenel)	\$0.32
334512	Lenel	SWG-1500	OnGuard Access Control	Card Management Server Option (Required for ActivIdentity Server integration) – Select the number of Certificates that will be linked between OnGuard and ActivIdentity	\$2,607.06
334290L	Lenel	SWG-1550	OnGuard Access Control	FIPS 201 Credential Management Integration, to enable support for integrated enrollment and authenticated reader management within OnGuard. FICAM Certified in conjunction with HID pivCLASS and Technology Industries EntryPoint Software and supported devices (sold separately). Consult your Lenel representative for details.	\$3,801.01
334512	Lenel	SWG-1600	OnGuard Access Control	Barco Wall Integration (per Video Stream)	\$196.47
334512	Lenel	SWG-1610	OnGuard Access Control	Seamless Elevator Entry Devices - Integration to Elevator Destination Systems (applicable to Otis Compass V1/V2/V3 and OAAP Partners) One license is required for each Elevator Dispatching Controller to be configured. For Otis Compass; each DES/DER controller needs a license. Otis Compass V1/V2 support is available with OnGuard 6.5 and newer; V3 requires OnGuard 6.6 SP2 or higher. Call for support on Older OnGuard Versions. For OAAP Partners; please reference the OAAP webpage for specific licenses required.	\$6,513.85
334290L	Lenel	SWG-1640	OnGuard Access Control	Enable Support for Bilingual DLL in OnGuard Allows OnGuard to directly communicate with Honeywell PW5000 & PW 6000 type access control platforms. A license required for OnGuard Server/Regional Server that needs to communicate to Honeywell panels.	\$13,107.14
334512	Lenel	SWG-1800-N-PL	OnGuard Access Control	Partner Access Device License for ANY electronic locks NOT PURCHASED through Lenel and attached to an OnGuard system [REQUIRED license for all Third Party Locks][one license per lock]	\$98.24
334512	Lenel	SWG-AMADV-8	OnGuard Access Control	OnGuard ADV Asset Software License Option – includes asset control software license for 64ADV and 64ADVI software products.	\$6,513.85
334512	Lenel	SWG-AMENT-8	OnGuard Access Control	OnGuard Regional Asset Software License Option – includes asset control software license for Enterprise Regional software products.	\$13,027.71
334512	Lenel	SWG-AMES-8	OnGuard Access Control	OnGuard ES Asset Software License Option – includes asset control software license for 32ES and 32 ESI software products.	\$1,295.97
334512	Lenel	SWG-AMPRO-8	OnGuard Access Control	OnGuard PRO Asset Software License Option – includes asset control software license for PRO and PROI software products.	\$13,027.71

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334290L	Lenel	SWG-AUTH-002	OnGuard Access Control	License to enable two (2) Authenticating readers in OnGuard. This option requires SWG-1550, along with appropriate HID pivCLASS or Technology Industries EntryPoint software and suitable readers, controllers, and additional hardware and software to create a FIPS-201 FICAM compliant solution. Consult your Lenel representative for details.	\$120.37
334290L	Lenel	SWG-BAS-G-N	OnGuard Access Control	Best Access Series G Lock License for locks NOT PURCHASED through Lenel and attached to an OnGuard System. [REQUIRED one license per lock]	\$98.83
334290L	Lenel	SWG-BAS-V-N	OnGuard Access Control	Best Access Series V Lock License for locks NOT PURCHASED through Lenel and attached to an OnGuard System. [REQUIRED one license per lock]	\$98.83
334220	Lenel	SWG-DV	OnGuard Video	OnGuard Digital Video Enabler. This option should be included if you already have purchased an OnGuard Access Control system and wish to turn on digital video. This license activates the digital video tab to show up in OnGuard so you can use IP - Analog or hybrid recorders and cameras in OnGuard. Also increments SWC-DVxxx license by one giving you one client of Digital Video included.	\$503.78
334512	Lenel	SWG-IRIS	OnGuard Access Control	IrisAccess Software Interface option for OnGuard ES, ADV and PRO Solutions	\$3,259.68
334512	Lenel	SWG-IRIS-ENT	OnGuard Access Control	IrisAccess Software Interface option for OnGuard ENT Solutions. This license is required for each region in which LG Iris templates will be enrolled.	\$4,560.59
334512	Lenel	SWG-OITVM	OnGuard Access Control	DataConduit Visitor Management API – includes documentation and scripting examples for visitor management. [see OAAP page for integrations www.lenel.com/oaap]	\$3,234.83
334512	Lenel	SWG-OITVM-10	OnGuard Access Control	DataConduit Visitor Client support for 10 clients	\$3,234.83
334512	Lenel	SWG-OITVM-25	OnGuard Access Control	DataConduit Visitor Client support for 25 clients	\$6,547.60
334512	Lenel	SWG-OITVM-5	OnGuard Access Control	DataConduit Visitor Client support for 5 clients	\$1,851.39
334512	Lenel	SWG-OITVM-50	OnGuard Access Control	DataConduit Visitor Client support for 50 clients	\$9,778.34
334512	Lenel	SWG-RAM1	OnGuard Access Control	OnGuard Area Access Manager software license for any OnGuard servers – includes 1 concurrent user license.	\$653.66
334512	Lenel	SWG-RAM10	OnGuard Access Control	OnGuard Area Access Manager software license for ADV or PRO servers – includes up to 10 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES))	\$5,214.10
334512	Lenel	SWG-RAM100	OnGuard Access Control	OnGuard Area Access Manager software license for PRO servers – includes up to 100 concurrent user (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES))	\$21,509.39
334512	Lenel	SWG-RAM25	OnGuard Access Control	OnGuard Area Access Manager software license for PRO servers – includes up to 25 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES))	\$10,428.21
334512	Lenel	SWG-RAM5	OnGuard Access Control	OnGuard Area Access Manager software license for any OnGuard Server – includes up to 5 concurrent user licenses.	\$2,931.99
334512	Lenel	SWG-RAM50	OnGuard Access Control	OnGuard Area Access Manager software license for PRO servers – includes up to 50 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES))	\$15,642.32
334290L	Lenel	SWG-WIQ-001-N	OnGuard Access Control	Best Access WiQ Lock Integration License for one (1) lock NOT PURCHASED through Lenel and attached to an OnGuard System. [REQUIRED one license per lock]	\$101.36
334220	Lenel	SW-LNR-CH1	OnGuard Video	Lenel Network Video Recorder Software - Includes a single channel software license for one IP/Network based camera channel to be used with either a customer provided PC or adding on to a turnkey system. The customer provided PC must meet or exceed the Minimum DVC-EX PC Configuration requirements listed above (maximum of 63 IP/network channels per recorder based on video resolution, framerate, quality and processing options being utilized)	\$188.92
334512	Lenel	SWS-32ES	OnGuard Access Control	OnGuard 32ES Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 32 card access readers and first year support plan for new systems. (Use PC CONFIGURATION #3D)	\$646.10
334512	Lenel	SWS-32ESI	OnGuard Access Control	OnGuard 32ESI Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 32 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #3D)	\$1,666.10
334512	Lenel	SWS-ADV	OnGuard Access Control	OnGuard ADV Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #3D)	\$2,731.48
334512	Lenel	SWS-ADVI	OnGuard Access Control	OnGuard ADVI Server Software License- OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #3D)	\$6,642.06
334512	Lenel	SWS-ADVI-REDU	OnGuard Access Control	OnGuard ADVI Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D) (FOR Redundant Primary and Server Must be PC CONFIGURATION #5D)	\$6,642.06
334512	Lenel	SWS-ADV-REDU	OnGuard Access Control	OnGuard ADV Redundant Server Software License – OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D) (FOR Redundancy Primary Server and Secondary Server must be PC CONFIGURATION #5D)	\$2,731.48
334220	Lenel	SWS-DV	OnGuard Video	OnGuard Video Security Server Software License on CD – include this part number if you want stand-alone video system. Includes OnGuard digital video server software license, system administration for video, communication server for video, alarm monitoring for video, a single OnGuard digital video client license, flexnet softkey and first year support plan SUSP-W-VO. (USE CONFIGURATION #3D)	\$503.78
334512	Lenel	SWS-ENTMAS1	OnGuard Access Control	OnGuard Enterprise Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting); support for up to 10 Regions and first year support plan for new systems. MUST BE SENT TO LENEL FOR CONFIGURATION (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$39,097.98
334512	Lenel	SWS-ENTMAS1-REDU	OnGuard Access Control	OnGuard Enterprise Master Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting); support for up to 10 Regions and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$39,036.57
334512	Lenel	SWS-ENTMAS2	OnGuard Access Control	Additional Regional Server Licenses for ENTMAS1 Master Servers - Allows for an additional 10 regions to be added to the Enterprise Master.[MAX of 1 purchase before Professional Engineering Services needs to be engaged about your system]	\$24,763.48
334512	Lenel	SWS-ENTMAS-LT	OnGuard Access Control	OnGuard Enterprise Lite Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting); support for up to 8 Regions and first year support plan for new systems. NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT. MUST BE SENT TO LENEL FOR CONFIGURATION (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$22,156.17

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	SWS-ENTMAS-LT-REDU	OnGuard Access Control	OnGuard Enterprise Master Lite Redundant Server Software License – OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting); support for up to 8 Regions and first year support plan for new systems. NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$22,117.76
334512	Lenel	SWS-ENTREG1	OnGuard Access Control	OnGuard Regional Dedicated Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems.(SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$20,849.13
334512	Lenel	SWS-ENTREG1-REDU	OnGuard Access Control	OnGuard Regional Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$20,816.07
334512	Lenel	SWS-ENTREG-LT	OnGuard Access Control	OnGuard Regional Lite Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$14,335.01
334512	Lenel	SWS-ENTREG-LT-REDU	OnGuard Access Control	OnGuard Enterprise Regional Lite Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$14,309.19
334512	Lenel	SWS-ENTREG-SM	OnGuard Access Control	OnGuard Regional SM [small] Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 16 card access readers [optional 16 reader upgrade available]; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #3D)	\$3,906.54
334512	Lenel	SWS-ENTREG-SM-REDU	OnGuard Access Control	OnGuard Enterprise Regional SM Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 16 card access readers [optional 16 reader upgrade available]; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$3,897.78
334512	Lenel	SWS-IDADV	OnGuard Access Control	OnGuard IDADV Server Software – OnGuard Server software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #3D)	\$3,117.18
334512	Lenel	SWS-IDES	OnGuard Access Control	OnGuard IDES Server Software – OnGuard Server software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #3D)	\$1,050.12
334512	Lenel	SWS-IDPRO	OnGuard Access Control	OnGuard IDPRO Server Software License – OnGuard Server software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$11,070.53
334220	Lenel	SWS-LAS	OnGuard Video	Lenel Archive Server License – One archive server license is required per storage library or storage server vault configuration. (When using tape libraries you must have a three internal hard drives)	\$6,513.85
334512	Lenel	SWS-MASLT2	OnGuard Access Control	Additional Regional Server Licenses for ENTMAS-LT Master Servers - Allows for 8 additional regions (16 total) to be added to the Enterprise Master (ENTMAS-LT only)(MAX OF 1 Purchase for ENTMAS-LT systems)	\$11,727.96
334512	Lenel	SWS-PRO	OnGuard Access Control	OnGuard PRO Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$11,070.79
334512	Lenel	SWS-PROI	OnGuard Access Control	OnGuard PROI Server Software License – OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #5D)	\$17,720.66
334512	Lenel	SWS-PROI-REDU	OnGuard Access Control	OnGuard PROI Redundant Server Software License – OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromakey and Ghosting) and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$17,720.41
334512	Lenel	SWS-PRO-REDU	OnGuard Access Control	OnGuard PRO Redundant Server Software License – OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 card access readers and first year support plan for new systems. (does not bump existing SUSP) (Use PC CONFIGURATION #5D - MUST BE USED IN CONJUNCTION WITH EQUAL LEVEL PRIMARY SERVER)	\$11,070.53
334512	Lenel	SWS-VSA	OnGuard Access Control	OnGuard Alert Management Software License – includes global server software license for the Visonic communications interface (Requires SWG-1355 per SLC-5)	\$1,294.67
334512	Lenel	TSS-ESP-64	SUSP	Emergency Technical Support for ADV or ADVI systems	\$2,557.06
334512	Lenel	TSS-ESP-ENT	SUSP	Emergency Technical Support for Enterprise systems with three or more regions	\$13,170.11
334512	Lenel	TSS-ESP-ENT-LT	SUSP	Emergency Technical Support for Enterprise Lite systems or Enterprise systems with two regions or less	\$10,314.52
334512	Lenel	TSS-ESP-PRO	SUSP	Emergency Technical Support for PRO or PROI systems	\$5,850.23
334512	Lenel	TSS-HRLY-1	SUSP	First hourly per incident rate for uncertified VAR callers and sites without valid Annual Software Upgrade and Support Plan.	\$251.89
334512	Lenel	UPC-3232I	Upgrades	OnGuard 32ES to OnGuard 32ESI [when using UPS-3232I]	\$627.20
334512	Lenel	UPC-32ADV	Upgrades	OnGuard 32ES to OnGuard ADV [when using UPS-3264I]	\$1,915.62
334512	Lenel	UPC-32ADV1	Upgrades	OnGuard 32ESI to OnGuard ADV1 [when using UPS-3264I]	\$4,579.35
334512	Lenel	UPC-ADV1	Upgrades	OnGuard ADV to OnGuard ADV1 [when using UPS-6464I]	\$3,283.38
334512	Lenel	UPC-ID32I	Upgrades	OnGuard IDES to OnGuard 32ESI [when using UPS-ID32I]	\$313.60
334512	Lenel	UPC-IDADV1	Upgrades	OnGuard IDADV to OnGuard ADV1 [when using UPS-ID64I]	\$2,191.44

BW Electric Inc. dba BW Systems
GSA Schedule Pricing

SIN	Manufacturer Name	Manufacturer Part Number	Product Name	Description	GSA Net Price
334512	Lenel	UPC-IDESIDADV	Upgrades	OnGuard IDES to OnGuard IDADV [when using UPS-IDESADV]	\$2,697.73
334290L	Lenel	UPC-OCBE2OCBA	Upgrades	Upgrade OCB-A-ES-1 to OCB-A-ADV-1 when upgrading from 32ES to ADV OnGuard system. One required for each existing OCB-A-ES-1 license	\$2,331.28
334290L	Lenel	UPC-OCBE2OCBP	Upgrades	Upgrade OCB-A-ES-1 to OCB-A-PROENT-1 when upgrading from 32ES to PRO or ENT OnGuard system. One required for each existing OCB-A-ES-1 license	\$2,331.28
334512	Lenel	UPS-3232I	Upgrades	OnGuard 32ES to OnGuard 32ESI	\$1,212.85
334512	Lenel	UPS-3264	Upgrades	OnGuard 32ES to OnGuard ADV	\$2,399.24
334512	Lenel	UPS-3264I	Upgrades	OnGuard 32ESI to OnGuard ADVI	\$5,879.09
334512	Lenel	UPS-6464I	Upgrades	OnGuard ADV to OnGuard ADVI	\$4,692.70
334512	Lenel	UPS-64PRO	Upgrades	OnGuard ADV to OnGuard PRO	\$10,163.73
334512	Lenel	UPS-64PROI	Upgrades	OnGuard ADVI to OnGuard PROI	\$13,443.32
334512	Lenel	UPS-ID32I	Upgrades	OnGuard IDES to OnGuard 32ESI	\$729.22
334512	Lenel	UPS-ID64I	Upgrades	OnGuard IDADV to OnGuard ADVI	\$4,224.18
334512	Lenel	UPS-IDESADV	Upgrades	OnGuard IDES to OnGuard IDADV	\$2,384.13
334512	Lenel	UPS-IDPRO	Upgrades	OnGuard IDADV to OnGuard IDPRO	\$9,687.66
334512	Lenel	UPS-IDPROI	Upgrades	OnGuard IDPRO to OnGuard PROI	\$7,979.85
334512	Lenel	UPS-LTMS1	Upgrades	Enterprise Master Lite server to Enterprise Master Server	\$20,335.01
334512	Lenel	UPS-LTREG1	Upgrades	Enterprise Regional Lite server to Enterprise Regional Server	\$7,821.16
334512	Lenel	UPS-PROI	Upgrades	OnGuard PRO to OnGuard PROI	\$7,979.85
334512	Lenel	UPS-SMREG	Upgrades	Enterprise Regional SM server to Enterprise Regional Lite Server	\$12,513.85
334220	Lenel	VDC-DS4316HWIE	OnGuard Video	16-Channel BNC H.264 Video Encoder Card, PCI-Express x1	\$440.81
334512	Lenel	WPR400-KP	Electro-Mechanical Locks	Keypad Only Reader, battery-operated handheld unit	\$836.09
334512	Lenel	WPR400-MG	Electro-Mechanical Locks	Magnetic Stripe Reader [insert]; battery-operated handheld unit	\$889.06
334512	Lenel	WPR400-MGK	Electro-Mechanical Locks	Magnetic Stripe Reader [insert] and Keypad; battery-operated handheld unit	\$919.34
334512	Lenel	WPR400-MT	Electro-Mechanical Locks	Multi-Technology Reader; battery-operated handheld unit	\$1,243.66
334512	Lenel	WPR400-MTK	Electro-Mechanical Locks	Multi-Technology Reader with keypad; battery-operated handheld unit	\$1,314.36
334512	Lenel	Z91-000C0000US00	Photo ID Equipment	ZEBRA ZXP SERIES 9 RETRANSFER SINGLE-SIDED CARD PRINTER, USB AND ETHERNET CONNECTIVITY, US POWER CORD	\$3,306.88
334512	Lenel	Z91-0M0C0000US00	Photo ID Equipment	ZEBRA ZXP SERIES 9 RETRANSFER SINGLE-SIDED CARD PRINTER, MAGNETIC ENCODER, USB AND ETHERNET CONNECTIVITY, US POWER CORD	\$3,702.18
334512	Lenel	Z92-000C0000US00	Photo ID Equipment	Zebra ZXP Series 9 Retransfer Dual-Sided Card Printer, USB and Ethernet Connectivity, US Power Cord	\$4,134.23
334512	Lenel	Z92-0M0C0000US00	Photo ID Equipment	Zebra ZXP Series 9 Retransfer Dual-Sided Card Printer, Magnetic Encoder, USB and Ethernet Connectivity, US Power Cord	\$4,529.53
334512	Lenel	ZXP-105999-302	Photo ID Equipment	ZXP Series 3 - Cleaning Kit; includes 4 print engine cleaning cards and 4 feeder cleaning cards [enough for 4,000 prints]	\$31.68
334512	Lenel	ZXP1-105999-101	Photo ID Equipment	Zebra ZXP Series 1, Cleaning Kit, 4 print engine cleaning cards and 4 feeder cleaning cards (1000 prints/card)	\$31.68
334512	Lenel	ZXP1-800011-101	Photo ID Equipment	Zebra Load-N-Go monochrome ribbon for ZXP Series 1 Black	\$26.61
334512	Lenel	ZXP1-800011-140	Photo ID Equipment	Zebra Load-N-Go color ribbon for ZXP Series 1 YMCKO	\$38.01
334512	Lenel	ZXP7-105999-701	Photo ID Equipment	Zebra ZXP Series 7 Print Station Cleaning Kit (Includes 12 feeder and print path cleaning cards for 60,000 prints)	\$111.50
334512	Lenel	ZXP7-105999-704	Photo ID Equipment	Zebra ZXP Series 7 Print Station and Laminator Cleaning Kit (Includes 12 feeder; print path and laminator cleaning cards; 12 cleaning swabs; and 3 adhesive cleaning cards for 60,000 prints)	\$174.85
334512	Lenel	ZXP7-800077-701	Photo ID Equipment	ZXP Series 7 - ix Series monochrome ribbon for ZXP Series 7 Back; 2500 prints per roll	\$35.48
334512	Lenel	ZXP7-800077-740	Photo ID Equipment	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKO; 250 prints per roll	\$82.36
334512	Lenel	ZXP7-800077-742	Photo ID Equipment	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKO; 750 prints per roll	\$202.72
334512	Lenel	ZXP7-800077-748	Photo ID Equipment	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKOK; 250 prints per roll	\$108.96
334512	Lenel	ZXP7-800077-749	Photo ID Equipment	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKOK; 750 prints per roll	\$278.74
334512	Lenel	ZXP7-800077-770	Photo ID Equipment	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCUVK; 750 prints per roll	\$335.76
334512	Lenel	ZXP7-800085-912	Photo ID Equipment	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Bottom; Mag Stripe; 750 prints per roll	\$125.43
334512	Lenel	ZXP7-800085-913	Photo ID Equipment	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Top; Smart Card; 750 prints per roll	\$129.23
334512	Lenel	ZXP7-800085-914	Photo ID Equipment	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Top; Full Clear; 750 prints per roll	\$102.63
334512	Lenel	ZXP7-800085-918	Photo ID Equipment	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Bottom; Full Clear; 750 prints per roll	\$102.63