

**ABSTON MACHINE SHOP INC**

Vance Mfg div.

1266 ARDMORE HWY

TAFT TN 38488

[abstonmach@hughes.net](mailto:abstonmach@hughes.net)

Phone: 931-425-6400

Fax: 931-425-6872

**GENERAL SERVICES ADMINISTRATION**  
**FEDERAL SUPPLY SERVICE**  
**AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICELIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address GSA Advantage! is: [www.fss.gsa.gov](http://www.fss.gsa.gov).

***Federal Supply Schedule 084***

*Total Solutions for Law Enforcement, Security, Facility Management Systems, Fire, Rescue, Special Purpose Clothing, Marine Craft and Emergency/Disaster Response*

**Federal Supply Group:** 84-Marine Craft & Equipment  
**FS Class:** 19  
**Contract Number:** GS-07F-233BA

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at <http://www.fss.gsa.gov>

**Contract Period:** June 16, 2014 through June 15, 2019

**Contractor:** **ABSTON MACHINE SHOP, INC**  
1266 Ardmore Hwy  
Taft, TN 38488  
**Phone:** (931)425-6400  
**Fax:** (931)425-6872  
**Website:** [www.vancemfg.com](http://www.vancemfg.com)

**Contract Administrator:** David Vance  
**Phone:** (931)425-6400  
**E-mail:** [davidevance@abstonmachine.com](mailto:davidevance@abstonmachine.com)

**Size:** Small Business  
Woman Owned Business

**Duns#:** 004401774

**GS-07F-233BA**

**ABSTON MACHINE SHOP INC**  
Vance Mfg div.  
1266 ARDMORE HWY  
TAFT TN 38488  
[abstonmach@hughes.net](mailto:abstonmach@hughes.net)  
Phone: 931-425-6400  
Fax: 931-425-6872

## CUSTOMER INFORMATION

**1a. Awarded Special Item Number(s):**  
**Special Item Number (SIN) Descriptions Pricing**

260-09            Inboard and Outboard Engines, Marine Diesel Propulsion Engines  
(Ranging in Horsepower from 150-4,000)

**1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract:** See attached page

**1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles with experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided:** Not Applicable.

**2. Maximum Order:** \$315,000.00

**3. Minimum Order:** \$100.00

**4. Geographic Coverage:** Domestic Only

**5. Point of Production:** USA

**6. Basic Discount:** 4%

**7. Quantity Discount:** 1% for order \$ 50,000 or more  
2% for order \$100,000 or more

**8. Prompt payment terms:** 1/2 % 10 days, Net 30

\*Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

9a. Government purchase cards **are accepted** below and above the micro-purchase threshold.

**10. Foreign items:** None

**GS-07F-233BA**

**ABSTON MACHINE SHOP INC****Vance Mfg div.****1266 ARDMORE HWY****TAFT TN 38488****[abstonmach@hughes.net](mailto:abstonmach@hughes.net)****Phone: 931-425-6400****Fax: 931-425-6872****11a. Time of Delivery:** 90 Days ARO**11b. Expedited Delivery:** Negotiated on case by case basis**11c. Overnight/2-Day Delivery:** Contact Contractor**11d. Urgent Requirements:** Contact Contractor**12. FOB point:** Origin**13. Ordering Address:** ABSTON MACHINE SHOP, INC  
1266 Ardmore Hwy  
Taft, TN 38488**14. Payment Address:** ABSTON MACHINE SHOP, INC  
1266 Ardmore Hwy  
Taft, TN 38488**15. Warranty Provision:** Standard Commercial Warranty**16. Export Packing Charges:** Not Applicable**17. Terms and Conditions of Government Purchase Card Acceptance:** All Amounts**18. Terms and Conditions of rental, maintenance, and repair:** Not Applicable**19. Terms and Conditions of installation:** None**20. Terms and Conditions of repair parts:** Not Applicable**20a. Terms and Conditions for any other services:** Not Applicable**21. List of service and distribution points:** None**22. List of participating dealers:** None**23. Preventive maintenance:** Not Applicable**GS-07F-233BA**

**ABSTON MACHINE SHOP INC**

Vance Mfg div.

1266 ARDMORE HWY

TAFT TN 38488

[abstonmach@hughes.net](mailto:abstonmach@hughes.net)

Phone: 931-425-6400

Fax: 931-425-6872

**24a. Environmental attributes, e.g. recycled content, energy efficiency, and/or reduced pollutants:** Not Applicable

**24b. Section 508 Compliance:** Not applicable

**25. Data Universal Number System (DUNS) number:** 004401774

**26. Notification regarding registration in central contractor registration (SAM) database:** Registration is active and current in SAM.

**ABSTON MACHINE SHOP INC****Vance Mfg div.****1266 ARDMORE HWY****TAFT TN 38488****[abstonmach@hughes.net](mailto:abstonmach@hughes.net)****Phone: 931-425-6400****Fax: 931-425-6872****GSA PRICE LIST**

<b>SIN</b>	<b>Mfr Part Number</b>	<b>Product Name</b>	<b>Product Description</b>	<b>Unit Of Issue</b>	<b>GSA PRICE</b>
260 09	JPL4000	JPL4000 6" Jackplate	Two Pair of Precision Aluminum Locate Motor approximately 6 inches off Transom 4 inches of Vertical movement Stainless steel bolts hold angle in place Fits all V-4 and V-6 engines weighs 20 lbs 150 maximum horsepower	EA	\$130.58
260 09	JPL4000B	JPL4000 6" Jackplate Black Powder Coating	The JPL4000 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$154.80
260 09	JPL4300	JPL 4300 Jackplate 3"	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt 4 inches of vertical movement 3 inches of setback weighs 20 lbs 225 maximum horsepower	EA	\$168.33
260 09	JPL4300B	JPL 4300 Jackplate 3" Black Powder Coating	The JPL4300 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$192.51
260 09	JPL4400	JPL 4400 JackPlate 4"	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt 4 inches of vertical movement 4 inches of setback 225 maximum horsepower Weighs 23 lbs Works Great for Small Engines!	EA	\$168.33
260 09	JPL4400B	JPL 4400 JackPlate 4" Black Powder Coating	The JPL4400 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$192.51
260 09	JPL4500	JPL4500 Jackplate 6"	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one stainless steel bolt Offers 4 inches of Vertical movement 6 inches of setback weighs 27 lbs 225 maximum horsepower	EA	\$180.43
260 09	JPL4500B	JPL4500 6" with Black Powder Coat	The JPL4500 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$204.61
260 09	JPL4550	JPL4550 10" Jackplate	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt 4 inches of vertical movement 10 inches of setback 225 maximum horsepower	EA	\$249.59

**ABSTON MACHINE SHOP INC**

**Vance Mfg div.**

**1266 ARDMORE HWY**

**TAFT TN 38488**

**[abstonmach@hughes.net](mailto:abstonmach@hughes.net)**

**Phone: 931-425-6400**

**Fax: 931-425-6872**

260 09	JPL4550B	JPL4550 10" Jackplate with Black Powder Coat	The JPL4550 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$273.77
260 09	JPL4600	JPL4600 Jackplate 12"	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt 4 inches of vertical movement 12 inches of setback weighs 42 lbs 225 maximum horsepower	EA	\$256.85
260 09	JPL4600B	JPL4600 Jackplate 12" with Black Powder Coat	The JPL4600 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$281.03
260 09	JPL4800	JPL4800 Jackplate 8"	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt Offers 4 inches of Vertical movement 8 inches of setback Weighs 33 lbs 225 Maximum Horsepower	EA	\$228.80
260 09	JPL4800B	JPL4800 Jackplate 8" with Black Powder Coat	The JPL4800 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$252.98
260 09	JPL5500	JPL5500 Jackplate	Single Adjusting Jackplate Made of high strength polished Aluminum Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt 4 inches of vertical movement 6 inches of setback Extra strong 1/2 inch thick Aluminum weighs 35lbs Maximum horsepower 400	EA	\$234.12
260 09	JPL5500B	JPL5500 Jackplate with Black Powder Coat	The JPL5500 Is also offered in a special Black Powder Coating. The Coating covers the whole surface of the Jackplate. Very strong coating!	EA	\$258.30
260 09	JPL7500SS	JPL7500SS Stainless Steel Jack Plate 6"	Single Adjusting Jackplate Made of high strength Stainless Steel 304L Grade Mill Finish Bronze and Brass hardware eliminate binding Adjusts easily by turning one steel bolt Offers 4 inches of Vertical movement 6 inches of setback Excellent for Saltwater and being exposed to water for long periods of time Very Durable-Heavy Duty Weighs 45 lbs 225 Maximum Horsepower	EA	\$576.91
260 09	HYJP3030	HYJP3030 Hydraulic Jackplate 6"	Outboard Hydraulic Jackplate Dual Cylinder Guided Action 115 Horsepower Maximum Rating Choice size for Most Applications 6 Inch Setback 7 Inch Stroke Limit Complete package included Patented Black Powder Coat	EA	\$899.58
260 09	HYJP6060	HYJP6060 Hydraulic Jackplate 6"	Outboard Hydraulic Jackplate Dual Cylinder Guided Action ****Unlimited Horsepower**** 6 Inch setback 7 Inch Stroke limit Complete package included Patented Black Powder Coat	EA	\$1,257.46
260 09	2 1/2" Bolt kit	2 1/2" Bolt kit	CONSIST OF: 4 ea 2-1/2" bolts, 8 flat washers, and 4 ea nylon locking nuts. All consist of Stainless Steel	EA	\$11.64

**ABSTON MACHINE SHOP INC****Vance Mfg div.****1266 ARDMORE HWY****TAFT TN 38488****[abstonmach@hughes.net](mailto:abstonmach@hughes.net)****Phone: 931-425-6400****Fax: 931-425-6872**

260 09	4" Bolt kit	4" Bolt kit	CONSIST OF: 4 ea 4" bolts, 8 flat washers, and 4 ea nylon locking nuts. All consist of Stainless Steel	EA	\$12.60
260 09	6" Bolt kit	6" Bolt kit	CONSIST OF: 4 ea 6" bolts, 8 flat washers, and 4 ea nylon locking nuts. All consist of Stainless Steel	EA	\$13.57
260 09	Fast Foot Fits Mercury and OMC	Fast Foot Fits Mercury and OMC	*Constructed of aircraft quality Aluminum Fully Machined from solid billet* *Black anodized offers weather resistance along with attractive finish for many years of quality service* *All hardware is stainless steel to eliminate rust* *Non-cast materials add superior strength* *Provides hands free acceleration to your boat*	EA	\$96.76
260 09	Fast Foot Fits Yamaha and Suzuki	Fast Foot Fits Yamaha and Suzuki	*Constructed of aircraft quality Aluminum Fully Machined from solid billet* *Black anodized offers weather resistance along with attractive finish for many years of quality service* *All hardware is stainless steel to eliminate rust* *Non-cast materials add superior strength* *Provides hands free acceleration to your boat*	EA	\$96.76
260 09	Nose Cone	Nose Cone	Made of Strong Cast Aluminum Fits in Front of the lower unit to reduce angle of the gearcase housing By lengthening the transition from the gearcase nose to its trailing edge it reduces the chance of Any Vacuum pocket forming by the gearcase Easily attached with bondo or similar adhesive One size fits all IMPROVES HANDLING!!	EA	\$16.47
260 09	Upper Transom Plate	Upper Transom Plate	Heavy duty polished Aluminum 12 3/4" Mount holes Over 1/2" thick! Company Name engraved on orders over 10	EA	\$19.38
260 09	Lower Transom Plate	Lower Transom Plate	Heavy duty polished Aluminum 9 7/8" Mount holes	EA	\$13.57
260 09	Torque Tab	Torque Tab	The Tab eliminates the right hand steering torque caused by Jacking up the transom heights and high pitched propellers. Made of Cast aluminum the torque tab is easy to install directly to stock steering tab using furnished hardware.	EA	\$9.70
260 09	Lid Support spring with bracket	Lid Support spring with bracket	These stainless steel springs snap into position when the lid is opened. To release lid, simply push spring in center. It folds inside lid, and out of your way. Installed easily with No.8 or No.10 screws (Not Furnished).	EA	\$6.80
260 09	Lid Support spring with looped bracket	Lid Support spring with looped bracket	These stainless steel springs snap into position when the lid is opened. To release lid, simply push spring in center. It folds inside lid, and out of your way. Installed easily with No.8 or No.10 screws (Not Furnished).	EA	\$4.87

**ABSTON MACHINE SHOP INC****Vance Mfg div.****1266 ARDMORE HWY****TAFT TN 38488****[abstonmach@hughes.net](mailto:abstonmach@hughes.net)****Phone: 931-425-6400****Fax: 931-425-6872**

260 09	Easy Step	Easy Step	Quickly installed on transom of boat Made of Cast Aluminum with stainless steel screws A Nylon friction washer holds the easy step in a upright position to prevent drag When in the water pull step into position for easy boarding Step raises up when boat accelerates (Great for swimmers and Skiers too)	EA	\$14.54
260 09	Transom Wedges	Transom Wedges	These 5 degree cast aluminum wedges are used as an aid for boats with an insufficient transom angle or for boats having problems planning at low speed. Available prepackaged or in bulk.	EA	\$16.47
260 09	Mounting Plate	Mounting Plate	The Mounting Plate provides a solid surface for bolting the motor onto the Jack Plate. Made of light weight Aluminum plate.	EA	\$41.62