



**FEDERAL
SUPPLY USA**

**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST
TERMS and CONDITIONS**

FSC Groups

Large Category B: Facilities

Contract Number:

GS-07F-264BA

Period Covered by Contract:

August 1, 2019 through July 31, 2024

CVK Enterprises Inc.

dba Federal Supply USA

Phone: (888) 623-4499 Fax: (847) 623-2425

Contractor's Administration Source:

Meagan Crump

Phone: (888) 623-4499 ext. 235

meagan@federalsupply.com

Modification # PS-0095, Effective 03/12/2021

DUNS Number: 025902206

Internet Address: <http://www.federalsupply.com/>

Pricelists are Current

Prices Shown Herein are Net (Discounts already reflected)

On-line access to contract ordering information, terms, and conditions, up-to-date pricing and the option to create an electronic delivery order are available through GSA *Advantage!*, a menu-driven database system. The INTERNET address for GSA *Advantage!* [GSAAdvantage.gov](http://www.fss.gs.gov)™ is <http://www.fss.gs.gov>. For more information on ordering from Federal Supply Schedules click on the Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.

ORDERING INFORMATION

1a. Authorized Special Item Numbers (SINs):

Special Item No. 333241 – Food Preparation Equipment- Includes food preparation equipment related to cooking, beverage serving, and/or concessions.

Special Item No. 335220 – Sanitation and Warewashing Equipment – Includes sanitation and warewashing equipment, such as dishwashers, warewashing and warewashing racks, food waste disposers, etc.

Special Item No. 336999 – Food Center Concepts – Includes products related to food service and holding carts, food transport equipment, and food kiosks.

Special Item No. 333415 – Refrigeration Equipment – including Blast Freezers; Chillers; Commercial Refrigerators; Commercial Freezers; Dairy Cases; Deli Cases; Walk-In Refrigerators; Walk-in Freezers; Ice Dispensers; Water Stations; Ice Making Equipment; Ice Storage Bins and Carts

Special Item No. 332321 - Doors, Windows, Skylights, Panels, and Shutters - Includes all doors, windows, skylights, panels, shutters, and all associated accessories and hardware

2. Maximum order - SINs 333241, 335220, 336999, 333415 - **\$300,000**, SIN 332321 - **\$250,000**
3. Minimum order - **\$100.00**
4. Geographical Coverage – **Domestic, 50 states, Washington DC, and to a CONUS port or consolidation point for orders received from overseas activities**
5. Points of Production: **Various**
6. Discount from list price: **GSA Net Prices are shown on the attached GSA Pricelist. Negotiated discount has been applied and the IFF has been added.**
7. Quantity discounts: **1% for combined orders over \$100,000.**

8. Prompt payment terms: **(Net 30)**
- 9a. Government Purchase Cards *are accepted below* the micro-purchase threshold.
- 9b. Government Purchase Cards *are accepted above* the micro-purchase threshold.
10. Foreign Items: **None**
11. Time of Delivery:
- (a) Time of Delivery: **Insinger 1-4 Weeks; Univex 5 Days; FWE 2-4 Weeks and Southbend and Scotsman 30 Days. Delivery times shown are for maximum quantities specified and are the minimum times we can guarantee without knowing the specifics of an order. Contact Federal Supply USA for possible reduced delivery times for specific product and quantities.**
- (b) Expedited Delivery: **FWE Brand Only – Quick Ship 2 Days; If other expedited deliveries are required, contact Federal Supply USA on the current availability of the product needed. If expedited delivery is possible, extra charges may be added for any special handling and freight costs.**
- (c) Overnight and 2 Day Delivery: **Contact Contractor**
- (d) Urgent Requirement: **Customers are encourages to contact Contractor for the purpose of requesting accelerated delivery.**
12. FOB Point: **Origin**
- 13a. Ordering Address:
- CVK Enterprises, Inc.
dba Federal Supply USA
1171 S Northpoint Blvd
Waukegan, IL 60085-8216
Telephone: 888-623-4499
Fax: 847-623-2425**
- 13b. Ordering Procedures – For supplies and services, the ordering procedures, information Blanket Purchase Agreements (BPA's) are found in the FAR, Part 8.405-3/
14. Payment Address:
- CVK Enterprises, Inc.
dba Federal Supply USA
PO BOX 648
Waukegan, IL 60079-0648**

15. Warranty Provision, Standard Commercial Warranty – **Varies by Product Line. Customer should contact the Contractor for a copy of the warranty.**
16. Export Packing Charges – **None.**
17. Terms and Conditions of Government Purchase Card Acceptance – Government credit cards ***are accepted*** for any purchase amount.
18. Terms and Conditions of Rental, Maintenance and Repair – ***Not applicable.***
19. Terms and Conditions of Installation – ***Not applicable.***
- 20a. Terms and Conditions of Repair Parts – ***Not applicable.***
- 20b. Terms and Condition for any other services – ***Not applicable.***
21. List of Service and Distributions Points – ***Not applicable.***
22. List of Participating Dealers - ***Not applicable.***
23. Preventative Maintenance – ***Not applicable.***
- 24a. Special attributes such as environment attributes (eg. Recycled content, energy efficiency, and/or reduced pollutants). ***Not applicable.***
- 24b. Section 508 Compliance – ***Not applicable.***
25. Data Universal Number System (DUNS) number – **025902206**
26. Notification Regarding Registration in System for Award Management (SAM) Database: **Active in SAM.**

336999	Choice Equipment Company LLC	CR72-S	Can Rack, 42"H, half size, mobile, holds (72) #10 cans, stainless steel top, (4) 5" all swivel heavy duty poly-U plate casters (2) with brakes, fully welded aluminum construction, NSF	Can Rack, 42"H, half size, mobile, holds (72) #10 cans, stainless steel top, (4) 5" all swivel heavy duty poly-U plate casters (2) with brakes, fully welded aluminum construction, NSF	EA	\$	633.25	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	CRE162	Economy Can Rack, 72"H, full size, stationary, holds (162) #10 cans, open top, fully welded aluminum construction, NSF	Economy Can Rack, 72"H, full size, stationary, holds (162) #10 cans, open top, fully welded aluminum construction, NSF	EA	\$	448.87	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-16-18-P-T	Employee Locker, 6-tier, (2) columns and (1) horizontal unit, (16) doors, with garment rod, each locker 12"W x 18"D x 12"H, vented, lockable doors (locks not included), slanted top, replaceable box base, heavy duty steel, powder coated finish (assembly required)	Employee Locker, 6-tier, (2) columns and (1) horizontal unit, (16) doors, with garment rod, each locker 12"W x 18"D x 12"H, vented, lockable doors (locks not included), slanted top, replaceable box base, heavy duty steel, powder coated finish (assembly required)	EA	\$	642.32	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-2-15-1-P-T	Employee Locker, 2-tier, single column, (2) doors, each locker 12"W x 15"D x 35"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 2-tier, single column, (2) doors, each locker 12"W x 15"D x 35"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	209.07	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-2-15-3-P-T	Employee Locker, 2-tier, (3) columns, (6) doors, each locker 12"W x 15"D x 35"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 2-tier, (3) columns, (6) doors, each locker 12"W x 15"D x 35"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	624.69	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-4-18-P-T	Employee Locker, wall mounted, 1-tier, (4) doors, each locker 12"W x 18"D x 12", vented, lockable doors (locks not included), heavy duty steel, powder coat finish	Employee Locker, wall mounted, 1-tier, (4) doors, each locker 12"W x 18"D x 12", vented, lockable doors (locks not included), heavy duty steel, powder coat finish	EA	\$	212.09	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-6-12-1-P-T	Employee Locker, 6-tier, single column, (6) doors, each locker 12"W x 12"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 6-tier, single column, (6) doors, each locker 12"W x 12"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	203.02	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-6-12-3-P-T	Employee Locker, 6-tier, (3) columns, (18) doors, each locker 12"W x 12"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 6-tier, (3) columns, (18) doors, each locker 12"W x 12"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	605.54	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-6-15-1-P-T	Employee Locker, 6-tier, single column, (6) doors, each locker 12"W x 15"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 6-tier, single column, (6) doors, each locker 12"W x 15"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	239.80	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-6-15-3-P-T	Employee Locker, 6-tier, (3) columns, (18) doors, each locker 12"W x 15"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 6-tier, (3) columns, (18) doors, each locker 12"W x 15"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	673.05	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-6-18-1-P-T	Employee Locker, 6-tier, single column, (6) doors, each locker 12"W x 18"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 6-tier, single column, (6) doors, each locker 12"W x 18"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	273.55	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	EL-6-18-3-P-T	Employee Locker, 6-tier, (3) columns, (18) doors, each locker 12"W x 18"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	Employee Locker, 6-tier, (3) columns, (18) doors, each locker 12"W x 18"D x 12"H, with hooks, vented, lockable doors (locks not included), replaceable box base, heavy duty steel, powder coated finish (preassembled)	EA	\$	753.15	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	KL-150E	Electric Keg Lifter, 23"W x 29"D x 71"H, (1) keg / 250 lb. capacity, ergonomic soft grip handles, removable remote control, 5" rear swivel casters with brakes, 3" front swivel casters, rechargeable battery powered with built in charger, 120v	Electric Keg Lifter, 23"W x 29"D x 71"H, (1) keg / 250 lb. capacity, ergonomic soft grip handles, removable remote control, 5" rear swivel casters with brakes, 3" front swivel casters, rechargeable battery powered with built in charger, 120v	EA	\$	2,335.52	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	KL-200M	Manual Keg Lifter, 23"W x 29"D x 72"H, (2) keg / 380 lb capacity, ergonomic handle, crank with safe load lock, 5" rear swivel casters with brakes, 3" front swivel casters	Manual Keg Lifter, 23"W x 29"D x 72"H, (2) keg / 380 lb capacity, ergonomic handle, crank with safe load lock, 5" rear swivel casters with brakes, 3" front swivel casters	EA	\$	1,161.71	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-1	Receiving Desk, stationary, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge bottom shelf, 16 gauge steel with HRS powder coat finish	Receiving Desk, stationary, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge bottom shelf, 16 gauge steel with HRS powder coat finish	EA	\$	214.11	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-1-M	Receiving Desk, mobile, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge bottom shelf, (4) polyurethane swivel casters (2) with brakes, 16 gauge steel with HRS powder coat finish	Receiving Desk, mobile, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge bottom shelf, (4) polyurethane swivel casters (2) with brakes, 16 gauge steel with HRS powder coat finish	EA	\$	259.45	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-2224	Receiving Desk, mobile, 24"W x 14"D writing surface, with lift up lockable storage compartment, enclosed mesh base with lockable front door (lock not included for base), 1" square tube frame, (2) 16 gauge under shelves, (4) polyurethane swivel casters (2) with brakes, 16 gauge steel with HRS powder coat finish	Receiving Desk, mobile, 24"W x 14"D writing surface, with lift up lockable storage compartment, enclosed mesh base with lockable front door (lock not included for base), 1" square tube frame, (2) 16 gauge under shelves, (4) polyurethane swivel casters (2) with brakes, 16 gauge steel with HRS powder coat finish	EA	\$	299.75	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-SD-1	Shop Desk, stationary, 34"W x 21"D writing surface, with pull out lockable drawer, 16 gauge bottom shelf, angular steel frame design, heavy gauge steel, powder coat finish	Shop Desk, stationary, 34"W x 21"D writing surface, with pull out lockable drawer, 16 gauge bottom shelf, angular steel frame design, heavy gauge steel, powder coat finish	EA	\$	327.46	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-SD-5	Shop Desk, stationary, 34"W x 21"D writing surface, with pull out lockable drawer, enclosed base with lockable double doors, heavy gauge steel, powder coat finish	Shop Desk, stationary, 34"W x 21"D writing surface, with pull out lockable drawer, enclosed base with lockable double doors, heavy gauge steel, powder coat finish	EA	\$	501.26	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-SS-1	Receiving Desk, stationary, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge stainless steel bottom shelf, 16 gauge stainless steel construction	Receiving Desk, stationary, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge stainless steel bottom shelf, 16 gauge stainless steel construction	EA	\$	579.35	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-SS-1-M	Receiving Desk, mobile, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge stainless steel bottom shelf, (4) polyurethane swivel casters (2) with brakes, 16 gauge stainless steel construction	Receiving Desk, mobile, 24"W x 14"D writing surface, with lift up lockable storage compartment, 1" square tube frame, 16 gauge stainless steel bottom shelf, (4) polyurethane swivel casters (2) with brakes, 16 gauge stainless steel construction	EA	\$	629.72	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-SSWM-1	Receiving Desk, wall mount, 24"W x 14"D writing surface, with lift up lockable storage compartment, include (2) wall braces, stainless steel construction (assembly required)	Receiving Desk, wall mount, 24"W x 14"D writing surface, with lift up lockable storage compartment, include (2) wall braces, stainless steel construction (assembly required)	EA	\$	299.75	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH40-WM-1	Receiving Desk, wall mount, 24"W x 14"D writing surface, with lift up lockable storage compartment, includes (2) wall braces, 16 gauge steel, powder coat finish (assembly required)	Receiving Desk, wall mount, 24"W x 14"D writing surface, with lift up lockable storage compartment, includes (2) wall braces, 16 gauge steel, powder coat finish (assembly required)	EA	\$	113.35	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	MH50-1648-D	U-Boat Cart, 16" x 48", 14 gauge steel diamond deck, removable handles, (4) 4" poly-U swivel plate outer casters and (2) 8" poly-U flat tread center wheels, heavy duty steel construction, powder coated finish, green	U-Boat Cart, 16" x 48", 14 gauge steel diamond deck, removable handles, (4) 4" poly-U swivel plate outer casters and (2) 8" poly-U flat tread center wheels, heavy duty steel construction, powder coated finish, green	EA	\$	200.00	US	Standard Commercial Warranty

336999	Choice Equipment Company LLC	SU32-60248-T	Extra Heavy Duty Dunnage Rack, 60"W x 24"D x 8"H, tubular, 2200 lbs. capacity, 1-1/2" x 2" thick wall rectangular tubular frame, fully welded aluminum construction, fully welded leg caps, NSF, Made in USA	Extra Heavy Duty Dunnage Rack, 60"W x 24"D x 8"H, tubular, 2200 lbs. capacity, 1-1/2" x 2" thick wall rectangular tubular frame, fully welded aluminum construction, fully welded leg caps, NSF, Made in USA	EA	\$	231.23	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU35-3620	Dunnage Rack, 36"W x 20"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	Dunnage Rack, 36"W x 20"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	EA	\$	242.32	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU35-3624	Dunnage Rack, 36"W x 24"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	Dunnage Rack, 36"W x 24"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	EA	\$	254.91	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU35-4820	Dunnage Rack, 48"W x 20"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	Dunnage Rack, 48"W x 20"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	EA	\$	255.92	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU35-4824	Dunnage Rack, 48"W x 24"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	Dunnage Rack, 48"W x 24"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	EA	\$	268.01	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU35-6020	Dunnage Rack, 60"W x 20"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	Dunnage Rack, 60"W x 20"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	EA	\$	271.03	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU35-6024	Dunnage Rack, 60"W x 24"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	Dunnage Rack, 60"W x 24"D x 10"H, mobile, channel, 2000 lbs. capacity, 1-1/2" square tubular frame, (4) 6" x 2" poly-O casters (2) rigid, (2) with brakes, fully welded aluminum construction, NSF	EA	\$	284.13	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-10	Keg Rack Unit, 93"W x 18"D x 76"H, (10) keg capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	Keg Rack Unit, 93"W x 18"D x 76"H, (10) keg capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	639.29	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-10-CLIP (1)	Clip, for SU40-10 keg unit, aluminum, NSF	Clip, for SU40-10 keg unit, aluminum, NSF	EA	\$	11.59	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-4	capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	387.41	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-6	capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	425.69	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-8	capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	capacity, adjustable shelves, (2) channels shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	484.13	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP12	Post, 12"H, for keg racks, aluminum, NSF	Post, 12"H, for keg racks, aluminum, NSF	EA	\$	12.09	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP24	Post, 24"H, for keg racks, aluminum, NSF	Post, 24"H, for keg racks, aluminum, NSF	EA	\$	14.11	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP36	Post, 36"H, for keg racks, aluminum, NSF	Post, 36"H, for keg racks, aluminum, NSF	EA	\$	16.12	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP48	Post, 48"H, for keg racks, aluminum, NSF	Post, 48"H, for keg racks, aluminum, NSF	EA	\$	19.14	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP54	Post, 54"H, for keg racks, aluminum, NSF	Post, 54"H, for keg racks, aluminum, NSF	EA	\$	22.67	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP68	Post, 68"H, for keg racks, aluminum, NSF	Post, 68"H, for keg racks, aluminum, NSF	EA	\$	25.69	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP76	Post, 76"H, for keg racks, aluminum, NSF	Post, 76"H, for keg racks, aluminum, NSF	EA	\$	28.72	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-AP84	Post, 84"H, for keg racks, aluminum, NSF	Post, 84"H, for keg racks, aluminum, NSF	EA	\$	32.75	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-B10	Keg Rack Shelf, 93"W x 18"D, channel bottom shelf, for 10-keg unit, aluminum construction, NSF	Keg Rack Shelf, 93"W x 18"D, channel bottom shelf, for 10-keg unit, aluminum construction, NSF	EA	\$	209.57	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-B4	Keg Rack Shelf, 42"W x 18"D, channel bottom shelf, for 4-keg unit, aluminum construction, NSF	Keg Rack Shelf, 42"W x 18"D, channel bottom shelf, for 4-keg unit, aluminum construction, NSF	EA	\$	139.04	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-B6	Keg Rack Shelf, 60"W x 18"D, channel bottom shelf, for 6-keg unit, aluminum construction, NSF	Keg Rack Shelf, 60"W x 18"D, channel bottom shelf, for 6-keg unit, aluminum construction, NSF	EA	\$	154.66	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-B8	Keg Rack Shelf, 80"W x 18"D, channel bottom shelf, for 8-keg unit, aluminum construction, NSF	Keg Rack Shelf, 80"W x 18"D, channel bottom shelf, for 8-keg unit, aluminum construction, NSF	EA	\$	177.83	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-T10	Keg Rack Shelf, 93"W x 18"D, tubular top shelf, for 10-keg unit, aluminum construction, NSF	Keg Rack Shelf, 93"W x 18"D, tubular top shelf, for 10-keg unit, aluminum construction, NSF	EA	\$	148.61	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-T4	Keg Rack Shelf, 42"W x 18"D, tubular top shelf, for 4-keg unit, aluminum construction, NSF	Keg Rack Shelf, 42"W x 18"D, tubular top shelf, for 4-keg unit, aluminum construction, NSF	EA	\$	97.23	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-T6	Keg Rack Shelf, 60"W x 18"D, tubular top shelf, for 6-keg unit, aluminum construction, NSF	Keg Rack Shelf, 60"W x 18"D, tubular top shelf, for 6-keg unit, aluminum construction, NSF	EA	\$	112.85	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU40-T8	Keg Rack Shelf, 80"W x 18"D, tubular top shelf, 8-keg unit, aluminum construction, NSF	Keg Rack Shelf, 80"W x 18"D, tubular top shelf, 8-keg unit, aluminum construction, NSF	EA	\$	128.97	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU45-10	Keg Rack Unit, 93"W x 18"D x 76"H, (10) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	Keg Rack Unit, 93"W x 18"D x 76"H, (10) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	606.55	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU45-4	Keg Rack Unit, 42"W x 18"D x 76"H, (4) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	Keg Rack Unit, 42"W x 18"D x 76"H, (4) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	368.26	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU45-6	Keg Rack Unit, 60"W x 18"D x 76"H, (6) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	Keg Rack Unit, 60"W x 18"D x 76"H, (6) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	393.95	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU45-8	Keg Rack Unit, 80"W x 18"D x 76"H, (8) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	Keg Rack Unit, 80"W x 18"D x 76"H, (8) keg capacity, fixed shelves, (2) channel shelves, tubular top shelf for storage, aluminum construction, NSF	EA	\$	448.87	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU48-1735-2	Modular Keg Rack, base unit, 38"W x 17"D x 78"H, (4) keg capacity, (2) channel shelves, (1) 17"D x 35"W shelf, top shelf for storage, bottom kegs rest on floor, rear protective strap, adjustable flanged feet, fully welded aluminum construction, NSF	Modular Keg Rack, base unit, 38"W x 17"D x 78"H, (4) keg capacity, (2) channel shelves, (1) 17"D x 35"W shelf, top shelf for storage, bottom kegs rest on floor, rear protective strap, adjustable flanged feet, fully welded aluminum construction, NSF	EA	\$	1,077.58	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	SU48-1735-2-AO	Modular Keg Rack, add-on unit, 37"W x 17"D x 78"H, (4) keg capacity, (2) channel shelves, (1) 17"D x 35"W shelf, top shelf for storage, bottom kegs rest on floor, rear protective strap, adjustable flanged feet, fully welded aluminum construction, NSF	Modular Keg Rack, add-on unit, 37"W x 17"D x 78"H, (4) keg capacity, (2) channel shelves, (1) 17"D x 35"W shelf, top shelf for storage, bottom kegs rest on floor, rear protective strap, adjustable flanged feet, fully welded aluminum construction, NSF	EA	\$	891.69	US	Standard Commercial Warranty

336999	Choice Equipment Company LLC	UC80-6	Queen Mary Banquet Cart, 69"W x 28"D x 70"H, (6) solid shelves, with reinforced lip design (three up and 1 down) and tubular reinforcement, push handle, continuous bumper, (4) 8" x 2" poly-U plate casters (2) rigid (2) swivel, fully welded stainless steel construction, NSF	Queen Mary Banquet Cart, 69"W x 28"D x 70"H, (6) solid shelves, with reinforced lip design (three up and 1 down) and tubular reinforcement, push handle, continuous bumper, (4) 8" x 2" poly-U plate casters (2) rigid (2) swivel, fully welded stainless steel construction, NSF	EA	\$	3,011.59	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	WTDR-2436-4	Tray Drying Rack, 74"H, mobile, 4-shelves, 36"W x 24"D wire shelves, (1) top flat wire shelf, (2) middle recessed shelves for pots and pangs, (1) slotted bottom shelf for trays and pan: holds (24) trays, 1-1/2" spacing, split post, (4) swivel casters with (2) locking, (4) donut bumpers, steel construction, powder coated finish, gray (some assembly required)	Tray Drying Rack, 74"H, mobile, 4-shelves, 36"W x 24"D wire shelves, (1) top flat wire shelf, (2) middle recessed shelves for pots and pangs, (1) slotted bottom shelf for trays and pan: holds (24) trays, 1-1/2" spacing, split post, (4) swivel casters with (2) locking, (4) donut bumpers, steel construction, powder coated finish, gray (some assembly required)	EA	\$	463.98	US	Standard Commercial Warranty
336999	Choice Equipment Company LLC	WTDR-2448-4	Tray Drying Rack, 74"H, mobile, 4-shelves, 48"W x 24"D wire shelves, (1) top flat wire shelf, (2) middle recessed shelves for pots and pangs, (1) slotted bottom shelf for trays and pan: holds (32) trays, 1-1/2" spacing, split post, (4) swivel casters with (2) locking, (4) donut bumpers, steel construction, powder coated finish, gray (some assembly required)	Tray Drying Rack, 74"H, mobile, 4-shelves, 48"W x 24"D wire shelves, (1) top flat wire shelf, (2) middle recessed shelves for pots and pangs, (1) slotted bottom shelf for trays and pan: holds (32) trays, 1-1/2" spacing, split post, (4) swivel casters with (2) locking, (4) donut bumpers, steel construction, powder coated finish, gray (some assembly required)	EA	\$	488.66	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	URS-20	Mobile Refrigerator Cabinet	Refrigerated Cabinet, mobile, accommodates (20) 18" x 26" sheet pans, adjustable/removable tray slides, (2) solid doors, electronic controls with digital display, temperature range of 33°F to 38°F, bottom mounted compressor, stainless steel interior & exterior, full perimeter bumper, (4) 6" casters (2 rigid & 2 swivel brakes), UL, cUL, NSF, DOE 17	EA	\$	8,568.26	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	ETC20	MOBILE CABINET	MOBILE ENCLOSED 20 TRAY DELIVERY CABINET	EA	\$	3,103.27	USA	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	TST19	MOBILE CABINET	TOP MOUNTED MOBILE HEATED HOLDING CABINET - CAPACITY 13 TRAYS	EA	\$	4,108.82	USA	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	A-120	A-Series Banquet Cart, (1) door, capacity (96-120) covered plates, 11" max. diameter, natural convection heat system, heavy duty push handles, (3) shelves, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, wraparound bumper	A-Series Banquet Cart, (1) door, capacity (96-120) covered plates, 11" max. diameter, natural convection heat system, heavy duty push handles, (3) shelves, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, wraparound bumper	EA	\$	3,343.07	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	A-120-2	A-Series Banquet Cart, (2) doors, capacity (96-120) covered plates, 11" max. diameter, natural convection heat system, heavy duty push handles, (3) shelves, magnetic latch, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, wraparound bumper	A-Series Banquet Cart, (2) doors, capacity (96-120) covered plates, 11" max. diameter, natural convection heat system, heavy duty push handles, (3) shelves, magnetic latch, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, wraparound bumper	EA	\$	3,961.71	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	A-180-2	A-Series Banquet Cart, (2) doors, capacity (150-180) covered plates, 11" max. diameter, natural convection heat system, heavy duty push handles, (3) shelves, magnetic latch, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, wraparound bumper	A-Series Banquet Cart, (2) doors, capacity (150-180) covered plates, 11" max. diameter, natural convection heat system, heavy duty push handles, (3) shelves, magnetic latch, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, wraparound bumper	EA	\$	4,723.43	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	E-1500	E-Series Banquet Cart, (2) doors, capacity (150) covered plates, 11" max. diameter, electric forced air heat, slide out drawer for canned heat, recessed push handles, doors open 270°, (3) shelves, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, NSF, UL, cUL	E-Series Banquet Cart, (2) doors, capacity (150) covered plates, 11" max. diameter, electric forced air heat, slide out drawer for canned heat, recessed push handles, doors open 270°, (3) shelves, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, NSF, UL, cUL	EA	\$	7,423.68	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	ETC-1826-14HD	Heated Transport Cabinet, full height, non-insulated, (14) removable fixed slides 3" OC, for 18" x 26" pans or trays, (1) insulated door, stainless steel interior & exterior, recessed hand grip	Heated Transport Cabinet, full height, non-insulated, (14) removable fixed slides 3" OC, for 18" x 26" pans or trays, (1) insulated door, stainless steel interior & exterior, recessed hand grip	EA	\$	2,486.65	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	ETC-UA-10HD	Heated Transport Cabinet, full height, (10) removable & adjustable universal tray slides 4-1/2" OC, capacity (10) 18" x 26" or (20) 12" x 20" pans, (1) insulated door, stainless steel interior & exterior, recessed hand grip	Heated Transport Cabinet, full height, (10) removable & adjustable universal tray slides 4-1/2" OC, capacity (10) 18" x 26" or (20) 12" x 20" pans, (1) insulated door, stainless steel interior & exterior, recessed hand grip	EA	\$	2,617.63	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	ETC-UA-12HD	Heated Transport Cabinet, full height, (12) removable & adjustable universal tray slides 4-1/2" OC, capacity (12) 18" x 26" or (24) 12" x 20" pans, (1) insulated door, stainless steel interior & exterior, recessed hand grip	Heated Transport Cabinet, full height, (12) removable & adjustable universal tray slides 4-1/2" OC, capacity (12) 18" x 26" or (24) 12" x 20" pans, (1) insulated door, stainless steel interior & exterior, recessed hand grip	EA	\$	2,935.01	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	ETC-UA-12PH	Proofer/Heater Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable on 1-1/2" increments, humidified proofer/heating system, adjustable thermostat, separate controls, non-insulated cabinet, (1) insulated door, recessed hand grip, removable water reservoir, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	Proofer/Heater Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable on 1-1/2" increments, humidified proofer/heating system, adjustable thermostat, separate controls, non-insulated cabinet, (1) insulated door, recessed hand grip, removable water reservoir, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	EA	\$	3,274.56	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	ETC-UA-4HD	Heated Transport Cabinet, under counter, (4) removable & adjustable universal tray slides 4-1/2" OC, capacity (4) 18" x 26" or (8) 12" x 20" pans, (1) insulated door, stainless steel interior & exterior, recessed hand grip	Heated Transport Cabinet, under counter, (4) removable & adjustable universal tray slides 4-1/2" OC, capacity (4) 18" x 26" or (8) 12" x 20" pans, (1) insulated door, stainless steel interior & exterior, recessed hand grip	EA	\$	1,843.83	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HDC-252-12	Heated Dish Storage Cart, (152-252) 12" plate capacity, adjustable thermostat, 100°F to 200°F temperature range, enclosed, insulated, rotating dish rack, adjustable plate divider slides, flip-up top, (1) flush mounted door, stainless steel construction, 5" swivel casters with brake, cUL, UL, NSF	Heated Dish Storage Cart, (152-252) 12" plate capacity, adjustable thermostat, 100°F to 200°F temperature range, enclosed, insulated, rotating dish rack, adjustable plate divider slides, flip-up top, (1) flush mounted door, stainless steel construction, 5" swivel casters with brake, cUL, UL, NSF	EA	\$	2,845.34	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HHC-CC-202-MW	Mobile Combi Companion Heated Holding Cabinet, roll-in, one-section, full-height door, insulated, top mount built-in heat system & controls, thermometer, indicator light, on/off switch, push bar handles, stainless steel construction, 5" heavy duty polyurethane casters, UL, cUL, UL EPH	Mobile Combi Companion Heated Holding Cabinet, roll-in, one-section, full-height door, insulated, top mount built-in heat system & controls, thermometer, indicator light, on/off switch, push bar handles, stainless steel construction, 5" heavy duty polyurethane casters, UL, cUL, UL EPH	EA	\$	6,407.05	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-10	Handy Line Heated Holding Cabinet, mobile, undercounter, 25-3/4"H, (2) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IP X4	Handy Line Heated Holding Cabinet, mobile, undercounter, 25-3/4"H, (2) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IP X4	EA	\$	3,050.88	US	Standard Commercial Warranty

336999	FWE / Food Warming Equipment Co., Inc.	HLC-1717-13	Handy Line Heated Cabinet, countertop, (13) 16" pizza box capacity, (13) shelves, 2" fixed spacing, radiant heat system, adjustable thermostat, recessed controls, insulated, (1) see-thru Lexan door, side mounted lift handles, stainless steel interior & exterior, 4" adjustable legs, UL, cUL, UL EPH CLASSIFIED, CE, IP X4	Handy Line Heated Cabinet, countertop, (13) 16" pizza box capacity, (13) shelves, 2" fixed spacing, radiant heat system, adjustable thermostat, recessed controls, insulated, (1) see-thru Lexan door, side mounted lift handles, stainless steel interior & exterior, 4" adjustable legs, UL, cUL, UL EPH CLASSIFIED, CE, IP X4	EA	\$	1,985.89	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-2127-6	Handy Line Heated Holding Cabinet, mobile, undercounter, (3) removable shelves, (12) 12" x 20" x 2-1/2" pan capacity, 1-3/8" fixed spacing, radiant heat system, adjustable thermostat, recessed controls, insulated, (1) flush mounted door, stainless steel interior & exterior, 3.5" casters (2) rigid & (2) swivel with brakes, cUL, NSF, UL	Handy Line Heated Holding Cabinet, mobile, undercounter, (3) removable shelves, (12) 12" x 20" x 2-1/2" pan capacity, 1-3/8" fixed spacing, radiant heat system, adjustable thermostat, recessed controls, insulated, (1) flush mounted door, stainless steel interior & exterior, 3.5" casters (2) rigid & (2) swivel with brakes, cUL, NSF, UL	EA	\$	2,544.08	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-2127-9-9	Handy Line Heated Holding Cabinet, mobile, split cavity, (3) removable shelves per compartment, (18) 12" x 20" x 2-1/2" pan capacity per compartment, 1-3/8" fixed spacing, radiant heat system, adjustable thermostats, separate controls, insulated, (2) flush mounted doors, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, cUL, NSF, UL	Handy Line Heated Holding Cabinet, mobile, split cavity, (3) removable shelves per compartment, (18) 12" x 20" x 2-1/2" pan capacity per compartment, 1-3/8" fixed spacing, radiant heat system, adjustable thermostats, separate controls, insulated, (2) flush mounted doors, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, cUL, NSF, UL	EA	\$	4,795.97	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-4W6-1-DRN	Handy Line Serving Cabinet, mobile, 68-3/4", (4) 12" x 20" x 6-1/2" deep wells, adjustable thermostats, individual controls, open cabinet base, well drain with shut-off valve, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, cULus, NSF	Handy Line Serving Cabinet, mobile, 68-3/4", (4) 12" x 20" x 6-1/2" deep wells, adjustable thermostats, individual controls, open cabinet base, well drain with shut-off valve, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, cULus, NSF	EA	\$	4,335.52	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-5	Handy Line Heated Holding Cabinet, mobile, undercounter, 25-3/4"H, (1) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IPX4	Handy Line Heated Holding Cabinet, mobile, undercounter, 25-3/4"H, (1) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IPX4	EA	\$	2,036.27	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-7	Handy Line Heated Holding Cabinet, mobile, undercounter, 30-3/4"H, (1) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IP X4	Handy Line Heated Holding Cabinet, mobile, undercounter, 30-3/4"H, (1) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IP X4	EA	\$	2,218.64	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HLC-8	Handy Line Heated Holding Cabinet, mobile, undercounter, 33-1/2"H, (1) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IP X4, ENERGY STAR®	Handy Line Heated Holding Cabinet, mobile, undercounter, 33-1/2"H, (1) compartment, insulated, recessed front controls, adjustable thermostat, removable pair of stainless steel racks with fixed spacing of 2-5/8", accommodates various depth pan sizes & GN containers, stainless steel insulated door with heavy duty die cast hinges, drop handles, 20 gauge polished exterior with 22 gauge stainless steel interior construction, 3-1/2" all swivel casters, UL, NSF, cUL, CE, IP X4, ENERGY STAR®	EA	\$	2,363.73	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	HS-24	Self-Contained Hand Washing System, electric, (1) 5 gallon fresh water tank, (1) 7 gallon waste water tank, (1) 2-1/2 gallon water heater (120v), paper towel holder, soap dispenser, water pump, stainless steel construction, 5" EZ Roll casters, 120v/50/60/1-ph, 1536 watts, 12.8 amps, GFCI outlet with 12' cord, NEMA 5-15P, NSF	Self-Contained Hand Washing System, electric, (1) 5 gallon fresh water tank, (1) 7 gallon waste water tank, (1) 2-1/2 gallon water heater (120v), paper towel holder, soap dispenser, water pump, stainless steel construction, 5" EZ Roll casters, 120v/50/60/1-ph, 1536 watts, 12.8 amps, GFCI outlet with 12' cord, NEMA 5-15P, NSF	EA	\$	3,050.88	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	LCH-18	Cook-Hold Mobile Cabinet, full size, heating system with low air circulation, standard thermostatic controls 350°F range, includes temperature probe, capacity (18) 18" x 26" sheet pans & 200 lbs., (2) doors, stainless steel interior & exterior	Cook-Hold Mobile Cabinet, full size, heating system with low air circulation, standard thermostatic controls 350°F range, includes temperature probe, capacity (18) 18" x 26" sheet pans & 200 lbs., (2) doors, stainless steel interior & exterior	EA	\$	8,228.72	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	MT-1826-18	Heated Holding/Humidified Cabinet, mobile, full height, insulated, (12) pair adjustable tray slides 4-1/2" O.C., (12) 18" x 26" or (12) 12" x 20" pan capacity, (1) field reversible door with magnetic work flow door handle, moisture-temp system, individual electronic controls for temperature & moisture, optional range thermometer, removable water reservoir, built-in drip trough with removable drain plug, recessed hand grip on each side of unit, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, CE, UL, cUL, NSF, ENERGY STAR®	Heated Holding/Humidified Cabinet, mobile, full height, insulated, (12) pair adjustable tray slides 4-1/2" O.C., (12) 18" x 26" or (12) 12" x 20" pan capacity, (1) field reversible door with magnetic work flow door handle, moisture-temp system, individual electronic controls for temperature & moisture, optional range thermometer, removable water reservoir, built-in drip trough with removable drain plug, recessed hand grip on each side of unit, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, CE, UL, cUL, NSF, ENERGY STAR®	EA	\$	4,215.62	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	MTU-12	Heated Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, insulated, moisture-temp system, electronic controls, insulated, removable water reservoir, (1) flush mounted door, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, ENERGY STAR®	Heated Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, insulated, moisture-temp system, electronic controls, insulated, removable water reservoir, (1) flush mounted door, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, ENERGY STAR®	EA	\$	4,556.17	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	MTU-12P	Heated Cabinet, mobile, pass-thru, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, insulated, moisture-temp system, electronic controls, insulated, removable water reservoir, (2) flush mounted doors, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, ENERGY STAR®	Heated Cabinet, mobile, pass-thru, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, insulated, moisture-temp system, electronic controls, insulated, removable water reservoir, (2) flush mounted doors, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, ENERGY STAR®	EA	\$	4,910.83	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	MTU-4	Heated Cabinet, mobile, (4) pair universal tray slides, (4) 18" x 26" or (8) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, insulated, moisture-temp system, electronic controls, insulated, removable water reservoir, (1) flush mounted door, stainless steel interior & exterior, 3.5" casters, (4) swivel with brake, UL, cUL, NSF	Heated Cabinet, mobile, (4) pair universal tray slides, (4) 18" x 26" or (8) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, insulated, moisture-temp system, electronic controls, insulated, removable water reservoir, (1) flush mounted door, stainless steel interior & exterior, 3.5" casters, (4) swivel with brake, UL, cUL, NSF	EA	\$	3,134.51	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	OTR-15-MSWT	Equipment Stand with Wing Table, mobile, 25-1/2", (15) universal slides, fixed 1-1/2" OC, (15) 18" x 26" pan stand & (4) 18" x 26" pan wing table capacity, 300 - 500 lb weight capacity, pitched center drain, open base with undershelf, stainless steel construction, 5" all swivel locking casters, NSF	Equipment Stand with Wing Table, mobile, 25-1/2", (15) universal slides, fixed 1-1/2" OC, (15) 18" x 26" pan stand & (4) 18" x 26" pan wing table capacity, 300 - 500 lb weight capacity, pitched center drain, open base with undershelf, stainless steel construction, 5" all swivel locking casters, NSF	EA	\$	1,597.98	US	Standard Commercial Warranty

336999	FWE / Food Warming Equipment Co., Inc.	OTR-UA-12	Universal Tray-Pan Rack, mobile, 65"H, open sides, capacity (12) 18" x 26" or (24) 12" x 20" or (12) oval trays-pans, adjustable 1-1/2" OC, welded aluminum construction, 5" casters (2 swivel)	Universal Tray-Pan Rack, mobile, 65"H, open sides, capacity (12) 18" x 26" or (24) 12" x 20" or (12) oval trays-pans, adjustable 1-1/2" OC, welded aluminum construction, 5" casters (2 swivel)	EA	\$	1,356.17	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	P-120	P-Series Banquet Cart, mobile, (1) compartment, (96-120) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (3) wire shelves, wraparound bumper, (1) flush mounted door, stainless steel interior & exterior, 5" casters, (2) rigid, (2) swivel with casters, NSF, UL, cUL	P-Series Banquet Cart, mobile, (1) compartment, (96-120) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (3) wire shelves, wraparound bumper, (1) flush mounted door, stainless steel interior & exterior, 5" casters, (2) rigid, (2) swivel with casters, NSF, UL, cUL	EA	\$	3,744.08	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	P-180	P-Series Banquet Cart, mobile, (1) compartment, (150-180) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (3) wire shelves, wraparound bumper, (1) flush mounted door, stainless steel interior & exterior, 6" casters, (2) rigid, (2) swivel with brake, NSF, UL, cUL	P-Series Banquet Cart, mobile, (1) compartment, (150-180) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (3) wire shelves, wraparound bumper, (1) flush mounted door, stainless steel interior & exterior, 6" casters, (2) rigid, (2) swivel with brake, NSF, UL, cUL	EA	\$	4,636.78	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	P-200	P-Series Banquet Cart, mobile, (1) compartment, (160-200) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (4) wire shelves, wraparound bumper, (2) Dutch doors, stainless steel interior & exterior, 6" casters, (2) rigid, (2) swivel with brake, NSF, UL, cUL	P-Series Banquet Cart, mobile, (1) compartment, (160-200) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (4) wire shelves, wraparound bumper, (2) Dutch doors, stainless steel interior & exterior, 6" casters, (2) rigid, (2) swivel with brake, NSF, UL, cUL	EA	\$	5,295.72	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	P-200-2	P-Series Banquet Cart, (2) doors, capacity (160-200) covered plates, 11" max. diameter, humi-temp heat system, bar type push handles, (4) shelves, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, construction, wraparound bumper, NSF, UL, cUL	P-Series Banquet Cart, (2) doors, capacity (160-200) covered plates, 11" max. diameter, humi-temp heat system, bar type push handles, (4) shelves, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, construction, wraparound bumper, NSF, UL, cUL	EA	\$	6,273.05	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	P-200-XL	P-Series Banquet Cart, mobile, (160-200) 12-3/8" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (2) flush mounted doors, bar type push handles, (4) shelves, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	P-Series Banquet Cart, mobile, (160-200) 12-3/8" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (2) flush mounted doors, bar type push handles, (4) shelves, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	EA	\$	5,613.10	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	P-48	P-Series Banquet Cart, mobile, (1) compartment, (40-48) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (2) wire shelves, wraparound bumper, (1) flush mounted door, stainless steel interior & exterior, 5" casters, (2) rigid, (2) swivel with brake, NSF, UL, cUL	P-Series Banquet Cart, mobile, (1) compartment, (40-48) 11" diameter covered plate capacity, Humi-temp heat system, adjustable thermostat, recessed front controls, insulated, includes (2) wire shelves, wraparound bumper, (1) flush mounted door, stainless steel interior & exterior, 5" casters, (2) rigid, (2) swivel with brake, NSF, UL, cUL	EA	\$	3,299.75	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PH-1826-18	Proofer/Heated Holding Cabinet, mobile, full height, insulated, (12) pair adjustable tray slides 4-1/2" O.C., (12) 18" x 26" or (12) 12" x 20" pan capacity, (1) field reversible door with recessed antimicrobial handle, built-in humidifier, individual controls for temperature & moisture, optional range thermometer, removable water reservoir, recessed hand grip on each side of unit, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, CE, UL, cUL, NSF	Proofer/Heated Holding Cabinet, mobile, full height, insulated, (12) pair adjustable tray slides 4-1/2" O.C., (12) 18" x 26" or (12) 12" x 20" pan capacity, (1) field reversible door with recessed antimicrobial handle, built-in humidifier, individual controls for temperature & moisture, optional range thermometer, removable water reservoir, recessed hand grip on each side of unit, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, CE, UL, cUL, NSF	EA	\$	4,038.29	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PHTT-12	Clymate IQ Heated Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat & humidity controls, insulated, removable water reservoir, (2) Dutch doors, recessed hand grips, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, NSF, cUL, CE, IPX4	Clymate IQ Heated Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat & humidity controls, insulated, removable water reservoir, (2) Dutch doors, recessed hand grips, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, NSF, cUL, CE, IPX4	EA	\$	5,358.19	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PHTT-4	Clymate IQ Heated Cabinet, mobile, undercounter, (4) pair universal tray slides, (4) 18" x 26" or (8) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat & humidity controls, insulated, removable water reservoir, (1) flush mounted door, recessed hand grips, stainless steel interior & exterior, 3.5" casters, (4) swivel with brake, UL, NSF, cUL, CE, IPX4	Clymate IQ Heated Cabinet, mobile, undercounter, (4) pair universal tray slides, (4) 18" x 26" or (8) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat & humidity controls, insulated, removable water reservoir, (1) flush mounted door, recessed hand grips, stainless steel interior & exterior, 3.5" casters, (4) swivel with brake, UL, NSF, cUL, CE, IPX4	EA	\$	4,011.08	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PHU-12	Proofer/Heater Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, humidified proofer/heating system, adjustable thermostat, individual proofer controls, insulated, removable water reservoir, (1) flush mounted door, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, ENERGY STAR®	Proofer/Heater Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" pan capacity 4-1/2" OC, adjustable on 1-1/2" increments, humidified proofer/heating system, adjustable thermostat, individual proofer controls, insulated, removable water reservoir, (1) flush mounted door, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, ENERGY STAR®	EA	\$	4,373.80	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PS-1220-10	Heated Cabinet, mobile, (10) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (1) flush mounted door, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, (10) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (1) flush mounted door, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	EA	\$	2,907.81	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PS-1220-15	Heated Cabinet, mobile, (15) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (1) flush mounted door, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, (15) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (1) flush mounted door, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	EA	\$	3,530.48	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PS-1220-20	Heated Cabinet, mobile, (20) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (2) flush mounted doors, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, (20) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (2) flush mounted doors, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	EA	\$	4,106.80	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PS-1220-30	Heated Cabinet, mobile, (30) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (2) flush mounted doors, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, (30) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (2) flush mounted doors, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	EA	\$	4,360.71	US	Standard Commercial Warranty

336999	FWE / Food Warming Equipment Co., Inc.	PS-1220-45	Heated Cabinet, mobile, (45) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (3) flush mounted doors, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, (45) 12" x 20" x 2-1/2" pan capacity, 2-5/8" fixed spacing, Humi-temp heat & humidity system, adjustable thermostat, recessed controls, insulated, removable humidifier pan, (3) flush mounted doors, push bars, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	EA	\$	5,398.49	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PST-10	Heated Cabinet, mobile, insulated, (1) door, top mounted circulating heat system, mechanical temperature controls, stainless steel fixed pan slides 2-1/2" OC, (10) 12 x 20 x 2-1/2", GN 1/1 pans, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, solid formed push bars, full bumper, UL, cUL, UL EPH Classified, CE, IP X4	Heated Cabinet, mobile, insulated, (1) door, top mounted circulating heat system, mechanical temperature controls, stainless steel fixed pan slides 2-1/2" OC, (10) 12 x 20 x 2-1/2", GN 1/1 pans, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, solid formed push bars, full bumper, UL, cUL, UL EPH Classified, CE, IP X4	EA	\$	3,246.35	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PST-32	Heated Cabinet, mobile, (2) doors, double compartment, insulated, top mounted circulating heat system, mechanical temperature controls, stainless steel fixed pan slides 2-1/2" OC, (32) 12 x 20 x 2-1/2", GN 1/1 pans, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, solid formed push bars, full bumper, UL, cUL, UL EPH Classified, CE, IP X4	Heated Cabinet, mobile, (2) doors, double compartment, insulated, top mounted circulating heat system, mechanical temperature controls, stainless steel fixed pan slides 2-1/2" OC, (32) 12 x 20 x 2-1/2", GN 1/1 pans, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, solid formed push bars, full bumper, UL, cUL, UL EPH Classified, CE, IP X4	EA	\$	4,433.25	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	R-AS-10	Air Curtain Refrigerator, mobile, bottom mount self contained refrigeration, (20) 14" x 18" or (10) 18" x 26" tray capacity, 4-1/2" OC, removable fixed slides, adjustable thermostat, maintains temperature for up to 1-1/2 hours with door open, digital display, (1) hinged door, full perimeter bumper, stainless steel construction, 6" casters, (2) rigid, (2) swivel with brake, 1/2 HP, UL, cUL, NSF	Air Curtain Refrigerator, mobile, bottom mount self contained refrigeration, (20) 14" x 18" or (10) 18" x 26" tray capacity, 4-1/2" OC, removable fixed slides, adjustable thermostat, maintains temperature for up to 1-1/2 hours with door open, digital display, (1) hinged door, full perimeter bumper, stainless steel construction, 6" casters, (2) rigid, (2) swivel with brake, 1/2 HP, UL, cUL, NSF	EA	\$	8,853.40	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	RBQ-96	Satellite Transport Cabinet, refrigerated, accommodates (120) 10" x 14" meal trays or (96) 11" plates, (3) 22-1/4" x 44-3/8" shelves, Food Sentry electronic controls with digital display, 33°F to 38°F temperature range, (2) solid doors, 22 gauge stainless steel interior, 20 gauge polished stainless steel exterior, full perimeter bumper, (6) 6" casters (2 rigid & 4 swivel with brakes)	Satellite Transport Cabinet, refrigerated, accommodates (120) 10" x 14" meal trays or (96) 11" plates, (3) 22-1/4" x 44-3/8" shelves, Food Sentry electronic controls with digital display, 33°F to 38°F temperature range, (2) solid doors, 22 gauge stainless steel interior, 20 gauge polished stainless steel exterior, full perimeter bumper, (6) 6" casters (2 rigid & 4 swivel with brakes)	EA	\$	7,698.74	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	RH-6	Rethermalization & Holding Cabinet, electric, mobile, (6) 18" x 26" bun pans or (48) meal tray capacity, 3" OC, adjustable to 1-1/2" increments, dual-cycle, automatic controls, heating temperature up to 340° F, holding temperature up to 190° F, digital display, insulated, (1) flush mounted door, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Classified ANSI/NSF4	Rethermalization & Holding Cabinet, electric, mobile, (6) 18" x 26" bun pans or (48) meal tray capacity, 3" OC, adjustable to 1-1/2" increments, dual-cycle, automatic controls, heating temperature up to 340° F, holding temperature up to 190° F, digital display, insulated, (1) flush mounted door, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Classified ANSI/NSF4	EA	\$	5,055.92	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	RH-B-32-HO	High Output Rethermalizer-Holding, electric, dual-cycle, standard controls with max. 350° F, capacity (32) slides 3.5" OC for (32) 13-1/2" x 26" wire baskets (sold separately), (320) meals, (2) dutch doors, 18-gauge stainless steel construction, UL, cUL, UL EPH Classified, ANSI/NSF4	High Output Rethermalizer-Holding, electric, dual-cycle, standard controls with max. 350° F, capacity (32) slides 3.5" OC for (32) 13-1/2" x 26" wire baskets (sold separately), (320) meals, (2) dutch doors, 18-gauge stainless steel construction, UL, cUL, UL EPH Classified, ANSI/NSF4	EA	\$	9,616.12	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	TS-1633-14	Heated Pizza Cabinet, mobile, (14) 16" pans or 18" boxes, (7) 18" x 26" capacity, (3) pair fixed tray slides 3" OC, humi-temp heat system with eye level controls, insulated, (1) 18" x 26" shelf, stainless steel door, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, (4) 2" swivel casters with brake, UL, cUL, NSF, CE, IP X4	Heated Pizza Cabinet, mobile, (14) 16" pans or 18" boxes, (7) 18" x 26" capacity, (3) pair fixed tray slides 3" OC, humi-temp heat system with eye level controls, insulated, (1) 18" x 26" shelf, stainless steel door, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, (4) 2" swivel casters with brake, UL, cUL, NSF, CE, IP X4	EA	\$	2,765.74	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	TS-1826-30	Heated Cabinet, mobile, insulated, (2) doors, humi-temp heat system with eye level controls, (20) pair universal tray slides 4-1/2" OC, for 18" x 26", 14" x 18", 12" x 20" & GN 1/1, removable slides & uprights, includes push bar handles on each end & full perimeter bumper, stainless steel interior & exterior, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, insulated, (2) doors, humi-temp heat system with eye level controls, (20) pair universal tray slides 4-1/2" OC, for 18" x 26", 14" x 18", 12" x 20" & GN 1/1, removable slides & uprights, includes push bar handles on each end & full perimeter bumper, stainless steel interior & exterior, UL, cUL, NSF, CE, IP X4	EA	\$	5,046.85	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	TS-1826-7	Heated Cabinet, mobile, insulated, humi-temp heat system with eye level controls, (5) pair universal tray slides 4-1/2" OC, for 18" x 26", 14" x 18", 12" x 20" & GN 1/1, removable slides & uprights, includes recessed hand grips, stainless steel interior & exterior, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, insulated, humi-temp heat system with eye level controls, (5) pair universal tray slides 4-1/2" OC, for 18" x 26", 14" x 18", 12" x 20" & GN 1/1, removable slides & uprights, includes recessed hand grips, stainless steel interior & exterior, UL, cUL, NSF, CE, IP X4	EA	\$	2,711.34	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	TST-30	Heated Cabinet, mobile, slim-line, (20) pairs of tray slides, (20) 18" x 26" or (20) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, forced air heating system, adjustable thermostat, recessed controls, insulated (2) flush mounted doors, push bar handles, wraparound bumper, stainless steel construction, 6" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	Heated Cabinet, mobile, slim-line, (20) pairs of tray slides, (20) 18" x 26" or (20) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, forced air heating system, adjustable thermostat, recessed controls, insulated (2) flush mounted doors, push bar handles, wraparound bumper, stainless steel construction, 6" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF, CE, IP X4	EA	\$	5,243.32	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UCU-417	Queen Mary Utility Cart, (4) 24" x 57" shelves with flanged up edges spaced 17" apart, open welded tubular frame, (2) heavy duty push handles, stainless steel construction, full extension bumper, 8" heavy duty polyurethane casters 1600 lb. capacity	Queen Mary Utility Cart, (4) 24" x 57" shelves with flanged up edges spaced 17" apart, open welded tubular frame, (2) heavy duty push handles, stainless steel construction, full extension bumper, 8" heavy duty polyurethane casters 1600 lb. capacity	EA	\$	2,615.62	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UCU-512	Queen Mary Utility Cart, (5) 24" x 57" shelves with flanged up edges spaced 12" apart, open welded tubular frame, (2) heavy duty push handles, stainless steel construction, full extension bumper, 8" heavy duty polyurethane casters 1600 lb. capacity	Queen Mary Utility Cart, (5) 24" x 57" shelves with flanged up edges spaced 12" apart, open welded tubular frame, (2) heavy duty push handles, stainless steel construction, full extension bumper, 8" heavy duty polyurethane casters 1600 lb. capacity	EA	\$	2,954.16	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHS-10	Heated Cabinet, mobile, (10) universal tray slides, (10) 18" x 26" or (20) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (1) flush mounted door, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	Heated Cabinet, mobile, (10) universal tray slides, (10) 18" x 26" or (20) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (1) flush mounted door, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	EA	\$	3,717.88	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHS-20	Heated Cabinet, mobile, (20) universal tray slides, (20) 18" x 26" or (40) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (2) flush mounted doors, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	Heated Cabinet, mobile, (20) universal tray slides, (20) 18" x 26" or (40) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (2) flush mounted doors, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	EA	\$	5,325.94	US	Standard Commercial Warranty

336999	FWE / Food Warming Equipment Co., Inc.	UHS-4	Heated Cabinet, mobile, undercounter, (4) universal tray slides, (4) 18" x 26" or (8) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (1) flush mounted door, push bar handles, stainless steel interior & exterior, 3.5" casters, (4) swivel with brake, UL, cUL, NSF	Heated Cabinet, mobile, undercounter, (4) universal tray slides, (4) 18" x 26" or (8) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (1) flush mounted door, push bar handles, stainless steel interior & exterior, 3.5" casters, (4) swivel with brake, UL, cUL, NSF	EA	\$	2,797.98	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHS-5-5	Heated Cabinet, mobile, split cavity, (5) universal tray slides per cavity, (5) 18" x 26" or (10) 12" x 20" pan capacity per compartment, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, separate controls, insulated, removable humidifier pan, (2) flush mounted doors, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	Heated Cabinet, mobile, split cavity, (5) universal tray slides per cavity, (5) 18" x 26" or (10) 12" x 20" pan capacity per compartment, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, separate controls, insulated, removable humidifier pan, (2) flush mounted doors, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	EA	\$	4,744.58	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHS-7	Heated Cabinet, mobile, (7) universal tray slides, (7) 18" x 26" or (14) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (1) flush mounted door, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	Heated Cabinet, mobile, (7) universal tray slides, (7) 18" x 26" or (14) 12" x 20" pan capacity, 4-1/2" OC, adjustable on 1-1/2" increments, Humi-temp heat & humidity system, adjustable thermostat, individual controls, insulated, removable humidifier pan, (1) flush mounted door, push bar handles, wraparound bumper, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, NSF	EA	\$	3,099.24	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHST-10	Heated Cabinet, mobile, slim-line, (10) pair universal tray slides, (10) 18" x 26" or (20) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 190°F temperature range, insulated, (1) flush mounted door, push bars, wraparound bumper, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Sanitation, CE	Heated Cabinet, mobile, slim-line, (10) pair universal tray slides, (10) 18" x 26" or (20) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 190°F temperature range, insulated, (1) flush mounted door, push bars, wraparound bumper, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Sanitation, CE	EA	\$	3,950.63	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHST-13	Heated Cabinet, mobile, slim-line, (13) pair universal tray slides, (13) 18" x 26" or (26) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 190°F temperature range, insulated, (1) flush mounted door, push bars, wraparound bumper, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Sanitation, CE, ENERGY STAR®	Heated Cabinet, mobile, slim-line, (13) pair universal tray slides, (13) 18" x 26" or (26) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 190°F temperature range, insulated, (1) flush mounted door, push bars, wraparound bumper, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Sanitation, CE, ENERGY STAR®	EA	\$	4,325.44	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHST-13D HO	Heated Cabinet, mobile, slim-line, high output, (13) pair universal tray slides, (13) 18" x 26" or (26) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 240°F temperature range, insulated, (2) Dutch doors, push bars, wraparound bumper, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Sanitation, CE	Heated Cabinet, mobile, slim-line, high output, (13) pair universal tray slides, (13) 18" x 26" or (26) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 240°F temperature range, insulated, (2) Dutch doors, push bars, wraparound bumper, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, UL, cUL, UL EPH Sanitation, CE	EA	\$	5,124.43	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHST-20	Heated Cabinet, mobile, slim-line, (20) pair universal tray slides, (20) 18" x 26" or (40) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 190°F temperature range, insulated, (2) flush mounted doors, push bars, wraparound bumper, stainless steel construction, 6" casters, (2) rigid, (2) swivel with brake, UL, cUL, UL EPH Sanitation, CE	Heated Cabinet, mobile, slim-line, (20) pair universal tray slides, (20) 18" x 26" or (40) 12" x 20" pan capacity, 4-1/2" OC, adjustable to 1-1/2" increments, top mounted forced air heating system, adjustable thermostat, -90°F to 190°F temperature range, insulated, (2) flush mounted doors, push bars, wraparound bumper, stainless steel construction, 6" casters, (2) rigid, (2) swivel with brake, UL, cUL, UL EPH Sanitation, CE	EA	\$	5,604.03	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	UHST-28-B	Heated Holding Transport Cabinet, mobile, insulated, accommodates (14) 18" x 26" sheet pans, 4" OC, top mounted circulating heat system, electronic temperature controls, set range 90° to 190°F, field reversible door with magnetic door latch, 1-1/2" wraparound bumper, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, heavy duty push bars, full bumper, 5" casters (2 braked), UL, cUL, CE, UL-EPH, IP X4, ANSI NSF 4	Heated Holding Transport Cabinet, mobile, insulated, accommodates (14) 18" x 26" sheet pans, 4" OC, top mounted circulating heat system, electronic temperature controls, set range 90° to 190°F, field reversible door with magnetic door latch, 1-1/2" wraparound bumper, 20 gauge stainless steel exterior with 22 gauge stainless steel interior construction, heavy duty push bars, full bumper, 5" casters (2 braked), UL, cUL, CE, UL-EPH, IP X4, ANSI NSF 4	EA	\$	4,556.17	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	URS-10	Refrigerated Cabinet, mobile, accommodates (10) 18" x 26" sheet pans, adjustable/removable tray slides, (1) solid door, electronic controls with digital display, temperature range of 33°F to 38°F, bottom mounted compressor, stainless steel interior & exterior, full perimeter bumper, (4) 6" casters (2 fixed & 2 swivel brakes), 120v/50/60/1-ph, 780 watts, 6.5 amps, cord with NEMA 5-15P, UL, cUL, NSF	Refrigerated Cabinet, mobile, accommodates (10) 18" x 26" sheet pans, adjustable/removable tray slides, (1) solid door, electronic controls with digital display, temperature range of 33°F to 38°F, bottom mounted compressor, stainless steel interior & exterior, full perimeter bumper, (4) 6" casters (2 fixed & 2 swivel brakes), 120v/50/60/1-ph, 780 watts, 6.5 amps, cord with NEMA 5-15P, UL, cUL, NSF	EA	\$	6,384.89	US	Standard Commercial Warranty
335220	INSINGER	CX20H	DISHWASHER 20X20	DOOR TYPE DISHWASHER COMMANDER EXTRA HIGH	EA	\$	10,878.64	USA	Standard Commercial Warranty
335220	INSINGER	44-4	DISHWASHER 44"	SINGLE TANK RACK CONVEYORS WITH CROSSFIRE	EA	\$	15,713.44	USA	Standard Commercial Warranty
335220	INSINGER	66-4	DISHWASHER 66"	SINGLE TANK RACK CONVEYORS WITH CROSSFIRE AND PREWASH	EA	\$	23,771.67	USA	Standard Commercial Warranty
335220	INSINGER	86-3RPW	DISHWASHER 86"	RACK CONVEYORS SPEEDER SERIES, DOUBLE TANK WITH PRE-WASH	EA	\$	38,276.07	USA	Standard Commercial Warranty
335220	INSINGER	ADMIRAL 44-4 VRS	Admiral Dishwasher, conveyor type, with ventless reclamation system, high temperature, no booster, single tank design (wash), CrossFire® wash system, approximately 233 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat	Admiral Dishwasher, conveyor type, with ventless reclamation system, high temperature, no booster, single tank design (wash), CrossFire® wash system, approximately 233 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat	EA	\$	28,002.29	US	Standard Commercial Warranty
335220	INSINGER	CS-5	Chemical Sanitizer Dishwasher, Door Type, low temperature, no booster, straight-thru design, approximately 65 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, 1 HP	Chemical Sanitizer Dishwasher, Door Type, low temperature, no booster, straight-thru design, approximately 65 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, 1 HP	EA	\$	8,703.59	US	Standard Commercial Warranty
335220	INSINGER	CS-5H	Chemical Sanitizer Dishwasher, Door Type, low temperature, no booster, extra high, straight-thru design, approximately 65 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, 1 HP	Chemical Sanitizer Dishwasher, Door Type, low temperature, no booster, extra high, straight-thru design, approximately 65 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, 1 HP	EA	\$	10,395.29	US	Standard Commercial Warranty
335220	INSINGER	ENSIGN 40-2	Ensign Dishwasher, Hood Type, high temperature, no booster, straight-thru design, approximately 43 racks/hour capacity, stainless steel construction, electric or steam tank heat, drop-into table top, 1/2 HP	Ensign Dishwasher, Hood Type, high temperature, no booster, straight-thru design, approximately 43 racks/hour capacity, stainless steel construction, electric or steam tank heat, drop-into table top, 1/2 HP	EA	\$	7,836.13	US	Standard Commercial Warranty

335220	INSINGER	GW-40	BarMaster Glasswasher, automatic, chemical sanitizing, (40) 20" x 20" racks per hour, auto fill, wash, drain & rinse cycles, electromechanical controls, multiple cycles, EZ-Clean™ wash & rinse arms, door safety switch, side panels, stainless steel frame, legs & adjustable bullet feet, 1 HP wash motor, NSF, ETL (Temporarily Unavailable)	BarMaster Glasswasher, automatic, chemical sanitizing, (40) 20" x 20" racks per hour, auto fill, wash, drain & rinse cycles, electromechanical controls, multiple cycles, EZ-Clean™ wash & rinse arms, door safety switch, side panels, stainless steel frame, legs & adjustable bullet feet, 1 HP wash motor, NSF, ETL (Temporarily Unavailable)	EA	\$	3,602.02	US	Standard Commercial Warranty
335220	INSINGER	GW-40-D	BarMaster Glasswasher, automatic, double door (pass thru), chemical sanitizing, (40) 20" x 20" racks per hour, auto fill, wash, drain & rinse cycles, electromechanical controls, multiple cycles, EZ-Clean™ wash & rinse arms, door safety switch, side panels, stainless steel frame, legs & adjustable bullet feet, 1 HP wash motor, NSF, ETL (Temporarily Unavailable)	BarMaster Glasswasher, automatic, double door (pass thru), chemical sanitizing, (40) 20" x 20" racks per hour, auto fill, wash, drain & rinse cycles, electromechanical controls, multiple cycles, EZ-Clean™ wash & rinse arms, door safety switch, side panels, stainless steel frame, legs & adjustable bullet feet, 1 HP wash motor, NSF, ETL (Temporarily Unavailable)	EA	\$	4,156.17	US	Standard Commercial Warranty
335220	INSINGER	POWER LOADER-EW	Power Side Loader, extra wide, for conveyor machines, stainless steel frame, legs & feet	Power Side Loader, extra wide, for conveyor machines, stainless steel frame, legs & feet	EA	\$	5,028.54	US	Standard Commercial Warranty
335220	INSINGER	POWER LOADER-EW/HOOD	Power Side Loader, extra wide, for conveyor machines with hood, stainless steel frame, legs & feet	Power Side Loader, extra wide, for conveyor machines with hood, stainless steel frame, legs & feet	EA	\$	6,544.06	US	Standard Commercial Warranty
335220	INSINGER	POWER SCRAPPER	Power Scrapper, variable speed, 1000 trays/hour, oversized scrap basket with sensors, vertical spray system, SureFire® start-up & check-out service, automatic tank fill, low water protection, no heat source required, vacuum breaker, 5 hp pump, stainless steel construction, ETLus, NSF	Power Scrapper, variable speed, 1000 trays/hour, oversized scrap basket with sensors, vertical spray system, SureFire® start-up & check-out service, automatic tank fill, low water protection, no heat source required, vacuum breaker, 5 hp pump, stainless steel construction, ETLus, NSF	EA	\$	13,296.04	US	Standard Commercial Warranty
335220	INSINGER	POWER UNLOADER-EW	Power Unloader, extra wide, for conveyor machines, stainless steel construction	Power Unloader, extra wide, for conveyor machines, stainless steel construction	EA	\$	6,705.40	US	Standard Commercial Warranty
335220	INSINGER	POWER UNLOADER-EW/HOOD	Power Unloader, extra wide, for conveyor machines with hood, stainless steel construction	Power Unloader, extra wide, for conveyor machines with hood, stainless steel construction	EA	\$	7,711.92	US	Standard Commercial Warranty
335220	INSINGER	SPEEDER 64	Speeder Dishwasher, conveyor type, high temperature, no booster, two-tank design (wash/rinse), CrossFire® wash system, approximately 277 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat	Speeder Dishwasher, conveyor type, high temperature, no booster, two-tank design (wash/rinse), CrossFire® wash system, approximately 277 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat	EA	\$	31,023.87	US	Standard Commercial Warranty
335220	INSINGER	SUPER 106-2 RPW	Super Dishwasher, conveyor type, high temperature, no booster, three-tank prewash, power wash, rinse section, CrossFire® wash system, approximately 330 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat	Super Dishwasher, conveyor type, high temperature, no booster, three-tank prewash, power wash, rinse section, CrossFire® wash system, approximately 330 racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat	EA	\$	42,707.86	US	Standard Commercial Warranty
335220	INSINGER	TD 321-3	Tray Dryer, top mounted NEMA 12 control panel, unique air wiper design, stainless steel frame, legs & feet, 10 HP (blower) & 1/15 HP (conveyor)	Tray Dryer, top mounted NEMA 12 control panel, unique air wiper design, stainless steel frame, legs & feet, 10 HP (blower) & 1/15 HP (conveyor)	EA	\$	11,120.31	US	Standard Commercial Warranty
335220	INSINGER	TRAC 321-2	Trac Tray Washer, high temperature sanitizing, single tank, approximately 528 trays/hour capacity, automatic tank fill, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, tray unload table, 2 HP (wash) & 1/15 HP (conveyor)	Trac Tray Washer, high temperature sanitizing, single tank, approximately 528 trays/hour capacity, automatic tank fill, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, tray unload table, 2 HP (wash) & 1/15 HP (conveyor)	EA	\$	25,867.06	US	Standard Commercial Warranty
335220	INSINGER	TRAC 321-2 RPW	Trac Tray Washer, high temp. sanitizing, double tank with prewash, approximately 528 trays/hour capacity, automatic tank fill, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, tray unload table, 1/2 HP (pre-wash), 2 HP (wash) & 1/15 HP (conveyor)	Trac Tray Washer, high temp. sanitizing, double tank with prewash, approximately 528 trays/hour capacity, automatic tank fill, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, tray unload table, 1/2 HP (pre-wash), 2 HP (wash) & 1/15 HP (conveyor)	EA	\$	32,635.24	US	Standard Commercial Warranty
335220	INSINGER	TRAC 878 RPW	Trac Tray Washer, high temp. sanitizing, triple tank with prewash, approximately 878 trays/hour capacity, automatic tank fill, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, tray unload table	Trac Tray Washer, high temp. sanitizing, triple tank with prewash, approximately 878 trays/hour capacity, automatic tank fill, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, tray unload table	EA	\$	39,887.45	US	Standard Commercial Warranty
335220	INSINGER	TRAY STACKER	Tray Stacker, fully automatically, unloads trays from exit & stacks on tray handling cart, hold approximately (60) 20" trays, "in-place" & "cart-full" interlocks, 1/8 hp unloading motor, stainless steel construction	Tray Stacker, fully automatically, unloads trays from exit & stacks on tray handling cart, hold approximately (60) 20" trays, "in-place" & "cart-full" interlocks, 1/8 hp unloading motor, stainless steel construction	EA	\$	11,925.66	US	Standard Commercial Warranty
333415REM	Scotsman	B322S	Ice Bin, top-hinged front-opening door, AHRI certified to 290 lb ice storage capacity, for top-mount	Ice Bin, top-hinged front-opening door, AHRI certified to 290 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, metallic finish exterior, includes 6" legs, NSF	EA	\$	911.29	US	Standard Commercial Warranty
333415REM	Scotsman	B330P	Ice Bin, top-hinged front-opening door, AHRI certified to 270 lb ice storage capacity, for top-mount	Ice Bin, top-hinged front-opening door, AHRI certified to 270 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, rotocast plastic construction, includes 6" legs, NSF	EA	\$	869.16	US	Standard Commercial Warranty
333415REM	Scotsman	B530P	Ice Bin, top-hinged front-opening door, AHRI certified to 420 lb ice storage capacity, for top-mount	Ice Bin, top-hinged front-opening door, AHRI certified to 420 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, rotocast plastic construction, includes 6" legs, NSF	EA	\$	945.58	US	Standard Commercial Warranty
333415REM	Scotsman	B530S	Ice Bin, top-hinged front-opening door, AHRI certified to 420 lb ice storage capacity, for top-mount	Ice Bin, top-hinged front-opening door, AHRI certified to 420 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, metallic finish exterior, includes 6" legs, NSF	EA	\$	1,004.24	US	Standard Commercial Warranty
333415REM	Scotsman	B842S	Ice Bin, top-hinged front-opening door, AHRI certified to 610 lb ice storage capacity, for top-mount	Ice Bin, top-hinged front-opening door, AHRI certified to 610 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, metallic finish exterior, includes 6" legs, NSF	EA	\$	1,351.24	US	Standard Commercial Warranty
333415REM	Scotsman	B948S	Ice Bin, top-hinged front-opening door, AHRI certified to 700 lb ice storage capacity, for top-mount	Ice Bin, top-hinged front-opening door, AHRI certified to 700 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, metallic finish exterior, includes 6" legs, NSF	EA	\$	1,407.84	US	Standard Commercial Warranty
333415REM	Scotsman	C0322MA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 356 lb/24 hours at 70°/50° (233 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 115v/60/1-ph, 12.7 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	2,596.74	US	Standard Commercial Warranty
333415REM	Scotsman	C0322SA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 356 lb/24 hours at 70°/50° (233 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 115v/60/1-ph, 12.7 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	2,596.74	US	Standard Commercial Warranty
333415REM	Scotsman	C0330MA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 400 lb/24 hours at 70°/50° (300 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 115v/60/1-ph, 14.3 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	2,448.43	US	Standard Commercial Warranty

333415REM	Scotsman	C0330SA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 400 lb/24 hours at 70°/50° (300 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 115v/60/1-ph, 14.3 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	2,448.43	US	Standard Commercial Warranty
333415REM	Scotsman	C0522MA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 475 lb/24 hours at 70°/50° (340 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 115v/60/1-ph, 11.2 amps, cULus, NSF, CE	EA	\$	2,728.51	US	Standard Commercial Warranty
333415REM	Scotsman	C0522SA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 475 lb/24 hours at 70°/50° (340 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 115v/60/1-ph, 11.2 amps, cULus, NSF, CE	EA	\$	2,728.51	US	Standard Commercial Warranty
333415REM	Scotsman	C0530MA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 525 lb/24 hours at 70°/50° (380 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 115v/60/1-ph, 15.2 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	2,720.25	US	Standard Commercial Warranty
333415REM	Scotsman	C0530SA-1	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 525 lb/24 hours at 70°/50° (380 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 115v/60/1-ph, 15.2 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	2,720.25	US	Standard Commercial Warranty
333415REM	Scotsman	C0630MA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 776 lb/24 hours at 70°/50° (528 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 208-230v/60/1-ph, 18.2 amps, cULus, NSF, CE	EA	\$	3,334.94	US	Standard Commercial Warranty
333415REM	Scotsman	C0630SA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 776 lb at 70°/50° (528 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 208-230v/60/1-ph, 18.2 amps, cULus, NSF, CE	EA	\$	3,334.94	US	Standard Commercial Warranty
333415REM	Scotsman	C0722SA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 758 lb/24 hours at 70°/50° (566 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 208-230v/60/1-ph, 11.0 amps, cULus, NSF	EA	\$	3,281.65	US	Standard Commercial Warranty
333415REM	Scotsman	C0830SA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 905 lb/24 hours at 70°/50° (724 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 208-230v/60/1-ph, 10.2 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	4,188.82	US	Standard Commercial Warranty
333415REM	Scotsman	C1030MA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 1077 lb/24 hours at 70°/50° (844 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 208-230v/60/1-ph, 16.0 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	4,783.26	US	Standard Commercial Warranty
333415REM	Scotsman	C1030SA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 1077 lb/24 hours at 70°/50° (844 lb AHRI certified at 90°/70°), stainless steel finish, small cube size, 208-230v/60/1-ph, 16.0 amps, cULus, NSF, CE, ENERGY STAR®	EA	\$	4,783.26	US	Standard Commercial Warranty
333415REM	Scotsman	C1448MA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 1553 lb/24 hours at 70°/50° (1242 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 208-230v/60/1-ph, 17.7 amps, cULus, NSF, CE	EA	\$	5,462.81	US	Standard Commercial Warranty
333415REM	Scotsman	C1848MA-32	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to	Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 1909 lb/24 hours at 70°/50° (1527 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 208-230v/60/1-ph, 25.5 amps, CE, NSF	EA	\$	7,052.41	US	Standard Commercial Warranty
333415REM	Scotsman	CU0415MA-1	Essential Ice™ Ice Maker With Bin, cube style, air cooled, self contained condenser, production capa	Essential Ice™ Ice Maker With Bin, cube style, air cooled, self contained condenser, production capacity up to 58 lb/24 hours at 70°/50° (38 lb certified at 90°/70°), 36 lb bin storage capacity, clear medium cube, R-134a refrigerant, 6" legs included, ice scoop included, 115V/60/1-ph, cETLus, ETL-Sanitation	EA	\$	1,561.51	US	Standard Commercial Warranty
333415REM	Scotsman	CU0515GA-1	Ice Maker With Bin, Gourmet cube style, air-cooled, self-contained condenser, production capacity up	Ice Maker With Bin, Gourmet cube style, air-cooled, self-contained condenser, production capacity up to 84 lb/24 hours at 70°/50° (66 lb certified at 90°/70°), 24 lb bin storage capacity, front opening bin, stainless steel finish, R-134A refrigerant, includes legs, 115v/60/1-ph, cULus, NSF	EA	\$	2,438.93	US	Standard Commercial Warranty
333415REM	Scotsman	CU0715MA-1	Essential Ice™ Ice Maker With Bin, cube style, air cooled, self contained condenser, production capa	Essential Ice™ Ice Maker With Bin, cube style, air cooled, self contained condenser, production capacity up to 80 lb/24 hours at 70°/50° (58 lb AHRI certified at 90°/70°), 36 lb bin storage capacity, clear medium cube, R-134a refrigerant, 6" legs included, ice scoop included, 115v/60/1-ph, cETLus, ETL-Sanitation	EA	\$	1,718.90	US	Standard Commercial Warranty
333415REM	Scotsman	CU0920MA-1	Essential Ice™ Ice Maker With Bin, cube style, air cooled, self contained condenser, production capa	Essential Ice™ Ice Maker With Bin, cube style, air cooled, self contained condenser, production capacity up to 100 lb/24 hours at 70°/50° (80 lb AHRI certified at 90°/70°), 57 lb bin storage capacity, clear medium cube, R-134a refrigerant, 6" legs included, ice scoop included, 115V/60/1-ph, cETLus, ETL-Sanitation, CE	EA	\$	1,834.16	US	Standard Commercial Warranty
333415REM	Scotsman	UC2024MA-1	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity u	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity up to 150 lb/24 hours at 70°/50° (110 lb AHRI certified at 90°/70°), 80 lb bin storage capacity, Auto-alert™ indicator lights, front removable air filter, stainless steel finish, medium cube size, includes 6" legs, 115v/60/1-ph, cULus, NSF, ENERGY STAR®	EA	\$	1,976.68	US	Standard Commercial Warranty
333415REM	Scotsman	UC2024SA-1	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity u	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity up to 150 lb/24 hours at 70°/50° (110 lb AHRI certified at 90°/70°), 80 lb bin storage capacity, Auto-alert™ indicator lights, front removable air filter, stainless steel finish, small cube size, includes 6" legs, 115v/60/1-ph, cULus, NSF	EA	\$	1,976.68	US	Standard Commercial Warranty

333415REM	Scotsman	UC2724MA-1	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity up to 200 lb/24 hours at 70°/50° (155 lb AHRI certified at 90°/70°), 80 lb bin storage capacity, Auto-alert™ indicator lights, front removable air filter, stainless steel finish, medium cube size, includes 6" legs, 115v/60/1-ph, cULus, NSF	EA	\$	2,244.78	US	Standard Commercial Warranty
333415REM	Scotsman	UC2724SA-1	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity up to 200 lb/24 hours at 70°/50° (155 lb AHRI certified at 90°/70°), 80 lb bin storage capacity, Auto-alert™ indicator lights, front removable air filter, stainless steel finish, small cube size, includes 6" legs, 115v/60/1-ph, NSF, cULus	EA	\$	2,244.78	US	Standard Commercial Warranty
333415REM	Scotsman	CU3030MA-1	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity up to 250 lb/24 hours at 70°/50° (217 lb AHRI certified at 90°/70°), 110 lb bin storage capacity, Auto-alert™ indicator lights, recessed front panel on/off switch, front removable air filter, stainless steel finish, medium cube size, includes 6" legs, 115v/60/1-ph, NSF, cULus, ENERGY STAR®	EA	\$	2,674.81	US	Standard Commercial Warranty
333415REM	Scotsman	CU3030SA-1	Prodigy® Ice Maker With Bin, cube style, air-cooled, self-contained condenser, production capacity up to 250 lb/24 hours at 70°/50° (217 lb AHRI certified at 90°/70°), 110 lb bin storage capacity, Auto-alert™ indicator lights, front removable air filter, stainless steel finish, small cube size, includes 6" legs, 115v/60/1-ph, NSF, cULus, ENERGY STAR®	EA	\$	2,674.81	US	Standard Commercial Warranty
333415REM	Scotsman	CU50GA-1	Undercounter Ice Maker With Bin, Gourmet Cube, air-cooled, self-contained condenser, production capacity up to 65 lb/24 hours at 70°/50° (50 lb AHRI certified at 90°/70°), 26 lb ice storage capacity, stainless steel exterior with gravity drain, 1" adjustable legs, 115v/60/1-ph, NSF, cULus	EA	\$	1,916.36	US	Standard Commercial Warranty
333415REM	Scotsman	CU50PA-1	Undercounter Ice Maker With Bin, Gourmet Cube, air-cooled, self-contained condenser, production capacity up to 65 lb/24 hours at 70°/50° (50 lb AHRI certified at 90°/70°), 26 lb ice storage capacity, stainless steel exterior with built in pump drain, 1" adjustable legs, 115v/60/1-ph, NSF, cULus	EA	\$	2,215.86	US	Standard Commercial Warranty
333415REM	Scotsman	ERC311-32	Condenser Unit, Remote Refrigeration, designed for outdoor installation, temperature range -20°F to 120°F, galvanized finish, 208-230v/60/1-ph, 1.25 amps, use with C0630xR, C0830xR, C1030xR, & C1448xR, cULus	EA	\$	905.92	US	Standard Commercial Warranty
333415REM	Scotsman	FS0522A-1	Prodigy Plus® Ice Maker, flake style, air-cooled, self-contained condenser, production capacity up to 450 lb/24 hours at 70°/50° (320 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 115v/60/1-ph, 15.2 amps, NSF, cULus	EA	\$	3,325.44	US	Standard Commercial Warranty
333415REM	Scotsman	FS0822A-1	Prodigy Plus® Ice Maker, flake style, air-cooled, self-contained condenser, production capacity up to 800 lb/24 hours at 70°/50° (580 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 115v/60/1-ph, 18.3 amps, NSF, cULus	EA	\$	4,225.58	US	Standard Commercial Warranty
333415REM	Scotsman	HD22B-1	iceValet® Hotel/Motel Ice Dispenser, floor model, push dispensing, AHRI certified 120 lb storage capacity, stainless front & sides, includes 6" legs, 115v/60/1-ph, 2.1 amps, NSF, cULus	EA	\$	2,643.42	US	Standard Commercial Warranty
333415REM	Scotsman	HD30B-1	iceValet® Hotel/Motel Ice Dispenser, floor model, push dispensing, 180 lb storage capacity, designed for 30" wide top mount cube-type ice makers, stainless front & sides, includes 6" legs, 115v/60/1-ph, 2.1 amps, NSF, cULus	EA	\$	3,089.15	US	Standard Commercial Warranty
333415REM	Scotsman	HID312A-1	Meridian™ Ice and Water Dispenser, H2 Nugget Ice, air cooled, production capacity up to 260 lb/24 hours at 70°/50° (225 lb AHRI certified at 90°/70°), 12 lb bin storage capacity, stainless exterior, external air filter, AgION™ antimicrobial protection, R-134a refrigerant, 115v/60/1-ph, 7.0 amps, cULus	EA	\$	3,823.64	US	Standard Commercial Warranty
333415REM	Scotsman	HID525A-1	Meridian™ Ice and Water Dispenser, H2 Nugget Ice, air cooled, production capacity up to 500 lb/24 hours at 70°/50° (365 lb AHRI certified at 90°/70°), 25 lb bin storage capacity, stainless exterior, external air filter, AgION™ antimicrobial protection, R-404a refrigerant, 115v/60/1, 9.0 amps, cULus	EA	\$	5,603.26	US	Standard Commercial Warranty
333415REM	Scotsman	HID540A-1	Meridian™ Ice and Water Dispenser, H2 Nugget Ice, air cooled, production capacity up to 500 lb/24 hours at 70°/50° (365 lb AHRI certified at 90°/70°), 40 lb bin storage capacity, stainless exterior, external air filter, AgION™ antimicrobial protection, R-404a refrigerant, 115v/60/1, 9.0 amps, cULus	EA	\$	6,114.68	US	Standard Commercial Warranty
333415REM	Scotsman	HST21-A	Machine Stand for HID525 and HID540, 21-1/2"W x 23-3/4"D x 32"H, stainless steel, reversible locking door, 6" adjustable legs	EA	\$	619.23	US	Standard Commercial Warranty
333415REM	Scotsman	HST21B-A	Machine Stand for HID525 and HID540, 21-1/2"W x 23-3/4"D x 32"H, stainless steel, 6" adjustable legs	EA	\$	569.66	US	Standard Commercial Warranty
333415REM	Scotsman	NH0422A-1	Prodigy Plus® Ice Maker, nugget style, air-cooled, self-contained condenser, production capacity up to 420 lb/24 hours at 70°/50° (310 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 115v/60/1-ph, 15.2 amps, NSF, cULus	EA	\$	3,378.32	US	Standard Commercial Warranty
333415REM	Scotsman	NH0622A-1	Prodigy Plus® Ice Maker, nugget style, air-cooled, self-contained condenser, production capacity up to 643 lb/24 hours at 70°/50° (500 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 115v/60/1-ph, 18.3 amps, NSF, cULus	EA	\$	4,469.72	US	Standard Commercial Warranty
333415REM	Scotsman	NH0922A-32	Prodigy Plus® Ice Maker, nugget style, air-cooled, self-contained condenser, production capacity up to 956 lb/24 hours at 70°/50° (784 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 208-230v/60/1-ph, 12.5 amps, NSF, cULus, ENERGY STAR®	EA	\$	5,580.13	US	Standard Commercial Warranty

333415REM	Scotsman	NH0922R-32	Prodigy Plus® Ice Maker, nugget style, remote cooled, production capacity up to 1044 lb/24 hours at	Prodigy Plus® Ice Maker, nugget style, remote cooled, production capacity up to 1044 lb/24 hours at 70°/50° (781 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 208-230v/60/1-ph, 12.3 amps, NSF, cULus, ENERGY STAR®	EA	\$	5,538.82	US	Standard Commercial Warranty
333415REM	Scotsman	NH1322R-32	Prodigy Plus® Ice Maker, nugget style, air-cooled, remote condenser, production capacity up to 1329	Prodigy Plus® Ice Maker, nugget style, air-cooled, remote condenser, production capacity up to 1329 lb/24 hours at 70°/50° (1030 lb AHRI certified at 90°/70°), Auto-alert™ indicating lights, stainless steel finish, R-404A refrigerant, 208-230v/60/1-ph, 18.9 amps, NSF, cULus, ENERGY STAR®	EA	\$	7,061.50	US	Standard Commercial Warranty
333415REM	Scotsman	UF424A-1	Ice Maker with Bin, flake style, air-cooled, self-contained condenser, production capacity up to 395	Ice Maker with Bin, flake style, air-cooled, self-contained condenser, production capacity up to 395 lb/24 hours at 70°/50° (250 lb AHRI certified at 90°/70°), 80 lb bin storage capacity, roto cast grey finish, price includes legs, 115v/60/1-ph, cULus, NSF	EA	\$	3,676.99	US	Standard Commercial Warranty
333241	Southbend	4241E	Range, 24" Restaurant, Gas	Ultimate Restaurant Range, gas, 24", (4) non-clog burners, standard grates, standing pilot, (1) space saver oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides & shelf, 6" adjustable legs, 177,000 BTU, CSA, NSF	EA	\$	3,350.47	US	Standard Commercial Warranty
333241	Southbend	4361A	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36", (6) non-clog burners, standard grates, standing pilot, (1) convection oven with battery spark ignition, includes (3) racks, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 230,000 BTU, CSA, NSF	EA	\$	5,802.26	US	Standard Commercial Warranty
333241	Southbend	4361C	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36", (6) non-clog burners, standard grates, standing pilot, cabinet base, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 198,000 BTU, CSA, NSF	EA	\$	3,347.69	US	Standard Commercial Warranty
333241	Southbend	4361D	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36", (6) non-clog burners, standard grates, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 243,000 BTU, CSA, NSF	EA	\$	3,684.63	US	Standard Commercial Warranty
333241	Southbend	4362D	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36", (6) non-clog burners, wavy grates, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 207,000 BTU, CSA, NSF	EA	\$	3,660.07	US	Standard Commercial Warranty
333241	Southbend	4365D	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36", (3) non-clog burners front, (2) pyromax burners rear, standard grates, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 224,000 BTU, CSA, NSF	EA	\$	3,628.55	US	Standard Commercial Warranty
333241	Southbend	4367D	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36", (4) pyromax burners, standard grates, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 205,000 BTU, CSA, NSF	EA	\$	2,985.71	US	Standard Commercial Warranty
333241	Southbend	436D-3T	Range, 36" Restaurant, Gas	Ultimate Restaurant Range, gas, 36" griddle, thermostatic controls, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 109,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,940.37	US	Standard Commercial Warranty
333241	Southbend	4481DC	Range, 48" Restaurant, Gas	Ultimate Restaurant Range, gas, 48", (8) non-clog burners, standard grates, standing pilot, (1) standard oven with battery spark ignition, (1) cabinet base, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 309,000 BTU, CSA, NSF	EA	\$	5,418.04	US	Standard Commercial Warranty
333241	Southbend	4481EE	Range, 48" Restaurant, Gas	Ultimate Restaurant Range, gas, 48", (8) non-clog burners, standard grates, standing pilot, (2) space saver ovens with battery spark ignition, includes (1) rack per oven, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 354,000 BTU, CSA, NSF	EA	\$	5,851.85	US	Standard Commercial Warranty
333241	Southbend	4601AA	Range, 60" Restaurant, Gas	Ultimate Restaurant Range, gas, 60", (10) non-clog burners, standard grates, standing pilot, (2) convection ovens with battery spark ignition, includes (3) racks per oven, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 394,000 BTU, CSA, NSF	EA	\$	10,943.13	US	Standard Commercial Warranty
333241	Southbend	4601DD	Range, 60" Restaurant, Gas	Ultimate Restaurant Range, gas, 60", (10) non-clog burners, standard grates, standing pilot, (2) standard ovens with battery spark ignition, includes (1) rack per oven, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 420,000 BTU, CSA, NSF	EA	\$	5,760.54	US	Standard Commercial Warranty
333241	Southbend	4601DD-2GL	Range, 60" Restaurant, Gas	Ultimate Restaurant Range, gas, 60", (6) non-clog burners, standard grates, (1) 24" griddle left, standing pilot, (2) standard ovens with battery spark ignition, includes (1) rack per oven, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 336,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	6,272.69	US	Standard Commercial Warranty
333241	Southbend	4601DD-2GR	Range, 60" Restaurant, Gas	Ultimate Restaurant Range, gas, 60", (6) non-clog burners, standard grates, (1) 24" griddle right, standing pilot, (2) standard ovens with battery spark ignition, includes (1) rack per oven, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 336,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	6,272.69	US	Standard Commercial Warranty
333241	Southbend	4601DD-2TL	Range, 60" Restaurant, Gas	Ultimate Restaurant Range, gas, 60", (6) non-clog burners, standard grates, (1) 24" griddle left, thermostatic controls, standing pilot, (2) standard ovens with battery spark ignition, includes (1) rack per oven, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 336,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	8,527.50	US	Standard Commercial Warranty

333241	Southbend	BES/17SC	Convection Oven, Electric	Convection Oven, electric, single-deck, standard depth, solid state controls & 60 minute cook timer, dependent glass doors, (5) wire racks, 11-position rack glides, 2-speed fans, interior light, porcelain interior, stainless steel front, top & sides, 26" painted steel triangular legs, 7.5 kW, 1/2 HP, cCSAus, NSF, ENERGY STAR®	EA	\$	4,163.41	US	Standard Commercial Warranty
333241	Southbend	BES/27SC	Convection Oven, Electric	Convection Oven, electric, double-deck, standard depth, solid state controls & 60 minute cook timer, dependent glass doors, (5) wire racks each, 11-position rack glides, 2-speed fans, interior light, porcelain interior, stainless steel front, top & sides, 7.5 kW per oven cavity, (2) 1/2 HP, cCSAus, NSF, ENERGY STAR®	EA	\$	8,327.27	US	Standard Commercial Warranty
333241	Southbend	BGS/12SC	Convection Oven, Gas	Bronze Convection Oven, gas, single-deck, standard depth, solid state controls, 60-minute cook timer, electronic ignition, oven interior light, stainless steel front, top, sides & door, porcelain interior, 26" painted steel triangular legs, 120v/60/1-ph, NEMA 5-15P, 1/2 HP, 54,000 BTU, CSA, NSF	EA	\$	3,952.99	US	Standard Commercial Warranty
333241	Southbend	BGS/13SC	Convection Oven, Gas	Bronze Convection Oven, gas, single-deck, standard depth, solid state controls, 60-minute cook timer, electronic ignition, (5) wire racks, 11-position rack guides, 2-speed fan, oven interior light, stainless steel front, top, sides & door, porcelain interior, 26" painted steel triangular legs, 7.9 amps, 120v/60/1-ph, NEMA 5-15P, 1/2 HP, 40,000 BTU, CSA, NSF, ENERGY STAR®	EA	\$	4,163.41	US	Standard Commercial Warranty
333241	Southbend	BGS/22SC	Convection Oven, Gas	Bronze Convection Oven, gas, double-deck, standard depth, solid state controls, 60-minute cook timer, electronic ignition, oven interior light, stainless steel front, top, sides & door, porcelain interior, 6" stainless steel legs, 120v/60/1-ph, 7.9 amps, NEMA 5-15P, (2) 1/2 HP, 108,000 BTU, CSA, NSF	EA	\$	7,906.44	US	Standard Commercial Warranty
333241	Southbend	BGS/23SC	Convection Oven, Gas	Bronze Convection Oven, gas, double-deck, standard depth, solid state controls, 60-minute cook timer, electronic ignition, (5) wire racks, 11-position rack guides, 2-speed fan, oven interior light, stainless steel front, top, sides & door, porcelain interior, 6" stainless steel legs, (2) 120v/60/1-ph, (2) 7.9 amps, NEMA 5-15P, (2) 1/2 HP, (2) 40,000 BTU, CSA, NSF, ENERGY STAR®	EA	\$	8,327.27	US	Standard Commercial Warranty
333241	Southbend	EH-10SC	Convection Oven, Electric	MarathonerGold Convection Oven, electric, half size, standard depth, single deck, solid state thermostat, 60 minute timer, two speed, fan motor, single door with window, porcelain oven interior, stainless steel front, sides & top, 4" legs, 1/2 HP, 7.5 kW, CSA, NSF	EA	\$	3,897.83	US	Standard Commercial Warranty
333241	Southbend	GH/10CCH	Convection Oven, Gas	MarathonerGold Convection Oven, gas, half size, standard depth, single-deck, cook & hold solid state controls, timer/temperature dual digital display, two speed, fan motor, solid state temperature control, single door with window, 4" legs, stainless steel front, sides, top, porcelain oven interior, 1/2 HP, 30,000 BTU, CSA, NSF	EA	\$	4,599.07	US	Standard Commercial Warranty
333241	Southbend	GH-10SC	Convection Oven, Gas	MarathonerGold Convection Oven, gas, half size, standard depth, single-deck, standard control, two speed, fan motor, solid state temperature control, single door with window, 4" legs, stainless steel front, sides, top, porcelain oven interior, 1/2 HP, 30,000 BTU, CSA, NSF	EA	\$	3,897.83	US	Standard Commercial Warranty
333241	Southbend	GS/25SC	Convection Oven, Gas	MarathonerGold Convection Oven, gas, double-deck, standard depth, solid state controls, energy savings system "NRG", with 6" high legs, stainless steel front, sides, top, and rear jacket, 180,000 BTU (reference annual operating cost savings document)	EA	\$	12,008.20	US	Standard Commercial Warranty
333241	Southbend	HDC-12	Charbroiler, Gas, Countertop	Charbroiler, gas, countertop, 12", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 40,000 BTU, CSA, NSF	EA	\$	1,940.11	US	Standard Commercial Warranty
333241	Southbend	HDC-24	Charbroiler, Gas, Countertop	Charbroiler, gas, countertop, 24", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 80,000 BTU, CSA, NSF	EA	\$	2,786.42	US	Standard Commercial Warranty
333241	Southbend	HDC-36	Charbroiler, Gas, Countertop	Charbroiler, gas, countertop, 36", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 120,000 BTU, CSA, NSF	EA	\$	3,633.19	US	Standard Commercial Warranty
333241	Southbend	HDC-48	Charbroiler, Gas, Countertop	Charbroiler, gas, countertop, 48", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 160,000 BTU, CSA, NSF	EA	\$	4,644.49	US	Standard Commercial Warranty
333241	Southbend	HDC-60	Charbroiler, Gas, Countertop	Charbroiler, gas, countertop, 60", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 200,000 BTU, CSA, NSF	EA	\$	6,075.24	US	Standard Commercial Warranty
333241	Southbend	HDCS-24	Equipment Stand, for Countertop Cooking	Counterline Stand, 24" , undershelf, stainless steel construction, adjustable bullet feet, CSA, NSF	EA	\$	672.97	US	Standard Commercial Warranty
333241	Southbend	HDCS-36	Equipment Stand, for Countertop Cooking	Counterline Stand, 36" , undershelf, stainless steel construction, adjustable bullet feet, CSA, NSF	EA	\$	745.73	US	Standard Commercial Warranty
333241	Southbend	HDCS-48	Equipment Stand, for Countertop Cooking	Counterline Stand, 48", undershelf, stainless steel construction, adjustable bullet feet, CSA, NSF	EA	\$	812.94	US	Standard Commercial Warranty
333241	Southbend	HDG-18	Griddle, Gas, Countertop	Griddle, countertop, gas, 18" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 30,000 BTU, CSA, NSF	EA	\$	2,409.61	US	Standard Commercial Warranty
333241	Southbend	HDG-18-M	Griddle, Gas, Countertop	Griddle, countertop, gas, 18" W x 24" D cooking surface, 1" thick polished steel plate, manual controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 20,000 BTU, CSA, NSF	EA	\$	2,036.51	US	Standard Commercial Warranty
333241	Southbend	HDG-24	Griddle, Gas, Countertop	Griddle, countertop, gas, 24" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 60,000 BTU, CSA, NSF	EA	\$	2,677.04	US	Standard Commercial Warranty

333241	Southbend	HDG-24-M	Griddle, Gas, Countertop	Griddle, countertop, gas, 24" W x 24" D cooking surface, 1" thick polished steel plate, manual controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 40,000 BTU, CSA, NSF	EA	\$	2,262.69	US	Standard Commercial Warranty
333241	Southbend	HDG-36	Griddle, Gas, Countertop	Griddle, countertop, gas, 36" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 90,000 BTU, CSA, NSF	EA	\$	3,684.63	US	Standard Commercial Warranty
333241	Southbend	HDG-36-M	Griddle, Gas, Countertop	Griddle, countertop, gas, 36" W x 24" D cooking surface, 1" thick polished steel plate, manual controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 60,000 BTU, CSA, NSF	EA	\$	3,114.56	US	Standard Commercial Warranty
333241	Southbend	HDG-48	Griddle, Gas, Countertop	Griddle, countertop, gas, 48" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 120,000 BTU, CSA, NSF	EA	\$	3,862.61	US	Standard Commercial Warranty
333241	Southbend	HDG-60	Griddle, Gas, Countertop	Griddle, countertop, gas, 60" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 150,000 BTU, CSA, NSF	EA	\$	6,120.20	US	Standard Commercial Warranty
333241	Southbend	HDG-60-M	Griddle, Gas, Countertop	Griddle, countertop, gas, 60" W x 24" D cooking surface, 1" thick polished steel plate, manual controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 100,000 BTU, CSA, NSF	EA	\$	5,172.39	US	Standard Commercial Warranty
333241	Southbend	HDG-72	Griddle, Gas, Countertop	Griddle, countertop, gas, 72" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 180,000 BTU, CSA, NSF	EA	\$	7,660.80	US	Standard Commercial Warranty
333241	Southbend	HDG-72-M	Griddle, Gas, Countertop	Griddle, countertop, gas, 72" W x 24" D cooking surface, 1" thick polished steel plate, manual controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 120,000 BTU, CSA, NSF	EA	\$	6,474.76	US	Standard Commercial Warranty
333241	Southbend	HDO-24	Hotplate, Countertop, Gas	Hotplate, gas, countertop, 24", (4) 33,000 BTU open burners, manual controls, removable cast iron grates & crumb tray, stainless steel front, sides & 4" adjustable legs, 132,000 BTU, CSA, NSF	EA	\$	1,558.21	US	Standard Commercial Warranty
333241	Southbend	HDO-36	Hotplate, Countertop, Gas	Hotplate, gas, countertop, 36", (6) 33,000 BTU open burners, manual controls, removable cast iron grates & crumb tray, stainless steel front, sides & 4" adjustable legs, 198,000 BTU, CSA, NSF	EA	\$	1,964.68	US	Standard Commercial Warranty
333241	Southbend	HDO-36SU	Hotplate, Countertop, Gas	Hotplate, gas, 36", countertop, (3) 33,000 BTU open burners, (3) 33,000 BTU step-up open burners, manual controls, removable cast iron grates & crumb tray, stainless steel front, sides & 4" adjustable legs, 198,000 BTU, CSA, NSF	EA	\$	2,462.91	US	Standard Commercial Warranty
333241	Southbend	HDO-48	Hotplate, Countertop, Gas	Hotplate, gas, countertop, 48", (8) 33,000 BTU open burners, manual controls, removable cast iron grates & crumb tray, stainless steel front, sides & 4" adjustable legs, 264,000 BTU, CSA, NSF	EA	\$	2,591.29	US	Standard Commercial Warranty
333241	Southbend	KLGS-27SC	Convection Oven, Gas	Convection Oven, gas, double-deck, standard depth, solid state controls & 60 minute cook timer, electronic ignition, dependent glass doors, (5) wire racks each, 11-position rack glides, 2-speed fans, interior light, porcelain interior, stainless steel front, top & sides, 6" stainless steel legs, (2) 1/2 HP, (2) 53,000 BTU, cCSAus, NSF, ENERGY STAR®	EA	\$	7,891.61	US	Standard Commercial Warranty
333241	Southbend	P12C-S	Spreader Cabinet	Platinum Heavy Duty Spreader Cabinet, 12" solid top, cabinet base, stainless steel front and sides, 6" legs	EA	\$	1,515.10	US	Standard Commercial Warranty
333241	Southbend	P16C-PF45	Fryer, Gas, Floor Model, Full Pot	Platinum Fryer Heavy Duty Range Match, gas, floor model, 45 lb. capacity, thermostatic controls, includes (2) baskets, stainless steel fry pot & exterior, front legs and rear fixed casters, 110,000 BTU, CSA, NSF	EA	\$	4,098.06	US	Standard Commercial Warranty
333241	Southbend	P16C-X	Range, 16"-17" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 16", (2) 45,000 BTU open burners, manual controls, cabinet base, stainless steel front sides, rear & exterior bottom & 6" adjustable legs, 90,000 BTU, CSA, NSF	EA	\$	2,852.23	US	Standard Commercial Warranty
333241	Southbend	P24-CM	Cheesemelter, Gas	Platinum Heavy Duty Cheesemelter Match, gas, 24", riser mount, (2) infrared burners, (5) position rack guides, (1) chrome plated rack, dual valve control, 90 second preheat time, removable crumb tray, stainless steel construction, 20,000 BTU, CSA, NSF	EA	\$	2,661.74	US	Standard Commercial Warranty
333241	Southbend	P32A-BBB	Range, 32" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 32", (6) 33,000 BTU open burners, manual controls, (1) convection oven, includes (3) racks, stainless steel front, sides, exterior bottom & 6" adjustable legs, 243,000 BTU, CSA, NSF	EA	\$	9,168.48	US	Standard Commercial Warranty
333241	Southbend	P32A-XX	Range, 32" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 32", (4) 45,000 BTU open burners, manual controls, (1) convection oven, includes (3) racks, stainless steel front, sides & 6" adjustable legs, 225,000 BTU, CSA, NSF	EA	\$	8,447.31	US	Standard Commercial Warranty
333241	Southbend	P32-CM	Cheesemelter, Gas	Platinum Heavy Duty Cheesemelter, gas, 32", riser mount, (4) infrared burners, (5) position rack guides, (1) chrome plated rack, dual valve control, 90 second preheat time, removable crumb tray, stainless steel construction, 40,000 BTU, CSA, NSF	EA	\$	2,810.98	US	Standard Commercial Warranty
333241	Southbend	P32D-XX	Range, 32" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 32", (4) 45,000 BTU open burners, manual controls, (1) standard oven, includes (2) racks, stainless steel front, sides & 6" adjustable legs, 225,000 BTU, CSA, NSF	EA	\$	6,098.42	US	Standard Commercial Warranty
333241	Southbend	P32-NFR	Salamander Broiler, Gas	Platinum Compact Infrared Broiler, gas, 32", riser mount, dual valve control, counter balanced rack system, stainless steel front & sides, 40,000 BTU, CSA, NSF	EA	\$	3,292.53	US	Standard Commercial Warranty
333241	Southbend	P36A-BBB	Range, 36" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, manual controls, (1) convection oven, includes (3) racks, stainless steel front, sides, exterior bottom & 6" adjustable legs, 255,000 BTU, CSA, NSF	EA	\$	9,752.93	US	Standard Commercial Warranty
333241	Southbend	P36-CM	Cheesemelter, Gas	Platinum Heavy Duty Cheesemelter Match, gas, 36", riser mount, (4) infrared burners, (5) position rack guides, (1) chrome plated rack, dual valve control, 90 second preheat time, removable crumb tray, stainless steel construction, 40,000 BTU	EA	\$	2,943.54	US	Standard Commercial Warranty
333241	Southbend	P36D-BBB	Range, 36" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, manual controls, (1) standard oven, includes (2) racks, stainless steel front, sides, exterior bottom & 6" adjustable legs, 255,000 BTU, CSA, NSF	EA	\$	6,999.42	US	Standard Commercial Warranty
333241	Southbend	P36D-XX	Range, 36" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 36", (4) 45,000 BTU open burners, manual controls, (1) standard oven, includes (2) racks, stainless steel front, sides, rear, exterior bottom & 6" adjustable legs, 225,000 BTU, CSA, NSF	EA	\$	6,256.46	US	Standard Commercial Warranty

333241	Southbend	P36N-BBB	Range, 36" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 36", modular, (6) 35,000 BTU open burners, manual controls, stainless steel front, sides & exterior bottom, 210,000 BTU, CSA, NSF	EA	\$	4,909.14	US	Standard Commercial Warranty
333241	Southbend	P36N-CCC	Range, 36" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 36", modular, charbroiler, cast iron grates, manual controls, stainless steel radiants, front, sides, rear & exterior bottom 96,000 BTU, CSA, NSF	EA	\$	4,963.37	US	Standard Commercial Warranty
333241	Southbend	P36-NFR	Salamander Broiler, Gas	Platinum Compact Infrared Broiler, gas, 36", riser mount, dual valve control, counter balanced rack system, stainless steel front & sides, 40,000 BTU, CSA, NSF	EA	\$	3,220.23	US	Standard Commercial Warranty
333241	Southbend	P36N-TTT	Range, 36" Heavy Duty, Gas	Platinum Heavy Duty Range, gas, 36", modular, griddle, 1" thick plate, thermostatic controls, battery spark ignition, stainless steel front, sides, rear & exterior bottom, 96,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,288.73	US	Standard Commercial Warranty
333241	Southbend	P36-RAD	Salamander Broiler, Gas	Platinum Compact Radiant Broiler, gas, 36", riser mount, dual valve control, counter balanced rack system, stainless steel front & sides, 40,000 BTU, CSA, NSF	EA	\$	2,774.83	US	Standard Commercial Warranty
333241	Southbend	P48-CM	Cheesemelter, Gas	Platinum Heavy Duty Cheesemelter, gas, 48", riser mount, (6) infrared burners, (5) position rack guides, (1) chrome plated rack, dual valve control, 90 second preheat time, removable crumb tray, stainless steel construction, 60,000 BTU, CSA, NSF	EA	\$	3,094.17	US	Standard Commercial Warranty
333241	Southbend	P48-NFR	Salamander Broiler, Gas	Platinum Compact Infrared Broiler, gas, 48", riser mount, dual valve control, counter balanced rack system, stainless steel front & sides, 60,000 BTU, CSA, NSF	EA	\$	3,463.09	US	Standard Commercial Warranty
333241	Southbend	P48-RAD	Salamander Broiler, Gas	Platinum Compact Radiant Broiler, gas, 48", riser mount, dual valve control, counter balanced rack system, stainless steel front & sides, 60,000 BTU, CSA, NSF	EA	\$	3,313.39	US	Standard Commercial Warranty
333241	Southbend	PR24-16	Backguard Flue Riser	Platinum Backguard/Flue Riser, 24" H x 16" W, without shelves, stainless steel front & sides	EA	\$	351.78	US	Standard Commercial Warranty
333241	Southbend	PR24-36	Backguard Flue Riser	Platinum Backguard/Flue Riser, 24" H x 36" W, without shelves, stainless steel front & sides	EA	\$	474.14	US	Standard Commercial Warranty
333241	Southbend	PRS24-32	Backguard Flue Riser	Platinum Backguard/Flue Riser, 24" H x 32" W, single high shelf, stainless steel front & sides	EA	\$	640.99	US	Standard Commercial Warranty
333241	Southbend	PRS24-36	Backguard Flue Riser	Platinum Backguard/Flue Riser, 24" H x 36" W, single high shelf, stainless steel front & sides	EA	\$	727.66	US	Standard Commercial Warranty
333241	Southbend	PRS36-32	Backguard Flue Riser	Platinum Backguard/Flue Riser, 36" H x 32" W, double high shelves, stainless steel front & sides	EA	\$	1,034.02	US	Standard Commercial Warranty
333241	Southbend	PRS36-36	Backguard Flue Riser	Platinum Backguard/Flue Riser, 36" H x 36" W, double high shelves, stainless steel front & sides	EA	\$	1,170.28	US	Standard Commercial Warranty
333241	Southbend	S24E	Range, 24" Restaurant, Gas	S-Series Restaurant Range, gas, 24", (4) 28,000 BTU open burners, (1) space saver oven, snap action thermostat, removable cast iron grate tops & crumb drawer, includes (1) rack, stainless steel front, sides, removable shelf & front rail & " adjustable legs, 147,000 BTU, CSA, NSF	EA	\$	1,975.34	US	Standard Commercial Warranty
333241	Southbend	S36A	Range, 36" Restaurant, Gas	S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) convection oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (2) racks, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF	EA	\$	4,610.20	US	Standard Commercial Warranty
333241	Southbend	S36D	Range, 36" Restaurant, Gas	S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF	EA	\$	2,258.98	US	Standard Commercial Warranty
333241	Southbend	S36D-1GL	Range, 36" Restaurant, Gas	S-Series Restaurant Range, gas, 36", (4) 28,000 BTU open burners, (1) 12" griddle left, manual controls, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 165,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	3,945.11	US	Standard Commercial Warranty
333241	Southbend	S36D-2GL	Range, 36" Restaurant, Gas	S-Series Restaurant Range, gas, 36", (2) 28,000 BTU open burners, (1) 24" griddle left, manual controls, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 139,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	4,235.71	US	Standard Commercial Warranty
333241	Southbend	S36D-2GR	Range, 36" Restaurant, Gas	S-Series Restaurant Range, gas, 36", (2) 28,000 BTU open burners, (1) 24" griddle right, manual controls, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 139,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	4,235.71	US	Standard Commercial Warranty
333241	Southbend	S36D-3G	Range, 36" Restaurant, Gas	S-Series Restaurant Range, gas, 36", griddle, manual controls, (1) standard oven, snap action thermostat, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail, 6" adjustable legs, 99,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	4,312.64	US	Standard Commercial Warranty
333241	Southbend	S48EE	Range, 48" Restaurant, Gas	S-Series Restaurant Range, gas, 48", (8) 28,000 BTU open burners, (2) space saver ovens, snap action thermostat, (8) removable cast iron grate tops & (2) crumb drawers, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, removable shelf, 4" front rail & 6" adjustable legs, 294,000 BTU, CSA, NSF	EA	\$	4,561.53	US	Standard Commercial Warranty
333241	Southbend	S60AD-3GL	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (4) 28,000 BTU open burners, (1) 36" griddle left, manual controls, (1) convection oven, (1) standard oven, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (3) racks total, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 246,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	8,496.91	US	Standard Commercial Warranty

333241	Southbend	S60DD	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (10) 28,000 BTU open burners, (2) standard ovens, snap action thermostat, removable cast iron grates, crumb drawer & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 350,000 BTU, CSA, NSF	EA	\$	4,466.52	US	Standard Commercial Warranty
333241	Southbend	S60DD-2GL	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (6) 28,000 BTU open burners, (1) 24" griddle left, manual controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 286,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,188.15	US	Standard Commercial Warranty
333241	Southbend	S60DD-2GR	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (6) 28,000 BTU open burners, (1) 24" griddle right, manual controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 286,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,012.49	US	Standard Commercial Warranty
333241	Southbend	S60DD-2RR	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (6) 28,000 BTU open burners, (1) 24" raised griddle/broiler, manual controls, (2) standard ovens, snap action thermostat, (6) removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 271,500 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	6,609.63	US	Standard Commercial Warranty
333241	Southbend	S60DD-2TL	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (6) 28,000 BTU open burners, (1) 24" griddle left, thermostatic controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 286,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,077.84	US	Standard Commercial Warranty
333241	Southbend	S60DD-2TR	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (6) 28,000 BTU open burners, (1) 24" griddle right, thermostatic controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 286,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,077.84	US	Standard Commercial Warranty
333241	Southbend	S60DD-3GL	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (4) 28,000 BTU open burners, (1) 36" griddle left, manual controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 246,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,444.45	US	Standard Commercial Warranty
333241	Southbend	S60DD-3GR	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (4) 28,000 BTU open burners, (1) 36" griddle right, manual controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 246,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,444.45	US	Standard Commercial Warranty
333241	Southbend	S60DD-3TR	Range, 60" Restaurant, Gas	S-Series Restaurant Range, gas, 60", (4) 28,000 BTU open burners, (1) 36" griddle right, thermostatic controls, (2) standard ovens, snap action thermostat, removable cast iron grates, (2) crumb drawers & shelf, hinged lower valve panel, includes (1) rack per oven, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 246,000 BTU, cCSAus, CSA Flame, CSA Star, NSF	EA	\$	5,519.07	US	Standard Commercial Warranty
333241	Southbend	SLEB/20SC	Convection Oven, Electric	SilverStar Convection Oven, electric, double-deck, bakery depth, solid state controls, interior light, aluminized steel rear, stainless steel front, top, sides & 6" legs, (2) 1/2 HP, (2) 12 kW, UL, NSF	EA	\$	8,982.17	US	Standard Commercial Warranty
333241	Southbend	SLES/10SC	Convection Oven, Electric	SilverStar Convection Oven, electric, single deck, standard depth, solid state controls, interior light, stainless steel front, top & sides, 26" legs, UL, NSF	EA	\$	4,403.02	US	Standard Commercial Warranty
333241	Southbend	SLES/20SC	Convection Oven, Electric	SilverStar Convection Oven, electric, double-deck, standard depth, solid state controls, interior light, aluminized steel rear, stainless steel front, top, sides & 6" legs, (2) 1/2 HP, (2) 12 kW, UL, NSF	EA	\$	8,806.51	US	Standard Commercial Warranty
333241	Southbend	SLGB/12SC	Convection Oven, Gas	SilverStar Convection Oven, gas, single deck, bakery depth, solid state controls, interior light, stainless steel front, top & sides, 26" legs, 72,000 BTU, CSA, NSF	EA	\$	4,491.08	US	Standard Commercial Warranty
333241	Southbend	SLGB/22CCH	Convection Oven, Gas	SilverStar Convection Oven, gas, double-deck, bakery depth, cook-&hold, deep oven, solid state controls, stainless steel front, top & sides, aluminized steel rear, interior light, 6" stainless steel legs, 144,000 BTU, 120v/60/1-ph, NEMA 5-15P, (2) 1/2 HP, CSA, NSF	EA	\$	9,703.34	US	Standard Commercial Warranty
333241	Southbend	SLGB/22SC	Convection Oven, Gas	SilverStar Convection Oven, gas, double-deck, bakery depth, solid state controls, stainless steel front, top & sides, aluminized steel rear, interior light, 6" stainless steel legs, 144,000 BTU, 120v/60/1-ph, NEMA 5-15P, (2) 1/2 HP, CSA, NSF	EA	\$	8,266.10	US	Standard Commercial Warranty
333241	Southbend	SLGS/12SC	Convection Oven, Gas	SilverStar Convection Oven, gas, single deck, standard depth, solid state controls, interior light, stainless steel front, top, sides & 60/40 dependent doors, 26" legs, 72,000 BTU, CSA, NSF	EA	\$	4,403.02	US	Standard Commercial Warranty
333241	Southbend	SLGS/22CCH	Convection Oven, Gas	SilverStar Convection Oven, gas, double-deck, cook-&hold, standard depth, solid state controls, stainless steel front, top & sides, 60/40 dependent doors, aluminized steel rear, interior light, 6" stainless steel legs, 144,000 BTU, (2) 1/2 HP, CSA, NSF	EA	\$	9,529.07	US	Standard Commercial Warranty
333241	Southbend	SLGS/22SC	Convection Oven, Gas	SilverStar Convection Oven, gas, double-deck, standard depth, solid state controls, stainless steel front, top & sides, aluminized steel rear, 60/40 dependent doors, interior light, 6" stainless steel legs, 144,000 BTU, (2) 1/2 HP, CSA, NSF	EA	\$	8,806.51	US	Standard Commercial Warranty

333241	Southbend	SPR-1J	Range, Stock Pot, Gas	Stock Pot Range, (1) 3-ring cast iron burner, single, manual controls, one-piece tray, stainless steel front, front rail sides, legs with adjustable feet, 120,000 BTU, CSA, NSF	EA	\$	1,514.64	US	Standard Commercial Warranty
333241	Southbend	SPR-2J-FB	Range, Stock Pot, Gas	Stock Pot Range, 18", (2) cast iron burners, double, manual controls, one-piece tray, stainless steel front, front rail & sides, legs with adjustable feet, 90,000 BTU, CSA, NSF	EA	\$	2,303.48	US	Standard Commercial Warranty
333241	Southbend	SPSS-24	Plate Shelf	Plate Landing Shelf, 24"	EA	\$	347.61	US	Standard Commercial Warranty
333241	Southbend	SPSS-36	Plate Shelf	Plate Landing Shelf, 36"	EA	\$	459.77	US	Standard Commercial Warranty
333241	Southbend	SPSS-48	Plate Shelf	Plate Landing Shelf, 48"	EA	\$	567.29	US	Standard Commercial Warranty
333241	Southbend	TVES/10SC	Convection Oven, Electric	TruVection Convection Oven, electric, low-profile, single deck, electronic ignition, 150-550°F solid state thermostatic controls, 60 minute mechanical cook timer, oven interior light, cool down fan, includes (3) racks, porcelain oven interior, stainless steel door handle, front, sides, top & 6" legs, 1/2 HP, 7.5 kW, CSA, NSF	EA	\$	3,995.63	US	Standard Commercial Warranty
333241	Southbend	TVGS/12SC	Convection Oven, Gas	TruVection Convection Oven, gas, low-profile, single deck, electronic ignition, 150-550°F solid state thermostatic controls, 60 minute mechanical cook timer, oven interior light, cool down fan, includes (3) racks, porcelain oven interior, stainless steel door handle, front, sides, top & 6" legs, 1/2 HP, 52,000 BTU, CSA, NSF	EA	\$	3,995.63	US	Standard Commercial Warranty
333241	Southbend	EH/10CCH	MarathonerGold Convection Oven, electric, half size, standard depth, single deck, cook & hold, solid state controls, timer/temperature dual digital display, two speed, fan motor, single door with window, porcelain oven interior, stainless steel front, sides & top, 4" legs, 1/2 HP, 7.5 kW, CSA, NSF	Convection Oven, Electric	EA	\$	4,599.07	US	Standard Commercial Warranty
333241	Southbend	EH/20CCH	MarathonerGold Convection Oven, electric, half size, standard depth, double-deck, cook & hold, solid state controls, timer/temperature dual digital display, two speed, fan motor, single door with window, 6" legs, stainless steel front, sides and top, porcelain oven interior, (2) 1/2 HP, (2) 7.5 kW, CSA, NSF	Convection Oven, Electric	EA	\$	9,199.07	US	Standard Commercial Warranty
333241	Southbend	EH/20SC	MarathonerGold Convection Oven, electric, half size, standard depth, double-deck, solid state thermostat, 60 minute timer, two speed, fan motor, single door with window, 6" legs, stainless steel front, sides and top, porcelain oven interior, (2) 1/2 HP, (2) 7.5 kW, CSA, NSF	Convection Oven, Electric	EA	\$	8,470.95	US	Standard Commercial Warranty
333241	Southbend	EMT-6-6	Kettle/Cabinet Assembly, electric, (2) 6 gallon kettles, 36" cabinet base, automatic boiler blowdown, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, 24.0 kW, CSA, NSF	Kettle Cabinet Assembly, Electric	EA	\$	19,321.85	US	Standard Commercial Warranty
333241	Univex	1404	PattyPress™ Burger Mold, manual, 4", anodized aluminum body, stainless steel meat press bowl & eject	PattyPress™ Burger Mold, manual, 4", anodized aluminum body, stainless steel meat press bowl & ejector, includes supply of 1,000 divider sheets, NSF	EA	\$	422.17	IT	Standard Commercial Warranty
333241	Univex	1405	PattyPress™ Burger Mold, manual, 5", anodized aluminum body, stainless steel meat press bowl & eject	PattyPress™ Burger Mold, manual, 5", anodized aluminum body, stainless steel meat press bowl & ejector, includes supply of 1,000 divider sheets, NSF	EA	\$	463.48	IT	Standard Commercial Warranty
333241	Univex	1406	PattyPress™ Burger Mold, manual, 6", anodized aluminum body, stainless steel meat press bowl & eject	PattyPress™ Burger Mold, manual, 6", anodized aluminum body, stainless steel meat press bowl & ejector, includes supply of 1,000 divider sheets, NSF	EA	\$	511.84	IT	Standard Commercial Warranty
333241	Univex	4612	Economy Series Slicer, compact, manual gravity feed, 12" diameter blade, variable slice thickness 0"	Economy Series Slicer, compact, manual gravity feed, 12" diameter blade, variable slice thickness 0" to 1/2", belt-driven blade assembly, built-in sharpener, anodized aluminum construction, detachable carriage, 0.19kW, 1/4 hp motor, cETLus, NSF	EA	\$	1,146.60	IT	Standard Commercial Warranty
333241	Univex	7512	Value™ Series Slicer, gravity feed, manual, 12" diameter knife, built-in sharpener, belt-driven, per	Value™ Series Slicer, gravity feed, manual, 12" diameter knife, built-in sharpener, belt-driven, permanently attached knife ring guard, anodized aluminum construction, .37kW, 1/2 hp motor, ETL, NSF	EA	\$	2,149.12	IT	Standard Commercial Warranty
333241	Univex	1000M	Premium™ Series Slicer, manual, gravity feed, 13" diameter knife, variable slice thickness 0" - 0.87	Premium™ Series Slicer, manual, gravity feed, 13" diameter knife, variable slice thickness 0" - 0.875" (0.22mm), remote sharpener mounts in seconds, belt driven, carriage tilts back for easy cleaning, lift device and zero blade exposure during cleaning, anodized aluminum construction, .37kW, 1/2 hp motor, ETL, NSF	EA	\$	3,400.50	IT	Standard Commercial Warranty
333241	Univex	1000S	Premium™ Series Slicer, 12 automatic settings, gravity feed, 13" diameter knife, variable slice thickness 0" - 0.875" (0.22mm), 35-64 strokes per minute, belt driven, remote sharpener mounts in seconds, carriage tilts back for easy cleaning, lift device and zero blade exposure during cleaning, .37kW, 1/2 hp motor, anodized aluminum construction, ETL, NSF	Premium™ Series Slicer, 12 automatic settings, gravity feed, 13" diameter knife, variable slice thickness 0" - 0.875" (0.22mm), 35-64 strokes per minute, belt driven, remote sharpener mounts in seconds, carriage tilts back for easy cleaning, lift device and zero blade exposure during cleaning, .37kW, 1/2 hp motor, anodized aluminum construction, ETL, NSF	EA	\$	7,069.02	IT	Standard Commercial Warranty
333241	Univex	6612M	Value™ Series Slicer, gravity feed, manual, medium-low volume, 12" diameter blade, variable slice thickness 0" to .5", built-in sharpener, belt-driven on blade/gear-driven on carriage, permanently attached knife ring guard, anodized aluminum construction, .37kW, 1/2 hp motor, ETL, NSF	Value™ Series Slicer, gravity feed, manual, medium-low volume, 12" diameter blade, variable slice thickness 0" to .5", built-in sharpener, belt-driven on blade/gear-driven on carriage, permanently attached knife ring guard, anodized aluminum construction, .37kW, 1/2 hp motor, ETL, NSF	EA	\$	1,513.35	IT	Standard Commercial Warranty
333241	Univex	8713M	Premium™ Series Slicer, manual, gravity feed, 13" diameter knife, variable slice thickness 0" - 0.87	Premium™ Series Slicer, manual, gravity feed, 13" diameter knife, variable slice thickness 0" - 0.875" (0.22mm), top mounted knife sharpener, gear-driven, anodized aluminum construction, .37kW, 1/2 hp motor, ETL, NSF	EA	\$	2,949.12	IT	Standard Commercial Warranty
333241	Univex	B6TT	Bakery Oven, electric, (6) 26" x 18" tray capacity, touch screen, fan speed, steam, washing system,	Bakery Oven, electric, (6) 26" x 18" tray capacity, touch screen, fan speed, steam, washing system, 208-240V/60/3-ph	EA	\$	8,803.02	IT	Standard Commercial Warranty
333241	Univex	BC14	Bowl Cutter, 14" diameter stainless steel bowl 24 rpm, twin stainless steel knives 3,500 cuts/min, p	Bowl Cutter, 14" diameter stainless steel bowl 24 rpm, twin stainless steel knives 3,500 cuts/min, pull/push on-off, bowl cover interlock, polished & anodized aluminum construction, 1/2 hp motor, 5' cord & plug, ETL, NSF	EA	\$	3,584.89	IT	Standard Commercial Warranty
333241	UNIVEX	BC18	BOWL CUTTER, 18"	FOOD CUTTER 18" BOWL W/ #12 HUB	EA	\$	5,578.84	ITALY	Standard Commercial Warranty

333241	Univex	DR11	Dough Divider/Rounder, bench model, belt drive, manual cutting 11 portions (11.3 oz. to 22.9 oz.), a	Dough Divider/Rounder, bench model, belt drive, manual cutting 11 portions (11.3 oz. to 22.9 oz.), automatic rounding with timer, start/stop button, power indicator light, one cutting head, two dough trays, one stainless steel dish and (1) cup tray to be specified by customer, 1/2 hp, 115v/60/1-ph, 5.2 Amps, cETLus, NSF (does not include cup trays)	EA	\$	7,405.54	IT	Standard Commercial Warranty
333241	Univex	DR14	Dough Divider/Rounder, bench model, belt drive, manual cutting 14 portions (3.9 oz. to 10.6 oz.), au	Dough Divider/Rounder, bench model, belt drive, manual cutting 14 portions (3.9 oz. to 10.6 oz.), automatic rounding with timer, start/stop button, power indicator light, one cutting head, two dough trays, one stainless steel dish and (1) cup tray to be specified by customer, 1/2 hp, 115v/60/1-ph, 5.2 Amps, cETLus, NSF (does not include cup trays)	EA	\$	7,405.54	IT	Standard Commercial Warranty
333241	Univex	FA-73	Fat Analyzer, for ground beef, 3-minute cycle time, low cost, portable, measures ground beef fat con	Fat Analyzer, for ground beef, 3-minute cycle time, low cost, portable, measures ground beef fat content up to 90% lean (minimum fat content 10%), carrying case included, .9 Amps	EA	\$	604.53	IT	Standard Commercial Warranty
333241	Univex	GL50	Greenline Spiral Mixer, 70 qt. bowl, 110 lb. dough capacity, two speeds & reverse, control panel wit	Greenline Spiral Mixer, 70 qt. bowl, 110 lb. dough capacity, two speeds & reverse, control panel with digital timers, bowl jog, swing open bowl guard, stainless steel bowl, dough hook & shaft, built-in casters & leveling feet, one motor, 25% energy savings	EA	\$	7,849.87	IT	Standard Commercial Warranty
333241	Univex	G-PEELER	Vegetable Peeler, electric, countertop, approximately 20 lb. potato capacity, stainless steel constr	Vegetable Peeler, electric, countertop, approximately 20 lb. potato capacity, stainless steel construction, timer, 1/3 hp, 6.4 Amps, ETL, NSF	EA	\$	1,601.01	IT	Standard Commercial Warranty
333241	Univex	MG22	Meat Grinder, bench style with #22 attachment hub, approximately 25-lbs capacity per minute, gear dr	Meat Grinder, bench style with #22 attachment hub, approximately 25-lbs capacity per minute, gear driven, aluminum pan & housing, 3/16" grinding plate, #22 knife, plastic meat container, feed stomper & cleaning brush, 1 hp, ETL, NSF	EA	\$	2,711.34	IT	Standard Commercial Warranty
333241	Univex	MG32	Meat Grinder, floor model, up to 1543 lbs/hr capacity, gear driven, 3/16" (4.5 mm) standard plate, X	Meat Grinder, floor model, up to 1543 lbs/hr capacity, gear driven, 3/16" (4.5 mm) standard plate, X knife, self-sharpening knife, product pusher, worm & plate removal tool, stainless steel construction, 4 hp, 7.7 Amps, 220v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	5,241.31	IT	Standard Commercial Warranty
333241	Univex	MG42	Meat Grinder, floor model, up to 3968 lbs/hr capacity, gear driven, 3/16" (4.5 mm) standard plate, X	Meat Grinder, floor model, up to 3968 lbs/hr capacity, gear driven, 3/16" (4.5 mm) standard plate, X knife, self-sharpening knife, product pusher, worm & plate removal tool, stainless steel construction, 7 hp, 13.5 Amps, 220v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	6,549.12	IT	Standard Commercial Warranty
333241	Univex	MG89	Meat Grinder, bench style with #12 attachment hub, approximately 12-lbs capacity per minute, poly "V	Meat Grinder, bench style with #12 attachment hub, approximately 12-lbs capacity per minute, poly "V" belt system, stainless steel feed pan, aluminum housing, 3/16" plate, knife & plunger, 1 hp, ETL, NSF	EA	\$	1,314.86	IT	Standard Commercial Warranty
333241	Univex	MP-100	PerfectPeeler™ Melon Peeler, manual, peels and removes the seeds of melons sized from No. 5 to No. 2	PerfectPeeler™ Melon Peeler, manual, peels and removes the seeds of melons sized from No. 5 to No. 23 count, includes 2 interchangeable peeling knives, seed scooper & cleaning brush, NSF	EA	\$	1,309.82	IT	Standard Commercial Warranty
333241	Univex	MP10TE	Multi-Purpose Oven, electric, (10) 18" x 26" sheet pan capacity, touch panel control, 80 programs, m	Multi-Purpose Oven, electric, (10) 18" x 26" sheet pan capacity, touch panel control, 80 programs, multiple cooking modes, reversible fans, single point probe, internal lighting, double pane glass panel, stainless steel interior & exterior, 208-240v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	8,219.65	IT	Standard Commercial Warranty
333241	Univex	MP4TE	Multi-Purpose Oven, electric, (4) 18" x 26" sheet pan capacity, touch panel control, 80 programs, mu	Multi-Purpose Oven, electric, (4) 18" x 26" sheet pan capacity, touch panel control, 80 programs, multiple cooking modes, reversible fans, single point probe, internal lighting, double pane glass panel, stainless steel interior & exterior, 208-240v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	5,116.37	IT	Standard Commercial Warranty
333241	Univex	MP6TE	Multi-Purpose Oven, electric, (6) 18" x 26" sheet pan capacity, touch panel control, 80 programs, mu	Multi-Purpose Oven, electric, (6) 18" x 26" sheet pan capacity, touch panel control, 80 programs, multiple cooking modes, reversible fans, single point probe, internal lighting, double pane glass panel, stainless steel interior & exterior, 208-240v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	5,998.99	IT	Standard Commercial Warranty
333241	Univex	PM91	Prep-Mate™ Power Drive Unit, heavy duty, table model, 250-RPM drive, enamel finish, 1 hp drive motor	Prep-Mate™ Power Drive Unit, heavy duty, table model, 250-RPM drive, enamel finish, 1 hp drive motor with 1" wide Poly-V belt system, with 5" deep prep container & cover, unit will accept VS9H, VS9 or MFC12 attachments, ETL, NSF	EA	\$	999.50	IT	Standard Commercial Warranty
333241	Univex	PPRESS1.5F	Panini Press, electric, single, countertop, manual controls, 13.98" x 10.04" cooking surface, standa	Panini Press, electric, single, countertop, manual controls, 13.98" x 10.04" cooking surface, standard hinged upper grill, smooth cast iron plates, adjustable temperature up to 570°F, built-in timer, includes scraping brush, stainless steel exterior, 120v/60/1-ph, 15 Amps, cETLus, ETL-Sanitation	EA	\$	455.42	IT	Standard Commercial Warranty
333241	Univex	PPRESS1.5R	Panini Press, electric, single, countertop, manual controls, 13.98" x 10.04" cooking surface, standa	Panini Press, electric, single, countertop, manual controls, 13.98" x 10.04" cooking surface, standard hinged upper grill, grooved cast iron plates, adjustable temperature up to 570°F, built-in timer, includes scraping brush, stainless steel exterior, 120v/60/1-ph, 15 Amps, cETLus, ETL-Sanitation	EA	\$	455.42	IT	Standard Commercial Warranty
333241	Univex	PPRESS1F	Panini Press, electric, single, countertop, manual controls, 9.8" x 10" cooking surface, standard hi	Panini Press, electric, single, countertop, manual controls, 9.8" x 10" cooking surface, standard hinged upper grill, smooth cast iron plates, adjustable temperature up to 572°F, built-in timer, includes scraping brush, stainless steel exterior, 115v/60/1-ph, 15 Amps, NEMA 5-20P, cETLus, ETL-Sanitation	EA	\$	396.98	IT	Standard Commercial Warranty
333241	Univex	PPRESS1R	Panini Press, electric, single, countertop, manual controls, 9.8" x 10" cooking surface, standard hi	Panini Press, electric, single, countertop, manual controls, 9.8" x 10" cooking surface, standard hinged upper grill, grooved cast iron plates, adjustable temperature up to 572°F, built-in timer, includes scraping brush, stainless steel exterior, 115v/60/1-ph, 15 Amps, NEMA 5-20P, cETLus, ETL-Sanitation	EA	\$	396.98	IT	Standard Commercial Warranty
333241	Univex	PPRESS2F	Panini Press, electric, double, countertop, manual controls, 19.6" x 10" cooking surface, (2) standa	Panini Press, electric, double, countertop, manual controls, 19.6" x 10" cooking surface, (2) standard hinged upper grills, smooth cast iron plates, adjustable temperature up to 572°F, built-in timers, includes scraping brush, stainless steel exterior, 220v/60/1-ph, 15.7 Amps, NEMA 6-20P, cETLus, ETL-Sanitation	EA	\$	659.95	IT	Standard Commercial Warranty
333241	Univex	PPRESS2R	Panini Press, electric, double, countertop, manual controls, 19.6" x 10" cooking surface, (2) standa	Panini Press, electric, double, countertop, manual controls, 19.6" x 10" cooking surface, (2) standard hinged upper grills, grooved cast iron plates, adjustable temperature up to 572°F, built-in timers, includes scraping brush, stainless steel exterior, 220v/60/1-ph, 15.7 Amps, NEMA 6-20P, cETLus, ETL-Sanitation	EA	\$	659.95	IT	Standard Commercial Warranty

333241	Univex	RDRE11	Rotating Double Rack Bakery Oven, electric, (18) levels, 80 program touch control, roll in rack with	Rotating Double Rack Bakery Oven, electric, (18) levels, 80 program touch control, roll in rack with steam, 220v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	26,224.69	IT	Standard Commercial Warranty
333241	Univex	RDRG11	Rotating Double Rack Bakery Oven, gas, (18) levels, 80 program touch control, roll in rack with stea	Rotating Double Rack Bakery Oven, gas, (18) levels, 80 program touch control, roll in rack with steam, cETLus, ETL-Sanitation	EA	\$	29,637.28	IT	Standard Commercial Warranty
333241	Univex	RSRE5	Rotating Single Rack Bakery Oven, electric, (15) levels, 80 program touch control, roll in rack with	Rotating Single Rack Bakery Oven, electric, (15) levels, 80 program touch control, roll in rack with steam, 220v/60/3-ph, cETLus, ETL-Sanitation	EA	\$	20,359.70	IT	Standard Commercial Warranty
333241	Univex	RSRG5	Rotating Single Rack Bakery Oven, gas, (15) levels, 80 program touch control, roll in rack with stea	Rotating Single Rack Bakery Oven, gas, (15) levels, 80 program touch control, roll in rack with steam, cETLus, ETL-Sanitation	EA	\$	22,454.41	IT	Standard Commercial Warranty
333241	Univex	SBDR22	Bun Divider/Rounder, semi-automatic, 1.7 - 6.3 oz., 22 pieces/7 seconds (2600 pieces/hour), dual sta	Bun Divider/Rounder, semi-automatic, 1.7 - 6.3 oz., 22 pieces/7 seconds (2600 pieces/hour), dual start buttons, programmable control board, multiple languages, leveling feet, painted steel, 220v/60/3-ph, 4 Amps, cETLus, NSF	EA	\$	8,808.06	IT	Standard Commercial Warranty
333241	Univex	SBDR30	Bun Divider/Rounder, semi-automatic, 0.88 - 3.17 oz., 30 pieces/7 seconds (3600 pieces/hour), dual s	Bun Divider/Rounder, semi-automatic, 0.88 - 3.17 oz., 30 pieces/7 seconds (3600 pieces/hour), dual start buttons, programmable control board, multiple languages, leveling feet, painted steel, 220v/60/3-ph, 4 Amps, cETLus, NSF	EA	\$	8,634.76	IT	Standard Commercial Warranty
333241	Univex	SFG 500 B	Reversible Dough Sheeter, bench model, 80-1/10" long, 0" to 1.9" adjustable hard chrome polished cyl	Reversible Dough Sheeter, bench model, 80-1/10" long, 0" to 1.9" adjustable hard chrome polished cylinders, chain drive, 19-7/10" wide belt, start/stop buttons, folding tables, pivoting and removable arms, hardwood rolling pins, cord and plug, 3/4 hp, 220v/60/3-ph, 1.76 Amps, ETL	EA	\$	7,169.77	IT	Standard Commercial Warranty
333241	Univex	SFG 500 T	Reversible Dough Sheeter, floor model, 80-1/10" long, hand operation for thickness & foot pedal oper	Reversible Dough Sheeter, floor model, 80-1/10" long, hand operation for thickness & foot pedal operation for carpet (left-to-right), 0" to 1.9" adjustable hard chrome polished cylinders, chain drive, 19-7/10" wide belt, start/stop buttons, folding tables, pivoting and removable arms, hardwood rolling pins, cord and plug, 3/4 hp, 220v/60/3-ph, 1.76 Amps, ETL	EA	\$	7,300.76	IT	Standard Commercial Warranty
333241	Univex	SFG 500 TM	Reversible Dough Sheeter, floor model, 117-7/10" long, hand operation for thickness & foot pedal ope	Reversible Dough Sheeter, floor model, 117-7/10" long, hand operation for thickness & foot pedal operation for carpet (left-to-right), 0" to 1.9" adjustable hard chrome polished cylinders, chain drive, 19-7/10" wide belt, start/stop buttons, folding tables, pivoting and removable arms, hardwood rolling pins with storage in base, cord and plug, 3/4 hp, 220v/60/3-ph, 1.76 Amps, ETL	EA	\$	7,405.54	IT	Standard Commercial Warranty
333241	Univex	SFG 600 TL	Reversible Dough Sheeter, floor model, variable speed, 134-1/2" long, hand operation for thickness &	Reversible Dough Sheeter, floor model, variable speed, 134-1/2" long, hand operation for thickness & foot pedal operation for carpet (left-to-right), 0" to 1.9" adjustable hard chrome polished cylinders, chain drive, 23-3/5" wide belt, start/stop buttons, folding tables, pivoting and removable arms, hardwood rolling pins with storage in base, cutter box, standard croissant cutter, cord and plug, 1 hp, 220v/60/3-ph, 3.35 Amps, ETL	EA	\$	13,345.09	IT	Standard Commercial Warranty
333241	Univex	SFG 600 TM	Reversible Dough Sheeter, floor model, 117-7/10" long, hand operation for thickness & foot pedal ope	Reversible Dough Sheeter, floor model, 117-7/10" long, hand operation for thickness & foot pedal operation for carpet (left-to-right), 0" to 1.9" adjustable hard chrome polished cylinders, chain drive, 23-3/5" wide belt, start/stop buttons, folding tables, pivoting and removable arms, hardwood rolling pins with storage in base, cord and plug, 1 hp, 220v/60/3-ph, 1.76 Amps, ETL	EA	\$	7,954.66	IT	Standard Commercial Warranty
333241	Univex	SFG 600 TMM	Reversible Dough Sheeter, floor model, 151-1/5" long, hand operation for thickness & foot pedal oper	Reversible Dough Sheeter, floor model, 151-1/5" long, hand operation for thickness & foot pedal operation for carpet (left-to-right), 0" to 1.9" adjustable hard chrome polished cylinders, chain drive, 23-3/5" wide belt, start/stop buttons, folding tables, pivoting and removable arms, hardwood rolling pins with storage in base, cord and plug, 1 hp, 220v/60/3-ph, 3.35 Amps, ETL	EA	\$	8,085.64	IT	Standard Commercial Warranty
333241	Univex	SL80	Silverline Spiral Mixer, 135 qt. bowl, 176 lb. dough capacity, two speeds & reverse, control panel w	Silverline Spiral Mixer, 135 qt. bowl, 176 lb. dough capacity, two speeds & reverse, control panel with digital timers, bowl jog, swing open bowl guard, stainless steel bowl, dough hook & shaft, built-in casters & leveling feet, separate bowl & agitator motors, bowl (.75 hp, 3.45 Amps, .55 kW) and spiral (6 hp, 23.8 amps, 4.5 kW)	EA	\$	14,443.32	IT	Standard Commercial Warranty
333241	Univex	SPRIZZA40	Pizza Spinner, bench model, 15-3/4" (40cm) ring with felt, adjustable pizza crust, automatic start/s	Pizza Spinner, bench model, 15-3/4" (40cm) ring with felt, adjustable pizza crust, automatic start/stop, cord and plug, 1.02 hp, 115v/60/1-ph 7.4 Amps, .55 Kw, ETL	EA	\$	5,626.20	IT	Standard Commercial Warranty
333241	Univex	SPRIZZA50	Pizza Spinner, bench model, 19-3/4" (50 cm) ring with felt, adjustable pizza crust, automatic start/	Pizza Spinner, bench model, 19-3/4" (50 cm) ring with felt, adjustable pizza crust, automatic start/stop, cord and plug, 1.02 hp, 115v/60/1-ph, 12.0 Amps, .75 Kw, ETL	EA	\$	7,928.46	IT	Standard Commercial Warranty
333241	Univex	SQD20	Dough Divider, semi-automatic, square, 5.3 - 28.2 oz., 20 pieces/7 seconds (1200 pieces/hour), paint	Dough Divider, semi-automatic, square, 5.3 - 28.2 oz., 20 pieces/7 seconds (1200 pieces/hour), painted steel, 220v/60/3-ph 4 Amps, cETLus, NSF	EA	\$	7,961.71	IT	Standard Commercial Warranty
333241	Univex	SRD20	Dough Divider, semi-automatic, round, 5.3 - 28 oz., 20 pieces/7 seconds (1200 pieces/hour), industr	Dough Divider, semi-automatic, round, 5.3 - 28 oz., 20 pieces/7 seconds (1200 pieces/hour), industrial strength, simple controls, painted steel, locking casters, 220v/60/3-ph, cETLus, NSF	EA	\$	8,349.62	IT	Standard Commercial Warranty
333241	Univex	SRM12	Food Mixer, countertop, 12-qt. capacity, variable speed drive, includes removable SwingRing safety g	Food Mixer, countertop, 12-qt. capacity, variable speed drive, includes removable SwingRing safety guard, stainless steel bowl, batter beater, wire whip & dough hook, and bowl scraper, 1/3 hp, ETL, NSF, made in USA	EA	\$	3,014.61	IT	Standard Commercial Warranty
333241	Univex	SRM20	Food Mixer, countertop, 20-qt. capacity, variable speed drive, includes removable SwingRing safety g	Food Mixer, countertop, 20-qt. capacity, variable speed drive, includes removable SwingRing safety guard, stainless steel bowl, batter beater, wire whip, dough hook, and bowl scraper, 1/2 hp, ETL, NSF, made in USA	EA	\$	3,371.28	IT	Standard Commercial Warranty
333241	Univex	SRM30+	Mixer, floor model, 30-qt. capacity, variable speed drive, includes removable SwingRing safety guard	Mixer, floor model, 30-qt. capacity, variable speed drive, includes removable SwingRing safety guard, stainless steel bowl, beater, whip, dough hook, bowl scraper, and timer, 1 hp, ETL, NSF, made in USA	EA	\$	5,496.22	IT	Standard Commercial Warranty
333241	Univex	SRM40+	Mixer, floor model, 40-qt. capacity, variable speed drive, includes removable SwingRing safety guard	Mixer, floor model, 40-qt. capacity, variable speed drive, includes removable SwingRing safety guard, stainless steel bowl, beater, whip, dough hook, bowl scraper, and timer, 1 hp, ETL, NSF, made in USA	EA	\$	6,045.34	IT	Standard Commercial Warranty

333241	Univex	SRM60+	Mixer, floor model, 60-qt. capacity, variable speed drive, includes removable SwingRing safety guard	Mixer, floor model, 60-qt. capacity, variable speed drive, includes removable SwingRing safety guard, stainless steel bowl, beater, whip, dough hook, bowl scraper, power bowl lift, and timer, 3 hp, ETL, NSF, made in USA	EA	\$	10,760.71	IT	Standard Commercial Warranty
333241	Univex	SRM80+	Mixer, floor model, 80-qt. capacity, variable speed drive, includes removable SwingRing safety guard	Mixer, floor model, 80-qt. capacity, variable speed drive, includes removable SwingRing safety guard, stainless steel bowl, beater, whip, dough hook, power bowl lift, bowl scraper, and timer, 3 HPhp, ETL, NSF, made in USA	EA	\$	13,526.45	IT	Standard Commercial Warranty
333241	Univex	UFP13	Food Processor, angled continuous feed design, 485 lb/hr production capacity, 300 rpm, stainless ste	Food Processor, angled continuous feed design, 485 lb/hr production capacity, 300 rpm, stainless steel construction, 0.7 hp, 115v/60/1-ph, 4.29 Amps, cETLus, ETL-Sanitation	EA	\$	820.15	IT	Standard Commercial Warranty
333241	Univex	UPASTA	Pasta Mixer/Extruder, electric, countertop, 8.8 lbs dough capacity, electronic controls, removable s	Pasta Mixer/Extruder, electric, countertop, 8.8 lbs dough capacity, electronic controls, removable spiral & mixer bowl, plexiglass lid, stainless steel construction, 120v/60/1-ph, 11.3 Amps, cETLus, ETL-Sanitation	EA	\$	3,837.78	IT	Standard Commercial Warranty
333241	Univex	VORTEX430	Hand-Held Mixer, motor-driven, 105.7 qt mixing capacity, interchangeable shaft, single speed, safety	Hand-Held Mixer, motor-driven, 105.7 qt mixing capacity, interchangeable shaft, single speed, safety switch & trigger lock, ABS fiberglass body with stainless steel components, 0.6 hp, 430 watts, 115v/60/1-ph, IPX3, cETLus, ETL-Sanitation (Shafts & Whisk Attachments are Sold Separately)	EA	\$	276.07	IT	Standard Commercial Warranty
333241	Univex	VORTEX550	Hand-Held Mixer, motor-driven, 211.3 qt mixing capacity, interchangeable shaft, single speed, safety	Hand-Held Mixer, motor-driven, 211.3 qt mixing capacity, interchangeable shaft, single speed, safety switch & trigger lock, ABS fiberglass body with stainless steel components, 0.8 hp, 550 watts, 115v/60/1-ph, IPX3, cETLus, ETL-Sanitation (Shafts & Whisk Attachments are Sold Separately)	EA	\$	287.15	IT	Standard Commercial Warranty
333241	Univex	VORTEX750	Hand-Held Mixer, motor-driven, 317 qt mixing capacity, interchangeable shaft, single speed, safety s	Hand-Held Mixer, motor-driven, 317 qt mixing capacity, interchangeable shaft, single speed, safety switch & trigger lock, ABS fiberglass body with stainless steel components, 1 hp, 750 watts, 115v/60/1-ph, IPX3, cETLus, ETL-Sanitation (Shafts & Whisk Attachments are Sold Separately)	EA	\$	313.35	IT	Standard Commercial Warranty
333241	Univex	VP30N8	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 13.3"W x 14.1"D x 5.11"	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 13.3"W x 14.1"D x 5.11"H single chamber, 12.2" (30cm) removable seal bar, automatic cover lift, 8 mc/h vacuum pump, oil change warning light, AISI 304 stainless steel construction, 115v/60/1-ph, 7.2 Amps, NEMA 5-15P, cETLus, ETL-Sanitation	EA	\$	2,914.86	IT	Standard Commercial Warranty
333241	Univex	VP40N12	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 16.9"W x 16.1"D x 5.5"H	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 16.9"W x 16.1"D x 5.5"H single chamber, 15.7" (40cm) removable seal bar, automatic cover lift, 12 mc/h vacuum pump, oil change warning light, AISI 304 stainless steel construction, 115v/60/1-ph, 11.3 Amps, NEMA 5-20P, cETLus, ETL-Sanitation	EA	\$	3,247.36	IT	Standard Commercial Warranty
333241	Univex	VP40N21	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 16.9"W x 16.1"D x 5.5"H	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 16.9"W x 16.1"D x 5.5"H single chamber, 15.7" (40cm) removable seal bar, automatic cover lift, 21 mc/h vacuum pump, oil change warning light, AISI 304 stainless steel construction, 115v/60/1-ph, 11.3 Amps, NEMA 5-20P, cETLus, ETL-Sanitation	EA	\$	3,501.26	IT	Standard Commercial Warranty
333241	Univex	VP50N21	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 21.2"W x 16.9"D x 7.4"H	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 21.2"W x 16.9"D x 7.4"H single chamber, 20" (50cm) removable seal bar, automatic cover lift, 21 mc/h vacuum pump, oil change warning light, AISI 304 stainless steel construction, 115v/60/1-ph, 13.8 Amps, NEMA 5-20P, cETLus, ETL-Sanitation	EA	\$	3,915.37	IT	Standard Commercial Warranty
333241	Univex	VP50N21D	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 21.2"W x 16.9"D x 7.4"H	Vacuum Packaging Machine, countertop, full control, 8 programmable settings, 21.2"W x 16.9"D x 7.4"H single chamber, (2) 20" (50cm) removable seal bars, automatic cover lift, 21 mc/h vacuum pump, oil change warning light, AISI 304 stainless steel construction, 115v/60/1-ph, 13.8 Amps, NEMA 5-20P, cETLus, ETL-Sanitation	EA	\$	4,295.21	IT	Standard Commercial Warranty
333241	Univex	VS2000	High Volume Vegetable Slicer/Shredder with Drive Unit, table model, 700 RPM drive, steel housing wit	High Volume Vegetable Slicer/Shredder with Drive Unit, table model, 700 RPM drive, steel housing with stainless steel cover, includes (VS9) 9" veg. slicer attachment & plate holder with 5/16" shredder plate, 1 hp, 12.0 Amps, 5' cord & plug (NOT for shredding cheese) ETL, NS	EA	\$	1,872.04	IT	Standard Commercial Warranty
333241	Univex	VS9	Vegetable Slicer Attachment, 9", with adjustable knife assembly	Vegetable Slicer Attachment, 9", with adjustable knife assembly	EA	\$	918.89	IT	Standard Commercial Warranty
333241	Univex	VS9H	Grater/Shredder Attachment, 9", with plate holder & 3/16" shredder plate	Grater/Shredder Attachment, 9", with plate holder & 3/16" shredder plate	EA	\$	748.61	IT	Standard Commercial Warranty
335220	Glissen Chemical Company, Inc.	GLI-3000005	Nu-Foam Sanitizing Tablets with Rinse Aid	Kills HIV-1 (AIDS Virus) when used according to directions for sanitizing bar glassware, dishes, pots, pans and utensils. For use in all taverns and restaurants. Eliminates spots and streaks, leaves no taste or smell.	EA	\$	11.84	US	Standard Commercial Warranty
335220	Insinger	OUTPOST	Hand Sanitation Station	Foot Operated Hand Sanitizer Dispenser	EA	\$	671.69	US	Standard Commercial Warranty
335220	Insinger	CX20VG	Dishwasher, Door Type	Commander Dishwasher, Door Type, high temperature, fully automatic, no booster, straight-thru design (field convertible to corner), approximately (40) racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, RackAware™ rack sensing system, VaporGuard™ condensate removal system, 1 HP wash motor, NSF, ETL	EA	\$	12,490.02	US	Standard Commercial Warranty
332321	AIS Industries	FED-PULL-FOOT	Foot Door Opener	Hands free foot-pull door opener	EA	\$	11.89	US	Standard Commercial Warranty
332321	AIS Industries	FED-PULL-FOOT-LOGO	Foot Door Opener	Hands free foot-pull door opener with Logo (See Logo Options for various departments)	EA	\$	18.24	US	Standard Commercial Warranty
333415REM	Scotsman	ID200B-1	Ice Dispenser, counter model, 200 lb capacity, designed for cube-type or nugget-type ice, stainless steel exterior, cup activated, 115v/60/1-ph, NSF, cULus	Ice Dispenser, counter model, 200 lb capacity, designed for cube-type or nugget-type ice, stainless steel exterior, cup activated, 115v/60/1-ph, NSF, cULus	EA	\$	3,645.59	US	Standard Commercial Warranty

333241	Crown Steam	DLTM-100-2	Tilting Kettle/Mixer, direct steam, (2) 100 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, (2) 100 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	115,540.68	CA	Standard Commercial Warranty
333241	Crown Steam	EP-80	Stationary Kettle, electric, 80 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 80 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 18.0kW, cCSAus, NSF	EA	\$	16,098.46	CA	Standard Commercial Warranty
333241	Crown Steam	FFF-2	Front Flanged Feet, for Tilting Skillets/Braising Pans	Front Flanged Feet, for Tilting Skillets/Braising Pans	EA	\$	77.14	CA	Standard Commercial Warranty
333241	Crown Steam	EDA-3	Do-All Dual-Pressure Steamer, electric, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, flanged feet, 42kW, cCSAus, NSF	Do-All Dual-Pressure Steamer, electric, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, flanged feet, 42kW, cCSAus, NSF	EA	\$	32,646.01	CA	Standard Commercial Warranty
333241	Crown Steam	C-40F	Cover, lift off, for 40 gallon kettle	Cover, lift off, for 40 gallon kettle	EA	\$	496.97	CA	Standard Commercial Warranty
333241	Crown Steam	DHK	Drain hose kit, includes 5' hose with fitting (SXN-4, EPXN-3, EPXN-5, EPX-3 and EPX-5)	Drain hose kit, includes 5' hose with fitting (SXN-4, EPXN-3, EPXN-5, EPX-3 and EPX-5)	EA	\$	139.65	CA	Standard Commercial Warranty
333241	Crown Steam	TVS-3	3" tangent draw off valve for stationary kettles, includes perforated strainer, in lieu of standard 2"	3" tangent draw off valve for stationary kettles, includes perforated strainer, in lieu of standard 2"	EA	\$	1,232.44	CA	Standard Commercial Warranty
333241	Crown Steam	C-80	Cover, lift off, for 80 gallon kettle	Cover, lift off, for 80 gallon kettle	EA	\$	487.66	CA	Standard Commercial Warranty
333241	Crown Steam	ES-40	Tilting Skillet, electric, 40 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, etched interior markings, stainless steel construction, open frame, adjustable flanged feet, 18.0kW, cCSAus, NSF	Tilting Skillet, electric, 40 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, etched interior markings, stainless steel construction, open frame, adjustable flanged feet, 18.0kW, cCSAus, NSF	EA	\$	13,076.31	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-10-36	Convection Steamer, gas, (2) compartment, (5) 12" x 20" pan capacity per compartment, 36" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drain trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	Convection Steamer, gas, (2) compartment, (5) 12" x 20" pan capacity per compartment, 36" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drain trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	EA	\$	21,378.90	CA	Standard Commercial Warranty
333241	Crown Steam	DP-30F	Stationary Kettle, direct steam, 30 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 35 psi, NSF	Stationary Kettle, direct steam, 30 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 35 psi, NSF	EA	\$	7,502.83	CA	Standard Commercial Warranty
333241	Crown Steam	RL28X	Single unit 28" high stand (EPX-3 or EPX-5)	Single unit 28" high stand (EPX-3 or EPX-5)	EA	\$	840.99	CA	Standard Commercial Warranty
333241	Crown Steam	SF-RSH-18	Single pantry faucet with 18" swing spout and 68" spray hose and bracket	Single pantry faucet with 18" swing spout and 68" spray hose and bracket	EA	\$	1,526.81	CA	Standard Commercial Warranty
333241	Crown Steam	DP-100	Stationary Kettle, direct steam, 100 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal, 30 psi, NSF	Stationary Kettle, direct steam, 100 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal, 30 psi, NSF	EA	\$	9,691.53	CA	Standard Commercial Warranty
333241	Crown Steam	CH-20	Cover, spring assisted, for 20 gallon kettle	Cover, spring assisted, for 20 gallon kettle	EA	\$	1,123.39	CA	Standard Commercial Warranty
333241	Crown Steam	1194854	Scale elimination for small hot beverage application; coffee brewers espresso, cappuccino machines	Scale elimination for small hot beverage application; coffee brewers espresso, cappuccino machines	EA	\$	286.39	CA	Standard Commercial Warranty
333241	Crown Steam	GMS-24	Permanent etched interior markings, gallon, for 24 gallon braising pan	Permanent etched interior markings, gallon, for 24 gallon braising pan	EA	\$	340.47	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-10-6-6	Convection Steamer/Kettle, steam coil, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	34,023.42	CA	Standard Commercial Warranty
333241	Crown Steam	EMT-6	Kettle/Cabinet Assembly, electric, (1) 6 gallon tilting kettle, 24" cabinet base, stainless steel interior & exterior finish, 15 psi, 24.0kW, cCSAus, NSF	Kettle/Cabinet Assembly, electric, (1) 6 gallon tilting kettle, 24" cabinet base, stainless steel interior & exterior finish, 15 psi, 24.0kW, cCSAus, NSF	EA	\$	14,321.17	CA	Standard Commercial Warranty
333241	Crown Steam	GM-80	Permanent etched interior markings, for 80 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 80 gallon kettle (specify gallon or liter markings)	EA	\$	322.74	CA	Standard Commercial Warranty
333241	Crown Steam	EL-40	Stationary Kettle, electric, 40 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 40 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, cCSAus, NSF	EA	\$	9,863.98	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-10-6-10	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	35,727.56	CA	Standard Commercial Warranty
333241	Crown Steam	EPX-5	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (5) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 15.0kW, cCSAus, NSF	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (5) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 15.0kW, cCSAus, NSF	EA	\$	5,839.92	CA	Standard Commercial Warranty
333241	Crown Steam	TSS-2	Solid Strainer, for 2" draw-offs	Solid Strainer, for 2" draw-offs	EA	\$	152.95	CA	Standard Commercial Warranty
333241	Crown Steam	SCDA-3	Do-All Dual-Pressure Steamer, steam coil, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Do-All Dual-Pressure Steamer, steam coil, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	30,306.58	CA	Standard Commercial Warranty

333241	Crown Steam	GL-80E	Stationary Kettle, gas, 80 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 150,000 BTU, CSA-Star, CSA-Flame, NSF	Stationary Kettle, gas, 80 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 150,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	20,868.19	CA	Standard Commercial Warranty
333241	Crown Steam	SCDA-2	Do-All Dual-Pressure Steamer, steam coil, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Do-All Dual-Pressure Steamer, steam coil, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	22,995.71	CA	Standard Commercial Warranty
333241	Crown Steam	DP-80	Stationary Kettle, direct steam, 80 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal, 30 psi, NSF	Stationary Kettle, direct steam, 80 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal, 30 psi, NSF	EA	\$	7,811.39	CA	Standard Commercial Warranty
333241	Crown Steam	GLT-40	Tilting Kettle, gas, 40 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 100,000 BTU, CSA Star, CSA Flame, NSF	Tilting Kettle, gas, 40 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 100,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	20,572.94	CA	Standard Commercial Warranty
333241	Crown Steam	DL-150	Stationary Kettle, direct steam, 150 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner stainless steel exterior finish, tri-leg, 20 psi, NSF	Stationary Kettle, direct steam, 150 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner stainless steel exterior finish, tri-leg, 20 psi, NSF	EA	\$	17,722.36	CA	Standard Commercial Warranty
333241	Crown Steam	SF-18	18" single pantry faucet	18" single pantry faucet	EA	\$	404.76	CA	Standard Commercial Warranty
333241	Crown Steam	EMT-10-10	Kettle/Cabinet Assembly, electric, (2) 10 gallon tilting kettles, 42" cabinet base, CSD-1 code package, automatic blowdown, split water line, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, adjustable flanged feet, 24.0kW, cCSAus, NSF	Kettle/Cabinet Assembly, electric, (2) 10 gallon tilting kettles, 42" cabinet base, CSD-1 code package, automatic blowdown, split water line, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, adjustable flanged feet, 24.0kW, cCSAus, NSF	EA	\$	20,889.03	CA	Standard Commercial Warranty
333241	Crown Steam	CH-20/40	Cover, spring assisted, for GL-20/40, in lieu of hinge cover	Cover, spring assisted, for GL-20/40, in lieu of hinge cover	EA	\$	480.12	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-80	Hinged Cover, two piece, for 80 gallon kettle	Hinged Cover, two piece, for 80 gallon kettle	EA	\$	1,658.04	CA	Standard Commercial Warranty
333241	Crown Steam	LCT-1	Load Compensating Timer, one compartment	Load Compensating Timer, one compartment	EA	\$	322.30	CA	Standard Commercial Warranty
333241	Crown Steam	SD-30	Stand, 30", for kettles & skillets, sliding drain drawer, open frame base, stainless steel, CSA, NSF	Stand, 30", for kettles & skillets, sliding drain drawer, open frame base, stainless steel, CSA, NSF	EA	\$	1,775.07	CA	Standard Commercial Warranty
333241	Crown Steam	1190861	Scale Master Filter System Stage 1	Scale Master Filter System Stage 1	EA	\$	588.29	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-2-6-10	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	EA	\$	33,746.34	CA	Standard Commercial Warranty
333241	Crown Steam	OB-2-2-27-E	Oyster Bar Kettle/Cabinet Assembly, electric, 27" W cabinet base, (2) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 24.0 kW, NSF, CSA Star, CSA Flame	Oyster Bar Kettle/Cabinet Assembly, electric, 27" W cabinet base, (2) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 24.0 kW, NSF, CSA Star, CSA Flame	EA	\$	18,147.06	CA	Standard Commercial Warranty
333241	Crown Steam	EL-30F	Stationary Kettle, electric, 30 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, CSA, NSF	Stationary Kettle, electric, 30 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, CSA, NSF	EA	\$	12,824.95	CA	Standard Commercial Warranty
333241	Crown Steam	GMS-12	Permanent etched interior markings, gallon, for 12 gallon braising pan	Permanent etched interior markings, gallon, for 12 gallon braising pan	EA	\$	340.47	CA	Standard Commercial Warranty
333241	Crown Steam	SX-34EC	Convection Steamer, electric, (7) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, 316 stainless steel interior, 304 stainless steel cabinet base & exterior, 7.5 kW & 10kW, cCSAus, NSF	Convection Steamer, electric, (7) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, 316 stainless steel interior, 304 stainless steel cabinet base & exterior, 7.5 kW & 10kW, cCSAus, NSF	EA	\$	11,947.16	CA	Standard Commercial Warranty
333241	Crown Steam	SSL-4	Stainless steel 4" high legs (SXN-4, SX-3 and SX-5)	Stainless steel 4" high legs (SXN-4, SX-3 and SX-5)	EA	\$	109.50	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-60	Tilting Kettle, electric, 60 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 18.0kW, cCSAus, NSF	Tilting Kettle, electric, 60 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 18.0kW, cCSAus, NSF	EA	\$	16,391.50	CA	Standard Commercial Warranty
333241	Crown Steam	LMS-226	Permanent etched interior markings, litre, for 60 gallon braising pan	Permanent etched interior markings, litre, for 60 gallon braising pan	EA	\$	340.47	CA	Standard Commercial Warranty
333241	Crown Steam	SX-10G3	Convection Steamer, gas, (2) compartments, (10) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, stainless steel interior & exterior, cabinet base, (2) 47,000 BTU, CSA Star, CSA Flame, NSF	Convection Steamer, gas, (2) compartments, (10) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, stainless steel interior & exterior, cabinet base, (2) 47,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	14,936.95	CA	Standard Commercial Warranty
333241	Crown Steam	CE-336	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 36kW, cCSAus, NSF	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 36kW, cCSAus, NSF	EA	\$	11,168.24	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-2-6-10	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon & (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon & (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	30,710.45	CA	Standard Commercial Warranty

333241	Crown Steam	DMT-10-6	Kettle/Cabinet Assembly, direct steam, (1) 6 gallon & (1) 10 gallon tilting kettle, 36" cabinet base, double pantry fill faucet, 5" deep sink, stainless steel construction, 6" legs, adjustable bullet feet, NSF	Kettle/Cabinet Assembly, direct steam, (1) 6 gallon & (1) 10 gallon tilting kettle, 36" cabinet base, double pantry fill faucet, 5" deep sink, stainless steel construction, 6" legs, adjustable bullet feet, NSF	EA	\$	12,736.28	CA	Standard Commercial Warranty
333241	Crown Steam	CH-30	Cover, spring assisted, for 30 gallon kettle	Cover, spring assisted, for 30 gallon kettle	EA	\$	1,188.55	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-80-2	Tilting Kettle/Mixer, direct steam, (2) 80 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, (2) 80 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	112,233.91	CA	Standard Commercial Warranty
333241	Crown Steam	PC-3	Pan Carrier	Pan Carrier	EA	\$	739.47	CA	Standard Commercial Warranty
333241	Crown Steam	KBUK-1	Kettle Cleaning & Utensil Kit, includes (1) 36" cleaning brush & scraping paddle, draw-off valve brush, hand held scrub brush, stainless steel 36" whip & 24 ounce ladle	Kettle Cleaning & Utensil Kit, includes (1) 36" cleaning brush & scraping paddle, draw-off valve brush, hand held scrub brush, stainless steel 36" whip & 24 ounce ladle	EA	\$	1,188.11	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-20	Tilting Kettle, electric, 20 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 12.0kW, cCSAus, NSF	Tilting Kettle, electric, 20 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 12.0kW, cCSAus, NSF	EA	\$	13,131.73	CA	Standard Commercial Warranty
333241	Crown Steam	CH-60	Cover, spring assisted, for 60 gallon kettle	Cover, spring assisted, for 60 gallon kettle	EA	\$	1,235.10	CA	Standard Commercial Warranty
333241	Crown Steam	SPI-16	Steam pan insert, for ECTRS 16 gallon	Steam pan insert, for ECTRS 16 gallon	EA	\$	448.64	CA	Standard Commercial Warranty
333241	Crown Steam	PS-16S	Pour Lip Strainer, stainless steel, for GCTS-16	Pour Lip Strainer, stainless steel, for GCTS-16	EA	\$	293.92	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-10-6-6	Convection Steamer/Kettle, electric, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	EA	\$	32,869.88	CA	Standard Commercial Warranty
333241	Crown Steam	SH	Strainer Hook	Strainer Hook	EA	\$	93.54	CA	Standard Commercial Warranty
333241	Crown Steam	EMT-6-6	Kettle/Cabinet Assembly, electric, (2) 6 gallon tilting kettles, 36" cabinet base, CSD-1 code package, automatic blowdown, split water line, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, adjustable flanged feet, 24.0kW, cCSAus, NSF	Kettle/Cabinet Assembly, electric, (2) 6 gallon tilting kettles, 36" cabinet base, CSD-1 code package, automatic blowdown, split water line, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, adjustable flanged feet, 24.0kW, cCSAus, NSF	EA	\$	18,481.77	CA	Standard Commercial Warranty
333241	Crown Steam	GLT-30	Tilting Kettle, gas, 30 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 100,000 BTU, CSA Star, CSA Flame, NSF	Tilting Kettle, gas, 30 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 100,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	20,013.90	CA	Standard Commercial Warranty
333241	Crown Steam	KT-64	Kettle Stand, 64", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	Kettle Stand, 64", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	EA	\$	5,978.24	CA	Standard Commercial Warranty
333241	Crown Steam	TBA-80	Perforated 3-basket stainless steel assembly for 80 gallon, 2/3 jacket	Perforated 3-basket stainless steel assembly for 80 gallon, 2/3 jacket	EA	\$	2,021.56	CA	Standard Commercial Warranty
333241	Crown Steam	SX-5	Convection Steamer, electric, countertop, steam generator, (1) 316 stainless steel compartment, (5) 12" x 20" pan capacity, electromechanical timer controls, three way power switch (ON/OFF/Delime), split water connections, automatic fill & drain operation, automatic generator blow down valve, includes water filter system, 304 stainless steel exterior, 15.0kW, cCSAus, NSF	Convection Steamer, electric, countertop, steam generator, (1) 316 stainless steel compartment, (5) 12" x 20" pan capacity, electromechanical timer controls, three way power switch (ON/OFF/Delime), split water connections, automatic fill & drain operation, automatic generator blow down valve, includes water filter system, 304 stainless steel exterior, 15.0kW, cCSAus, NSF	EA	\$	6,464.56	CA	Standard Commercial Warranty
333241	Crown Steam	S-SDP-2	Sliding drain pan	Sliding drain pan	EA	\$	1,882.80	CA	Standard Commercial Warranty
333241	Crown Steam	DP-40F	Stationary Kettle, direct steam, 40 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 35 psi, NSF	Stationary Kettle, direct steam, 40 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 35 psi, NSF	EA	\$	7,560.46	CA	Standard Commercial Warranty
333241	Crown Steam	C-100	Cover, lift off, for 100 gallon kettle	Cover, lift off, for 100 gallon kettle	EA	\$	638.39	CA	Standard Commercial Warranty
333241	Crown Steam	OB-3-2-40-G	Oyster Bar Kettle/Cabinet Assembly, gas, 40" W cabinet base, (3) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, electronic ignition, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 250,000 BTU, NSF, CSA Star, CSA Flame	Oyster Bar Kettle/Cabinet Assembly, gas, 40" W cabinet base, (3) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, electronic ignition, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 250,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	27,162.08	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-2-6-6	Convection Steamer/Kettle, gas, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	EA	\$	30,758.33	CA	Standard Commercial Warranty
333241	Crown Steam	C-30F	Cover, lift off, for 30 gallon kettle	Cover, lift off, for 30 gallon kettle	EA	\$	405.20	CA	Standard Commercial Warranty
333241	Crown Steam	SX-7G3	Convection Steamer, gas, (2) compartments, (7) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, stainless steel interior & exterior, cabinet base, (2) 47,000 BTU, CSA Star, CSA Flame, NSF	Convection Steamer, gas, (2) compartments, (7) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, stainless steel interior & exterior, cabinet base, (2) 47,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	14,654.99	CA	Standard Commercial Warranty
333241	Crown Steam	GMS-16	Permanent etched interior markings, gallon, for 16 gallon braising pan	Permanent etched interior markings, gallon, for 16 gallon braising pan	EA	\$	340.47	CA	Standard Commercial Warranty
333241	Crown Steam	GM-6	Permanent etched interior markings, for 6 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 6 gallon kettle (specify gallon or liter markings)	EA	\$	293.04	CA	Standard Commercial Warranty

333241	Crown Steam	SD-24	Stand, 24", for kettles & skillets, sliding drain drawer, open frame base, stainless steel, CSA, NSF	Stand, 24", for kettles & skillets, sliding drain drawer, open frame base, stainless steel, CSA, NSF	EA	\$	1,717.88	CA	Standard Commercial Warranty
333241	Crown Steam	RL28G	Single unit 28" high stand (SX-5G3)	Single unit 28" high stand (SX-5G3)	EA	\$	876.45	CA	Standard Commercial Warranty
333241	Crown Steam	DPT-30	Tilting Kettle, direct steam, 30 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & pedestal base, 30 psi, NSF	Tilting Kettle, direct steam, 30 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & pedestal base, 30 psi, NSF	EA	\$	7,704.10	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-10-10	Convection Steamer/Kettle, electric, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	EA	\$	26,106.08	CA	Standard Commercial Warranty
333241	Crown Steam	GL-40FE	Stationary Kettle, gas, 40 gallon capacity, full jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 130,000 BTU, CSA Star, CSA Flame, NSF	Stationary Kettle, gas, 40 gallon capacity, full jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 130,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	16,233.67	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-20F	Tilting Kettle, electric, 20 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0 kW cCSAus, NSF	Tilting Kettle, electric, 20 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0 kW cCSAus, NSF	EA	\$	13,861.00	CA	Standard Commercial Warranty
333241	Crown Steam	CH-40	Cover, spring assisted, for 40 gallon kettle	Cover, spring assisted, for 40 gallon kettle	EA	\$	1,193.43	CA	Standard Commercial Warranty
333241	Crown Steam	EPXN-3	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (3) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 9.0kW, cCSAus, NSF	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (3) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 9.0kW, cCSAus, NSF	EA	\$	5,072.97	CA	Standard Commercial Warranty
333241	Crown Steam	1190862	Scale Master Filter System Stage 2	Scale Master Filter System Stage 2	EA	\$	835.67	CA	Standard Commercial Warranty
333241	Crown Steam	GC-12	Tilting Kettle, gas, 12 gallon capacity, 2/3 jacket, solid state thermostat, electronic ignition, support console on right, faucet bracket, stainless steel construction, 50 PSI, 43,000 BTU, CSA Star, CSA Flame, NSF	Tilting Kettle, gas, 12 gallon capacity, 2/3 jacket, solid state thermostat, electronic ignition, support console on right, faucet bracket, stainless steel construction, 50 PSI, 43,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	10,804.27	CA	Standard Commercial Warranty
333241	Crown Steam	1195486	Mounting Bracket, F/SMK4 and SMK4H	Mounting Bracket, F/SMK4 and SMK4H	EA	\$	24.38	CA	Standard Commercial Warranty
333241	Crown Steam	EL-100	Stationary Kettle, electric, 100 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 24.0kW, cCSAus, NSF	Stationary Kettle, electric, 100 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 24.0kW, cCSAus, NSF	EA	\$	16,227.47	CA	Standard Commercial Warranty
333241	Crown Steam	EP-20F	Stationary Kettle, electric, 20 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 50 PSI, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 20 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 50 PSI, 18.0kW, cCSAus, NSF	EA	\$	10,452.27	CA	Standard Commercial Warranty
333241	Crown Steam	DCW-3	Steamer, direct steam, pressure-type, (3) compartments, wall mount, manual mechanical timer controls, automatic shut-down, CSD-1 package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (3) compartments, wall mount, manual mechanical timer controls, automatic shut-down, CSD-1 package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	EA	\$	20,878.39	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-100-2	Tilting Kettle/Mixer, electric, (2) 100 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 33.0kW, UL, NSF	Tilting Kettle/Mixer, electric, (2) 100 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 33.0kW, UL, NSF	EA	\$	134,832.40	CA	Standard Commercial Warranty
333241	Crown Steam	DP-60	Stationary Kettle, direct steam, 60 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal, 30 psi, NSF	Stationary Kettle, direct steam, 60 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal, 30 psi, NSF	EA	\$	7,098.52	CA	Standard Commercial Warranty
333241	Crown Steam	PS-35	Pour strainer (ETRS & GTRS)	Pour strainer (ETRS & GTRS)	EA	\$	1,319.78	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-10-24	Convection Steamer, electric, (2) compartment, (5) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	Convection Steamer, electric, (2) compartment, (5) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	EA	\$	18,558.91	CA	Standard Commercial Warranty
333241	Crown Steam	EC-12TW	Tilting Kettle, electric, countertop, 12 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, countertop, 12 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	5,940.55	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-30F	Hinged Cover, two piece, for 30 gallon kettle	Hinged Cover, two piece, for 30 gallon kettle	EA	\$	1,554.30	CA	Standard Commercial Warranty
333241	Crown Steam	GL-60FE	Stationary Kettle, gas, 60 gallon capacity, full jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 130,000 BTU, CSA Star, CSA Flame, NSF	Stationary Kettle, gas, 60 gallon capacity, full jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 130,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	20,994.10	CA	Standard Commercial Warranty
333241	Crown Steam	DCP-2	Steamer, direct steam, pressure-type, (2) compartments, pedestal mount, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (2) compartments, pedestal mount, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	EA	\$	16,255.84	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-10-36	Convection Steamer, steam coil, (2) compartment, (5) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer, steam coil, (2) compartment, (5) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	17,646.99	CA	Standard Commercial Warranty

333241	Crown Steam	EL-60	Stationary Kettle, electric, 60 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior, stainless steel exterior finish, tri-leg, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 60 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior, stainless steel exterior finish, tri-leg, 18.0kW, cCSAus, NSF	EA	\$	12,272.12	CA	Standard Commercial Warranty
333241	Crown Steam	PS-12	Strainer, perforated, stainless steel for ECTS-12 model	Strainer, perforated, stainless steel for ECTS-12 model	EA	\$	301.02	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-40	Hinged Cover, two piece, for 40 gallon kettle	Hinged Cover, two piece, for 40 gallon kettle	EA	\$	1,473.61	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-10-24	Convection Steamer, steam coil, (2) compartment, (5) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer, steam coil, (2) compartment, (5) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	17,386.32	CA	Standard Commercial Warranty
333241	Crown Steam	EC-12TW-2	Twin Tilting Kettles, electric, countertop, 12 gallon capacity, (2) 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, CSA, NSF	Twin Tilting Kettles, electric, countertop, 12 gallon capacity, (2) 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, CSA, NSF	EA	\$	18,003.43	CA	Standard Commercial Warranty
333241	Crown Steam	SXN-4	Convection Steamer, electric, countertop, steam generator, (1) compartment, (4) 12" x 20" pan capacity, automatic fill & drain operation, electromechanical controls, includes water filter system, stainless steel interior & exterior, cCSAus, NSF	Convection Steamer, electric, countertop, steam generator, (1) compartment, (4) 12" x 20" pan capacity, automatic fill & drain operation, electromechanical controls, includes water filter system, stainless steel interior & exterior, cCSAus, NSF	EA	\$	5,990.65	CA	Standard Commercial Warranty
333241	Crown Steam	DL-60	Stationary Kettle, direct steam, 60 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 30 psi, NSF	Stationary Kettle, direct steam, 60 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 30 psi, NSF	EA	\$	7,088.77	CA	Standard Commercial Warranty
333241	Crown Steam	DC-6	Tilting Kettle, countertop, direct steam, 6 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	Tilting Kettle, countertop, direct steam, 6 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	EA	\$	3,472.12	CA	Standard Commercial Warranty
333241	Crown Steam	CE-342	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 42kW, cCSAus, NSF	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 42kW, cCSAus, NSF	EA	\$	11,971.99	CA	Standard Commercial Warranty
333241	Crown Steam	HSB-1	High Sensitivity Board, for reverse osmosis water (120 volt)	High Sensitivity Board, for reverse osmosis water (120 volt)	EA	\$	274.86	CA	Standard Commercial Warranty
333241	Crown Steam	SPI-40	Steam pan insert, for 40 gallon	Steam pan insert, for 40 gallon	EA	\$	767.84	CA	Standard Commercial Warranty
333241	Crown Steam	GS-30	Tilting Skillet, gas, 30 gallon capacity, manual tilt, electronic ignition, high temp safety cut-off, removable pour strainer, etched interior markings, stainless steel construction, tubular legs, adjustable bullet feet front, adjustable flanged feet rear, 100,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, 30 gallon capacity, manual tilt, electronic ignition, high temp safety cut-off, removable pour strainer, etched interior markings, stainless steel construction, tubular legs, adjustable bullet feet front, adjustable flanged feet rear, 100,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	13,716.47	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-2-10	Convection Steamer/Kettle, electric, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	EA	\$	23,785.27	CA	Standard Commercial Warranty
333241	Crown Steam	SX-3	Convection Steamer, electric, countertop, steam generator, (1) 316 stainless steel compartment, (3) 12" x 20" pan capacity, electromechanical timer controls, three way power switch (ON/OFF/Delime), split water connections, automatic fill & drain operation, automatic generator blow down valve, includes water filter system, 304 stainless steel exterior, 7.5kW, cCSAus, NSF	Convection Steamer, electric, countertop, steam generator, (1) 316 stainless steel compartment, (3) 12" x 20" pan capacity, electromechanical timer controls, three way power switch (ON/OFF/Delime), split water connections, automatic fill & drain operation, automatic generator blow down valve, includes water filter system, 304 stainless steel exterior, 7.5kW, cCSAus, NSF	EA	\$	5,391.72	CA	Standard Commercial Warranty
333241	Crown Steam	SD-54	Twin Kettle Stand, 54" wide x 21" high, with sliding drain pan and stationary drain	Twin Kettle Stand, 54" wide x 21" high, with sliding drain pan and stationary drain	EA	\$	4,077.26	CA	Standard Commercial Warranty
333241	Crown Steam	DP-KF-GK	Double pantry faucet kettle filler	Double pantry faucet kettle filler	EA	\$	1,358.35	CA	Standard Commercial Warranty
333241	Crown Steam	ES-30	Tilting Skillet, electric, 30 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, etched interior markings, stainless steel construction, open frame, adjustable flanged feet, 12.0kW, cCSAus, NSF	Tilting Skillet, electric, 30 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, etched interior markings, stainless steel construction, open frame, adjustable flanged feet, 12.0kW, cCSAus, NSF	EA	\$	11,600.48	CA	Standard Commercial Warranty
333241	Crown Steam	SD-30-12G	Stand, 30", with pullout drawer & drain, stainless steel, for GC-12, CSA, NSF	Stand, 30", with pullout drawer & drain, stainless steel, for GC-12, CSA, NSF	EA	\$	1,780.39	CA	Standard Commercial Warranty
333241	Crown Steam	ECTS-12	Tilting Skillet, electric, countertop, 12 gallon capacity, manual tilt, rectangular pan, stainless steel construction, 9.0kW, cCSAus, NSF	Tilting Skillet, electric, countertop, 12 gallon capacity, manual tilt, rectangular pan, stainless steel construction, 9.0kW, cCSAus, NSF	EA	\$	6,336.89	CA	Standard Commercial Warranty
333241	Crown Steam	S-EPXSS-1	Double unit stacking stand, 58" total height, for (2) EPX-3 units	Double unit stacking stand, 58" total height, for (2) EPX-3 units	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	GTS-30	Tilting Skillet, gas, 30 gallon capacity, manual tilt, electronic ignition, crank tilt with self-locking positive stop, removable lip strainer, stainless steel construction, open leg frame base, adjustable feet front, adjustable flanged feet rear, 80,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, 30 gallon capacity, manual tilt, electronic ignition, crank tilt with self-locking positive stop, removable lip strainer, stainless steel construction, open leg frame base, adjustable feet front, adjustable flanged feet rear, 80,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	13,465.11	CA	Standard Commercial Warranty
333241	Crown Steam	S-EPXSS-1@64	Double unit stacking stand, 64" total height, for EPX-3 over EPX-5	Double unit stacking stand, 64" total height, for EPX-3 over EPX-5	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	71058001	TruH20 Mini Replacement Cartridges (multi-stage filter & citryne pack)	TruH20 Mini Replacement Cartridges (multi-stage filter & citryne pack)	EA	\$	230.09	CA	Standard Commercial Warranty
333241	Crown Steam	DL-20	Stationary Kettle, direct steam, 20 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 30 psi, NSF	Stationary Kettle, direct steam, 20 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 30 psi, NSF	EA	\$	5,299.06	CA	Standard Commercial Warranty

333241	Crown Steam	ELTS-30	Tilting Skillet, electric, 30 gallon capacity, electric tilt, removable lip strainer, spring assisted cover, stainless steel construction, open frame base, adjustable bullet feet front, adjustable flanged feet rear, 12.0kW, cCSAus, NSF	Tilting Skillet, electric, 30 gallon capacity, electric tilt, removable lip strainer, spring assisted cover, stainless steel construction, open frame base, adjustable bullet feet front, adjustable flanged feet rear, 12.0kW, cCSAus, NSF	EA	\$	11,309.66	CA	Standard Commercial Warranty
333241	Crown Steam	DL-30	Stationary Kettle, direct steam, 30 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 30 psi, NSF	Stationary Kettle, direct steam, 30 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 30 psi, NSF	EA	\$	5,368.22	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-40	Tilting Kettle, electric, 40 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0kW, cCSAus, NSF	Tilting Kettle, electric, 40 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0kW, cCSAus, NSF	EA	\$	13,934.15	CA	Standard Commercial Warranty
333241	Crown Steam	KT-72	Kettle Stand, 72", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	Kettle Stand, 72", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	EA	\$	6,367.92	CA	Standard Commercial Warranty
333241	Crown Steam	EMTS-30	Tilting Skillet, electric, 30 gallon capacity, electric hydraulic lift, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, 1/2 HP, 12.0kW, cCSAus, NSF	Tilting Skillet, electric, 30 gallon capacity, electric hydraulic lift, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, 1/2 HP, 12.0kW, cCSAus, NSF	EA	\$	13,693.42	CA	Standard Commercial Warranty
333241	Crown Steam	1190865	TCB20-5, Carbon Filter for TH2	TCB20-5, Carbon Filter for TH2	EA	\$	60.74	CA	Standard Commercial Warranty
333241	Crown Steam	ECTRS-16	Tilting Skillet, electric, countertop, 16 gallon capacity, manual tilt, side mount pivots, safety thermostat, stainless steel construction, cCSAus, NSF	Tilting Skillet, electric, countertop, 16 gallon capacity, manual tilt, side mount pivots, safety thermostat, stainless steel construction, cCSAus, NSF	EA	\$	7,392.89	CA	Standard Commercial Warranty
333241	Crown Steam	OB-4-2-54-E	Oyster Bar Kettle/Cabinet Assembly, electric, 54" W cabinet base, (4) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 24.0 kW, NSF, CSA Star, CSA Flame	Oyster Bar Kettle/Cabinet Assembly, electric, 54" W cabinet base, (4) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 24.0 kW, NSF, CSA Star, CSA Flame	EA	\$	33,515.81	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-2-6	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	22,858.72	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-10-36	Convection Steamer, electric, (2) compartment, (5) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	Convection Steamer, electric, (2) compartment, (5) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	EA	\$	20,441.27	CA	Standard Commercial Warranty
333241	Crown Steam	S-24	Stand, 24", for kettles & skillets, sliding shelf, open frame base, stainless steel, CSA, NSF	Stand, 24", for kettles & skillets, sliding shelf, open frame base, stainless steel, CSA, NSF	EA	\$	1,173.04	CA	Standard Commercial Warranty
333241	Crown Steam	DF-18	18" double pantry faucet	18" double pantry faucet	EA	\$	586.52	CA	Standard Commercial Warranty
333241	Crown Steam	CE-36	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 36kW, cCSAus, NSF	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 36kW, cCSAus, NSF	EA	\$	9,865.75	CA	Standard Commercial Warranty
333241	Crown Steam	TBA-100	Perforated 3-basket stainless steel assembly for 100 gallon, 2/3 jacket	Perforated 3-basket stainless steel assembly for 100 gallon, 2/3 jacket	EA	\$	2,021.56	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-2-24	Convection Steamer, steam coil, (2) compartment, (3) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer, steam coil, (2) compartment, (3) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	16,342.29	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-30	Tilting Kettle, direct steam, 30 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 30 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	7,704.10	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-2-6-10	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	EA	\$	34,382.95	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-10-24	Convection Steamer, gas, (2) compartment, (5) 12" x 20" pan capacity per compartment, 24" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	Convection Steamer, gas, (2) compartment, (5) 12" x 20" pan capacity per compartment, 24" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	EA	\$	14,896.60	CA	Standard Commercial Warranty
333241	Crown Steam	EMT-10-6	Kettle/Cabinet Assembly, electric, (1) 6 gallon & (1) 10 gallon tilting kettles, 42" cabinet base, CSD-1 code package, automatic blowdown, split water line, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, adjustable flanged feet, 24.0kW, cCSAus, NSF	Kettle/Cabinet Assembly, electric, (1) 6 gallon & (1) 10 gallon tilting kettles, 42" cabinet base, CSD-1 code package, automatic blowdown, split water line, double pantry fill faucet, 5" deep sink, stainless steel interior & exterior finish, adjustable flanged feet, 24.0kW, cCSAus, NSF	EA	\$	19,933.22	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-10-6	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	20,174.39	CA	Standard Commercial Warranty

333241	Crown Steam	ELTM-40-2	Tilting Kettle/Mixer, electric, (2) 40 gallon capacity each, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 24.0kW, UL, NSF	Tilting Kettle/Mixer, electric, (2) 40 gallon capacity each, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 24.0kW, UL, NSF	EA	\$	69,097.07	CA	Standard Commercial Warranty
333241	Crown Steam	OB-3-2-40-E	Oyster Bar Kettle/Cabinet Assembly, electric, 40" W cabinet base, (3) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 24.0 kW, NSF, CSA Star, CSA Flame	Oyster Bar Kettle/Cabinet Assembly, electric, 40" W cabinet base, (3) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 24.0 kW, NSF, CSA Star, CSA Flame	EA	\$	26,106.08	CA	Standard Commercial Warranty
333241	Crown Steam	GMTS-30	Tilting Skillet, gas, 30 gallon capacity, hydraulic lift, electronic ignition, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 80,000 BTU, NSF, CSA Star, CSA Flame	Tilting Skillet, gas, 30 gallon capacity, hydraulic lift, electronic ignition, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 80,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	15,369.63	CA	Standard Commercial Warranty
333241	Crown Steam	PC-4	Pan Support, for 20-100 gallon tilting kettles	Pan Support, for 20-100 gallon tilting kettles	EA	\$	848.52	CA	Standard Commercial Warranty
333241	Crown Steam	71528211	TruH2O Water Treatment System (multi-stage pack), neutralizes scale, up to 99% chlorine reduction, 5 micron filtration, quick disconnect, easy cartridge change out	TruH2O Water Treatment System (multi-stage pack), neutralizes scale, up to 99% chlorine reduction, 5 micron filtration, quick disconnect, easy cartridge change out	EA	\$	386.58	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-10-6	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	EA	\$	23,526.37	CA	Standard Commercial Warranty
333241	Crown Steam	1195140	Mounting Bracket, for 1194854 & 1194856 (order brackets for new installs only)	Mounting Bracket, for 1194854 & 1194856 (order brackets for new installs only)	EA	\$	11.08	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-16	Convection Steamer, electric, (2) compartment, (8) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	Convection Steamer, electric, (2) compartment, (8) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	EA	\$	22,077.58	CA	Standard Commercial Warranty
333241	Crown Steam	1194072	Scale Elimination F/SM1 Single	Scale Elimination F/SM1 Single	EA	\$	629.08	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-80	Tilting Kettle, direct steam, 80 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 80 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	10,959.88	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-40F	Tilting Kettle, electric, 40 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0kW, cCSAus, NSF	Tilting Kettle, electric, 40 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0kW, cCSAus, NSF	EA	\$	21,569.09	CA	Standard Commercial Warranty
333241	Crown Steam	LMS-45	Permanent etched interior markings, litres, for 12 gallon braising pan	Permanent etched interior markings, litres, for 12 gallon braising pan	EA	\$	340.47	CA	Standard Commercial Warranty
333241	Crown Steam	GM-60	Permanent etched interior markings, for 60 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 60 gallon kettle (specify gallon or liter markings)	EA	\$	316.09	CA	Standard Commercial Warranty
333241	Crown Steam	GSX-16HE	Convection Steamer, gas, (2) compartments, (16) pan capacity total, manual controls, electronic ignition, Delime mode & automatic blow down, single drain with temperature control, split water connections, includes water filter system, stainless steel interior, exterior & cabinet base, 6" legs, adjustable flanged feet, 190,000 BTU, CSA Star, CSA Flame, NSF	Convection Steamer, gas, (2) compartments, (16) pan capacity total, manual controls, electronic ignition, Delime mode & automatic blow down, single drain with temperature control, split water connections, includes water filter system, stainless steel interior, exterior & cabinet base, 6" legs, adjustable flanged feet, 190,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	16,470.85	CA	Standard Commercial Warranty
333241	Crown Steam	SPI-16S	Steam pan insert, for GCTS 16 gallon	Steam pan insert, for GCTS 16 gallon	EA	\$	416.28	CA	Standard Commercial Warranty
333241	Crown Steam	GM-40	Permanent etched interior markings, for 40 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 40 gallon kettle (specify gallon or liter markings)	EA	\$	307.22	CA	Standard Commercial Warranty
333241	Crown Steam	CE-42	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 42kW, cCSAus, NSF	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 42kW, cCSAus, NSF	EA	\$	10,599.01	CA	Standard Commercial Warranty
333241	Crown Steam	SD-48	Twin Kettle Stand, 48" wide x 21" high, with sliding drain pan and stationary drain	Twin Kettle Stand, 48" wide x 21" high, with sliding drain pan and stationary drain	EA	\$	2,571.28	CA	Standard Commercial Warranty
333241	Crown Steam	KT-26	Kettle Stand, 26", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	Kettle Stand, 26", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	EA	\$	3,993.47	CA	Standard Commercial Warranty
333241	Crown Steam	EP-40	Stationary Kettle, electric, 40 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 40 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 18.0kW, cCSAus, NSF	EA	\$	9,493.80	CA	Standard Commercial Warranty
333241	Crown Steam	GMT-10-6	Kettle/Cabinet Assembly, gas, (1) 6 gallon & (1) 10 gallon tilting kettles, 42" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep sink, CSD-1 package, stainless steel interior & exterior finish, 250,000 BTU, NSF, CSA Star, CSA Flame	Kettle/Cabinet Assembly, gas, (1) 6 gallon & (1) 10 gallon tilting kettles, 42" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep sink, CSD-1 package, stainless steel interior & exterior finish, 250,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	18,891.85	CA	Standard Commercial Warranty
333241	Crown Steam	STA-2	Steam control assembly, consisting of: line, strainer & steam inlet globe	Steam control assembly, consisting of: line, strainer & steam inlet globe	EA	\$	354.66	CA	Standard Commercial Warranty
333241	Crown Steam	DL-40F	Stationary Kettle, direct steam, 40 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 35 psi, NSF	Stationary Kettle, direct steam, 40 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 35 psi, NSF	EA	\$	7,412.84	CA	Standard Commercial Warranty

333241	Crown Steam	GCX-10-6-6	Convection Steamer/Kettle, gas, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	EA	\$	32,869.88	CA	Standard Commercial Warranty
333241	Crown Steam	GMTS-60	Tilting Skillet, gas, 60 gallon capacity, hydraulic lift, electronic ignition, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 100,000 BTU, NSF, CSA Star, CSA Flame	Tilting Skillet, gas, 60 gallon capacity, hydraulic lift, electronic ignition, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 100,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	21,299.99	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-16	Convection Steamer, gas, (2) compartment, (8) 12" x 20" pan capacity per compartment, 36" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 300,000 BTU, CSA Flame, CSA Star, NSF	Convection Steamer, gas, (2) compartment, (8) 12" x 20" pan capacity per compartment, 36" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 300,000 BTU, CSA Flame, CSA Star, NSF	EA	\$	22,946.94	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-16	Convection Steamer, direct steam, (2) compartment, (16) 12" x 20" pan capacity, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet, cCSAus, NSF	Convection Steamer, direct steam, (2) compartment, (16) 12" x 20" pan capacity, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet, cCSAus, NSF	EA	\$	16,375.54	CA	Standard Commercial Warranty
333241	Crown Steam	CG-330	Steam Generator, gas, 36" cabinet base, freestanding design, electronic ignition, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 5-15 psi, 300,000 BTU, CSA-Star, CSA-Flame, NSF	Steam Generator, gas, 36" cabinet base, freestanding design, electronic ignition, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 5-15 psi, 300,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	13,833.95	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-20F	Hinged Cover, two piece, for 20 gallon kettle	Hinged Cover, two piece, for 20 gallon kettle	EA	\$	1,494.45	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-2-10	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	24,069.44	CA	Standard Commercial Warranty
333241	Crown Steam	DMT-6	Kettle/Cabinet Assembly, direct steam, (1) 6 gallon tilting kettle, 24" cabinet base, double pantry fill faucet, 5" deep sink, stainless steel construction, 6" legs, adjustable flanged feet, NSF	Kettle/Cabinet Assembly, direct steam, (1) 6 gallon tilting kettle, 24" cabinet base, double pantry fill faucet, 5" deep sink, stainless steel construction, 6" legs, adjustable flanged feet, NSF	EA	\$	7,522.34	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-60F	Tilting Kettle, direct steam, 60 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 60 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	12,320.89	CA	Standard Commercial Warranty
333241	Crown Steam	GL-100E	Stationary Kettle, gas, 100 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 150,000 BTU, CSA-Star, CSA-Flame, NSF	Stationary Kettle, gas, 100 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 150,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	22,303.23	CA	Standard Commercial Warranty
333241	Crown Steam	SX-55EC	Convection Steamer, electric, (10) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, 316 stainless steel interior, 304 stainless steel cabinet base & exterior, (2) 15kW, cCSAus, NSF	Convection Steamer, electric, (10) pan capacity total, manual controls, three way power switch (ON/OFF/Delime), automatic blow down, split water connections, includes water filter system, 316 stainless steel interior, 304 stainless steel cabinet base & exterior, (2) 15kW, cCSAus, NSF	EA	\$	13,485.94	CA	Standard Commercial Warranty
333241	Crown Steam	R18SS-4	Double unit stacking stand, for (2) SXN-4 units	Double unit stacking stand, for (2) SXN-4 units	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-40F	Hinged Cover, two piece, for 40 gallon kettle	Hinged Cover, two piece, for 40 gallon kettle	EA	\$	1,683.75	CA	Standard Commercial Warranty
333241	Crown Steam	EMT-10	Kettle/Cabinet Assembly, electric, (1) 10 gallon tilting kettle, 24" cabinet base, stainless steel interior & exterior finish, 15 psi, 24.0kW, cCSAus, NSF	Kettle/Cabinet Assembly, electric, (1) 10 gallon tilting kettle, 24" cabinet base, stainless steel interior & exterior finish, 15 psi, 24.0kW, cCSAus, NSF	EA	\$	15,528.34	CA	Standard Commercial Warranty
333241	Crown Steam	CE-24	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 24kW, cCSAus, NSF	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 24kW, cCSAus, NSF	EA	\$	9,189.68	CA	Standard Commercial Warranty
333241	Crown Steam	EP-40F	Stationary Kettle, electric, 40 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 50 PSI, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 40 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 50 PSI, 18.0kW, cCSAus, NSF	EA	\$	15,288.50	CA	Standard Commercial Warranty
333241	Crown Steam	DDA-2	Do-All Dual-Pressure Steamer, direct steam, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior finish finish, 6" legs, adjustable flanged feet, cCSAus, NSF	Do-All Dual-Pressure Steamer, direct steam, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior finish finish, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	18,989.82	CA	Standard Commercial Warranty
333241	Crown Steam	GM-100	Permanent etched interior markings, for 100 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 100 gallon kettle (specify gallon or liter markings)	EA	\$	330.28	CA	Standard Commercial Warranty
333241	Crown Steam	EP-100	Stationary Kettle, electric, 100 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 24.0kW, cCSAus, NSF	Stationary Kettle, electric, 100 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 24.0kW, cCSAus, NSF	EA	\$	16,227.47	CA	Standard Commercial Warranty
333241	Crown Steam	EP-30	Stationary Kettle, electric, 30 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 15.0kW, cCSAus, NSF	Stationary Kettle, electric, 30 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 15.0kW, cCSAus, NSF	EA	\$	9,863.54	CA	Standard Commercial Warranty

333241	Crown Steam	ECT-12	Tilting Kettle, electric, countertop, 12 gallon capacity, 2/3 jacket, console with crank tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, countertop, 12 gallon capacity, 2/3 jacket, console with crank tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	6,629.04	CA	Standard Commercial Warranty
333241	Crown Steam	EL-30	Stationary Kettle, electric, 30 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 15.0kW, cCSAus, NSF	Stationary Kettle, electric, 30 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 15.0kW, cCSAus, NSF	EA	\$	9,493.80	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-30F	Tilting Kettle, electric, 30 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0kW, cCSAus, NSF	Tilting Kettle, electric, 30 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, stainless steel interior liner, stainless steel exterior, console & tri-leg base, 18.0kW, cCSAus, NSF	EA	\$	18,040.22	CA	Standard Commercial Warranty
333241	Crown Steam	DL-20F	Stationary Kettle, direct steam, 20 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 35 psi, NSF	Stationary Kettle, direct steam, 20 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 35 psi, NSF	EA	\$	7,048.42	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-80-2	Tilting Kettle/Mixer, electric, (2) 80 gallon capacity each, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 33.0kW, UL, NSF	Tilting Kettle/Mixer, electric, (2) 80 gallon capacity each, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 33.0kW, UL, NSF	EA	\$	78,742.93	CA	Standard Commercial Warranty
333241	Crown Steam	GCTS-16	Tilting Skillet, gas, countertop, 16 gallon capacity, manual tilt, side mount pivots, safety thermostat, stainless steel construction, 63,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, countertop, 16 gallon capacity, manual tilt, side mount pivots, safety thermostat, stainless steel construction, 63,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	11,203.26	CA	Standard Commercial Warranty
333241	Crown Steam	CH-40F	Cover, spring assisted, for 40 gallon kettle	Cover, spring assisted, for 40 gallon kettle	EA	\$	1,580.45	CA	Standard Commercial Warranty
333241	Crown Steam	BV-2	2" manual butterfly valve	2" manual butterfly valve	EA	\$	1,185.45	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-100	Tilting Kettle/Mixer, direct steam, 100 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, 100 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	62,112.04	CA	Standard Commercial Warranty
333241	Crown Steam	RL28XN	Single unit 28" high stand (SXN-4, EPXN-3 or EPXN-5)	Single unit 28" high stand (SXN-4, EPXN-3 or EPXN-5)	EA	\$	840.99	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-60	Hinged Cover, two piece, for 60 gallon kettle	Hinged Cover, two piece, for 60 gallon kettle	EA	\$	1,533.46	CA	Standard Commercial Warranty
333241	Crown Steam	TKS-40F	Kettle strainer, 40 gallon, full jacket, pour lip	Kettle strainer, 40 gallon, full jacket, pour lip	EA	\$	1,077.72	CA	Standard Commercial Warranty
333241	Crown Steam	OB-4-2-54-G	Oyster Bar Kettle/Cabinet Assembly, gas, 54" W cabinet base, (4) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, electronic ignition, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 250,000 BTU, NSF, CSA Star, CSA Flame	Oyster Bar Kettle/Cabinet Assembly, gas, 54" W cabinet base, (4) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, electronic ignition, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 250,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	35,043.06	CA	Standard Commercial Warranty
333241	Crown Steam	1195488	Ice Maker Heat Exchanger	Ice Maker Heat Exchanger	EA	\$	884.43	CA	Standard Commercial Warranty
333241	Crown Steam	1190864	Cartridge, F/SM1 AND SMFS1	Cartridge, F/SM1 AND SMFS1	EA	\$	322.74	CA	Standard Commercial Warranty
333241	Crown Steam	DMT-6-6	Kettle/Cabinet Assembly, direct steam, (2) 6 gallon tilting kettles, 316 stainless steel liner, 36" cabinet base, double pantry fill faucet, 5" deep sink, stainless steel construction, 6" legs, adjustable flanged feet, NSF	Kettle/Cabinet Assembly, direct steam, (2) 6 gallon tilting kettles, 316 stainless steel liner, 36" cabinet base, double pantry fill faucet, 5" deep sink, stainless steel construction, 6" legs, adjustable flanged feet, NSF	EA	\$	11,511.38	CA	Standard Commercial Warranty
333241	Crown Steam	SK-1	Stacking kit for two units (SXN-4, SX-3 and SX-5)	Stacking kit for two units (SXN-4, SX-3 and SX-5)	EA	\$	15.52	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-2-6-6	Convection Steamer/Kettle, direct steam, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	28,950.01	CA	Standard Commercial Warranty
333241	Crown Steam	TVT-2	2" tangent draw off valve includes perforated strainer (location as per spec)	2" tangent draw off valve includes perforated strainer (location as per spec)	EA	\$	1,292.29	CA	Standard Commercial Warranty
333241	Crown Steam	DMF-12R-DJ	Dual Pantry, deck mounted faucet with swing spout, 12"	Dual Pantry, deck mounted faucet with swing spout, 12"	EA	\$	833.01	CA	Standard Commercial Warranty
333241	Crown Steam	ETS-30	Tilting Skillet, electric, 30 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, stainless steel construction, open leg frame, adjustable bullet feet front, adjustable flanged feet rear, 18.0kW, cCSAus, NSF	Tilting Skillet, electric, 30 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, stainless steel construction, open leg frame, adjustable bullet feet front, adjustable flanged feet rear, 18.0kW, cCSAus, NSF	EA	\$	10,990.47	CA	Standard Commercial Warranty
333241	Crown Steam	GL-40E	Stationary Kettle, gas, 40 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 100,000 BTU, CSA-Star, CSA-Flame, NSF	Stationary Kettle, gas, 40 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 100,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	14,393.87	CA	Standard Commercial Warranty
333241	Crown Steam	C-40	Cover, lift off, for 40 gallon kettle	Cover, lift off, for 40 gallon kettle	EA	\$	386.58	CA	Standard Commercial Warranty
333241	Crown Steam	ECT-10	Tilting Kettle, electric, countertop, 10 gallon capacity, 2/3 jacket, console with crank tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, countertop, 10 gallon capacity, 2/3 jacket, console with crank tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	9,915.85	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-60F	Hinged Cover, two piece, for 60 gallon kettle	Hinged Cover, two piece, for 60 gallon kettle	EA	\$	1,818.52	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-100	Tilting Kettle, direct steam, 100 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 100 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	12,843.12	CA	Standard Commercial Warranty
333241	Crown Steam	EMTS-60	Tilting Skillet, electric, 60 gallon capacity, electric hydraulic lift, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 1/2 HP, 18.0 kW, cCSAus, NSF	Tilting Skillet, electric, 60 gallon capacity, electric hydraulic lift, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 1/2 HP, 18.0 kW, cCSAus, NSF	EA	\$	20,170.40	CA	Standard Commercial Warranty

333241	Crown Steam	C-10	Cover, lift off, for 10 gallon kettle	Cover, lift off, for 10 gallon kettle	EA	\$	238.51	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-2-36	Convection Steamer, steam coil, (2) compartment, (3) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer, steam coil, (2) compartment, (3) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	17,055.60	CA	Standard Commercial Warranty
333241	Crown Steam	CH-100	Cover, spring assisted, for 100 gallon kettle	Cover, spring assisted, for 100 gallon kettle	EA	\$	1,842.46	CA	Standard Commercial Warranty
333241	Crown Steam	CK-3	Casters, 3" high, set of 4 (GSX-10HE & GSX-16HE only)	Casters, 3" high, set of 4 (GSX-10HE & GSX-16HE only)	EA	\$	526.67	CA	Standard Commercial Warranty
333241	Crown Steam	EL-20	Stationary Kettle, electric, 20 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 12.0kW, cCSAus, NSF	Stationary Kettle, electric, 20 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 12.0kW, cCSAus, NSF	EA	\$	9,361.69	CA	Standard Commercial Warranty
333241	Crown Steam	RL28	Single unit 28" high stand (SX-3 or SX-5)	Single unit 28" high stand (SX-3 or SX-5)	EA	\$	774.49	CA	Standard Commercial Warranty
333241	Crown Steam	CG-325	Steam Generator, gas, 36" cabinet base, freestanding design, electronic ignition, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 5-15 psi, 250,000 BTU, CSA-Star, CSA-Flame, NSF	Steam Generator, gas, 36" cabinet base, freestanding design, electronic ignition, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 5-15 psi, 250,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	12,523.04	CA	Standard Commercial Warranty
333241	Crown Steam	SC-3	Pressure Steamer, steam coil heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, CSD-1 package, removable shelf supports, slide out shelf, stainless steel interior, exterior & 6" legs, adjustable flanged feet, cCSAus, NSF	Pressure Steamer, steam coil heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, CSD-1 package, removable shelf supports, slide out shelf, stainless steel interior, exterior & 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	24,013.58	CA	Standard Commercial Warranty
333241	Crown Steam	GL-20E	Stationary Kettle, gas, 20 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 100,000 BTU, CSA-Star, CSA-Flame, NSF	Stationary Kettle, gas, 20 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 100,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	13,110.89	CA	Standard Commercial Warranty
333241	Crown Steam	EC-6TW	Tilting Kettle, electric, countertop, 6 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, countertop, 6 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	4,862.83	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-10-24	Convection Steamer, direct steam, (2) compartment, (10) 12" x 20" pan capacity, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	Convection Steamer, direct steam, (2) compartment, (10) 12" x 20" pan capacity, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	EA	\$	13,785.19	CA	Standard Commercial Warranty
333241	Crown Steam	BV-3	3" manual butterfly valve	3" manual butterfly valve	EA	\$	1,655.82	CA	Standard Commercial Warranty
333241	Crown Steam	DPT-60	Tilting Kettle, direct steam, 60 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, exterior, console & pedestal base, 30 psi, NSF	Tilting Kettle, direct steam, 60 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, exterior, console & pedestal base, 30 psi, NSF	EA	\$	9,490.70	CA	Standard Commercial Warranty
333241	Crown Steam	HSB-2	High Sensitivity Board, for reverse osmosis water (208 or 240 volt), priced per compartment (SXN-4, SX-3 & SX-5)	High Sensitivity Board, for reverse osmosis water (208 or 240 volt), priced per compartment (SXN-4, SX-3 & SX-5)	EA	\$	550.17	CA	Standard Commercial Warranty
333241	Crown Steam	R18SS-5	Double unit stacking stand, 63.5" total height, for EPXN-3 over EPXN-5	Double unit stacking stand, 63.5" total height, for EPXN-3 over EPXN-5	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	2PHC-100	Hinged Cover, two piece, for 100 gallon kettle	Hinged Cover, two piece, for 100 gallon kettle	EA	\$	1,787.93	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-2-6	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	EA	\$	22,587.41	CA	Standard Commercial Warranty
333241	Crown Steam	DMT-30	Tilting Kettle, direct steam, 30 gallon capacity, 2/3 jacket, power tilt, 2" draw-off, perforated strainer, hot & cold faucet, pan support, steam control valve & steam trap, 316 stainless steel interior liner, stainless steel cabinet base & spring assisted hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	Tilting Kettle, direct steam, 30 gallon capacity, 2/3 jacket, power tilt, 2" draw-off, perforated strainer, hot & cold faucet, pan support, steam control valve & steam trap, 316 stainless steel interior liner, stainless steel cabinet base & spring assisted hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	EA	\$	15,136.89	CA	Standard Commercial Warranty
333241	Crown Steam	DCP-3	Steamer, direct steam, pressure-type, (3) compartments, pedestal mount, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (3) compartments, pedestal mount, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	EA	\$	21,827.10	CA	Standard Commercial Warranty
333241	Crown Steam	EP-20	Stationary Kettle, electric, 20 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 12.0kW, cCSAus, NSF	Stationary Kettle, electric, 20 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 12.0kW, cCSAus, NSF	EA	\$	9,182.59	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-10-6-10	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon & (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon & (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	31,034.08	CA	Standard Commercial Warranty
333241	Crown Steam	GSX-10HE	Convection Steamer, gas, (2) compartments, (10) pan capacity total, manual controls, electronic ignition, Delime mode & automatic blow down, single drain with temperature control, split water connections, includes water filter system, stainless steel interior, exterior & cabinet base, 6" legs, adjustable flanged feet, 190,000 BTU, CSA Star, CSA Flame, NSF	Convection Steamer, gas, (2) compartments, (10) pan capacity total, manual controls, electronic ignition, Delime mode & automatic blow down, single drain with temperature control, split water connections, includes water filter system, stainless steel interior, exterior & cabinet base, 6" legs, adjustable flanged feet, 190,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	15,504.85	CA	Standard Commercial Warranty

333241	Crown Steam	SCX-2-6-10	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	35,446.49	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-10-6-6	Convection Steamer/Kettle, direct steam, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (2) 6 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	29,232.85	CA	Standard Commercial Warranty
333241	Crown Steam	DF-RSH-18	Double pantry faucet with 18" swing spout and 68" spray hose and bracket	Double pantry faucet with 18" swing spout and 68" spray hose and bracket	EA	\$	1,666.02	CA	Standard Commercial Warranty
333241	Crown Steam	TVT-1	1-1/2" tangent draw off valve includes perforated strainer (location as per spec)	1-1/2" tangent draw off valve includes perforated strainer (location as per spec)	EA	\$	895.07	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-40-2	Tilting Kettle/Mixer, direct steam, (2) 40 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, (2) 40 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	94,891.49	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-40	Tilting Kettle, direct steam, 40 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 40 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	8,344.71	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-60	Tilting Kettle/Mixer, direct steam, 60 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, 60 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	54,494.39	CA	Standard Commercial Warranty
333241	Crown Steam	CH-60F	Cover, spring assisted, for 60 gallon kettle	Cover, spring assisted, for 60 gallon kettle	EA	\$	1,864.62	CA	Standard Commercial Warranty
333241	Crown Steam	GS-40	Tilting Skillet, gas, 40 gallon capacity, manual tilt, electronic ignition, high temp safety cut-off, removable pour strainer, etched interior markings, stainless steel construction, tubular legs, adjustable bullet feet front, adjustable flanged feet rear, 125,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, 40 gallon capacity, manual tilt, electronic ignition, high temp safety cut-off, removable pour strainer, etched interior markings, stainless steel construction, tubular legs, adjustable bullet feet front, adjustable flanged feet rear, 125,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	15,191.42	CA	Standard Commercial Warranty
333241	Crown Steam	DMS-40	Stationary Kettle, direct steam, 40 gallon capacity, 2/3 jacket, 2" draw-off, perforated strainer, hot & cold faucet, pan support, 316 stainless steel interior liner, stainless steel cabinet base & yoke type hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	Stationary Kettle, direct steam, 40 gallon capacity, 2/3 jacket, 2" draw-off, perforated strainer, hot & cold faucet, pan support, 316 stainless steel interior liner, stainless steel cabinet base & yoke type hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	EA	\$	10,340.11	CA	Standard Commercial Warranty
333241	Crown Steam	DP-RSH	Double pantry kettle filler with mounting bracket	Double pantry kettle filler with mounting bracket	EA	\$	1,183.23	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-100	Tilting Kettle, electric, 100 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 24.0kW, cCSAus, NSF	Tilting Kettle, electric, 100 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 24.0kW, cCSAus, NSF	EA	\$	23,317.56	CA	Standard Commercial Warranty
333241	Crown Steam	GC-3	Pressure Steamer, gas heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, electronic ignition, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, automatic boiler blowdown, stainless steel interior & exterior finish, 250,000 BTU, CSA-Star, CSA-Flame, NSF	Pressure Steamer, gas heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, electronic ignition, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, automatic boiler blowdown, stainless steel interior & exterior finish, 250,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	26,760.42	CA	Standard Commercial Warranty
333241	Crown Steam	GLTS-30	Tilting Skillet, gas, 30 gallon capacity, electric tilt mechanism, electronic ignition, removable lip strainer, spring assisted cover, stainless steel interior and exterior finish, open frame base, 80,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, 30 gallon capacity, electric tilt mechanism, electronic ignition, removable lip strainer, spring assisted cover, stainless steel interior and exterior finish, open frame base, 80,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	13,907.10	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-10-6-10	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon & (1) 10 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	EA	\$	34,672.44	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-80	Tilting Kettle, electric, 80 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 18.0kW, cCSAus, NSF	Tilting Kettle, electric, 80 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 18.0kW, cCSAus, NSF	EA	\$	19,855.19	CA	Standard Commercial Warranty
333241	Crown Steam	KT-40	Kettle Stand, 40", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	Kettle Stand, 40", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	EA	\$	4,891.20	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-2-10	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	19,969.57	CA	Standard Commercial Warranty
333241	Crown Steam	R18SS-3@66	Double unit stacking stand, 66" total height for EPXN-3 over EPXN-5	Double unit stacking stand, 66" total height for EPXN-3 over EPXN-5	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	1190866	Cartridge, F/SM2 & SMFS	Cartridge, F/SM2 & SMFS	EA	\$	426.04	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-20F	Tilting Kettle, direct steam, 20 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 20 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	9,984.12	CA	Standard Commercial Warranty
333241	Crown Steam	DPT-20	Tilting Kettle, direct steam, 20 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & pedestal base, 30 psi, NSF	Tilting Kettle, direct steam, 20 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & pedestal base, 30 psi, NSF	EA	\$	7,506.38	CA	Standard Commercial Warranty

333241	Crown Steam	DC-10	Tilting Kettle, countertop, direct steam, 10 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	Tilting Kettle, countertop, direct steam, 10 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	EA	\$	4,509.06	CA	Standard Commercial Warranty
333241	Crown Steam	DPT-40	Tilting Kettle, direct steam, 40 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & pedestal base, 30 psi, NSF	Tilting Kettle, direct steam, 40 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & pedestal base, 30 psi, NSF	EA	\$	8,344.71	CA	Standard Commercial Warranty
333241	Crown Steam	GM-12	Permanent etched interior markings, for 12 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 12 gallon kettle (specify gallon or liter markings)	EA	\$	293.04	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-2-24	Convection Steamer, electric, (2) compartment, (3) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 24.0kW, cCSAus, NSF	Convection Steamer, electric, (2) compartment, (3) 12" x 20" pan capacity per compartment, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 24.0kW, cCSAus, NSF	EA	\$	16,560.85	CA	Standard Commercial Warranty
333241	Crown Steam	SD-36-16S	Stand for GCTS-16	Stand for GCTS-16	EA	\$	2,110.67	CA	Standard Commercial Warranty
333241	Crown Steam	DF-12	12" double pantry faucet	12" double pantry faucet	EA	\$	534.65	CA	Standard Commercial Warranty
333241	Crown Steam		1195141 Scale elimination for undercounter glass washer	Scale elimination for undercounter glass washer	EA	\$	494.75	CA	Standard Commercial Warranty
333241	Crown Steam	DL-80F	Stationary Kettle, direct steam, 80 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, quad-leg, 25 psi, NSF	Stationary Kettle, direct steam, 80 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, quad-leg, 25 psi, NSF	EA	\$	13,769.23	CA	Standard Commercial Warranty
333241	Crown Steam	GM-30	Permanent etched interior markings, for 30 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 30 gallon kettle (specify gallon or liter markings)	EA	\$	302.79	CA	Standard Commercial Warranty
333241	Crown Steam	DCL-3	Steamer, direct steam, pressure-type, (3) compartments, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, legs, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (3) compartments, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, legs, 6 psi, cCSAus, NSF	EA	\$	21,138.18	CA	Standard Commercial Warranty
333241	Crown Steam	SC-2	Pressure Steamer, steam coil heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, CSD-1 package, removable shelf supports, slide out shelf, stainless steel interior, exterior & 6" legs, adjustable flanged feet, cCSAus, NSF	Pressure Steamer, steam coil heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, CSD-1 package, removable shelf supports, slide out shelf, stainless steel interior, exterior & 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	19,590.09	CA	Standard Commercial Warranty
333241	Crown Steam	DL-60F	Stationary Kettle, direct steam, 60 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 35 psi, NSF	Stationary Kettle, direct steam, 60 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 35 psi, NSF	EA	\$	8,945.41	CA	Standard Commercial Warranty
333241	Crown Steam	DP-30	Stationary Kettle, direct steam, 30 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, yoke type hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 30 psi, NSF	Stationary Kettle, direct steam, 30 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, yoke type hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 30 psi, NSF	EA	\$	5,368.22	CA	Standard Commercial Warranty
333241	Crown Steam	C-6	Cover, lift off, for 6 gallon kettle	Cover, lift off, for 6 gallon kettle	EA	\$	168.91	CA	Standard Commercial Warranty
333241	Crown Steam		1195143 Mounting Bracket, for 1194855 (order brackets for new installs only)	Mounting Bracket, for 1194855 (order brackets for new installs only)	EA	\$	35.91	CA	Standard Commercial Warranty
333241	Crown Steam	DMT-40	Tilting Kettle, direct steam, 40 gallon capacity, 2/3 jacket, power tilt, 2" draw-off, perforated strainer, hot & cold faucet, pan support, steam control valve & steam trap, 316 stainless steel interior liner, stainless steel cabinet base & spring assisted hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	Tilting Kettle, direct steam, 40 gallon capacity, 2/3 jacket, power tilt, 2" draw-off, perforated strainer, hot & cold faucet, pan support, steam control valve & steam trap, 316 stainless steel interior liner, stainless steel cabinet base & spring assisted hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	EA	\$	15,300.47	CA	Standard Commercial Warranty
333241	Crown Steam	DVHK-2	Draw-off valve hose kit with 8' (2.44m) hose	Draw-off valve hose kit with 8' (2.44m) hose	EA	\$	1,018.76	CA	Standard Commercial Warranty
333241	Crown Steam	TBA-40	Perforated 3-basket stainless steel assembly for 40 gallon, 2/3 jacket	Perforated 3-basket stainless steel assembly for 40 gallon, 2/3 jacket	EA	\$	1,507.30	CA	Standard Commercial Warranty
333241	Crown Steam	SXN-4M	Convection Steamer, electric, countertop, steam generator, (1) compartment, (4) 12" x 20" pan capacity, automatic fill, manual drain operation, electromechanical controls, includes water filter system, "Y" strainer, stainless steel interior & exterior, 4" adjustable legs, cCSAus, NSF	Convection Steamer, electric, countertop, steam generator, (1) compartment, (4) 12" x 20" pan capacity, automatic fill, manual drain operation, electromechanical controls, includes water filter system, "Y" strainer, stainless steel interior & exterior, 4" adjustable legs, cCSAus, NSF	EA	\$	5,479.94	CA	Standard Commercial Warranty
333241	Crown Steam	GLT-60	Tilting Kettle, Gas, 60 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 120,000 BTU, CSA Star, CSA Flame, NSF	Tilting Kettle, Gas, 60 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 120,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	22,993.49	CA	Standard Commercial Warranty
333241	Crown Steam	CE-48	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 48kW, cCSAus, NSF	Steam Generator, electric, 24" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 48kW, cCSAus, NSF	EA	\$	10,730.24	CA	Standard Commercial Warranty
333241	Crown Steam	DMF-12R	Deck mounted faucet with extension, 12"	Deck mounted faucet with extension, 12"	EA	\$	775.82	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-60-2	Tilting Kettle/Mixer, direct steam, (2) 60 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, (2) 60 gallon capacity each, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	100,205.18	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-2-36	Convection Steamer, electric, (2) compartment, (3) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 24.0kW, cCSAus, NSF	Convection Steamer, electric, (2) compartment, (3) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 24.0kW, cCSAus, NSF	EA	\$	18,349.66	CA	Standard Commercial Warranty
333241	Crown Steam	DL-30F	Stationary Kettle, direct steam, 30 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 35 psi, NSF	Stationary Kettle, direct steam, 30 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 35 psi, NSF	EA	\$	7,502.83	CA	Standard Commercial Warranty

333241	Crown Steam	SPI-12	Steam pan insert, for 12 gallon	Steam pan insert, for 12 gallon	EA	\$	467.26	CA	Standard Commercial Warranty
333241	Crown Steam	GM-20	Permanent etched interior markings, for 20 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 20 gallon kettle (specify gallon or liter markings)	EA	\$	296.14	CA	Standard Commercial Warranty
333241	Crown Steam	EL-80	Stationary Kettle, electric, 80 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 80 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 18.0kW, cCSAus, NSF	EA	\$	16,098.46	CA	Standard Commercial Warranty
333241	Crown Steam	SP-RSH	Single pantry kettle filler with mounting bracket	Single pantry kettle filler with mounting bracket	EA	\$	1,045.80	CA	Standard Commercial Warranty
333241	Crown Steam	KT-80	Kettle Stand, 80", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	Kettle Stand, 80", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	EA	\$	6,879.07	CA	Standard Commercial Warranty
333241	Crown Steam	GDA-2	Do-All Dual-Pressure Steamer, gas, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, electronic ignition, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, flanged feet rear, CSA Star, CSA Flame, NSF	Do-All Dual-Pressure Steamer, gas, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, electronic ignition, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, flanged feet rear, CSA Star, CSA Flame, NSF	EA	\$	25,052.74	CA	Standard Commercial Warranty
333241	Crown Steam	C-20F	Cover, lift off, for 20 gallon kettle	Cover, lift off, for 20 gallon kettle	EA	\$	395.89	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-40	Tilting Kettle/Mixer, direct steam, 40 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, 40 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	52,811.53	CA	Standard Commercial Warranty
333241	Crown Steam	DL-80	Stationary Kettle, direct steam, 80 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 35 psi, NSF	Stationary Kettle, direct steam, 80 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, tri-leg, 35 psi, NSF	EA	\$	7,806.07	CA	Standard Commercial Warranty
333241	Crown Steam	1195491	20" filter housing	20" filter housing	EA	\$	114.38	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-10-10	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	21,005.62	CA	Standard Commercial Warranty
333241	Crown Steam	EDA-2	Do-All Dual-Pressure Steamer, electric, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, flanged feet, 42kW, cCSAus, NSF	Do-All Dual-Pressure Steamer, electric, (2) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, flanged feet, 42kW, cCSAus, NSF	EA	\$	25,486.31	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-2-24	Convection Steamer, gas, (2) compartment, (3) 12" x 20" pan capacity per compartment, 24" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drain trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	Convection Steamer, gas, (2) compartment, (3) 12" x 20" pan capacity per compartment, 24" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drain trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	EA	\$	13,715.14	CA	Standard Commercial Warranty
333241	Crown Steam	SCK-1	4" casters, swivel, set of 4	4" casters, swivel, set of 4	EA	\$	636.17	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-100	Tilting Kettle/Mixer, electric, 100 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	Tilting Kettle/Mixer, electric, 100 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	EA	\$	64,124.74	CA	Standard Commercial Warranty
333241	Crown Steam	1195485	Scale Elimination for Large Steamers	Scale Elimination for Large Steamers	EA	\$	703.56	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-10-36	Convection Steamer, direct steam, (2) compartment, (10) 12" x 20" pan capacity, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	Convection Steamer, direct steam, (2) compartment, (10) 12" x 20" pan capacity, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	EA	\$	13,478.41	CA	Standard Commercial Warranty
333241	Crown Steam	S-EPXSS-2	Double unit stacking stand, 71" total height, for (2) EPX-5 units	Double unit stacking stand, 71" total height, for (2) EPX-5 units	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-80	Tilting Kettle/Mixer, electric, 80 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	Tilting Kettle/Mixer, electric, 80 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	EA	\$	59,897.63	CA	Standard Commercial Warranty
333241	Crown Steam	1190868	Water Test Kit	Water Test Kit	EA	\$	11.97	CA	Standard Commercial Warranty
333241	Crown Steam	R18SS-5@69	Double unit stacking stand, 69" total height, for (2) EPXN-5 units	Double unit stacking stand, 69" total height, for (2) EPXN-5 units	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	DMT-10-10	Kettle/Cabinet Assembly, direct steam, 24" cabinet base, (2) 10 gallon tilting kettle, double pantry fill faucet, 5" deep stainless steel sink, stainless steel interior & exterior finish, adjustable flanged feet, NSF	Kettle/Cabinet Assembly, direct steam, 24" cabinet base, (2) 10 gallon tilting kettle, double pantry fill faucet, 5" deep stainless steel sink, stainless steel interior & exterior finish, adjustable flanged feet, NSF	EA	\$	13,757.26	CA	Standard Commercial Warranty
333241	Crown Steam	71558211	Replacement Cartridge, for TruH2O Water Treatment System (Stage 1 & Stage 2)	Replacement Cartridge, for TruH2O Water Treatment System (Stage 1 & Stage 2)	EA	\$	300.13	CA	Standard Commercial Warranty
333241	Crown Steam	RL100	Gauge, terry system	Gauge, terry system	EA	\$	37.24	CA	Standard Commercial Warranty
333241	Crown Steam	1195484	Scale Elimination for Medium Steamers	Scale Elimination for Medium Steamers	EA	\$	449.97	CA	Standard Commercial Warranty

333241	Crown Steam	DMT-60	Tilting Kettle, direct steam, 60 gallon capacity, 2/3 jacket, power tilt, 2" draw-off, perforated strainer, stainless steel interior liner, hot & cold faucet, pan support, steam control valve & steam trap, stainless steel cabinet base & spring assisted hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	Tilting Kettle, direct steam, 60 gallon capacity, 2/3 jacket, power tilt, 2" draw-off, perforated strainer, stainless steel interior liner, hot & cold faucet, pan support, steam control valve & steam trap, stainless steel cabinet base & spring assisted hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	EA	\$	16,062.55	CA	Standard Commercial Warranty
333241	Crown Steam	EC-20T	Tilting Kettle, electric, floor model, 20 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, floor model, 20 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	9,106.34	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-2-6-6	Convection Steamer/Kettle, electric, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	EA	\$	30,758.33	CA	Standard Commercial Warranty
333241	Crown Steam	GMT-6-6	Kettle/Cabinet Assembly, gas, (2) 6 gallon tilting kettles, 36" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, split water line, 5" deep sink, CSD-1 package, stainless steel interior & exterior finish, adjustable flanged feet 250,000 BTU, NSF, CSA Star, CSA Flame	Kettle/Cabinet Assembly, gas, (2) 6 gallon tilting kettles, 36" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, split water line, 5" deep sink, CSD-1 package, stainless steel interior & exterior finish, adjustable flanged feet 250,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	17,852.70	CA	Standard Commercial Warranty
333241	Crown Steam	EP-25	Stationary Kettle, electric, 25 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 12.0kW, cCSAus, NSF	Stationary Kettle, electric, 25 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 12.0kW, cCSAus, NSF	EA	\$	9,523.06	CA	Standard Commercial Warranty
333241	Crown Steam	EC-10TW	Tilting Kettle, electric, countertop, 10 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, countertop, 10 gallon capacity, 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	7,264.77	CA	Standard Commercial Warranty
333241	Crown Steam	DMS-60	Stationary Kettle, direct steam, 60 gallon capacity, 2/3 jacket, 2" draw-off, perforated strainer, stainless steel interior liner, hot & cold faucet, pan support, stainless steel cabinet base & spring assisted cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	Stationary Kettle, direct steam, 60 gallon capacity, 2/3 jacket, 2" draw-off, perforated strainer, stainless steel interior liner, hot & cold faucet, pan support, stainless steel cabinet base & spring assisted cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	EA	\$	11,724.17	CA	Standard Commercial Warranty
333241	Crown Steam	EP-30F	Stationary Kettle, electric, 30 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 50 PSI, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 30 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, pedestal base, 50 PSI, 18.0kW, cCSAus, NSF	EA	\$	13,316.15	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-10-10	Convection Steamer/Kettle, gas, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	EA	\$	27,012.68	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-10-6-10	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon & 10 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon & 10 gallon kettles, (5) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 42.0kW, cCSAus, NSF	EA	\$	34,672.44	CA	Standard Commercial Warranty
333241	Crown Steam	GDA-3	Do-All Dual-Pressure Steamer, gas, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, electronic ignition, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, flanged feet rear, CSA Star, CSA Flame, NSF	Do-All Dual-Pressure Steamer, gas, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, electronic ignition, automatic blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, flanged feet rear, CSA Star, CSA Flame, NSF	EA	\$	32,955.45	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-25	Tilting Kettle, electric, 25 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 12.0kW, cCSAus, NSF	Tilting Kettle, electric, 25 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 12.0kW, cCSAus, NSF	EA	\$	13,492.59	CA	Standard Commercial Warranty
333241	Crown Steam	C-12	Cover, lift off, for 12 gallon kettle	Cover, lift off, for 12 gallon kettle	EA	\$	238.51	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-60-2	Tilting Kettle/Mixer, electric, (2) 60 gallon capacity each, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 24.0kW, UL, NSF	Tilting Kettle/Mixer, electric, (2) 60 gallon capacity each, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, 24.0kW, UL, NSF	EA	\$	69,964.65	CA	Standard Commercial Warranty
333241	Crown Steam	DC-3	Steamer, direct steam, pressure-type, (3) compartments, 36" cabinet base, independent automatic timer controls, removable shelf supports, slide out shelf, CSD-1 package, stainless steel interior & exterior finish, adjustable bullet feet front, flanged feet rear, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (3) compartments, 36" cabinet base, independent automatic timer controls, removable shelf supports, slide out shelf, CSD-1 package, stainless steel interior & exterior finish, adjustable bullet feet front, flanged feet rear, 6 psi, cCSAus, NSF	EA	\$	16,672.56	CA	Standard Commercial Warranty
333241	Crown Steam	EI	Electronic ignition, interwired 120v	Electronic ignition, interwired 120v	EA	\$	632.62	CA	Standard Commercial Warranty
333241	Crown Steam	EC-2	Pressure Steamer, electric heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, automatic boiler blow down, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, cabinet base, stainless steel interior & exterior finish, 9-11 psi, 24kW, cCSAus, NSF	Pressure Steamer, electric heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, automatic boiler blow down, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, cabinet base, stainless steel interior & exterior finish, 9-11 psi, 24kW, cCSAus, NSF	EA	\$	20,391.17	CA	Standard Commercial Warranty
333241	Crown Steam	RL18	Double unit 18" high stacking stand, (2) SX-3 or (2) SX-5	Double unit 18" high stacking stand, (2) SX-3 or (2) SX-5	EA	\$	713.31	CA	Standard Commercial Warranty
333241	Crown Steam	PC-1	Pan carrier	Pan carrier	EA	\$	739.47	CA	Standard Commercial Warranty

333241	Crown Steam	GCX-2-36	Convection Steamer, gas, (2) compartment, (3) 12" x 20" pan capacity per compartment, 36" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drain trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	Convection Steamer, gas, (2) compartment, (3) 12" x 20" pan capacity per compartment, 36" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, removable pan supports & drain trough, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, NSF, CSA Flame, CSA Star	EA	\$	19,030.17	CA	Standard Commercial Warranty
333241	Crown Steam	DMS-30	Stationary Kettle, direct steam, 30 gallon capacity, 2/3 jacket, 2" draw-off, perforated strainer, hot & cold faucet, pan support, 316 stainless steel interior liner, stainless steel cabinet base & yoke type hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	Stationary Kettle, direct steam, 30 gallon capacity, 2/3 jacket, 2" draw-off, perforated strainer, hot & cold faucet, pan support, 316 stainless steel interior liner, stainless steel cabinet base & yoke type hinged cover, 6" legs, flanged feet, 30 psi, cCSAus, NSF	EA	\$	11,073.81	CA	Standard Commercial Warranty
333241	Crown Steam	SF-12	12" single pantry faucet	12" single pantry faucet	EA	\$	371.06	CA	Standard Commercial Warranty
333241	Crown Steam	DL-40	Stationary Kettle, direct steam, 40 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 30 psi, NSF	Stationary Kettle, direct steam, 40 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 30 psi, NSF	EA	\$	5,781.40	CA	Standard Commercial Warranty
333241	Crown Steam	DPT-80	Tilting Kettle, direct steam, 80 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, exterior, console & pedestal base, 30 psi, NSF	Tilting Kettle, direct steam, 80 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, exterior, console & pedestal base, 30 psi, NSF	EA	\$	10,959.88	CA	Standard Commercial Warranty
333241	Crown Steam	TBA-20	Perforated 3-basket stainless steel assembly for 20 gallon, 2/3 jacket	Perforated 3-basket stainless steel assembly for 20 gallon, 2/3 jacket	EA	\$	1,375.19	CA	Standard Commercial Warranty
333241	Crown Steam	CK-2	Casters, 3" high, set of 4 (RL28X stand only)	Casters, 3" high, set of 4 (RL28X stand only)	EA	\$	458.84	CA	Standard Commercial Warranty
333241	Crown Steam	GLTS-40	Tilting Skillet, gas, 40 gallon capacity, electric tilt mechanism, electronic ignition, removable lip strainer, spring assisted cover, stainless steel interior and exterior finish, open frame base, 100,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, 40 gallon capacity, electric tilt mechanism, electronic ignition, removable lip strainer, spring assisted cover, stainless steel interior and exterior finish, open frame base, 100,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	14,780.90	CA	Standard Commercial Warranty
333241	Crown Steam	EC-3	Pressure Steamer, electric heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, automatic boiler blow down, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, cabinet base, stainless steel interior & exterior finish, 9-11 psi, 24kW, cCSAus, NSF	Pressure Steamer, electric heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, automatic boiler blow down, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, cabinet base, stainless steel interior & exterior finish, 9-11 psi, 24kW, cCSAus, NSF	EA	\$	21,809.81	CA	Standard Commercial Warranty
333241	Crown Steam	SSB-10	Single perforated stainless steel basket for 10, 12 or 20 gal	Single perforated stainless steel basket for 10, 12 or 20 gal	EA	\$	630.41	CA	Standard Commercial Warranty
333241	Crown Steam	DDA-3	Do-All Dual-Pressure Steamer, direct steam, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior finish, 6" legs, adjustable flanged feet, cCSAus, NSF	Do-All Dual-Pressure Steamer, direct steam, (3) compartments, 36" cabinet base, pressure/pressureless on top compartment only, manual controls, 60 minute timer, automatic boiler blowdown, CSD-1 code package, includes water filter system, stainless steel interior & exterior finish, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	24,858.56	CA	Standard Commercial Warranty
333241	Crown Steam	TOC-2	Oyster Cooker, direct steam, 2 quart (1.9 liter) capacity, manual tilt, table mount, stainless steel construction, 11 PSI, NSF	Oyster Cooker, direct steam, 2 quart (1.9 liter) capacity, manual tilt, table mount, stainless steel construction, 11 PSI, NSF	EA	\$	3,669.84	CA	Standard Commercial Warranty
333241	Crown Steam	SD-30-16	Stand, with sliding pan & splash shield, stainless steel, for ECTRS-16 models	Stand, with sliding pan & splash shield, stainless steel, for ECTRS-16 models	EA	\$	1,775.07	CA	Standard Commercial Warranty
333241	Crown Steam	GTS-40	Tilting Skillet, gas, 40 gallon capacity, manual tilt, electronic ignition, crank tilt with self-locking positive stop, removable lip strainer, stainless steel construction, open leg frame base, adjustable feet front, adjustable flanged feet rear, 100,000 BTU, CSA Star, CSA Flame, NSF	Tilting Skillet, gas, 40 gallon capacity, manual tilt, electronic ignition, crank tilt with self-locking positive stop, removable lip strainer, stainless steel construction, open leg frame base, adjustable feet front, adjustable flanged feet rear, 100,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	14,930.30	CA	Standard Commercial Warranty
333241	Crown Steam	LMS-60	Permanent etched interior markings, litres, for 16 gallon braising pan	Permanent etched interior markings, litres, for 16 gallon braising pan	EA	\$	340.47	CA	Standard Commercial Warranty
333241	Crown Steam	SPI-30	Steam pan insert, for 30 gallon	Steam pan insert, for 30 gallon	EA	\$	674.30	CA	Standard Commercial Warranty
333241	Crown Steam	GL-30E	Stationary Kettle, gas, 30 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 100,000 BTU, CSA-Star, CSA-Flame, NSF	Stationary Kettle, gas, 30 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 100,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	12,875.04	CA	Standard Commercial Warranty
333241	Crown Steam	KT-50	Kettle Stand, 50", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	Kettle Stand, 50", for direct kettles, drain trough, sliding splash guard, stainless steel top & tubular legs, CSA, NSF	EA	\$	5,298.62	CA	Standard Commercial Warranty
333241	Crown Steam	SX-5G3	Convection Steamer, gas, countertop, steam generator, electronic ignition, (1) compartment, (5) 12" x 20" pan capacity, electromechanical controls, three way power switch (ON/OFF/Delime), split water connections, includes water filter system, automatic fill & drain operation, automatic generator blow down valve, stainless steel interior, exterior & 4" adjustable legs, 42,000 BTU, CSA Star, CSA Flame, NSF	Convection Steamer, gas, countertop, steam generator, electronic ignition, (1) compartment, (5) 12" x 20" pan capacity, electromechanical controls, three way power switch (ON/OFF/Delime), split water connections, includes water filter system, automatic fill & drain operation, automatic generator blow down valve, stainless steel interior, exterior & 4" adjustable legs, 42,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	9,972.15	CA	Standard Commercial Warranty
333241	Crown Steam	KBPK-1	Kettle Cleaning Kit, includes (1) 36" cleaning brush & scraping paddle, draw-off valve brush & hand held scrub brush	Kettle Cleaning Kit, includes (1) 36" cleaning brush & scraping paddle, draw-off valve brush & hand held scrub brush	EA	\$	646.81	CA	Standard Commercial Warranty
333241	Crown Steam	1194073	Scale Elimination F/SM2 Double	Scale Elimination F/SM2 Double	EA	\$	906.60	CA	Standard Commercial Warranty
333241	Crown Steam	EL-60F	Stationary Kettle, electric, 60 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior, stainless steel exterior finish, tri-leg, 24.0kW, CSA, NSF	Stationary Kettle, electric, 60 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior, stainless steel exterior finish, tri-leg, 24.0kW, CSA, NSF	EA	\$	16,293.96	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-10-6	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	23,591.98	CA	Standard Commercial Warranty
333241	Crown Steam	1190863	TCB10-5, Carbon Filter for TH1	TCB10-5, Carbon Filter for TH1	EA	\$	31.48	CA	Standard Commercial Warranty

333241	Crown Steam	DCL-2	Steamer, direct steam, pressure-type, (2) compartments, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, legs, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (2) compartments, manual mechanical timer controls, automatic shut-down, CSD-1 code package, stainless steel interior & exterior finish, legs, 6 psi, cCSAus, NSF	EA	\$	15,940.63	CA	Standard Commercial Warranty
333241	Crown Steam	C-30	Cover, lift off, for 30 gallon kettle	Cover, lift off, for 30 gallon kettle	EA	\$	350.23	CA	Standard Commercial Warranty
333241	Crown Steam	C-60	Cover, lift off, for 60 gallon kettle	Cover, lift off, for 60 gallon kettle	EA	\$	422.93	CA	Standard Commercial Warranty
333241	Crown Steam	DMF-18R	Deck mounted faucet with extension, 18"	Deck mounted faucet with extension, 18"	EA	\$	817.49	CA	Standard Commercial Warranty
333241	Crown Steam	DP-20F	Stationary Kettle, direct steam, 20 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 35 psi, NSF	Stationary Kettle, direct steam, 20 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 35 psi, NSF	EA	\$	7,048.42	CA	Standard Commercial Warranty
333241	Crown Steam	CE-348	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 48kW, cCSAus, NSF	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 48kW, cCSAus, NSF	EA	\$	12,259.71	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-2-6-6	Convection Steamer/Kettle, steam coil, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (2) 6 gallon kettles, (3) 12" x 20" pan capacity per compartment, 60" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	33,741.46	CA	Standard Commercial Warranty
333241	Crown Steam	CH-20F	Cover, spring assisted, for 20 gallon kettle	Cover, spring assisted, for 20 gallon kettle	EA	\$	1,213.38	CA	Standard Commercial Warranty
333241	Crown Steam	DC-2	Steamer, direct steam, pressure-type, (2) compartments, 36" cabinet base, independent automatic timer controls, removable shelf supports, slide out shelf, CSD-1 code package, stainless steel interior & exterior finish, adjustable bullet feet front, flanged feet rear, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (2) compartments, 36" cabinet base, independent automatic timer controls, removable shelf supports, slide out shelf, CSD-1 code package, stainless steel interior & exterior finish, adjustable bullet feet front, flanged feet rear, 6 psi, cCSAus, NSF	EA	\$	12,695.94	CA	Standard Commercial Warranty
333241	Crown Steam	GMT-10-10	Kettle/Cabinet Assembly, gas, (2) 10 gallon tilting kettles, 42" cabinet base, steam control valve, type 316 liner, Y strainer, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep sink, CSD-1 code package, stainless steel interior & exterior finish, 250,000 BTU, NSF, CSA Star, CSA Flame	Kettle/Cabinet Assembly, gas, (2) 10 gallon tilting kettles, 42" cabinet base, steam control valve, type 316 liner, Y strainer, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep sink, CSD-1 code package, stainless steel interior & exterior finish, 250,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	19,811.75	CA	Standard Commercial Warranty
333241	Crown Steam	TKS-30F	Kettle strainer, 30 gallon, full jacket, pour lip	Kettle strainer, 30 gallon, full jacket, pour lip	EA	\$	1,062.65	CA	Standard Commercial Warranty
333241	Crown Steam	B25-30	300,000 BTU Upgrade, in lieu of standard 250,000 BTU	300,000 BTU Upgrade, in lieu of standard 250,000 BTU	EA	\$	1,542.77	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-16	Convection Steamer, steam coil, (2) compartment, (8) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer, steam coil, (2) compartment, (8) 12" x 20" pan capacity per compartment, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	19,902.63	CA	Standard Commercial Warranty
333241	Crown Steam	EC-6TW-2	Twin Tilting Kettles, electric, countertop, 6 gallon capacity, (2) 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, CSA, NSF	Twin Tilting Kettles, electric, countertop, 6 gallon capacity, (2) 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, CSA, NSF	EA	\$	11,216.12	CA	Standard Commercial Warranty
333241	Crown Steam	C-60F	Cover, lift off, for 60 gallon kettle	Cover, lift off, for 60 gallon kettle	EA	\$	647.70	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-30F	Tilting Kettle, direct steam, 30 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 30 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	10,441.63	CA	Standard Commercial Warranty
333241	Crown Steam	TSS-3	Solid Strainer, for 3" draw-offs	Solid Strainer, for 3" draw-offs	EA	\$	152.95	CA	Standard Commercial Warranty
333241	Crown Steam	CG-220	Steam Generator, gas, 24" cabinet base, freestanding design, electronic ignition, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 5-15 psi, 200,000 BTU, CSA-Star, CSA-Flame, NSF	Steam Generator, gas, 24" cabinet base, freestanding design, electronic ignition, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors), stainless steel exterior finish, adjustable flanged feet, 5-15 psi, 200,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	11,766.73	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-60	Tilting Kettle/Mixer, electric, 60 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	Tilting Kettle/Mixer, electric, 60 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	EA	\$	55,928.99	CA	Standard Commercial Warranty
333241	Crown Steam	GMT-6	Kettle/Cabinet Assembly, gas, (1) 6 gallon tilting kettle, 24" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep sink, CSD-1 code package, stainless steel interior & exterior finish, 200,000 BTU, NSF, CSA Star, CSA Flame	Kettle/Cabinet Assembly, gas, (1) 6 gallon tilting kettle, 24" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep sink, CSD-1 code package, stainless steel interior & exterior finish, 200,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	13,278.91	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-20	Tilting Kettle, direct steam, 20 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 20 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	7,506.38	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-2-10	Convection Steamer/Kettle, gas, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (1) 10 gallon kettle, (3) 12" x 20" pan capacity per compartment, 48" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 250,000 BTU, CSA Flame, CSA Star, NSF	EA	\$	23,864.62	CA	Standard Commercial Warranty
333241	Crown Steam	EL-25	Stationary Kettle, electric, 25 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 12.0kW, cCSAus, NSF	Stationary Kettle, electric, 25 gallon capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 12.0kW, cCSAus, NSF	EA	\$	9,427.75	CA	Standard Commercial Warranty

333241	Crown Steam	GSX-7HE	Convection Steamer, gas, (2) compartments, (7) pan capacity total, manual controls, electronic ignition, Delime mode & automatic blow down, single drain with temperature control, split water connections, includes water filter system, stainless steel interior, exterior & cabinet base, 6" legs, adjustable flanged feet, 140,000 BTU, CSA Star, CSA Flame, NSF	Convection Steamer, gas, (2) compartments, (7) pan capacity total, manual controls, electronic ignition, Delime mode & automatic blow down, single drain with temperature control, split water connections, includes water filter system, stainless steel interior, exterior & cabinet base, 6" legs, adjustable flanged feet, 140,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	15,567.80	CA	Standard Commercial Warranty
333241	Crown Steam	1190867	Housing 20" Filter	Housing 20" Filter	EA	\$	175.56	CA	Standard Commercial Warranty
333241	Crown Steam	SC-16S	Stainless steel lift-off cover for GCTS-16	Stainless steel lift-off cover for GCTS-16	EA	\$	384.36	CA	Standard Commercial Warranty
333241	Crown Steam	SSB-6	Single perforated stainless steel basket for 6 gallon	Single perforated stainless steel basket for 6 gallon	EA	\$	358.21	CA	Standard Commercial Warranty
333241	Crown Steam	DLTM-80	Tilting Kettle/Mixer, direct steam, 80 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	Tilting Kettle/Mixer, direct steam, 80 gallon capacity, 2/3 jacket, floor mounted control console supports, includes (2) agitators, stainless steel construction, legs, flanged feet, 30 psi, UL, NSF	EA	\$	56,040.26	CA	Standard Commercial Warranty
333241	Crown Steam	TKS-10	Kettle strainer, 6-10 gallon, pour lip	Kettle strainer, 6-10 gallon, pour lip	EA	\$	719.07	CA	Standard Commercial Warranty
333241	Crown Steam	DP-20	Stationary Kettle, direct steam, 20 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, yoke type hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 30 psi, NSF	Stationary Kettle, direct steam, 20 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, yoke type hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 30 psi, NSF	EA	\$	5,299.06	CA	Standard Commercial Warranty
333241	Crown Steam	EL-40F	Stationary Kettle, electric, 40 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, CSA, NSF	Stationary Kettle, electric, 40 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, CSA, NSF	EA	\$	16,415.88	CA	Standard Commercial Warranty
333241	Crown Steam	GC-2	Pressure Steamer, gas heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, electronic ignition, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, automatic boiler blowdown, stainless steel interior & exterior finish, 250,000 BTU, CSA-Star, CSA-Flame, NSF	Pressure Steamer, gas heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, electronic ignition, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, automatic boiler blowdown, stainless steel interior & exterior finish, 250,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	22,229.64	CA	Standard Commercial Warranty
333241	Crown Steam	DC-12	Tilting Kettle, countertop, direct steam, 12 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	Tilting Kettle, countertop, direct steam, 12 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	EA	\$	5,294.19	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-2-36	Convection Steamer, direct steam, (2) compartment, (6) 12" x 20" pan capacity total, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	Convection Steamer, direct steam, (2) compartment, (6) 12" x 20" pan capacity total, 36" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	EA	\$	13,025.33	CA	Standard Commercial Warranty
333241	Crown Steam	SC-16	Lift off cover, for ECTRS-16	Lift off cover, for ECTRS-16	EA	\$	256.69	CA	Standard Commercial Warranty
333241	Crown Steam	LMS-114	Permanent etched interior markings, litre, for 30 gallon braising pan	Permanent etched interior markings, litre, for 30 gallon braising pan	EA	\$	303.68	CA	Standard Commercial Warranty
333241	Crown Steam	GMT-10	Kettle/Cabinet Assembly, gas, (1) 10 gallon tilting kettle, 24" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep stainless steel sink, CSD-1 package, stainless steel interior & exterior finish, 200,000 BTU, NSF, CSA Star, CSA Flame	Kettle/Cabinet Assembly, gas, (1) 10 gallon tilting kettle, 24" cabinet base, electronic ignition, automatic boiler blow down, double pantry fill faucet, 5" deep stainless steel sink, CSD-1 package, stainless steel interior & exterior finish, 200,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	14,444.41	CA	Standard Commercial Warranty
333241	Crown Steam	FB	Faucet bracket	Faucet bracket	EA	\$	101.08	CA	Standard Commercial Warranty
333241	Crown Steam	ECT-6	Tilting Kettle, electric, countertop, 6 gallon capacity, 2/3 jacket, console with crank tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	Tilting Kettle, electric, countertop, 6 gallon capacity, 2/3 jacket, console with crank tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, cCSAus, NSF	EA	\$	6,136.95	CA	Standard Commercial Warranty
333241	Crown Steam	ECX-2-6	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	Convection Steamer/Kettle, electric, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, 36.0kW, cCSAus, NSF	EA	\$	22,303.23	CA	Standard Commercial Warranty
333241	Crown Steam	EL-20F	Stationary Kettle, electric, 20 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, CSA, NSF	Stationary Kettle, electric, 20 gallon capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, counter balanced hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 18.0kW, CSA, NSF	EA	\$	10,656.20	CA	Standard Commercial Warranty
333241	Crown Steam	TBA-30	Perforated 3-basket stainless steel assembly for 30 gallon, 2/3 jacket	Perforated 3-basket stainless steel assembly for 30 gallon, 2/3 jacket	EA	\$	1,507.30	CA	Standard Commercial Warranty
333241	Crown Steam	R18SS-3	Double unit stacking stand, 60" total height for (2) EPXN-3 units	Double unit stacking stand, 60" total height for (2) EPXN-3 units	EA	\$	1,490.46	CA	Standard Commercial Warranty
333241	Crown Steam	EP-60	Stationary Kettle, electric, 60 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 18.0kW, cCSAus, NSF	Stationary Kettle, electric, 60 capacity, 2/3 jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 18.0kW, cCSAus, NSF	EA	\$	12,272.12	CA	Standard Commercial Warranty
333241	Crown Steam	DL-100	Stationary Kettle, direct steam, 100 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner stainless steel exterior finish, tri-leg, 30 psi, NSF	Stationary Kettle, direct steam, 100 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner stainless steel exterior finish, tri-leg, 30 psi, NSF	EA	\$	11,411.63	CA	Standard Commercial Warranty
333241	Crown Steam	DP-40	Stationary Kettle, direct steam, 40 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, yoke type hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 30 psi, NSF	Stationary Kettle, direct steam, 40 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, yoke type hinged cover & faucet bracket, 316 stainless steel interior liner & exterior, pedestal, 30 psi, NSF	EA	\$	5,781.40	CA	Standard Commercial Warranty
333241	Crown Steam	ETS-40	Tilting Skillet, electric, 40 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, stainless steel construction, open leg frame, adjustable bullet feet front, adjustable flanged feet rear, 27.0kW, cCSAus, NSF	Tilting Skillet, electric, 40 gallon capacity, manual tilt, spring assisted cover, removable lip strainer, stainless steel construction, open leg frame, adjustable bullet feet front, adjustable flanged feet rear, 27.0kW, cCSAus, NSF	EA	\$	13,081.63	CA	Standard Commercial Warranty
333241	Crown Steam	PC-HP	Pan Carrier, half-size, for tilting skillet with draw-off	Pan Carrier, half-size, for tilting skillet with draw-off	EA	\$	833.01	CA	Standard Commercial Warranty

333241	Crown Steam	ELT-60F	Tilting Kettle, electric, 60 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 24.0kW, cCSAus, NSF	Tilting Kettle, electric, 60 gallon capacity, full jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, stainless steel interior liner, stainless steel exterior finish, console & tri-leg base, 24.0kW, cCSAus, NSF	EA	\$	24,111.11	CA	Standard Commercial Warranty
333241	Crown Steam	GCX-10-6	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	Convection Steamer/Kettle, gas, (2) compartment, (1) 6 gallon kettle, (5) 12" x 20" pan capacity per compartment, 44" cabinet base, electronic ignition, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, includes water filter system, stainless steel interior & exterior, 6" legs, adjustable flanged feet, CSA Flame, CSA Star, NSF	EA	\$	24,448.93	CA	Standard Commercial Warranty
333241	Crown Steam	GM-10	Permanent etched interior markings, for 10 gallon kettle (specify gallon or liter markings)	Permanent etched interior markings, for 10 gallon kettle (specify gallon or liter markings)	EA	\$	293.04	CA	Standard Commercial Warranty
333241	Crown Steam	SC-12	Lift off cover, for ECTS-12	Lift off cover, for ECTS-12	EA	\$	397.22	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-60	Tilting Kettle, direct steam, 60 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 60 gallon capacity, 2/3 jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$	9,490.70	CA	Standard Commercial Warranty
333241	Crown Steam	ELTM-40	Tilting Kettle/Mixer, electric, 40 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	Tilting Kettle/Mixer, electric, 40 gallon capacity, 2/3 steam jacket, 316 stainless steel liner, floor mounted control console supports, includes (2) removable agitators, stainless steel construction, legs, flanged feet, UL, NSF	EA	\$	54,717.82	CA	Standard Commercial Warranty
333241	Crown Steam	DCW-2	Steamer, direct steam, pressure-type, (2) compartments, wall mount, manual mechanical timer controls, automatic shut-down, CSD-1 package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	Steamer, direct steam, pressure-type, (2) compartments, wall mount, manual mechanical timer controls, automatic shut-down, CSD-1 package, stainless steel interior & exterior finish, 6 psi, cCSAus, NSF	EA	\$	15,762.86	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-2-24	Convection Steamer, direct steam, (2) compartment, (6) 12" x 20" pan capacity total, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	Convection Steamer, direct steam, (2) compartment, (6) 12" x 20" pan capacity total, 24" cabinet base, automatic blowdown, 60 minute timer per compartment, removable pan supports & drip trough, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, cCSAus, NSF	EA	\$	12,566.49	CA	Standard Commercial Warranty
333241	Crown Steam	TPS-2	Perforated Strainer, for 2" draw-offs	Perforated Strainer, for 2" draw-offs	EA	\$	152.95	CA	Standard Commercial Warranty
333241	Crown Steam	DP-80F	Stationary Kettle, direct steam, 80 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet cover, 316 stainless steel interior liner, stainless steel exterior, pedestal, 25 psi, NSF	Stationary Kettle, direct steam, 80 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet cover, 316 stainless steel interior liner, stainless steel exterior, pedestal, 25 psi, NSF	EA	\$	13,769.23	CA	Standard Commercial Warranty
333241	Crown Steam	DL-125	Stationary Kettle, direct steam, 125 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner stainless steel exterior finish, tri-leg, 20 psi, NSF	Stationary Kettle, direct steam, 125 gallon capacity, 2/3 jacket, 2" draw-off, includes: perforated strainer, spring assist cover & faucet bracket, 316 stainless steel interior liner stainless steel exterior finish, tri-leg, 20 psi, NSF	EA	\$	15,808.52	CA	Standard Commercial Warranty
333241	Crown Steam	71028001	TruH2O Mini Water Treatment System (multi-stage pack), neutralizes scale, up to 99% chlorine reduction, 5 micron filtration, quick disconnect, easy cartridge change out (Note: Only applicable when the unit is on a stand)	TruH2O Mini Water Treatment System (multi-stage pack), neutralizes scale, up to 99% chlorine reduction, 5 micron filtration, quick disconnect, easy cartridge change out (Note: Only applicable when the unit is on a stand)	EA	\$	268.21	CA	Standard Commercial Warranty
333241	Crown Steam	GL-60E	Stationary Kettle, gas, 60 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 130,000 BTU, CSA-Star, CSA-Flame, NSF	Stationary Kettle, gas, 60 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, 2" draw-off, includes: perforated strainer, spring assisted cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior, tri-leg, 130,000 BTU, CSA-Star, CSA-Flame, NSF	EA	\$	15,283.18	CA	Standard Commercial Warranty
333241	Crown Steam	TPS-3	Perforated Strainer, for 3" draw-offs	Perforated Strainer, for 3" draw-offs	EA	\$	152.95	CA	Standard Commercial Warranty
333241	Crown Steam	SCX-10-10	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, steam coil, (2) compartment, (1) 10 gallon kettle, (5) 12" x 20" pan capacity per compartment, 48" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$	25,148.94	CA	Standard Commercial Warranty
333241	Crown Steam	DP-60F	Stationary Kettle, direct steam, 60 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet cover, 316 stainless steel interior liner, stainless steel exterior, pedestal, 35 psi, NSF	Stationary Kettle, direct steam, 60 gallon capacity, full jacket, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet cover, 316 stainless steel interior liner, stainless steel exterior, pedestal, 35 psi, NSF	EA	\$	8,945.41	CA	Standard Commercial Warranty
333241	Crown Steam	TKS-60F	Kettle strainer, 20 gallon, full jacket, pour lip	Kettle strainer, 20 gallon, full jacket, pour lip	EA	\$	1,350.37	CA	Standard Commercial Warranty
333241	Crown Steam	1195490	10" filter housing	10" filter housing	EA	\$	47.44	CA	Standard Commercial Warranty
333241	Crown Steam	GMTS-40	Tilting Skillet, gas, 40 gallon capacity, hydraulic lift, electronic ignition, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 100,000 BTU, NSF, CSA Star, CSA Flame	Tilting Skillet, gas, 40 gallon capacity, hydraulic lift, electronic ignition, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable flanged feet, 100,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	17,142.49	CA	Standard Commercial Warranty
333241	Crown Steam	OB-2-2-27-G	Oyster Bar Kettle/Cabinet Assembly, gas, 27" W cabinet base, (2) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, electronic ignition, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 200,000 BTU, NSF, CSA Star, CSA Flame	Oyster Bar Kettle/Cabinet Assembly, gas, 27" W cabinet base, (2) 2 litre capacity manual tilt kettles, with spillage sink & drain screen, direct steam connected, steam control valve in right leg, CSD-1 boiler controls, nickel plated boiler, electronic ignition, split water line, automatic boiler blowdown, stainless steel construction, 6" adjustable legs, 200,000 BTU, NSF, CSA Star, CSA Flame	EA	\$	19,468.17	CA	Standard Commercial Warranty
333241	Crown Steam	1194856	Scale control for an ice maker up to 800 lbs/boilerless steamer	Scale control for an ice maker up to 800 lbs/boilerless steamer	EA	\$	335.15	CA	Standard Commercial Warranty
333241	Crown Steam	ELTS-40	Tilting Skillet, electric, 40 gallon capacity, electric tilt, removable lip strainer, spring assisted cover, stainless steel construction, open frame base, adjustable bullet feet front, adjustable flanged feet rear, 15.0kW, cCSAus, NSF	Tilting Skillet, electric, 40 gallon capacity, electric tilt, removable lip strainer, spring assisted cover, stainless steel construction, open frame base, adjustable bullet feet front, adjustable flanged feet rear, 15.0kW, cCSAus, NSF	EA	\$	12,353.25	CA	Standard Commercial Warranty
333241	Crown Steam	GLT-40F	Tilting Kettle, gas, 40 gallon capacity, full jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 100,000 BTU, CSA Star, CSA Flame, NSF	Tilting Kettle, gas, 40 gallon capacity, full jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 100,000 BTU, CSA Star, CSA Flame, NSF	EA	\$	22,993.49	CA	Standard Commercial Warranty

333241	Crown Steam	TBA-60	Perforated 3-basket stainless steel assembly for 60 gallon, 2/3 jacket	Perforated 3-basket stainless steel assembly for 60 gallon, 2/3 jacket	EA	\$ 1,507.30	CA	Standard Commercial Warranty
333241	Crown Steam	TKS-20F	Kettle strainer, 20 gallon, full jacket, pour lip	Kettle strainer, 20 gallon, full jacket, pour lip	EA	\$ 726.17	CA	Standard Commercial Warranty
333241	Crown Steam	C-20	Cover, lift off, for 20 gallon kettle	Cover, lift off, for 20 gallon kettle	EA	\$ 277.96	CA	Standard Commercial Warranty
333241	Crown Steam	DC-20	Tilting Kettle, countertop, direct steam, 20 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	Tilting Kettle, countertop, direct steam, 20 gallon capacity, 2/3 steam jacket, open support arms, steam control valve, stainless steel construction, NSF	EA	\$ 6,385.21	CA	Standard Commercial Warranty
333241	Crown Steam	EP-60F	Stationary Kettle, electric, 60 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 50 PSI, 24.0kW, cCSAus, NSF	Stationary Kettle, electric, 60 capacity, full jacket, thermostatic control, 2" draw-off, includes: perforated strainer, spring assisted hinged cover & faucet bracket, 316 stainless steel interior liner, stainless steel exterior finish, pedestal base, 50 PSI, 24.0kW, cCSAus, NSF	EA	\$ 17,097.27	CA	Standard Commercial Warranty
333241	Crown Steam	TKS-20	Kettle strainer, 20-100 gallon, pour lip	Kettle strainer, 20-100 gallon, pour lip	EA	\$ 1,051.12	CA	Standard Commercial Warranty
333241	Crown Steam	DMT-10	Kettle/Cabinet Assembly, direct steam, 24" cabinet base, (1) 10 gallon tilting kettle, double pantry fill faucet, 5" deep stainless steel sink, stainless steel interior & exterior finish, adjustable flanged feet, NSF	Kettle/Cabinet Assembly, direct steam, 24" cabinet base, (1) 10 gallon tilting kettle, double pantry fill faucet, 5" deep stainless steel sink, stainless steel interior & exterior finish, adjustable flanged feet, NSF	EA	\$ 8,863.40	CA	Standard Commercial Warranty
333241	Crown Steam	SD-30-16S	Stand, with sliding pan & splash shield, stainless steel, for GCTS-16 models	Stand, with sliding pan & splash shield, stainless steel, for GCTS-16 models	EA	\$ 2,110.67	CA	Standard Commercial Warranty
333241	Crown Steam	RL23	Double unit 23" high stacking stand, (2) SX-3 or (2) SX-5	Double unit 23" high stacking stand, (2) SX-3 or (2) SX-5	EA	\$ 751.44	CA	Standard Commercial Warranty
333241	Crown Steam	ELT-30	Tilting Kettle, electric, 30 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 15.0kW, cCSAus, NSF	Tilting Kettle, electric, 30 gallon capacity, 2/3 jacket, thermostatic control, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, 15.0kW, cCSAus, NSF	EA	\$ 13,853.46	CA	Standard Commercial Warranty
333241	Crown Steam	EPXN-5	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (5) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 15.0kW, cCSAus, NSF	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (5) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 15.0kW, cCSAus, NSF	EA	\$ 5,543.78	CA	Standard Commercial Warranty
333241	Crown Steam	1194855	Scale elimination for warewasher, dishwasher and various hot water applications	Scale elimination for warewasher, dishwasher and various hot water applications	EA	\$ 1,179.24	CA	Standard Commercial Warranty
333241	Crown Steam	SPE-1	3" Stainless steel faucet plumbing enclosure	3" Stainless steel faucet plumbing enclosure	EA	\$ 889.75	CA	Standard Commercial Warranty
333241	Crown Steam	CH-30F	Cover, spring assisted, for 30 gallon kettle	Cover, spring assisted, for 30 gallon kettle	EA	\$ 1,254.61	CA	Standard Commercial Warranty
333241	Crown Steam	DCX-2-6	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	Convection Steamer/Kettle, direct steam, (2) compartment, (1) 6 gallon kettle, (3) 12" x 20" pan capacity per compartment, 44" cabinet base, automatic blowdown, 60 minute timer per compartment, deck mount faucet valve, swing nozzle & integral sink, CSD-1 code package, stainless steel interior & exterior, 6" legs, adjustable flanged feet, cCSAus, NSF	EA	\$ 18,730.92	CA	Standard Commercial Warranty
333241	Crown Steam	EC-10TW-2	Twin Tilting Kettles, electric, countertop, 10 gallon capacity, (2) 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, CSA, NSF	Twin Tilting Kettles, electric, countertop, 10 gallon capacity, (2) 2/3 jacket, solid state thermostat, safety valve, low water shut off, console with lever tilt on right, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, 50 PSI, CSA, NSF	EA	\$ 16,037.28	CA	Standard Commercial Warranty
333241	Crown Steam	CE-324	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 24kW, cCSAus, NSF	Steam Generator, electric, 36" cabinet base, freestanding design, CSD-1 code package, automatic blowdown, split water line, includes water filter system, reinforced countertop, (2) doors, stainless steel exterior finish, adjustable flanged feet, 9-11 psi, 24kW, cCSAus, NSF	EA	\$ 10,376.02	CA	Standard Commercial Warranty
333241	Crown Steam	TVT-3	3" tangent draw off valve includes perforated strainer (location as per spec)	3" tangent draw off valve includes perforated strainer (location as per spec)	EA	\$ 2,425.87	CA	Standard Commercial Warranty
333241	Crown Steam	RL34	Single unit 34" high stand (SX-3 or SX-5)	Single unit 34" high stand (SX-3 or SX-5)	EA	\$ 932.76	CA	Standard Commercial Warranty
333241	Crown Steam	EMTS-40	Tilting Skillet, electric, 40 gallon capacity, electric hydraulic lift, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, 1/2 HP, 15.0kW, cCSAus, NSF	Tilting Skillet, electric, 40 gallon capacity, electric hydraulic lift, spring assisted cover, removable pour strainer, stainless steel construction, cabinet base, 6" legs, adjustable bullet feet front, adjustable flanged feet rear, 1/2 HP, 15.0kW, cCSAus, NSF	EA	\$ 15,510.61	CA	Standard Commercial Warranty
333241	Crown Steam	EPX-3	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (3) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 9.0kW, cCSAus, NSF	EZ Steam Convection Steamer, electric, countertop, boilerless, (1) compartment, (3) 12 x 20 pan capacity, manual fill & drain operation, electromechanical controls, stainless steel interior & exterior, 4" adjustable legs, 9.0kW, cCSAus, NSF	EA	\$ 5,325.66	CA	Standard Commercial Warranty
333241	Crown Steam	LMS-151	Permanent etched interior markings, litre, for 40 gallon braising pan	Permanent etched interior markings, litre, for 40 gallon braising pan	EA	\$ 303.68	CA	Standard Commercial Warranty
333241	Crown Steam	GLT-20	Tilting Kettle, gas, 20 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 80,000 BTU, CSA Star, CSA Flame, NSF	Tilting Kettle, gas, 20 gallon capacity, 2/3 jacket, thermostatic control, electronic ignition, crank tilt, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & 1-5/8" diameter legs, flanged feet, 80,000 BTU, CSA Star, CSA Flame, NSF	EA	\$ 19,286.41	CA	Standard Commercial Warranty
333241	Crown Steam	S-30	Stand, 30", for kettles & skillets, sliding shelf, open frame base, stainless steel, CSA, NSF	Stand, 30", for kettles & skillets, sliding shelf, open frame base, stainless steel, CSA, NSF	EA	\$ 1,268.80	CA	Standard Commercial Warranty
333241	Crown Steam	1195487	Scale Elimination for Medium Steamers	Scale Elimination for Medium Steamers	EA	\$ 1,046.25	CA	Standard Commercial Warranty
333241	Crown Steam	CH-80	Cover, spring assisted, for 80 gallon kettle	Cover, spring assisted, for 80 gallon kettle	EA	\$ 1,562.28	CA	Standard Commercial Warranty
333241	Crown Steam	CMS	Contour measuring strip 20-100 gallon	Contour measuring strip 20-100 gallon	EA	\$ 245.60	CA	Standard Commercial Warranty
333241	Crown Steam	DLT-40F	Tilting Kettle, direct steam, 40 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	Tilting Kettle, direct steam, 40 gallon capacity, full jacket, crank tilt with self-locking positive stop, faucet bracket, 316 stainless steel interior liner, stainless steel exterior, console & tri-leg base, adjustable flanged feet, 30 psi, NSF	EA	\$ 11,125.68	CA	Standard Commercial Warranty

336999	FWE / Food Warming Equipment Co., Inc.	PTST-1109-78HR	Meal Tray Delivery Cart	Prisoner Tray Server, heated & refrigerated, two-section, (78) 9" x 11" or (108) 7" x 9" tray capacity per cavity, 120 Volt	Each	\$ 11,152.64	US	Standard Commercial Warranty
336999	FWE / Food Warming Equipment Co., Inc.	PTST-1109-78HR	Meal Tray Delivery Cart	Prisoner Tray Server, heated & refrigerated, two-section, (78) 9" x 11" or (108) 7" x 9" tray capacity per cavity, 208 Volt	Each	\$ 11,587.91	US	Standard Commercial Warranty
337121H	CorTech USA	9689	Barracuda Box Lid universal	Barracuda Box Lid universal	Each	\$ 22.34	US	Standard Commercial Warranty
337121H	CorTech USA	302003	Restraint Rings for Endurance Bed and Endurance 2.0 Bed	Restraint Rings for Endurance Bed and Endurance 2.0 Bed	Each	\$ 22.10	US	Standard Commercial Warranty
337121H	CorTech USA	1A	Arms for 24/7 Chair Adjustable Height, Width and Angle	Arms for 24/7 Chair Adjustable Height, Width and Angle	Each	\$ 100.20	US	Standard Commercial Warranty
337121H	CorTech USA	CX77/3	24/7 Extreme Heavy Duty Oversized Stool-Grade 3 Fabric	24/7 Extreme Heavy Duty Oversized Stool-Grade 3 Fabric	Each	\$ 1,346.30	US	Standard Commercial Warranty
337121H	CorTech USA	106484BG	Sentinel Arm Chair-floor mount, gangable Blue Grey	Sentinel Arm Chair-floor mount, gangable Blue Grey	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484BGS	Sentinel Arm Chair floor mount, gangable with access door Blue Grey	Sentinel Arm Chair floor mount, gangable with access door Blue Grey	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484BK	Sentinel Arm Chair-floor mount, gangable Black	Sentinel Arm Chair-floor mount, gangable Black	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484BKS	Sentinel Arm Chair floor mount, gangable with access door Black	Sentinel Arm Chair floor mount, gangable with access door Black	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484BN	Sentinel Arm Chair-floor mount, gangable Brown	Sentinel Arm Chair-floor mount, gangable Brown	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484BNS	Sentinel Arm Chair floor mount, gangable with access door Brown	Sentinel Arm Chair floor mount, gangable with access door Brown	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484BY	Sentinel Arm Chair-floor mount, gangable Burgundy	Sentinel Arm Chair-floor mount, gangable Burgundy	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484BYS	Sentinel Arm Chair floor mount, gangable with access door Burgundy	Sentinel Arm Chair floor mount, gangable with access door Burgundy	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484GN	Sentinel Arm Chair-floor mount, gangable Green	Sentinel Arm Chair-floor mount, gangable Green	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484GNS	Sentinel Arm Chair floor mount, gangable with access door Green	Sentinel Arm Chair floor mount, gangable with access door Green	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484GY	Sentinel Arm Chair-floor mount, gangable Grey	Sentinel Arm Chair-floor mount, gangable Grey	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484GYS	Sentinel Arm Chair floor mount, gangable with access door Grey	Sentinel Arm Chair floor mount, gangable with access door Grey	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484SB	Sentinel Arm Chair-floor mount, gangable Slate Blue	Sentinel Arm Chair-floor mount, gangable Slate Blue	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484SBS	Sentinel Arm Chair floor mount, gangable with access door Slate Blue	Sentinel Arm Chair floor mount, gangable with access door Slate Blue	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	106484SD	Sentinel Arm Chair-floor mount, gangable Sand	Sentinel Arm Chair-floor mount, gangable Sand	Each	\$ 205.54	US	Standard Commercial Warranty
337121H	CorTech USA	106484SDS	Sentinel Arm Chair floor mount, gangable with access door Sand	Sentinel Arm Chair floor mount, gangable with access door Sand	Each	\$ 236.37	US	Standard Commercial Warranty
337121H	CorTech USA	116484BG	Sentinel Armless Chair-floor mount, gangable Blue Grey	Sentinel Armless Chair-floor mount, gangable Blue Grey	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484BGS	Sentinel Armless Chair floor mount, gangable with access door Blue Grey	Sentinel Armless Chair floor mount, gangable with access door Blue Grey	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484BK	Sentinel Armless Chair-floor mount, gangable Black	Sentinel Armless Chair-floor mount, gangable Black	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484BKS	Sentinel Armless Chair floor mount, gangable with access door Black	Sentinel Armless Chair floor mount, gangable with access door Black	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484BN	Sentinel Armless Chair-floor mount, gangable Brown	Sentinel Armless Chair-floor mount, gangable Brown	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484BNS	Sentinel Armless Chair floor mount, gangable with access door Brown	Sentinel Armless Chair floor mount, gangable with access door Brown	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484BY	Sentinel Armless Chair-floor mount, gangable Burgundy	Sentinel Armless Chair-floor mount, gangable Burgundy	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484BYS	Sentinel Armless Chair floor mount, gangable with access door Burgundy	Sentinel Armless Chair floor mount, gangable with access door Burgundy	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484GN	Sentinel Armless Chair-floor mount, gangable Green	Sentinel Armless Chair-floor mount, gangable Green	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484GNS	Sentinel Armless Chair floor mount, gangable with access door Green	Sentinel Armless Chair floor mount, gangable with access door Green	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484GY	Sentinel Armless Chair-floor mount, gangable Grey	Sentinel Armless Chair-floor mount, gangable Grey	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484GYS	Sentinel Armless Chair floor mount, gangable with access door Grey	Sentinel Armless Chair floor mount, gangable with access door Grey	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484SB	Sentinel Armless Chair-floor mount, gangable Slate Blue	Sentinel Armless Chair-floor mount, gangable Slate Blue	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484SBS	Sentinel Armless Chair floor mount, gangable with access door Slate Blue	Sentinel Armless Chair floor mount, gangable with access door Slate Blue	Each	\$ 242.54	US	Standard Commercial Warranty
337121H	CorTech USA	116484SD	Sentinel Armless Chair-floor mount, gangable Sand	Sentinel Armless Chair-floor mount, gangable Sand	Each	\$ 195.26	US	Standard Commercial Warranty
337121H	CorTech USA	116484SDS	Sentinel Armless Chair floor mount, gangable with access door Sand	Sentinel Armless Chair floor mount, gangable with access door Sand	Each	\$ 242.54	US	Standard Commercial Warranty

337121H	CorTech USA	126484BG	Endurance Cube Blue Grey	24"x 24" x 15" Blue Grey Polyethylene Endurance Square End Table/OttomanEndurance Cube Blue Grey	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484BGS	Endurance Cube Blue Grey with Access Door	24"x 24" x 15" Blue Grey Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Blue Grey with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484BK	Endurance Cube Black	24"x 24" x 15" Black Polyethylene Endurance Square End Table/OttomanEndurance Cube Black	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484BKS	Endurance Cube Black with Access Door	24"x 24" x 15" Black Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Black with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484BN	Endurance Cube Brown	24"x 24" x 15" Brown Polyethylene Endurance Square End Table/OttomanEndurance Cube Brown	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484BNS	Endurance Cube Brown with Access Door	24"x 24" x 15" Brown Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Brown with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484BY	Endurance Cube Burgundy	24"x 24" x 15" Burgundy Polyethylene Endurance Square End Table/OttomanEndurance Cube Burgundy	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484BYS	Endurance Cube Burgundy with Access Door	24"x 24" x 15" Burgundy Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Burgundy with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484GN	Endurance Cube Green	24"x 24" x 15" Green Polyethylene Endurance Square End Table/OttomanEndurance Cube Green	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484GNS	Endurance Cube Green with Access Door	24"x 24" x 15" Green Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Green with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484GY	Endurance Cube Grey	24"x 24" x 15" Grey Polyethylene Endurance Square End Table/OttomanEndurance Cube Grey	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484GYS	Endurance Cube Grey with Access Door	24"x 24" x 15" Grey Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Grey with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484SB	Endurance Cube Slate Blue	24"x 24" x 15" Slate Blue Polyethylene Endurance Square End Table/OttomanEndurance Cube Slate Blue	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484SBS	Endurance Cube Slate Blue with Access Door	24"x 24" x 15" Slate Blue Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Slate Blue with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	126484SD	Endurance Cube Sand	24"x 24" x 15" Sand Polyethylene Endurance Square End Table/OttomanEndurance Cube Sand	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	126484SDS	Endurance Cube Sand with Access Door	24"x 24" x 15" Sand Polyethylene Endurance Square End Table/Ottoman, with sand ballast doorEndurance Cube Sand with Access Door	Each	\$	276.56	US	Standard Commercial Warranty
337121H	CorTech USA	136484BG	Endurance Bench Blue Grey	48" x 21" x 18" Blue Gray Polyethylene BenchEndurance Bench Blue Grey	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	136484BK	Endurance Bench Black	48" x 21" x 18" Black Polyethylene BenchEndurance Bench Black	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	136484BN	Endurance Bench Brown	48" x 21" x 18" Brown Polyethylene BenchEndurance Bench Brown	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	136484BY	Endurance Bench Burgundy	48" x 21" x 18" Burgundy Polyethylene BenchEndurance Bench Burgundy	Each	\$	564.28	US	Standard Commercial Warranty
337121H	CorTech USA	136484GN	Endurance Bench Green	48" x 21" x 18" Green Polyethylene BenchEndurance Bench Green	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	136484GY	Endurance Bench Grey	48" x 21" x 18" Grey Polyethylene BenchEndurance Bench Grey	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	136484SB	Endurance Bench Slate Blue	48" x 21" x 18" Slate Blue Polyethylene BenchEndurance Bench Slate Blue	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	136484SD	Endurance Bench Sand	48" x 21" x 18" Sand Polyethylene BenchEndurance Bench Sand	Each	\$	563.75	US	Standard Commercial Warranty
337121H	CorTech USA	146484BG	Radial Rocker Blue Grey	Radial Rocker Blue Grey	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484BGS	Radial Rocker Blue Grey with access door	Radial Rocker Blue Grey with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	146484BK	Radial Rocker Black	Radial Rocker Black	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484BKS	Radial Rocker Black with access door	Radial Rocker Black with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	146484BN	Radial Rocker Brown	Radial Rocker Brown	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484BNS	Radial Rocker Brown with access door	Radial Rocker Brown with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	146484BY	Radial Rocker Burgundy	Radial Rocker Burgundy	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484BYS	Radial Rocker Burgundy with access door	Radial Rocker Burgundy with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	146484GN	Radial Rocker Green	Radial Rocker Green	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484GNS	Radial Rocker Green with access door	Radial Rocker Green with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	146484GY	Radial Rocker Grey	Radial Rocker Grey	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484GYS	Radial Rocker Grey with access door	Radial Rocker Grey with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	146484SB	Radial Rocker Slate Blue	Radial Rocker Slate Blue	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484SBS	Radial Rocker Slate Blue with access door	Radial Rocker Slate Blue with access door	Each	\$	425.47	US	Standard Commercial Warranty

337121H	CorTech USA	146484SD	Radial Rocker Sand	Radial Rocker Sand	Each	\$	372.29	US	Standard Commercial Warranty
337121H	CorTech USA	146484SDS	Radial Rocker Sand with access door	Radial Rocker Sand with access door	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	3000C	XTray Chocolate	XTray Chocolate- Case of 10	CS	\$	159.55	US	Standard Commercial Warranty
337121H	CorTech USA	3072ADPB	Anchor Table, 6 Person, 30"x72" Plain Top*Choose Seat Color	Anchor Table, 6 Person, 30"x72" Plain Top*Choose Seat Color	Each	\$	1,156.17	US	Standard Commercial Warranty
337121H	CorTech USA	3096ADPB	Anchor Table, 8 Person, 30"x96" Plain Top*Choose Seat Color	Anchor Table, 8 Person, 30"x96" Plain Top*Choose Seat Color	Each	\$	1,765.60	US	Standard Commercial Warranty
337121H	CorTech USA	3825M	Masterbox 1.5	1.5 cu ft Gray Polypropylene Storage Box, with integrated Master LockMasterbox 1.5	Each	\$	53.18	US	Standard Commercial Warranty
337121H	CorTech USA	3825P	Barracuda Box 1.5 cu ft	Barracuda Box 1.5 cu ft	Each	\$	32.44	US	Standard Commercial Warranty
337121H	CorTech USA	42RDAB	Anchor Table, 4 Person 42" Round Plain Top *Choose Seat Color	Anchor Table, 4 Person 42" Round Plain Top *Choose Seat Color	Each	\$	822.17	US	Standard Commercial Warranty
337121H	CorTech USA	42SDAB	Anchor Table, 4 Person, 42" Square Plain Top *Choose Seat Color	Anchor Table, 4 Person, 42" Square Plain Top *Choose Seat Color	Each	\$	822.17	US	Standard Commercial Warranty
337121H	CorTech USA	48R6DAB	Anchor Table, 6 person, 48" Round Plain Top *Choose Seat Color	Anchor Table, 6 person, 48" Round Plain Top *Choose Seat Color	Each	\$	1,233.25	US	Standard Commercial Warranty
337121H	CorTech USA	58C	24/7 Intensive Use Management Chair-Grade 2 Fabric	24/7 Intensive Use Management Chair-Grade 2 Fabric	Each	\$	393.61	US	Standard Commercial Warranty
337121H	CorTech USA	58C/3	24/7 Intensive Use Management Chair-Grade 3 Fabric	24/7 Intensive Use Management Chair-Grade 3 Fabric	Each	\$	447.05	US	Standard Commercial Warranty
337121H	CorTech USA	66749BG	Endurance Table 42" Round X-Base Flame Retardant Blue Grey	Endurance Table 42" Round X-Base Flame Retardant Blue Grey	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749BK	Endurance Table 42" Round X-Base Flame Retardant Black	Endurance Table 42" Round X-Base Flame Retardant Black	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749BN	Endurance Table 42' Round X-Base Flame Retardant Brown	Endurance Table 42' Round X-Base Flame Retardant Brown	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749BNGT	Endurance Table 42" Round X-Base Flame Retardant Brown Game Top	Endurance Table 42" Round X-Base Flame Retardant Brown Game Top	Each	\$	664.80	US	Standard Commercial Warranty
337121H	CorTech USA	66749BY	Endurance Table 42' Round X-Base Flame Retardant Burgundy	Endurance Table 42' Round X-Base Flame Retardant Burgundy	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749GN	Endurance Table 42" Round X-Base Flame Retardant Green	Endurance Table 42" Round X-Base Flame Retardant Green	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749GY	Endurance Table 42" Round X-Base Flame Retardant Grey	Endurance Table 42" Round X-Base Flame Retardant Grey	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749SB	Endurance Table 42' Round X-Base Flame Retardant Slate Blue	Endurance Table 42' Round X-Base Flame Retardant Slate Blue	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66749SBGT	Endurance Table 42" Round X-Base Flame Retardant Slate Blue Game Top	Endurance Table 42" Round X-Base Flame Retardant Slate Blue Game Top	Each	\$	664.80	US	Standard Commercial Warranty
337121H	CorTech USA	66749SD	Endurance Table 42' Round X-Base Flame Retardant Sand	Endurance Table 42' Round X-Base Flame Retardant Sand	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750BG	Endurance Table 42" Square X-Base Flame Retardant Blue Grey	Endurance Table 42" Square X-Base Flame Retardant Blue Grey	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750BK	Endurance Table 42" Square X-Base Flame Retardant Black	Endurance Table 42" Square X-Base Flame Retardant Black	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750BN	Endurance Table 42' Square X-Base Flame Retardant Brown	Endurance Table 42' Square X-Base Flame Retardant Brown	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750BNGT	Endurance Table 42" Square X-Base Flame Retardant Brown Game Top	Endurance Table 42" Square X-Base Flame Retardant Brown Game Top	Each	\$	664.80	US	Standard Commercial Warranty
337121H	CorTech USA	66750BY	Endurance Table 42" Square X-Base Flame Retardant Burgundy	Endurance Table 42" Square X-Base Flame Retardant Burgundy	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750GN	Endurance Table 42" Square X-Base Flame Retardant Green	Endurance Table 42" Square X-Base Flame Retardant Green	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750GY	Endurance Table 42" Square X-Base Flame Retardant Grey	Endurance Table 42" Square X-Base Flame Retardant Grey	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750SB	Endurance Table 42' Square X-Base Flame Retardant Slate Blue	Endurance Table 42' Square X-Base Flame Retardant Slate Blue	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66750SBGT	Endurance Table 42" Square X-Base Flame Retardant Slate Blue Game Top	Endurance Table 42" Square X-Base Flame Retardant Slate Blue Game Top	Each	\$	664.80	US	Standard Commercial Warranty
337121H	CorTech USA	66750SD	Endurance Table 42" Square X-Base Flame Retardant Sand	Endurance Table 42" Square X-Base Flame Retardant Sand	Each	\$	585.02	US	Standard Commercial Warranty
337121H	CorTech USA	66751BG	Endurance Table 48" Round X-Base Flame Retardant Blue Grey	Endurance Table 48" Round X-Base Flame Retardant Blue Grey	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	66751BK	Endurance Table 48" Round X-Base Flame Retardant Black	Endurance Table 48" Round X-Base Flame Retardant Black	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	66751BN	Endurance Table 48' Round X-Base Flame Retardant Brown	Endurance Table 48' Round X-Base Flame Retardant Brown	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	66751BNGT	Endurance Table 48" Round X-Base Flame Retardant Brown Game Top	Endurance Table 48" Round X-Base Flame Retardant Brown Game Top	Each	\$	797.76	US	Standard Commercial Warranty
337121H	CorTech USA	66751BY	Endurance Table 48' Round X-Base Flame Retardant Burgundy	Endurance Table 48' Round X-Base Flame Retardant Burgundy	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	66751GN	Endurance Table 48" Round X-Base Flame Retardant Green	Endurance Table 48" Round X-Base Flame Retardant Green	Each	\$	726.88	US	Standard Commercial Warranty

337121H	CorTech USA	66751GY	Endurance Table 48" Round X-Base Flame Retardant Grey	Endurance Table 48" Round X-Base Flame Retardant Grey	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	66751SB	Endurance Table 48" Round X-Base Flame Retardant Slate Blue	Endurance Table 48" Round X-Base Flame Retardant Slate Blue	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	66751SBGT	Endurance Table 48" Round X-Base Flame Retardant Slate Blue Game Top	Endurance Table 48" Round X-Base Flame Retardant Slate Blue Game Top	Each	\$	797.76	US	Standard Commercial Warranty
337121H	CorTech USA	66751SD	Endurance Table 48" Round X-Base Flame Retardant Sand	Endurance Table 48" Round X-Base Flame Retardant Sand	Each	\$	726.88	US	Standard Commercial Warranty
337121H	CorTech USA	7101BG	Endurance 4 shelf, Blue Grey	Endurance 4 shelf, Blue Grey	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101BK	Endurance 4 shelf, Black	Endurance 4 shelf, Black	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101BN	Endurance 4 shelf, Brown	Endurance 4 shelf, Brown	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101BY	Endurance 4 shelf, Burgundy	Endurance 4 shelf, Burgundy	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101GN	Endurance 4 shelf, Green	Endurance 4 shelf, Green	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101GY	Endurance 4 shelf, Grey	Endurance 4 shelf, Grey	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101SB	Endurance 4 shelf, Slate Blue	Endurance 4 shelf, Slate Blue	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7101SD	Endurance 4 shelf, Sand	Endurance 4 shelf, Sand	Each	\$	425.47	US	Standard Commercial Warranty
337121H	CorTech USA	7201BG	Endurance Chest, Blue Grey	Endurance Chest, Blue Grey	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7201BN	Endurance Chest, Brown	Endurance Chest, Brown	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7201BY	Endurance Chest, Burgundy	Endurance Chest, Burgundy	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7201GN	Endurance Chest, Green	Endurance Chest, Green	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7201GY	Endurance Chest, Grey	Endurance Chest, Grey	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7201SB	Endurance Chest, Slate Blue	Endurance Chest, Slate Blue	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7201SD	Endurance Chest, Sand	Endurance Chest, Sand	Each	\$	393.56	US	Standard Commercial Warranty
337121H	CorTech USA	7268M	Masterbox 2.0	2 Cu.Ft. Gray Polypropylene Storage Box, with integrated Master LockMasterbox 2.0	Each	\$	58.50	US	Standard Commercial Warranty
337121H	CorTech USA	7268P	Barracuda Box 2.0 cu ft	Barracuda Box 2.0 cu ft	Each	\$	36.17	US	Standard Commercial Warranty
337121H	CorTech USA	7600BG	Endurance All Purpose Shelf Blue Gray	Endurance All Purpose Shelf Blue Gray	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600BK	Endurance All Purpose Shelf Black	Endurance All Purpose Shelf Black	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600BN	Endurance All Purpose Shelf Brown	Endurance All Purpose Shelf Brown	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600BY	Endurance All Purpose Shelf Burgundy	Endurance All Purpose Shelf Burgundy	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600GN	Endurance All Purpose Shelf Green	Endurance All Purpose Shelf Green	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600GY	Endurance All Purpose Shelf Gray	Endurance All Purpose Shelf Gray	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600SB	Endurance All Purpose Shelf Slate Blue	Endurance All Purpose Shelf Slate Blue	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7600SD	Endurance All Purpose Shelf Sand	Endurance All Purpose Shelf Sand	Each	\$	40.08	US	Standard Commercial Warranty
337121H	CorTech USA	7602BG	Endurance NightStand, Blue Grey	Endurance NightStand, Blue Grey	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602BK	Endurance NightStand, Black	Endurance NightStand, Black	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602BN	Endurance NightStand, Brown	Endurance NightStand, Brown	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602BY	Endurance NightStand, Burgundy	Endurance NightStand, Burgundy	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602GN	Endurance NightStand, Green	Endurance NightStand, Green	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602GY	Endurance NightStand, Grey	Endurance NightStand, Grey	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602SB	Endurance NightStand, Slate Blue	Endurance NightStand, Slate Blue	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7602SD	Endurance NightStand, Sand	Endurance NightStand, Sand	Each	\$	244.65	US	Standard Commercial Warranty
337121H	CorTech USA	7603BG	Endurance Desk Laminate Top, Wall Mount Blue/Gray	Endurance Desk Laminate Top, Wall Mount Blue/Gray	Each	\$	531.84	US	Standard Commercial Warranty

337121H	CorTech USA	7603BK	Endurance Desk Laminate Top, Wall Mount, Black	Endurance Desk Laminate Top, Wall Mount, Black	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7603BN	Endurance Desk Laminate Top, Wall Mount Brown	Endurance Desk Laminate Top, Wall Mount Brown	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7603BY	Endurance Desk Laminate Top, Wall Mount Burgundy	Endurance Desk Laminate Top, Wall Mount Burgundy	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7603GN	Endurance Desk Laminate Top, Wall Mount Green	Endurance Desk Laminate Top, Wall Mount Green	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7603GY	Endurance Desk Laminate Top, Wall Mount Grey	Endurance Desk Laminate Top, Wall Mount Grey	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7603SB	Endurance Desk Laminate Top, Wall Mount Slate Blue	Endurance Desk Laminate Top, Wall Mount Slate Blue	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7603SD	Endurance Desk Laminate Top, Wall Mount Sand	Endurance Desk Laminate Top, Wall Mount Sand	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7604BG	Endurance Wall 2 shelf, Blue Grey	Endurance Wall 2 shelf, Blue Grey	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604BK	Endurance Wall 2 shelf, Black	Endurance Wall 2 shelf, Black	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604BN	Endurance Wall 2 shelf, Brown	Endurance Wall 2 shelf, Brown	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604BY	Endurance Wall 2 shelf, Burgundy	Endurance Wall 2 shelf, Burgundy	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604GN	Endurance Wall 2 shelf, Green	Endurance Wall 2 shelf, Green	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604GY	Endurance Wall 2 shelf, Grey	Endurance Wall 2 shelf, Grey	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604SB	Endurance Wall 2 shelf, Slate Blue	Endurance Wall 2 shelf, Slate Blue	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7604SD	Endurance Wall 2 shelf, Sand	Endurance Wall 2 shelf, Sand	Each	\$	218.05	US	Standard Commercial Warranty
337121H	CorTech USA	7605BG	Endurance Desk, All plastic, Wall Mount Blue Grey	Endurance Desk, All plastic, Wall Mount Blue Grey	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605BK	Endurance Desk, All plastic, Wall Mount Black	Endurance Desk, All plastic, Wall Mount Black	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605BN	Endurance Desk, All plastic, Wall Mount Brown	Endurance Desk, All plastic, Wall Mount Brown	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605BY	Endurance Desk, All plastic, Wall Mount Burgundy	Endurance Desk, All plastic, Wall Mount Burgundy	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605GN	Endurance Desk, All plastic, Wall Mount Green	Endurance Desk, All plastic, Wall Mount Green	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605GY	Endurance Desk, All plastic, Wall Mount Grey	Endurance Desk, All plastic, Wall Mount Grey	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605SB	Endurance Desk, All plastic, Wall Mount Slate Blue	Endurance Desk, All plastic, Wall Mount Slate Blue	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7605SD	Endurance Desk, All plastic, Wall Mount Sand	Endurance Desk, All plastic, Wall Mount Sand	Each	\$	502.59	US	Standard Commercial Warranty
337121H	CorTech USA	7606BG	Endurance Bed Riser for 2.0 Bed Blue/Gray	Endurance Bed Riser for 2.0 Bed Blue/Gray	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606BK	Endurance Bed Riser for 2.0 Bed Black	Endurance Bed Riser for 2.0 Bed Black	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606BN	Endurance Bed Riser for 2.0 Bed Brown	Endurance Bed Riser for 2.0 Bed Brown	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606BY	Endurance Bed Riser for 2.0 Bed Burgundy	Endurance Bed Riser for 2.0 Bed Burgundy	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606GN	Endurance Bed Riser for 2.0 Bed Green	Endurance Bed Riser for 2.0 Bed Green	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606GY	Endurance Bed Riser for 2.0 Bed Grey	Endurance Bed Riser for 2.0 Bed Grey	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606SB	Endurance Bed Riser for 2.0 Bed Slate Blue	Endurance Bed Riser for 2.0 Bed Slate Blue	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7606SD	Endurance Bed Riser for 2.0 Bed Sand	Endurance Bed Riser for 2.0 Bed Sand	Each	\$	673.56	US	Standard Commercial Warranty
337121H	CorTech USA	7607BG	Endurance Desk, All plastic, Standing/floor Mount Blue Grey	Endurance Desk, All plastic, Standing/floor Mount Blue Grey	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7607BK	Endurance Desk, All plastic, Standing/floor Mount Black	Endurance Desk, All plastic, Standing/floor Mount Black	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7607BN	Endurance Desk, All plastic, Standing/floor Mount Brown	Endurance Desk, All plastic, Standing/floor Mount Brown	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7607BY	Endurance Desk, All plastic, Standing/floor Mount Burgundy	Endurance Desk, All plastic, Standing/floor Mount Burgundy	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7607GN	Endurance Desk, All plastic, Standing/floor Mount Green	Endurance Desk, All plastic, Standing/floor Mount Green	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7607GY	Endurance Desk, All plastic, Standing/floor Mount Grey	Endurance Desk, All plastic, Standing/floor Mount Grey	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	7607SB	Endurance Desk, All plastic, Standing/floor Mount Slate Blue	Endurance Desk, All plastic, Standing/floor Mount Slate Blue	Each	\$	531.84	US	Standard Commercial Warranty

337121H	CorTech USA	7607SD	Endurance Desk, All plastic, Standing/floor Mount Sand	Endurance Desk, All plastic, Standing/floor Mount Sand	Each	\$	531.84	US	Standard Commercial Warranty
337121H	CorTech USA	76HD	24/7 Heavy Duty Task Chair-Grade 2 Fabric	24/7 Heavy Duty Task Chair-Grade 2 Fabric	Each	\$	693.70	US	Standard Commercial Warranty
337121H	CorTech USA	76HD/3	24/7 Heavy Duty Task Chair-Grade 3 Fabric	24/7 Heavy Duty Task Chair-Grade 3 Fabric	Each	\$	783.63	US	Standard Commercial Warranty
337121H	CorTech USA	77HD	24/7 Heavy Duty Stool-Grade 2 Fabric	24/7 Heavy Duty Stool-Grade 2 Fabric	Each	\$	500.49	US	Standard Commercial Warranty
337121H	CorTech USA	77HD/3	24/7 Heavy Duty Stool-Grade 3 Fabric	24/7 Heavy Duty Stool-Grade 3 Fabric	Each	\$	554.96	US	Standard Commercial Warranty
337121H	CorTech USA	7901BG	Endurance Stool, Brown	Endurance Stool, Brown	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901BK	Endurance Stool, Black	Endurance Stool, Black	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901BN	Endurance Stool, Blue Grey	Endurance Stool, Blue Grey	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901BY	Endurance Stool, Burgundy	Endurance Stool, Burgundy	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901GN	Endurance Stool, Green	Endurance Stool, Green	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901GY	Endurance Stool, Grey	Endurance Stool, Grey	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901SB	Endurance Stool, Slate Blue	Endurance Stool, Slate Blue	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	7901SD	Endurance Stool, Sand	Endurance Stool, Sand	Each	\$	135.62	US	Standard Commercial Warranty
337121H	CorTech USA	79HD	24/7 Heavy Duty Management Chair w/ headrest-Grade 2 Fabric	24/7 Heavy Duty Management Chair w/ headrest-Grade 2 Fabric	Each	\$	844.78	US	Standard Commercial Warranty
337121H	CorTech USA	79HD/3	24/7 Heavy Duty Management Chair w/ headrest-Grade 3 Fabric	24/7 Heavy Duty Management Chair w/ headrest-Grade 3 Fabric	Each	\$	950.63	US	Standard Commercial Warranty
337121H	CorTech USA	7K	Arms for 24/7 Chair Adjustable Height and Width	Arms for 24/7 Chair Adjustable Height and Width	Each	\$	81.70	US	Standard Commercial Warranty
337121H	CorTech USA	8289M	Masterbox 3.0 Lid	Gray Polypropylene Storage Box Lidwith integrated locking hasp, for 3.0 cu ft MasterboxMasterbox 3.0 Lid	Each	\$	37.23	US	Standard Commercial Warranty
337121H	CorTech USA	8289P	Barracuda Box Lid for 3.0 cu ft	Barracuda Box Lid for 3.0 cu ft	Each	\$	35.64	US	Standard Commercial Warranty
337121H	CorTech USA	8568M	Masterbox 3.0	3 Cu.Ft. Gray Polypropylene Storage Box, with integrated Master LockMasterbox 3.0	Each	\$	69.14	US	Standard Commercial Warranty
337121H	CorTech USA	8568P	Barracuda Box 3.0 cu ft	Barracuda Box 3.0 cu ft	Each	\$	47.87	US	Standard Commercial Warranty
337121H	CorTech USA	86484B	Stackable Chair Buff	Stackable Chair Buff	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	86484BG	Stackable Chair Blue Gray	Stackable Chair Blue Gray	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	86484BK	Stackable Chair Black	Stackable Chair Black	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	86484BN	Stackable Chair Brown	Stackable Chair Brown	Each	\$	43.61	US	Standard Commercial Warranty
337121H	CorTech USA	86484FG	Stackable Chair Fog Gray	Stackable Chair Fog Gray	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	86484GN	Stackable Chair Green	Stackable Chair Green	Each	\$	43.61	US	Standard Commercial Warranty
337121H	CorTech USA	86484P	Stackable Chair Plum	Stackable Chair Plum	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	86484SB	Stackable Chair Slate Blue	Stackable Chair Slate Blue	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	86484T	Stackable ChairTeal	Stackable ChairTeal	Each	\$	38.29	US	Standard Commercial Warranty
337121H	CorTech USA	96484BG	Sabre Chair-floor mount, gangable Blue Grey	Sabre Chair-floor mount, gangable Blue Grey	Each	\$	271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484BGS	Sabre Chair floor mount, gangable with access door Blue Grey	Sabre Chair floor mount, gangable with access door Blue Grey	Each	\$	297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484BK	Sabre Chair-floor mount, gangable Black	Sabre Chair-floor mount, gangable Black	Each	\$	271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484BKS	Sabre Chair floor mount, gangable with access door Black	Sabre Chair floor mount, gangable with access door Black	Each	\$	297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484BN	Sabre Chair-floor mount, gangable Brown	Sabre Chair-floor mount, gangable Brown	Each	\$	271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484BNS	Sabre Chair floor mount, gangable with access door Brown	Sabre Chair floor mount, gangable with access door Brown	Each	\$	297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484BY	Sabre Chair-floor mount, gangable Burgundy	Sabre Chair-floor mount, gangable Burgundy	Each	\$	271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484BYS	Sabre Chair floor mount, gangable with access door Burgundy	Sabre Chair floor mount, gangable with access door Burgundy	Each	\$	297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484GN	Sabre Chair-floor mount, gangable Green	Sabre Chair-floor mount, gangable Green	Each	\$	271.24	US	Standard Commercial Warranty

337121H	CorTech USA	96484GNS	Sabre Chair floor mount, gangable with access door Green	Sabre Chair floor mount, gangable with access door Green	Each	\$ 297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484GY	Sabre Chair-floor mount, gangable Grey	Sabre Chair-floor mount, gangable Grey	Each	\$ 271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484GYS	Sabre Chair floor mount, gangable with access door Grey	Sabre Chair floor mount, gangable with access door Grey	Each	\$ 297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484SB	Sabre Chair-floor mount, gangable Slate Blue	Sabre Chair-floor mount, gangable Slate Blue	Each	\$ 271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484SBS	Sabre Chair floor mount, gangable with access door Slate Blue	Sabre Chair floor mount, gangable with access door Slate Blue	Each	\$ 297.83	US	Standard Commercial Warranty
337121H	CorTech USA	96484SD	Sabre Chair-floor mount, gangable Sand	Sabre Chair-floor mount, gangable Sand	Each	\$ 271.24	US	Standard Commercial Warranty
337121H	CorTech USA	96484SDS	Sabre Chair floor mount, gangable with access door Sand	Sabre Chair floor mount, gangable with access door Sand	Each	\$ 297.83	US	Standard Commercial Warranty
337121H	CorTech USA	9689M	Masterbox 1.5/2.0 Lid	Gray Polypropylene Storage Box Lid with integrated locking hasp, for 1.5 and 2.0 cu ft MasterboxesMasterbox 1.5/2.0 Lid	Each	\$ 26.59	US	Standard Commercial Warranty
337121H	CorTech USA	CLR40	Clear Visitation Table 40" Round	Clear Visitation Table 40" Round	Each	\$ 1,058.36	US	Standard Commercial Warranty
337121H	CorTech USA	CX84	24/7 Extreme Heavy Duty Oversize Task Chair-Grade 2 Fabric	24/7 Extreme Heavy Duty Oversize Task Chair-Grade 2 Fabric	Each	\$ 793.90	US	Standard Commercial Warranty
337121H	CorTech USA	CX84/3	24/7 Extreme Heavy Duty Oversize Task Chair-Grade 3 Fabric	24/7 Extreme Heavy Duty Oversize Task Chair-Grade 3 Fabric	Each	\$ 853.00	US	Standard Commercial Warranty
337121H	CorTech USA	CX88	24/7 Extreme Heavy Duty Oversize Task Chair w/ headrest-Grade 2 Fabric	24/7 Extreme Heavy Duty Oversize Task Chair w/ headrest-Grade 2 Fabric	Each	\$ 950.63	US	Standard Commercial Warranty
337121H	CorTech USA	CX88/3	24/7 Extreme Heavy Duty Oversize Task Chair w/ headrest-Grade 3 Fabric	24/7 Extreme Heavy Duty Oversize Task Chair w/ headrest-Grade 3 Fabric	Each	\$ 1,020.00	US	Standard Commercial Warranty
337121H	CorTech USA	DY9000	Chair Dolly 52H x 34W	Chair Dolly 52H x 34W	Each	\$ 177.63	US	Standard Commercial Warranty
337121H	CorTech USA	VM1115	Acrylic Mirror 11x15	Acrylic Mirror 11x15	Each	\$ 60.63	US	Standard Commercial Warranty
337121H	CorTech USA	VM1520	Acrylic Mirror 15x20	Acrylic Mirror 15x20	Each	\$ 79.78	US	Standard Commercial Warranty
337121H	CorTech USA	VM1824	Acrylic Mirror 18x24	Acrylic Mirror 18x24	Each	\$ 106.37	US	Standard Commercial Warranty
325612	AIT Corporation	FED-SANISWAB-20	SANITIZING SWABS,FDA APPROVED	SANITIZING SWABS,FDA APPROVED 20 INDIVIDUALLY PACKED/BOX CONTAINS 70% ETHYL ALCOHOL, ALOE AND GLYCERIN TO KEEP YOUR HANDS MOISTURIZED	EA	\$ 5.40	SK	Standard Commercial Warranty
325612	Selected Beauty Products	FED-SOAP-8OZ	Hand soap with aloe & coconut oil, 8oz w/pump, mango papaya scented	Hand soap with aloe & coconut oil, 8oz w/pump, mango papaya scented	EA	\$ 3.39	US	Standard Commercial Warranty
325612	Selected Beauty Products	FED-SAN-8OZ	Hand sanitizer w/pump, 8oz	Hand sanitizer w/pump, 8oz **This a Non-Returnable Item**	EA	\$ 5.94	US	Standard Commercial Warranty
325612	Selected Beauty Products	FED-SAN-32OZ	Hand sanitizer w/pump,32oz	Hand sanitizer w/pump,32oz **This a Non-Returnable Item**	EA	\$ 17.91	US	Standard Commercial Warranty
325612	Selected Beauty Products	FED-SAN-2OZ-WOW	Hand sanitizer w/foam pump, alcohol-free, lavender scented, 2oz	Hand sanitizer w/foam pump, alcohol-free, lavender scented, 2oz	EA	\$ 3.58	US	Standard Commercial Warranty
325612	Selected Beauty Products	FED-SAN-8OZ-WOW	Hand sanitizer w/foam pump, alcohol-free, lavender scented, 7.5oz	Hand sanitizer w/foam pump, alcohol-free, lavender scented, 7.5oz	EA	\$ 5.94	US	Standard Commercial Warranty
332510C	Dordan	FED-FACEGUARD-2	Protective Face Shield	Protective face shield, 9x12, landscape style, PET material with foam strip, adjustable headband.	EA	\$ 4.49	US	Standard Commercial Warranty
332510C	Mercer	M69010BK	PROTECTIVE MASK, ANATOMICAL	PROTECTIVE MASK, ANATOMICAL	EA	\$ 3.34	GT	Standard Commercial Warranty
332510C	Mercer	M69010LB	PROTECTIVE MASK, ANATOMICAL	PROTECTIVE MASK, ANATOMICAL	EA	\$ 3.34	GT	Standard Commercial Warranty
332510C	Mercer	M69010WH	PROTECTIVE MASK, ANATOMICAL	PROTECTIVE MASK, ANATOMICAL	EA	\$ 3.34	GT	Standard Commercial Warranty
332510C	Mercer	M69011LB	PROTECTIVE MASK, PLEATED, LIGHT BLUE	PROTECTIVE MASK, PLEATED, LIGHT BLUE	EA	\$ 3.34	GT	Standard Commercial Warranty
332510C	Mercer	M69011WH	PROTECTIVE MASK, PLEATED, WHITE	PROTECTIVE MASK, PLEATED, WHITE	EA	\$ 3.34	GT	Standard Commercial Warranty
335220	Insinger	CADET	CADET Dishwasher, undercounter	Dishwasher, undercounter, 23-5/8"W x 24"D x 33-1/2"H, 6.0kW built-in booster with dedicated rinse pump, approximately 30 racks/hour capacity, (3) wash cycles (dishware, cookware & glassware), 2.2kW tank heater, automatic pumped drain, removable overflow tube, de-lime cycle, built-in detergent & rinse aid dispensers with EZ Prime system, electronic PCB control, temperature display, LED indicator lamps, self-diagnostics, 1 HP wash motor, includes: (1) plate, (1) cup rack, (1) glass rack & (2) cutlery cups, stainless steel interior & exterior, ETLus, ENERGY STAR®	EA	\$ 3,876.32	US	Standard Commercial Warranty
335220	Insinger	CX20	Dishwasher, Door Type	Commander Dishwasher, Door Type, high temperature, fully automatic, no booster, straight-thru design (field convertible to corner), approximately (65) racks/hour capacity, stainless steel frame, legs & feet, electric immersion or steam injector tank heat, RackAware™ rack sensing system, 1 HP wash motor, NSF, ETL, ENERGY STAR®	EA	\$ 7,330.29	US	Standard Commercial Warranty