

**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICELIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage! is: <http://www.fss.gsa.gov>.

Federal Supply Schedule 084 – Total Solutions for Law Enforcement, Security, Fire, Rescue, Clothing, Marine Craft and Emergency/Disaster Response
FSC Class(es): 6350 & 6685

Contract Number: GS-07F-5738P

For more information on ordering from Federal Supply Schedules,
Click on FSS schedules button at <http://www.fss.gsa.gov>

Contract Period: 5/01/04 through 4/30/09
MO 13: 8/13/2006

CONTRACTOR: Integrated Security Technologies Incorporated
3375 Koapaka Street, Suite G-330
Honolulu, HI 96813
Ph: 808-836-4094 & Fax: 808-836-4095

Business Size: Small/Veteran Owned
Contract Administration: Christine Lanning

CUSTOMER INFORMATION:

1a. Awarded Special Item Number(s):

246-35(1) – Door Entry control by Card, Mag., etc.;
246-35(2) – Door Entry Control By Touch, Dial, Digital, Keyboard/Pad;
246-35(3) – Parking Access Control;
246-35(4) – Emergency Exit Door Access/Alarm for Security and/or Fire;
246-35(6) – Other Access Control Systems;
246-40 – Intrusion Alarms/Signal Systems (audible/visual) not personal;
246-42(1) – Facility Management Systems - Security Functions;
246-42(2) – Facility Management Systems – Energy Management Functions;
246-43 – Perimeter Security/Detection Systems, Fences, Sensors, etc.

1b. Lowest Priced Model Number for each Awarded Special Item Number(s):

SINs 246-35(1); 35(2); 35(3); 35(4); 35(6); 40; 42(1); 42(2); & 43 (Model Number and Price to be inserted by contractor prior to mailing).

1c. Not applicable

2. MAXIMUM ORDER GUIDELINE: SINs 246-35(1), 35(2), 35(3), 35(4), 35(6), 40, & 43 are \$100,000 each & SINs 246-42(1) & 42(2) are \$150,000.00 each for a total MO of \$1,000,000.

This maximum order is a dollar amount at which it is suggested that the ordering agency request higher discounts from the contractor before issuing the order. The contractor may: 1) Offer a new lower price, 2) Offer the lowest price available under the contract, or 3) Decline the order within five (5) days. In accordance with the Maximum Order provisions contained in the Schedule, a delivery order may be placed against the Schedule contract even though it exceeds the maximum order.

3. MINIMUM ORDER LIMITATION: \$100.00

4. GEOGRAPHIC COVERAGE: 50 States, Washington DC, Puerto Rico & US Territories.

5. POINT OF PRODUCTION: Lenel Systems International Inc., 1050 Pittsford-Victor Road, Pittsford, New York 14534-1836, Monroe County

6. **BASIC DISCOUNT:** 20% off the Lenel Manufacturer Suggested Retail Pricing, effective November 2003, then add the prevailing IFF rate to the discounted price. Currently, the IFF rate is .75%.
7. **QUANTITY DISCOUNT:** None.
8. **PROMP PAYMENT TERMS:** 2% 20, Net 30 Days.
- 9a. **GOVERNMENT PURCHASE CARDS ARE ACCEPTED.**
- 9b. **NOTIFICATION WHETHER GOVERNMENT PURCHASE CARDS ARE ACCEPTED OR NOT ACCEPTED ABOVE THE MICROPURCHASE THRESHOLD.**
10. **FOREIGN ITEMS:** None.
- 11a. **TIME OF DELIVERY:** 60 Days (ARO)
- 11b. **EXPEDITED DELIVERY:** 45 Days (ARO)
- 11c. **OVERNIGHT/2-DAY DELIVERY:** Consult with Contractor
- 11d. **URGENT REQUIREMENTS:** Consult with Contractor
12. **FOB POINT:** FOB Destination – 50 States, Washington D.C., & US Territories, Puerto Rico and the Virgin Islands are Origin.
- 13a. **ORDERING ADDRESS:** Same as Contractor
- 13b. **ORDERING PROCEDURES:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules). N/A
14. **PAYMENT ADDRESS:** Same as Contractor
15. **WARRANTY PROVISIONS:** Standard Commercial Warranty
16. **EXPORT PACKING CHARGES, IF APPLICABLE:** N/A
17. **TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:** None
18. **TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE (ANY THRESHOLDS ABOVE THE MICROPURCHASE LEVEL):**
None
19. **TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE):** None

20. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF APPLICABLE): None

21. LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE): None

22. LIST OF PARTICIPATING DEALERS (IF APPLICABLE): None

23. PREVENTIVE MAINTENANCE (IF APPLICABLE): None

24a. ENVIRONMENTAL ATTRIBUTES, E.G., RECYCLED CONTENT, ENERGY EFFICIENCY, AND/OR REDUCED POLLUTANTS: RoHS

24b. IF APPLICABLE, INDICATE THAT SECTION 508 COMPLIANCE INFORMATION IS AVAILABLE ON ELECTRONIC AND INFORMATION TECHNOLOGY (EIT) SUPPLIES AND SERVICES AND SHOW WHERE FULL DETAILS CAN BE FOUND (E.G. CONTRACTOR'S WEBSITE OR OTHER LOCATION). THE EIT STANDARDS CAN BE FOUND AT: www.Section508.gov/. N/A

25. DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER: 017364261

26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE: Cage Code 1F0P0

Lenel GSA Pricing Guide

Part Number	Description	GSA PRICE
04-0001-03	Security Tool - for tamper resistant screw on EntryProx	\$ 3.83
1000024	Sensor card vinyl (style 10) standard card is 0.030 mil thick, with 26-bit format, directional arrow on front, with gaps in numerical encoded sequence. (Minimum order qty 100 cards)	\$ 2.21
1004624	Sensor card II Dual Technology card, Wiegand/mag stripe (style 10) standard card is 0.030 mil thick, with 26-bit format, directional arrow on front, with gaps in numerical encoded sequence and high coercivity stripe (Minimum order qty 100 cards)	\$ 2.56
104523-010	Card , 10 Mil adhesive back (package of 100) 500 cards to a box	\$ 209.56
104531-001	Cleaning Cards for Zebra printers (box of 100 cards)	\$ 77.38
105862-001	P1XXi CardSense single card feed kit	\$ 24.18
105909-057	Cleaning Swabs for Zebra Printers (box of 25)	\$ 28.21
105909-112	New Style Print Head for the P300, P310, P320, P400, P420, P500, P520, P600 and P720 color printers	\$ 482.79
105909-169	Premier Cleaning Kit (25 swabs with 50 Cleaning Cards)	\$ 48.36
105912-002	Cleaning Cartridge, complete unit for P310/P310i, P420/P420i, P520, P720 color printers	\$ 71.73
105912-003	Adhesive Cleaning Roller for P310/P310i, P420/P420i, P520, P720 color printers (Set of 5)	\$ 25.79
105912-301	Cleaning Cartridge, (Set of 5) complete unit for P200 series color printer	\$ 25.79

105912-302	Adhesive Cleaning Roller for the P200 Series printers	\$ 71.73
105912-912	Cleaning Kit for P110i and P120i Card Printers 4 print engine & 4 feeder cards	\$ 24.18
105912-913	P330i premier cleaning kit includes 25 standard and 25 long cleaning cards.	\$ 72.54
1100900	Sensor card vinyl (style 11) standard card is 0.037 mil thick, with 26-bit format, directional arrow on front with gaps in numerical encoded sequence. (Minimum order qty 100 cards)	\$ 2.05
1324GBN22	Direct Image PVC Labels with peel off adhesive back for use with Prox Card II (0.020 thick card) no slot punch (Minimum order 100) Will not work with all direct card printers, check printer specifications.	\$ 0.71
1324GGN31	Direct Image, PVC Labels for use with Prox Card II with peel off self adhesive front part number 1326-LASMV (0.025 thick card) no slot punch (Minimum order 100) Will not work with all direct card printers, check printer specifications.	\$ 0.71
1326-LASMV	ProxCard II Proximity Access Card - includes 26-bit wiegand format, adhesive front, back has molded HID logo, printed sequential matching (internal/external) number and vertical slot punch capability. (Minimum order 100)	\$ 2.14
1326-LSSMV	ProxCard II Proximity Access Card - includes 26-bit wiegand format, adhesive front, back has molded HID logo, printed sequential matching (internal/external) number and vertical slot punch capability. (Minimum order 100)	\$ 1.79
1336-LGGMN	DuoProx Card Prox with Mag Stripe Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, with printed sequential numbering with no gaps and 1/2 inch Hi-Co magstripe (Mini)	\$ 3.80
1336-LGSMN	DuoProx Card Prox with Mag Stripe - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork, matte finish on back with laser sequential numbering with no gaps and 1/2 inch Hi-Co magstri	\$ 3.80
1346-LSSMN	ProxKey II Proximity Access Keyfob - standard keyfob include, 26 bit format, HID logo, printed sequential matching numbering with gaps (Minimum order 100)	\$ 3.59
1351-LBSMN	Prox Pass Long Range Proximity Tag for Vehicle Access Control (6' to 8') read range with MaxiProx readers	\$ 22.57
1386-LGGMN	ISO Prox II Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, printed ID number and No gaps in card sequence (Minimum order 100)	\$ 3.45

1386-LGSMN	ISO Prox II Graphics Quality- standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork with matte finish on back, printed ID number and No gaps in card sequence (Minimum order 100)	\$ 3.45
1391-LSSMN	Microprox Tag - for assets retrofit applications - standard tag includes 125kHz programming, HID standard artwork on front, adhesive back, sequential matching numbering internal/external.	\$ 2.46
1397-LGSMN	Smart ISOProx II proximity card, standard card includes no smart chip, programmed 26 bit format, plain white PVC with gloss finish on front, standard Smart ISOProx II artwork back side, sequential matching external numbering, and no slot punch. (Minimum o	\$ 3.80
1398-LGSMN	Smart DuoProx II proximity card, standard card includes no smart chip, programmed 26 bit format, plain white PVC with gloss finish on front, standard Smart DuoProx II artwork back side, sequential matching external numbering, with magnetic stripe and no s	\$ 4.53
1430-MG1MN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain white b	\$ 3.04
1430-MGGMN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain white b	\$ 2.24
1430-MGSMN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, HID Logo back	\$ 2.24
1431-BG1MNN	HID FlexSmart® Proximity & MIFARE Contactless Smart Card w/mag - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID" - this card is programmed (must specify programming information at the time o	\$ 5.12
1431-BGGMNN	HID FlexSmart® Proximity & MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID" - this card is programmed (must specify programming information at the time of ord	\$ 4.33
1431-BGSMNN	HID FlexSmart® Proximity & MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID" - this card is programmed (must specify programming information at the time of ord	\$ 4.33
1440-MG1MN	HID FlexSmart® MIFARE Contactless Smart Card w/mag - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 4K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain wh	\$ 5.30
1440-MGGMN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 4K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain white ba	\$ 4.50
1440-MGSMN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 4K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, HID Logo back,	\$ 4.50

1690002	Proxcard Plus Proximity and Wiegand Combo Card - includes, 26-bit wiegand prox format, directional arrow on front, with gaps in numerical encoded sequence with Standard Wiegand Load and graphics quality glossey finish. (Minimum order qty 100 cards)	\$ 6.26
2000NG1NN	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering	\$ 3.80
2000NGGNN	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 2.95
2001NG1NN	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering	\$ 6.27
2001NGGNN	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 5.43
2002PGGNN	iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, programmed, no external card numbering	\$ 5.43
2020AG1NNM	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed proximity with external card numbering matching HID prox	\$ 7.33
2020AGGNNM	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity	\$ 6.49
2021AG1NNM	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed proximit	\$ 8.87
2021AGGNNM	iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity	\$ 7.67
2022AGGNNM	iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity	\$ 7.67
2050NKNNN	iCLASS Contactless Smart Hexagonal Key Ring Tag, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 3.87

2051NKNNN	iCLASS Contactless Smart Hexagonal Key Ring Tag, 16K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 6.51
2052NKNNN	iCLASS Contactless Smart Hexagonal Key Ring Tag, 16K bits with 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 6.51
2060NSSNN	iCLASS Contactless Smart Adhesive BackTag, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 2.56
2061NSSNN	iCLASS Contactless Smart Adhesive BackTag, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	\$ 4.50
232277	Replacement Pen for Intuos2 tablets	\$ 74.15
3100130	Classic Swipe Reader (Black w/logo & arrow)	\$ 288.55
3100500	Classic Swipe Reader (Beige wood grain w/arrow)	\$ 288.55
3103560	PINpad Wiegand Reader (Black) 8 bit pin pad with wiegand swipe	\$ 699.61
310i-0000U-ID0	P310i USB/parallel printer, prints a full color card in less than 25 seconds, edge to edge, 300 DPI, single sided, 2MB standard memory, with 75 card capacity (1 year Standard Warranty + 1 year Hot Swap)	\$ 2,333.37
310i-0M10U-ID0	P310i-0000U-ID0 with magnetic encoder	\$ 2,736.37
3110-2305	Dorado Model 230 Reader, Black, universal combination reader formats include magnetic stripe (ABA & EMPI) and proximity (HID, Proxi 10 & EMPI)	\$ 274.85
3110-2405	Dorado Model 240 Keypad Reader, Black, universal combination reader formats include magnetic stripe (ABA & EMPI) and proximity (HID, Proxi 10 & EMPI)	\$ 320.79
3110-2405-C	Dorado Model 240 Keypad Reader with Ceramic read head, Black, universal combination reader formats include magnetic stripe (ABA & EMPI) and proximity (HID, Prox 10 & EMPI)	\$ 634.32

3140190	Turnstile reader (Black) with red/green LED and 6' pigtail	\$ 478.76
3141650	Turnstile reader (Chrome) with red/green LED and 6' pigtail	\$ 520.68
3152540	EPIC Swipe Reader (Black)	\$ 312.73
32ES-32RUP	32 Access Readers upgrade for all 32ES systems (max of 64 readers)	\$ 1,343.60
4045-CGCU0	EntryProx with Cards kit (includes 20 ProxCard II proximity cards) 37 Bit card format (H10302) standard other formats are available with special orders	\$ 241.80
4045-CGKU0	EntryProx with keytag kit (includes 10 Proxkey II proximity keytags) 37 Bit card format (H10302) standard other formats are available with special orders	\$ 241.80
4045-PRN	Hewlett-Packard Infrared Printer (HP-#82240B)	\$ 213.59
4045-RFL	Hewlett-Packard Printer Paper (HP-#82175A)	\$ 46.75
5355-ABK09	ProxPro, Beige w/ Keypad, (12 VDC)	\$ 264.37
5355-AGK09	ProxPro, Gray, w/ Keypad, (12 VDC)	\$ 264.37
5365-EBP00	MiniProx, Beige w/ Pigtail Leads (5-16 VDC)	\$ 130.57
5365-EGH00	Hazardous Location MiniProx Reader, 5-16 VDC, terminal strip	\$ 302.25
5365-EGP00	MiniProx, Gray w/ Pigtail Leads (5-16 VDC)	\$ 130.57

5375-AGN00	MaxiProx, Gray, (24 VDC)	\$ 435.24
5385-AGB00	Multiprox Reader Back Connect - Replaces Schlage 2700 & 2800	\$ 217.62
5385-AGS00	Multiprox Reader Side Connect - Replaces Schlage 2700 & 2800	\$ 217.62
5395-CB100	ThinLine II Switch Plate Reader (5-16 VDC) Beige	\$ 132.99
5395-CG100	ThinLine II Switch Plate Reader (5-16 VDC) Gray	\$ 132.99
5395-CK100	ThinLine II Switch Plate Reader (5-16 VDC) Black	\$ 132.99
5395-CW100	ThinLine II Switch Plate Reader (5-16 VDC) White	\$ 132.99
5455-AGM00	Glass Mount Kit for ProxPro and ProxPro II Readers	\$ 17.73
5455-BBN00	ProxPro II, Beige, (5-16 VDC)	\$ 140.24
5455-BGN00	ProxPro II, Gray, (5-16 VDC)	\$ 140.24
593PI-12DC	12 VDC Power Supply	\$ 64.48
6000-BNN00	Multiprox Controller - Replaces Schlage 708 & 808 controllers	\$ 749.58
6005-BBB00	ProxPoint, Beige, w/Pigtail Leads, beeper and LED (4.75-16VDC)	\$ 74.15

6005-BGB00	ProxPoint, Gray, w/Pigtail Leads, beeper and LED (4.75-16VDC)	\$ 74.15
6020-ANN00	Multiprox HSM Interface – Replaces Schlage MSM	\$ 177.32
6030-AGR00	ProxPro Plus, Gray, w/back connector, (12VDC)	\$ 221.65
6030-AGS00	ProxPro Plus, Gray, w/side connector, (12VDC)	\$ 221.65
6055-BBL0000	IQ Card Reader contactless MIFARE smart chip reader (9 - 14 VDC) beige read only, no active LED's	\$ 229.71
6075-BKN00000	HID FlexSmart® MIFARE Access Control Reader (18 inches/45.7 cm Pigtail Cable). Read only Capability, Wiegand Output, Reads HID Formats in sector one and/or CSN	\$ 95.11
6100BGN0000L	iCLASS R10 READ ONLY contactless smart card reader w/pigtail, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color GRAY (artwork code L110317)	\$ 83.02
6100BGT0000L	iCLASS R10 READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color GRAY (artwork code L110317)	\$ 83.02
6100BKN0000L	iCLASS R10 READ ONLY contactless smart card reader w/pigtail, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 83.02
6100BKP0000L	iCLASS R10 OSDP READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 119.29
6100BKT0000L	iCLASS R10 READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 83.02
6100BKT0007G30L	FIPS201, PIV II Compliant iCLASS R10 READ ONLY G3.0 contactless smart card reader w/terminal strip, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color BLACK (\$ 83.02
6110BGN0000L	iCLASS R30 READ ONLY contactless smart card reader w/pigtail, Wiegand output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, color GRAY (artwork code L110317)	\$ 158.78

6110BGT0000L	iCLASS R30 READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, color GRAY (artwork code L110317)	\$ 158.78
6110BKN0000L	iCLASS R30 READ ONLY contactless smart card reader w/pigtail, Wiegand output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 158.78
6110BKT0000L	iCLASS R30 READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 158.78
6110BKT0007G30L	FIPS201, PIV II Compliant iCLASS R30 READ ONLY G3.0 contactless smart card reader w/terminal strip, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, color BL	\$ 158.78
6111BKN0000L	iCLASS RW300 READ/WRITE contactless smart card reader/writer, Wiegand output and/or RS-232 Output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300 mA @ 12 DC(artwork code L110317)	\$ 197.47
6112BKP0000L	iCLASS R30 OSDP READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 188.60
6112BKP0007G30L	FIPS201, PIV II Compliant iCLASS R30 READ ONLY G3.0 contactless smart card reader w/terminal stripe, Wiegand output, EU/Asian back box size , read range 2.5 to 8.9 cm, 80/300mA Avg/Peak @ 12 VDC, 200 bit output, color BLACK (artwork code L110317)	\$ 188.60
6120BGN0000L	iCLASS R40 READ ONLY contactless smart card reader w/pigtail, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, color GRAY (artwork code L110317)	\$ 163.62
6120BGT0000L	iCLASS R40 READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, color GRAY (artwork code L110317)	\$ 163.62
6120BKN0000GSC	GSC Navy Application only FIPS201 PIV II Compliant iCLASS R40 READ ONLY G3.0 Reader contactless smart card reader, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, color BLACK (artwork c	\$ 163.62
6120BKN0000L	iCLASS R40 READ ONLY contactless smart card reader w/pigtail, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 163.62
6120BKN0007G30L	FIPS201. PIV II Compliant iCLASS R40 READ ONLY G3.0 Reader contactless smart card reader, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 V	\$ 163.62
6120BKT0000L	iCLASS R40 READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 163.62

6121BKN0000L	iCLASS RW400 READ/WRITE contactless smart card reader/writer, Wiegand output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5 inches, 100 to 350 mA @12VDC (artwork code L110317)	\$ 204.72
6121BKN0000PRGL	iCLASS RW400 READ/WRITE Card Programmer Lenel contactless iCLASS smart card writer, supports writing any iCLASS format in OnGuard to a non-configured, non-programmed iCLASS card. RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5 inches, Requi	\$ 204.72
6122BKP0000L	iCLASS R40 OSDP READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 193.44
6122BKP0007G30L	FIPS201. PIV II Compliant OSDP iCLASS R40 READ ONLY G3.0 Reader contactless smart card reader, Wiegand output, US/EU/Asian back box sizes , read range 1 to 3.5 inches (2.5 to 8.9 cm), 80/230mA Avg/Peak @ 12 VDC, 200 bit output, color BLACK (artwork code	\$ 193.44
6125BGN0000L	iCLASS RP40 MultiCLASS Read Only Multi Technology Reader, GRAY, HID Prox and LenelProx, iCLASS Technologies, Wiegand Output, UL/EU/Asian back box size, 5 - 12 VDC 70/120mA @12 VDC (artwork code L110317)	\$ 189.41
6125BGN0007G30L	FIPS201, PIV II compliant iCLASS RP40 MultiCLASS Read Only Multi Technology Reader, GRAY, HID Prox and LenelProx, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit Output, UL/EU/Asian back box size, 5 – 12 VDC 70/120mA @12 VDC (artwork code L1103	\$ 189.41
6125BKN0000L	iCLASS RP40 MultiCLASS Read Only Multi Technology Reader, BLACK HID Prox and LenelProx, iCLASS Technologies, Wiegand Output, UL/EU/Asian back box size, 5 - 12 VDC 70/120mA @12 VDC (artwork code L110317)	\$ 189.41
6125BKN0007G30L	FIPS201, PIV II compliant iCLASS RP40 MultiCLASS Read Only Multi Technology Reader, BLACK HID Prox and LenelProx, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit Output, UL/EU/Asian back box size, 5 - 12 VDC 70/120mA @12 VDC (artwork code L1103	\$ 189.41
6130AGT000009L	iCLASS RK40 READ ONLY contactless smart card reader with keypad, terminal strip, 8 bit keypad [09] output, Wiegand output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5 inches, 100 to 350 mA @12VDC, color GRAY (artwork code L110317	\$ 303.86
6130AKT00009GSC	GSC Navy Application only FIPS201 PIV II Compliant iCLASS RK40 READ ONLY G3.0 Reader contactless smart card reader with keypad, terminal strip, 8 bit keypad [09] output, Wiegand output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5	\$ 303.86
6130BKN00079G3L	FIPS201, PIV II Compliant iCLASS RK40 READ ONLY contactless smart card reader with keypad, iCLASS & GSA approved PIV-II Technologies, 8 bit keypad [09] output, Wiegand 200 bit output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5	\$ 303.86
6131AKT000009L	iCLASS RWK400 READ/WRITE contactless smart card reader/writer with keypad, terminal strip, format, 8 bit keypad output, Black, Wiegand output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5 inches, 100 to 350 mA @12VDC (artwork code	\$ 344.97
6132BKP000009L	iCLASS RK40 OSDP READ ONLY contactless smart card reader with keypad, terminal strip, 8 bit keypad [09] output, Wiegand output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5 inches, 100 to 350 mA @12VDC, color BLACK (artwork code L	\$ 333.68

6132BKP000709G30L	FIPS201, PIV II Compliant OSDP iCLASS RK40 READ ONLY contactless smart card reader with keypad, terminal strip, 8 bit keypad [09] output, Wiegand output and/or RS-232 Output, US/EU/Asian back box sizes, read range 1 to 4.5 inches, 100 to 350 mA @12VDC, c	\$ 333.68
6136AKN000009L	iCLASS RPK40 MultiCLASS Read Only Multi Technology Reader with Keypad, BLACK HID Prox and Lenel Prox, iCLASS Technologies, Wiegand Output, UL/EU/Asian back box size, 5 - 12 VDC 70/120mA @12 VDC (artwork code L110317)	\$ 344.97
6136AKN00079G3L	FIPS201, PIV II Compliant iCLASS RPK40 READ ONLY MultiCLASS with Keypad HID Prox and LenelProx, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit Output, contactless smart card reader with keypad, terminal strip, 8 bit keypad [09] output, Wiegand	\$ 344.97
6140AKN0000L	iCLASS R15 iCLASS Read Only Reader, BLACK HID Prox, iCLASS Technologies, Wiegand Output, mullion mount, 5 - 12 VDC 70/120mA @12 VDC, color BLACK (artwork code L110317)	\$ 163.62
6140AKN0007G30L	FIPS201, PIV II Compliant iCLASS R10 READ ONLY G3.0 contactless smart card reader, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit Output, Tall Mullion Mount size, 5 - 12 VDC 50/75mA @12 VDC, color BLACK (artwork code L110317)	\$ 163.62
6142BKP0000L	iCLASS R15 OSDP READ ONLY contactless smart card reader w/terminal stripe, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, color BLACK (artwork code L110317)	\$ 193.44
6142BKP0007G30L	FIPS201, PIV II Compliant OSDP iCLASS R15 READ ONLY G3.0 contactless smart card reader w/terminal stripe, Wiegand output, mullion mount size, read range 1 to 3 inches, 80/300mA Avg/Peak @ 12 VDC, 200 bit output, color BLACK (artwork code L110317)	\$ 193.44
6145AKN0000L	iCLASS RP15 MultiCLASS Read Only Multi Technology Reader, HID and Lenel Prox, iCLASS DESFire Technologies, Wiegand Output, Tall Mullion Mount size, 5 - 12 VDC 50/75mA @12 VDC, color BLACK (artwork code L110317)	\$ 189.41
6145AKN0007G30L	PIV-II iCLASS RP15 MultiCLASS Read Only Multi Technology Reader, HID and LenelProx, iCLASS & GSA approved PIV-II Technologies, Wiegand 200 bit Output Tall Mullion Mount size, 5 - 12 VDC 50/75mA @12 VDC, color BLACK (artwork code L110317)	\$ 189.41
6150AKT0000L	iCLASS R90 READ ONLY Long range contactless smart card reader, terminal stripe, reads all HID iCLASS and ISO15693 CSN, Wiegand output, up to 18 inches, auto tuning, 12-24 VDC (12 VDC @480/1800 mA or 24 VDC@230/900 mA), color BLACK (artwork code L110317)	\$ 478.76
6172BKP000009L	iCLASS RKL550 OSDP Contactless Smart Card Reader with LCD and Keypad. US, European and Asian Back Box Mount (RoHS Compliant). Combines iCLASS access control with full command Keypad functionality. Wiegand Output, color BLACK (artwork code L110317)	\$ 518.26
6172BKP000709G30L	iCLASS FIPS201, PIVII Compliant RKL550 OSDP Contactless Smart Card Reader with LCD and Keypad. US, European and Asian Back Box Mount (RoHS Compliant). Combines iCLASS access control with full command Keypad functionality. Wiegand Output, color BLACK (artw	\$ 518.26
6181BKT000009L	iCLASS RWKLB575L Lenel bioCLASS Contactless Smart Card, BLACK Reader, with LCD, Keypad, and fingerprint biometric module, US, European and Asian Back Box Mount, Wiegand Output. Ships pre-configured with HID Access control and Lenel biometric encryption ke	\$ 829.37

64ADV-64RUP	64 Access Readers upgrade for all ADV systems (max of 256 readers)	\$ 2,142.35
800014-941	P640i ribbon - five panel dye sub ribbon with UV (YMCLUVK) - 500 images per roll	\$ 201.50
800014-945	P640i ribbon - four panel dye sub ribbon (YMCK) - 600 images per roll	\$ 169.26
800014-980	P640i ribbon - five panel dye sub ribbon (YMCKK) - 500 images per roll	\$ 176.51
800015-012	Clear Overcoat coverage for Mag Stripe Cards (P500, P520 and P520i printers)-100 cards/roll	\$ 32.24
800015-013	Clear Overcoat coverage for Smart cards (P500, P520 and P520i printers)-100 cards/roll	\$ 32.24
800015-014	Clear Overlay with Full Coverage (P500 , P520 and P520i printers) - 100 cards/roll	\$ 25.79
800015-031	Clear with 1 side full coverage and 1 side Mag Stripe Card - 50 dual sided cards	\$ 32.24
800015-032	Genuine Secure Hologram Image full coverage for P500, P520 and P520i printers - 100 cards/roll	\$ 54.81
800015-120	Genuine Secure Hologram Varnish – 350 overlays/roll	\$ 54.81
800015-122	Clear Varnish Ribbon – 350 overlays/roll	\$ 48.36
800015-131	Clear Varnish for P500/P520 (Laminating Station) – 350 overlays/roll	\$ 52.39
800015-140	Ribbon - Five Panel Color Ribbon for P300, P310, P400, P420, P500, P520, P600 and P720 Color Printers, (200 images per roll) YMCKO	\$ 60.45

800015-145	Ribbon - Four Panel Color Ribbon for P500, P520, P600 and P720 Color Printers, (250 images per roll) YMCK	\$ 63.67
800015-148	Ribbon – Six Panel Color Ribbon for P400, P420, P500, P520, P600 and P720 Color Printers, (170 images per roll) YMCKOK	\$ 76.57
800015-180	Ribbon - Five panel color ribbon for P500, P520, P600 and P720, 200 images per roll, YMCKK	\$ 71.73
800015-240	Ribbon - Five Panel Color Ribbon for P210 printers (100 images per roll) YMCKO	\$ 48.36
800015-340	Ribbon - Five Panel Color Ribbon for P310, P420, P520 and P720 (350 images per roll) YMCKO	\$ 104.78
800015-440	iSeries Ribbons - YMCKO color ribbon - 200 images per roll (for 310i, 320i, 420i & 330i)	\$ 52.39
800015-445	Ribbon - four panel color ribbon for P520i, 250 images per roll YMCK, includes one cleaning roller replacement	\$ 63.67
800015-448	Ribbon - Six panel color ribbon for P420i, 170 images per roll YMCKOK, includes one cleaning roller replacement	\$ 76.57
800015-450	Ribbon - Two Panel black ribbon (500 images) Black dye sub, with clear overlay	\$ 64.48
800015-460	Ribbon - Two panel resin black ribbon (500 images) Resin Black with clear overylay (KO)	\$ 76.57
800015-480	Ribbon - five panel color ribbon for P520i, 200 images per roll YMCKK, includes one cleaning roller replacement	\$ 71.73
800015-540	iSeries Ribbons - YMCKO color ribbon - 330 images per roll (for 310i, 320i, 420i & 330i)	\$ 120.90
800015-712	P720 Linerless Laminiate, 1 mil clear coat for magnetic stripe cards (800 cards per roll)	\$ 141.05

800015-713	P720 Linerless Laminate, 1 mil clear coat for smart cards (800 cards per roll)	\$ 157.17
800015-714	P720 Linerless Laminate, 1 mil clear coat full card (800 cards per roll)	\$ 116.87
800015-716	P720 Linerless Laminate, 1 mil full card with Genuine Secure Image (800 cards per roll)	\$ 201.50
800015-800	P620 Card Cleaning Tape Roll	\$ 12.90
800015-802	P630i/P640i Card cleaning cartridge (cleans up to 3000 cards)	\$ 38.69
800015-841	Ribbon - Five panel color ribbon for P620with Ultra Violet, 500 images per roll, YMCUYK	\$ 193.44
800015-845	Ribbon - Four panel color ribbon for P620, 500 images per roll, YMCK	\$ 141.05
800015-880	Ribbon - Five panel color ribbon for P620 printer, 500 images per roll, YMCKK	\$ 168.45
800015-912	P620 & P640i Linerless Laminate, 1 mil clear coat cards with Magnetic stripe (600 card per roll)	\$ 77.38
800015-913	P620 & P640i Linerless Laminate, 1 mil clear coat for magstripe cards (600 card per roll)	\$ 96.72
800015-914	P620 & P640i Linerless Laminate, 1 mil clear coat full card (600 card per roll)	\$ 77.38
800015-915	P620 & P640i Linerless Laminate, 1 mil World Glove Hologram (600 card/roll)	\$ 104.78
800015-916	P620 & P640i Linerless Laminate, 1 mil TCP Security Hologram (600 card/roll)	\$ 104.78

800015-940	P110i and P120i ribbon -YMCKO cartridge full color, 200 prints per roll	\$ 72.54
800015-948	P120i ribbon -YMCKOK cartridge, full color front with black on back,165 prints per roll	\$ 80.60
82000AKEL	Lenel HID EdgePlus™ E400 Single door, IP-based controller for OnGuard 6.1 or higher. Allows external connection to any Wiegand reader (up to 128 bit output). Automatically licensed for use with OnGuard up to system reader capacity	\$ 421.54
82120AKI000L	Lenel HID EdgeReader™ ER40 Single door, IP-based controller, with integrated R40 iCLASS reader for OnGuard 6.1 or higher. Indoor use only. Automatically licensed for use with OnGuard up to system reader capacity	\$ 458.61
82125BKI000L	Lenel HID EdgeReader™ ERP40 Single door, IP-based controller, with integrated RP40 multiCLASS reader for OnGuard 6.1 or higher. Indoor use only. Automatically licensed for use with OnGuard up to system reader capacity	\$ 490.05
ABT-12	Battery Kit, includes, 12 VDC, 12 AH Battery (PS-12120)	\$ 55.61
ABT-24	Battery Kit, includes, two 12 VDC, 12 AH Battery (PS-12120)	\$ 130.57
ANT-REM-I/O	Indoor/Outdoor Remote Antenna Module - includes Antenna, 15' coax, cable gland and grounding kit - for use with PIM(s) and WRI-OTD-12VDCs	\$ 219.23
ANT-REM-I/O+6DB	Indoor/Outdoor Directional Remote Flat Panel Antenna Module with 6db of gain, includes 15 feet coax, 50 ohm cable with conector, for use with PIM(s) and WRI-OTD-12VDCs	\$ 274.85
ANT-REM-IN	Indoor Remote Antenna Module - includes Antenna, 15' coax, cable gland - for use with PIM(s) and WRI-OTD-12VDCs	\$ 112.03
AP-HID-8UP	8 Access Controller Licenses allows up to 8 HID EdgeReader or EdgePlus to be added to an OnGuard system, up to the reader capacity of the OnGuard License.	\$ 1,239.63
APS-RK-600ALULX-4CB6	Lenel UL Listed Power Supply – 12VDC or 24VDC 6A output (switch selectable), 120VAC (1.6 amps) input, continuous supply current with enclosure (18"x 24" x 4.5"), lock, tamper switch, power distribution module, UPS capable (Battery Optional) UL & CUL Appro	\$ -
ARD-RKPU-ISC5B	Biometric Reader Interface Gateway – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 8 Schlage Hand Geometry readers per interface (supported readers are ID3D, Handkey II and Handkey CR),also supports Identix V20	\$ -

ARD-RKPU-ISC5W	Wireless Gateway Interface – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 16 Wireless readers per interface (supports all WA, WRI and WPR Readers) available for use with OnGuard Version 5.10.4xx , RoHS, CE and	\$ -
ASA-RKPU-128	Covers ADV, ADVI, & IDADV systems	\$ -
ASA-RKPU-32	Covers 32ES, 32ESI, & IDES Systems , and Regional SM Servers	\$ -
ASA-RKPU-64	SW support for each additional 64 reader software	\$ -
ASA-RKPU-PRO	Covers PRO, IDPRO, PROI, Regional Systems	\$ -
ASL-RKPU-ADVI	Lenel OnGuard ADVI Server Software License on CDROM - includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CCTV Interface, Video Verification, Guard	\$ -
ASL-RKPU-IDADV	Lenel OnGuard IDADV Server Software License on CDROM – includes OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (ChromaKey and Ghosting), Ba	\$ -
ASL-RKPU-IDES	Lenel OnGuard IDES Server Software on CDROM – includes OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (ChromaKey and Ghosting), BadgeDesign	\$ -
ASL-RKPU-IDPRO	Lenel OnGuard IDPRO Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for License Server, Import, Login Driver and first year support plan SUSP-W-PRO-S USE PC CONFIGURATION # 5 - Dell PowerEdge 2950 Rackmo	\$ -
ASL-RKPU-PRO	Lenel OnGuard PRO Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail In	\$ -
ASL-RKPU-PROI	Lenel OnGuard PROI Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, CCTV Interface, Video Verification, Guard Tour, Auto	\$ -
ASL-RKPU-S32ESI	Lenel OnGuard 32ESI Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CCTV Interface, Video Verification, Guar	\$ -
AX 0269-006	AXIS 211M [AUS] 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600	\$ 603.69

AX-0185-002	AXIS 241Q Video Server - Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled even	\$ 898.69
AX-0185-003	AXIS 241Q Video Server - Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled even	\$ 898.69
AX-0185-004	AXIS 241Q Video Server - Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled even	\$ 643.99
AX-0185-005	AXIS 241Q Video Server - Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled even	\$ 643.99
AX-0185-006	AXIS 241Q Video Server - Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled even	\$ 643.99
AX-0185-022	AXIS 241Q Video Server 10-Pack - Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	\$ 8,695.13
AX-0185-023	AXIS 241Q Video Server 10-Pack - Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	\$ 8,695.13
AX-0185-024	AXIS 241Q Video Server 10-Pack - Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	\$ 6,245.69
AX-0185-025	AXIS 241Q Video Server 10-Pack - Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	\$ 6,245.69
AX-0185-026	AXIS 241Q Video Server 10-Pack - Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	\$ 6,174.77
AX-0186-002	AXIS 241S Video Server - One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled event	\$ 560.98
AX-0186-003	AXIS 241S Video Server - One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled event	\$ 560.98
AX-0186-004	AXIS 241S Video Server - One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled event	\$ 442.49

AX-0186-005	AXIS 241S Video Server - One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled event	\$ 442.49
AX-0186-006	AXIS 241S Video Server - One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled event	\$ 442.49
AX-0186-022	AXIS 241S Video Server 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 5,446.95
AX-0186-023	AXIS 241S Video Server 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 5,446.95
AX-0186-024	AXIS 241S Video Server 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 3,908.29
AX-0186-025	AXIS 241S Video Server 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 4,311.29
AX-0186-026	AXIS 241S Video Server 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 4,311.29
AX-0192-002	AXIS Video Server Rack - Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels.	\$ 1,479.01
AX-0192-003	AXIS Video Server Rack - Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels.	\$ 1,498.35
AX-0192-004	AXIS Video Server Rack - Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels.	\$ 1,046.99
AX-0192-005	AXIS Video Server Rack - Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels.	\$ 1,046.99
AX-0192-006	AXIS Video Server Rack - Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels.	\$ 1,046.99
AX-0195-004	AXIS 290B Network Camera Housing [APAC] - An outdoor enclosure designed specifically for the AXIS 2120 and AXIS 2420 Network Cameras. Temperatures controlled and tamper proof.	\$ 240.99

AX-0197-002	AXIS 210 [EMEA] - Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use	\$ 498.91
AX-0197-003	AXIS 210 [UK] - Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use	\$ 498.91
AX-0197-004	AXIS 210 [APAC]- Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use	\$ 361.89
AX-0197-005	AXIS 210 [Japan] - Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor	\$ 361.89
AX-0197-006	AXIS 210 [AUS] - Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use	\$ 361.89
AX-0197-022	AXIS 210 10-Pack [EMEA] -Includes 10 pieces of the AXIS 210 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 4,722.35
AX-0197-023	AXIS 210 10-Pack [UK] -Includes 10 pieces of the AXIS 210 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 4,722.35
AX-0197-024	AXIS 210 10-Pack [APAC] -Includes 10 pieces of the AXIS 210 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 3,586.70
AX-0197-026	AXIS 210 [AUS] -Includes 10 pieces of the AXIS 210 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 3,586.70
AX-0198-002	AXIS 211 - Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. In	\$ 685.91
AX-0198-003	AXIS 211 - Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. In	\$ 685.91
AX-0198-005	AXIS 211 - Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. In	\$ 482.79
AX-0198-006	AXIS 211 - Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. In	\$ 500.53

AX-0198-022	AXIS 211 10-Pack -Includes 10 pcs of the AXIS 211 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 6,709.14
AX-0198-023	AXIS 211 10-Pack -Includes 10 pcs of the AXIS 211 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 6,709.14
AX-0198-025	AXIS 211 10-Pack -Includes 10 pcs of the AXIS 211 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 4,754.59
AX-0198-026	AXIS 211 10-Pack -Includes 10 pcs of the AXIS 211 Network Camera with power supplies and stands in a bulk-pack packaging.	\$ 4,754.59
AX-0199-002	AXIS 206 - Small network camera with built-in web server, 10/100 network connection and compact size (2.17" x 1.34" x 3.35").Resolution up to 640x480 at 30 fps that works in low light, down to 4 lux. Supports local languages. Includes fixed iris lens, AXI	\$ 236.96
AX-0199-003	AXIS 206 [UK]- Small network camera with built-in web server, 10/100 network connection and compact size (2.17" x 1.34" x 3.35").Resolution up to 640x480 at 30 fps that works in low light, down to 4 lux. Supports local languages. Includes fixed iris lens,	\$ 236.16
AX-0199-004	AXIS 206 - Small network camera with built-in web server, 10/100 network connection and compact size (2.17" x 1.34" x 3.35").Resolution up to 640x480 at 30 fps that works in low light, down to 4 lux. Supports local languages. Includes fixed iris lens, Axi	\$ 160.39
AX-0199-005	AXIS 206 - Small network camera with built-in web server, 10/100 network connection and compact size (2.17" x 1.34" x 3.35").Resolution up to 640x480 at 30 fps that works in low light, down to 4 lux. Supports local languages. Includes fixed iris lens, AXI	\$ 240.99
AX-0199-006	AXIS 206 - Small network camera with built-in web server, 10/100 network connection and compact size (2.17" x 1.34" x 3.35").Resolution up to 640x480 at 30 fps that works in low light, down to 4 lux. Supports local languages. Includes fixed iris lens, AXI	\$ 240.99
AX-0209-001	AXIS 241Q Blade - The AXIS 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG video.	\$ 785.85
AX-0209-011	AXIS 241Q Blade - The AXIS 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG video.	\$ 563.39
AX-0209-021	AXIS 241Q Blade 10-Pack - Includes 10 pcs of AXIS 241Q Blade in a bulk pack. No manuals are included.	\$ 7,570.76
AX-0209-031	AXIS 241Q Blade 10-Pack - Includes 10 pcs of AXIS 241Q Blade in a bulk pack. No manuals are included.	\$ 5,439.69

AX-0210-001	AXIS 241S Blade - One port, full frame-rate video server, based on Motion JPEG video. Security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection and Watch-dog functionality. Event management based o	\$ 448.14
AX-0210-011	AXIS 241S Blade - One port, full frame-rate video server, based on Motion JPEG video. Security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection and Watch-dog functionality. Event management based o	\$ 321.59
AX-0210-021	AXIS 241S Blade 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 4,935.14
AX-0210-031	AXIS 241S Blade 10-Pack – Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	\$ 2,787.95
AX-0219-002	AXIS 213 PTZ (EMEA) – Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions. Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (\$ 1,748.21
AX-0219-003	AXIS 213 PTZ (UK) - Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions. Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (NT	\$ 1,748.21
AX-0220-004	AXIS 213 PTZ [APAC] – Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions. Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (N	\$ 1,208.19
AX-0220-005	AXIS 213 PTZ [Japan] – Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions. Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (\$ 1,208.19
AX-0221-002	AXIS 221 - High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camer	\$ 1,185.63
AX-0221-003	AXIS 221 - High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camer	\$ 1,185.63
AX-0221-004	AXIS 221 - High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camer	\$ 805.19
AX-0221-005	AXIS 221 - High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camer	\$ 805.19
AX-0221-006	AXIS 221 - High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camer	\$ 805.19

AX-0221-082	AXIS-221 10 Pack - Includes 10 AXIS 221 Day&Night Network Camera with lenses, but other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 11,744.23
AX-0221-083	AXIS-221 10 Pack - Includes 10 AXIS 221 Day&Night Network Camera with lenses, but other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 11,744.23
AX-0221-084	AXIS-221 10 Pack - Includes 10 AXIS 221 Day&Night Network Camera with lenses, but other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 7,978.59
AX-0221-086	AXIS-221 10 Pack - Includes 10 AXIS 221 Day&Night Network Camera with lenses, but other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 7,978.59
AX-0223-002	AXIS 211A (EMEA)- Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPEG streams	\$ 748.77
AX-0223-003	AXIS 211A (UK)- Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPEG streams.	\$ 748.77
AX-0223-004	AXIS 211A [APAC]- Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPEG streams	\$ 523.09
AX-0223-005	AXIS 211A - Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides two-way audio, Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPE	\$ 523.09
AX-0223-006	AXIS 211A - Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides two-way audio, Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPE	\$ 523.09
AX-0223-022	AXIS 211A 10-Pack -Includes 10 AXIS 211A Network Camera with power supplies and stands in one box	\$ 7,245.94
AX-0223-023	AXIS 211A 10-Pack [UK] - Includes 10 AXIS 211A Network Camera with power supplies and stands in one box	\$ 7,245.94
AX-0223-024	AXIS 211A 10-Pack [APAC] - Includes 10 AXIS 211A Network Camera with power supplies and stands in one box	\$ 5,157.59
AX-0223-026	AXIS 211A 10-Pack - Includes 10 AXIS 211A Network Camera with power supplies and stands in one box	\$ 5,157.59

AX-0230-002	AXIS 241QA Video Server - High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package included	\$ 947.86
AX-0230-003	AXIS 241QA Video Server - High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package included	\$ 947.86
AX-0230-004	AXIS 241QA Video Server - High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package included	\$ 684.29
AX-0230-005	AXIS 241QA Video Server - High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package included	\$ 684.29
AX-0230-006	AXIS 241QA Video Server - High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package included	\$ 684.29
AX-0232-002	AXIS 240Q Video Server - The AXIS 240Q Video Server offers 6 fps per channel. Motion JPEG video simultaneously on four channels. Security package with IP filtering, HTTPS encryption and multiple user access levels protection. Built-in Video Motion Detect	\$ 560.98
AX-0232-003	AXIS 240Q Video Server - The AXIS 240Q Video Server offers 6 fps per channel. Motion JPEG video simultaneously on four channels. Security package with IP filtering, HTTPS encryption and multiple user access levels protection. Built-in Video Motion Detect	\$ 560.98
AX-0232-004	AXIS 240Q Video Server - The AXIS 240Q Video Server offers 6 fps per channel. Motion JPEG video simultaneously on four channels. Security package with IP filtering, HTTPS encryption and multiple user access levels protection. Built-in Video Motion Detect	\$ 402.19
AX-0232-005	AXIS 240Q Video Server - The AXIS 240Q Video Server offers 6 fps per channel. Motion JPEG video simultaneously on four channels. Security package with IP filtering, HTTPS encryption and multiple user access levels protection. Built-in Video Motion Detect	\$ 402.19
AX-0232-021	AXIS 240Q Blade [Japan, AUS, UK, EMEA] - Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation.	\$ 321.59
AX-0232-024	AXIS 240Q Blade [APAC] - Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation.	\$ 321.59
AX-0232-052	AXIS 240Q Video Server 10-Pack - Includes 10 pcs. of AXIS 240Q in a bulk pack. No manuals are included.	\$ 5,446.95
AX-0232-053	AXIS 240Q Video Server 10-Pack - Includes 10 pcs. of AXIS 240Q in a bulk pack. No manuals are included.	\$ 5,446.95

AX-0232-054	AXIS 240Q Video Server 10-Pack - Includes 10 pcs. of AXIS 240Q in a bulk pack. No manuals are included.	\$ 3,908.29
AX-0232-056	AXIS 240Q Video Server 10-Pack - Includes 10 pcs. of AXIS 240Q in a bulk pack. No manuals are included.	\$ 3,908.29
AX-0232-081	AXIS 240Q Blade 10-Pack [Japan, AUS, UK, EMEA] - Includes 10 pieces of AXIS 240Q Blade in a bulk pack. No manuals are included.	\$ 3,103.10
AX-0232-084	AXIS 240Q Blade 10-Pack [APAC] - Includes 10 pieces of AXIS 240Q Blade in a bulk pack. No manuals are included.	\$ 3,102.29
AX-0233-002	AXIS 210A - Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and p	\$ 623.84
AX-0233-003	AXIS 210A - Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and p	\$ 623.84
AX-0233-004	AXIS 210A - Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and p	\$ 442.49
AX-0233-005	AXIS 210A - Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and p	\$ 442.49
AX-0233-006	AXIS 210A - Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and p	\$ 442.49
AX-0233-022	AXIS 210A 10-Pack Includes 10 pcs of the AXIS 210A Network Camera with power supplies and stands in a bulk-pack packaging. Only one manual and CD.	\$ 5,908.79
AX-0233-023	AXIS 210A 10-Pack Includes 10 pcs of the AXIS 210A Network Camera with power supplies and stands in a bulk-pack packaging. Only one manual and CD.	\$ 5,908.79
AX-0233-024	AXIS 210A 10-Pack Includes 10 pcs of the AXIS 210A Network Camera with power supplies and stands in a bulk-pack packaging. Only one manual and CD.	\$ 4,383.83
AX-0233-025	AXIS 210A 10-Pack Includes 10 pcs of the AXIS 210A Network Camera with power supplies and stands in a bulk-pack packaging. Only one manual and CD.	\$ 4,383.83

AX-0233-026	AXIS 210A 10-Pack Includes 10 pcs of the AXIS 210A Network Camera with power supplies and stands in a bulk-pack packaging. Only one manual and CD.	\$ 4,383.83
AX-0234-005	AXIS-225FD - Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion	\$ 885.79
AX-0235-002	AXIS 207 - Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes adjustable stand /	\$ 323.21
AX-0235-003	AXIS 207 - Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes adjustable stand /	\$ 323.21
AX-0235-004	AXIS 207 - Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes adjustable stand /	\$ 224.87
AX-0235-005	AXIS 207 - Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes adjustable stand /	\$ 224.87
AX-0235-006	AXIS 207 - Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes adjustable stand /	\$ 224.87
AX-0235-032	AXIS 207 10-Pack [EMEA] Includes 10 AXIS 207 Network Camera with power supplies and stands in one box.	\$ 3,184.51
AX-0235-033	AXIS 207 10-Pack [UK] Includes 10 AXIS 207 Network Camera with power supplies and stands in one box.	\$ 3,184.51
AX-0235-034	AXIS 207 10-Pack Includes 10 AXIS 207 Network Camera with power supplies and stands in one box.	\$ 2,215.69
AX-0235-035	AXIS 207 10-Pack [Japan] Includes 10 AXIS 207 Network Camera with power supplies and stands in one box.	\$ 2,215.69
AX-0235-036	AXIS 207 10-Pack [AUS] Includes 10 AXIS 207 Network Camera with power supplies and stands in one box.	\$ 2,215.69
AX-0240-002	AXIS-216FD [EMEA]- Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detect	\$ 748.77

AX-0240-003	AXIS-216FD [UK] - Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detect	\$ 748.77
AX-0240-004	AXIS-216FD [USA] - Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detect	\$ 563.39
AX-0240-006	AXIS-216FD [AUS] - Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detect	\$ 563.39
AX-0240-022	AXIS 216FD - 10 Pack [EMEA] - Includes 10 AXIS 216FD Network Dome Cameras (End of life announced July 2007)	\$ 7,382.96
AX-0240-023	AXIS 216FD [UK] - 10 Pack - Includes 10 AXIS 216FD Network Dome Cameras. (end of life announced July 2007)	\$ 7,382.96
AX-0240-024	AXIS 216FD - 10 Pack [USA] - Includes 10 AXIS 216FD Network Dome Cameras (End of life announced July 2007)	\$ 5,560.59
AX-0240-026	AXIS 216FD - 10 Pack [AUS] - Includes 10 AXIS 216FD Network Dome Cameras (End of life announced July 2007)	\$ 5,560.59
AX-0241-002	AXIS 207W - Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame r	\$ 349.00
AX-0241-003	AXIS 207W - Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame r	\$ 349.00
AX-0241-004	AXIS 207W - Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame r	\$ 240.99
AX-0241-005	AXIS 207W - Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame r	\$ 240.99
AX-0241-006	AXIS 207W - Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame r	\$ 240.99
AX-0241-034	AXIS 207W 10-Pack Includes 10 AXIS 207W Network Camera with power supplies and stands in one box.	\$ 2,376.89

AX-0243-002	AXIS-225FD - Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion	\$ 1,123.56
AX-0243-003	AXIS 225FD 22mm 225FD w/V-focal 9-22 mm DC-iris lens	\$ 869.67
AX-0243-004	AXIS-225FD [APAC] – Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous	\$ 805.19
AX-0243-005	AXIS-225FD [Japan] – Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous	\$ 805.19
AX-0243-006	AXIS-225FD - Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion	\$ 1,006.69
AX-0243-062	AXIS 225FD 22mm 225FD w/V-focal 9-22 mm DC-iris lens	\$ 1,123.56
AX-0243-064	AXIS 225FD22mm[USA] 225FD w/V-focal 9-22 mm DC-iris lens	\$ 805.19
AX-0243-065	AXIS 225FD 22mm [Japan] 225FD w/V-focal 9-22 mm DC-iris lens	\$ 805.19
AX-0243-066	AXIS 225FD 22mm 225FD w/V-focal 9-22 mm DC-iris lens	\$ 805.19
AX-0246-002	AXIS 214 PTZ - Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling	\$ 1,498.35
AX-0246-003	AXIS 214 PTZ - Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling	\$ 1,479.01
AX-0246-004	AXIS 214 PTZ [USA] - Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling	\$ 1,046.99
AX-0246-005	AXIS 214 PTZ - Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling	\$ 1,046.99

AX-0246-006	AXIS 214 PTZ - Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceili	\$ 1,046.99
AX-0247-002	AXIS-223M [EMEA] - 2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling	\$ 1,623.28
AX-0247-003	AXIS-223M [UK]- 2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling.	\$ 1,623.28
AX-0247-004	AXIS-223M - [USA] 2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling	\$ 1,127.59
AX-0247-005	AXIS-223M [JAPAN]- 2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling	\$ 1,127.59
AX-0247-006	AXIS-223M [AUS]- 2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling.	\$ 1,127.59
AX-0247-031	AXIS-223M [USA] 10 Pack - Includes 10 AXIS 223M Day&Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 11,162.29
AX-0247-032	AXIS-223M 10 Pack [EMEA] - Includes 10 AXIS 223M Day&Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 16,067.61
AX-0247-033	AXIS-223M 10 Pack [UK]- Includes 10 AXIS 223M Day&Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 16,067.61
AX-0247-035	AXIS-223M 10 Pack [JAPAN]- Includes 10 AXIS 223M Day&Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 11,162.29
AX-0247-036	AXIS-223M 10 Pack [AUS] - Includes 10 AXIS 223M Day&Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED.	\$ 11,162.29
AX-0247-051	AXIS 223M Barebones 10 Pack [USA, AUS, EMEA,UK] AXIS 223M in Barebones 10-pack. No power supply, No lens	\$ 10,356.29
AX-0248-001	AXIS 295 JOYSTICK CONTROLLER [ALL] Professional joystick for accurate control over network of all Axis pan/tilt/zoom and dome network cameras. Connects to PC workstation over USB. Features a three-axis Hall Effect joystick with X/Y-axis for positioning an	\$ 281.29

AX-0250-001	AXIS 231D+ [UK & EMEA] - Network Dome Camera for in and outdoor use. Motion JPEG & MPEG-4*. Full frame rate video up to 768x576 resolution. Built-in 18x Optical zoom-lens. Continuous 360° rotation. 4 alarm inputs and 4 outputs. Outdoor housing available f	\$ 2,372.86
AX-0251-001	AXIS 231D+ [APAC, AUS, Japan] - Network Dome Camera Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for a	\$ 1,611.19
AX-0251-005	AXIS 231D+ [APAC, AUS, JAPAN] - - Network Dome Camera Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for	\$ 1,611.19
AX-0252-001	AXIS 232D+ [UK & EMEA] - Network Dome Camera with day & night functionality for indoor and outdoor use. Motion JPEG & MPEG-4*. Full frame rate video up to 768x576 resolution. Built-in 18x Optical zoom-lens. Continuous rotation. 4 alarm inputs and 4 output	\$ 2,747.65
AX-0253-001	AXIS 232D+ [APAC, AUS, Japan] - Network Dome Camera Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for a	\$ 1,852.99
AX-0253-005	AXIS 232D+ [JAPAN] - Network Dome Camera Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event	\$ 1,852.99
AX-0256-002	AXIS 243SA Video Server [EMEA]- One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt	\$ 785.85
AX-0256-003	AXIS 243SA Video Server - One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt/zoom	\$ 785.85
AX-0256-004	AXIS 243SA Video Server [APAC - One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt	\$ 563.39
AX-0256-005	AXIS 243SA Video Server [Japan] - One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/ti	\$ 563.39
AX-0256-006	AXIS 243SA Video Server [AUS] - One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt	\$ 563.39
AX-0257-002	AXIS 212 PTZ [EMEA] - Pan/tilt/zoom camera without moving parts. 3 x zoom. 140 degree pan and 105 degrees tilt. Up to VGA resolution (640 x 480) at 30 frames per second (FPS) rate. Simultaneous MPEG4 and Motion JPEG. I/O for alarms /event handling. Inclu	\$ 685.91
AX-0257-003	AXIS 212PTZ [UK] - Pan/tilt/zoom camera without moving parts. 3 x zoom. 140 degree pan and 105 degrees tilt. Up to VGA resolution (640 x 480) at 30 frames per second (FPS) rate. Simultaneous MPEG4 and Motion JPEG. I/O for alarms /event handling. Includes	\$ 685.91

AX-0257-004	AXIS 212PTZ [APAC]- Pan/tilt/zoom camera without moving parts. 3 x zoom. 140 degree pan and 105 degrees tilt. Up to VGA resolution (640 x 480) at 30 frames per second (FPS) rate. Simultaneous MPEG4 and Motion JPEG. I/O for alarms /event handling. Include	\$ 523.09
AX-0257-005	AXIS 212 PTZ [JAPAN] Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount	\$ 523.09
AX-0257-006	AXIS 212 PTZ (AUS) Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount	\$ 523.09
AX-0257-022	AXIS 212 PTZ 10 Pack [EMEA] Includes 10 AXIS 212 PTZ Network Cameras	\$ 6,746.22
AX-0257-023	AXIS 212 PTZ [UK] 10 Pack Includes 10 AXIS 212 PTZ Network Cameras	\$ 6,746.22
AX-0257-024	AX212 PTZ 10 Pack [APAC] Includes 10 AXIS 212 PTZ Network Cameras	\$ 5,157.59
AX-0257-025	AXIS 212 PTZ 10-Pack [Japan] Includes 10 AXIS 212 PTZ Network Cameras	\$ 5,157.59
AX-0257-026	AXIS 212 PTZ 10-Pack (AUS) Includes 10 AXIS 212 PTZ Network Cameras	\$ 5,157.59
AX-0261-001	AXIS 243Q Blade [ALL]- 4channel Blade Server, high quality full frame rated video up to 25/30 fps in all resolution, in MPEG-4 or Motion JPEG. Supports four simultaneous MPEG-4 and Motion JPEG streams, motion detection, remote pan/tilt/zoom control and se	\$ 805.19
AX-0261-021	AXIS 243Q Blade 10 Pack [ALL] – Includes 10 pcs of AXIS 243Q in a bulk pack. No manuals are included.	\$ 7,817.39
AX-0265-001	AXIS 233D [UK] 35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0,008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion	\$ 2,997.51
AX-0266-001	AXIS 233D [ALL] 35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0,008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion	\$ 2,014.19
AX-0267-002	AXIS 291 1U Video Server Rack [EMEA] - 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 436.05

AX-0267-003	AXIS 291 1U Video Server Rack [UK] - 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 436.05
AX-0267-004	AXIS 247S [USA]10 Pack1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 321.59
AX-0267-005	AXIS 291 1U Video Server Rack [Japan] - 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 321.59
AX-0267-006	AXIS 291 1U Video Server Rack [AUS] - 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 321.59
AX-0268-002	AXIS 216FD-V [EMEA] Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion	\$ 798.75
AX-0268-003	AXIS-216FD-V [UK] Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion D	\$ 798.75
AX-0268-004	AXIS-216FD-V [USA] Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion	\$ 603.69
AX-0268-005	Axis-216FD-V [Japan] Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion	\$ 603.69
AX-0268-006	AXIS-216FD-V (AUS)- Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion	\$ 603.69
AX-0268-022	AXIS 216FD [EMEA]-V 10 Pack (EMEA) Includes 10 AXIS 216FD-V Fixed Dome Network Cameras	\$ 7,882.68
AX-0268-023	AXIS 216FD-V [UK] 10 Pack Includes 10 AXIS 216FD-V Fixed Dome Network Cameras	\$ 7,882.68
AX-0268-024	AXIS 216FD-V [USA]10 Pack Includes 10 AXIS 216FD-V Fixed Dome Network Cameras	\$ 5,963.59
AX-0268-025	AXIS 216FD-V [JAPAN] 10 Pack Includes 10 AXIS 216FD-V Fixed Dome Network Cameras	\$ 5,963.59

AX-0268-026	AXIS 216FD-V [AUS]10 Pack Includes 10 AXIS 216FD-V Fixed Dome Network Cameras	\$ 5,963.59
AX-0269-002	AXIS 211M [EMEA] 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x60	\$ 873.70
AX-0269-003	AXIS 211M [UK]1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600.	\$ 873.70
AX-0269-004	AXIS 211M [USA]1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600.	\$ 603.69
AX-0269-005	AXIS 211M [JAPAN] 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x6	\$ 603.69
AX-0269-021	AXIS 211 M [USA, AUS, EUR, UK]10-PACK Includes 10 AXIS 211M, no power supply	\$ 5,923.29
AX-0269-025	AXIS 211M 10 Pack [JAPAN] Includes 10 AXIS 211M, no power supply	\$ 5,923.29
AX-0270-002	AXIS 211W [EMEA] Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video	\$ 810.84
AX-0270-003	AXIS 211W [UK] Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 Lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video M	\$ 810.84
AX-0270-004	AXIS 211W [USA] Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video	\$ 563.39
AX-0270-005	AXIS 211W [JAPAN] Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Vide	\$ 563.39
AX-0270-006	AXIS 211W [AUS] Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video	\$ 563.39
AX-0270-022	AXIS 211W [EMEA] 10-Pack includes AXIS 211W in 10-pack. With power supply.	\$ 7,995.52

AX-0270-023	AXIS 211W [UK]10 Pack includes AXIS 211W in 10-pack. With power supply.	\$ 7,995.52
AX-0270-024	AXIS 211W [USA]10-Pack includes AXIS 211W in 10-pack. With power supply.	\$ 5,560.59
AX-0270-025	AXIS 211W 10 Pack [JAPAN] includes AXIS 211W in 10-pack. With power supply	\$ 5,560.59
AX-0270-026	AXIS 211W 10-Pack [AUS] includes AXIS 211W in 10-pack. With power supply.	\$ 5,560.59
AX-0272-001	AXIS 247S [USA, AUS, EUR, UK] 1 channel, high quality video up to 30/25 fps in all resolutions. Simultaneous Motion JPEG and MPEG-4. One-way audio, motion detection and security package including HTTPS encryption. Powered over Ethernet (IEEE 802.3af) with	\$ 402.19
AX-0272-005	AXIS 247S [JAPAN] 1 channel, high quality video up to 30/25 fps in all resolutions. Simultaneous Motion JPEG and MPEG-4. One-way audio, motion detection and security package including HTTPS encryption. Powered over Ethernet (IEEE 802.3af) with power out f	\$ 402.19
AX-0272-021	AXIS 247S [USA]10 Pack Includes 10 AXIS 247S Video Servers	\$ 3,908.29
AX-0274-002	AXIS 215 PTZ [EMEA] Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-wa	\$ 1,185.63
AX-0274-004	AXIS 215 PTZ [USA] Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way	\$ 805.19
AX-0274-005	AXIS 215 PTZ [Japan] Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-w	\$ 805.19
AX-0274-055	AXIS 223M Barebones 10 Pack [Japan] AXIS 223M in Barebones 10-pack. No power supply, No lens	\$ 10,356.29
AX-0275-002	AXIS 209FD-R [EMEA] Special fixed dome camera for Buses and track bound traffic. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Mot	\$ 623.84
AX-0275-003	AXIS 209FD-R [UK]Special fixed dome camera for Buses and track bound traffic. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion	\$ 623.84

AX-0275-004	AXIS 209FD-R (R-Rugged)Special fixed dome camera for Buses and track bound traffic. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous	\$ 482.79
AX-0275-005	AXIS 209FD-R [JAPAN] Special fixed dome camera for Buses and track bound traffic. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Mo	\$ 482.79
AX-0275-006	AXIS 209FD-R [AUS] Special fixed dome camera for Buses and track bound traffic. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Moti	\$ 482.79
AX-0275-021	AXIS 209FD-R 10-Pack [ALL] AXIS 209FD in 10-pack, excluding 1-port Midspans	\$ 4,513.60
AX-0277-002	AXIS 12 Channel Video Server Bundle [EMEA] - 3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	\$ 3,747.09
AX-0277-003	AXIS 12 Channel Video Server Bundle [UK]- 3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	\$ 3,747.09
AX-0277-004	AXIS 12 Channel Video Server Bundle [APAC] - 3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	\$ 2,699.29
AX-0277-005	AXIS 12 Channel Video Server Bundle [Japan] - 3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	\$ 2,699.29
AX-0277-006	AXIS 12 Channel Video Server Bundle [AUS] - 3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	\$ 2,699.29
AX-0278-002	AXIS-216MFD -1.3 Megapixel[EMEA] 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames pe	\$ 873.70
AX-0278-003	AXIS-216MFD [UK] -1.3 Megapixel 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per	\$ 873.70
AX-0278-004	AXIS-216MFD -[USA] 1.3 Megapixel 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames pe	\$ 643.99
AX-0278-005	AXIS-216MFD -1.3 Megapixel [JAPAN]1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames p	\$ 723.79

AX-0278-006	AXIS-216MFD -1.3 Megapixel [AUS]1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per	\$ 805.19
AX-0278-021	AXIS 216MFD 10-Pack [EMEA] AXIS 216MFD in 10-pack. No power supply	\$ 8,583.09
AX-0279-002	AXIS-216MFD [EMEA]-V 1.3 Megapixel Vandalproof housing[EMEA] 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution.	\$ 923.68
AX-0279-003	AXIS-216MFD-V [UK] 1.3 Megapixel Vandalproof housing1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frame	\$ 923.68
AX-0279-004	AXIS-216MFD-V [USA] 1.3 Megapixel Vandalproof housing 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 fra	\$ 684.29
AX-0279-005	AXIS-216MFD-V 1.3 Megapixel Vandalproof housing [JAPAN] 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 f	\$ 772.95
AX-0279-006	AXIS-216MFD-V 1.3 Megapixel Vandalproof housing[AUS] 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 fram	\$ 855.17
AX-0279-021	AXIS 216MFD-V 10 Pack [USA, AUS, EUR, UK] AXIS 216MFD-V in 10-pack. No power supply	\$ 6,729.29
AX-0279-025	AXIS 216MFD-V 10 Pack [Japan] AXIS 216MFD-V in 10-pack. No power supply	\$ 6,729.29
AX-0280-002	AXIS 212 PTZ-V [EMEA] Vandal resistant version of AXIS 212 PTZ. Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event	\$ 748.77
AX-0280-003	AXIS 212PTZ -V- [UK] Vandal resistant version of AXIS 212 PTZ. Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event ha	\$ 579.51
AX-0280-004	AXIS 212 PTZ-V [USA] Vandal resistant version of AXIS 212 PTZ. Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event ha	\$ 603.69
AX-0280-005	AXIS 212 PTZ-V [Japan] Vandal resistant version of AXIS 212 PTZ. Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event	\$ 563.39

AX-0280-006	AXIS 212 PTZ-V Vandal resistant version of AXIS 212 PTZ. Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handli	\$ 523.09
AX-0280-022	AXIS 212 PTZ-V 10-Pack [EMEA] AXIS 212 PTZ-V in 10 pack	\$ 7,433.74
AX-0280-023	AXIS 212 PTZ-V [UK] 10 Pack AXIS 212 PTZ-V in 10 pack	\$ 5,754.03
AX-0280-024	AXIS 212 PTZ-V [USA] AXIS 212 PTZ-V in 10 pack	\$ 5,560.59
AX-0280-025	AXIS 212 PTZ-V 10-Pack [Japan] AXIS 212 PTZ-V in 10 pack	\$ 5,560.59
AX-0280-026	AXIS 212 PTZ-V 10-Pack	\$ 5,560.59
AX-0281-002	AXIS 209FD [EMEA] Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and	\$ 560.98
AX-0281-003	AXIS 209FD [UK] Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and	\$ 560.98
AX-0281-004	AXIS 209FD Non rugged version for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion	\$ 442.49
AX-0281-005	AXIS 209FD [Japan] Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG a	\$ 442.49
AX-0281-006	AXIS 209FD [AUS] Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG an	\$ 443.30
AX-0281-021	AXIS 209FD 10-Pack [ALL] AXIS 209FD in 10-pack, without Midspan	\$ 4,190.39
AX-0283-002	AXIS 209MFD [EMEA] Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan	\$ 685.91

AX-0283-003	AXIS 209MFD [UK] Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan 8	\$ 685.91
AX-0283-004	AXIS 209MFD Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan 800x60	\$ 523.09
AX-0283-005	AXIS 209MFD [Japan] Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial sca	\$ 523.09
AX-0283-006	AXIS 209MFD [AUS] Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan	\$ 523.90
AX-0283-021	AXIS 209MFD 10-Pack AXIS 209MFD in 10-pack, without Midspan	\$ 4,956.09
AX-0286-002	AXIS 209MFD-R [EMEA] Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames pe	\$ 748.77
AX-0286-003	AXIS 209MFD-R [UK] Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames	\$ 748.77
AX-0286-004	AXIS 209MFD-R [USA] Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per	\$ 563.39
AX-0286-005	AXIS 209MFD-R [Japan] Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 fram	\$ 563.39
AX-0286-006	AXIS 209MFD-R [AUS] Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames	\$ 564.20
AX-0286-021	AXIS 209MFD-R [ALL] 10-Pack AXIS 209MFD-R in 10-pack excluding one-port Midspans. Cannot be sold separately	\$ 5,359.09
AX-20805	ACC IR Illuminator 850nm 30degrees [EMEA] - Semi-Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D	\$ 560.98
AX-20806	ACC IR Illuminator 850nm 30degrees [UK] - Semi-Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D	\$ 560.98

AX-20807	ACC IR Illuminator 850nm 30 degrees - Semi-Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D	\$ 402.19
AX-21896	Pole Mount Adapter - Pole mount adaptor for the Axis Indoor, Outdoor and Vandal Fusion Dome housings, for use with the AXIS 213 & 23XD.	\$ 47.55
AX-21899	AXIS Indoor Fixed Housing - The AXIS Indoor Fixed Housing is an IP65 classified housing from Axis that offers a convenient and tailor-made solution for mounting the AXIS 210, AXIS 211, and AXIS 221 Network Camera indoors.	\$ 120.09
AX-22581	AXIS 213CM Connection Module [ALL]- Connection module for the AXIS 213 PTZ Network Camera. Provides two way, full duplex audio functionality, analog video out (for ceiling mounted camera), 2 alarm inputs and 3 outputs for the AXIS 213 PTZ. Cable included.	\$ 80.60
AX-22870	AXIS – Indoor Fixed Camera Dome - The AXIS Indoor Fixed Camera Dome is a low profile indoor ceiling mount housing. A tinted lower dome enables discreet operation of the camera. This accessory is a professional housing option for indoor surveillance. It	\$ 160.39
AX-24889	AXIS Outdoor Fixed Housing [APAC]- The AXIS Outdoor Fixed Housing is an IP65 classified housing from Axis that offers a convenient and tailor-made solution that includes a heater and blower for mounting the AXIS 211 and AXIS 221 Network Cameras. Can be po	\$ 240.99
AX-25733	AXIS Pendant Dome Outdoor - Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount.	\$ 482.79
AX-25735	AXIS Pendant Dome Indoor - Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount.	\$ 240.99
AX-25736	Gooseneck Wall Mount - Gooseneck Wall mount for the Axis Pendant Fusion Dome Line.	\$ 79.79
AX-26549	AXIS 206/207 Ceiling Mount Housing –[USA] Indoor recessed ceiling housing for AXIS 206/ AXIS 207 (not wireless) Network Cameras. Bronze Smoked Dome	\$ 120.09
AX-26550	AXIS 206/207 Vandal-resistant Housing –[USA] Vandal-resistant indoor housing for AXIS 206/AXIS 207 (not wireless) Network Cameras. Clear Dome.	\$ 160.39
AX-28256	CABLE FOR AXIS 233D I/O Cable to connect 233D to PS24 power supply.	\$ 19.34
AX-5500-601	ACC DOME AXIS 233D CLEAR & SMOKED COVER [APAC,USA,UK,EUR,AUST] Clear and Smoked plastic dome for AXIS 233D dome cameras	\$ 55.61

AX-5500-671	AXIS 215 PTZ [APAC,USA,UK,EUR,AUST] ACC Smoked and clear dome kit	\$ 55.61
AX-5500681	AXIS 215 PTZ [APAC,USA,UK,EUR,AUST] ACC Drop ceiling mount kit	\$ 24.18
AX-5500-791	AXIS 212PTZ-V [APAC,USA,UK,EUR,AUST] vertical tilt mount bracket. For AXIS 212PTZ network cameras. Powder coated aluminum. 37.7 degree downward angle.	\$ 55.61
AX-5502-041	AXIS 212 PTZ-V [APAC,USA,UK,EUR,AUST] aluminum side wall bracket as spare part.	\$ 47.55
B00014	Internal Intel 10/100 Ethernet PCI card	\$ 248.25
BIO-930-00104	Targus AES4000 Sensor USB Reader	\$ 134.60
BIO-930-00105	Bioscrypt UPEK Sensor USB Reader	\$ 87.05
BIO-Desktop-VP	Enrollment V-Pass FX Fingerprint Reader Kit includes a demo/enrollment stand with reader, power supply	\$ 846.30
BIO-Desktop-VT	Enrollment V-SMART-MIFARE Fingerprint Reader Kit includes a demo/enrollment stand with reader, power supply and 5 MIFARE cards	\$ 1,155.00
BIO-Desktop-VT1	Enrollment V-SMART-iCLASS Fingerprint Reader Kit includes a demo/enrollment stand with reader, power supply and 5 iCLASS cards	\$ 1,155.00
BIO-PIVSTATIONC	PIV-Station Contactless/Contact - Includes contact PIV and contactless PIV/DESFire card readers and biometric verification unit. This unit can perform a standalone verification of a PIV(contact only) or DESFire(contactless only) card and its stored biomet	\$ 2,563.08
BIO-V-CERCO	Outdoor enclosure for fingerprint reader without heater	\$ 759.25
BIO-V-CERCO-HT	Outdoor enclosure for fingerprint reader with heater	\$ 826.15

BIO-VENC-W	Outdoor Enclosure with window without heater for use with V-PROX, V-FLEX readers	\$ 443.30
BIO-VENC-WHT	Outdoor Enclosure with window and heater requires (7.6 amps at 12VDC) for use with V-PROX, V-FLEX readers	\$ 523.90
BIO-VNENC-W	Outdoor Enclosure with window without heater for use with V-STATION Readers	\$ 443.30
BIO-VNENC-WHT	Outdoor Enclosure with window and heater requires (7.6 amps at 12VDC) for use with V-STATION readers	\$ 523.90
BIO-VPASSFX	V-PASSFX Fingerprint Reader - Replaces the BIO-VFLEX and BIO-VPASS readers, it can be a self contained finger print reader only with wiegand output, with up to 500 users per reader [1 to N] or an RS-485 Downstream device for use with Lenel LNL-500B biom	\$ 685.10
BIO-VPROX	V-PASS FX with HID Proximity-designed for surface mounting applications, includes Finger print and HID Proximity reader for standalone applications up to 4000 users 9V to 24V DC, 0.5 amps @12V. NOTE: OnGuard Biometric Capabilities not supported with thi	\$ 936.57
BIO-VS-10	Bioscrypt Verisoft 10 user kit	\$ 530.35
BIO-VS-100	Bioscrypt Verisoft 100 user kit	\$ 4,701.40
BIO-VS-1000	Bioscrypt Verisoft 1,000 user kit	\$ 36,941.40
BIO-VS-10000	Bioscrypt Verisoft 10,000 user kit	\$ 208,216.40
BIO-VS-25000	Bioscrypt Verisoft 25,000 user kit	\$ 396,283.60
BIO-VS-50	Bioscrypt Verisoft 50 user kit	\$ 2,552.60
BIO-VS-500	Bioscrypt Verisoft 500 user kit	\$ 20,821.40

BIO-VS-5000	Bioscrypt Verisoft 5,000 user kit	\$ 131,646.40
BIO-VSMART-G	V-SMART MIFARE: Fingerprint reader with internal contactless MIFARE® smart card reader, Flat surface, double-gang compatible, 8V to 12V DC, 0.25 amps @12V CARDS SUPPORTED: GemEasy 8000, HID 1430 and HID 1431 (request HID cards unprogrammed on the MIFARE®)	\$ 885.79
BIO-VSMART-H	V-SMART iCLASS - Fingerprint reader with internal iCLASS contactless smart card reader. Flat surface, double-gang compatible, 8V to 12V DC, 0.25 amps @ 12V CARDS SUPPORTED: HID iCLASS contactless smart cards	\$ 886.60
BIO-VS-SS-10	Bioscrypt Verisoft 10 user annual support contract	\$ 87.05
BIO-VS-SS-100	Bioscrypt Verisoft 100 user annual support contract	\$ 799.55
BIO-VS-SS-1000	Bioscrypt Verisoft 1,000 user annual support contract	\$ 6,179.60
BIO-VS-SS-10000	Bioscrypt Verisoft 10,000 user annual support contract	\$ 35,598.60
BIO-VS-SS-25000	Bioscrypt Verisoft 25,000 user annual support contract	\$ 66,495.00
BIO-VS-SS-50	Bioscrypt Verisoft 50 user annual support contract	\$ 423.15
BIO-VS-SS-500	Bioscrypt Verisoft 500 user annual support contract	\$ 3,492.40
BIO-VS-SS-5000	Bioscrypt Verisoft 5,000 user annual support contract	\$ 22,165.00
BIO-VSTATION	V-STATION -designed for triple gang mounting box application, includes LCD display and Pin pad for Finger print and Pin pad operation, 12V to 24V DC, 1.5 amps @12V (Pin Pad is fully supported in OnGuard 5.10.309)	\$ 1,531.40
BIO-VSTATION-G	V-STATION MIFARE-designed for triple gang mounting box application, includes LCD display, Pin pad and MIFARE reader, for Card, Finger print and Pin pad operation, 12V to 24V DC, 1.5 amps @12V (Pin Pad is fully supported in OnGuard 5.10.500)	\$ 2,015.00

BIO-VSTATION-H	V-STATION iCLASS-designed for triple gang mounting box application, includes LCD display, Pin pad, and HID iCLASS reader for Card, Finger print and Pin pad operation, 12V to 24V DC, 1.5 amps @12V (Pin Pad is fully supported in OnGuard 5.10.500)	\$ 1,934.40
BIO-VSTATIONH83	V-STATION DESFire-designed for triple gang mounting box application, includes LCD display, Pin pad, and DESFire smart card reader for Card, Finger print and Pin pad operation, 12V to 24V DC, 1.5 amps @12V (Pin Pad is fully supported in OnGuard 5.10.500)	\$ 1,934.40
BIO-VSTATION-P	V-Station with HID Proximity-designed for triple gang mounting box application, includes LCD display HID Proximity reader and Pin pad for Finger print and Pin pad for standalone applications, 12V to 24V DC, 1.5 amps @12V. NOTE: OnGuard Biometric Capabil	\$ 1,712.75
BIO-VTENC-W	Outdoor Enclosure with window without heater for use with V-SMART Readers	\$ 443.30
BIO-VTENC-WHT	Outdoor Enclosure with window and heater requires (7.6 amps at 12VDC) for use with V-SMART readers	\$ 523.90
BT-ASP-HID	Non-destructible HID proximity reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof , solid state pezo sounder technology and red and green status LED's. Designed for an international single gang electrical box mounting. Optional co	\$ 338.52
BT-ASPKP-HID	HID proximity reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 5 to 12 VDC, 150 mA, 2 to 3 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, g	\$ 398.97
BT-ASPKP-iCLASS	iCLASS reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 12 to 16 VDC, 170 mA, up to a 2 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, gr	\$ 604.50
C00017	1103 Back Drop Stand	\$ 147.50
C00020	5647 Standard Gray Backdrop (Storm Clouds, 5' x 6')	\$ 261.95
C00021	Slik Mini Pro II – desktop tripod (height 6" to 8.5")	\$ 37.88
C00022	5687 2 in one Collapsible Chromakey Blue/green Backdrop (size 3' x 4')	\$ 228.10
C00024	5686 2 in one Collapsible Chromakey Blue/green Backdrop (size 5' x 6')	\$ 336.10

C1000	Corporate 1000 Card Formats – Require end user information, card format number, facility code and starting card number at the time of order. (Minimum order 100)	\$ 0.25
C-A15-035	For OpenProx (XF1050/XF1500K) Only – Toggle Red LED between solid red and flashing red (Use with 1-Wire Led control by OnGuard)	\$ 6.71
CAM20Z704-USB	USB NTSC CCD Image Capture Kit- includes CCD NTSC camera, synchronized cool white lights, telescoping stand, USB cable, universal 110/220 VAC power supply and TWAIN device drivers.	\$ 2,156.05
CAM21Z704-USBP	USB PAL CCD Image Capture Kit - includes CCD PAL camera, synchronized cool white lights, telescoping stand, USB cable, universal 110/220 VAC power supply and TWAIN device drivers.	\$ 2,156.05
CBL-001-1M	Cable for Nexsan storage to recorders VHDCI-VHDCI - 1 Meter SCSI	\$ 89.47
CBL-001-2M	Cable for Nexsan storage to recorders VHDCI-VHDCI - 2 Meter SCSI	\$ 105.59
CBL-007-3M	Cable for Nexsan storage to recorders Fibre Optic LC-LC Cable - 3 Meter	\$ 128.96
CBL-008-3M	Cable for Nexsan storage to recorders Fibre Optic LC-SC Cable - 3 Meter	\$ 118.48
CF	Custom Card Formats - Require card format, total number of bits, facility code, starting card number at the time of order. (Minimum order 500)	\$ -
CHCPB2	Head Cleaning Cards double sided – Used to clean print head and pickup rollers and magnetic read heads (50 cards to a box)	\$ 55.61
CR1000R	Access Control Hardware	\$ 739.10
CR1000S	Access Control Hardware	\$ 503.75
CR-2	Magnetic Stripe Card Reader - Wall Mount	\$ 203.11

CR2000R	Access Control Essentials	\$ 1,847.35
CR2000S	Access Control Essentials	\$ 2,015.00
CR2500S	OnGuard User Administration	\$ 1,007.50
CR2600S	OnGuard User Operator	\$ 503.75
CR3000R	Advanced Access Control	\$ 1,477.40
CR3000S	Advanced Access Control	\$ 2,015.00
CR3203R	NEC Fault Tolerant Systems	\$ 369.15
CR3204R	NEC Disaster Recovery	\$ 369.15
CR3500S	OnGuard User Advanced Administration	\$ 1,511.25
CR4000R	Digital Video	\$ 1,108.25
CR4200R	LIVS Lenel IntelligentVideo Solution	\$ 369.15
CR4250R	LIVE Lenel IntelligentVideo Environment	\$ 369.15
CR4500S	OnGuard User Digital Video	\$ 1,007.50

CR500R	Extended Products	\$ 739.10
CR700R	Enterprise Edition	\$ 369.15
CR700S	Enterprise Edition	\$ 503.75
CR750S	OnGuard User Enterprise Administration	\$ 503.75
CR-RW	Magnetic Stripe Card Reader - Outdoor	\$ 670.59
CSC1Y210I	Hot Swap service agreement for Zebra P205/P210i Printers, During 1st year Warranty period Coverage	\$ 201.50
CSS-1000	IdData library (Passport and Driver's License reader and Library) Scanner Kit – includes one ScanShell 1000, USB cable and a 12 month warranty. (requires one CSS OnGuard user license SWG-1476)	\$ 677.04
CSS-800	IdData library (Driver's License reader and Library) Scanner Kit – one ScanShell 800, USB cable and a 12 month warranty. (requires one CSS OnGuard user license SWG-1476)	\$ 427.18
CSS-EXTWAR	Annual Extended Hardware Warranty this includes one additional year of hardware warranty.	\$ 56.42
CSS-SIGNISOF	SigniShell - Signature Capture Device 6" x 6", USB, with pressure sensitive signature pen and drivers.	\$ 265.98
CTC24AC40	(USA Only) Single Output (one camera) power supply block, AC 24V 40vA Suitable option to power one ICT250 for indoor use only. Not recommended for ICT240 because combined power requirements for camera, heater and blower exceed 40vA.	\$ 14.51
CTCMB1	Mounting Bracket-ICT230 Black 6 inch mounting bracket for fixed camera with drop ceiling clip Suitable for Lenel ICT230 family of Lenel cameras in all regions	\$ 24.99
CTCMB3	Mounting Bracket-ICT230 Black 4 inch mounting bracket for fixed camera with drop ceiling clip. Suitable for Lenel ICT230 family of Lenel cameras in all regions	\$ 24.99

CTH1	Housing for CS mount cameras Suitable for ICT230 family where a heater or blower is not required. Compact, attractive design for indoor or outdoor use. Slide-off protective cover provides full accessibility to camera for quick installation and service. Wi	\$ 87.05
CTIRL83	LCD Infrared Illuminator-Medium Range Exterior IR Light, 850nm, 30 degree,70°+ Range, 24VAC (not in stock- special order allow minimum of 10 days for delivery)	\$ 664.95
CTIRL86	LCD Infrared Illuminator-Medium Range Exterior IR Light, 850nm, 60 degree,70°+ Range, 24VAC (not in stock- special order allow minimum of 10 days for delivery)	\$ 664.95
CTIRLT30	LCD Infrared Illuminator-Medium Range Exterior IR light, 28 LEDs, 50'+ range, 12VDC/24VAC (not in stock- special order allow minimum of 10 days for delivery)	\$ 188.60
CTIRLUB	U-Bracket Infrared Illuminators mounting bracket for Infrared Illuminators	\$ 38.69
CTPMA1	Poll Mount Adapter optional poll mount adapter for CTH1	\$ 74.15
CTR-013-512	Second Fibre / iSCSI Controller for SATABoy	\$ 4,298.40
CTT2Z3510CS	Computar Varifocal Manual Iris Lens(Day Night)1/3" CS-Mount 3.5-8mm f1.4 w/iris and focus, Day/Night	\$ 41.11
CTT3Z2910CS	Computar Varifocal Manual Iris Lens 1/3" CS-Mount 2.9-8.2mm f1.0 manual iris	\$ 44.33
CTT3Z3510CS	Computar Varifocal Manual Iris Lens(Day Night)1/3" CS-Mount 3.5-8mm f1.4 w/iris and focus, Day/Night	\$ 62.87
CTTG10Z0513FCS	Computar Varifocal DC-Auto Iris Lens 1/3" CS-Mount 5-50mm f1.3 auto iris (special order only 20% restock on all returns)	\$ 132.99
CTTG3Z2910AFCSIR	Computar Varifocal DC-Auto Iris Lens (Day Night- IR) 1/3" 2.9-8.2mm f1.0 DC auto iris, Day/Night IR	\$ 106.39
CTTG3Z2910FCS	Computar Varifocal DC Auto Iris Lens 1/3" CS-Mount 2.9-8.2mm F1.0 DC Auto-Iris w/Focus, No Amplifier, Pre-wired Connector	\$ 52.39

CTTG3Z3510FCS	Computar Varifocal DC-Auto Iris Lens 1/3" CS-Mount 3.5-10.5mm f1.0 DC Auto-Iris w/Focus, No Amplifier, Pre-wired Connector	\$ 87.05
CTTG3Z3510FCSIR	Computar Varifocal DC-Auto Iris Lens (Day Night- IR) 1/3" 3.5-10.5mm f1.0 A/I, Day/Night IR	\$ 133.80
CTTG4Z2813FCS	Computar Varifocal DC-Auto Iris Lens 1/3" Format CS Mount 2.8-12mm f1.3 DC Auto-Iris w/Focus, No Amplifier, Pre-wired Connector	\$ 74.15
CTTG4Z2813FCSIR	Computar Varifocal DC-Auto Iris Lens (Day Night- IR) 1/3" 2.8-12mm f1.3 auto iris, Day/Night IR	\$ 151.53
CTTG4Z2813FCSMPIR	Computar Varifocal DC Auto Iris 1/3" 2.8-12mm f1.3 Varifocal, Megapixel (CS Mount) Day/Night IR	\$ 170.07
CTTG5Z8513AFCSIR	Computar Varifocal DC-Auto Iris Lens (Day Night- IR) 1/3" 8.5-40mm f1.3 A/I, Day/Night IR (special order only 20% restock on all returns)	\$ 245.83
CTVM300	Video Tool- View Finder installer lens to assist in selecting the correct lens and lens focal length. Takes the guess work out of lens selection by viewing the scene of interest at the site and then reading the results on the tool and matching the result	\$ 267.59
CTWB1	Wall Bracket optional wall bracket for CTH1 above	\$ 53.20
CTZML17A	Monitor-LCD Color (USA/Americas sales only) 17 inch LCD Monitor, High Brightness	\$ 866.45
CTZML19A	Monitor-LDC Color (USA/Americas sales only) 19"LCD Monitor, High Brightness	\$ 943.83
CTZML20PD	Public Display Monitor-LCD Color(USA sales only) 20 inch LCD Monitor, High Brightness	\$ 2,268.89
CX-001-025-000	For OpenCard (XF1100/2100/2110/1500/1560 Only) – Set LED to flashing red by default (This is the as-shipped default for all Lenel OpenCard Readers)	\$ 6.71
CX-001-026-000	For OpenCard (XF1100/2100/2110/1500/1560 Only) – Set LED to solid red by default (Use with 1-Wire Led control by OnGuard where solid red LED is desired)	\$ 6.71

CX-001-027-000	For OpenCard (XF1100/2100/2110/1500/1560 Only) – Set LED to off by default (use with 2 wire LED control by OnGuard)	\$ 6.71
DL1000R	Access Control Hardware	\$ 181.35
DL1000S	Access Control Hardware	\$ 235.35
DL1100R	Reader and Card Technologies	\$ 336.10
DL2000R	Access Control Essentials	\$ 181.35
DL2000S	Access Control Essentials	\$ 235.35
DL2100R	Communication Encryption	\$ 336.10
DL2500S	OnGuard User Administration	\$ -
DL2600S	OnGuard User Operator	\$ -
DL3000R	Advanced Access Control	\$ 181.35
DL3000S	Advanced Access Control	\$ 235.35
DL3100R	DataExchange	\$ 336.10
DL3101R	Advanced DataExchange	\$ 336.10

DL3203R	NEC Fault Tolerant Systems	\$ 167.65
DL3204R	NEC Disaster Recovery	\$ 167.65
DL3300R	Alternate Event Sources	\$ 336.10
DL3400R	DataConduIT Essentials	\$ 336.10
DL3500S	OnGuard User Advanced Administration	\$ -
DL3600R	Bioscrypt Verisoft Single Sign On integrated with OnGuard	\$ 336.10
DL4000R	Digital Video	\$ 181.35
DL4200R	LIVS Lenel IntelligentVideo Solution	\$ 181.35
DL4250R	LIVE Lenel IntelligentVideo Environment	\$ 181.35
DL4500S	OnGuard User Digital Video	\$ -
DL5000R	Extended Products	\$ 181.35
DL5100R	Additional Hardware	\$ 336.10
DL5200R	Asset Tracking	\$ 336.10

DL5300R	Area Access Manager	\$ 336.10
DL5400R	LG Iris	\$ 336.10
DL5500R	Mobile Verify	\$ 336.10
DL5600R	UltraScan	\$ 336.10
DL5700R	Visitor Management	\$ 336.10
DL7000R	Enterprise Edition	\$ 181.35
DL7000S	Enterprise Edition	\$ 235.35
DL7100R	Enterprise Administration	\$ 336.10
DL7500S	OnGuard User Enterprise Administration	\$ -
DOC-100	OnGuard Installation & Set up Manual with basic import	\$ 26.60
DOC-1000	MobileVerify User Guide	\$ 13.70
DOC-101	Basic Import Manual	\$ -
DOC-1100	Intrusion Detection User Guide	\$ 13.70

DOC-1200	Controller Encryption User Guide	\$ -
DOC-1201	OnGuard Controller Encryption	\$ -
DOC-200	OnGuard System Administration Manual	\$ 46.75
DOC-201	OnGuard Alarm Monitoring Manual	\$ 20.15
DOC-202	OnGuard Forms Designer Manual	\$ 13.70
DOC-300	OnGuard ID management Manual	\$ 46.75
DOC-301	OnGuard View/Edit Manual	\$ 13.70
DOC-302	Enrollment and Badging User Guide	\$ 16.12
DOC-400	OnGuard Distributed cardholder Exchange manual	\$ 13.70
DOC-500	OnGuard Enterprise installation and set up manual	\$ 13.70
DOC-501	Enterprise Replication Administration Guide	\$ 13.70
DOC-600	Lenel Hardware installation manuals	\$ 26.60
DOC-601	Alternate Wiring Guide	\$ 26.60

DOC-602	Field Hardware Crib Notes	\$ 13.70
DOC-603	OEM Device Configuration	\$ 13.70
DOC-700	Archive Server Manual	\$ 46.75
DOC-800	Web Based Applications	\$ 26.60
DOC-810	Digital Video Server Manual For NiceVision	\$ 46.75
DOC-810-LDVS	Lenel Digital Video User Manual	\$ 13.70
DOC-810-NVS	Nice Vision Digital Video User manual	\$ 13.70
DOC-811	Digital Video Hardware Manual	\$ 13.70
DOC-812	Digital Video S/W Guide	\$ 40.30
DOC-820	Digital Video Server Manual For Lenel LDVS	\$ 46.75
DOC-900	OnGuard Redundant servers manual (Octopus)	\$ 13.70
DOC-901	OnGuard Co-Standby server manual (Vinca)	\$ 13.70
DOC-902	OnGuard Universal Interface server manual	\$ 13.70

DOC-903	Microsoft Cluster Services manual	\$ 13.70
DOC-910	OPC Server Manual	\$ 13.70
DOC-920	OpenIT User Guide	\$ 13.70
DOC-KIT	Kit includes DOC-100, 200, 201, 300, 600	\$ 201.50
DV1000SGNLSATA	Additional 1TB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U	\$ 506.17
DV1000SGNLSATA2	Additional 1TB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 10+ drives)	\$ 494.08
DV1000SGNLSATA3	Additional 1TB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 30+ drives)	\$ 483.60
DV120GB	Additional 120GB Hard Drive	\$ 161.20
DV200-SG	Additional 200GB Hard Drive for Standard Chassis (LDC-ST-GO)	\$ 175.71
DV200-SG-SATA	Additional 200GB Serial ATA Hard Drive for Extended Chassis (LDC-EX-GO)	\$ 187.80
DV200SGSATA2	Additional 200GB Serial ATA Drive for use with DVC-EX chassis with serial numbers later than 1433753 (Minimum order of 10+ drives)	\$ 147.50
DV200SGSATA3	Additional 200GB Serial ATA Drive for use with DVC-EX chassis with serial numbers later than 1433753 (Minimum order of 30+ drives)	\$ 144.27
DV250GB2	Additional 250GB Hard Drive for the DVC-EX, DVC-ST chassis with serial numbers prior to 1433753, and 1433606 respectively. This drive should be used to replace existing DV200GB drives (Minimum order of 10+ drives)	\$ 137.83

DV250GB3	Additional 250GB Hard Drive for the DVC-EX, DVC-ST chassis with serial numbers prior to 1433753, and 1433606 respectively. This drive should be used to replace existing DV200GB drives (Minimum order of 30+ drives)	\$ 134.60
DV250-SGNL-SATA	Additional 250GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U	\$ 120.09
DV250SGNLSATA2	Additional 250GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 10+ drives)	\$ 116.87
DV250SGNLSATA3	Additional 250GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 30+ drives)	\$ 115.26
DV300-SG	Additional 300GB Hard Drive for the DVC-ES, DVC-ST chassis with serial numbers later than 1433606.	\$ 219.23
DV300SG2	Additional 300GB Hard Drive for the DVC-ES, DVC-ST chassis with serial numbers later than 1433606 (Minimum order of 10+ drives)	\$ 213.59
DV300SG3	Additional 300GB Hard Drive for the DVC-ES, DVC-ST chassis with serial numbers later than 1433606 (Minimum order of 30+ drives)	\$ 208.75
DV300-SG-SATA	Additional 300GB Hard Drive for the DVC-EX chassis with serial numbers later than 1433753	\$ 231.32
DV300SGSATA2	Additional 300GB Hard Drive for the DVC-EX chassis with serial numbers later than 1433753 (Minimum order of 10+ drives)	\$ 225.68
DV300SGSATA3	Additional 300GB Hard Drive for the DVC-EX chassis with serial numbers later than 1433753 (Minimum order of 30+ drives)	\$ 221.65
DV400-SG	Additional 400GB Hard Drive for the DVC-ES, DVC-ST chassis with serial numbers later than 1433606.	\$ 381.24
DV400SG2	Additional 400GB Hard Drive for the DVC-ES, DVC-ST chassis with serial numbers later than 1433606 (Minimum order of 10+ drives)	\$ 373.18
DV400SG3	Additional 400GB Hard Drive for the DVC-ES, DVC-ST chassis with serial numbers later than 1433606 (Minimum order of 30+ drives)	\$ 364.31

DV400-SGNL-SATA	Additional 400GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U	\$ 167.65
DV400SGNLSATA2	Additional 400GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 10+ drives)	\$ 163.62
DV400SGNLSATA3	Additional 400GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 30+ drives)	\$ 160.39
DV400-SG-SATA	Additional 400GB Hard Drive for the DVC-EX chassis with serial numbers later than 1433753	\$ 395.75
DV400SGSATA2	Additional 400GB Hard Drive for the DVC-EX chassis with serial numbers later than 1433753 (Minimum order of 10+ drives)	\$ 386.07
DV400SGSATA3	Additional 400GB Hard Drive for the DVC-EX chassis with serial numbers later than 1433753 (Minimum order of 30+ drives)	\$ 377.21
DV500-SGNL-SATA	Additional 500 GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U	\$ 203.11
DV500SGNLSATA2	Additional 500 GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 10+ drives)	\$ 199.08
DV500SGNLSATA3	Additional 500 GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 30+ drives)	\$ 194.25
DV750-SGNL-SATA	Additional 750 GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U	\$ 321.59
DV750SGNLSATA2	Additional 750 GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 10+ drives)	\$ 313.53
DV750SGNLSATA3	Additional 750 GB Seagate Nearline Serial ATA Drive for DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413) DVR with 945 Motherboards and DVC-1U (Minimum order of 30+ drives)	\$ 306.28
DVB-408	High Resolution Eight-Channel MPEG4 60fps Multiplexed Video Board	\$ 1,477.40

DVB-444	High Resolution Four-Channel MPEG4 30fps Video Board	\$ 2,686.40
DVB-SP30	High Performance Four-Channel MPEG1 30fps Video Board	\$ 2,122.20
DV-CDD-PX716A	DVD/RW upgrade for DVC-ES, DVC-ST, DVC-EX digital video recorders, must be ordered with video recorders.	\$ 139.44
DV-CH-8UP	8 Camera channel device license to Non Lenel supplied server solutions	\$ 1,370.20
DVC-IVS-2A	IntelligentVideo Dual CPU Server – 1U, Dual 1.6Ghz DUAL CORE XEON processor with 2GB ram and 1 - 80GB OS Drive running Windows XP, includes Intelligent Video Server software.	\$ 5,239.00
DVC-IVS-2B	IntelligentVideo Dual CPU Server – 1U, Dual 1.6Ghz DUAL CORE XEON processor with 2GB ram and 2 - 80GB Mirrored OS Drive(s) running Windows 2003 Server, includes Intelligent Video Server software.	\$ 6,448.00
DVG-RM	Remote Monitor Client - Single Remote Monitor Client Software license. Video can be transmitted to a remote computer on the network running the Remote Monitoring Client Software. (Requires License Key Number for every upgrade order).	\$ 336.10
DV-LNR-CHA1	Lenel Network Audio Recording – single channel audio license for use with the Lenel Network Video Recorder. Records synchronized audio along with LNVR video from supported Lenel Network Video Recorder devices. Requires SW-LNR-CH1 per Audio Channel. (Requi	\$ 66.90
DV-LNR-ICS1	In-Camera Storage - Single channel license for In-Camera Storage on supported DV-LNR-CH1 devices. Video can be stored and retrieved from supported IP camera(s) or server(s) allowing scheduled retrieval, and reduction in network bandwidth. (Requires Licens	\$ 134.60
DVR-408-EX-16	Extended Storage Chassis with Sixteen Video Channels - includes DVC-EX chassis, two (2) DVB-408 eight-channel MPEG4 video boards, one (1) sixteen channel breakout module (DV-SR16) and sixteen (16) OnGuard video channel licenses, full use of the OnGuard In	\$ 7,334.60
DVR-408-EX-8	Extended Storage Chassis with Eight Video Channels – includes DVC-EX chassis, one (1) DVB-408 eight-channel MPEG4video board, one (1) sixteen channel breakout module (DV-SR16) and eight (8) OnGuard video channel licenses, full use of the OnGuard Intellige	\$ 6,192.50
DVR-408-ST-16	Standard Chassis with Sixteen Video Channels - includes DVC-ST chassis, two (2) DVB-408 eight-channel MPEG4 video boards, one (1) sixteen channel breakout module (DV-SR16) and sixteen (16) OnGuard video channel licenses, full use of the OnGuard Intelligen	\$ 5,037.50
DVR-408-ST-8	Standard Chassis with Eight Video Channels – includes DVC-ST chassis, one (1) DVB-408 eight-channel MPEG4 video board, one (1) sixteen channel breakout module (DV-SR16) and eight (8) OnGuard video channel licenses, full use of the OnGuard Intelligent Vide	\$ 3,895.40

DVR-444-EX-12	Extended Storage Chassis with Twelve 30fps Video Channels– includes DVC-EX chassis, three (3) DVB-444 four–channel 30fps MPEG4 video boards, twelve (12) OnGuard video channel licenses, full use of the OnGuard Intelligent Video suite for forensic investiga	\$ 10,625.50
DVR-444-EX-16	Extended Storage Chassis with Sixteen 30fps Video Channels– includes DVC-EX chassis, four (4) DVB-444 four–channel 30fps MPEG4 video boards, and sixteen (16) OnGuard video channel licenses, full use of the OnGuard Intelligent Video suite for forensic inve	\$ 12,573.60
DVR-444-EX-4	Extended Storage Chassis with Four 30fps Video Channels – includes DVC-EX chassis, one (1) DVB-444 four–channel 30fps MPEG4 video board, and four (4) OnGuard video channel licenses, full use of the OnGuard Intelligent Video suite for forensic investigatio	\$ 6,730.10
DVR-444-EX-8	Extended Storage Chassis with Eight 30fps Video Channels – includes DVC-EX chassis, two (2) DVB-444 four–channel 30fps MPEG4 video boards, and eight (8) OnGuard video channel licenses, full use of the OnGuard Intelligent Video suite for forensic investiga	\$ 8,678.20
DVR-444-ST-4	Standard Chassis with Four 30fps Video Channels – includes DVC-ST chassis, one (1) DVB-444 four–channel 30fps MPEG4 video board, and four (4) OnGuard video channel licenses, full use of the OnGuard Intelligent Video suite for forensic investigations and 9	\$ 4,715.10
DVR-444-ST-8	Standard Chassis with Eight 30fps Video Channels – includes DVC-ST chassis, two (2) DVB-444 four–channel 30fps MPEG4 video boards, and Eight (8) OnGuard video channel licenses, full use of the OnGuard Intelligent Video suite for forensic investigations an	\$ 6,891.30
DV-RACKAIM-13	19”Rack-mount unit: One 13 Dry Contact Alarm Input Module port (1 port per LDVR, input support for one LDVR). Can be used for both DVS or DV3 chassis.	\$ 302.25
DV-RECOV-WIN2K	Include this part number when ordering a replacement recovery CD for your Lenel Digital Video Recorder running on a Windows 2000 Operating System. Requires Serial Number of Video Recorder when ordering.	\$ 10.48
DV-RECOV-XP	Include this part number when ordering a replacement recovery CD for your Lenel Digital Video Recorder running on a Windows XP Operating System. Requires Serial Number of Video Recorder when ordering.	\$ 15.31
DV-SR16	19” Rack-mount breakout 16 channel case (for DVS & DV3 video board configurations)	\$ 342.55
DV-SR8	8 channel breakout case for DVC-ES	\$ 107.20
DV-SRSP8	Video DA 8 channel-in, two 8 channel out Loop through Adaptor	\$ 376.40
DV-UP2GB	2 GB RAM upgrade at the time of order for any new DVC-EX or DVC-ST Chassis	\$ 113.65

DV-UP2K3	Windows XP upgrade to Windows 2003 Server R2 for Digital video recorders only	\$ 945.44
DV-UP4GB	4 GB RAM upgrade at the time of order for any new DVC-EX or DVC-ST Chassis	\$ 228.90
DV-UPGPROSERV	Windows 2000 Professional upgrade to Windows 2003 Server for Digital video recorders only	\$ 1,128.40
DV-UPVIDOUT	HD 2400PRO Sonic 256MB PCIE Video Card with Dual-Link DVI, TV-OUT, HDCP, HDTV. For use sending video signals to analog monitors. Available on DVC-ST (starting with s/n #1519610) and DVC-EX (starting with s/n #1516413).	\$ 96.72
ECK-200	Elevator Control Kit, WRI-OTD-12VDC (1), PIM-TD2 (1), ANT-REM-IN (1), 593PI-12DC Power Supply INCLUDED	\$ 1,449.99
EHK-K42U-A	Professional Continuous Lighting Kit – includes two 600-watt quartz lights, two bounce back white umbrellas, two stands, mounting brackets and carrying case (110VAC)	\$ 598.05
ELB	Adder for 3/4" Latchbolt	\$ 72.54
EM-602	Memory Expansion - 9,728 users for ID3D, ID3D-RW	\$ 405.42
EM-801	Memory Expansion - 9728 Users for HK-CR, HK-2	\$ 253.89
EM-801-F3	Memory Expansion - 9728 Users for current HK-CR, HK-2.	\$ 253.89
EN-100	Factory Installed Ethernet Communication Module for ID3D-R & ID3D-RW	\$ 589.99
EN-200	Ethernet Communication Module for HK-2, ID3D-R & ID3D-RW	\$ 405.42
ES-TPE-00X	Dedicated Site Resource Travel (Call for Quote)	\$ -

ES-TPE-A	Embedded Services Dedicated Site Resource- Annual (Call for Quote)	\$ -
ES-TPE-Q	Embedded Services Dedicated Site Resource- Quarterly (Call for Quote)	\$ -
EV-30256	Peel and stick labels – 2 5/16" x 4" labels, 300 per roll	\$ 28.21
EV-G06336	DYMO label writer 400 USB printer – Black and white, 300 DPI, support for 98, 2000, Me, XP USB and prints 40 labels per minute, with auto switching power supply	\$ 136.21
EV-G06337	DYMO label writer 400 TURBO USB printer – Black and white, 300 DPI, support for 98, 2000, Me, XP USB and prints 55 labels per minute, with auto switching power supply	\$ 173.29
F1F-041000HDRG	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 4) 1000GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 11,176.80
F1F-04500ADRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 4) 500GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 9,295.60
F1F-04750ADRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 4) 750GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 10,284.56
F1F-081000HDRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 8) 1000GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 14,373.40
F1F-08500ADRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 8) 500GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 10,617.44
F1F-08750ADRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 8) 750GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 12,595.36
F1F-141000ADRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 14) 1000GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 19,177.16
F1F-14500ADRB	SATAboy 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 14) 500GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 12,627.60

F1F-14750ADRB	SATAby 3U RAID, Fibre-to-SATA, Single or Dual Fibre / iSCSI Controllers, Rackmount, 14 Bay, 1 Fibre LC-LC cable (qty 14) 750GB / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 16,055.52
F94089	Replacement Pen for Intuos3 tablets	\$ 74.15
FA485	SCSI Cable SCSI 2 to 1 Adapter	\$ 62.06
FP1231A	Wave style, Mid-range, Black, 12 inch read range with reader kit	\$ 198.28
FP1234A	Wave style, Mid-range, Blue, 12 inch read range with reader kit	\$ 198.28
FP1511A	Wave style, Slim, Black, 5 inch read range with reader kit	\$ 136.21
FP1514A	Wave style, Slim, Blue, 5 inch read range with reader kit	\$ 136.21
FP1521A	Wave style, Wallswitch, Black, 5 inch read range with reader kit	\$ 136.21
FP1524A	Wave style, Wallswitch, Blue, 5 inch read range with reader kit	\$ 136.21
FP2511A	Curve style, Slim, Black, 5 inch read range with reader kit	\$ 136.21
FP2521A	Curve style, Wallswitch, Black, 5 inch read range with reader kit	\$ 136.21
FP3231A	Arch style, Mid-range, Black, 12 inch read range with reader kit	\$ 198.28
FP3235A	Arch style, Mid-range, Grey, 12 inch read range with reader kit	\$ 198.28

FP3236A	Arch style, Mid-range, White, 12 inch read range with reader kit	\$ 198.28
FP3237A	Arch style, Mid-range, Beige, 12 inch read range with reader kit	\$ 198.28
FP3511A	Arch style, Slim, Black, 5 inch read range with reader kit	\$ 136.21
FP3515A	Arch style, Slim, Grey, 5 inch read range with reader kit	\$ 136.21
FP3516A	Arch style, Slim, White, 5 inch read range with reader kit	\$ 136.21
FP3517A	Arch style, Slim, Beige, 5 inch read range with reader kit	\$ 136.21
FP3521A	Arch style, Wallswitch, Black, 5 inch read range with reader kit	\$ 136.21
FP3525A	Arch style, Wallswitch, Grey, 5 inch read range with reader kit	\$ 136.21
FP3526A	Arch style, Wallswitch, White, 5 inch read range with reader kit	\$ 136.21
FP3527A	Arch style, Wallswitch, Beige, 5 inch read range with reader kit	\$ 136.21
FP4511A	Linear style, Slim, Black, 5 inch read range with reader kit	\$ 136.21
FP4515A	Linear style, Slim, Grey, 5 inch read range with reader kit	\$ 136.21
FP4516A	Linear style, Slim, White, 5 inch read range with reader kit	\$ 136.21

FP4517A	Linear style, Slim, Beige, 5 inch read range with reader kit	\$ 136.21
FP4521A	Linear style, Wallswitch, Black, 5 inch read range with reader kit	\$ 136.21
FP4525A	Linear style, Wallswitch, Grey, 5 inch read range with reader kit	\$ 136.21
FP4526A	Linear style, Wallswitch, White, 5 inch read range with reader kit	\$ 136.21
FP4527A	Linear style, Wallswitch, Beige, 5 inch read range with reader kit	\$ 136.21
FP4551A	Linear Classic, Black, (4 -16 VDC)	\$ 136.21
FP4557	Linear Classic, Beige, (4 -16 VDC)	\$ 136.21
FP5061B	FlexPass 501 keypad Proximity Reader w/ keypad, Beige, (4 -16 VDC)	\$ 267.59
FP5067B	FlexPass 501 keypad Proximity Reader w/ keypad, Black, (4 -16 VDC)	\$ 267.59
FP5071B	FlexPass Keypad Heavy Duty Metal Black proximity reader with (8 bit burst keypad output), (9-16 VDC)	\$ 229.71
FP5077B	FlexPass Keypad Heavy Duty Metal Beige proximity reader with (8 bit burst keypad output), (9-16 VDC)	\$ 229.71
FP-CRD	Card, Proximity Card, Clamshell standard card includes 26-bit Wiegand format, White card, inkjet sequential number marking matching internal proximity numbers	\$ 1.68
FP-ISO	ISO Image 30, Direct Printable both sides, standard configuration includes 26-bit Wiegand format, direct printable glossy front and back finish, inkjet sequential number marking on back matching internal proximity number (minimum order quantity 100)	\$ 3.18

FP-ISOM	ISO Image 30, Direct Printable both sides with magnetic stripe, standard configuration includes 26-bit Wiegand format, direct printable glossy front and back finish, inkjet sequential number marking on back matching internal proximity number and Hi coerci	\$ 3.46
FPIXT	ISO Image 30 Composite PVC Card, Direct Printable both sides, standard configuration includes 26-bit Wiegand format, direct printable glossy front and back finish, inkjet sequential number marking on back matching internal proximity number (minimum order	\$ 3.66
FPIXTM	ISO Image 30 Composite PVC Card with Magnetic stripe, Direct Printable both sides, standard configuration includes 26-bit Wiegand format, direct printable glossy front and back finish, inkjet sequential number marking on back matching internal proximity n	\$ 3.96
FP-KEY	Keytag, Prox Card Device standard keytag includes, blue tag, 26 bit Wiegand format, matte finish, inkjet sequential number marking matching internal proximity numbers	\$ 3.00
FPMIF	FP-ISO combination card with proximity and MIFARE 1K, meets ISO 14443 type A	\$ 5.05
FPSMT	FP-ISO combination card with proximity, and contact smart chips call factory for custom quotes.	\$ -
FPTAG	FlexPass Tag – Standard Tag includes 26 bit Wiegand format, inkjet sequential number marking matching internal proximity numbers, logo front	\$ 2.84
FPZ3511H	HID Bezel Cover, Arch Slim Reader - Black	\$ 11.28
FPZ3517H	HID Bezel Cover, Arch Slim Reader - Beige	\$ 11.28
FPZ3521H	HID Bezel Cover, Arch Wall Switch Reader - Black	\$ 11.28
FPZ3527H	HID Bezel Cover, Arch Wall Switch Reader - Beige	\$ 11.28
FPZC1511H	HID Bezel Cover, Wave Slim Reader - Black	\$ 11.28
FPZC1514H	HID Bezel Cover, Wave Slim Reader – Blue	\$ 11.28

FPZC1524H	HID Bezel Cover, Wave, Wall Switch Reader – Blue	\$ 11.28
G1F-141000HDRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI Ethernet (qty 14) 1000GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 26,286.08
G1F-14500ADRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI ethernet (qty 14) 500GB Disks / SATA / 7,200 RPM	\$ 19,709.12
G1F-14750SDRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI ethernet (qty 14) 750GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 23,158.80
G1F-281000HDRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI Ethernet (qty 28) 1000GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 37,486.25
G1F-28500ADRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI Ethernet (qty 28) 500GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 24,341.20
G1F-28750SDRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI ethernet (qty 28) 750GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 31,240.56
G1F-421000HDRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI Ethernet (qty 42) 1000GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 48,688.85
G1F-42500ADRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI ethernet (qty 42) 500GB Disks / SATA / 7,200 RPM	\$ 28,973.28
G1F-42750SDRB	SATABEAST - 4U , 42 bay, RAID Storage, Single or Dual Fibre controllers , 1 Fibre LC-LC cable / iSCSI ethernet (qty 42) 750GB Disks / SATA / 7,200 RPM Includes (1) HBA and FC Cable; 512 MB Cache	\$ 39,316.68
GA-PROX-P2	Desktop MIFARE encoder, supports writing any MIFARE format in OnGuard to a blank MIFARE card, RS232, Requires 12VDC Power	\$ 229.71
GCK-101	Gate Control Kit, WRI-OTD-12VDC (1), PIM-TD2 (1), ANT-REM-I/O (1), P593PI-12DC Power Supply INCLUDED	\$ 1,599.91
GO-ES408EX08	3U OnGuard GO! Chassis with Eight Video Channels – includes Extended Storage OnGuard GO! 3U chassis (DVC-EX-GO), one (1) eight-channel MPEG-4 video board (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and eight	\$ 7,254.00

GO-ES408EX16	3U OnGuard GO! Chassis with Sixteen Video Channels – includes Extended Storage OnGuard GO! 3U chassis (DVC-EX-GO), two (2) eight-channel MPEG-4 video boards (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and six	\$ 8,290.52
GO-ES408ST08	Standard OnGuard GO! Chassis with Eight Video Channels – includes standard GO! 4U chassis (DVC-ST-GO), one (1) eight-channel MPEG-4 video board (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and eight (8) OnGuard	\$ 6,217.48
GO-ES408ST16	Standard OnGuard GO! Chassis with Sixteen Video Channels - includes standard GO! 4U chassis (DVC-ST-GO), two (2) eight-channel MPEG-4 video boards (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and sixteen (16) O	\$ 7,254.00
GO-ESI408EX08	3U OnGuard GO! Chassis with Eight Video Channels – includes Extended Storage OnGuard GO! 3U chassis (DVC-EX-GO), one (1) eight-channel MPEG-4 video board (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and eight	\$ 8,290.52
GO-ESI408EX16	3U OnGuard GO! Chassis with Sixteen Video Channels – includes Extended Storage OnGuard GO! 3U chassis (DVC-EX-GO), two (2) eight-channel MPEG-4 video boards (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and six	\$ 9,326.23
GO-ESI408ST08	Standard OnGuard GO! Chassis with Eight Video Channels – includes standard GO! 4U chassis (DVC-ST-GO), one (1) eight-channel MPEG-4 video board (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and eight (8) OnGuard	\$ 7,944.74
GO-ESI408ST16	Standard OnGuard GO! Chassis with Sixteen Video Channels - includes standard GO! 4U chassis (DVC-ST-GO), two (2) eight-channel MPEG-4 video boards (DVB-408), one (1) sixteen channel breakout module (DV-SR16), single audio channel license and sixteen (16)	\$ 8,981.26
GO-ESILNVR1U16	1U OnGuard GO! Chassis with Sixteen IP Video Channels – includes OnGuard GO! 1U chassis (DVC-1U-GO), (16) sixteen IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 8,290.52
GO-ESILNVR1U32	1U OnGuard GO! Chassis with Thirty-Two IP Video Channels – includes OnGuard GO! 1U chassis (DVC-1U-GO), (32) thirty-two IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 9,729.23
GO-ESILNVR1U8	1U OnGuard GO! Chassis with Eight IP Video Channels – includes OnGuard GO! 1U chassis (DVC-1U-GO), (8) eight IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 7,772.26
GO-ESILNVRD16	Dell OnGuard GO! Chassis with Sixteen IP Video Channels – includes OnGuard GO! Dell chassis (DVC-DELL-GO), (16) Sixteen IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 7,311.23
GO-ESILNVRD32	Dell OnGuard GO! Chassis with Thirty-two IP Video Channels – includes OnGuard GO! Dell chassis (DVC-DELL-GO), (32) Thirty-two IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 8,750.74
GO-ESILNVRD8	Dell OnGuard GO! Chassis with Eight IP Video Channels – includes OnGuard GO! Dell chassis (DVC-DELL-GO), (8) eight IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 6,678.52

GO-ESLNVR1U16	1U OnGuard GO! Chassis with Sixteen IP Video Channels – includes OnGuard GO! 1U chassis (DVC-1U-GO), (16) sixteen IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 7,254.00
GO-ESLNVR1U32	1U OnGuard GO! Chassis with Thirty-Two IP Video Channels – includes OnGuard GO! 1U chassis (DVC-1U-GO), (32) thirty-two IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 8,693.52
GO-ESLNVR1U8	1U OnGuard GO! Chassis with Eight IP Video Channels – includes OnGuard GO! 1U chassis (DVC-1U-GO), (8) eight IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 6,620.48
GO-ESLNVRD16	Dell OnGuard GO! Chassis with Sixteen IP Video Channels – includes OnGuard GO! Dell chassis (DVC-DELL-GO), (16) Sixteen IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 6,217.48
GO-ESLNVRD32	Dell OnGuard GO! Chassis with Thirty-two IP Video Channels – includes OnGuard GO! Dell chassis (DVC-DELL-GO), (32) Thirty-Two IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 7,714.23
GO-ESLNVRD8	Dell OnGuard GO! Chassis with Eight IP Video Channels – includes OnGuard GO! Dell chassis (DVC-DELL-GO), (8) eight IP Video channel licenses (MJPEG, MPEG4), and first year support SUSP-W-GO	\$ 5,526.74
HID-CA1	HID Artwork Set Up (per order)	\$ 342.55
HID-CA2	HID Set Up Per Color Per Side x number of colors	\$ 342.55
HID-CA3	HID Per Card Printing Per Color Per Side	\$ 0.62
HK-CR	HandKey II-CR Access Reader - for biometric verification, 12-24VDC 50/60Hz 1A Max, this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2000 controller.	\$ 1,727.26
HK-CR-EK	HandKey II-CR Enrollment Reader Kit - includes a hand geometry biometric reader for enrollment, desktop stand, power supply 120VAC to 13.5 VDC w/connector, RJ-45 cable and converter to RS-232 DB9 connector which enable connection to any badging workstati	\$ 2,051.27
HK-CR-EUK	HandKey II-CR Enrollment Reader 220VAC Kit - includes a hand geometry biometric reader for enrollment, desktop stand, power supply 220VAC to 13.5 VDC w/connector, RJ-45 cable and converter to RS-232 DB9 connector which enable connection to any badging wor	\$ 2,264.86
HK-PROX	Handkey II and Handkey CR iCLASS Reader add on at the time of hand reader order - Externally top mounted HID ProxPoint Reader - 26 bit Wiegand format standard, alternate configurations available. HK-PROX option must be ordered with F series readers only a	\$ 365.12

HO-2010	17" Monitor	\$ 582.74
HO-2012	Parallel expansion card – 3P one standard, two optional	\$ 62.06
HO-2017FP	Monitor Upgrade to 17 inch LCD Flat screen	\$ 458.61
HO-2019	Monitor Upgrade to 19 inch LCD	\$ 446.52
HO-2019FP	Monitor Upgrade to 19 inch LCD Flat screen	\$ 557.75
HO-2065	Two Port LAN/serial hub, 10/100base-T input, with two selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	\$ 694.77
HO-2066	Four port LAN /serial hub, DeviceMaster Serial 4Port RTS, 10/100T input, with four selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	\$ 1,249.30
HO-2067	Eight port LAN/serial hub, DeviceMaster Serial 8 Port RTS, 10/100T input, with eight selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	\$ 1,491.10
HO-2072	Four Port serial expansion board for 64 bit PCI Slots	\$ 415.09
HO-2073	USB to Serial Rocketport Hub SH II with 4 DB9 connnetors	\$ 212.78
HO-2074	Eight Port serial expansion board for 64 bit PCI Slots	\$ 651.25
HO-2127	IEEE Parallel Printer Cable for PR5300 – DB25 male to MDR36 Male	\$ 62.06
HO-2128	SCSI Cable SCSI 2 to 5	\$ 149.11

HO-2129	SCSI Cable SCSI 3 to 5	\$ 173.29
HO-2131	SCSI Cable SCSI 5 to 5	\$ 216.81
HO-2139	Adaptec 39160 SCSI 5 Card	\$ 384.46
HO-2140	Nisca Recommended SCSI card Adaptec 2906	\$ 80.60
HO-2200	Adaptec SCSI RAID 2200S Kit	\$ 1,088.10
HO-3150	PCI Video Board for Image Capture Kit – FlashPoint 4XL Lite-PCI (replaces HO-3280)	\$ 1,202.55
HO-3152	PCI Video Board for capture kit – FlashPoint 4XLPCI PRO (replaces HO-3284)	\$ 1,202.55
HO-3153	AGP Video Board for Image Capture Kit – FlashPoint 4XL Lite-AGP (replaces HO-3280)	\$ 1,202.55
HO-3155	AGP Video Board for capture kit – FlashPoint 4XLAGP PRO	\$ 1,202.55
HOC-3610	Expanded Cable (RGSB (DB-9)), composite, S-video, Photo-coupler	\$ 147.50
HOC-3620	S-video Cable harness for FlashPoint for (HO-3155 or HO3152)	\$ 66.90
HOC-3625	Dual BNC connectors to 25 pin Cable	\$ 72.54
HOC-3652	S-video Cable - for FlashPoint Lite (HO-3085 or HO-3050)	\$ 30.63

HOC-3653	Flash Sync Cable - for FlashPoint Lite (HO-3085)	\$ 72.54
HOC-56KEXT	Communications Cable for all Lenel Intelligent Systems Controllers to LNL-56KEXT Dial up modem	\$ 29.82
HOC-BC00301	Host to modem cable 6 foot length	\$ 32.24
HOC-LCLC	Fiber cable kit (qty 2 sets)	\$ 77.38
HO-DVD-EXT	CDRW/DVD COMBO 52X/24X/6X USB 2.0 EXTERNAL DRIVE	\$ 122.51
HO-DVD-INT	CDRW/DVD COMBO 52X/32X/16X IDE BLACK 5.25HH RETAIL W/ MEDIA	\$ 68.51
HURCNE	Outdoor enclosure for F Series hand readers	\$ 436.85
iCLASS-100	Handkey 2 and Handkey CR iCLASS Reader add on at the time of hand reader order	\$ 487.63
ICT2201DN	Americas-APAC and countries needing NTSC cameras)NTSC ICT220 Day Night Plus (410K pixel CCD) DAY NIGHT Digital IP Network Camera – Indoor Fixed Mini Dome. NTSC: A feature rich auto sensing Day-Night camera equipped to deliver 30 FPS at D1 resolution (720	\$ 624.65
ICT2202DN	Australia, Great Britain, ,Europe, and other countries needing PAL cameras) PAL ICT220 Day Night Plus (410K pixel CCD) DAY NIGHT Digital IP Network Camera – Indoor Fixed Mini Dome. PAL: A feature rich auto sensing Day-Night camera equipped to deliver 25	\$ 624.65
ICT2301DN	Americas-APAC and countries needing NTSC cameras)NTSC ICT230 Day-Night Plus (410K pixel CCD) Fixed Lens IP Network Camera. NTSC: Best in class auto sensing Day-Night camera equipped to deliver 30 FPS at D1 (720 x 480) resolution with De-Interlaced filte	\$ 535.99
ICT2302DN	(Australia, Great Britain, ,Europe, and countries needing PAL cameras) PAL ICT230 Day-Night Plus (410K pixel CCD) Fixed Lens IP Network Camera. PAL: Best in class auto sensing Day-Night camera equipped to deliver 25 FPS at D1 (720 x 576) resolution wit	\$ 535.99
ICT2401-18S	Americas-APAC and countries needing NTSC cameras)NTSC ICT240 Day Night 18X Zoom IP Digital Outdoor Speed Dome NTSC: The ICT240-18S is a hybrid analog and IP automatic-switching day-night (IR cut filter) speed dome camera that delivers high quality D1 reso	\$ 1,871.53

ICT2401-26S	(Americas-APAC) NTSC ICT240 Day Night 26X Zoom IP Digital Outdoor Speed Dome NTSC: The ICT240-26S is a hybrid analog and IP automatic-switching day-night (IR cut filter) speed dome camera that delivers high quality D1 resolution (720X480) at 30 FPS with d	\$ 2,083.51
ICT2402-18S	(Australia, Great Britain, ,Europe, and countries needing PAL cameras) PAL ICT240 Day Night 18X Zoom IP Digital Outdoor Speed Dome PAL: The ICT240-18S is a hybrid analog and IP automatic-switching day-night (IR cut filter) speed dome camera that delivers	\$ 1,871.53
ICT2402-26S	(Australia, Great Britain, ,Europe, and countries needing PAL cameras) PAL ICT240 Day Night 26X Zoom IP Digital Outdoor Speed Dome PAL: The ICT240-26S is a hybrid analog and IP automatic-switching day-night (IR cut filter) speed dome camera that delivers	\$ 2,083.51
ICT2501-18S	(Americas-APAC) NTSC ICT250 Day Night 18X Zoom IP Digital Indoor Speed Dome NTSC: The ICT240-18S is a hybrid analog and IP automatic-switching day-night (IR cut filter) speed dome camera that delivers high quality D1 resolution (720X480) at 30 FPS with de	\$ 1,680.51
ICT2502-18S	(Australia, Great Britain, ,Europe, and countries needing PAL cameras) PAL ICT250 Day Night 18X Zoom IP Digital Indoor Speed Dome PAL: The ICT240-18S is a hybrid analog and IP automatic-switching day-night (IR cut filter) speed dome camera that delivers	\$ 1,680.51
ICT5101	(Americas-APAC) NTSC Single Channel MPEG4 IP Video and Audio Encoder/ Server T NTSC: his single channel audio and video server delivers D1 (720 x 480) resolution at 30 FPS coupled with a De-Interlace filtering, producing brilliant, artifact free MPEG4vide	\$ 369.15
ICT5102	Australia, Great Britain, ,Europe, and countries needing PAL cameras) PAL Single Channel MPEG4 IP Video and Audio Encoder/ Server PAL: This single channel audio and video server delivers D1 (720 x 576) resolution at 25 FPS coupled with a De-Interlace fil	\$ 369.15
ICTMD101	Indoor Embedded Mount Bracket for ICT250 Indoor recessed ceiling mount for ICT250	\$ 30.63
ICTMD105	Plate and Pipe Mount (flat bolt plate welded to pipe) exterior pipe mount for speed dome camera for ICT240 suitable for ceiling mount of the ICT240 exterior cameras	\$ 71.73
ICTMD106	Gooseneck pipe mount adapter for use with for Lenel ICT240 for all regions	\$ 83.02
ICTMD107	Corner Mount corner mount adapter for Lenel ICT240 for all regions	\$ 62.06
ICTMD109	Poll Mount poll mount adapter for Lenel ICT240 for all regions	\$ 62.06
ICT-POE	Single Channel Non-Standard PoE Power and Data Injector (all regions) This single channel inline non-standard PoE injector is used exclusively with Lenel ICT220, ICT230 or ICT510 and within networks that do not have PoE network switches and desire to have	\$ 30.63

ICTSDC240	(Americas, APAC, Australia, United Kingdom, EMA) Smoked Dome to replace the clear dome that comes with the ICT240	\$ 55.61
ICTSDC250	(Americas, APAC, Australia, United Kingdom, EMA) Smoked Dome to replace the clear dome that comes with the ICT250	\$ 55.61
ID3D-R	Handkey ID3D Right handed hand geometry biometric reader for biometric verification, 12-24VDC 50/60Hz 1A Max, this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2000 contro	\$ 2,490.54
ID3D-RW	Handkey ID3D Outdoor, Right handed hand geometry biometric reader- for biometric verification, 12-24VDC 50/60Hz 1A Max, this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2	\$ 3,731.78
ID-CHAIN	Neck Chain, 36", Nickel Plated (100 units)	\$ 49.97
ID-CLIP	Badge Clip, Clear Vinyl (100 units)	\$ 30.63
ID-LANYARD	Lanyard, Breakaway, Black* (100 units)	\$ 74.15
ID-MBHL	Magnetic Badge Holder, Landscape, CC, Black (100 units)	\$ 136.21
ID-MBHP	Magnetic Badge Holder, Portrait, CC, Black (100 units)	\$ 136.21
ID-RETRACT	Retractable Badge Clip, Black* (100 units)	\$ 372.37
ID-SPHH	Slot Punch, Hand Held, Heavy Duty	\$ 124.12
ID-SPTT	Slot Punch, Table Top, Heavy Duty	\$ 619.81
IE01EXT-5002	Programming Contactless IE cards, any sector on MIFARE ISO 14443 card (per card fee, (minimum order quantity 250 pieces))	\$ 0.36

IE500-0055	SmartID™plexiglass cover	\$ 2.68
IE500-0056	SmartID™ 8pin connector	\$ 2.68
IE500-0057	SmartID™ Screw cover	\$ 4.03
IE500-0300	Reader Tamperswitch (option)	\$ 20.15
IE500-1225	MIFARE/EM combination cards MIFARE ISO14443-A unprogrammed card/EM4102 Combo with white surface glossy finish (minimum order qty 250 pieces)	\$ 7.35
IE500-1226	MIFARE/EM combination cards MIFARE ISO14443-A unprogrammed card/EM4102 Combo with white surface glossy finish and HiCo magstripe (minimum order qty 250 pieces)	\$ 7.43
IE500-8090	SmartID™ Single gang electrical box mounting plate EURO/US for readers SmartID™ housing	\$ 20.15
IE500-8091	Mounting bracket for ISO 14443 board	\$ 20.15
IE500-8093	Mounting plate Lighted pinpad	\$ 46.75
IE500-8095	SmartID™ Single gang electrical box mounting plate EURO/US for SmartTOUCH readers with SmartID™ housing	\$ 20.15
IE500-9286	Classic Wall mounting spacer for mullion housing readers with Standard housing	\$ 21.76
IE500-9286L	Classic US Single gang electrical box mounting plate for mullion housing readers with Standard housing	\$ 40.30
IE500-9286P	Classic Wall mounting spacer for mullion reader with Standard housing and external pinpad	\$ 36.27

IE500-9287	SmartID™ wall mounting spacer for SmartID™ readers	\$ 26.60
IE501-1204	EM4002 card white surface glossy finish (minimum order quantity 250 pieces)	\$ 2.15
IE501-1225	EM4102/Mifare combi card	\$ 7.35
IE501-1226	EM4102/Mifare combi card magstripe	\$ 7.43
IE501-1303	EM4002 tag black (minimum order quantity 250 pieces)	\$ 3.67
IE501-1826	EURO power supply unit for RS232 Desktop readers	\$ 30.63
IE501-7753	MIFARE card and tag programmer - RS232 read/write reader	\$ 560.17
IE501-9955	EM4002 card white surface glossy finish + HiCo magstripe (minimum order quantity 250 pieces)	\$ 2.26
IE800-1087-4110	Module ISO 14443-4 T=CL reader USB ID1 (Output format T=CL Read/Write) circuit board only	\$ 413.48
IE800-2421-4011	BioNDK DESFire Biometric reader, Reads Lenel DESFire biometric badges with ANSI378 fingerprint templates(Requires SWG-1407 OpenCapture license and compatible capture and encoding device). Durable metal housing and keypad (Output format 40 digits/200 bits)	\$ 1,612.00
IE800-2421-4023	BioNDK DESFire Biometric reader, Reads Lenel DESFire biometric badges with ANSI378 fingerprint templates(Requires OpenCapture license and compatible capture and encoding device). Durable metal housing and keypad (Output format 75 bit binary GSA format), w	\$ 1,612.00
IE800-8001-2000	EM4102 reader plus pinpad SmartID housing, with buzzer (output format is Clock & data in a Lenel Wiegand 36 bit)	\$ 248.25
IE800-8002-2010	EM4102 Smart ID housing- custom reader (output format Lenel Wiegand 36)	\$ 167.65

IE800-8020-0011	ISO 14443-3 MIFARE Serial Number Reader MT/Wiegand SmartID housing, with buzzer (output format Serial number Wiegand 34 bit) 5 - 12 VDC @ 250mA	\$ 167.65
IE800-8025-0031	ISO 14443-3 MIFARE Serial Number Reader RS232 STX-ETX SmartID housing, with buzzer (output format RS232/STX-ETX) 5 - 12 VDC @ 250mA	\$ 181.35
IE800-8030-0000	ISO 14443-3 MIFARE Sector Reader Read-Write RS232 SmartID housing, with buzzer (output format RS232/3964) 4.5 - 16 VDC 1.68W max.	\$ 302.25
IE800-8030-3000	ISO 14443-3 MIFARE Serial Number Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format Wiegand 34 bit) 4.5 - 16 VDC 1.68W max.	\$ 291.77
IE800-8030-3010	MIFARE Sector Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format Lenel WG36) 5 - 12 VDC @ 200mA	\$ 291.77
IE800-8030-3030	MIFARE Sector Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format NMC) 5 - 12 VDC @ 200mA	\$ 291.77
IE800-8030-3040	MIFARE Sector Reader Read-ONLY MT/Wiegand, SmartID housing, with buzzer (output format SLBRAW) 5 - 12 VDC @ 200mA	\$ 291.77
IE800-8045-3020	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand Pinpad, SmartID Housing, with buzzer (output format Lenel WG36) 4.5 - 16 VDC 1.68W max.	\$ 312.73
IE800-8045-3030	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand Pinpad, SmartID Housing, with buzzer (output format NMC) 4.5 - 16 VDC 1.68W max.	\$ 312.73
IE800-8045-3040	ISO 14443-3 MIFARE Sector Reader Read-ONLY MT/Wiegand Pinpad, SmartID Housing, with buzzer (output format SLBRAW) 4.5 - 16 VDC 1.68W max.	\$ 312.73
IE800-8045-3060	ISO 14443-3 MIFARE Serial Number PINpad Reader PINpad housing, with buzzer (Output format Lenel PIN, serial number output 34 bit) 4.5 - 16 VDC, 1.68W max.	\$ 312.73
IE800-8050-3000	SmartTOUCH ISO 14443 MIFARE Biometric fingerprint reader in SmartID™ housing (Output format Serial number Wiegand 34), with buzzer, 4.5 - 16 VDC 1.68W max.	\$ 1,007.50
IE800-8050-3010	SmartTOUCH ISO 14443 MIFARE Biometric fingerprint reader in SmartID™ housing (Output format Lenel Wiegand 36 bits), with buzzer, 4.5 - 16 VDC 1.68W max.	\$ 1,007.50

IE800-8055-3000	SmartTOUCH ISO 14443 MIFARE Biometric fingerprint reader with PINpad in SmartID™ housing (Output format Serial number Wiegand 34), with buzzer, 4.5 - 16 VDC 1.68W max.	\$ 1,235.60
IE800-8060-4000	ISO 14443-4 DESFire Lenel OpenCard/GSC format card reader, SmartID™ housing (Output format DESFire 40 digits ABA, full FASC-N), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 346.58
IE800-8060-4005	ISO 14443-4 DESFire Lenel OpenCard/GSC format card reader, SmartID™ housing (Output format Clock & Data 200, full FASC-N - ABA data, no parity), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 346.58
IE800-8060-4011	ISO 14443-4 DESFire Lenel OpenCard/GSC format card reader, SmartID™ housing (Output format Wiegand 200, full FASC-N - ABA data, no parity), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 346.58
IE800-8060-4014	ISO 14443-4 DESFire Lenel OpenCard/GSC format card reader, SmartID™ housing (Output format Wiegand 80 Medium assurance no parity, Agency, System, Credential, +32 HMAC), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 346.58
IE800-8061-4040	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number Wiegand 58 with parity) 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8061-4045	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number Wiegand 56 no parity) 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8061-4050	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number RS232 14 digits hex) 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8061-4051	ISO 14443-4 DESFire reader, SmartID™ housing (Output format Serial number RS232 20 digits BCD) 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8075-4000	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID™ housing (Output format DESFire 40 digits ABA, full FASC-N), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8075-4005	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID™ housing (Output format Clock & Data 200, full FASC-N - ABA data, no parity), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8075-4011	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID™ housing (Output format Wiegand 200, full FASC-N - ABA data, no parity), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8075-4014	ISO 14443-4 DESFire Lenel OpenCard/GSC format card PINpad reader, SmartID™ housing (Output format Wiegand 80 Medium assurance no parity, Agency, System, Credential, +32 HMAC), with buzzer, 4.5 - 16 VDC, 1.68W max.	\$ 369.15

IE800-8076-4040	ISO14443-4 DESFire PINpad reader, SmartID™ housing (Output format Serial number Wiegand 58 with parity) 4.5 - 16 VDC, 1.68W max.	\$ 396.55
IE800-8076-4045	ISO14443-4 DESFire PINpad reader, SmartID™ housing (Output format Serial number Wiegand 56 no parity) 4.5 - 16 VDC, 1.68W max.	\$ 396.55
IE800-8080-4023	PIV-II reader, SmartID™ housing (Output format 75 bit PIV – GSA Approved) 4.5 - 16 VDC, 1.68W max.	\$ 346.58
IE800-8085-4023	PIV-II PINpad reader, SmartID™ housing (Output format 75 bit PIV – GSA Approved) 4.5 - 16 VDC, 1.68W max.	\$ 369.15
IE800-8100-7115	SmartTRANS reader, PIV endpoint plus prox, GSA approved (ISO14443 & Prox), 75 bit Wiegand PIV output	\$ 369.15
IE800-8110-7115	SmartTRANS PINpad reader, PIV endpoint plus HID prox, GSA Approved (ISO14443 & Prox), 75 bit Wiegand PIV output	\$ 392.52
IE800-8200-0000	MIFARE Desktop ISO 14443 Sector Reader Read-Write RS232 Desktop housing, with buzzer (output format RS232/3964) 4.5 - 16 VDC 1.68W max.	\$ 336.10
IE800-8200-3110	MIFARE Desktop ISO 14443 Sector Reader Read-Write RS232 Desktop housing, with buzzer (output format Nissan card desktop (accessibility)) 4.5 - 16 VDC 1.68W max.	\$ 336.10
IE800-8210-0031	MIFARE Desktop ISO 14443 serial number reader, Desktop housing, with buzzer (output format RS232 STX-ETX) 4.5 - 16 VDC 1.68W max.	\$ 413.48
IE800-8210-0041	MIFARE Desktop ISO 14443 serial number reader, Desktop housing, with buzzer (output format RS422 STX-ETX) 4.5 - 16 VDC 1.68W max.	\$ 413.48
IMP-ALLADUS	OneSign ALL License New Appliance (Call for Quote)	\$ -
IMP-ALLUS	OneSign ALL License New Appliance (Call for Quote)	\$ -
IMP-PL1000S	OneSign Physical/Logical Appliance 1,000-1,499 Users (per User)	\$ 33.05

IMP-PL10KS	OneSign Physical/Logical Appliance 10,000-24,999 Users (per User)	\$ 15.31
IMP-PL1500S	OneSign Physical/Logical Appliance 1,500-1,999 Users (per User)	\$ 32.24
IMP-PL2000S	OneSign Physical/Logical Appliance 2,000-2,499 Users (per User)	\$ 27.40
IMP-PL200S	OneSign Physical/Logical Appliance 200-299 Users (per User)	\$ 59.64
IMP-PL2500S	OneSign Physical/Logical Appliance 2,500-3,499 Users (per User)	\$ 26.60
IMP-PL25KS	OneSign Physical/Logical Appliance 25,000-49,999 Users (per User)	\$ 11.28
IMP-PL300S	OneSign Physical/Logical Appliance 300-399 Users (per User)	\$ 51.58
IMP-PL3500S	OneSign Physical/Logical Appliance 3,500-4,999 Users (per User)	\$ 24.18
IMP-PL400S	OneSign Physical/Logical Appliance 400-499 Users (per User)	\$ 45.14
IMP-PL500S	OneSign Physical/Logical Appliance 500-699 Users (per User)	\$ 41.91
IMP-PL50KS	OneSign Physical/Logical Appliance 50,000+ Users (per User)	\$ 9.67
IMP-PL5KS	OneSign Physical/Logical Appliance 5,000-9,999 Users (per User)	\$ 20.96
IMP-PL700S	OneSign Physical/Logical Appliance 700-999 Users (per User)	\$ 41.11

IMP-PL-AD1000S	OneSign Physical/Logical Additional Users (per User) 1,000-1,499 Users (per User)	\$ 38.69
IMP-PL-AD10KS	OneSign Physical/Logical Additional Users (per User) 10,000-24,999 Users (per User)	\$ 16.93
IMP-PL-AD1500S	OneSign Physical/Logical Additional Users (per User) 1,500-1,999 Users (per User)	\$ 35.46
IMP-PL-AD2000S	OneSign Physical/Logical Additional Users (per User) 2,000-2,499 Users (per User)	\$ 32.24
IMP-PL-AD200S	OneSign Physical/Logical Additional Users 200-299 Users (per User)	\$ 67.70
IMP-PL-AD2500S	OneSign Physical/Logical Additional Users (per User) 2,500-3,499 Users (per User)	\$ 30.63
IMP-PL-AD25KS	OneSign Physical/Logical Additional Users (per User) 25,000-49,999 Users (per User)	\$ 12.90
IMP-PL-AD300S	OneSign Physical/Logical Additional Users (per User) 300-399 Users (per User)	\$ 58.84
IMP-PL-AD3500S	OneSign Physical/Logical Additional Users (per User) 3,500-4,999 Users (per User)	\$ 27.40
IMP-PL-AD400S	OneSign Physical/Logical Additional Users (per User) 400-499 Users (per User)	\$ 50.78
IMP-PL-AD500S	OneSign Physical/Logical Additional Users (per User) 500-699 Users (per User)	\$ 47.55
IMP-PL-AD50KS	OneSign Physical/Logical Additional Users (per User) 50,000+ Users (per User)	\$ 11.28
IMP-PL-AD5KS	OneSign Physical/Logical Additional Users (per User) 5,000-9,999 Users (per User)	\$ 24.18

IMP-PL-AD700S	OneSign Physical/Logical Additional Users (per User) 700-999 Users (per User)	\$ 46.75
IND-CA1	Indala First order Set-up fee	\$ 257.92
IND-CA2	Indala First order set-up per color per side	\$ 257.92
IND-CA3	Indala Price per color for each additional color and reprints for FP-ISO and FP-ISOM cards (minimum order qty is 500 cards)	\$ 0.62
IND-CA4	Indala Price per color for each additional color and reprints for FP-CRD cards (minimum order qty is 250 cards)	\$ 0.71
INT-HTR	Internal heater for the HK-2, HR-CR and HK-CM, factory installed option. Requires 24VAC input to reader to operate.	\$ 445.72
IPS1-DSCB	Level 1 Print Services per card cost: Dual-side, Front Color/Back Black print (Qty 1,000-5,000)	\$ 13.70
IPS1-DSCC	Level 1 Print Services per card cost: Dual-sided, color print (Qty 1,000-5,000)	\$ 17.73
IPS1-SSB	Level 1 Print Services per card cost: Single-sided, black print (Qty 1,000-5,000)	\$ 4.03
IPS1-SSC	Level 1 Print Services per card cost: Single-sided, color print (Qty 1,000-5,000)	\$ 10.48
IPS2-DSCB	Level 2 Print Services per card cost: Dual-side, Front Color/Back Black print (Qty 5,000-9,999)	\$ 9.67
IPS2-DSCC	Level 2 Print Services per card cost: Dual-sided, color print (Qty 5,000-9,999)	\$ 10.48
IPS2-SSB	Level 2 Print Services per card cost: Single-sided black print (Qty 5,000-9,999)	\$ 3.02

IPS2-SSC	Level 2 Print Services per card cost: Single-sided, color print (Qty 5,000-9,999)	\$ 8.06
IPS3-DSCB	Level 3 Print Services per card cost: Dual-side, Front Color/Back Black print(Qty 10,000-24,999)	\$ 6.05
IPS3-DSCC	Level 3 Print Services per card cost: Dual-sided, color print (Qty 10,000-24,999)	\$ 8.06
IPS3-SSB	Level 3 Print Services per card cost: Single-sided black print (Qty 10,000-24,999)	\$ 2.42
IPS3-SSC	Level 3 Print Services per card cost: Single-sided, color print (Qty 10,000-24,999)	\$ 5.71
IPS4-DSCB	Level 4 Print Services per card cost: Dual-side, Front Color/Back Black print (Qty 25,000-49,000)	\$ 5.38
IPS4-DSCC	Level 4 Print Services per card cost: Dual-sided, color print (Qty 25,000-49,000)	\$ 6.71
IPS4-SSB	Level 4 Print Services per card cost: Single-sided black print (Qty 25,000-49,000)	\$ 2.15
IPS4-SSC	Level 4 Print Services per card cost: Single-sided, color print (Qty 25,000-49,000)	\$ 4.70
IPS5-DSCB	Level 5 Print Services per card cost: Dual-side, Front Color/Back Black print(Qty 50,000+)	\$ 4.37
IPS5-DSCC	Level 5 Print Services per card cost: Dual-sided, color print (Qty 50,000+)	\$ 4.70
IPS5-SSB	Level 5 Print Services per card cost: Single-sided black print (Qty 50,000+)	\$ 1.88
IPS5-SSC	Level 5 Print Services per card cost: Single-sided, color print (Qty 50,000+)	\$ 3.69

IPS-CUSTLAM	Print Services Add-On Option: Single-sided custom laminate (per card, laminate purchased separately)	\$ 2.02
IPS-ENCM	Print Services Add-On Option: Magnetic Encoding (per card)	\$ 0.14
IPS-ENCSC	Print Services Add-On Option: iCLASS/MIFARE/DESFire R/W (per card)	\$ 0.40
IPS-GENLAM	Print Services Add-On Option: Single-sided general laminate (per card)	\$ 1.68
IS-400	ID3D-R and ID3D-RW - Power supply 220VAC to 13.5 VDC w/connector	\$ 80.60
ISG-CMS100K	Integration for encoding 100,000 ActivIdentity Certificates	\$ 67,166.40
ISG-CMS10K	Integration for encoding 10,000 ActivIdentity Certificates	\$ 16,791.40
ISG-CMS1K	Integration for encoding 1,000 ActivIdentity Certificates	\$ 2,351.10
ISG-CMS500	Integration for encoding 500 ActivIdentity Certificates	\$ 1,343.60
ISG-CMS5K	Integration for encoding 5,000 ActivIdentity Certificates	\$ 10,075.00
ISG-IMS100K	Integration for 100,000 Verisoft Users	\$ 67,166.40
ISG-IMS10K	Integration for 10,000 Verisoft Users	\$ 16,791.40
ISG-IMS1K	Integration for 1,000 Verisoft Users	\$ 2,351.10

ISG-IMS500	Integration for 500 Verisoft Users	\$ 1,343.60
ISG-IMS5K	Integration for 5,000 Verisoft Users	\$ 10,075.00
ISO-CUS	Custom Pre-Printing Available on Request (Call for Quote)	\$ -
ISO-PVC	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	\$ 0.19
ISO-PVCM	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides with 1/2" 2750 HICO Mag Stripe, polywrapped in qty's of 100	\$ 0.28
ISO-PVCST	VPVC Credit card size (500 Qty.), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	\$ 117.68
IVAS-FP	Facility Utilization (People Counting) - Single application license for the Facility Utilization Application that runs on an IntelligentVideo Application Server. Includes four (4) IVS-PC licenses for support of up to four doors. Support for additional doo	\$ 1,128.40
IVS-CON	Congestion per channel – Detects densely populated regions of interest. The level of congestion is based on how much of the background is hidden due to foreground objects. Default frame rate is 1 frame per second. Includes first year of annual support SUS	\$ 1,128.40
IVS-DM	Directional Motion per channel – Detects motion of objects in the direction specified. Requires a minimum of 9 frames per second. Includes first year of annual support SUSP-W-IVS. Requires Professional Engineering Services	\$ 1,128.40
IVS-FD	Facial Detection per channel – Detects human faces. Both eyes should be seen, the eye to eye distance should be at least 10% of the field of view. The camera must be a frontal view with reasonable lighting conditions. The longer a person stays in front of	\$ 1,128.40
IVS-IC	Invalid Camera per channel – Detects whenever the camera is covered, moved, or out of focus. Requires a minimum of 1 frame per second. Includes first year of annual support SUSP-W-IVS. Professional Engineering Services Recommended	\$ 33.85
IVS-LOIT	Loitering per channel – Detects when an object loiters for more than a pre-defined amount of time (duration). An object is considered to loiter if it appears in the field of view moving slowly or not moving at all, for a pre-defined amount of time. Default	\$ 1,128.40
IVS-OCR	Object Crosses a Region per channel – Detects when an object crosses a virtual region. The region should be orthogonal to the direction objects will cross the region. Example would be Left to Right, or Right to Left, or both. Default frame rate is 9 frame	\$ 1,128.40

IVS-OD	Object Detection per channel – Detects the presence of a foreground object in the region of interest. Detection can be set based on object shape properties and size, and color for some cases. Can differentiate between different object types. Typical use i	\$ 1,128.40
IVS-OLB	Object Left Behind per channel – – Detects whenever a foreground object is left static for more than a pre-defined interval of time (10 seconds or higher). Default frame rate is 1 frame per second. Includes first year of annual support SUSP-W-IVS. Requir	\$ 1,128.40
IVS-OMTF	Object Moves Too Fast – Detects an Object that moves from a starting line to an ending line (both marked by the user) in less than a pre-specified time interval. Direction should be parallel to the camera plane. Default frame rate is 15 frames per second.	\$ 1,128.40
IVS-OR	Object Removed per channel – Detects if a background object has been removed. Default frame rate is 1 frame per second. Includes first year of annual support SUSP-W-IVS. Requires Professional Engineering Services	\$ 1,128.40
IVS-OS	Object Stops per channel – Detects when a distinctive object stops moving. Default frame rate is 9 frames per second. Includes first year of annual support SUSP-W-IVS. Requires Professional Engineering Services	\$ 1,128.40
IVS-OSM	Object Starts to Move per channel – Detects when a monitored object that is marked with region of interest starts moving. Default frame rate is 9 frames per second. Includes first year of annual support SUSP-W-IVS. Requires Professional Engineering Servic	\$ 1,128.40
IVS-PC	People Counting per channel – Counts the number of entering / exiting people using an overhead camera. Each person that enters the area increases the count by 1. Each person that exits an area decreases the count by 1. The people count is the total count	\$ 1,128.40
IVSP-CC	Crowd Control Solution - offers detection of a line of people exceeding a pre-defined "length" or detection of a crowd of people. Typical examples are: Detecting when a line of people has accumulated before a service point in an airport terminal, detectin	\$ 469.90
IVSP-FPM	Forbidden Path of Motion Solution – offers the ability to detect forbidden direction or path of motion. The solution offers detection of objects moving in a certain direction or along a specified path. Typical examples include: human or vehicle exiting th	\$ 469.90
IVSP-FU	Facility Utilization Solution -Single application license for the Facility Utilization Application that runs on an IntelligentVideo Application Server. Includes four (4) IVS-PC licenses for support of up to four doors. Support for additional doors can be	\$ 469.90
IVSP-HL	Loitering Solution – offers detection of loiterers in un-crowded regions at times when people are not expected to linger around (areas near entrances, sensitive regions, sidewalks in residential areas). Contains a bundle of advanced mechanisms to deal wit	\$ 469.90
IVSP-ID	Intrusion Detection Solution - Detects the presence of an object in the Region of Interest. Differentiates between human to vehicle to small animals. Supports also day/night camera with IR illumination. Compensates for vibrations in a windy day. Detects i	\$ 469.90
IVSP-SC	Smart Camera Solution - should be installed on almost every camera, indoors or outdoors. It has two main functions: Detecting occurrences of motion within the camera views in order to trigger recording or to alert the monitoring operator as well as automa	\$ 66.90

IVSP-SV	Standing Vehicles Solution - offers detection of vehicles that were left standing within a forbidden region for more than an acceptable duration. Typical examples include: Vehicle that was left in front of an entrance to a shopping center, airport termina	\$ 469.90
IVS-SVMD	Smart Video Motion Detection per channel – Detects a change in the region of interest while optionally ignoring camera vibrations and areas of constant motion. Requires a minimum of 2 frames per second. Includes first year of annual support SUSP-W-IVS. Pr	\$ 33.85
K380-001	Single Replacement Battery Pack	\$ 24.99
K380-0012	Pack of 12 Replacement Battery Packs	\$ 268.40
K62440	USB Signature Capture Kit - Intuos3 USB Graphics Tablet 4x6 with erasing UltraPen PTZ430 (UD2-0405S-PC)	\$ 356.25
LANSD1101002-11	Secure External Device Server with international power supply– supports AES encryption from Lenel, 10/100 Ethernet interface, for secure third party product interface to OnGuard	\$ 296.61
LC	No Cylinder option (No Charge)	\$ -
LC331-DX	(Americas-APAC and countries needing NTSC cameras) NTSC LC331-DX Fixed Lens Day-Night, Color, Wide Dynamic Range, (410K CMOS) Fixed Lens IP Network Camera with 802.3af Power over Ethernet. NTSC: NEW: the LC331-DX brings a new camera evolution to Le	\$ 727.01
LC332-DX	(Australia, Great Britain, ,Europe, and countries needing PAL cameras) PAL LC332-DX Day-Night, Wide Dynamic Range, Fixed Lens IP Network Camera with 802.3af Power over Ethernet. PAL: NEW: the LC332-DX brings a new camera evolution to Lenel. The LC33	\$ 727.01
LG-EAC-ADV	IrisAccess EAC Software for ADV systems (for 50,000 Users) requires SWG-LGADV	\$ 40,300.00
LG-EAC-Basic	IrisAccess EAC Software for ES systems (for 2500 Users) requires SWG-LGES	\$ 2,683.98
LG-EAC-ENT	IrisAccess EAC Software for ENT systems (for 100,000 Users) requires SWG-LGENT	\$ 64,480.00
LG-EAC-ES	IrisAccess EAC Software for ES systems (for 25,000 Users) requires SWG-LGES	\$ 20,150.00

LG-EAC-EXT	IrisAccess EAC Software for ES systems (for 5000 Users) requires SWG-LGES	\$ 4,698.98
LG-EAC-PRO	IrisAccess EAC Software for PRO systems (for 75,000 Users) requires SWG-LGPRO	\$ 48,360.00
LG-iCAM4000	iCAM 4000 IP connected Iris Camera Verification Unit with connection port for external HID RW400 iCLASS smart card reader (reader not included) this unit is also recommend for enrollment of iris templates to OnGuard	\$ 2,821.00
LG-iCAM4100	Iris Camera with VFD with connection port for external HID RW400 iCLASS smart card reader (reader not included)) this unit is also recommend for enrollment of iris templates to OnGuard	\$ 3,546.40
LG-iCAM4110-H3	Iris Camera with VFD, embedded with internal HID iClass smart card reader	\$ 3,949.40
LG-ICU4300-W	Identification Control Unit kit for 4000 series verification units - for up to four iCLASS/LG iCAM4000 series Iris verification unit	\$ 2,014.19
LH-100	Left handed option for ID3D-R	\$ 3,101.49
LH-100W	Left handed option for ID3D-RW	\$ 4,748.95
LNL-1000	ntelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 1 MB standard memory (UL Approved) , RoHS, CE and UL294 certified	\$ 866.45
LNL-1001M	1 MB Memory (quantity 2, 512 x 8) Memory only for upgrading LNL-100-256 panels and memory expansion kits	\$ 248.25
LNL-1003MK	3 MB Memory Expansion Kits - Includes 3 MB of memory and expansion board (UL Approved)	\$ 409.45
LNL-1007MK	7 MB Memory Expansion Kits - Includes 7 MB of memory and expansion board (LNL-2000 only)	\$ 604.50
LNL-108A	Converter RS-232 to RS-485	\$ 446.52

LNL-109A	Converter RS-232 to RS-485 with Optical Isolation	\$ 502.14
LNL-1100	Input Control Module (Series two)–12/24 VDC, 16 zone input monitor module, (32) 1K resistors (with 2 programmable output relays) , RoHS, CE and UL294 certified	\$ 570.65
LNL-1200	Output Control Module (Series two) – 12/24 VDC, 16 relay output control module , RoHS, CE and UL294 certified	\$ 564.20
LNL-1300	Single Reader Interface Module (Series 2 - Supports OSDP Readers) – 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE and UL294 certified	\$ 253.89
LNL-1300-CRL	Single Reader Interface Module (Series 2 - Supports OSDP Readers) with Cisco reader license included – 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE and UL294 certified	\$ 295.80
LNL-1320	Dual Reader Interface Module (Series 2 –Supports OSDP Readers) – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE and UL294 certified	\$ 507.78
LNL-1320-CRL	Dual Reader Interface Module (Series 2 –Supports OSDP Readers) with Cisco reader licenses included– 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE and UL294 certified	\$ 577.90
LNL-1K-32	Resistors – one complete set of sixteen, 1K-ohm resistors for the LNL-1100, LNL-1300 or LNL-1320 modules	\$ 13.70
LNL-2000	Dual Host Path Intelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 1 MB standard memory, RoHS, CE and UL294 certified	\$ 1,363.75
LNL-2005W	Magnetic Card Access Reader – 12 VDC, track 2 weatherized, one-million pass extended wear read head, (No keypad Available), Black, tamper not available on this reader. (UL Approved)	\$ 132.99
LNL-2005W-5	Magnetic Card Access Reader – 5 VDC, track 2 weatherized, one-million pass extended wear read head, (No Keypad Available), Black, tamper not available on this reader (UL Approved)	\$ 132.99
LNL-2010W	Magnetic Card Access Reader – 12 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	\$ 182.96
LNL-2010W-5	Magnetic Card Access Reader – 5 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	\$ 182.96

LNL-2020W	Magnetic Card Access Reader with Keypad – 12 VDC, track 2, one-million pass extended wear read head, weatherized, Black (UL Approved)	\$ 264.37
LNL-2020W-5	Magnetic Card Access Reader with Keypad – 5 VDC, track 2, one-million pass extended wear read head, weatherized, Black (UL Approved)	\$ 264.37
LNL-2020W-NDK	Magnetic Card Access Reader with non-destructable Keypad – 12 VDC, track 2, one-million pass extended wear read head, with TTL connector, weatherized, (UL Approved)	\$ 523.90
LNL-2020W-NDKV2	Magnetic Card Access Reader with non-destructable Keypad – 12 VDC, track 2, one-million pass extended wear read head, weatherized, (UL Approved)	\$ 523.90
LNL-2220	Intelligent Dual Reader Controller – 12 VDC or 24 VDC @ 700mA, size (6" (152mm) W x 8" (203mm)L x 1" (25mm)H), (5 year lithium battery or 3 months full run) 6 MB standard cardholder flash memory, 50,000 of Event memory, maximum of 32 devices, On-board Eth	\$ 1,336.35
LNL-3121-EHSB	USB Contact Reader w/ Extra Heavy Standing Base	\$ 37.88
LNL-3121-HSB	USB Contact Reader w/ Heavy Standing Base	\$ 33.85
LNL-3121-LSB	USB Contact Reader w/ Light Standing Base	\$ 30.63
LNL-3300	Intelligent System Controller – 12 VDC or 24 VDC @300mA,size (5 in. (127mm) W x 6 in. (152.4mm) L x 1 in. (25mm) H), (5 year lithium battery or 3 months full run) 15 MB standard cardholder flash memory, 50,000 Event memory, maximum of 64 devices, On-boar	\$ 1,470.95
LNL-400X-CE220	Lenel CE Listed 4A, 220VAC Power Supply – 12VDC or 24VDC 4A output (switch selectable), 220VAC input, continuous supply current with enclosure (12"x 16" x 4.5"), lock and open frame transformer, tamper switch, UPS capable (Battery Optional) CE Approved	\$ 386.88
LNL-4040	PCMCIA Contact Smart Card Reader	\$ 76.57
LNL-500	Intelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 512K standard memory and stand-offs, RoHS, CE and UL294 certified	\$ 522.29
LNL-500B	Biometric Reader Interface Gateway – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 8 Schlage Hand Geometry readers per interface (supported readers are ID3D, Handkey II and Handkey CR),also supports Identix V20	\$ 522.29

LNL-500W	Wireless Gateway Interface – 12 VDC or 12 VAC, (5 year lithium battery) 512K standard memory, support for a maximum of 16 Wireless readers per interface (supports all WA, WRI and WPR Readers) available for use with OnGuard Version 5.10.4xx , RoHS, CE and	\$ 522.29
LNL-5121-HSB	USB Contact/Contactless Reader w/ Heavy Standing Base	\$ 94.30
LNL-5125-HSB	USB Contact/HID Prox Reader w/ Heavy Standing Base	\$ 94.30
LNL-600ULX-4CB6	Lenel UL Listed Power Supply – 12VDC or 24VDC 6A output (switch selectable), 120VAC (1.6 amps) input, continuous supply current with enclosure (18" x 24" x 4.5"), lock, tamper switch, power distribution module, UPS capable (Battery Optional) UL & CUL Appro	\$ 604.50
LNL-600X6-CE220	Lenel CE Listed Power Supply – 12VDC or 24VDC 6A output (switch selectable), 220VAC (1.6 amps) input, continuous supply current with enclosure (18" x 24" x 4.5"), lock and open frame transformer, tamper switch, power distribution module, UPS capable (Batte	\$ 631.10
LNL-8000	Star Multiplexer –12 VDC, (8) Downstream RS-485 2-wire ports or (4) RS-485 4-wire ports and stand-offs	\$ 473.12
LNL-826S121NN	Lenel Brushed Aluminum Keypad, 2 keys across and 6 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for mullion mounting	\$ 221.65
LNL-834S121NN	Lenel Brushed Aluminum Keypad, 3 keys across and 4 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for a single gang electrical box	\$ 221.65
LNL-837A	RS-232 /RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, (115 Kbps)	\$ 390.91
LNL-838A	RS-232 /RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, Optically isolated from data ground (115.2 Kbps)	\$ 433.63
LNL-9420	ISO-X Lite Clamshell card, preprogrammed (minimum order qty 100)	\$ 1.97
LNL-9440	ISO-X 10k bit card, clamshell, preprogrammed (minimum order qty 100)	\$ 2.51
LNL-9520	ISO-X Lite Card, direct printable, preprogrammed (minimum order qty 100)	\$ 2.32

LNL-9540	ISO-X 10k bit card, direct printable, preprogrammed (minimum order qty 100)	\$ 2.96
LNL-9540M1	ISO-X 10k bit card, direct printable, preprogrammed, with magnetic stripe (minimum order qty 100)	\$ 3.32
LNL-9551	MIFARE 1 Kbyte/8Kbit 14443 memory card, direct printable, non programmed (100 card minimum order) two year warranty	\$ 2.78
LNL-9551M1	MIFARE 1 Kbyte/8Kbit 14443 memory card with magnetic stripe, direct printable, non programmed, (100 card minimum order) two year warranty	\$ 3.13
LNL-9558	MIFARE 4 Kbyte/32Kbit 14443 memory card, direct printable, non programmed, (100 card minimum order) two year warranty	\$ 4.39
LNL-9558M1	MIFARE 4 Kbyte/32Kbit 14443 memory card with magnetic stripe, direct printable, non programmed, (100 card minimum order) two year warranty	\$ 4.84
LNL-9574NP	DESFire 4Kbyte/32Kbit memory card, non-punchable, direct printable, non programmed, (100 card minimum order) two year warranty	\$ 7.27
LNL-9640	ISO-X 10k bit classic keytag, preprogrammed, (minimum order qty 100)	\$ 4.29
LNL-9641	ISO-X 10k bit surfboard keytag, preprogrammed, (minimum order qty 100)	\$ 5.18
LNL-9674	DESFire 4Kbyte/32Kbit memory card, direct printable, non programmed, (100 card minimum order) two year warranty	\$ 7.27
LNL-9674M1	DESFire 4Kbyte/32Kbit memory card with magnetic stripe, direct printable, non programmed, (100 card minimum order) two year warranty	\$ 7.66
LNL-AL400ULX	Lenel UL Listed 4A, 110VAC Power Supply – 12VDC or 24VDC 4A output (switch selectable), 120VAC input, continuous supply current with enclosure (12"x 16" x 4.5"), lock, tamper switch, UPS capable (Battery Optional) UL & CUL Approved	\$ 362.70
LNL-BIO007-ENC	BIO007 Recess power supply and housing assembly – includes enclosure, 24 VAC input to 12VDC output @ 2 amps power supply, assembly hardware and finish plate in brush aluminum [optional Black – B or Gold – G]	\$ 120.90

LNL-CAM1	Lock assembly and keys for Lenel standard power supply cabinets	\$ 6.71
LNL-CCK-1401L	Lenel Time & Attendance real time display timer, with 1 inch LCD display	\$ 390.91
LNL-CK	Display terminal Lenel Command Keypad - 32-character back-lit LCD display with a 16-position keypad, supports both direct RS-485 communication with the ISC and Wiegand TTL output, supports one external Wiegand input, 12VDC±15% @175mA (keypad only)	\$ 310.31
LNL-CONV-1	Plastic Adapter plate to mount a single LNL-1300 module (2.75" x 4.25")	\$ 4.03
LNL-CONV-4	Adapter plate to mount up to 4 LNL-1300s in any CTX enclosure, Maximum two per LNL-CTX enclosure	\$ 20.15
LNL-CTX	Lenel UL listed hardware enclosure (12"x 16" x 4.5") only with lock and tamper switch support up to two Lenel access hardware modules (UL Approved)	\$ 88.66
LNL-CTX-6	Lenel UL listed hardware enclosure (18"x 24" x 4.5"), only with lock and tamper switch support up to six Lenel access hardware modules (UL Approved)	\$ 161.20
LNL-DC336K	12 VDC powered/33.6K External modem for Intelligent System Controller Dial-up, includes HOC-56KEXT custom made modem to ISC communication cable as well as the 12 VDC power cable when purchase from Lenel RoHS compliant device	\$ 681.88
LNL-DEMO-UI-HOI	Lenel Access Hardware Demo Case includes a universal power supply [100-240V, 50-60Hz], [1] LNL-2220, [1] LNL-1300, [1] RWKL550 LCD display reader, [1] LNL-XF1050 OpenProx reader, [1] IE800-8045-3020 MIFARE sector reader, [4] inputs, [4] output LED, auxilli	\$ 2,276.95
LNL-EHSB	Extra Heavy Standing Base for 31xx and 51xx Reader	\$ 18.54
LNL-ETHLAN	Universal Micro Serial Server for Ethernet, Flash ROM, DB25 serial port RJ45 (10/100baseT) Ethernet interface, diagnostic LED's, External power 120/220 VAC (includes cable HOC-ETHLAN)	\$ 435.24
LNL-ETHLAN-MICR	On-Board 10/100Mbps Ethernet for LNL-500 & 2000 - CoBox Micro100 serial server, Flash ROM, RJ45 (10/100BaseT), diagnostic LED's, Dimensions 1.57" (40mm) x 1.93" (49mm), internally powered and includes standoffs	\$ 154.75
LNL-ETHLAN-UDS220	Lantronix UDS1100 Micro Serial Server, DB25 serial port RJ45 (10/100baseT) Ethernet interface, diagnostic LED's, External power 120/220 VAC	\$ 186.19

LNL-FIRM1100	Firmware chip for upgrading a LNL-1100	\$ 40.30
LNL-FIRM1200	Firmware chip for upgrading a LNL-1200	\$ 40.30
LNL-FIRM1300	Firmware chip for upgrading a LNL-1300	\$ 40.30
LNL-FIRM1320	Firmware chip for upgrading a LNL-1320	\$ 40.30
LNL-HSB	Heavy Standing Base for 31xx and 51xx Reader	\$ 5.38
LNL-MOM-5	Multi-output power supply interface (board Only)	\$ 87.05
LNL-OLS120CTX	4.0 A Power Supply with Enclosure - The OLS120 is a power limited supply/chargers that will convert a 115 VAC/60Hz input, into a 12VDC or 24VDC power limited output, with 4 amps of continuous supply current, UPS capable (Battery Optional) with enclosure a	\$ 302.25
LNL-OLS120CTXEU	220V-4.0 A Power Supply with Enclosure - The OLS120 is a power limited supply/chargers that will convert a 220 VAC/50Hz input, into a 12VDC or 24VDC power limited output, with 4 amps of continuous supply current, UPS capable (Battery Optional) with enclos	\$ 322.40
LNL-OLS120EU	220V - 4.0 A Power Supply Only – The OLS120 is a power limited supply/chargers that will convert a 220 VAC/50Hz input, into a 12VDC or 24VDC power limited output, with 4 amps of continuous supply current, UPS capable (Battery Optional)	\$ 201.50
LNL-OLS75	2.5 A Power Supply Only - The OLS75 is a power limited supply/chargers that will convert a 115 VAC/60Hz input, into a 12VDC or 24VDC power limited output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional)	\$ 145.08
LNL-OLS75CTX	2.5 A Power Supply with enclosure - The OLS75 is a power limited supply/chargers that will convert a 115 VAC/60Hz input, into a 12VDC or 24VDC power limited output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional) with enclosure	\$ 270.01
LNL-OLS75CTXEU	220V-2.5 A Power Supply with enclosure - The OLS75 is a power limited supply/chargers that will convert a 220 VAC/50Hz input, into a 12VDC or 24VDC power limited output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional) with enclo	\$ 294.19
LNL-OLS75EU	220V -2.5 A Power Supply Only - The OLS75 is a power limited supply/chargers that will convert a 220 VAC/50Hz input, into a 12VDC or 24VDC power limited output, with 2.5 amps of continuous supply current, UPS capable	\$ 147.50

LNL PVC-EMBA	500 PVC 60/40 Cards with Embedded Hologram [AUTHENTIC EAGLE]	\$ 369.15
LNL PVC-EMBAMS	500 PVC 60/40 Cards with mag stripe and Embedded Hologram [AUTHENTIC EAGLE]	\$ 449.75
LNL PVC-EMBD	500 PVC 60/40 Cards with Embedded Hologram [DIAMOND]	\$ 369.15
LNL PVC-EMBDMS	500 PVC 60/40 Cards with mag stripe and Embedded Hologram [DIAMOND]	\$ 449.75
LNL PVC-EMBK	500 PVC 60/40 Cards with Embedded Hologram [KEY]	\$ 369.15
LNL PVC-EMBKMS	500 PVC 60/40 Cards with mag stripe and Embedded Hologram [KEY]	\$ 449.75
LNL PVC-EMBS	500 PVC 60/40 Cards with Embedded Hologram [SECURE WORLD]	\$ 369.15
LNL PVC-EMBSMS	500 PVC 60/40 Cards with mag stripe and Embedded Hologram [SECURE WORLD]	\$ 449.75
LNL PVC-FSC	500 PVC 60/40 Cards with surface foil stamp [Circles foil]	\$ 268.40
LNL PVC-FSCMS	500 PVC 60/40 Cards with mag stripe and surface foil stamp [Circles foil]	\$ 530.35
LNL PVC-FSG	500 PVC 60/40 Cards with surface foil stamp [GRID WORLD foil]	\$ 268.40
LNL PVC-FSGMS	500 PVC 60/40 Cards with mag stripe and surface foil stamp [GRID WORLD foil]	\$ 530.35
LNL PVC-FSS	500 PVC 60/40 Cards with surface foil stamp [SECURE WORLD foil]	\$ 268.40

LNL-PVC-FSSMS	500 PVC 60/40 Cards with mag stripe and surface foil stamp [SECURE WORLD foil]	\$ 530.35
LNL-PVC-FST	500 PVC 60/40 Cards with surface foil stamp [Circles foil]	\$ 268.40
LNL-PVC-FSTMS	500 PVC 60/40 Cards with mag stripe and surface foil stamp [Circles foil]	\$ 530.35
LNL-PVC-GC	500 PVC 60/40 Cards with Guilloche back ground printing	\$ 1,410.50
LNL-PVC-GCMS	500 PVC 60/40 Cards with mag stripe and Guilloche back ground printing	\$ 1,531.40
LNL-PVC-MP	500 PVC 60/40 Cards with Micro printing (must provide layout at the time of order)	\$ 1,410.50
LNL-PVC-MPMS	500 PVC 60/40 Cards with mag stripe and Micro printing (must provide layout at the time of order)	\$ 1,531.40
LNL-RCC	Reader Connector Cable, Replacement (Lots of 5)	\$ 20.15
LNL-RPL-KPD	Replacement Keypads for the LNL-2020W readers	\$ 33.85
LNL-SS	Security Screw (Lot of 10)	\$ 8.06
LNL-SSK	Security Screw Key for A-SS (Lot of 5)	\$ 18.54
LNL-WP10	Wall Plate cover for Single Gang electrical box	\$ 8.06
LNL-WP20	Wall Plate cover for Double Gang electrical box	\$ 10.48

LNL-WS10	Single Reader Weather Shield for LNL-2005W, 2010W and 2020W	\$ 30.63
LNL-XF1050K	OpenProx Mini-Mullion 125 kHz, 5-16 VDC, adds EM 125kHz	\$ 91.08
LNL-XF1060MF	Mini-Mullion 13.56 MHz reader, reads XceedID ISO-X LITE and XceedID Secure MIFARE PRE-PROGRAMMED cards ONLY. Reads non-programmable CSN of ISO15693 credentials, Black	\$ 93.50
LNL-XF1060XX	Mini-Mullion 13.56 MHz reader, reads XceedID ISO-X (NOT ISO-X Lite) PRE-PROGRAMMED cards ONLY. Reads non-programmable CSN/UID of ISO1443A credentials, Black	\$ 93.50
LNL-XF1100D	OpenCard/OpenProx Mullion Mount, 6 -16VDC	\$ 181.35
LNL-XF1100D-P2	GSA Approved PIV Mullion Mount, 6 -16VDC, 200 bit PIV output, 200 bit PIV output, Black	\$ 215.20
LNL-XF1100D-P7	GSA Approved PIV Mullion Mount, 6 -16VDC, 75bit PIV output, Black	\$ 215.20
LNL-XF1100D-S	OpenCard-Secure Mullion Mount, 6 -16VDC	\$ 181.35
LNL-XF1500C	OpenCard/OpenProx Wall Mount, 5-16VDC, Black, Terminal Block, Wiegand or OSDP output (Auto-sensing), single gang, adds EM 125kHz compatibility	\$ 201.50
LNL-XF1500C-S	OpenCard-Secure Wall Mount, 5-16VDC, Black, Terminal Block, Wiegand or OSDP output (Auto-sensing), single gang, adds EM 125kHz compatibility	\$ 201.50
LNL-XF1500D	OpenCard/OpenProx Wall Mount , 5-16VDC, Black, Pigtail, Wiegand output only, single gang, adds EM 125kHz compatibility	\$ 201.50
LNL-XF1500D-S	OpenCard-Secure Wall Mount, 5-16VDC, Black, Pigtail, Wiegand output only, single gang, adds EM 125kHz compatibility	\$ 201.50
LNL-XF1500K	OpenProx Wall Mount, 5-16VDC, Black, pigtail, Wiegand output only, single gang, adds EM 125kHz	\$ 171.68

LNL-XF1560C-S	OpenCard Wall Mount 5-16VDC, Black, Terminal Block, Wiegand or OSDP output (Auto-sensing), single gang, adds XceedID Secure MIFARE and ISO-X Lite	\$ 171.68
LNL-XF1560D-S	OpenCard Wall Mount 5-16VDC, Black, Pigtail, Wiegand output only, single gang, adds XceedID Secure MIFARE and ISO-X Lite	\$ 171.68
LNL-XF2100D	OpenCard/OpenProx Mid-Range, wall mount, , 6 -16VDC	\$ 228.10
LNL-XF2100D-P2	GSA Approved PIV Mid-Range, wall mount, , 6 -16VDC, 200 bit PIV output, Black	\$ 261.95
LNL-XF2100D-P7	GSA Approved PIV Mid-Range, wall mount, , 6 -16VDC, 75 bit PIV output, Black	\$ 261.95
LNL-XF2100D-S	OpenCard-Secure Mid-Range, wall mount, , 6 -16VDC	\$ 228.10
LNL-XF2110D	OpenCard/OpenProx Mid-Range Keypad, wall mount, 6 -16VDC	\$ 322.40
LNL-XF2110D-P2	GSA Approved PIV Mid-Range Keypad, wall mount, 6 -16VDC, 200 bit PIV output, black	\$ 356.25
LNL-XF2110D-P7	GSA Approved PIV Mid-Range Keypad, wall mount, 6 -16VDC, 75 bit PIV output, black	\$ 356.25
LNL-XF2110D-S	OpenCard-Secure Mid-Range Keypad, wall mount, 6 -16VDC	\$ 322.40
LNVEF04-0250	4 Channel goVision DVR with 250GB of storage – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input c	\$ 2,117.36
LNVEF04-0500	4 Channel goVision DVR with 500GB of storage – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input c	\$ 2,371.25
LNVEF04-1000	4 Channel goVision DVR with 1000GB of storage – 4 Channel DVR; Embedded OS. Includes 4 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 4 audio channels (BNC Connections), 4 alarm input	\$ 2,686.40

LNVEF08-0500	8 Channel goVision DVR with 500GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input c	\$ 2,948.35
LNVEF08-1000	8 Channel goVision DVR with 1000GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input	\$ 3,264.30
LNVEF08-2000	8 Channel goVision DVR with 2000GB of storage – 8 Channel DVR; Embedded OS. Includes 8 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 8 audio channels (BNC Connections), 8 alarm input	\$ 4,090.45
LNVEF16-0500	16 Channel goVision DVR with 500GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm in	\$ 4,016.30
LNVEF16-1000	16 Channel goVision DVR with 1000GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm i	\$ 4,332.25
LNVEF16-2000	16 Channel goVision DVR with 2000GB of storage – 16 Channel DVR; Embedded OS. Includes 16 video channels (BNC connections) at up to 4CIF (DVD quality) resolution with real time framerate, H.264 Compression, 16 audio channels (BNC Connections), 16 alarm i	\$ 5,162.43
LP-CS	"Clam Shell" style Prox Badge, with laser etched card number, 26 bit default format, others available, Pre-punched in Portrait Orientation (minimum order qty 100)	\$ 1.61
LP-GR	Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, (minimum order qty 100)	\$ 2.68
LP-GR-1KM	1K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 2500)	\$ 5.46
LP-GR-4KM	4K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 2500)	\$ 6.09
LP-GRMAG	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, with 3 track High-Co ABA Magnetic Stripe (minimum order qty 100)	\$ 3.02
LP-GRMAG-1KM	1K MIFARE Cards with a 125 Proximity insert, High-Co Magnetic stripe graphic quality on both sides, ISO Compliant (minimum order qty 2500)	\$ 5.82
LP-GRMAG-4KM	4K MIFARE Cards with a 125 Proximity insert, High-Co Magnetic stripe, graphic quality on both sides, ISO Compliant (minimum order qty 2500)	\$ 6.45

LPKP-6840	LenelProx Keypad Reader, LPSP-6820 w/Integrated Keypad, Wiegand and RS232 (simultaneous) output card only, 6 to 8 inch Read Range, 5-12 VDC 55 to 85 mA typical, Multiple Formats, Indoor/Outdoor, (color Gray only)	\$ 187.80
LP-KT	Proximity Key Tag with laser etched card number, 26 bit default format, others available, (Key Fob) (minimum order qty 50)	\$ 2.89
LPLR-911	LenelProx Long Range 900Mhz Reader - Wiegand and RS232 (simultaneous) output, passive tag reader with directional 9 to 11 foot Read Range, 5 to 15 VDC [1.5A to 0.4 A typical], (color Beige only) – Works Only with High Frequency Tags (see LP-WS & LP-MT par	\$ 1,545.10
LPLR-911HILO	LenelProx Long Range 900Mhz Reader with dual antennas – Same as LPLR-911, but includes 2nd remote antenna and 4ft Coax cable to provide expanded read range in 1 axis only, to allow greater range of tag locations in either the horizontal OR vertical axis –	\$ 2,216.50
LPLRIN	Installation kit for LPLR-911 - includes test reader (LPSP-6820-LR), sample tags (LPMT and LPWS on Glass) and a power supply (PS121A) modified with spring clips	\$ 215.20
LPLRMB	Mounting Bracket for LPLR-911 Reader, 11 inches long with pan & tilt swivel head	\$ 46.75
LPMM-6800B	LenelProx Mullion Mount Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, Metal Compensated, 5-12 VDC [65 to 85 mA typical], Mullion Width, Indoor/Outdoor, (color Beige)	\$ 118.48
LPMM-6800G	LenelProx Mullion Mount Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, Metal Compensated, 5-12 VDC [65 to 85 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	\$ 118.48
LPMR-1824	LenelProx Mid Range Reader, Wiegand and RS232 (simultaneous) output, 18 to 24 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8"x8"x1", Indoor/Outdoor, (color Gray only)	\$ 241.80
LPMR-1824MC	LenelProx Mid Range Reader Metal Compensated, Wiegand and RS232 (simultaneous) output, 14 to 16 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8"x8"x1", Indoor/Outdoor, (color Gray only)	\$ 302.25
LP-MT	Metal Mount Tag High Frequency, (minimum order qty 50)	\$ 9.67
LP-PW	Proximity Wafer, 1 inch diameter, adhesive backing, with laser etched card number, 26 bit default format, others available, (minimum order qty 50)	\$ 2.48
LPSP-6820B	LenelProx Switch Plate Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, 5-12 VDC [65 to 85 mA typical], Single Gang Box Mount, (color Beige)	\$ 118.48

LPSP-6820G	LenelProx Switch Plate Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, 5-12 VDC [65 to 85 mA typical], Single Gang Box Mount, (color Gray)	\$ 118.48
LPSR-2400B	LenelProx Special Range Reader, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, 5-12 VDC [40 to 70 mA typical], Mullion Width, Indoor/Outdoor, (color Beige)	\$ 74.96
LPSR-2400G	LenelProx Special Range Reader, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, 5-12 VDC [40 to 70 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	\$ 74.96
LP-WS	Windshield Tag High Frequency, adhesive mount (minimum order qty 50)	\$ 9.67
M3610-083	30 Mil PVC Gold Holopatch Cards (100 cards)	\$ 48.36
M3610-087	14 Mil PVC Adhesive Holopatch Blank Cards (100 cards)	\$ 72.54
M9005-751	Dye film type LC1/D YMCKO (350 full color images single sided 175 full color image double sided)	\$ 104.78
M9005-756	Dye film type LC6/D Resin Black with /OP protective overcoat (600 images single side-300 images double sided)	\$ 64.48
M9005-758	Dye film type LC8/D YMCKOK (300 full color images for Tango double sided - full color front/black resin back)	\$ 125.74
M9005-772	Tape Rollers (5 Tape rollers- cleaning systems)	\$ 31.43
M9005-794	Print head for RIO/Tango Printers	\$ 482.79
M9005-946	Cleaning cards -Bulk package (10 per pack)	\$ 11.28
M9006-162	Magicard Rio2 Starter Kit (200 PVC Blanks, 1 LC1/D, 1 Med Cleaning Kit)	\$ 162.81

M9006-163	Magocard Tango Starter Kit (200 PVC Blanks, 1 LC8/D, 1 Med Cleaning Kit)	\$ 183.77
M9006-630	Print head for RIO2/Tango2 Printers	\$ 482.79
M9006-745	Tango 2e - Two sided full color printer, USB or parallel with cable, 25 seconds per card, Ultra Holokote™ (Includes 3 year Warranty and North American Hot Swap)	\$ 3,788.20
M9006-747	Tango 2e(M9006-745) with magnetic encoder	\$ 4,150.90
M9006-749	Rio 2e - Single sided full color printer, USB or parallel with cable, 20 seconds per card, Ultra Holokote™ (Includes 3 year Warranty and North American Hot Swap)	\$ 2,780.70
M9006-751	Rio 2e(M9006-749) with magnetic encoder	\$ 3,143.40
M9006-820	Rio 2e(M9006-749) with contact chip encoder	\$ 3,082.95
M9006-862	Holokote set-up and key, Custom Logo (Rio2/Tango2) lead time 2 weeks after artwork approval)	\$ 443.30
M9006-863	Holokote set-up and key with locking capability, Custom Logo (Rio2/Tango2) lead time 2 weeks after artwork approval)	\$ 443.30
M9006-864	Blank Holokote key only with locking capability (Rio2/Tango2)	\$ 201.50
M9006-865	Holokote key only (Rio2/Tango2)	\$ 201.50
M9006-924	Rio 2e(M9006-749) with magnetic & contact chip encoders	\$ 3,465.80
M9006-925	Tango 2e(M9006-745) with contact chip encoder	\$ 4,090.45

M9006-926	Tango 2e(M9006-745) with magnetic & contact chip encoders	\$ 4,473.30
M9006-981	Rio 2e(M9006-749) with MIFARE encoder	\$ 3,526.25
M9006-985	Rio 2e(M9006-749) with magnetic & MIFARE encoders	\$ 3,888.95
M9006-990	Tango 2e(M9006-745) with MIFARE encoder	\$ 4,533.75
M9006-991	Tango 2e(M9006-745) with magnetic & MIFARE encoders	\$ 4,896.45
M9007-016	Rio 2e(M9006-749) with iCLASS encoder	\$ 3,526.25
M9007-017	Rio 2e(M9006-749) with magnetic & iCLASS encoders	\$ 3,888.95
M9007-018	Tango 2e(M9006-745) with iCLASS encoder	\$ 4,533.75
M9007-019	Tango 2e(M9006-745) with magnetic and iCLASS encoders	\$ 4,896.45
M9007-125	Tango +L Integrated ID Card Printer & Laminator (115 Volt) (Includes 3 year Warranty and North American Hot Swap)	\$ 6,407.70
M9007-214	Tango +L(M9007-125) with magnetic encoder (115 Volt)	\$ 6,770.40
M9007-230R	1 mil Clear patch laminate - 255/roll (For best results, use with composite cards)	\$ 55.61
M9007-231R	Clear Patch Film (0.6 mil Clear patch laminate - 255/roll) (For best results, use with composite cards)	\$ 55.61

M9007-257	Tango +L(M9007-125) with contact chip encoder (115 Volt)	\$ 6,709.95
M9007-295	Tango +L(M9007-125) with magnetic & contact chip encoders (115 Volt)	\$ 6,508.45
M9007-304	Tango +L(M9007-125) with iCLASS encoder (115V)	\$ 7,153.25
M9007-322	Tango +L(M9007-125) with magnetic & MIFARE encoders (115V)	\$ 7,515.95
M9007-324	Tango +L(M9007-125) with MIFARE encoder (115V)	\$ 7,153.25
M9007-326	Tango +L(M9007-125) with magnetic & iCLASS encoder (115V)	\$ 7,515.95
MGB-MCA5	Grounding Kit for ANT-REM-I/O+6DB ONLY	\$ 103.17
MPAB3	Adjustable Wall Mount for use with ANT-REM-I/O+6DB ONLY	\$ 93.50
MPAB4	Adjustable Mast Mount for use with ANT-REM-I/O+6DB ONLY	\$ 158.78
NEC050-03020-000	1x Emulex LP1150 4Gbps/optical Fibre Channel HBA, PCI-X 64 bit/133 MHz, ATX/Low profile capable, No cable (requires cable kit HOC-LCLC)	\$ 1,703.08
NEC162-01980-000	Fc Server Memory, 1x 1GB DDR2-667 FB-DIMM	\$ 270.01
NEC162-01981-000	Fc Server Memory, 1x 2GB DDR2-667 FB-DIMM	\$ 450.55
NEC162-01989-000	Fc Server Disk Drive, 1x 146GB SAS 15K RPM, w/carrier	\$ 811.64

NEC162-01990-000	Fc Server Disk Drive, 1x 73GB SAS 15K RPM, w/carrier	\$ 477.15
NEC162-01991-000	Fc Server Disk Drive, 1x 250GB SATA 7200RPM, w/carrier	\$ 216.01
NEC162-01992-000	Fc Server Disk Drive, 1x 500GB SATA 7200RPM, w/carrier	\$ 640.77
NEC162-01999-000	Fc Server Disk Drive, 1x 300GB SAS 15K RPM w/carrier	\$ 1,172.73
NEC162-03018-000	Fc Server Option, 1x Modem for Remote Management	\$ 44.33
NEC162-03019-000	Fc Server Option, 1x SCSI Controller (1CH) for tape PCI-X 64 bit/133 MHz, ATX/Low profile capable	\$ 70.93
NEC162-03021-000	Fc Server Option, 1x Intel Dual Port Server Adapter, 1000 Base-T, PCI-X 64 bit/133 MHz, ATX/Low profile capable	\$ 270.01
NEC162-03022-000	Fc Server Option, 1x Intel Dual Port Server Adapter, 1000 Base-SX, PCI-X 64 bit/133 MHz, ATX/Low profile capable	\$ 1,082.46
NEC162-03026-000	Fc LR Server Option, ExpressCluster SRE for Windows (pre-loaded on 320fc-MR)	\$ 2,865.33
NEC162-03296-000	Fc Server Memory, 1x 4GB DDR2-667 FB-DIMM	\$ 1,263.00
NECD1STOR-1C	D1-10 Base Model with 1GB cache (NEC850193110S), one controller, dual power supplies with BBUs, LAN port and Software , includes BaseProduct - D1-10 Lite Version 5.1 3 (UFSD0M-110001AM), Extended 1 year warranty (SW-EXT1YR-YNN (No Hard Disks Included, Min	\$ 8,114.00
NECD1STOR-2C	D1-10 Base Model with redundant 2GB cache (1GB per controller) (NEC850193110), dual controllers, dual power supplies with BBUs, LAN port and Software, includes BaseProduct - D1-10 Standard Version 5.1 4 (UFSD0M-110002AM), Extended 1 year warranty (SW-EXT1	\$ 11,338.00
NEC-EXPCLU-LANX	ExpressCluster X (10) LAN – includes ExpressCluster X LAN software for two security server nodes on a Local Area Network only (NEC050-02892-012). This option requires a minimum of two hard disk drives and two network cards in both OnGuard security server	\$ 8,060.00

NEC-EXPCLU-WANX	ExpressCluster X (10) WAN – includes ExpressCluster X WAN software for two security server nodes for both local area and wide area network application (NEC050-02888-012). This option also includes ExpressCluster Fast Sync software. This option requires a	\$ 16,335.20
NECEXTLLR-BAS-NYN	Extend Basic warranty 1 year (320Fc-L/LR)	\$ 855.17
NECEXTLLR-BAS-NYY	Extend Basic warranty for 2 years (320Fc-L/LR)	\$ 1,596.69
NECEXTMMR-BAS-NYN	Extend Basic warranty 1 year (320Fc-M/MR)	\$ 1,140.49
NECEXTMMR-BAS-NYY	Extend Basic warranty for 2 years (320Fc-M/MR)	\$ 2,168.95
NECNF5021SE60E	SAS/SATA Disk Enclosure	\$ 3,600.40
NECNF5021SM623E	SAS Disk Drive(15krpm/73GB)	\$ 618.20
NECNF5021SM624E	SAS Disk Drive(15krpm/147GB)	\$ 897.08
NECNF5021SM625E	SAS Disk Drive(15krpm/300GB)	\$ 1,493.52
NECNF5021SM803E	SATA Disk Drive(7200rpm/500GB)	\$ 590.80
NECNF5021SM805E	SATA Disk Drive(7200rpm/750GB)	\$ 951.08
NECNF5021SZ021E	Extended Battery Backup Unit -1U Extended Battery will extend the data in cache while the power is out. Data in a cache is held a standard 24 hours by the battery. By adding an optional extended battery backup unit, the backup time can be extended to a ma	\$ 1,719.20
NECNF5111SP04E	Optional Controller - single controller systems only	\$ 3,439.20

NEC-RACK5800FCLR	NEC Express5800-320Fc Single Dual Core - 19" Rackmount includes redundant single 2.0GHz Dual Core Xeon processor, DDR2-667 FB-DIMM up to 24GB (48GB Physical) (REQUIRED OPTION, MEMORY 4GB (2GB physical) MINIMUM PER MODULE see NEC memory options), integr	\$ 28,048.80
NEC-RACK5800FCLR-D	NEC Express5800-320Fc Two Dual Core Processors -19" Rackmount includes redundant two 2.0GHz Dual Core Xeon processor, DDR2-667 FB-DIMM up to 24GB (48GB Physical) (REQUIRED OPTION, MEMORY 4GB (2GB physical) MINIMUM PER MODULE see NEC memory options), in	\$ 29,553.60
NEC-RACK5800FCMR	NEC Express5800-320Fc Single Quad Core Processor- 19" Rackmount includes redundant single 2.66GHz Quad Core Xeon processor, DDR2-667 FB-DIMM up to 24GB (48GB Physical) (REQUIRED OPTION, MEMORY 4GB (2GB physical) MINIMUM PER MODULE see NEC memory option	\$ 41,374.40
NEC-RACK5800FCMR-D	NEC Express5800-320Fc Dual Quad Core Processors - 19" Rackmount includes redundant two 2.66GHz Quad Core Xeon processor, DDR2-667 FB-DIMM up to 24GB (48GB Physical) (REQUIRED OPTION, MEMORY 4GB (2GB physical) MINIMUM PER MODULE see NEC memory options),	\$ 49,649.60
NECSWS-02888-012	Standard Annual ExpressCluster X WAN for Windows annual standard maintenance service	\$ 2,750.88
NECSWS-02892-012	Standard Annual ExpressCluster X LAN for Windows annual standard maintenance service	\$ 1,289.60
NECUPGLLR-WTY-YNN	Upgrade to Enhanced Warranty for 1 year (320Fc-L/LR)	\$ 1,026.04
NECUPGLLR-WTY-YYN	Upgrade to Enhanced Warranty for 2 years (320Fc-L/LR)	\$ 1,711.94
NECUPGLLR-WTY-YYY	Upgrade to Enhanced Warranty for 3 years (320Fc-L/LR)	\$ 2,168.95
NECUPGMMR-WTY-YNN	Upgrade to Enhanced Warranty for 1 year (320Fc-M/MR)	\$ 1,369.39
NECUPGMMR-WTY-YYN	Upgrade to Enhanced Warranty for 2 years (320Fc-M/MR)	\$ 2,282.59
NECUPGMMR-WTY-YYY	Upgrade to Enhanced Warranty for 3 years (320Fc-M/MR)	\$ 2,863.72
NECUPGSWS-02888-012	ExpressCluster X WAN Edition for Windows Upgrade for 3-year standard maintenance support	\$ 4,126.72

NECUPGSWS-02892-012	ExpressCluster X LAN Edition for Windows Upgrade for 3-year standard maintenance support	\$ 1,934.40
NIS- CUSX	Custom Hot Roller Materials Are Available on Request (70 Roll minimum order for all custom materials) (Call for Quote)	\$ -
NIS-1-2MIL	Clear .5mil Patch, 290 prints	\$ 55.61
NIS-1MIL	Hot Roller Material, 1 mil Clear Registered Overlay, 250 prints	\$ 63.67
NIS-1MILALT	Alternating Full Clear Patch and 3/4 Patch Clear, 1mil Patch, 125 prints	\$ 80.60
NIS-1MILALTIC	Alternating Full Clear Patch and 3/4 Patch Clear, 1mil Patch, 125 prints	\$ 103.97
NIS-1MILIC	Clear 1 mil Patch w/ Contact Chip cut out, 250 prints	\$ 71.73
NIS-1MILMAG	Clear 1 mil 3/4 Patch for Magnetic Stripe cut out, 250 prints	\$ 63.67
NIS-5102BW	Nisca Ribbon PVC Black and White Ribbons for PR5100, PR5200 and PR5300, 250 prints per roll	\$ 63.67
NIS-5301	Nisca Encoding Module – 3 track high coercivity encoder for PR5300, PR5310 and PR5350	\$ 1,208.19
NIS-5302	Heat Roller Unit for PR53xx Printers – provides additional registered security holographic over-lamination for either front, back or front and back printing. Adds an additional 20 seconds per side, for PR53xx available in both hard and soft coat configur	\$ 2,014.19
NIS-5302-EU	Heat Roller Unit for PR53xx Printers – 240V unit with European cables, provides additional registered security holographic over-lamination for either front, back or front and back printing. Adds an additional 20 seconds per side, for PR53xx available in	\$ 2,014.19
NIS-5302HS1	LAMINATOR HOT SWAP/ Heat roller Unit 1st year USA Only	\$ 402.19

NIS-5302HS2	LAMINATOR HOT SWAP/ Heat roller –Year 2 USA Only	\$ 402.19
NIS-5302HS3	LAMINATOR HOT SWAP/ Heat roller –Year 3 USA Only	\$ 885.79
NIS-5302HSAD	LAMINATOR HOT SWAP/ Heat roller - Outside of Warranty Period USA Only	\$ 885.79
NIS-53xxHS1	PRINTER HOT SWAP Warranty- 1 year USA Only	\$ 563.39
NIS-53xxHS2	PRINTER HOT SWAP Warranty –Year 2 USA Only	\$ 563.39
NIS-53xxHS3	PRINTER HOT SWAP Warranty –Year 3 USA Only	\$ 1,208.19
NIS-ALLSECID	Hot Roller Material Alternating SecureID and Clear patch 1 mil overlay patches 125 prints per roll	\$ 103.97
NIS-ALTCLRIC	Hot Roller Material Alternating IC Chip Clear and Clear patch 1 mil overlay patches 125 prints per roll	\$ 88.66
NIS-CLBR	Cleaning Brush - used to clean drive rollers (qty of 5) for PR5100 , PR5200, PR5101 and PR5103 units	\$ 48.36
NIS-CLKIT5152	Cleaning Brush - used to clean drive rollers (qty of 5), dry cards for PR5100 , PR5200, PR5101 and PR5103 units	\$ 71.73
NIS-CLKIT53	Cleaning Kit for the PR5300 and PR5302 units, includes sticky cards, snap sticks, pen and more, requires printer firmware 4.3 or later	\$ 63.67
NIS-G1THIN	Generic NiscaGenuineV1 - Thinfilm (softcoat / overlay), 500 prints	\$ 71.73
NIS-G2THIN	Generic NiscaGenuineV2 - Thinfilm (softcoat / overlay), 500 prints	\$ 71.73

NIS-GSHOLO	Generic NiSCAPrint hologram JUMBO w/ Security T/E feature Patch, 250 prints	\$ 100.75
NIS-GSTHIN	Generic Secure ID - ThinFilm / Overlay (softcoat/overlay), 500 prints	\$ 71.73
NIS-NGBK	Resin Black only ribbon – 1250 prints per roll	\$ 47.55
NIS-NGYMCKO2	Nisca Ribbon YMCKO2 Ribbons for PR5100, PR5200, PR5300 and PR5310 printers (250 prints per roll)	\$ 95.91
NIS-NGYMCKO3	Nisca Ribbon YMCKO3/3BP Ribbons for PR5350 and PR53LE printers only (250 prints per roll)	\$ 95.91
NIS-NGYMCKOPRC	Ribbon YMCKO ribbon cartridge & cleaning rollers for the PRC-101 printer, 250 prints per roll	\$ 99.94
NIS-NSC-CVR	Dust cover for PR53xx printers	\$ 128.15
NIS-PR5100K218	Cleaning Input Rollers for PR5100 and PR5200 (change every 10K cards)	\$ 103.97
NIS-PR5300-U	PR5300 Dual Sided (USB ONLY) – 300dpi Printer, Full color edge-to-edge printing, 90 plus cards per hour, 16.7 million colors, optional three track encoding, automatic switching 110V/240V, Includes USB Cable (Includes 2 Year Printer/Print head warranty)	\$ 3,787.39
NIS-PR5310iL-U	NIS-PR5310-U with iCLASS encoder	\$ 4,673.99
NIS-PR5310MP-U	NIS-PR5310-U with MIFARE encoder	\$ 4,593.39
NIS-PR5310-U	PR5310 Smart Card Printer (USB ONLY)– 300dpi Dual Sided Printer, Full color edge-to-edge printing, 16.7 million colors, 90 plus cards per hour, optional three track encoding, automatic switching 110V/240V, Includes USB cable (Includes 2 Year Printer/Prin	\$ 4,190.39
NIS-PR5350HED	Replacement print head for 5350 (change every 20K cards)	\$ 966.39

NIS-PR5350iLUSB	NIS-PR5350-USB with iCLASS encoder	\$ 5,076.99
NIS-PR5350MPUSB	NIS-PR5350-USB with MIFARE encoder	\$ 4,996.39
NIS-PR5350-USB	PR5350 High Speed Smart Card Printer (USB ONLY) - 300dpi Dual Sided Printer, Full color edge-to-edge, 16MB memory, self aligning print head, 158 card/hour, dual side printing, optional three track encoding, auto switching 110V/240V power, includes USB cab	\$ 4,593.39
NIS-PR53LE	PR53LE Single Sided (USB ONLY) – 300dpi Printer, Full color edge-to-edge printing, 133 cards per hour, 24 bit color, password authentication, automatic switching 110V/240V. Includes USB cable (Include 2 Year Printer/Print head warranty and 1 year US HotS	\$ 2,336.59
NIS-PR53LEHED	Replacement print head for 53LE (change every 20K cards)	\$ 966.39
NIS-PR5500K569	Cleaning Input Rollers for PR53xx (change every 10K cards)	\$ 149.11
NIS-PR-C101	PR-C101 Single Sided (USB ONLY) – 300dpi Printer, Full color edge-to-edge printing, 24 bit color, Ribbon Cartridge design, rotating LCD panel and Rear or Front card exit. Includes USB cable (Include 2 Year Printer/Print head warranty and 2 year US Hot Swa	\$ 1,933.59
NIS-PRNTHD-51	Replacement print head for 5100 (change every 20K cards)	\$ 1,369.39
NIS-PRNTHD-52	Replacement print head for 5200 (change every 20K cards)	\$ 1,369.39
NIS-PRNTHD-53	Replacement print head for 5300 (change every 20K cards)	\$ 966.39
NIS-SECURE1MIL	Hot Roller Material Generic Secure ID -1 Mil Holopatch material, 250 prints per roll	\$ 79.79
NIS-YMCFK	Nisca Ribbon YMCFK- UV Ribbon for the PR5300, PR5310 and PR5350 only with firmware 4.3 or later, 250 prints per roll	\$ 103.97
NIS-YMCKOK2	Nisca Ribbon YMCKOK2 ribbon for full color front printing and black only for all PR53xx printers except for PR53LE on back of card (210 printed cards pre ribbon)	\$ 112.03

NSX200U2	Networkable Ethernet to USB Print Server	\$ 265.17
NX-8900064-1	Single Fibre Port HBA (LSI)	\$ 860.00
NX-8900064-2	Dual Port HBA Fibre (LSI)	\$ 1,198.52
OG-32ES-16EP	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6	\$ 5,366.35
OG-32ES-16EP2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [1] LNL-CTX6 enclosu	\$ 5,500.95
OG-32ES-16EP-EU	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320 two door interface modul	\$ 5,366.35
OG-32ES-16EPEU2	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with cabinet,	\$ 5,500.95
OG-32ES-16NCR	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6	\$ 3,593.15
OG-32ES-16NCR2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [1] LNL-CTX6 enclosu	\$ 3,727.75
OG-32ES-16NCREU	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [8] LNL-1320 two door interface modul	\$ 3,593.15
OG-32ES-16NEU2	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [7] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with enclosur	\$ 3,727.75
OG-32ES-2EP	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320 two door interface module, [1] LNL-OLS75CTX power	\$ 1,336.35
OG-32ES-2EP2	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-OLS75CTX power supply with enclosure, [2] LNL-XF1050K OpenProx card readers, [25] LP-CS Lenel Prox clam	\$ 1,470.95

OG-32ES-2EP-EU	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320 two door interface module	\$ 1,336.35
OG-32ES-2EPEU2	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-400X-CE220 power supply with cabinet, [2] LNL-XF1050K OpenProx card readers, [2]	\$ 1,470.95
OG-32ES-2NCR	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320 two door interface module, [1] LNL-OLS75CTX power	\$ 1,094.55
OG-32ES-2NCR2	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-OLS75CTX power supply with cabinet and first year support plan SUSP-W-ES USE PC CONFIGURATION # 3	\$ 1,229.15
OG-32ES-2NCREU	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [1] LNL-1320 two door interface module	\$ 1,094.55
OG-32ES-2NEU2	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-400X-CE220 power supply with enclosure and first year support plan SUSP-W-ES	\$ 1,229.15
OG-32ES-4EP	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320 two door interface module, [1] LNL-OLS75CTX power	\$ 2,142.35
OG-32ES-4EP2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-OLS75CTX power supply with enclosure, [4] LNL-XF1050K OpenProx c	\$ 2,276.95
OG-32ES-4EP-EU	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320 two door interface module	\$ 2,142.35
OG-32ES-4EPEU2	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-400X-CE220 power supply with enclosure,	\$ 2,276.95
OG-32ES-4NCR	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320 two door interface module, [1] LNL-OLS75CTX power	\$ 1,658.75
OG-32ES-4NCR2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-OLS75CTX power supply with enclosure and first year support pla	\$ 1,793.35
OG-32ES-4NCREU	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [2] LNL-1320 two door interface module	\$ 1,658.75

OG-32ES-4NEU2	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [1] LNL-1320 two door interface module, [1] LNL-400X-CE220 power supply with enclosure	\$ 1,793.35
OG-32ES-8EP	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 p	\$ 3,485.95
OG-32ES-8EP2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure, [8] LNL-XF1050K OpenP	\$ 3,620.55
OG-32ES-8EP-EU	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320 two door interface module	\$ 3,485.95
OG-32ES-8EPEU2	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with cabinet,	\$ 3,620.55
OG-32ES-8NCR	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 p	\$ 2,518.75
OG-32ES-8NCR2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-AL600ULX-4CB6 power supply with enclosure and first year support	\$ 2,653.35
OG-32ES-8NCREU	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-500 intelligent system controller, [1] LNL-ETHLANMICR 10/100 on board Ethernet unit, [4] LNL-1320 two door interface module	\$ 2,518.75
OG-32ES-8NEU2	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software [1] SWS-32ES, [1] LNL-2220 intelligent system controller, [3] LNL-1320 two door interface module, [1] LNL-600X6-CE220 power supply with cabinet a	\$ 2,653.35
OS1000R	Access Control Hardware	\$ 537.60
OS2000R	Access Control Essentials	\$ 2,149.60
OS2500S	On Site OnGuard User Administration, Call for Pricing	\$ -
OS2600S	On Site OnGuard User Operator Call for Pricing	\$ -

OS3000R	Advanced Access Control	\$ 2,149.60
OS3500S	On Site OnGuard User Advanced Administration , Call for Pricing	\$ -
OS4000R	Digital Video	\$ 1,612.00
OS4500S	On Site OnGuard User Digital Video , Call for Pricing	\$ -
OS5000R	Extended Products	\$ 1,074.40
OS7000R	Enterprise Edition	\$ 537.60
OS7500S	On Site OnGuard User Enterprise Administration , Call for Pricing	\$ -
P110i-0000A-ID0	P110i USB Color Card printer, Single sided, LCD display, 8MB memory, 30 seconds per card, RoHS compliant, Load-N-GO ribbon design, 100-240 VAC auto switching (2 year Standard Warranty + 1 year Hot Swap)	\$ 1,607.97
P110i-0M10A-ID0	P110i-0000A-ID0 with magnetic encoder	\$ 2,010.97
P120i-0000A-ID0	P120i USB Color Card printer, Dual sided, LCD display, 8MB memory, 40 seconds per card dual-sided color printing (YMCKOK), RoHS compliant, Load-N-GO ribbon design, 100-240 VAC auto switching (2 year Standard Warranty + 1 year Hot Swap)	\$ 2,333.37
P120i-0M10A-ID0	P120i-0000A-ID0 with magnetic encoder	\$ 2,736.37
P330i-0000A-ID0	P330i USB Single sided, full color card printer, LCD display, 25 seconds per card and load-n-go intelligent ribbons (2 year Standard Warranty + 1 year Hot Swap)	\$ 2,333.37
P330i-0000C-ID0	P330i-0000A-ID0 with USB/Ethernet	\$ 2,575.17

P330i-0M10A-ID0	P330i-0000A-ID0 with magnetic encoder	\$ 2,736.37
P330i-0M10C-ID0	P330i-0000A-ID0 with USB/Ethernet & magnetic encoder	\$ 2,978.17
P430i-0000A-ID0	P430i USB Dual Sided printer, prints both sides full color card in less than 50 seconds, edge to edge, 300 dpi, single sided with an integrated 100 card (30mil) capacity and First year hot Swap Agreement with one year unlimited print head warranty. (2 ye	\$ 3,139.37
P430i-0000C-ID0	P430i-0000A-ID0 with USB/Ethernet	\$ 3,381.17
P430i-0M10A-ID0	P430i-0000A-ID0 with magnetic encoder	\$ 3,542.37
P430i-0M10C-ID0	P430i-0000A-ID0 with USB/Ethernet & magnetic encoder	\$ 3,784.17
P520i-0000C-ID0	P520i-0000U-ID0 with USB/Ethernet	\$ 5,879.77
P520i-0000U-ID0	P520i USB/parallel dual sided card printer that features iSeries technology, LCD display, and transparent viewing window. Print and laminate in 36 sec/card, color front and black back. (1 year Standard Warranty + 1 year Hot Swap)	\$ 5,637.97
P520i-0M10C-ID0	P520i-0000U-ID0 with USB/Ethernet & magnetic encoder	\$ 6,282.77
P520i-0M10U-ID0	P520i-0000U-ID0 with magnetic encoder	\$ 6,040.97
P630i-0000A-IDG	P630i USB Dual sided direct card full color printer with a single sided laminator. Dual-sided printing, full color front, black back with 1.0 mil lamination on one side will produce 60 cards per hour. (120VAC & 230VAC) (1 year Standard Warranty)	\$ 5,396.17
P630i-0000C-IDG	P630i-0000A-IDG with USB/Ethernet	\$ 5,879.77
P630i-0M30A-IDG	P630i-0000A-IDG with magnetic encoder	\$ 6,040.97

P630i-0M30C-IDG	P630i-0000A-IDG with USB/Ethernet & magnetic encoder	\$ 6,282.77
P630iS-0000CIDG	P630i-0000A-IDG with USB/Ethernet & advance ID/security key	\$ 5,960.37
P630iS-0M30CIDG	P630i-0000A-IDG with USB/Ethernet, magnetic encoder & advance ID/security key	\$ 6,363.37
P640i-0000A-IDG	P640i USB Dual sided direct card full color printer with a waste-free dual sided laminator. Dual-sided printing, full color front, black back with 1.0 mil lamination both sides will produce 120 cards per hour. (120VAC & 230VAC) ROHS Compliant (1 year Sta	\$ 6,443.97
P640i-0000C-IDG	P640i-0000A-IDG with USB/Ethernet	\$ 6,685.77
P640i-0M30A-IDG	P640i-0000A-IDG with magnetic encoder	\$ 6,846.97
P640i-0M30C-IDG	P640i-0000A-IDG with USB/Ethernet & magnetic encoder	\$ 7,088.77
P640iS-0000AIDG	P640i-0000A-IDG with advance ID/security key	\$ 6,524.57
P640iS-0000CIDG	P640i-0000A-IDG with USB/Ethernet & advance ID/security key	\$ 6,766.37
P640iS-0M30AIDG	P640i-0000A-IDG with magnetic encoder & advance ID/security key	\$ 6,927.57
P640iS-0M30CIDG	P640i-0000A-IDG with USB/Ethernet, magnetic encoder & advance ID/security key	\$ 7,088.77
PCC-32ES	Lenel OnGuard 32ES Client System with PC - includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner and Login Driver INCLUDES PC CONFIGURATION # 6 - Dell OptiPlex 755 Small For	\$ 2,095.60
PCC-32ESI	Lenel OnGuard 32ESI Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholde	\$ 2,619.50

PCC-ADV	Lenel OnGuard ADV Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver INCLUDES PC CONFIGURATION # 6 - Dell O	\$ 3,727.75
PCC-ADVI	Lenel OnGuard ADVI Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and	\$ 6,286.80
PCC-DV	OnGuard Video Client Software with PC – includes single digital video client software with PC. Note: Digital Video Recorders are sold separately INCLUDES PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor - Intel Pentium 4 Dual Core E2180, 2.0GHz,	\$ 3,768.05
PCC-ENTMAS1	Lenel OnGuard Enterprise Master Client with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration INCLUDES PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor - Intel Pentium 4 Dual Core E2180,	\$ 5,843.50
PCC-HPC-ADV	Lenel OnGuard ADV High Performance Video Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver. INCLUDES PC CON	\$ 4,433.00
PCC-HPC-ADVI	Lenel OnGuard ADVI High Performance Video Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (\$ 7,320.90
PCC-HPC-DV	OnGuard Video Client Software with PC – includes single digital video client software with PC. Note: Digital Video Recorders are sold separately. INCLUDES PC CONFIGURATION # 7 - Dell OptiPlex 755 Small Form Factor - Intel Core 2 Quad Q6700, 2.66GHz, 2x4MB	\$ 3,768.05
PCC-IDADV	Lenel OnGuard IDADV Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey an	\$ 4,666.74
PCC-IDES	Lenel OnGuard IDES Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), Bad	\$ 2,337.40
PC-CONFIG#3	Dell Precision T3400 Minitower - Intel Core@2 Duo E4500, 2.20GHz, 2MB L2 Cache,800Mhz FSB, 525W, 1GB, 667MHz, DDR2 ECC SDRAM Memory (2 DIMMs), 48X/32X/48X CD-RW/DVD Combo Drive, 80GB SATA II 3.0Gb/s, 8MB Cache,7200 rpm hard drive, Windows XP PRO SP2 OS, I	\$ 1,400.83
PC-CONFIG#5	Dell PowerEdge 2950 Rackmount – Intel Quad Core Xeon E5410, 2.33GHz, 2x6MB L2 Cache, 1333MHz FSB; 120/220V 930Watt Power Supply; 1GB 667MHz (2X512MB), Single Ranked Fully Buffered DIMMs; 24X IDE CD-RW/DVD ROM Drive; 1x8 Backplane for 2.5-inch Hard Drives;	\$ 4,040.48
PC-CONFIG#6	Dell OptiPlex 755 Small Form Factor - Intel Pentium 4 Dual Core E2180, 2.0GHz, 1M L2 Cache, 800FSB; 1.0GB, Non-ECC, 667MHz DDR2 1x1GB (1DIMM); 24X CDRW/DVD Combo Drive, EIDE; 80GB SATA II 3.0Gb/s, 8MB Cache,7200 rpm hard drive; Windows XP PRO SP2 OS; (1)	\$ 1,118.73
PC-CONFIG#7	Dell OptiPlex 755 Small Form Factor - Intel Core 2 Quad Q6700, 2.66GHz, 2x4MB L2 Cache,1066FSB; 4GB,Non-ECC,667MHz DDR2, 4X1GB (4 DIMMs); 24X CDRW/DVD Combo; 80GB SATA II 3.0Gb/s, 8MB Cache, 7200 rpm hard drive; Windows XP PRO SP2 OS; (1) 10/100/1000 RJ45	\$ 1,309.75

PC-CONFIG#8	Dell Latitude D630 - Intel Core 2 T7250, 2.00GHz, 800MHz, 2MB L2 Cache, Dual Core; 65W AC Adapter; 6-Cell/56 WHr Primary Battery; 14.1" Wide Screen WXGA LCD; 1.0GB, DDR2-667 SDRAM, (2 DIMMs); 24X CDRW/DVD Combo Drive; 80GB Hard Drive, 9.5MM, 5400RPM Hard	\$ 1,475.79
PC-CONFIG#9	Dell PowerEdge 2950 Rackmount – Intel Quad Core Xeon E5410, 2.33GHz, 2x6MB L2 Cache, 1333MHz FSB; 120/220V 930Watt Redundant Power Supply with Y-Cord; 2GB 667MHz (4X512MB), Single Ranked DIMMs; 24X IDE CD-RW/DVD ROM Drive; 1x8 Backplane for 2.5-inch Hard	\$ 5,384.89
PCL-IDES	Laptop Badging Station IDEs Client System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (ChromaKey and Ghost	\$ 4,836.00
PC-LNR16-1U	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes sixteen IP/Network camera channel licenses and an Extended Storage Chassis (DVC-1U) PC with one 80GB Operating System drive and full use of the OnGuard Intelligent Video suite fo	\$ 5,708.90
PC-LNR16-3U	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX) - Includes sixteen IP/Network camera channel licenses and an Extended Storage Chassis (DVC-EX) PC with one 80GB Operating System drive and full use of the OnGuard Intelligent	\$ 7,187.10
PC-LNR32-1U	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes thirty-two IP/Network camera channel licenses and an Extended Storage Chassis (DVC-1U) PC with one 80GB Operating System drive and full use of the OnGuard Intelligent Video suite	\$ 7,925.40
PC-LNR32-3U	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX) - Includes thirty-two IP/Network camera channel licenses and an Extended Storage Chassis (DVC-EX) PC with one 80GB Operating System drive and full use of the OnGuard Intellige	\$ 9,134.40
PC-LNR8-1U	Lenel Network Video Recorder Software with 1U PC Chassis (DVC-1U) - Includes eight IP/Network camera channel licenses and an Extended Storage Chassis (DVC-1U) PC with one 80GB Operating System drive and full use of the OnGuard Intelligent Video suite for	\$ 4,567.60
PC-LNR8-3U	Lenel Network Video Recorder Software with Extended Storage PC Chassis (DVC-EX) - Includes eight IP/Network camera channel licenses and an Extended Storage Chassis (DVC-EX) PC with one 80GB Operating System drive and full use of the OnGuard Intelligent Vi	\$ 6,125.60
PC-LNR-CH1	Additional Single LNVR Channel- Support for an additional IP / Network based camera channel to be used with (PC-LNR8-3U) Turnkey Solution. (maximum of 32 IP/network channels per LNR)	\$ 201.50
PCL-PROI	Laptop Access Client Station System with PC – includes Microsoft Windows XP Professional, OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardhol	\$ 6,709.95
PCS-32ES	Lenel OnGuard 32ES Server System with PC – includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV	\$ 3,546.40
PCS-32ESI	Lenel OnGuard 32ESI Server System with PC – includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Logi	\$ 4,594.20

PCS-ADV	Lenel OnGuard ADV Server System with PC – includes Microsoft Windows XP Professional, SQL Server 2005 Standard Edition database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, Ma	\$ 7,959.25
PCS-ADVI	Lenel OnGuard ADVI Server System with PC – includes Microsoft Windows XP Professional, SQL Server 2005 Standard Edition database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, M	\$ 11,445.20
PCS-DV	OnGuard Video Security Server System with PC – include this part number if you DO NOT HAVE an OnGuard Security Server PC- includes Microsoft Windows XP Professional, SQL Server 2005 Standard Edition database, OnGuard digital video security server software	\$ 2,679.95
PCS-ENTMAS1	OnGuard Enterprise Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, SWG-1240 database segmentation, support for up to 10 of any of any combination of ENTREG1 or ENTREG-LT or	\$ 56,413.55
PCS-ENTMAS-LT	OnGuard Enterprise Lite Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, SWG-1240 database segmentation, support for up to 8 ENTREG-LT or ENTREG-ES servers, OnGuard Server so	\$ 33,576.35
PCS-ENTREG1	Lenel OnGuard Regional Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, SWG-1240 database segmentation, OnGuard Server software licenses for System Administration, License Se	\$ 28,203.55
PCS-ENTREG-LT	Lenel OnGuard Regional Lite Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, SWG-1240 database segmentation, OnGuard Server software licenses for System Administration, Licen	\$ 21,486.35
PCS-ENTREG-SM	Lenel OnGuard SM Regional Networked Dedicated Server System with PC – includes Microsoft Windows XP, SQL Express database, SWG-1240 database segmentation, OnGuard Server software licenses for System Administration, License Server, Import, Replication Admi	\$ 6,441.55
PCS-IDADV	Lenel OnGuard IDADV Server System with PC – includes Microsoft Windows XP Professional, SQL Server 2005 Standard Edition database, OnGuard Server software licenses for License Server, Import, Login Driver, CredentialCenter (enrollment, capture and printin	\$ 7,925.40
PCS-IDES	Lenel OnGuard IDES Server System with PC – includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enh	\$ 4,191.20
PCS-IDPRO	Lenel OnGuard IDPRO Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, OnGuard Server software licenses for License Server, Import, Login Driver, Tape Back-up software, and fir	\$ 19,021.60
PCS-PRO	Lenel OnGuard PRO Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server,	\$ 19,021.60
PCS-PROI	Lenel OnGuard PROI Networked Dedicated Server System with PC – includes Microsoft Windows 2003 Server R2, SQL Server 2005 Standard Edition database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server,	\$ 25,953.20

PES-00X	PES Daily expenses (actual expenses incurred) (Call for Quote)	\$ -
PES-011	PES In-transit and labor charge	\$ 1,088.10
PES-015	PES Overtime (per hour, in addition to standard rate)	\$ 134.60
PES-ADV-WS	PES Custom Scripting and Report Workshop	\$ 4,298.40
PES-DEV-AREE	A windows service that can export and/or email standard OnGuard reports on a schedule. A service that will automatically email any standard OnGuard report to a list of addresses specified. The reports can be emailed in HTML, PDF, RTF, XLS or DOC format.	\$ 6,716.40
PES-DEV-CON	Custom Development Consulting (per hour charge) Hourly consulting on custom DataConduIT interfaces that are not being developed by Lenel PES. This service is meant to provide customers and VARs a way to discuss DataConduIT best practices and concepts and visual indication of Cardholder/Badge Status. Solid color image bar covering signature area on cardholder screen that is updated based on a Cardholder or Badge value.	\$ 336.10
PES-DEV-CSTAT	The signature field for a cardholder can be changed to a solid colored bar of any color	\$ 6,716.40
PES-DEV-EXP	A windows service that exports cardholder and badge information in real-time. A service that will export the following information to a database table or view in real-time: This service exports Cardholder and badge information, and photos. A one hour conf	\$ 8,060.00
PES-DEV-FTMON	NEC Fault Tolerant Server Monitoring Monitors NEC Fault Tolerant Servers for device status changes and sends an event to Alarm Monitoring when devices go into a customer configurable status. This service can be configured to monitor multiple NEC Fault To	\$ 4,030.00
PES-DEV-IMP	A windows service that imports cardholder and badge information in real-time. A service that will import the following information from a database table or view in real-time. This service imports Cardholder information, badge information, photos, and acce	\$ 8,060.00
PES-DEV-LDAP1	Basic one-way LDAP/Active Directory integration This will provide a one way interface (OnGuard LDAP or LDAP OnGuard) to update the target system in real-time with no business rules. Data fields in the target system will automatically be updated base	\$ 13,433.60
PES-DEV-LDAP2	Basic two-way LDAP/Active Directory integration This will provide a two way interface (OnGuard LDAP and LDAP OnGuard) to update both system in real-time with no business rules. Data fields in both system will automatically be updated based on change	\$ 20,150.00
PES-DEV-NFL	No Fly List Encroachment Alerts Interface The integration will read the information contained in the No Fly List XLS file downloaded nightly by airport personnel and will compare a set of configurable fields in the list contents against cardholders in the	\$ 8,060.00

PES-DRSS	Lenel strongly believes in the value added with PES involvement to all Disaster Recovery (DR) projects. Specifically included in DR services are the following: - Preplanning site and network requirement design assistance recommendations for DR installati	\$ 6,716.40
PES-DX-EXP	Basic Data Exchange Export The Data Exchange Export script will export all cardholder information, one badge record per cardholder and the cardholder photo to a database or text file using a standard template.	\$ 4,030.00
PES-DX-IMP	Basic DataExchange Import The DataExchange script will import (add/modify) information from a database or text file using a standard template. This import can contain cardholder information, a single badge, photo, and access levels. Each cardholder may ha	\$ 4,030.00
PES-EC-D	PES Daily rate	\$ 2,351.10
PES-EC-D-P	PES Daily rate prorated (Call for Quote)	\$ -
PES-EDP1-A	PES Enterprise Planning Session	\$ 6,448.00
PES-EMR-SCH	PES Emergency Scheduling Fee (less than 3 days travel notice)	\$ 13,433.60
PES-IVS16	Lenel requires PES involvement to all Lenel IntelligentVideo Environment installations. Specifically included in LIVE deployment services are the following: - Configuration for up to 16 IntelligentVideo camera environments - Preplanning site environment	\$ 8,597.60
PES-IVS32	Lenel requires PES involvement to all Lenel IntelligentVideo Environment installations. Specifically included in LIVE deployment services are the following: - Configuration for up to 32 IntelligentVideo camera environments - Preplanning site environment	\$ 12,896.00
PES-IVS4	Lenel requires PES involvement to all Lenel IntelligentVideo Environment installations. Specifically included in LIVE deployment services are the following: - Configuration for up to 4 IntelligentVideo camera environments - Preplanning site environment a	\$ 4,298.40
PES-IVS64	Lenel requires PES involvement to all Lenel IntelligentVideo Environment installations. Specifically included in LIVE deployment services are the following: - Configuration for up to 64 IntelligentVideo camera environments - Preplanning site environment	\$ 17,194.40
PES-OT-BK	Custom Script Development	\$ -
PES-PRI-SCH	PES Priority Scheduling Fee (between 3 and 10 days travel notice)	\$ 4,030.00

PES-RPT-AAR	<p>Access Level Assignments and Un-Assignments Report</p> <p>This report generates an audit log of all access level assignments and un-assignments to badges. This report can be grouped either by OnGuard user account or by cardholder.</p> <p>The report will detail the f</p>	\$ 6,716.40
PES-RPT-BSC	<p>Basic Custom Report</p> <p>Add up to 3 fields or modify the sort order of any standard OnGuard report</p> <p>PES will customize any of the standard OnGuard report by adding up to three additional fields or modifying the sort order.</p>	\$ 1,074.40
PES-RPT-PERM	<p>Detailed User Permission Assignments Report</p> <p>This report details the individual permission assignments for each user group. This report can either show what permissions are assigned to each user group (System Admin, Cardholder Admin, System Power User, et</p>	\$ 8,060.00
PIM-485-OTD	<p>485-16 door Panel Interface Module - support 16 doors /wireless module - weatherproof enclosure (requires LNL-500W Gateway and 5.10.422 or later OnGuard software)</p>	\$ 936.57
PIM-TD2	<p>Panel Interface Module, 2 doors with Wiegand output in weatherproof enclosure, internal antenna with ability to add remote antenna (Requires LNL-1320 Reader interface module)</p>	\$ 480.38
POE-8023af	<p>(Single Channel 802.3af PoE In-Line Power and Data Adapter) (NEW) (all regions) May be used with a standard 802.3af PoE Ethernet switch, this adaptor supplies power and data to ICT220, ICT230, or ICT510. Power supply is not required. May be used to repl</p>	\$ 37.08
PR53xxUSBcable	<p>PR5300 USB Cable</p>	\$ 55.61
Prima-005	<p>Prima Cleaning Card Kit – includes 10 cards and pads</p>	\$ 60.45
Prima-007	<p>Re-Transfer Film for Prima printers (1000 images per roll)</p>	\$ 124.93
PRIMA-064E	<p>Prima In-Line Lamination Unit</p>	\$ 3,693.90
Prima-066	<p>Clear Patch Laminate 0.5mil, 550 laminates per roll - use with ILU (Prima-064E)</p>	\$ 173.29
Prima-067	<p>Patch Laminate with Chip Cutout - Clear Patch Laminate 0.5mil, 550 laminates per roll, with Chip Cutout - use with ILU (Prima-064E)</p>	\$ -
Prima-068	<p>Clear Patch Laminate 1.0 mil, use with ILU (Prima-064E). Use only with Composite cards; not usable with 100% PVC Cards</p>	\$ 191.02

Prima-069	Holographic Patch Laminate,0.6 mil with generic 2-D Design "Card-Waves". Use with ILU (Prima-064E)	\$ 314.34
PRIMA-104-R	Mag Stripe Encoding Upgrade - Field Upgrade module for 3-track mag stripe encoding and contact chip connecting station.	\$ 984.93
Prima-111-R	YMCK Dye Film for Prima printers (1000 images per roll)	\$ 294.19
Prima-112-R	YMCKK Dye Film for Prima printers (750 images per roll)	\$ 321.59
PRIMA138E	Prima Uno - Reverse Transfer Printer single sided	\$ 5,863.65
PRIMA139E	Prima Uno Mag - Reverse Transfer Printer single sided w/ Mag Encoding	\$ 6,756.70
PRIMA140E	Prima Duo - Reverse Transfer Printer double sided	\$ 6,649.50
PRIMA141E	Prima Duo Mag - Reverse Transfer Printer double sided w/ Mag Encoding	\$ 7,536.10
PRIMA142E	Prima Duo Plus - Reverse Transfer Printer double sided - faster with enhanced features	\$ 8,275.20
PRIMA143E	Prima Duo Plus Mag - Reverse Transfer Printer double sided - faster with enhanced features w/ Mag Encoding	\$ 9,161.80
PRIMA144E	Prima High Output - Reverse Transfer Printer double sided -Connect up to 7 printers for high volume badging.	\$ 9,456.80
PRIMA145E	Prima High Output Mag - Reverse Transfer Printer double sided -Connect up to 7 printers for high volume badging w/ Mag Encoding	\$ 10,343.40
Prima-152-R	YMCK-UV Dye Film 750 images with UV panel	\$ -

Prima-153-R	Prima Re-Transfer Film-1000 Images - for Prima 3 only	\$ -
PRO-64RUP	64 Access Readers upgrade for all PRO systems, no maximum on number of readers	\$ 2,142.35
PS-110	HK-CR and HK-2 - Power supply 120VAC to 13.5 VDC w/connector	\$ 49.97
PS-220	HK-CR and HK-2 - Power supply 220VAC to 13.5 VDC w/connector	\$ 60.45
Reader # + AB	Antique Polished Brass finish for LNL-2005, LNL-2010 and LNL-2020 readers (per reader)	\$ 167.65
Reader # + BE	Textured Beige color for external reader housing	\$ -
Reader # + OT	Tamper Contact - for both direct & data Outputs (must order with reader, only available for LNL-2010 or LNL-2020 readers)	\$ 6.71
REGSM-16RUP	16 Access Readers upgrade for any Region SM systems, maximum of 32 readers	\$ 2,142.35
REN	Request to Enter option in Reader	\$ 70.93
RK-AL400ULX	Lenel UL Listed 4A, 110VAC Power Supply – 12VDC or 24VDC 4A output (switch selectable), 120VAC input, continuous supply current with enclosure (12"x 16" x 4.5"), lock, tamper switch, UPS capable (Battery Optional) UL & CUL Approved	\$ -
RK-CTX	Lenel UL listed hardware enclosure (12"x 16" x 4.5") only with lock and tamper switch support up to two Lenel access hardware modules (UL Approved)	\$ -
RK-CTX6	Lenel UL listed hardware enclosure (18"x 24" x 4.5"), only with lock and tamper switch support up to six Lenel access hardware modules (UL Approved)	\$ -
RKP6210-32	32 Access Readers upgrade for all 32ES systems (max of 64 readers)	\$ -

RKP6210-64	64 Access Readers upgrade for all ADV systems (max of 256 readers)	\$ -
RKP6210-64+	64 Access Readers upgrade for all PRO systems, no maximum on number of readers	\$ -
RKP6210-ADV	Lenel OnGuard ADV Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automat	\$ -
RKP6210-CL	Lenel OnGuard 32ES Client Software License on CDROM – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner and Login Driver USE PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor - Intel Pentium 4 Dual	\$ -
RKP6210-CLPRO	Lenel OnGuard ADV Client Software License on CDROM – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver USE PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor	\$ -
RKP6210-CLUP	Lenel OnGuard 32ES to Lenel OnGuard ADV	\$ -
RKP6210-CPID	Lenel OnGuard IDES Client Software License on CDROM – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (ChromaKey and Ghosting), BadgeDesigner, and Login Dr	\$ -
RKP6210-CPIDUP	Lenel OnGuard IDES to Lenel OnGuard IDADV	\$ -
RKP6210-PIDPRO	Lenel OnGuard IDADV Client Software License on CDROM – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (ChromaKey and Ghosting), BadgeDesigner, and Login D	\$ -
RKP6210-PROLIC	Lenel OnGuard ADV to Lenel OnGuard PRO	\$ -
RKP6300-S32	Lenel OnGuard 32ES Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automat	\$ -
RKP-DRI	Dual Reader Interface Module (Series two) – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE and UL294 certified	\$ -
RKP-INPUT-16	Input Control Module (Series two)–12/24 VDC, 16 zone input monitor module, (32) 1K resistors (with 2 programmable output relays) , RoHS, CE and UL294 certified	\$ -

RKP-ISC-1000	Intelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 1 MB standard memory (UL Approved) , RoHS, CE and UL294 certified	\$ -
RKP-ISC-2000	Dual Host Path Intelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 1 MB standard memory, RoHS, CE and UL294 certified	\$ -
RKP-ISC-500	Intelligent System Controller – 12 VAC or 12 VDC, (5 year lithium battery or 3 months full run) 512K standard memory and stand-offs, RoHS, CE and UL294 certified	\$ -
RKP-MUX8	Star Multiplexer –12 VDC, (8) Downstream RS-485 2-wire ports or (4) RS-485 4-wire ports and stand-offs	\$ -
RKP-OUTPUT-16	Output Control Module (Series two) – 12/24 VDC, 16 relay output control module , RoHS, CE and UL294 certified	\$ -
RKP-SRI	Single Reader Interface Module (Series two)– 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE and UL294 certified	\$ -
RMS-ENH-ADD	FTMonitor and Management Center Solution (Enhanced License) for NEC Fault Tolerant SERvers. 1 year license as add-on component to RMS Total Care Package.	\$ 4,030.00
RMS-ENH-FTMON-1	FTMonitor and Management Center Solution (Enhanced License) for NEC Fault Tolerant SERvers. 1 year license.	\$ 6,448.00
RMS-ENH-FTMON-2	FTMonitor and Management Center Solution (Enhanced License) for NEC Fault Tolerant SERvers. 2 year license.	\$ 12,251.20
RMS-ENH-FTMON-3	FTMonitor and Management Center Solution (Enhanced License) for NEC Fault Tolerant SERvers. 3 year license.	\$ 16,926.00
RMS-ESP-ELT	Emergency Technical Support for Enterprise Lite system (with PES escalation)	\$ 12,761.40
RMS-ESP-ENT	Emergency Technical Support for Enterprise system (with RMS escalation)	\$ 16,120.00
RMS-NES-ENT	OnGuard User Direct Technical Support for Enterprise customers (with RMS escalation)	\$ 10,746.40

RMS-NES-ENTL	OnGuard User Direct Technical Support for Enterprise Lite customers (with RMS escalation)	\$ 6,448.00
RMS-RSH-D-P	RMS Custom Requested Services (Remote upgrade and system assessment) (Call for Quote)	\$ -
RMS-RSH-H-EMOE	Enterprise Master Server Preventative Maintenance Service	\$ 8,060.00
RMS-RSH-H-EMR	RMS, Proactive Support Forum	\$ 20,150.00
RMS-RSH-H-PSOE	PRO/I Single Server Preventative Maintenance Service	\$ 13,433.60
RMS-RSH-H-RDOE	Redundant Server add-on option for Server Maintenance and Reporting Service (per server pair)	\$ 2,686.40
RMS-RSH-H-RSOE	Regional Server Preventative Maintenance Service	\$ 8,060.00
RMS-STD-ADD	FTMonitor Solution for NEC Fault Tolerant SERvers. 1 year license as add-on component to RMS Total Care Package.	\$ 2,015.00
RMS-STD-FTMON-1	FTMonitor Solution for NEC Fault Tolerant SERvers. 1 year license.	\$ 3,224.00
RMS-STD-FTMON-2	FTMonitor Solution for NEC Fault Tolerant SERvers. 2 year license.	\$ 6,125.60
RMS-STD-FTMON-3	FTMonitor Solution for NEC Fault Tolerant SERvers. 3 year license.	\$ 8,463.00
RMS-STD-HCADV	RMS system monitoring during regular business hours; includes HipCheck Mobile monitoring and maintenance solution. Covers ADV, ADVI, & IDADV Servers. Includes RMS response and analysis to HipCheck notifications, and standard System User Direct Support (\$ 1,934.40
RMS-STD-HCENT	RMS system monitoring during regular business hours; includes HipCheck Mobile monitoring and maintenance solution. Covers standard Enterprise Regional and Master Servers. Must be purchased in conjunction with Direct Technical Support for Enterprise cust	\$ 1,612.00

RMS-STD-HCES	RMS system monitoring during regular business hours; includes HipCheck Mobile monitoring and maintenance solution. Covers 32ES, 32ESI, IDES, & Regional SM Servers for ES Servers. Includes RMS response and analysis to HipCheck notifications, and standard	\$ 967.20
RMS-STD-HCPRO	RMS system monitoring during regular business hours; includes HipCheck Mobile monitoring and maintenance solution. Covers PRO, IDPRO, PROI, & Enterprise Lite Regional Servers. Includes RMS response and analysis to HipCheck notifications, and standard Sy	\$ 4,836.00
RMS-STD-VID	RMS system monitoring during regular business hours; includes HipCheck Mobile monitoring and maintenance solution for Video Servers. Includes RMS response and analysis to HipCheck notifications, and standard System User Direct Support for OG Video Only (\$ 483.60
RMS-SW-HCADV	HipCheck Mobile monitoring and maintenance software only solution. Covers ADV, ADVI, & IDADV Servers	\$ 403.00
RMS-SW-HCENT	HipCheck Mobile monitoring and maintenance software only solution. Covers standard Enterprise Regional and Master Servers	\$ 806.00
RMS-SW-HCES	HipCheck Mobile monitoring and maintenance software only solution. Covers 32ES, 32ESI, IDES, & Regional SM Servers for ES Servers	\$ 322.40
RMS-SW-HCPROI	HipCheck Mobile monitoring and maintenance software only solution. Covers PRO, IDPRO, PROI, & Enterprise Lite Regional Servers	\$ 644.80
RMS-SW-VID	HipCheck Mobile monitoring and maintenance software only solution for Video Servers (call for Quote)	\$ -
RPS1-AM	(Americas-APAC) Power Supply for ICT240/ICT250/ICT260 AC power supply. ICT2401 and ICT2501 do not come with power supply. Not rated for external use without suitable protection from weather	\$ 24.99
RPS1-EU	(EMEA) Power Supply for ICT240/ICT250 AC power supply. ICT2401 and ICT2501 do not come with power supply. Not rated for external use without suitable protection from weather	\$ 24.99
RPS2-AM	mericas-APAC) Power Supply for ICT220/230/510/LC331-DX Spare DC camera power supply	\$ 24.99
RPS2-AU	(Australia) Power Supply for ICT220/230/510 and LC332-DX Spare DC camera power supply	\$ 24.99
RPS2-EU	(EMEA) Power Supply for ICT220/230/510/ LC332-DX Spare DC camera power supply	\$ 24.99

RPS2-UK	(United Kingdom) Power Supply for ICT220/230/510/ LC332-DX Spare DC camera power supply	\$ 24.99
S00007	SQL 2005 Single client license (Only available for North America)	\$ 268.40
S00021	Crystal Reports Professional Version 11	\$ 725.40
S00050	Windows 2003 R2 Server, Standard edition, core software with (5 clients)	\$ 1,162.25
S00050-20CAL	Client Licenses for Windows 2003 R2Server, 20 additional clients	\$ 902.72
S00050-5CAL	Client Licenses for Windows 2003 R2 Server, 5 additional clients	\$ 225.68
S00051	Windows 2003 R2 Server, Standard edition, core software with (10 clients)	\$ 1,354.08
S00052	Windows 2003 R2 Server, Enterprise Edition, core software with (25 Clients)	\$ 4,400.76
S00060	SQL 2005 Standard edition, core software with (5 Clients)	\$ 2,484.90
S00062	SQL 2005 Enterprise edition, core software with (25 Clients)	\$ 18,773.35
SAIM	13 Dry Contact Alarm Input Module (connects to parallel port). Only Supports DVS chassis	\$ 134.60
SATAF-1000-H	1000 GB Disk / SATA 150 / 7200 RPM w/ Carrier for SATABeast	\$ 800.36
SATAF-500-A	500 GB Disk / SATA 150 / 7200 RPM w/ Carrier for SATABoy	\$ 331.27

SATAF-750-A	750 GB Disk / SATA 150 / 7200 RPM w/ Carrier for SATABoy	\$ 580.32
SATAG-1000-H	1000 GB Disk / SATA 150 / 7200 RPM w/ Carrier for SATABoy	\$ 800.36
SATAG-500-A	500 GB Disk / SATA 150 / 7200 RPM w/ Carrier for SATABeast	\$ 331.27
SATAG-750-A	750 GB Disk / SATA 150 / 7200 RPM w/ Carrier for SATABeast	\$ 580.32
SC-100	Handkey II and Handkey CR integrated side mounted MIFARE reader add on with clear acrylic card holder. Template and ID using sectors 2 and 3 with standard public key, 26 bit output standard, (call for custom output) only available on HK-CR, HK-II readers	\$ 1,046.19
SERIII-WF	Scramble Keypad with Flush Mount Kit- The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by a LED with a different set of numbers every time the keypad is used. Weatherized for outdoor use, 8 - 14VDC, an	\$ 1,034.10
SERIII-WS	Scramble Keypad with Surface Mount Kit- The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by a LED with a different set of numbers every time the keypad is used. Weatherized for outdoor use, 8 - 14VDC,	\$ 1,041.35
SIS-DELL	Integration of Dell approved PC (see page 45)	\$ -
SM-MSO-1300	Morpho Smart Mini Optic Fingerprint sensor (Plastic housing, USB, CBM module)	\$ 199.89
SM-MSO-300	MorphoSmart 500 ppi Optical Fingerprint sensor (Metal Housing, USB)	\$ 452.97
SM-MSO-301	MSO-300 with Fake Finger detection	\$ 767.31
SM-MSO-350	MSO-300 with contact smart card reader	\$ 627.07
SM-MSO-350PIV	MSO-300 with contact smart card reader and FBI certified sensor	\$ 624.65

SM-MSO-351	MSO-300 with Fake Finger detection and contact smart card reader	\$ 906.75
SM-PS-BUILD	PreScan Ridge Builder film (1.5" x 2") Increases the quality of the capture on the Morpho Smart sensors, recommended for each Morpho Smart sensor	\$ 54.00
SUDS-NES-32	OnGuard User Direct Technical Support for 32ES & 32ESI systems (requires current SUSP)	\$ 685.10
SUDS-NES-64	OnGuard User Direct Technical Support for ADV & ADVI systems (requires current SUSP)	\$ 1,477.40
SUDS-NES-PRO	OnGuard User Direct Technical Support for PRO & PROI systems (requires current SUSP)	\$ 3,627.00
SUDS-NES-VID	OnGuard User Direct Technical Support for OG Video Only systems (per recorder) (requires current SUSP)	\$ 137.02
SUSP-W-ADV-REDU	Covers ADV, ADVI, & IDADV systems – redundant configuration, covers both servers	\$ 2,149.60
SUSP-W-ADV-S	Covers ADV, ADVI, & IDADV systems	\$ 1,477.40
SUSP-W-DV	SW support for each single channel video (all supported manufacturers)	\$ 6.71
SUSP-W-ENT	Covers ENTMas Servers	\$ 8,597.60
SUSP-W-ENT-REDU	Covers ENT Master Servers -- redundant configuration, covers both servers	\$ 10,075.00
SUSP-W-ES	Covers 32ES, 32ESI, & IDES Systems , and Regional SM Servers	\$ 134.60
SUSP-W-ES-REDU	Covers 32ES, 32ESI, & IDES Systems , and Regional SM System+L256s–redundant configurations, covers both servers	\$ 201.50

SUSP-W-GO	Covers GO-VO, GO-ES & GO-ESI Systems	\$ 268.40
SUSP-W-IVS	SW support for each channel of IntelligentVideo software (except for IVSP-SC)	\$ 66.90
SUSP-W-PRO-64	SW support for each additional 64 reader software	\$ 540.02
SUSP-W-PRO-REDU	Covers PRO, IDPRO, PROI – redundant configuration, covers both servers	\$ 5,776.60
SUSP-W-PRO-S	Covers PRO, IDPRO, PROI, Regional Systems	\$ 4,298.40
SUSP-W-REG-REDU	Covers ENT Regional Servers — redundant configuration, covers both servers	\$ 5,776.60
SUSP-W-VO	Covers Video Only Systems	\$ 134.60
SW-1010	CCTV Interface Option	\$ -
SW-1020	Video Verification, Requires Hardware option Video Board HO-3155 with HOC-3152 cable, per viewing workstation	\$ -
SWC-32ES	Lenel OnGuard 32ES Client Software License on CDROM – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner and Login Driver USE PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor - Intel Pentium 4 Dual	\$ 207.95
SWC-32ESI	Lenel OnGuard 32ESI Client Software License on CDROM – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced	\$ 564.20
SWC-ADV	Lenel OnGuard ADV Client Software License on CDROM – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner and Login Driver USE PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor	\$ 2,256.80
SWC-ADVI	Lenel OnGuard ADVI Client Software License on CDROM – includes OnGuard Client software licenses for System Administration, Alarm Monitoring, Communication Server, MapDesigner, Login Driver, CredentialCenter (enrollment, capture and printing), Cardholder I	\$ 5,218.85

SWC-DV	OnGuard Video Client Software License – includes a single digital video client software for any client workstation	\$ 926.90
SWC-DV-10	OnGuard Video Client Software License (Qty 10) – includes ten concurrent digital video client software licenses for any client workstation	\$ 8,463.00
SWC-DV-25	OnGuard Video Client Software License (Qty 25) – includes twenty-five digital video client software licenses for any client workstation	\$ 18,820.10
SWC-DV-5	OnGuard Video Client Software License (Qty 5) – includes five concurrent digital video client software licenses for any client workstation	\$ 4,513.60
SWC-EDIT10	Edit Client Workstation Software License 10 License Pack (*)	\$ 10,075.00
SWC-EDIT100	Edit Client Workstation Software License 100 License Pack (*)	\$ 73,883.60
SWC-EDIT1ADV	Edit Client Workstation Software License Single License Pack (*)	\$ 1,343.60
SWC-EDIT1ES	Edit Client Workstation Software License Single License Pack	\$ 336.10
SWC-EDIT25	Edit Client Workstation Software License 25 License Pack (*)	\$ 23,508.60
SWC-EDIT5	Edit Client Workstation Software License 5 License Pack (*)	\$ 5,037.50
SWC-EDIT50	Edit Client Workstation Software License 50 License Pack (*)	\$ 43,658.60
SWC-ENTMAS1	Lenel OnGuard Enterprise Master Client Software License on CDROM – includes OnGuard Client software licenses for System Administration USE PC CONFIGURATION # 6 - Dell OptiPlex 755 Small Form Factor - Intel Pentium 4 Dual Core E2180, 2.0GHz, 1M L2 Cache, 8	\$ 4,291.95
SWC-IDADV	Lenel OnGuard IDADV Client Software License on CDROM – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesigner, and Login D	\$ 2,814.55

SWC-IDES	Lenel OnGuard IDES Client Software License on CDROM – includes OnGuard Client software licenses for CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (ChromaKey and Ghosting), BadgeDesigner, and Login Dr	\$ 403.00
SWC-MEC-100	OnGuard Mobile Enterprise Client System for OnGuard 64ADV, PRO, & ENT Series Servers: includes: Lenel OnGuard Access, Mobile Badge, and ID CredentialCenter , and Mobile Verify client application software license	\$ 3,218.36
SWC-MOB-IDNH	Mobile Badging (Distributed Id) Station IDES Client System Software License on CDROM – support mobile badging functionality using a local (replicated) cardholder database. Includes OnGuard Client software licenses for: Replication Administration, Creden	\$ 2,814.55
SWC-VIEW10	View Client Workstation Software License 10 License Pack (*)	\$ 6,045.00
SWC-VIEW100	View Client Workstation Software License 100 License Pack (*)	\$ 33,583.60
SWC-VIEW1ADV	View Client Workstation Software License Single License Pack (*)	\$ 1,007.50
SWC-VIEW1ES	View Client Workstation Software License Single License Pack	\$ 201.50
SWC-VIEW25	View Client Workstation Software License 25 License Pack (*)	\$ 13,433.60
SWC-VIEW5	View Client Workstation Software License 5 License Pack (*)	\$ 3,358.60
SWC-VIEW50	View Client Workstation Software License 50 License Pack (*)	\$ 23,508.60
SW-FIS-NAPC	Integration of all other nationally recognized PC Brands or non approved Dell PC	\$ 685.10
SW-FIS-RPC	Redundant server configuration per server (i.e. RAID, Clustered and NEC Servers)	\$ 1,343.60
SWG-1120	OnGuard Mustering Software Option	\$ 1,329.90

SWG-1130	OnGuard Guard Tour Software Option	\$ -
SWG-1140	DataConduIT includes one connection license, supporting documentation and scripting examples. See the Corporate Services/Professional Engineering Services Section for support related details	\$ 3,385.20
SWG-1141	NEC Security Server Alarm Monitoring Event Logging Option – this option includes SWG-1140 DataConduIT and NEC Event Logging Script for OnGuard Alarm monitoring.	\$ 2,686.40
SWG-1160	Time and Attendance OnGuard Alliance Interface - Requires Que Accounting Time & Attendance Version 3.0 (not included). Refer to www.queacct.com for procurement information	\$ 1,329.90
SWG-1210	OnGuard FormsDesigner (User definable Fields)	\$ 2,008.55
SWG-1225	OnGuard DataExchange - Global Data Import / Export Utility	\$ 5,037.50
SWG-1240	Database Segmentation (included with all Regional and Master server licenses.	\$ 4,023.55
SWG-1250	Automatic Paging Interface, Includes Emergin Wireless Office software	\$ 1,336.35
SWG-1260	Automatic E-Mail Interface	\$ -
SWG-1290	Oracle Support for PRO based servers only	\$ 6,709.95
SWG-1293	Oracle Support for Enterprise Regional Server only	\$ 12,083.55
SWG-1295	Oracle Support for Enterprise Master Servers	\$ 13,426.35
SWG-1330	Multiple instances of Alarm Event Monitoring on a single client workstation	\$ 13,426.35

SWG-1340	Intercom Communication Interface for OnGuard supports - Zenitel AlphaCom and Alphanet systems, Zenitel AlphaCom E7, Vandal-Proof Products Presidium Interface supervised communications, Avaya PBX and Ericsson MD-110 phone systems. (interface purchase per i	\$ 1,336.35
SWG-1350	Fire Alarm Panel Communications Interface for OnGuard, supports Cerberus Pyrotronics model (MXL-IQ), Notifier AM-2020, NFS-640 and ESPA 4.4.4 protocol (interface purchased per Fire panel)	\$ 1,329.90
SWG-1355	Visonic Technologies SLC-5 – Communications device driver per SLC-5 controller (includes 255 bus transmitters) (requires SWS-VSA)	\$ 664.95
SWG-1360	OnGuard support for Citrix MetaFrame for Windows 2000/2003 and XP Terminal Server version 4.0 on PRO solutions (Does not included Citrix license)	\$ 2,679.95
SWG-1370	OnGuard support for Citrix MetaFrame for Windows 2000/2003 and XP Terminal Server version 4.0 on Enterprise Regional solutions (Does not included Citrix license)	\$ 5,366.35
SWG-1380	Point Of Sale Interface TVC-2104 Series Video Text Inserter	\$ 1,337.96
SWG-1381	Point Of Sale Client register Interface (per register)	\$ 68.51
SWG-1400	OnGuard RSI Hand Geometry Interface Global Software Option for OnGuard - for ID3D, Handkey CR and Handkey II Readers (requires LNL-500B as reader interface module)	\$ 3,351.35
SWG-1401	Identix Interface Global Software Option for OnGuard – fingerprint authentication module for workstation and access control	\$ 3,351.35
SWG-1402	Bioscrypt and Integrated Engineering interface for Fingerprint authentication option	\$ 3,351.35
SWG-1405	Biocentric Solutions Interface Global Software Option for OnGuard – fingerprint authentication module for workstation and access control	\$ 3,351.35
SWG-1406	Ultra-Scan Interface for Fingerprint authentication option	\$ 3,351.35
SWG-1407	OpenCapture Fingerprint - Captures 500PPI finger print images, ANSI378 templates, and Sagem-Morpho PKCOMP templates (for Lenel/HID bioCLASS, EFTS records and TWIC 1.02 support)	\$ 3,351.35

SWG-1410	Central Station Receiver Interface – communication software for central station receivers, must be order one SWG-1410 for each receiver. (Currently supported receivers are Radionics 6500, 6600, Digitize 6500, Osborne Hoffman 2000, 2000E and AES 7000 serie	\$ 3,351.35
SWG-1420	Creston PLC interface software option	\$ 6,709.95
SWG-1440	Oracle Support for ADV based servers only	\$ 1,612.00
SWG-1450	Intrusion Panel Support Option (per panel) Radionics 9412, 7412, Detection Systems 7400Xi version 3 and 4 panels and Galaxy Intrusion Alarm Panel Support for models (8, 16, 60, 128, 500, 504).	\$ 161.20
SWG-1460-1	OPC Data Access Server Allows external OPC client access to OnGuard data sources. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	\$ 3,385.20
SWG-1460-2	OPC Alarms and Events Server Allows external OPC clients to view OnGuard Alarms and Events. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	\$ 3,385.20
SWG-1465	OPC Client Option Allows all OnGuard Alarm Monitoring workstations to accept alarms and events from external OPC servers that comply with the industry OPC standard for alarms and events. This option allows for unlimited 3rd party OPC server connections to	\$ 1,773.20
SWG-1470	OnGuard MobileVerify - Includes license for single client workstation for MobileVerify (threat protection) option. Enables custom User Interface within System Administration and ID Credential Center to display go / no go results based on card swipe and c	\$ 3,385.20
SWG-1475	INTELLI-CHECK Software communications interface option	\$ 403.00
SWG-1476	OnGuard Software Option for either the CSS-800 or CSS-1000 scanner. One license is required per scanner.	\$ 403.00
SWG-1480	OnGuard SNMP Manager software support option is for applications that run from a monitoring center and used to monitor a number of SNMP agents. This option does not require DataConduIT.	\$ 1,773.20
SWG-1485	OnGuard SNMP Agent with message queue option supports a single hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	\$ 3,385.20
SWG-1485-5	OnGuard SNMP Agent with message queue option supports five hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	\$ 6,689.80

SWG-1490	HID Custom Key Generator Software Option – includes the ability to create site specific custom iCLASS/MIFARE keys for customer cards encoded with HID Access Control or HID MIFARE applications, it also includes the ability to create HID Corporate 1000 site	\$ 0.34
SWG-1500	Card Management Server Option (Required for ActivIdentity 3.8 or 4.0 Server integration) – Select the number of Certificates that will be linked between OnGuard and ActivIdentity	\$ 2,686.40
SWG-1510	Identity Management Server Option (Required for Bioscrypt Verisoft 2.0 Server Integration)	\$ 2,686.40
SWG-1600	Barco Wall Integration (per Video Stream)	\$ 201.50
SWG-1610	Seamless Elevator Entry Devices – Integration to the Otis Compass elevator destination system	\$ 6,709.95
SWG-AL100	Account Linkage of an OnGuard account with Window XP account (100 Users accounts)	\$ -
SWG-AL10K	Account Linkage of an OnGuard account with Window XP account (10,000 Users accounts)	\$ -
SWG-AL1K	Account Linkage of an OnGuard account with Window XP account (1,000 Users accounts)	\$ -
SWG-AL25K	Account Linkage of an OnGuard account with Window XP account (25,000 Users accounts)	\$ -
SWG-AL5K	Account Linkage of an OnGuard account with Window XP account (5,000 Users accounts)	\$ -
SWG-ALUSL	Account Linkage of an OnGuard account with Window XP account (USL User Site License)	\$ -
SWG-AMADV-8	OnGuard ADV Asset Software License Option – includes asset control software license for ADV and ADVI software products	\$ 6,709.95
SWG-AMENT-8	OnGuard Regional Asset Software License Option – includes asset control software license for Enterprise Regional software products	\$ 13,426.35

SWG-AMES-8	OnGuard ES Asset Software License Option – includes asset control software license for 32ES and 32 ESI software products	\$ 1,336.35
SWG-AMPRO-8	OnGuard PRO Asset Software License Option – includes asset control software license for PRO and PROI software products	\$ 13,426.35
SWG-DC100	Digital Certificate Encoder of an OnGuard account with Window XP account (100 Users accounts) uses Account Linkage that is included with OnGuard	\$ 671.40
SWG-DC10K	Digital Certificate Encoder of an OnGuard account with Window XP account (10,000 Users accounts) uses Account Linkage that is included with OnGuard	\$ 10,075.00
SWG-DC1K	Digital Certificate Encoder of an OnGuard account with Window XP account (1,000 Users accounts) uses Account Linkage that is included with OnGuard	\$ 2,686.40
SWG-DC25K	Digital Certificate Encoder of an OnGuard account with Window XP account (25,000 Users accounts) uses Account Linkage that is included with OnGuard	\$ 16,456.10
SWG-DC5K	Digital Certificate Encoder of an OnGuard account with Window XP account (5,000 Users accounts) uses Account Linkage that is included with OnGuard	\$ 6,716.40
SWG-DCUSL	Digital Certificate Encoder of an OnGuard account with Window XP account (USL User Site License) uses Account Linkage that is included with OnGuard	\$ 13,440.05
SWG-EV100K	OnGuard Visitor software visit licenses (100,000 visits) for PRO or Enterprise servers only - includes 100,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	\$ 6,179.60
SWG-EV10K	OnGuard Visitor software visit licenses (10,000 visits) for ADV servers only – includes 10,000 scheduled customer visits per OnGuard IDADV, ADVI, IDPRO, PROI or ENTREG1 server	\$ 2,149.60
SWG-EV1K	OnGuard Visitor software visit licenses (1,000 visits) for all OnGuard Servers - includes 1,000 customer visits per OnGuard server	\$ 872.90
SWG-EV1M	OnGuard Visitor software visit licenses (1,000,000 visits) for PRO or Enterprise servers only - includes 1,000,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	\$ 23,642.40
SWG-EV250K	OnGuard Visitor software visit licenses (250,000 visits) for PRO or Enterprise servers only - includes 250,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	\$ 10,881.00

SWG-EV25K	OnGuard Visitor software visit licenses (25,000 visits) for ADV servers only – includes 25,000 scheduled customer visits per OnGuard IDADV, ADVI, IDPRO, PROI or ENTREG1 server	\$ 3,492.40
SWG-EV500K	OnGuard Visitor software visit licenses (500,000 visits) for PRO or Enterprise servers only - includes 500,000 scheduled customer visits per OnGuard IDPRO, PROI or ENTREG1 server	\$ 14,239.60
SWG-EV50K	OnGuard Visitor software visit licenses (50,000 visits) for ADV servers only – includes 50,000 scheduled customer visits per OnGuard IDADV, ADVI, IDPRO, PROI or ENTREG1 server	\$ 4,836.00
SWG-EV5K	OnGuard Visitor software visit licenses (5,000 visits) for all OnGuard Servers - includes 5,000 customer visits per OnGuard server	\$ 1,612.00
SWG-LGADV	LG IrisAccess Software Interface option for OnGuard ADV Solutions	\$ 8,051.94
SWG-LGENT	LG IrisAccess Software Interface option for OnGuard ENT Solutions	\$ 20,141.94
SWG-LGES	LG IrisAccess Software Interface option for OnGuard ES Solutions	\$ 4,021.94
SWG-LGPRO	LG IrisAccess Software Interface option for OnGuard PRO Solutions	\$ 16,111.94
SWG-LP	Language Pack Module - supported languages on OnGuard 2006 are Arabic, Simple Chinese, Traditional Chinese, Croatian, Czech, Dutch, Finnish, German, Hebrew, Italian, Japanese, Korean, Portuguese e-B, Russian, Spanish and Spanish. Call factory for updated	\$ -
SWG-OITVM	DataConduIT Visitor Management API – includes documentation and scripting examples for visitor management. See Corporate Services/Professional Engineering Services Section for support related details	\$ 3,385.20
SWG-OITVM-10	DataConduIT Visitor Client support for 10 clients	\$ 3,385.20
SWG-OITVM-100K	DataConduIT Visit support for 100K visits	\$ 12,331.80
SWG-OITVM-10K	DataConduIT Visit support for 10K visits	\$ 4,271.80

SWG-OITVM-25	DataConduIT Visitor Client support for 25 clients	\$ 6,689.80
SWG-OITVM-250K	DataConduIT Visit support for 250K visits	\$ 21,762.00
SWG-OITVM-25K	DataConduIT Visit support for 25K visits	\$ 7,012.20
SWG-OITVM-5	DataConduIT Visitor Client support for 5 clients	\$ 1,853.80
SWG-OITVM-50	DataConduIT Visitor Client support for 50 clients	\$ 10,075.00
SWG-OITVM-50K	DataConduIT Visit support for 50K visits	\$ 9,672.00
SWG-RAM1	OnGuard Area Access Manager software license for ADV or PRO servers – includes 1 concurrent user licenses	\$ 671.40
SWG-RAM10	OnGuard Area Access Manager software license for ADV or PRO servers - includes up to 10 concurrent user licenses	\$ 5,373.60
SWG-RAM100	OnGuard Area Access Manager software license for PRO servers - includes up to 100 concurrent user	\$ 22,836.40
SWG-RAM25	OnGuard Area Access Manager software license for PRO servers - includes up to 25 concurrent user licenses	\$ 10,746.40
SWG-RAM5	OnGuard Area Access Manager software license for ADV or PRO servers – includes up to 5 concurrent user licenses	\$ 3,022.50
SWG-RAM50	OnGuard Area Access Manager software license for PRO servers - includes up to 50 concurrent user licenses	\$ 16,120.00
SWG-VM-1	Single Visitor Management License	\$ 403.00

SWG-VM-10	10 Pack Visitor Management License	\$ 3,358.60
SWG-VM-100	100 Pack Visitor Management License	\$ 13,433.60
SWG-VM-25	25 Pack Visitor Management License	\$ 6,716.40
SWG-VM-5	5 Pack Visitor Management License	\$ 1,880.40
SWG-VM-50	50 Pack Visitor Management License	\$ 10,075.00
SW-LNR-CH1	Lenel Network Video Recorder Software on CD - Includes a single channel software license for one IP/ Network based camera channel to be used with a customer provided PC. The customer provided PC must meet or exceed the Minimum DVC-EX PC Configuration req	\$ 201.50
SWS-32ES	Lenel OnGuard 32ES Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automat	\$ 624.65
SWS-32ESI	Lenel OnGuard 32ESI Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CCTV Interface, Video Verification, Guar	\$ 1,666.00
SWS-ADV	Lenel OnGuard ADV Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, CCTV Interface, Video Verification, Guard Tour, Automat	\$ 2,686.40
SWS-ADVI	Lenel OnGuard ADVI Server Software License on CDROM - includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner, Login Driver, CCTV Interface, Video Verification, Guard	\$ 6,716.40
SWS-DV	OnGuard Video Security Server Software License on CD – include this part number if you already have purchased a security server pc- includes OnGuard digital video server software license, system administration for video, communication server for video, al	\$ 537.60
SWS-ENTMAS1	OnGuard Enterprise Networked Dedicated Server Software License on CDROM - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, CCTV Interface, Video Verification, Guard Tou	\$ 40,293.55
SWS-ENTMAS2	Additional Regional Server Licenses for ENTMAS1 Master Servers - includes 11 to 20 additional regional server licenses	\$ 25,516.35

SWS-ENTMAS-LT	OnGuard Enterprise Lite Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, CCTV Interface, Video Verification, Guard	\$ 22,829.95
SWS-ENTREG1	Lenel OnGuard Regional Networked Dedicated Server Software License on CDROM - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, CCTV Interface, Video Verification, Guard	\$ 21,486.35
SWS-ENTREG-LT	Lenel OnGuard Regional Lite Networked Dedicated Server Software License on CDROM - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, CCTV Interface, Video Verification,	\$ 14,769.95
SWS-ENTREG-SM	Lenel OnGuard SM Regional Networked Dedicated Server Software License on CDROM - includes OnGuard Server software licenses for System Administration, License Server, Import, Replication Administration, Login Driver, CCTV Interface, Video Verification, Gua	\$ 4,023.55
SWS-IDADV	Lenel OnGuard IDADV Server Software License on CDROM – includes OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), Ba	\$ 3,089.40
SWS-IDES	Lenel OnGuard IDES Server Software on CDROM – includes OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export, Enhanced Imaging Option (Chromakey and Ghosting), BadgeDesign	\$ 1,041.35
SWS-IDPRO	Lenel OnGuard IDPRO Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for License Server, Import, Login Driver and first year support plan SUSP-W-PRO-S USE PC CONFIGURATION # 5 - Dell PowerEdge 2950 Rackmo	\$ 11,411.35
SWS-LAS	Lenel Archive Server License – One archive server license is required per storage library or storage server vault configuration. (When using tape libraries you must have a three internal hard drives)	\$ 6,709.95
SWS-MASLT2	Additional Regional Server Licenses for ENTMAS-LT Master Servers - includes 9 to 16 additional regional server licenses	\$ 12,083.55
SWS-PRO	Lenel OnGuard PRO Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, CCTV Interface, Video Verification, Guard Tour, Automatic E-Mail In	\$ 11,411.35
SWS-PROI	Lenel OnGuard PROI Networked Dedicated Server Software License on CDROM – includes OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Login Driver, CCTV Interface, Video Verification, Guard Tour, Auto	\$ 18,262.35
SWS-VSA	OnGuard Alert Management Software License – includes global server software license for the Visonic communications interface	\$ 1,337.96
TF-100	ID3D-RW Transformer for out door heaters (117VAC to 24 VAC)	\$ 162.81

TK-797	Pre-Installation test Kit	\$ 922.87
TM-100	Enrollment station table top secure mounting base	\$ 233.74
TSNAMI	Water tight enclosure for F Series hand readers	\$ 1,606.36
TSS-CUSTOM	Custom quote for unique services requested by the customer (Call for Quote)	\$ -
TSS-ESP-32	Emergency Technical Support for 32ES or 32ESI systems (requires current SUSP)	\$ 668.98
TSS-ESP-64	Emergency Technical Support for ADV or ADVI systems (requires current SUSP)	\$ 2,659.80
TSS-ESP-DVS	Emergency Technical Support for OG Video Only Systems (requires current SUSP)	\$ 201.50
TSS-ESP-DVS1	Emergency Technical Support for OG Video (per recorder) (requires current SUSP)	\$ 201.50
TSS-ESP-ENT	Emergency Technical Support for Enterprise systems (requires current SUSP)	\$ 10,075.00
TSS-ESP-PRO	Emergency Technical Support for PRO or PROI systems (requires current SUSP)	\$ 6,689.80
TSS-HRLY-1	First hourly per incident rate for uncertified VAR callers and sites without valid Annual Software Upgrade and Telephone Support Plan	\$ 209.56
TSS-HRLY-1A	Each additional 15 minute interval per certified incident rate	\$ 56.42
UPC-3232I	Lenel OnGuard 32ES to Lenel OnGuard 32ESI	\$ 644.80

UPC-32ADV	Lenel OnGuard 32ES to Lenel OnGuard ADV	\$ 1,974.70
UPC-32ADVI	Lenel OnGuard 32ESI to Lenel OnGuard ADVI	\$ 4,715.10
UPC-ADVADVI	Lenel OnGuard ADV to Lenel OnGuard ADVI	\$ 3,385.20
UPC-ID32I	Lenel OnGuard IDES to Lenel OnGuard 32ESI	\$ 322.40
UPC-IDADVI	Lenel OnGuard IDADV to Lenel OnGuard ADVI	\$ 2,256.80
UPC-IDESIDADV	Lenel OnGuard IDES to Lenel OnGuard IDADV	\$ 2,780.70
UP-EV100K	OnGuard Visitor software visit license upgrade (100,000 visits) for PRO or Enterprise servers only - includes 100,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	\$ 5,373.60
UP-EV10K	OnGuard Visitor software visit license upgrade (10,000 visits) for ADV servers only – includes 10,000 additional visits for IDADV, ADVI, IDPRO, PROI or ENTREG1 server solutions	\$ 1,343.60
UP-EV1K	OnGuard Visitor software visit license upgrade (1,000 visits) for all OnGuard Servers - includes 1,000 additional visits	\$ 201.50
UP-EV1M	OnGuard Visitor software visit license upgrade (1,000,000 visits) for PRO or Enterprise servers only - includes 1,000,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	\$ 22,836.40
UP-EV250K	OnGuard Visitor software visit license upgrade (250,000 visits) for PRO or Enterprise servers only - includes 250,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	\$ 10,075.00
UP-EV25K	OnGuard Visitor software visit license upgrade (25,000 visits) for ADV servers only – includes 25,000 additional visits for IDADV, ADVI, IDPRO, PROI or ENTREG1 server solutions	\$ 2,686.40
UP-EV500K	OnGuard Visitor software visit license upgrade (500,000 visits) for PRO or Enterprise servers only - includes 500,000 additional visits for IDPRO, PROI or ENTREG1 server solutions	\$ 13,433.60

UP-EV50K	OnGuard Visitor software visit license upgrade (50,000 visits) for ADV servers only – includes 50,000 additional visits for IDADV, ADVI, IDPRO, PROI or ENTREG1 server solutions	\$ 4,030.00
UP-EV5K	OnGuard Visitor software visit license upgrade (5,000 visits) for all OnGuard Servers - includes 5,000 additional visits	\$ 806.00
UPGO-ESESI	Upgrade from a GO! with access control only to GO! with integrated access control and IdentityCenter system	\$ 2,678.34
UPGO-VOES	Upgrade from a GO! Video Only to a GO! with access control	\$ 669.79
UPGO-VOESI	Upgrade from a GO! Video Only to a GO! with integrated access control and IdentityCenter	\$ 3,348.12
UPS-3232I	Lenel OnGuard 32ES to Lenel OnGuard 32ESI	\$ 1,249.30
UPS-3264	Lenel OnGuard 32ES to Lenel OnGuard ADV	\$ 2,474.42
UPS-3264I	Lenel OnGuard 32ESI to Lenel OnGuard ADVI	\$ 6,061.12
UPS-6464I	Lenel OnGuard ADV to Lenel OnGuard ADVI	\$ 4,836.00
UPS-64PRO	Lenel OnGuard ADV to Lenel OnGuard PRO	\$ 10,469.94
UPS-64PROI	Lenel OnGuard ADVI to Lenel OnGuard PROI	\$ 13,855.14
UPS-ID32I	Lenel OnGuard IDES to Lenel OnGuard 32ESI	\$ 749.58
UPS-ID64I	Lenel OnGuard IDADV to Lenel OnGuard ADVI	\$ 4,352.40

UPS-IDESADV	Lenel OnGuard IDES to Lenel OnGuard IDADV	\$ 2,458.30
UPS-IDPRO	Lenel OnGuard IDADV to Lenel OnGuard IDPRO	\$ 9,986.34
UPS-IDPROI	Lenel OnGuard IDPRO to Lenel OnGuard PROI	\$ 8,221.20
UPS-LTMAS1	Enterprise Master Lite server to Enterprise Master Server	\$ 20,956.00
UPS-LTREG1	Enterprise Regional Lite server to Enterprise Regional Server	\$ 8,060.00
UPS-PROI	Lenel OnGuard PRO to Lenel OnGuard PROI	\$ 8,221.20
UPS-SMREG	Enterprise Regional SM server to Enterprise Regional Lite Server	\$ 12,896.00
UVS408IPEX0808	Extended Storage Chassis with Eight Analog and Eight Network Video Channels – includes DVC-EX chassis, one (1) DVB-408 eight-channel MPEG4 video board, one (1) sixteen channel breakout module (DV-SR16), eight (8) OnGuard video channel licenses (DV-CH-xxx)	\$ 7,670.70
UVS408IPST0808	Standard Chassis with Eight Analog Video Channels and Eight Network Video Channels- includes DVC-ST chassis, one (1) DVB-408 eight-channel MPEG4 video boards, one (1) sixteen channel breakout module (DV-SR16), eight (8) OnGuard video channel licenses (DV)	\$ 5,037.50
UVS444IPEX0404	Extended Storage Chassis with Four 30 fps Analog Video Channels and Four Network Video Channels– includes DVC-EX chassis, one (1) DVB-444 four-channel 30fps MPEG4 video board, four (4) OnGuard video channel licenses (DV-CH-xxx) and four (4) network video	\$ 7,509.50
UVS444IPEX0808	Extended Storage Chassis with Eight 30 fps Analog Video Channels and 8 Network Video Channels– includes DVC-EX chassis, two (2) DVB-444 four-channel 30fps MPEG4 video boards, eight (8) OnGuard video channel licenses (DV-CH-xxx) and eight (8) network video	\$ 10,195.90
UVS444IPEX1616	Extended Storage Chassis with Sixteen 30 fps Analog Video Channels and Sixteen Network Video Channels– includes DVC-EX chassis, four (4) DVB-444 four-channel 30fps MPEG4 video boards, eight (16) OnGuard video channel licenses (DV-CH-xxx) and eight (16) ne	\$ 15,247.10
UVS444IPST0404	Standard Chassis with Four 30 fps Analog Video Channels and Four Network Video Channels – includes DVC-ST chassis, one (1) DVB-444 four-channel 30fps MPEG4 video board, four (4) OnGuard video channel licenses (DV-CH-xxx) and four (4) network video license	\$ 5,373.60

UVS444IPST0808	Standard Chassis with Eight 30 fps Analog Video Channels and Eight Network Video Channels – includes DVC-ST chassis, two (2) DVB-444 four-channel 30fps MPEG4 video boards, eight (8) OnGuard video channel licenses (DV-CH-xxx) and eight (8) network video li	\$ 8,060.00
VL_NP01	Nitrogen Fill Tank Only- Same as VL-NPK-01 without fill valve Special order required, allow on average 8-10 work days delivery. (videolarm)	\$ 457.81
VL-ACH13HBN	Outdoor Aluminum Environmental Housing: IP Network Ready Suitable for ICT230, LC331-DX or LC332-DX, Axis210 and 211, Bosch NWC0455-0495, Lumenera LE/Li series, Panasonic WV-NP244 and WV-NP472/482, IQeye 5xx, 3xx and 7xx series, Sony SNC-CD3N, SNCZ20N, SN	\$ 282.91
VL-ACH13WM	Outdoor Aluminum Environmental Housing: Fixed IP Network Ready Camera Suitable for ICT230, Axis210 and 211, Bosch NWC0455-0495, Lumenera LE /Li series, Panasonic WV-NP244 and WV-NP472/482, IQeye 5xx, 3xx and 7xx series, Sony SNC-CD3N, SNCZ20N, Toshiba IK-	\$ 100.75
VL-EOC1N	EOC1N Coax Cable to Twisted Pair Adapters (1 Pair) The EOC1N simply connects to your existing coax cable infrastructure and into any Videolarm IP Ready or IP camera system. By utilizing the preexisting analog cable, the EOC1N offers savings from a new net	\$ 441.69
VL-NPK01	Nitrogen Fill Kit/Tank Nitrogen fill kit for pressurized housing, includes regulator valve and fill tank. Special order required, Special order required, allow on average 8-10 work days delivery.(videolarm)	\$ 721.37
VL-OH081TL	Indoor 8" Drop Ceiling Housing: Fixed IP Network Ready Camera Suitable for ICT230, LC331-DX or LC332-DX, Axis210 and 211, Bosch NWC0455-0495, Lumenera LE /Li series, Panasonic WV-NP244 and WV-NP472/482, IQeye 5xx, 3xx and 7xx series, Sony SNC-CD3N, SNCZ20	\$ 112.84
VL-PB24	Videolarm Rugged Cast Aluminum Power Box Videolarm's outdoor power boxes, PB24 Series, provide an economical solution for providing your video security cameras with electrical current. Constructed of a rugged cast aluminum NEMA box enclosure, the PB24 Ser	\$ 216.81
VL-PFDW75C2N/AC	Videolarm Pressurized Dome Housing: PFDW75C2N/AC is designed to fully support the high definition features of the Axis 233 camera system and the Lenel ICT250-18S or ICT240-18/26S. The outdoor 7" FusionDome offers versatility and camera protection in a co	\$ 1,146.94
VL-PRM30G	Aluminum Parapet Mount-Bracket (Extended Length)Has 20" extension includes 1 ½ NPT Dimensions 32x28x5 Wt: 28Lb (Black) Suitable for use with the ICT240	\$ 483.60
VL-PS24	Videolarm Indoor Power Supply The VIDEOLARM PS24 is a AC110 Volt input by AC24 Volt output power of 175 watts, 8 amp. It is designed to supply power for up to 2 VIDEOLARM outdoor dome housings with heaters, pan/tilt, and receiver/drivers. The power supply	\$ 191.83
VL-RHW75T2N	Videolarm Vandal Resistant IP Ready wall or pipe mount, thermostatically controlled polycarbonate dome housing - IP Network Ready 7" Vandal-resistant (resists up to .22Cal. Bullet)Rugged Dome model offers versatility and camera protection in a compact	\$ 756.03
VL-RM7CF2N	Vandal Resistant 7" Recessed Ceiling Dome Housing for Fixed IP Network Camera (Outdoors) Suitable for ICT230 LC331-DX or LC332-DX, Axis210 and 211, Bosch NWC0455-0495, Lumenera LE/Li series, Panasonic WV-NP244 and WV-NP472/482, IQeye 5xx, 3xx and 7xx ser	\$ 594.02

VL-WM30G	Aluminum Parapet Mount- Bracket (Standard Length) includes 1 ½ NPT Dimensions 32x28x5 Wt: 18Lb (Black) Suitable for use with the ICT240	\$ 359.48
WA5200-DT	Option for Door Thickness change for WA5200 module (increase from 1 3/8" to 2 1/8") per unit	\$ 44.33
WA5296-AWD	Integrated cylindrical reader/lock with LenelProx reader, key override, 2.75 strike plate, 2" to 4" range, REX, Satin Finish (626)	\$ 1,165.48
WA5296-MG	Integrated cylindrical reader/lock with Magnetic swipe reader, key override, 2.75 strike plate, REX, Satin Finish (626)	\$ 1,097.77
WA5296-PXC	Integrated cylindrical reader/lock with HID iCLASS/MIFARE reader, key override, 2.75 strike plate, 2" to 4" range, REX, Satin Finish (626)	\$ 1,210.61
WA5296-PXH	Integrated cylindrical reader/lock with HID prox reader, key override, 2.75 strike plate, 2" to 4" range, REX, Satin Finish (626)	\$ 1,128.40
WA5296-PXN	Integrated cylindrical reader/lock with Indala prox reader, key override, 2.75 strike plate, 2" to 4" range, REX, Satin Finish (626)	\$ 1,165.48
WA5500-DT	Option for Door Thickness change for WA5600 modules (increase from 2" to 2 3/4") per unit	\$ 44.33
WA5694-AWD	Integrated mortise reader/lock with 1" Autobolt and LenelProx reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,248.49
WA5694-MG	Integrated mortise reader/lock with 1" Autobolt and Mag Stripe reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,180.79
WA5694-PXC	Integrated mortise reader/lock with 1" Autobolt and HID iCLASS/MIFARE reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,293.63
WA5694-PXH	Integrated mortise reader/lock with 1" Autobolt and HID prox reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,212.22
WA5694-PXN	Integrated mortise reader/lock with 1" Autobolt and Indala prox reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,248.49

WA5696-AWD	Integrated mortise reader/lock with LenelProx reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,232.37
WA5696-MG	Integrated mortise reader/lock with Magnetic swipe reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,163.86
WA5696-PXC	Integrated mortise reader/lock with HID iCLASS/MIFARE reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,276.70
WA5696-PXH	Integrated mortise reader/lock with HID prox reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,195.30
WA5696-PXN	Integrated mortise reader/lock with Indala prox reader, key override, 2" to 4" range, REX, Satin Finish (626)	\$ 1,232.37
WA993-DT	Option for Door Thickness change for WA993 modules (increase from 1-3/4" to 2-3/4") per unit	\$ 44.33
WA993-MG	Wireless Exit Kit with Mag Stripe Reader includes trim kit for Panic Bars and request to exit switch kit	\$ 1,465.31
WA993-PXC	Wireless Exit Kit with iClass Prox Reader includes trim kit for Panic Bars and request to exit switch kit (Call Factory)	\$ -
WA993-PXH	Wireless Exit Kit with HID Prox Reader includes trim kit for Panic Bars and request to exit switch kit	\$ 1,669.23
WA993-PXN	Wireless Exit Kit with Indala Prox Reader includes trim kit for Panic Bars and request to exit switch kit (Call Factory)	\$ -
WA993-SPF	Special Finish for WA993- Finish types -605, -612, -613, -625	\$ 72.54
WA-SDK-485	WA sales demo case for OEMs- includes PIM-485 and hand-held site tester; Includes cut-out for a WA series lock. Order lock separately using -MT options	\$ 1,828.81
WA-SPF	Special Finish for WA locks Finish Type include -605, -612, -613, -625	\$ 38.69

WCF	Weigand Custom Card Formats - Require card format, total number of bits, facility code, starting card number at the time of order. (Minimum order 500) add additional 5% to the total card order cost	\$ -
WCO+C799-IEPCR	Inkjet External PIN Cross Reference (external numbers does not equal encoded PIN)	\$ 0.36
WCO-GQO	Graphics Quality Overlay for credit card sized cards Gloss front)	\$ 0.72
WCO-HSC	Wiegand Card with Hot stamp cross (number does not equal card)	\$ 1.80
WCO-HSCE	Wiegand Card with Hot stamp PIN (number equals card)	\$ 2.16
WCO-IEP	Inkjet External PIN (external number equals encoded pin)	\$ 0.51
WCO-MAG	High Coercivity Mag Stripe	\$ 0.79
WCO-POLS	Card number printed on a peel off label (sorted)	\$ 0.64
WCO-POLU	Card number printed on a peel off label (unsorted)	\$ 0.36
WCO-PT	Printed Text (in PIN location)	\$ 0.64
WCO-SCN	Specific card numbers (supplied by customers)	\$ 3.02
WCO-SP	Slot punch	\$ 0.21
WCO-ZG	Zero-Gap wiegand Laminated Vinyl	\$ 2.89

WDG-5912	USB Universal Wedge with cable – supports any standard Wiegand data bit stream output. The default configuration is a standard Wiegand 26 bit format. If another format is required, you must order WDG-Custom for each wedge order and provided the sample a s	\$ 322.40
WDG-Custom	Custom Format (Cards and Readers) Setup Fee is per order of wedge readers	\$ 403.00
WM-200	Recessed wall mount kit for the Handkey ID3D-R reader	\$ 233.74
WM-201	Surface mount kit for the Handkey ID3D-R reader	\$ 233.74
WPR2-AWD	Wireless Portable Reader - hand held, battery operated, LenelProx reader	\$ 1,138.88
WPR2-PXC	Wireless Portable Reader - hand held, battery operated, HID iCLASS reader	\$ 1,184.01
WPR-MS	Wireless Portable Reader - hand held, battery operated, mag stripe reader	\$ 1,071.17
WPR-PROX-H	Wireless Portable Reader - hand held, battery operated, HID prox reader	\$ 1,101.80
WPR-PROX-I	Wireless Portable Reader - hand held, battery operated, Indala prox reader	\$ 1,138.88
WRI-IN-12VDC	Wireless Reader Interface compatible with Weigand (data1/data0) or Magnetic Strip (Clock and Data) interface, indoors, requires 12 VDC 300ma power supply	\$ 519.87
WRI-OTD-12VDC	Wireless Reader Interface compatible with Weigand (data1/data0) or Magnetic Strip (Clock and Data) interface, outdoors weather proof, requires 12 VDC 300ma power supply	\$ 909.17
WSM	Wireless Status Monitor	\$ 559.36
Z-TS261-B	Topaz 1" x 5" Signature Capture Serial Kit -	\$ 241.80

Z-TS261-USB	Topaz 1" x 5" Signature Capture USB Kit -	\$ 265.98
-------------	---	-----------