

GENERAL SERVICES ADMINISTRATION
Federal Supply Service
Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu driven database system. The INTERNET address for GSA Advantage! is: www.GSAAdvantage.gov.

Schedule Number: 056 Schedule Title: Buildings & Building Materials/Industrial Services & Supplies

FSC Group: 49 – Maintenance & Repair Shop Equipment Related
Product Services Code: 4910

Contract Number: GS-07F-5890R

*For more information on ordering from Federal Supply Schedules go to the internet address:
<http://www.gsa.gov/schedules>.*

Contract Period: May 18, 2009 thru June 14, 2020
Modification Number: PO-0055 Effective Date: 03/14/2014
Modification Number: PO-0056 Effective Date: 04/08/2014
Modification Number: PO-0058 Effective Date: 06/15/2015



Address: 200 Log Canoe Circle, Stevensville, MD 21666
Phone Number: 410.643.9001
Fax Number: 410.643.8901
Web site: www.steril-koni.com

Contact for contract administration: Kellie Boehm
Email: kellie@steril-koni.com

Business size: Other than small business

Table of Contents

Customer Information.....	2
WARRANTY TERMS	4
Stertil Koni Product Overview.....	5
Contact List.....	8
Stertil-Koni GSA Price List.....	Error! Bookmark not defined.



Customer Information

Stertil-Koni USA, Inc.

200 Log Canoe Circle, Stevensville, MD 21666

800-336-6637 (Office) ~ 410-643-9176 (Fax)

- 1a. Table of Awarded Special Item Numbers (SINs):
253-20: Vehicle Material Handling Equipment
- 1b. Lowest Priced Model Number and Lowest Unit Price per SIN: 253-20
SKCP1220-10 Support Stand, \$207.00
- 1c. Hourly Rates: Not Applicable
2. Maximum Order for the following Special Item Number (SIN) is \$200,000:
253-20: Vehicle Material Handling Equipment
*Ordering activities may request a price reduction at any time before placing an order, establishing a BPA, or in conjunction with the annual BPA review. However, the ordering activity shall seek a price reduction when the order or BPA exceeds the Simplified acquisition threshold. Schedule contractors are not required to pass on to all schedule users a price reduction extended only to an individual ordering activity for a specific order or BPA.
3. Minimum Order: \$100
4. Geographic Coverage (Delivery Area): 50 US States, Washington DC and US Territories
5. Points of Production: United States, The Netherlands and Canada
6. Discount from List Prices or Statement of Net Price: Prices shown are Net Prices.
Basic discount of 29% from the awarded commercial price list. For calculation of the GSA Schedule price (price paid by customers ordering from the GSA Schedule, and the price to be loaded in to GSA Advantage), deduct the appropriate basic discount from the list price and add the prevailing IFF rate to the negotiated discounted price (Net GSA price). The current IFF is .75% and should be calculated as follows: Negotiated price divided by (1 minus .0075) which equates to Negotiated price divided by 0.9925. Example: $(\$100,000 / 0.9925) = \$100,755.67$
7. Quantity Discounts: Mobile lifts only: 3-7 units per order +2%, 8+ units per order +4.5%
8. Prompt Payment Terms: 2%-20days, Net 30. Information for Ordering Offices: Prompt payment terms, such as 2%-20/Net30, cannot be negotiated out of the contractual agreement in exchange for other concessions
- 9a. Notification that Government purchase cards are accepted below the micro-purchase threshold: Government purchase cards will be accepted below the micro-purchase threshold.
- 9b. Notification whether Government purchase cards are accepted or not accepted above the micro-purchase threshold: Government purchase cards will be accepted above the micro-purchase threshold.
10. Foreign Items: All items are manufactured in: The United States, The Netherlands, Denmark, or Canada
- 11a. Time of Delivery: 60 Days ARO. 90 Days ARO for Parallelogram lifts, In-ground lifts, 4-post lifts and 2-post lifts
- 11b. Expedited Delivery: Customers may contact Stertil-Koni USA for rates.
- 11c. Overnight and 2-day Delivery: Both overnight and 2-day delivery are available. Customers may contact Stertil-Koni USA for rates.

- 11d. Urgent Requirements: Under the provisions of the Urgent Requirements clause of this contract, agencies may contact Stertil-Koni USA to effect an expedited delivery.
12. FOB Point: Destination
- 13a. Ordering Address:

Stertil-Koni USA
200 Log Canoe Circle
Stevensville, MD 21666
Phone Toll-Free: (800) 336-6637
Phone: (410) 643-9001
FAX: (410) 643-9176
Website: www.stertil-koni.com
- 13b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs) are found in Federal Acquisition Regulation (FAR) 8.405-3.
14. Payment Address:

Stertil-Koni USA
200 Log Canoe Circle
Stevensville, MD 21666
Phone Toll-Free: (800) 336-6637
Phone: (410) 643-9001
FAX: (410) 643-9176
Website: www.stertil-koni.com
15. Warranty Provision: Standard Commercial Warranty, customer should contact contractor for a copy of the warranty.
16. Export Packing Charges: Not applicable
17. Terms and Conditions of Government Credit Card Acceptance: Not applicable
18. Terms and Conditions of Rental, Maintenance, and Repair: Not applicable
19. Terms and Conditions of installation: Not applicable
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices: Not applicable
- 20a. Terms and conditions for any other services: Not applicable
21. List of service and distribution points: Not applicable
22. List of participating dealers: Not applicable
23. Preventive maintenance: Not applicable
- 24a. Special attributes such as environmental attributes (e.g. recycled content, energy efficiency, and/or reduced pollutants): Not applicable
- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location). The EIT standards can be found at www.Section508.gov: Not applicable
25. Data Universal Number System (DUNs) number: 16-091-4909
26. Notification regarding registration in System for Award Management (SAM) Database: Currently registered in SAM.

WARRANTY TERMS

Except as stated elsewhere herein, all Stertil-Koni lifting systems are warranted for a period of **one (1) year labor and two (2) years for parts** commencing from the effective date of acceptance by the Customer. A warranty registration form or registration card must be sent to Stertil-Koni within 30 days of receipt of equipment to establish such date otherwise the invoice date will become the effective date of acceptance by the customer. During the warranty period, parts that are found to be defective will be repaired or replaced (at the option of Stertil-Koni) without charge. The defective parts must be returned and freight charges prepaid, with the acceptance date listed on the parts to a Stertil-Koni Authorized Service Center. The repaired or replaced equipment will be returned with freight charges prepaid by Stertil-Koni.

Exceptions:

- ✓ Hydraulic Cylinders used in the Stertil-KONI Mobile Lifting columns are warranted for a period of **(1) year for labor and (5) years parts**.
- ✓ There is a lifetime **parts-only** warranty on nylon guide rollers used in Stertil-Koni lifting products that utilize such rollers.
- ✓ Parts replaced under the (2) year parts warranty period carry the remaining balance of the warranty on the lifting system covered.
- ✓ Non-warranted replacement parts purchased carry a (60) day **parts-only** replacement warranty.
- ✓ Warranty is non-transferable.

This warranty does not apply where equipment has been damaged due to abnormal wear: misuse, overloading, accident (including shipping), improper maintenance, alteration, improper fluid maintenance, or other causes not the result of defective materials or workmanship. Drive over cables for mobiles are warranted, however, only for vehicles with pneumatic tires.

Repair or replacement is the exclusive remedy for allegedly defective equipment under this warranty, and Stertil-Koni will not be liable for any consequential or incidental damages for breach of any express or implied warranty on this equipment.

Stertil-Koni lifting equipment must be installed and serviced by Stertil-Koni factory trained and Stertil-Koni factory authorized service technicians. Stertil-Koni lifting equipment NOT installed and serviced by Stertil-Koni factory trained and Stertil-Koni factory authorized service technicians will result in voided warranty.

Stertil-Koni is not responsible for claims made by persons other than Stertil-Koni authorized service or sales representatives.

This warranty is the exclusive warranty in lieu of all other warranties, including warranties of merchantability, fitness for a particular purpose or any other type, whether express or implied.





Stertil-Koni Product Overview



What are you lifting?

 Buses	 Trucks & Trailers	 Industrial & Construction	 Military
--	--	---	---

We can help!

 ECOLIFT	 Mobile Lifts	 SKYLIFT
--	---	---



**GSA Contract Number
GS-07F-5890-R**

**Stertil-Koni,
200 Log Canoe Circle
Stevensville, MD 21666**

800-336-6637

The logo for Stertil-Koni, featuring the word "sterdil" in blue lowercase letters and "KONI" in white uppercase letters inside a red rectangular box.

#1 in Heavy Duty Lifts

Exceeding All Lifting Needs

[Stertil-Koni](#) is the global market leader in [heavy duty truck lifts](#) and [bus lifts](#) and is the preferred supplier to the world's leading companies in the truck and bus industries. Stertil-Koni's breadth of lift products meets all ranges of lifting needs and includes [mobile lifts](#), [two-post](#), [four-post](#), [in-ground lifts](#), [parallelogram lifts](#), half-scissors lifts and the innovative axle-engaging, in-ground, scissor-style heavy duty hydraulic lift configuration.

Stertil-Koni is also the creator of the revolutionary DIAMOND LIFT – an innovative high pressure telescopic piston lift designed to set new standards in precision heavy-duty lifting performance, durability, ease of use and environmental containment. The company's lifts are ideally suited to provide superior lifting performance for a full range of heavy duty vehicles including articulated buses, fire and rescue vehicles as well as multiple axle trucks

In the United States, under the leadership of Dr. DellAmore, Stertil-Koni USA, Inc. has achieved industry-leading annual sales growth every year since its incorporation in 1997. Today, the company is recognized as the leading provider of mobile lifts, in-ground lifts and is the fastest growing heavy-duty lift company in North America. Stertil-Koni USA is headquartered in a modern, 25,000 square foot combined office and warehouse facility in Stevensville, Maryland and has a major manufacturing facility in Streator, Illinois.

Product Overview



Mobile Column Lifts

- Lifting capacity up to 40,000lbs. per column
- Lifting height 69"
- Hydraulic operation for rapid ascent and descent

SKYLIFT

- Lifting capacity up to 154,000 lbs.
- Vertical lifting with NO POSTS
- Clear floor access from all sides allows no obstructions for axle stands, wheel dollies, etc.



ECOLIFT

- Capacities of 60,000 lbs. (2-scissor) or 90,000 lbs. (3-scissor)
- Industry's benchmark for ultra-shallow, full-rise in-ground axle engaging lift

Diamond Lift

- Capacities of 64,000 lbs. (2 piston) or 96,000 lbs (3 piston)
- Mechanical locking system utilizes a hardened, nitro carburized locking rod for maximum protection.



2-Post Lifts

- Combination of open floor construction and no overhead lines or connections to allow maximum flexibility.
- Recognized for extraordinary safety

4-Post Lifts

- Lifting Capacity up to 54,000 lbs.
- With 75" of lifting height, comfortable for the tallest of mechanics to work under the vehicle



Contact List

<u>Contact, Title</u>	<u>Phone</u>	<u>Email Address</u>
President:		
Jean DellAmore	800.336.6637 or 410.643.9001 Fax: 410.643.8901	jean@sterdil-koni.com
Sales, Literature Requests		
Carl Boyer Sales Manager, GSA & National Accounts	800.336.6637 or 336.314.8600 Fax: 410.643.8901	carl@sterdil-koni.com
Brian Myles Eastern Regional Manager	800.336.6637 or 631.708.6348 Fax: 410.643.8901	brian@sterdil-koni.com
Jim Sylvester VP of Sales	800.336.6637 or 630.852.9908 Fax: 410.643.8901	jim@sterdil-koni.com
Rawn Roman VP of Sales	800.336.6637 or 612.599.0898 Fax: 410.643.8901	rawn@sterdil-koni.com
Paul Feldman, Director of Marketing	800.336.6637 ext. 126 Fax: 410.643.8901	paul.feldman@sterdil-koni.com
Kellie Boehm, Sales & Marketing Coordinator	800.336.6637 or 410.643.4434 Fax: 410.643.8901	kellie@sterdil-koni.com



#1 IN HEAVY DUTY VEHICLE LIFTS

Automotive Material Handling Equipment

Contract End Date: June 14, 2015

Special Item Number: 253-20 - DUNS: 160914909

200 Log Canoe Circle ♦ Stevensville ♦ Maryland ♦ 410-643-9001 ♦ 800-336-6637 ♦ 410-643-8901 (fax)

2013 PRICE LIST Edition 4 July 1

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

The first letter following model number, i.e. ST1082 FSA, always represents the wheels. F= Fixed wheels and R = Retractable wheels

The second letter following model number, i.e. ST1082 FSA, always represents the controls. S = Superior, C = Conventional, B = Battery, W=Wireless, R=Energy Retrieval System

The third letter following model number, i.e. ST1082 FSA, always represents the forks. F= Fixed forks and A = Adjustable forks

MOBILE LIFTS

Model Number	Description	List Price	GSA Price 29% 1-2 Lifts	GSA Price 31% 3-7 Lifts	GSA Price 33.5% 8 and Up
ST1065 MODELS:					
ST-1065-2FXV	NON STOCK Set of 4 - 60,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift construction vehicles	\$52,411	\$ 37,491	\$ 36,435	\$ 35,115
ST1085 MODELS:					
ST1085 WITH SYNTHETIC FIXED FRONT WHEELS :					
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks.	\$ 20,291	\$ 14,515	\$ 14,106	\$ 13,595
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks.	\$ 39,435	\$ 28,209	\$ 27,414	\$ 26,421
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks.	\$ 58,576	\$ 41,901	\$ 40,721	\$ 39,245
ST1085 WIRELESS MODELS:					
ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$27,329	\$ 19,549	\$ 18,998	\$ 18,310
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$54,658	\$ 39,098	\$ 37,997	\$ 36,620
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$81,987	\$ 58,647	\$ 56,995	\$ 54,930
ST1085 EARTHLIFT™ MODELS:					
ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$28,670	\$ 20,508	\$ 19,931	\$ 19,209
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$57,340	\$ 41,017	\$ 39,861	\$ 38,417
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$86,010	\$ 61,525	\$ 59,792	\$ 57,626
ST1100 WITH SYNTHETIC FIXED FRONT WHEELS :					
ST-1100-1FSF	STOCK Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$20,974	\$ 15,003	\$ 14,581	\$ 14,052
ST-1100-2FSF	STOCK Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$40,803	\$ 29,187	\$ 28,365	\$ 27,337
ST-1100-3FSF	STOCK Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$60,632	\$ 43,372	\$ 42,150	\$ 40,623

MOBILE LIFTS

Model Number		Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
				1-2 Lifts	3-7 Lifts	8 and Up
ST1100 WITH RETRACTABLE WHEELS:						
ST-1100-1RSF	NON STOCK	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$23,444	\$ 16,770	\$ 16,298	\$ 15,707
ST-1100-2RSF	NON STOCK	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$45,693	\$ 32,685	\$ 31,765	\$ 30,614
ST-1100-3RSF	NON STOCK	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$67,939	\$ 48,598	\$ 47,229	\$ 45,518
ST1100 BATTERY MODELS:						
ST-1100-1FBF	STOCK	Set of 2 - 44,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$23,781	\$ 17,011	\$ 16,532	\$ 15,933
ST-1100-2FBF	STOCK	Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$47,562	\$ 34,022	\$ 33,064	\$ 31,866
ST-1100-3FBF	STOCK	Set of 6 - 132,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$71,343	\$ 51,033	\$ 49,596	\$ 47,799
ST-1100-1RBF	NON STOCK	Set of 2 - 44,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$26,690	\$ 19,092	\$ 18,554	\$ 17,882
ST-1100-2RBF	NON STOCK	Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$53,379	\$ 38,183	\$ 37,108	\$ 35,763
ST-1100-3RBF	NON STOCK	Set of 6 - 132,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$80,069	\$ 57,275	\$ 55,662	\$ 53,645
ST1100 WIRELESS MODELS:						
ST-1100-1FWF	STOCK	Set of 2 - 44,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$28,076	\$ 20,083	\$ 19,518	\$ 18,811
ST-1100-2FWF	STOCK	Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$56,151	\$ 40,166	\$ 39,035	\$ 37,620
ST-1100-3FWF	STOCK	Set of 6 - 132,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$84,227	\$ 60,250	\$ 58,553	\$ 56,431
ST-1100-1RWF	NON STOCK	Set of 2 - 44,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$30,779	\$ 22,017	\$ 21,397	\$ 20,622
ST-1100-2RWF	NON STOCK	Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$61,557	\$ 44,033	\$ 42,793	\$ 41,242
ST-1100-3RWF	NON STOCK	Set of 6 - 132,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$92,336	\$ 66,050	\$ 64,190	\$ 61,864
ST1175 MODEL:						
ST-1175	NON STOCK	Set of 4 - 160,000lbs capacity, 208 to 460 volts, 3 phase, wheel lift (not ALI/ETL certified)	\$131,874	\$ 94,333	\$ 91,676	\$ 88,354

Reducer sleeves can be added as an accessory on all ST-1065, ST-1085, ST-1100 & ST-1175 models

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number		Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
				1-2 Lifts	3-7 Lifts	8 and Up
SKTJ-401		Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height	\$9,812	\$ 7,019	\$ 6,821	\$ 6,574
SKTJ-402		Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height	\$9,513	\$ 6,805	\$ 6,613	\$ 6,374
SKWD-500		High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height	\$8,921	\$ 6,381	\$ 6,202	\$ 5,977
SKWD-500-74		High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height	\$10,496	\$ 7,508	\$ 7,297	\$ 7,032
SKWD-501		Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height	\$12,041	\$ 8,613	\$ 8,371	\$ 8,067

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	GSA Price		
			29%	31%	33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height	\$10,697	\$ 7,652	\$ 7,436	\$ 7,167
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height	\$10,392	\$ 7,434	\$ 7,224	\$ 6,963
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height	\$10,429	\$ 7,460	\$ 7,250	\$ 6,987
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height	\$13,763	\$ 9,845	\$ 9,568	\$ 9,221
G-BDA	Adaptor for standard wheel drums HLWD	\$519	\$ 371	\$ 361	\$ 348
G-APR	Adaptor for forklift wheels HLWD	\$726	\$ 519	\$ 505	\$ 486
G-AD	Differential adaptor for transmission jack	\$1,453	\$ 1,039	\$ 1,010	\$ 973
G-NAA	Narrow isle adapter for forklifts, for use with mobile columns 1060 through 1100, not for use with extra wide forks	\$8,419	\$ 6,022	\$ 5,853	\$ 5,641
ST10 Single Phase	220V Single Phase power option per column when ordered from factory.	\$517	\$ 370	\$ 359	\$ 346
Upgrade control box	Primary control box exchange (upgrade from secondary control box)	\$1,384	\$ 990	\$ 962	\$ 927
DROVER 12M	Drive over 12 meter cable for all mobile columns, extra price per column when ordered with lifts	\$414	\$ 296	\$ 288	\$ 277
XWF1082	Extra wide fork option for ST1082 Fixed Front Wheels, wheel diameter up to R24.5/63". Price per column.	\$2,066	\$ 1,478	\$ 1,436	\$ 1,384
XWF1100	Extra wide fork option for ST1100 FSF, FBF, FWF, wheel diameter up to R24.5/63". Price per column.	\$2,066	\$ 1,478	\$ 1,436	\$ 1,384
34400915	Set baseframe and fork extension with lock for ST1073 & ST1082 & ST1100, per column, max capacity 12,000 lbs. per column	\$897	\$ 642	\$ 624	\$ 601
32700920	Reducer plate with lock (right side) for ST1060, ST1075 & ST1082 F (L= 350 mm/14")	\$352	\$ 252	\$ 245	\$ 236
32700925	Reducer plate with lock (left side) for ST1060, ST1075 & ST1082 F (L= 350 mm/14")	\$352	\$ 252	\$ 245	\$ 236
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$352	\$ 252	\$ 245	\$ 236
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$352	\$ 252	\$ 245	\$ 236
Warning: Longer reducer plates may only be used in combination with arm extensions! See attached label on longer reducer plates for mas. Usable capacity					
32790210	Large Wheel Adapter ST1065 - capacity 15,000 lbs, can handle tires up to 85" diameter and 29.5" width, price ea.	\$1,704	\$ 1,219	\$ 1,185	\$ 1,142
32803100	Reducer Sleeve for ST 1175 price each	\$483	\$ 346	\$ 336	\$ 324
32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs, ALI certified	\$3,917	\$ 2,802	\$ 2,723	\$ 2,624
32591500	Traverse beam with lifting supports, capacity 32,000 lbs., ALI certified	\$3,917	\$ 2,802	\$ 2,723	\$ 2,624
32591050	Low profile cross beam with supports - capacity 33,000 lbs, ALI certified	\$4,030	\$ 2,883	\$ 2,802	\$ 2,700
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$5,655	\$ 4,045	\$ 3,931	\$ 3,789
32591100	Low profile cross beam - capacity 18,800 lbs	\$4,030	\$ 2,883	\$ 2,802	\$ 2,700
32593000	4-wheel forklift adapter kit (10 pieces)	\$5,768	\$ 4,126	\$ 4,010	\$ 3,864
32593100	3-wheel forklift adapter kit (12 pieces)	\$7,187	\$ 5,141	\$ 4,996	\$ 4,815
WEB 36-120ST	Wheel Engaging Beam / Snow Plow Adapter, cap. 36,000 lbs, 120" max width btwn columns (NOT ALI certified)	\$5,169	\$ 3,698	\$ 3,593	\$ 3,463
18-9138A-05-F	LT-15-ST Fixed Fork Front/Rear Adapter	\$3,937	\$ 2,816	\$ 2,737	\$ 2,638
18-9138A-05	LT-15-ST Adjustable Fork Front/Rear Adapter	\$3,937	\$ 2,816	\$ 2,737	\$ 2,638

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
32559040	Lighting kit for ST 1060, ST1065, ST 1073, ST1075, ST 1082 and ST1175 - 460V (2 pcs), per column	\$1,629	\$ 1,165	\$ 1,132	\$ 1,091
32559050	Lighting kit for ST 1060, ST1065, ST 1073, ST1075, ST 1082 and ST1175 - 230V (2 pcs), per column	\$1,629	\$ 1,165	\$ 1,132	\$ 1,091
	Lighting kit only suitable for Superior control				
	Labor for installation of lighting kit per column	\$330	\$ 236	\$ 229	\$ 221
32739101	ID-Key for battery & wireless lifts	\$98	\$ 70	\$ 68	\$ 66
32557940	Remote Control for ST1075, ST 1082, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$3,055	\$ 2,185	\$ 2,124	\$ 2,047
59000890	Pelican Adaptor	\$5,019	\$ 3,590	\$ 3,489	\$ 3,363
59001080	Automotive Adapter (Hummer), cap. 15,000 lbs, (2 pieces), ALI certified	\$6,256	\$ 4,475	\$ 4,349	\$ 4,191
59001330	Automotive Adapter (Hummer) Extra wide fork application, cap. 15,000 lbs, (2 pieces)	\$6,688	\$ 4,784	\$ 4,649	\$ 4,481

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price	GSA Price		
			29%	31%	33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", flat adapter	\$305	\$ 218	\$ 212	\$ 204
JS-M8	Capacity 18,000 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adj. weight 95 lbs	\$911	\$ 652	\$ 633	\$ 610
JS-M12	Capacity 26,500 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adj., weight 121 lbs	\$986	\$ 705	\$ 685	\$ 661
JS-H8	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80" & 53"-83" with fine adj. weight 130 lbs	\$1,082	\$ 774	\$ 752	\$ 725
JS-H12	Capacity 26,500 lbs, High, Foldable, 10 positions, Range 50"-80" & 53"-83" with fine adjustment, weight 176 lbs	\$1,414	\$ 1,011	\$ 983	\$ 947
39225980	Foldable stand storage bracket (one per stand) <i>JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.</i>	\$129	\$ 92	\$ 90	\$ 86
JS-H8-DZ	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs <i>JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.</i> Options for the JS-H8-DZ:	\$865	\$ 619	\$ 601	\$ 580
39225960	Fine adjustment, adds 3" to minimum and maximum height range	\$124	\$ 89	\$ 86	\$ 83
39225940	U-shaped adapter	\$78	\$ 56	\$ 54	\$ 52
39225950	V-shaped adapter	\$78	\$ 56	\$ 54	\$ 52
SKCP 1220-10	10 tons, no handle or wheels; 12"-20"; with pin stop	\$289	\$ 207	\$ 201	\$ 194
SKCP 1830-10	10 tons, no handle or wheels; 18"-30"; with pin stop	\$343	\$ 245	\$ 238	\$ 230
SKCP 2644-10	10 tons, no handle or wheels; 26"-44";with pin stop	\$460	\$ 329	\$ 320	\$ 308
SKCP 5278-09	9 tons, spring loaded, wheels, pin stop, 1 head, 52"-78" NEW!! (Replaced SKCP 5278-08)	\$1,061	\$ 759	\$ 738	\$ 711
SKCV 1828-10	10 ton, no handle or wheels, 18"-28", fine adjustment	\$835	\$ 597	\$ 580	\$ 559
SKCVP 3658-18	18 tons, w/handle & wheels; spring loaded; pin stop w/36"-58" fine adjustment	\$1,401	\$ 1,002	\$ 974	\$ 939
SKCVP 5480-18	18 tons, w/handle & wheels; spring loaded; pin stop w/54"-80" fine adjustment	\$1,432	\$ 1,024	\$ 995	\$ 959
SKCVP 5484-30	30 tons, w/handle & wheels; spring loaded; pin stop w/54"-84" fine adjustment	\$5,346	\$ 3,824	\$ 3,716	\$ 3,582
SKMH 3658-12	12 tons, w/handle & wheels; spring loaded, pin stop w/36"-58" fine adjustment; 2 heads	\$1,401	\$ 1,002	\$ 974	\$ 939
SKMH 5480-12	12 tons, w/handle & wheels; spring loaded, pin stop w/54"-80" fine adjustment; 2 heads	\$1,432	\$ 1,024	\$ 995	\$ 959
G-STD-0050	Each additional head, please specify head required	\$139	\$ 99	\$ 97	\$ 93
39200000	20 ton, 3-headed spring loaded support stand, height 51" - 75" (incl. 3 pick-up fittings, spring and fine adjustment)	\$3,545	\$ 2,536	\$ 2,464	\$ 2,375

LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	GSA Price		
			29%	31%	33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
ST 4055	12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns	\$21,469	\$ 15,357	\$ 14,925	\$ 14,384
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$22,211	\$ 15,888	\$ 15,441	\$ 14,881
ST 4055-L	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$23,201	\$ 16,596	\$ 16,129	\$ 15,544
ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$23,943	\$ 17,127	\$ 16,645	\$ 16,042
ST 4070	16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$23,554	\$ 16,849	\$ 16,374	\$ 15,781
ST 4070-S	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$23,554	\$ 16,849	\$ 16,374	\$ 15,781
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$24,521	\$ 17,540	\$ 17,046	\$ 16,429
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$24,521	\$ 17,540	\$ 17,046	\$ 16,429
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$25,806	\$ 18,460	\$ 17,940	\$ 17,290
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$26,772	\$ 19,151	\$ 18,611	\$ 17,937

ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	GSA Price		
			29%	31%	33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
43509250	Fluorescent lighting set for ST 4055, 4070-S & 4070 (4 pcs) 24V - IP67	\$1,828	\$ 1,308	\$ 1,271	\$ 1,225
44509250	Fluorescent lighting set for ST 4055, 4070-S, 4070, 4070-L & 4070-LV (6 pcs) 24V - IP67	\$2,646	\$ 1,893	\$ 1,839	\$ 1,773
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$239	\$ 171	\$ 166	\$ 160
445.09.040	Standard drive on/off ramps, 28.7", (2 pieces)	\$863	\$ 617	\$ 600	\$ 578
OPVL09250	Second control box for ST 4055 and ST 4070	\$1,510	\$ 1,080	\$ 1,050	\$ 1,012
ST 40 Single Phase	Single phase power per control box	\$579	\$ 414	\$ 403	\$ 388

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price	GSA Price		
			29%	31%	33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$31,449	\$ 22,496	\$ 21,863	\$ 21,070
ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$33,723	\$ 24,123	\$ 23,443	\$ 22,594
ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$35,869	\$ 25,658	\$ 24,935	\$ 24,032
ST 4175-6	Four post 38,500lbs capacity, 20 ft runway, ALI/ETL certified	\$60,212	\$ 43,071	\$ 41,858	\$ 40,341
ST 4175-8	Four post 38,500lbs capacity, 26 ft runway, ALI/ETL certified	\$63,512	\$ 45,432	\$ 44,152	\$ 42,552
ST 4175-9	Four post 38,500lbs capacity, 30 ft runway, ALI/ETL certified	\$64,100	\$ 45,852	\$ 44,561	\$ 42,946
ST 4175-10	Four post 38,500lbs capacity, 33 ft runway, ALI/ETL certified	\$66,810	\$ 47,791	\$ 46,445	\$ 44,762
ST 4175-11.5	Four post 38,500lbs capacity, 38 ft runway, ALI/ETL certified	\$70,817	\$ 50,657	\$ 49,230	\$ 47,447
ST 4175-6+6	Eight post 77,000lbs capacity, 40 ft runway, ALI/ETL certified	\$120,425	\$ 86,143	\$ 83,716	\$ 80,683
ST 4175-6+8	Eight post 77,000lbs capacity, 46 ft runway, ALI/ETL certified	\$123,724	\$ 88,503	\$ 86,010	\$ 82,894
ST 4175-6+9	Eight post 77,000lbs capacity, 50 ft runway, ALI/ETL certified	\$124,313	\$ 88,924	\$ 86,419	\$ 83,288
ST 4175-8+8	Eight post 77,000lbs capacity, 52 ft runway, ALI/ETL certified	\$127,024	\$ 90,863	\$ 88,304	\$ 85,104
ST 4175-6+10	Eight post 77,000lbs capacity, 53 ft runway, ALI/ETL certified	\$127,024	\$ 90,863	\$ 88,304	\$ 85,104
ST 4175-8+9	Eight post 77,000lbs capacity, 56 ft runway, ALI/ETL certified	\$127,612	\$ 91,284	\$ 88,713	\$ 85,498
ST 4175-6+11.5	Eight post 77,000lbs capacity, 58 ft runway, ALI/ETL certified	\$131,028	\$ 93,728	\$ 91,087	\$ 87,787
ST 4175-8+10	Eight post 77,000lbs capacity, 59 ft runway, ALI/ETL certified	\$130,322	\$ 93,223	\$ 90,597	\$ 87,314
ST 4175-9+9	Eight post 77,000lbs capacity, 60 ft runway, ALI/ETL certified	\$128,201	\$ 91,705	\$ 89,122	\$ 85,893
ST 4175-9+10	Eight post 77,000lbs capacity, 63 ft runway, ALI/ETL certified	\$130,911	\$ 93,644	\$ 91,006	\$ 87,709
ST 4175-8+11.5	Eight post 77,000lbs capacity, 64 ft runway, ALI/ETL certified	\$134,328	\$ 96,088	\$ 93,381	\$ 89,998
ST 4175-10+10	Eight post 77,000lbs capacity, 66 ft runway, ALI/ETL certified	\$133,622	\$ 95,583	\$ 92,891	\$ 89,525
ST 4175-9+11.5	Eight post 77,000lbs capacity, 68 ft runway, ALI/ETL certified	\$134,918	\$ 96,510	\$ 93,792	\$ 90,393
ST 4175-10+11.5	Eight post 77,000lbs capacity, 71 ft runway, ALI/ETL certified	\$137,628	\$ 98,449	\$ 95,676	\$ 92,209
ST 4175-11.5+11.5	Eight post 77,000lbs capacity, 76 ft runway, ALI/ETL certified	\$141,634	\$ 101,314	\$ 98,460	\$ 94,893
41509040	Synchronization set needed to make any Eight Post version of ST 4175 above, brigde part 3' 4"	\$10,594	\$ 7,578	\$ 7,365	\$ 7,098
41509030	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 4' 11"	\$12,938	\$ 9,255	\$ 8,994	\$ 8,668
ST 4250-6	Four post 54,000lbs capacity, 20 ft runway, ALI/ETL certified	\$91,367	\$ 65,357	\$ 63,516	\$ 61,215
ST 4250-8	Four post 54,000lbs capacity, 26 ft runway, ALI/ETL certified	\$97,176	\$ 69,512	\$ 67,554	\$ 65,107
ST 4250-9	Four post 54,000lbs capacity, 30 ft runway, ALI/ETL certified	\$100,086	\$ 71,594	\$ 69,577	\$ 67,056
ST 4250-10	Four post 54,000lbs capacity, 33 ft runway, ALI/ETL certified	\$103,363	\$ 73,938	\$ 71,855	\$ 69,252
ST 4250-11.5	Four post 54,000lbs capacity, 38 ft runway, ALI/ETL certified	\$108,288	\$ 77,461	\$ 75,279	\$ 72,552

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
ST 4250-6+6	Eight post 108,000lbs capacity, 40 ft runway, ALI/ETL certified	\$182,734	\$ 130,714	\$ 127,032	\$ 122,429
ST 4250-6+8	Eight post 108,000lbs capacity, 46 ft runway, ALI/ETL certified	\$188,543	\$ 134,870	\$ 131,070	\$ 126,321
ST 4250-6+9	Eight post 108,000lbs capacity, 50 ft runway, ALI/ETL certified	\$191,453	\$ 136,951	\$ 133,093	\$ 128,271
ST 4250-8+9	Eight post 108,000lbs capacity, 56 ft runway, ALI/ETL certified	\$197,263	\$ 141,107	\$ 137,132	\$ 132,164
ST 4250-9+9	Eight post 108,000lbs capacity, 60 ft runway, ALI/ETL certified	\$200,173	\$ 143,189	\$ 139,155	\$ 134,113
ST 4250-10+10	Eight post 108,000lbs capacity, 66 ft runway, ALI/ETL certified	\$206,724	\$ 147,875	\$ 143,709	\$ 138,502
ST 4250-10+11.5	Eight post 108,000lbs capacity, 71 ft runway, ALI/ETL certified	\$211,650	\$ 151,399	\$ 147,134	\$ 141,803
ST 4250-11.5+11.5	Eight post 108,000lbs capacity, 76 ft runway, ALI/ETL certified	\$216,575	\$ 154,922	\$ 150,558	\$ 145,103
42509030	Synchronization set needed to make any Eight Post version of ST 4250 above, brigde part 3' 4"	\$10,594	\$ 7,578	\$ 7,365	\$ 7,098
42519040	Synchronization set needed to make any Eight Post version of ST 4250 above, brigde part 4' 11"	\$12,938	\$ 9,255	\$ 8,994	\$ 8,668
All lifts available in 208 to 460VAC, 3-phase, 575V or 1-phase (extra charge)					

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
ST4120 Series					
41209020	Hinged transition plates, length 16.1" (2 pcs)	\$1,489	\$ 1,065	\$ 1,035	\$ 998
41209030	Standard drive on/off ramps, length 38" (2 pcs); ST4120	\$2,583	\$ 1,848	\$ 1,796	\$ 1,731
41209100	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$5,099	\$ 3,647	\$ 3,545	\$ 3,416
41209200	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$5,667	\$ 4,054	\$ 3,940	\$ 3,797
41209010	Set long drive on/off ramps, length 63"	\$4,497	\$ 3,217	\$ 3,126	\$ 3,013
OPVL16165	Extended length access ramps, instead of standard ramps	\$1,114	\$ 797	\$ 774	\$ 746
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$239	\$ 171	\$ 166	\$ 160
ST 40 Single Phase	Single phase power per control box	\$579	\$ 414	\$ 403	\$ 388
41229050	LED lighting set, UL approved for ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set	\$3,214	\$ 2,299	\$ 2,234	\$ 2,153
41219050	LED lighting set, UL approved for ST4120, 21' platform, 6 LED fixtures, 1 power transformer and cable set	\$4,491	\$ 3,213	\$ 3,122	\$ 3,009
41209050	LED lighting set, UL approved for ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set	\$5,675	\$ 4,059	\$ 3,945	\$ 3,802
Air kit - See accessories for SKYLIFTS					
Anti skid, ALU diamond plate - See accessories for SKYLIFTS					

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
ST4175 and ST4250 Series					
41509010	Set standard drive on/off ramps ST4175, length 44" (2 pcs)	\$2,714	\$ 1,941	\$ 1,887	\$ 1,818
41509050	Extended length ramps ST4175, length 66" (2 pcs)	\$3,826	\$ 2,737	\$ 2,660	\$ 2,563
OPVL16170	Extended length ramps ST4175, length 66" (2 pcs), instead of standard ramps	\$460	\$ 329	\$ 320	\$ 308
41509060	Extended length ramps ST4175, length 92" (2 pcs)	\$6,598	\$ 4,720	\$ 4,587	\$ 4,421
OPVL16171	Extended length ramps ST4175, length 92" (2 pcs), instead of standard ramps	\$3,760	\$ 2,690	\$ 2,614	\$ 2,519
42509010	Set standard drive on/off ramps ST4250, length 65" (2 pcs) for 33 and 38 foot runways	\$2,918	\$ 2,087	\$ 2,029	\$ 1,955
42519010	Set standard drive on/off ramps ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$2,816	\$ 2,014	\$ 1,958	\$ 1,887
42509050	Extended length ramps ST4250, length 104" (2 pcs) for 33 and 38 foot runways	\$3,557	\$ 2,544	\$ 2,473	\$ 2,383
42519050	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$3,452	\$ 2,469	\$ 2,400	\$ 2,313
OPVL16180	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$397	\$ 284	\$ 276	\$ 266
OPVL09170	Second control box for ST4175	\$3,474	\$ 2,485	\$ 2,415	\$ 2,328
OPVL09180	Second control box for ST4250	\$3,474	\$ 2,485	\$ 2,415	\$ 2,328
41599013	Set chemical anchors and shims for ST 4175	\$477	\$ 341	\$ 332	\$ 320
42599013	Set chemical anchors and shims for ST 4250	\$579	\$ 414	\$ 403	\$ 388
ST 40 Single Phase	Single phase power per control box	\$579	\$ 414	\$ 403	\$ 388
Options for Wash bay version ST4250					
59000832	Covers on top of columns to protect the potentiometer from dirt and moisture	\$1,277	\$ 913	\$ 888	\$ 856
59001138	Connecting cylinders directly to tank / breather cap (to stop dirt and moisture coming into cylinder)	\$1,277	\$ 913	\$ 888	\$ 856
59001137	Watertight Cable glands at bottom of controlbox (glands on top will be sealed)	\$1,411	\$ 1,009	\$ 981	\$ 945
59001165	Special guidepiece with grease nipples (to stop rust on rolleraxle)	\$5,377	\$ 3,846	\$ 3,738	\$ 3,603
On request	Special coatings on platforms (3 layers: zinc primer, epoxy, polyurethane)	\$7,076	\$ 5,062	\$ 4,919	\$ 4,741
Air kit - See accessories for SKYLIFTS					
Anti skid, ALU diamond plate - See accessories for SKYLIFTS					

HEAVY DUTY SKYLIFT

Model Number	Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
Surface mounted version:			1-2 Lifts	3-7 Lifts	8 and Up
<i>Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.</i>					
41322000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 23'	\$93,348	\$ 66,774	\$ 64,893	\$ 62,542
41323000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 26'	\$95,541	\$ 68,343	\$ 66,418	\$ 64,011
41324000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 30'	\$98,013	\$ 70,111	\$ 68,136	\$ 65,667
41325000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 33'	\$100,344	\$ 71,779	\$ 69,757	\$ 67,229
41303000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 26'	\$102,962	\$ 73,651	\$ 71,577	\$ 68,983
41304000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 30'	\$106,079	\$ 75,881	\$ 73,743	\$ 71,072
41305000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 33'	\$107,638	\$ 76,996	\$ 74,827	\$ 72,116
41306000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 40'	\$114,919	\$ 82,204	\$ 79,889	\$ 76,994
41307000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 48'	\$123,378	\$ 88,255	\$ 85,769	\$ 82,662
Flush mounted version:					
<i>Flush mounted version is equipped with 2 sets of hinged movable boards.</i>					
41332000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 23'	\$90,184	\$ 64,511	\$ 62,694	\$ 60,422
41333000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 26'	\$92,563	\$ 66,213	\$ 64,347	\$ 62,016
41334000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 30'	\$94,824	\$ 67,830	\$ 65,919	\$ 63,531
41335000	SKY 200 - 44,000 lbs (62,400 with symmetrical load distribution), platform length 33'	\$97,204	\$ 69,532	\$ 67,574	\$ 65,125
41313000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 26'	\$99,821	\$ 71,404	\$ 69,393	\$ 66,879
41314000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 30'	\$102,914	\$ 73,617	\$ 71,543	\$ 68,951
41315000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 33'	\$104,461	\$ 74,724	\$ 72,619	\$ 69,988
41316000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 40'	\$111,718	\$ 79,915	\$ 77,664	\$ 74,850
41317000	SKY 250 - 55,000 lbs (78,000 with symmetrical load distribution), platform length 48'	\$120,284	\$ 86,042	\$ 83,618	\$ 80,589
	<i>SKY 200 Buy America, additional price</i>	\$10,816	\$ 7,737	\$ 7,519	\$ 7,247
	<i>SKY 250 Buy America, additional price</i>	\$14,456	\$ 10,341	\$ 10,049	\$ 9,685

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	GSA	GSA	GSA
			Price	Price	Price
			29%	31%	33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
41309015	LED lighting set, UL approved for SKYLIFT, 26' platform, 8 LED fixtures, 1 power transformer and cable set	\$5,949	\$ 4,255	\$ 4,136	\$ 3,986
41309020	LED lighting set, UL approved for SKYLIFT, 30' platform, 10 LED fixtures, 1 power transformer and cable set	\$7,103	\$ 5,081	\$ 4,938	\$ 4,759
41309025	LED lighting set, UL approved for SKYLIFT, 33' platform, 10 LED fixtures, 1 power transformer and cable set	\$7,166	\$ 5,126	\$ 4,982	\$ 4,801
41309030	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set	\$8,372	\$ 5,989	\$ 5,820	\$ 5,609
42509020	Hinged transition plates, length 20" (2 pcs)	\$1,766	\$ 1,263	\$ 1,228	\$ 1,183
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$21,148	\$ 15,128	\$ 14,702	\$ 14,169
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$21,668	\$ 15,500	\$ 15,063	\$ 14,517
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$22,188	\$ 15,872	\$ 15,425	\$ 14,866
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$24,788	\$ 17,731	\$ 17,232	\$ 16,608
OPVL29185	2 speed lowering, not in combination with synchronisation set	\$1,991	\$ 1,424	\$ 1,384	\$ 1,334
41300950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$8,267	\$ 5,914	\$ 5,747	\$ 5,539
41300951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$10,068	\$ 7,202	\$ 6,999	\$ 6,745
41310950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$8,267	\$ 5,914	\$ 5,747	\$ 5,539
41310951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$10,068	\$ 7,202	\$ 6,999	\$ 6,745
41312950	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$14,191	\$ 10,151	\$ 9,865	\$ 9,508
41313950	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$17,382	\$ 12,434	\$ 12,084	\$ 11,646
41314950	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$20,572	\$ 14,716	\$ 14,301	\$ 13,783
41315950	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$23,763	\$ 16,998	\$ 16,519	\$ 15,921
41316950	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$30,144	\$ 21,563	\$ 20,955	\$ 20,196
41300448	Set multifunctional flexible approach ramps 77"	\$4,675	\$ 3,344	\$ 3,250	\$ 3,132
41300460	One piece middle section "C" length 19.75"	\$495	\$ 354	\$ 344	\$ 332
41300995	Steel cover plates (2 pcs) to fit recess in platform extensions (41300980)	\$683	\$ 489	\$ 475	\$ 458
OPVLRAL07	Extra price for 1 different colour	\$1,422	\$ 1,017	\$ 989	\$ 953
OPVLRAL07-2	Extra price for 2 different colours	\$2,373	\$ 1,697	\$ 1,650	\$ 1,590
41300990	Set chemical anchors and shims for SKYLIFT	\$734	\$ 525	\$ 510	\$ 492
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$116	\$ 83	\$ 81	\$ 78
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet <i>Depending on the length of the platforms it is recommended to use more than one air installation kit.</i>	\$362	\$ 259	\$ 252	\$ 243
66701106	Anti-skid aluminum diamond plate 23 3/5" x 49 1/5", 30' lgth platform lift requires a total of 14 plates, (Price per plate)	\$293	\$ 210	\$ 204	\$ 140

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	GSA Price 29%	GSA Price 31%	GSA Price 33.5%
			1-2 Lifts	3-7 Lifts	8 and Up
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder.					
The JB is standard equipped with two flat adapters and two 4" extensions.					
39617150	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35"	\$8,369	\$ 5,987	\$ 5,818	\$ 5,607
39617100	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28"	\$8,369	\$ 5,987	\$ 5,818	\$ 5,607
39617010	Set support arms for ST 4120	\$1,114	\$ 797	\$ 774	\$ 746
39615200	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35"	\$8,369	\$ 5,987	\$ 5,818	\$ 5,607
39615100	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28"	\$8,369	\$ 5,987	\$ 5,818	\$ 5,607
39615010	Set support arms for ST 4175	\$1,114	\$ 797	\$ 774	\$ 746
39615020	Set support arms for SKY 200 & 250	\$1,114	\$ 797	\$ 774	\$ 746
39616150	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35"	\$9,339	\$ 6,680	\$ 6,492	\$ 6,257
39616100	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28"	\$9,339	\$ 6,680	\$ 6,492	\$ 6,257
39616010	Set support arms for ST 4250 20'/26'/30' platforms	\$1,114	\$ 797	\$ 774	\$ 746
39616020	Set support arms for ST 4250 33'/38' platforms	\$1,114	\$ 797	\$ 774	\$ 746
39616030	Set support arms for SKY 250	\$1,114	\$ 797	\$ 774	\$ 746
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250	\$1,114	\$ 797	\$ 774	\$ 746
39618150	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35"	\$9,339	\$ 6,680	\$ 6,492	\$ 6,257
39618100	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28"	\$9,339	\$ 6,680	\$ 6,492	\$ 6,257
39616030	Set support arms for SKY 250	\$1,114	\$ 797	\$ 774	\$ 746
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250	\$1,114	\$ 797	\$ 774	\$ 746
<u>Options for JB-70-2 / JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:</u>					
39615180	Diff. beam for JB-70-2 - JB-200-2, for lifting both rams at one point	\$823	\$ 589	\$ 572	\$ 551
39615130	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.9" - 29.5", total length 35.51", height 5.36"	\$1,912	\$ 1,368	\$ 1,329	\$ 1,281
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$199	\$ 142	\$ 138	\$ 133
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$199	\$ 142	\$ 138	\$ 133
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$210	\$ 150	\$ 146	\$ 141
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$210	\$ 150	\$ 146	\$ 141
39991000	Trolley for JB-70-2 - JB-200-2	\$637	\$ 456	\$ 443	\$ 427
39615125	Wall bracket for storage of up to 4 adapters	\$188	\$ 134	\$ 131	\$ 126
39615120	Wall bracket for storage of up to 8 adapters	\$210	\$ 150	\$ 146	\$ 141
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$773	\$ 553	\$ 537	\$ 518
	Air kit - See accessories for SKYLIFTS				