



GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SERVICE PRICE LIST AND CATALOG

FSC, Group 56, Part IV, Section A
FSC CLASS: 5670

CONTRACT NUMBER: GS-07F-7558C

CONTRACT PERIOD: 4/1/1995 – 3/31/2014

CONTRACTORS NAME:

Total Door® an Openings Company
6145 Delfield Drive
Waterford, MI 48329
(248) 623-6899

DISTRIBUTOR

Note: all sales are to be through
Openings Distributors
* (See attached list)

BUSINESS SIZE: Small, woman owned

December 2009 - Current GSA Distributor Listing

- | | | | |
|----|---|----|---|
| 1 | Construction Specialties of Alaska, Inc.
4011 Arctic Blvd., Suite 206
Anchorage, AK 99503
Phone: 907-563-5550 Fax: 907-562-0351 | 2 | Automatic Door Sales & Service, Inc.
820-822 West Pratt Road
Little Rock, AR 72206
Phone: 501-888-2443 Fax: 501-888-4914 |
| 3 | Door Systems Inc..
15031 Parkway Loop, Suite C
Tustin, CA 92780
Phone: 714-258-7100 Fax: 714-258-7171 | 4 | Powers Products Co.
1455 S. Platte River Drive
Denver, CO 80223
Phone: 303-791-1010 Fax: 303-791-1011 |
| 5 | Willco Sales & Service
P.O. Box 320003/38 Duka Avenue
Fairfield, CT 06430
Phone: 203-366-3895 Fax: 203-366-6344 | 6 | Brandywine Access Solutions Inc.
1330 East 12 th Street
Wilmington, DE 19802
Phone: 302-622-9900 Fax: 302-652-7426 |
| 7 | Acoustical Products CO
9000 West Sheridan St., Suite #166
Pembroke Pines, FL 33024
Phone: 954-431-3899 Fax: 954-431-9408 | 8 | Architectural Building Supplies
960 E. Franklin Road
Meridian, ID 83642
Phone: 208-884-8917 Fax: 208-884-5641 |
| 9 | Automatic Doors, Inc
111 Railroad Avenue
Bartlett, IL 60103
Phone: 630-837-4496 Fax: 630-837-4681 | 10 | Doors, Inc.
300 SW 6th Street
Des Moines, IA 50309
Phone: 515-288-8951 Fax: 515-288-6212 |
| 11 | McCormick Equipment Company
2001 Stanley Gault Parkway
Louisville, KY 40223
Phone: 502-254-8777 Fax: 502-254-2212 | 12 | McCormick Equipment Company
102-6 Supply Ct
Georgetown, KY 40324
Phone: 502-868-7668 Fax: 502-868-7694 |
| 13 | Door Systems Corp
66 Westminster Street
Lewiston, ME 04240
Phone: 207-783-7185 Fax: 207-786-3667 | 14 | Superior Engineered Products
2227 Hollins Ferry Road
Baltimore, MD 21230
Phone: 410-625-8989 Fax: 410-625-8838 |
| 15 | Allied Products Group Inc.
90 Reservoir Park Drive
Rockland, MA 02370
Phone: 781-792-0505 Fax: 781-871-8222 | 16 | Egress Inc.
21 Elm
Pepperell, MA 01463-1603
Phone: 978-433-6575 Fax: 978-433-6056 |

- | | | | |
|----|---|----|--|
| 17 | Northeast Security Solutions
33 Sylvan Street
W. Springfield, MA 01089
Phone: 413-733-7303 Fax: 413-739-5476 | 18 | Ponder Door
287 S River Road
Bay City, MI 48708
Phone 989-684-9841 Fax: 989-684-9850 |
| 19 | W.L. Hall Company
530 15th Avenue South
Hopkins, MN 55343
Phone: 952-937-8400 Fax: 952-937-9126 | 20 | Ravensburg, Incorporated
1338 Strassner Drive+B152
St. Louis, MO 63144
Phone:314-968-4020 Fax: 314-968-2678 |
| 21 | Door Systems Inc
4760 South Pecos Road, Suite 103
Las Vegas, NV 89121
Phone: 702-547-0061 Fax: 702-547-0065 | 22 | Door Systems Inc
561 Keystone, Ave, Box 223
Reno, NV 89503
Phone: 714-258-7100 Fax: 714-258-7171 |
| 23 | Mid-State Door, Inc.
602 Cambridge Avenue
Syracuse, NY 13208
Phone: 315-455-5736 Fax: 315-455-8712 | 24 | McCormick Equipment Co-All Branches
7469 A-1 Worthington-Galena Rd
Worthington, OH 43085
Phone: 614-888-8411 Fax: 614-888-6795 |
| 25 | McCormick Equipment Co-All Branches
112 Northeast Drive
Loveland, OH 45140
Phone: 513-677-8888 Fax: 513-677-9322 | 26 | McCormick Equipment Co-All Branches
7467 Webster Street
Dayton, OH 45414
Phone: 937-898-8880 Fax: 937-898-8883 |
| 27 | McCormick Equipment Co-All Branches
6898 Commodore Dr, Suite B
Walbridge, OH 43465
Phone: 419-661-5500 Fax:419-661-8450 | 28 | Best Companies, Inc.
14801 Bristol Park Blvd
Edmond, OK 73013
Phone: 405-840-1077 Fax: 405-840-5277 |
| 29 | Access Systems, LLC.
14789 SE 82 nd Drive.
Clackamas, OR 97015
Phone: 503-624-7444 Fax: 503-624-0815 | 30 | AB Specialties, Inc.
534 Braddock Ave
Turtle Creek, PA 15145
Phone: 412-825-0220 Fax: 412-825-0387 |
| 31 | Mesko Glass & Mirror Company, Inc.
100 Glendale Road
Avoca, PA 18641
Phone: 570-457-1700 Fax: 570-457-1714 | 32 | Superior Engineered Products
3905 West 9th, Unit J
Trainer, PA 19061
Phone: 610-859-7865 Fax: 610-859-8284 |

- 33 William S. Trimble Company
2200 Atchley SE
Knoxville, TN 37920
Phone: 865-573-1911 Fax: 865-573-5239
- 34 Coastal ADS
1834 N. Padre Island Drive
Corpus Christi, TX 78408
Phone: 361-289-0864 Fax: 361-289-5540
- 35 Trinity Builders Supply
408 S. Bonham
Amarillo, TX 79106
Phone: 806-342-0556 Fax: 806-342-0557
- 36 Alder Sales Corporation
6676 South 400 West
Murray, UT 84107
Phone: 801-262-9700 Fax: 801-261-8242
- 37 Precision Doors & Hardware, Inc.
6295-80 Edsall Road
Alexandria, VA 22312
Phone: 703-461-8282 Fax: 703-461-3431
- 38 Stock Building Supply Contract Hardware Div.
127 Production Drive
Yorktown, VA 23693
Phone: 757-873-3979 Fax: 757-873-3977
- 39 Yadon Construction Specialties, Inc.
N 202 Napa - Box 2672 TA
Spokane, WA 99202
Phone 509-535-0301 Fax: 509-534-1787



INFORMATION FOR ORDERING

- 1a. ITEM NUMBER SIN 563 23
LOWEST PRICE FOR ONE UNIT
- 1b. Single Hollow Metal Fire Rated Door Sys F. O. B. ORIGIN: \$ 659.68 net.
- 1c. Pair Hollow Metal Fire Rated Door Sys F. O. B. ORIGIN: \$1,492.64 net.
- 1d. Double Egress Hollow Metal Fire Door Sys F. O. B. ORIGIN: \$1,605.12 net.
- 1e. Single Wood Core Fire Rated Door Sys F. O. B. ORIGIN: \$ 621.68 net.
- 1f. Pair Wood Core Fire Rated Door Sys F. O. B. ORIGIN: \$1,407.52 net.
- 1g. Double Egress Wood Core Fire Door Sys F. O. B. ORIGIN: \$1,513.92 net.
- 1h. Single Metal Blast Door F. O. B. ORIGIN: \$1,144.56 net.
- 2. MAXIMUM ORDER LIMITATION \$75,000.00 net
- 3. MINIMUM ORDER: \$ 50.00
- 4. GEOGRAPHIC COVERAGE: 48 Contiguous States in addition to Washington, DC, and Alaska, Hawaii, Puerto Rico, and all other US Territories.
- 5. POINT OF PRODUCTION: Waterford, MI
- 6. DISCOUNT FROM LIST PRICES:
 - 24% on orders under \$ 7,500 list
 - 28% on orders from \$ 7,501 to \$ 20,000 list
 - 32% on orders from \$ 20,001 to \$ 40,000 list
 - 35% on orders from \$ 40,001 to \$100,000 list
 - 39% on orders over \$100,000 list
- 7. QUANTITY DISCOUNTS: As shown above
- 8. PROMPT PAYMENT TERMS Net 30 Days
- 9a. GOVERNMENT COMMERCIAL CREDIT CARD:
- 9b. DISCOUNT FOR PAYMENT BY GOVERNMENT COMMERCIAL CREDIT CARD: N/A
- 10. FOREIGN ITEMS: None
- 11. TIME OF DELIVERY 45 days ARO
- 12. F. O. B. POINT: Origin – Add for all
- *13. ORDERING ADDRESS: See Attached Distributor List
- *14. PAYMENT ADDRESS: See Attached Distributor List
- 15. WARRANTY PROVISIONS:

All material fabricated by Total Door® an Openings Company is guaranteed as to material and workmanship for a period of two (2) years from the date of completed installation or two and one-half (2-1/2) years from the ship date, whichever occurs first, provided that defects are not the result of abuse, unreasonable usage or other causes beyond the sellers control. Total Door® an Openings Company's liability shall not exceed the cost of material furnished. There are no warranties of merchantability for fitness of such goods or services for any particular purpose, except that all goods shall conform to their description, subject to commercial tolerances and variations.
- 16. EXPORT PACKING CHANGES: N/A
- 17. TERMS AND CONDITIONS OF RENTAL MAINTENANCE AND REPAIR: N/A
- 18. TERMS AND CONDITIONS OF INSTALLATION: Available from Distributor
- 19. TERMS AND CONDITIONS OF REPAIR PARTS: Available from Distributor
- 20. LIST OF SERVICE AND DISTRIBUTION POINTS: See Distributor List
- 21. LIST OF PARTICIPATING DISTRIBUTORS See Distributor List
- 22. PREVENTATIVE MAINTENANCE: N/A



PRICES TO THE GSA
AND OTHER PARTICIPATING FEDERAL SUPPLY SERVICES

FSC Group 56, Part IV, Section A:

UNDISCOUNTED PRICE: \$ 868.00 / DOOR

ITEM DESCRIPTION: A door & hardware system with a 20-gauge steel door body, 3' 0" x 7' 0", 1-1/2 hour (B) label, with positive pressure and smoke & draft, complete with continuous lock and levers, in any hand, function and finish listed below.

This system includes the following factory installed components:

Continuous hinges

Continuous lock mechanism

Steel door body, electro galvanized & prime painted

1-1/2 hour fire label, with positive pressure and smoke & draft

All door and hardware components are equal to or superior to
ANSI A156.1, grade 1 hinges
ANSI A156.13, grade 1 lock mechanisms
ANSI A250.4, all grades, steel doors
ANSI A156.3, grade 1 panics

PRODUCT DETAILS AND NOTES:

Item # 563 23 is a system which meets all performance characteristics of a Class I product. It will fit any existing 3' 0" x 7' 0" frame, whether wood, aluminum or steel, single rabbeted, double rabbeted or case with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame. The door is automatically reinforced for any surface closer or holder. It is built with a polystyrene core for strength and insulating value.

Doors are shipped with hinges and locks already installed. The hinge is a continuous element 7' 0" high with no projecting knuckles. The locking channel is also 7' 0" high and engages the jamb for its full height offering greater security against unauthorized entry especially kicking, "loiding", and jamb spreading.

Any standard mortise cylinder with a standard cam will operate the locking mechanism. Levers are part of the package. A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing.

FINISHES AVAILABLE:

625 = Mirror Chrome
630 = Satin Stainless Steel
605 = Mirror Brass
606 = Bright Brass
611 = Bright Bronze
612 = Satin Bronze

FUNCTIONS AVAILABLE:

Federal Function Nos.
F01, F02, F04, F05,
F07, F09, F13, F14,
F17, F18

HANDS AVAILABLE:

Right hand = R
Left hand = L
Right hand reverse = RR
Left hand reverse = LR



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Single Hollow Metal Fire Rated Door Sys

List Price: \$868.00

Discounted Price: \$659.68

Item Description:

A complete, integrated door & hardware system with 20-gauge steel door body, 3'0" x 7'0", complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Steel door body, electro galvanized & prime painted. 1-1/2 hour fire label - positive pressure – with smoke and draft, (other labels and sizes available, including 3 hour, 250 degree temperature rise). Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, steel doors. ANSI A156.3, grade 1 panics.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. It will fit any existing 3'0" x 7'0" frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a polystyrene core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the jamb for its full height offering greater security against unauthorized entry, especially kicking, "loiding" and jamb spreading. Levers are part of the package. A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing.

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass,
611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Pair Hollow Metal Fire Rated Door Sys

List Price: \$1,964.00

Discounted Price: \$1,492.64

Item Description:

A complete, integrated door & hardware system with 20-gauge steel door body, 6'0" x 7'0", complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Steel door body, electro galvanized & prime painted. 1-1/2 hour fire label, - positive pressure – with smoke and draft (other labels and sizes available, including 3 hour, 250 degree temperature rise). Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, steel doors. ANSI A156.3, grade 1 panics. Hardware supplied eliminates need for flush bolts, astragals, coordinators and floor strikes, available with panic exit devices.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. It will fit any existing 6'0" x 7'0" frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a polystyrene core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the opposing locking channel for its full height offering greater security against unauthorized entry, especially kicking, "loiding" and jamb spreading. Levers are part of the package. A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing. Door system eliminates need for flush bolts, astragals, coordinators and floor strikes.

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass,
611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Double Egress Hollow Metal Fire Door Sys

List Price: \$2,112.00

Discounted Price: \$1,605.12

Item Description:

A complete, integrated door & hardware system with 20-gauge steel door body, 6'0" x 7'0", complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Steel door body, electro galvanized & prime painted. 1-1/2 hour fire label - positive pressure – with smoke and draft, (other labels and sizes available, including 3 hour, 250 degree temperature rise). Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, steel doors. ANSI A156.3, grade 1 panics. Hardware supplied eliminates need for flush bolts, astragals, and floor strikes, available with panic exit devices.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. It will fit any existing 6'0" x 7'0" double egress frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a polystyrene core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the opposing locking channel for its full height offering greater security against unauthorized entry especially kicking, "loiding" and jamb spreading. Levers are part of the package. . A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing. Door system eliminates need for flush bolts, astragals and floor strikes. Can be retrofitted to a standard rabbet pair frame by order sizes to 5' 10-3/4" x 6' 11-3/8".

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass,
611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Single Wood Core Fire Rated Door Sys

List Price: \$818.00

Discounted Price: \$621.68

Item Description:

A complete, integrated door & hardware system with flat cut red oak, clear finish, solid wood core door body, 3'0" x 7'0", 20 minute fire label - positive pressure - with smoke and draft, (or non label) complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, ANSI A156.3, grade 1 panics.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. It will fit any existing 3'0" x 7'0" frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a wood core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the jamb for its full height offering greater security against unauthorized entry especially kicking, "loiding" and jamb spreading. Levers are part of the package. A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing.

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass,
611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Pair Wood Core Fire Rated Door Sys

List Price: \$1,852.00

Discounted Price: \$1,407.52

Item Description:

A complete, integrated door & hardware system with flat cut red oak, clear finish, solid wood core door body, 6'0" x 7'0", 20 minute fire label - positive pressure - with smoke and draft, (or non label) complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, ANSI A156.3, grade 1 panics. Hardware supplied eliminates need for flush bolts, astragals and floor strikes, available with panic exit devices.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. It will fit any existing 6'0" x 7'0" frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a wood core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the opposing locking channel for its full height offering greater security against unauthorized entry, especially kicking, "loiding" and jamb spreading. Levers are part of the package. A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing. Door system eliminates need for flush bolts, astragals, coordinators and floor strikes.

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass,
611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Double Egress Wood Core Fire Door Sys

List Price: \$1992.00

Discounted Price: \$1,513.92

Item Description:

A complete, integrated door & hardware system with flat cut red oak, clear finish, solid wood core door body, 6'0" x 7'0", 20 minute fire label, - positive pressure - with smoke and draft, (or non label) complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, ANSI A156.3, grade 1 panics hardware supplied eliminates need for flush bolts, astragals, coordinators and floor strikes, available with panic exit devices.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. It will fit any existing 6'0" x 7'0" double egress frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a wood core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the opposing locking channel for its full height offering greater security against unauthorized entry especially kicking, "loiding" and jamb spreading. Levers are part of the package. . A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing. Door system eliminates need for flush bolts, astragals and floor strikes. Can be retrofitted to a standard rabbet pair frame by order sizes to 5' 10-3/4" x 6' 11-3/8".

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass, 611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.



Prices to the GSA and other Participating Supply Services

FSC Group 56, Part IV, Section A:

Item: Single Metal Blast Door
List Price: \$1,506.00

Discounted Price: \$1,144.56

Item Description:

A complete blast door 180# / sq. ft. integrated door & hardware system with 18-gauge steel door body for superior security protection. 3'0" x 7'0", complete with continuous lock and levers, in any hand, function & finish listed. Factory installed continuous hinges & lock mechanism. Steel door body, electro galvanized & prime painted. 1-1/2 hour fire label, - positive pressure - with smoke and draft (other labels and sizes available, including 3 hour, 250 degree temperature rise). Components meet or exceed ANSI A156.1, grade 1 hinges. ANSI A156.13, grade 1 lock mechanisms. ANSI A250.4, all grades, steel doors. ANSI A156.3, grade 1 panics.

Product Details and Notes:

Product Details and Notes: Item #563 23 is a system, which meets all performance characteristics of a Class I product. The blast door will fit any existing & structurally sound 3'0" x 7'0" frame, whether wood, aluminum or steel, single rabbet, double rabbet or cased with or without reinforcements, hinge or strike cutouts. Door can swing right or left on any frame - specify which. The door is automatically reinforced for any surface closer or holder. It is built with a polystyrene core for strength and insulating value. Doors are shipped with hinges and locks already installed. Any standard mortise cylinder with a standard cam will operate the locking mechanism. Standard mortise and cam cylinders must be provided by the owner to match existing master key system. The hinge is a continuous element 7'0" high with no projecting knuckles. The locking channel is also 7'0" high and engages the jamb for its full height providing blast resistance and offering greater security against unauthorized entry, especially kicking, "loiding" and jamb spreading. Levers are part of the package. A full range of products and sizes are available, however they are not part of the package: i.e. panic devices, closers, mag holder, frames, kick plates, lite kits, glazing.

Finishes: 625-Mirror Chrome, 630-Satin Stainless Steel, 605-Mirror Brass, 606-Bright Brass,
611-Bright Bronze, 612-Satin Bronze.

Functions: Federal Function Nos.: F01, F02, F04, F05, F07, F09, F13, F14, F17, F18.

Hands: Right Hand-R, Left Hand-L, Right Hand Reverse-RR, Left Hand Reverse-LR.