

GENERAL SERVICES ADMINISTRATION

Federal Supply Service

Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through *GSA Advantage!*, a menu-driven database system. The INTERNET address for *GSA Advantage!* is: www.GSAAdvantage.gov.

Schedule 84: TOTAL SOLUTIONS FOR LAW ENFORCEMENT, SECURITY, FACILITIES MANAGEMENT, FIRE, RESCUE, CLOTHING, MARINE CRAFT AND EMERGENCY/DISASTER RESPONSE

Contract Number: **GS-07F-9037D**

For more information on ordering from Federal Supply Schedules click on the FSS Schedules at www.fss.gsa.gov.

Contract Period: April 1, 2007 through March 31, 2017

Contractor Name: **AOK Global Products, Ltd.**

Address: 50 Corbin Avenue, Unit 50-O
Bay Shore, NY 11706

Phone Number: 631-242-1642

Fax Number: 631-242-4564

Web site: www.rescuechair.com

Contact for contract administration: Diane Medina

Email: sales@rescuechair.com

Business size: Small business firm, Minority owned

Modification Number: **PO-0021** Effective Date: **03-31-17**

CUSTOMER INFORMATION

1a. Awarded Special Item Number(s):

SIN 465-10 Handicapped Evacuation Devices, Stretcher Chairs, Scoop Stretchers, Basket Stretchers, Splints, Fraction Aids, Cervical Spine Immobilization Collars, Ked or Similar Devices and Extraction Devices

1b. See price list

1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided. **N/A**

2. Maximum order for each SIN:

SIN#	MAXIMUM ORDER
465-10 EMERGENCY PATIENT TRANSPORTATION AND IMMOBILIZATION DEVICES	\$100,000.00

Minimum order: \$1,312.10

4. Geographic coverage (delivery area): **CONUS, Puerto Rico, Alaska, Hawaii**
5. Point(s) of production (city, county, and state or foreign country): **Bay Shore, NY (NYS)**
6. Discount from list prices or statement of net price: **Prices are net.**
7. Quantity discounts: **NONE**
8. Prompt payment terms: **Net 30 Days**
- 9a. Notification that Government purchase cards are accepted at or below the micro-purchase threshold: **Yes**
- 9b. Notification whether Government purchase cards are accepted or not accepted above the micro-purchase threshold. **Yes**
10. Foreign items: **Not applicable.**
- 11a. Time of delivery: **5 Business Days from receipt of Purchase Order by UPS Ground**
- 11b. Expedited delivery: **Items available for expedited delivery are noted in this price list.**
- 11c. Overnight and 2-day delivery: **No**
- 11d. Urgent requirements: **N/A**
12. F.O.B. point(s): **Destination cost per unit \$45.00 in the continental USA only.**
- 13a. Ordering address(es): **50 Corbin Avenue, Unit 50-O, Bay Shore, NY 11706**

- 13b. Ordering procedures: For supplies and services, the ordering procedures, information on blanket purchase agreements (BPA's), and a sample BPA can be found at the GSA/FSS schedule homepage (www.fss.gsa.gov/schedules).
14. Payment address: **50 Corbin Avenue, Unit 50-O, Bay Shore, NY 11706**
15. Warranty provision: **2 Years Warranty**
16. Export packing charges: **None**
17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level). **N/A**
18. Terms and conditions of rental maintenance, and repair: **N/A**
19. Terms and conditions of installation: **N/A**
20. Terms and conditions of repair parts: **2 Years Warranty Parts & Labor**
- 20a. Terms and conditions for any other services: **N/A**
21. List of service and distribution points: **N/A**
22. List of participating: **N/A**
23. Preventative maintenance: **N/A**
- 24a. Special attributes such as environmental attributes: **N/A**
- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at www.Section508.gov/. **N/A**
25. Data Universal Number System (DUNS) number: **013229583**
26. Notification regarding registration in Central Contractor Registration (CCR) database:
- Registered. Registration valid to **12/15/11**

SPECIFICATIONS – MODEL #1900 RESCUE CHAIR

SIZE FOLDED: 41½" High x 20" Wide x 8 ¾" Deep.

SIZE OPENED: 58" High x 20" Wide x 36 ½" Deep. (Can fit through a 24" doorway)

WEIGHT: 27 Lbs.

LOAD CAPACITY: Up to 350 Lbs.

SEATING: Seat and dustcover of heavy duty, premium grade vinyl-coated nylon. Stain and tear resistant, waterproof and flame retardant

STRAPS: Buckles quick-release safety straps at midriff, legs and head Rest.

WALL MOUNTING: U-Shaped steel bracket supplied.

CONSTRUCTION: 1" DIA x 1/8" wall 6061 – T6 aluminum tubing with other steel components.

STEELRAILS: Two Treaded continuous rubber belts guided by 4 molded rollers.

BACK RUBBER WHEELS: Two 6" Diameter x 1¼" Wide Rubber Wheels.

BACK LOCKING BRAKES: Two Stainless steel stop brakes.

FRONT RUBBER WHEELS: Two 3" Diameter x 1¼" Swivel Rubber Wheels.

TURNING CIRCLE: Chair turns a full 360 within a turning radius of 35" inches.

OPTIONAL DUST COVER: Heavy duty, premium grade vinyl-coated for easy cleanup.

OPTIONAL STEEL CABINET: Model #1900

TRAINING: Operation should be practiced during scheduled drills. Illustrated operating instructions supplied. Wall Poster, DVD Training Instructions, and Wall Bracket, free.

USE RESTRICTION: Unit is designed for use on straight fire stairs only and with gradients of between 28 and 39 degrees.

RECOMMENDED NUMBER OF UNITS:

Minimum of 1 Rescue Chair per 15 building occupants

A limited two years warranty is set forth in the operating instructions. See warranty page for more information.

Patented Products

Made in U.S.A.

SPECIFICATIONS – MODEL #1800 RESCUE CHAIR

SIZE FOLDED: 42" High x 19 ¼" Wide x 9 ½" Deep.

SIZE OPENED: 58" High x 19 ¼" Wide x 35" Deep.

WEIGHT: 37 Lbs.

LOAD CAPACITY: Max Up to 500 Lbs.

SEATING & BACK: ABS Material Color Black.

STRAPS: Buckles quick-release safety straps at midriff and head rest.

WALL MOUNTING: Steel bracket supplied.

CONSTRUCTION: 1 ¼" DIA x .090 – T6 aluminum tubing with other steel components.

STEELRAILS: Two timing belts continuous rubber belts by 4 molded rollers.

BACK RUBBER WHEELS: Two 6" Diameter x 1 ½" Wide Rubber Wheels.

BACK LOCKING BRAKES: Two Stainless steel stop brakes.

FRONT RUBBER WHEELS: Two 4" Diameter x 1¼" Swivel Rubber Wheels.

TURNING CIRCLE: Chair turns a full 360 within a turning radius of 35" inches.

OPTIONAL DUST COVER: Heavy duty, premium grade vinyl-coated for easy cleanup.

OPTIONAL STEEL CABINET: Model #1800

TRAINING: Operation should be practiced during scheduled drills. Illustrated operating instructions supplied. Wall Poster, DVD Training Instructions, and Wall Bracket, free.

USE RESTRICTION: Unit is designed for use on straight fire stairs only and with gradients of between 28 and 39 degrees.

RECOMMENDED NUMBER OF UNITS:

Minimum of 1 Rescue Chair per 15 building occupants

A limited two years warranty is set forth in the operating instructions. See warranty page for more information.

Patented Products

Made in U.S.A.