




GENERAL CONTRACTOR You provide the challenge.

P.O. Box 13158 • Grand Forks, ND 58208-3158
 (P) 701.775.8480 (F) 701.775.8479
 www.icsgf.com

ANTI-RAM VEHICLE BARRICADES
PRICE LIST
 9/2005

MODEL 450 SLIDING CRASH GATE

- Stopping Capacity: 15,000 lbs. @ 50 mph (DoS Certified K12)
- Cantilevered Design
- Hydraulic Operation
- 1 Foot Per Second Travel Speed
- Rack and Pinion Operator Included
- 3 Button Control Station
- Includes 1 Roadway IR Beam, 1 red/yellow traffic light, 1 loop detector
- Full Systems Capability
- Black Finish (standard)



450-14

Model 450 Hydraulic Cantilever Sliding Gate, 14' Clear Opening (*handling required*)

List Price

\$ 49,650.00

450-26

Model 450 Hydraulic Cantilever Sliding Gate, 26' Clear Opening (*handling required*)


\$ 69,450.00

Available Options

Adder for opening over 14' price per foot (26' max)	\$ 1,500.00
Master Control Panel for single gate operation, mounted with lights, key controlled on/off switch	\$ 940.00
Master Control Panel for dual gate operation, mounted with lights, key controlled on/off switch	\$ 1,410.00
Remote Control Slave Panel	\$ 675.00
Additional controls on Master or Slave panels (4 lane controls max per panel)	\$ 250.00
3 Phase Power Monitor	\$ 376.00
Power unit mounted electrical disconnect	\$ 534.00
8" Red/Yellow Traffic Signal with 4" mounting post	\$ 775.00
Cabinet Heater	\$ 500.00
Auxiliary Limit Switch	\$ 110.00
Loop Detector	\$ 200.00
Export Packaging	\$ 1,175.00

FREIGHT F.O.B. DESTINATION (CONTINENTAL US)

ANTI-RAM VEHICLE BARRICADES
PRICE LIST
9/2005



MODEL 712/714 CABLE CRASH BEAMS

- Stopping Capacity: 10,000 lbs. @ 18 mph (Army Corps of Engineers Certified)
- Arm Lengths to 19'
- Hydraulic or Manual Operation
- Continuous Duty
- Full Systems Capability
- Black Powder Coat Finish (standard)

	<u>List Price</u>
<u>Model 712 Hydraulic</u>	
A Single barrier for up to 14' Clear Opening - Includes Hydraulic Pumping Unit and 2 button control	\$ 16,919.00
B Dual barrier for up to 14' Clear Opening - Includes Hydraulic Pumping Unit and 2 button control	\$ 29,375.00
C Single barrier for 14.01' to 19' Clear Opening - Includes Hydraulic Pumping Unit and 2 button control	\$ 19,358.00
D Dual barrier for 14.01' to 19' Clear Opening - Includes Hydraulic Pumping Unit and 2 button control	\$ 34,253.00
<u>Model 714 Manual</u>	
A Up to 14' Clear Opening - Includes hand wheel	\$ 8,064.00
B 14.01' to 19' Clear Opening - Includes hand wheel	\$ 10,395.00
<u>Available Options</u>	
Master Control Panel for single barrier operation, mounted with lights, key controlled on/off switch	\$ 940.00
Master Control Panel for dual barrier operation, mounted with lights, key controlled on/off switch	\$ 1,410.00
Remote Control Slave Panel	\$ 675.00
Additional controls on Master or Slave panels (4 lane controls max per panel)	\$ 250.00
3 Phase Power Monitor	\$ 375.00
Power unit mounted electrical disconnect	\$ 534.00
8" Red/Yellow Traffic Signal with 4" mounting post	\$ 775.00
Strip heater for receiver buttress	\$ 147.00
Cabinet Heater	\$ 500.00
Limit Switch (standard with electrohydraulic units)	\$ 105.00

FREIGHT F.O.B. DESTINATION (CONTINENTAL US)




GENERAL CONTRACTOR You provide the challenge.

P.O. Box 13158 • Grand Forks, ND 58208-3158
 (P) 701.775.8480 (F) 701.775.8479
 www.icsgf.com

ANTI-RAM VEHICLE BARRICADES
PRICE LIST
 9/2005


MODEL 820 SHALLOW MOUNT WEDGE BARRIER



- Stopping Capacity: 15,000 lbs. @ 50 mph (DoS Certified K12)
- 9' Road Blade (108", standard)
- PLC Controller
- Hydraulically Operated
- EFO (Emergency Fast Operate)
- 24VDC Control Circuitry
- Continuous Duty
- Manual Hand Pump for Non-power Operations

	<u>List Price</u>
Model 820-1, One 9' road blade with HPU (hydraulic pumping unit)	\$ 39,378.00
Model 820-2, Two 9' road blades with HPU (hydraulic pumping unit)	\$ 69,155.00
Available Options	
Adder for barrier over 9' p to 14', price per foot	\$ 2,875.00
Master Control Panel for single barrier operation, mounted with lights, key controlled on/off switch	\$ 940.00
Master Control Panel for dual barrier operation, mounted with lights, key controlled on/off switch	\$ 1,410.00
Remote Control Slave Panel	\$ 675.00
additional controls on Master or Slave panels (4 lane controls Max per panel)	\$ 250.00
3 Phase Power Monitor	\$ 375.00
8" Red/Yellow Traffic Signal with 4" mounting post	\$ 775.00
Low fluid level sensor	\$ 522.00
Cabinet Heater	\$ 500.00
Heater for concrete pad (units up to 13')	\$ 3,100.00
Heater for concrete pad (14' units)	\$ 4,000.00
Loop Detector	\$ 200.00
FREIGHT F.O.B. DESTINATION (CONTINENTAL US)	\$ 1,175.00

ANTI-RAM VEHICLE BARRICADES
PRICE LIST
9/2005



B-40 BOLLARD SYSTEM

- o 12" Diameter bollards
- o Stopping Capacity: up to 15,000 lbs. @ 50 mph (Certified K12)
- o Hydraulic, Semi-Automatic Operation
- o 3 to 4 Second Operating Speed
- o EFO (Emergency Fast Operate)
- o Hand Pump for Power Out Operation
- o PLC Controller with Universal Logic
- o Continuous Duty
- o Yellow Paint Finish Standard

	<u>List Price</u>
B40-3-3 Bollard System, Includes Bollards, Casements, HPU in weather resistant enclosure, up to 30' of hydraulic line per bollard	\$ 41,107.00
B40-4-4 Bollard System, Includes Bollards, Casements, HPU in weather resistance enclosure, up to 30' of hydraulic line per bollard	\$ 46,777.00
<u>Available Options</u>	
Additional Bollards	\$ 5,400.00
When adding more than 2 additional bollards or requiring the system to operate two sets of bollards as separate lanes	\$ 1,250.00
Master Control Panel for single lane operation, mounted with lights, key controlled on/off switch	\$ 940.00
Remote Control Slave Panel	\$ 675.00
Additional controls on Master or Slave panels (4 lane controls Max per panel)	\$ 250.00
3 Phase Power Monitor	\$ 375.00
Power Unit mounted electrical disconnect	\$ 534.00
Cabinet Heater	\$ 500.00
1/2" Hydraulic hose, price per foot	\$ 4.98
1/2" Fitting	\$ 4.50
8" Red/Yellow Traffic Signal with 4" mounting post	\$ 775.00
Limit Switch	\$ 225.00
Loop Detector	\$ 200.00
12" dia. X 60" long fixed bollards painted (sch. 40 non-crash rated)	\$ 725.00
12" dia. X 60" long fixed bollards galvanized (sch. 40 non-crash rated)	\$ 1,475.00

FREIGHT F.O.B. DESTINATION (CONTINENTAL US)



P.O. Box 13158 • Grand Forks, ND 58208-3158
(P) 701.775.8480 (F) 701.775.8479
www.icsgf.com

WARRANTY

ICS, Inc. warranties for a period of one year, after delivery F.O.B. plant, unless otherwise specified by Supplier, from failure of operation in ordinary use and against defects due to faulty material or workmanship. Any defective equipment in the Barrier shall be returned to the factory, at Supplier's option, for repair or replacement, and Supplier assumes no responsibility for service at any consumer site. Supplier is in no event responsible for any labor costs under the warranty. Subject to equipment as warranted shall be furnished by the end user. Supplier shall not have any liability under these specifications, other than for repair or replacement as described above for equipment malfunction or equipment failure of any kind, caused for any reason, including, but not limited to unauthorized repairs, improper installation, installation not performed by Supplier personnel, nor by Supplier authorized personnel, modifications, misuse, accident, catastrophe, neglect, natural disaster, act of God or if at any time the power supplied to any part of the Security Barrier falls short or exceeds the rate of tolerance for the equipment.

The exclusive remedy for breach of any warranty by Supplier shall be the repair or replacement at supplier's option, of any defects in the equipment. **IN NO EVENT SHALL THE SUPPLIER OF SECURITY BARRIER BE LIABLE FOR CONSEQUENTIAL OR SPECIAL DAMAGES OR ANY KIND OF DAMAGES TO ANYONE.** Except as provided herein, Supplier makes no warranties or representations to consumer or to anyone else and consumer hereby waives all liability against Supplier as well as any other person for the design, manufacture, sale, installation, and/or servicing of the Security Barrier.

THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO OTHER WARRANTIES EXIST.

Any modification or alteration by anyone other than ICS, INC. will render the warranty herein as null and void.