

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

JUNE 16, 2016 - JUNE 15, 2021



www.goaction.com

**AUTHORIZED FEDERAL ACQUISITION SERVICE
INFORMATION TECHNOLOGY SCHEDULE PRICELIST
GENERAL PURPOSE COMMERCIAL INFORMATION TECHNOLOGY
EQUIPMENT, SOFTWARE AND SERVICES**

Schedule -84 Solutions for Law enforcement, Security,
Facility Management Systems, Fire, Rescue, Special Purpose Clothing, Marines Craft
And Emergency/Disastr Response
Multiple award Schedule
Solicitation No. 7FCI-L3-03-0084-B

V & A Incorporated dba Action Systems
7825 Helen of Troy, El Paso TX 79912
PH: 915-845-6606 Fax: 915-845-6606 theresa@goaction.com

Issued By

*General Services Administration
Federal Supply Service Equipment and Supplies*

Special Item Numbers

426-4N Criminal Investigative

Price List is Current Award

Product and ordering information in this Authorized Schedule 084

Schedule Pricelist are also available on the GSA Advantage System. Agencies can browse GSA Advantage! By accessing the Federal Supply Service's Home Page via the Internet at <http://www.fss.gsa.gov/>

Price List Current through Award

through Modification # PO-0010 June 16 2016-June 16, 2021

V & A Incorporated PH 915-845-5506 FAX 915-845-6606

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICELIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!™, a menu-driven database system. The INTERNET address for GSA Advantage!™ is: <http://www.fss.gsa.gov>.

Federal Supply Schedule 084 – Total Solutions for Law Enforcement, Security, Facility Management Systems, Fire, Rescue, Special Purpose Clothing, Marine Craft and Emergency/Disaster Response;
Group 84 – Law Enforcement and Security Equipment

Contract Number: GS-07F-9545S

Contract Period: 06/16/06 through 06/15/16

For more information on ordering from Federal Supply Schedules, click on the FSS Schedules button at <http://www.fss.gsa.gov> .

CONTRACTOR: Name V & A Incorporated dba Action Systems

Address 7825 Helen of Troy Dr.
Address El Paso, TX 79912
Phone (915) 845-6606
Fax (915) 845-1353

Contract Administration: Theresa Valdez-Harvey

Business Size: S, W, SDB

CUSTOMER INFORMATION:

1a. Awarded Special Item Number(s):

[426-4N Criminal Investigative Equipment](#)

1b. Lowest Priced Item D00402 Shielded Pouch

Special Item Number: 426-4N (To be inserted
by contractor prior to distribution)

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

1c. See accepted price list

2. MAXIMUM ORDER GUIDELINE:

426 – 4N \$ 200,000.00 per order

*If the best value selection places your order over the Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the schedule contract in accordance with FAR 8.404.

3. MINIMUM ORDER LIMITATION: \$ 500.00

4. GEOGRAPHIC COVERAGE: Domestic: 50 states, Washington D.C., Puerto Rico, US Territories and to a CONUS port or consolidation point for orders received from oversea activities.

5. PRODUCTION POINT: El Paso, El Paso County, TX

6. BASIC DISCOUNT: The awarded price lists for the GSA Multiple Award Schedule (MAS) Contract is V & A Incorporated dba Action Systems 2005-SH-121601 Commercial Price List with a negotiated basic discount of 10.675%. For calculation of the GSA Schedule price (price paid by customers ordering from the GSA Schedule), the contractor should deduct the basic discount from the retail price and add the prevailing IFF rate to the negotiated discount price (Net GSA price). Currently the IFF rate is 0.75%.

7. QUANTITY DISCOUNTS: 100 – 199 units: 1% (11.675% total)
200 + units: 2% (12.675% total)

8. PROMPT PAYMENT TERMS: 1%, 15 days, n/30

9. GOVERNMENT PURCHASE CARDS: Yes, at any level

10. FOREIGN ITEMS: None

11a. TIME OF DELIVERY: 90 Days ARO

11b. EXPEDITED DELIVERY: 60 Days ARO

11c. OVERNIGHT DELIVERY: None

11d. URGENT REQUIREMENTS: None

**V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S**

12. FOB POINT: CONUS: Origin, Freight prepaid and allowed
AK, HI, PR and US Territories: Origin

13a. ORDERING ADDRESS: V & A Incorporated dba Action Systems
7825 Helen of Troy Dr.
El Paso, TX 79912
PH: 915-845-6606
FX: 915-845-1353

13b. ORDERING PROCEDURES: For Supplies and Services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules).

14. PAYMENT ADDRESS: V & A Incorporated dba Action Systems
7825 Helen of Troy Dr.
El Paso, TX 79912
PH: 915-845-6606
FX: 915-845-1353

15. WARRANTY PROVISIONS: SCW - [Customer should contact the contractor for a copy of the warranty.](#)

16. EXPORT PACKING CHARGES: N/A

17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE: N/A

18. TERMS AND CONDITIONS OF RENTAL: N/A

19. TERMS AND CONDITIONS OF INSTALLATION: N/A

20. TERMS AND CONDITIONS OF REPAIR PARTS: N/A

20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES: N/A

21. LIST OF SERVICE AND DISTRIBUTION POINTS: N/A

22. LIST OF PARTICIPATING DEALERS: N/A

23. PREVENTATIVE MAINTENANCE: N/A

24a. SPECIAL ATTRIBUTES: N/A

**V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S**

24b. SECTION 508: N/A

25. DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER: 122639701

**26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR
REGISTRATION (CCR) DATABASE: Registration valid until March 20012**

.....

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|--------------------|
| D00228 | <p><u>Integrator 2300TN Tactical Comm System</u> Supports three (3) 1U or one (1) 3U standard 19" rackmount devices up to 12 inches deep. The 2300TN is a tactical communications platform capable of supporting a wide array of COTS components required in tactical communications configurations. The system is contained in an environmentally sealed airline carry-on sized (9" x 14" x 22") case with an integral tote handle and wheels. The system includes an accessory case containing cables, phone adapters and power adapters that can be used worldwide. With optional power modules the case can operate on its own batteries or utilizing wide range AC (85 to 265 VAC) or wide range DC (10 to 36 VDC) power.</p> | \$ 7,304.79 |
| D00235 | <p><u>1U Power Interface Unit (for 2300TN)</u> Configured as a 1U slice this power interface unit fits in the 2300TN case enabling the case to operate on its own batteries or utilize wide range AC (85 to 265 VAC) or wide range DC (10 to 36 VDC) power.</p> | \$ 1,753.15 |
| D00344 | <p><u>Logo, Embroidery, Single Color, Large</u> Embroidery, Single Color, Largest Dimension <6 inches (up to 5 copies) For use on T2C3 fabric components that are neither weatherproof nor shielded. (Customer to supply camera-ready artwork).</p> | \$138.54 |
| D00345 | <p><u>Logo, Embroidery, Two Color, Large</u> Embroidery, Two Color, Largest Dimension <6 inches (up to 5 copies) For use on T2C3 fabric components that are neither weatherproof nor shielded. (Customer to supply camera-ready artwork).</p> | \$166.25 |
| D00346 | <p><u>Logo, Embroidery, Single Color, Small</u> Embroidery, Single Color, Largest Dimension <2 inches (up to 5 copies) For use on T2C3 fabric components that are neither weatherproof nor shielded. (Customer to supply camera-ready artwork).</p> | \$127.45 |
| D00347 | <p><u>Logo, Embroidery, Two Color, Small</u> Embroidery, Two Color, Largest Dimension <2 inches (up to 5 copies) For use on T2C3 fabric components that are neither weatherproof nor shielded. (Customer to supply camera-ready artwork).</p> | \$133.00 |
| D00348 | <p><u>T-TEMPEST™ Enclosure., 4'x2'x2', Tabletop</u> T-Tempest™ Table Top RF Shielded Enclosure approximate size 4'x2'x2' with approximately eight (8) square feet of space with Shielded glass window in door. Includes: honeycomb vent, interior lighting, multi-outlet surge suppressor. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data on a tabletop.</p> | \$17,086.76 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|---|--------------------|
| D00353 | <p><u>T-TEMPEST™ Enclosure,, 3'x6'x7'</u> T-Tempest™ RF Shielded Enclosure approximate size 3'x6'x7' with approximately eighteen (18) square feet of floor space with a two door entry system and connector docking capability. Includes: Honeycomb vents, environmental control docking system T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1 can be shipped in a cases that are airline checkable.</p> | \$33,545.22 |
| D00356 | <p><u>T-TEMPEST™ Enclosure,, 6'x6'x7'</u> T-Tempest™ RF Shielded Enclosure approximate size 6'x6'x7' with approximate thirty-six (36) square feet of floor space with a two door entry system and connector docking capability. Includes: Honeycomb vents, environmental control docking system. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1 can be shipped in a cases that are airline checkable.</p> | \$44,087.57 |
| D00358 | <p><u>Case, Hard, for 6'x6'x7' Enclosure</u> Hard Transit Case for 6'x6'x7' enclosure. Airline checkable case measuring 28"x22"x26" set up for the SE-667.</p> | \$ 1,018.17 |
| D00359 | <p><u>Case, Hard, for 6'x6'x7' Frame</u> Hard Transit Case for 6'x5'x7' enclosure frame. Airline checkable case 22"x44"x18" set up for the SE-667 Frame.</p> | \$ 821.92 |
| D00361 | <p><u>T-TEMPEST™ Enclosure, 6'x9'x7'</u> T-Tempest™ RF Shielded Enclosure approximate size 6'x9'x7' with approximately fifty-four (54) square feet of floor space with a two door entry system, connector docking capability, no foyer. Includes: Honeycomb vents, environmental control docking. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1 can be shipped in a cases that are airline checkable.</p> | \$49,775.28 |
| D00363 | <p><u>T-TEMPEST™ Enclosure, 6'x9'x7' (Vbule)</u> T-Tempest™ RF Shielded Enclosure approximate size 6'x9'x7' with approximately forty-five (45) square feet of floor space. Three door entry system with 3'x3' foyer and connector docking capability. Includes: Honeycomb vent, environmental control. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1 can be shipped in a cases that are airline checkable.</p> | \$53,416.41 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|---------------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |
| D00364 | <u>Case, Hard, for 6'x9'x7' Enclosure</u> Hard Transit Case for 6'x9'x7' enclosure. Airline checkable case that is configured for the 6'x9'x7' enclosure. | \$1,020.56 |
| D00365 | <u>Case, Hard, for 6'x9'x7' Frame</u> Hard Transit Case for 6'x9'x7' frame. Airline checkable case configured for 6'x9'x7' frame. | \$821.92 |
| D00367 | <u>T-TEMPEST™ Enclosure, 9'x12'x7'</u> T-Tempest™ RF Shielded Enclosure approximate size 9'x12'x7' with approximately one hundred and eight (108) square feet of floor space with two door entry system, and connector docking capability. No foyer. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1. | \$60,384.96 |
| D00369 | <u>T-TEMPEST™ Enclosure, 9'x12'x7' (Vbule)</u> T-Tempest™ RF Shielded Enclosure identical to 9'x12'x7' with addition of three door entry system and 3'x3' foyer. Approximately ninety-nine (99) square feet of floor space. Includes same accessories. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1. | \$68,205.84 |
| D00371 | <u>Case, Hard, for 9'x12'x7' Enclosure</u> Hard Transit Case for 9'x12'x7' enclosure. Hard case configured for 9'x12'x7' enclosure. | \$1,133.57 |
| D00372 | <u>Case, Hard, for 9'x12'x7' Enclosure</u> Hard Transit Case for 9'x12'x7' enclosure and power & signal plates. | \$1,158.86 |
| D00373 | <u>Case, Hard, for 9'x12'x7' Frame</u> Hard Transit Case for 9'x12'x7' frame. | \$1,193.42 |
| D00375 | <u>T-TEMPEST™ Enclosure, 12'x12'x7'</u> T-Tempest™ RF Shielded Enclosure approximate size 12'x12'x7' with approximately one hundred forty four (144) square feet of floor space. Two door entry system, connector docking capability, no foyer. Includes: Honeycomb vents, environmental controlled T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1. | \$80,658.00 |
| D00377 | <u>T-TEMPEST™ Enclosure, 12'x12'x7' (Vbule)</u> T-Tempest™ RF Shielded Enclosure identical to 12'x12'x7' with addition of a | \$85,315.59 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|---|---------------------|
| D00378 | <p>3'x3' foyer and three door entry system. Approximately one hundred thirty five (135) square feet of floor space. Includes same accessories. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1.</p> <p><u>T-TEMPEST™ Enclosure, 12'x12'x7', VB MS</u> T-Tempest™RF Shielded Enclosure identical to 12'x12'x7' with addition of three door entry system, 3'x6' foyer and mail slot. Approximately one hundred twenty six (126) square feet of floor space. Includes same accessories. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1.</p> | \$ 88,055.32 |
| D00379 | <p><u>Case, Hard, for 12'x12'x7' Enclosure</u> Hard Transit Case for 12'x12'x7' enclosure</p> | \$1,352.68 |
| D00380 | <p><u>Case, Hard, for 12'x12'x7' Frame</u> Hard Transit Case for 12'x12'x7' frame</p> | \$1,284.26 |
| D00390 | <p><u>ECU, 8,000 BTU</u> 8,000 BTU Environmental Control Unit with its own power control module for world-wide use. Each unit comes complete with transit cases and 4" diameter ventilation ducts.</p> | \$ 24,342.41 |
| D00391 | <p><u>ECU, 12,000 BTU</u> 12,000 BTU Environmental Control Unit with its own power control module for world-wide use. Each unit comes complete transit case and 6" diameter ventilation ducts.</p> | \$ 27,922.82 |
| D00392 | <p><u>ECU, Auxiliary Heater (1.5 KW)</u> Auxiliary Heater with transit case and 6" diameter ventilation duct.</p> | \$ 695.21 |
| D00395 | <p><u>Shielded Pouch, Velcro Closure, 16"x14"</u> RF Shielded Pouch size 16"x14", Velcro closure Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable.</p> | \$325.28 |
| D00396 | <p><u>Shielded Pouch, Velcro Closure, 12 phone</u> RF Shielded Phone Pouch, 28"x16"x2', 12 interior pockets for cellular phone storage and 12 interior bands to hold pagers, hook on exterior to hang phone bag and carrying handle. Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable.</p> | \$1,767.91 |
| D00397 | <p><u>Shielded Pouch, Velcro Closure, 1 phone</u></p> | \$46.13 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|---------------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |
| D00402 | RF Shielded pouch designed for personal cell phone that clips to user's belt. Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable. <u>Shielded Pouch, Velcro Closure, ID Card</u> RF Shielded Encryption Card/ID Holder with neck strap Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable | \$25.72 |
| D00403 | <u>Shielded Pouch, Velcro Closure, Pager</u> RF Shielded pouch for Pager that clips to user's belt Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable. | \$30.15 |
| D00404 | <u>Shielded Pouch, Velcro Closure, PDA</u> RF Shielded pouch for personal PDA or other electronic organizer that clips to user's belt. Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable. | \$49.95 |
| D00405 | <u>Shielded Pouch, Velcro Closure, satphone</u> RF Shielded pouch designed for one satellite phone that clips to user's belt. Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable. | \$102.86 |
| D00406 | <u>Shielded Sack, Draw String Closure, Small</u> RF Shielded general purpose stuff sack, approximately 9.5"x4.25", with draw-string closure Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable. | \$120.01 |
| D00407 | <u>Shielded Sack, Draw String Closure, Large</u> RF Shielded general purpose stuff sack, approximately 12.5"x18", with draw-string closure. Devices within the secured pouch cannot sent or receive electronic signal rendering devices such as cellular phones and computers with wireless LAN capabilities inoperable. | \$157.17 |
| D00408 | <u>Enclosure Battens, Long, for Enclosures</u> Replacement Battens, twelve (12) long battens for shielded enclosures. | \$ 209.59 |
| D00409 | <u>Enclosure Battens, Short, for Enclosures</u> Replacement Battens, twelve (12) short battens for shielded enclosures. | \$ 209.59 |
| D00425 | <u>ECU Duct Kit (4")</u> | \$613.65 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|---------------|---|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |
| D00426 | 4" Environmental Control Unit duct kit. Includes: two supply and two returns (ECU) ventilation ducts with cuff assemblies. <u>ECU Duct Kit (6")</u> 6" Environmental Control Unit duct kit, Includes: two supply and two return (ECU) ventilation ducts with cuff assemblies. | \$957.22 |
| D00427 | <u>ECU Fan Assembly (115 VAC)</u> 5" Fan Assembly, 115 Volt, with power cord. | \$87.12 |
| D00428 | <u>ECU Fan Assembly (230 VAC)</u> 5" Fan Assembly, 230 Volt, with power cord. | \$87.12 |
| D00441 | <u>Honeycomb Cover Set, 5"</u> Replacement 5" honeycomb covers (set of 8) | \$82.19 |
| D00442 | <u>Honeycomb Cover Set, 7"</u> Replacement 7" honeycomb covers (set of 8) | \$98.63 |
| D00443 | <u>Light, 23 Watt, Rugged, Stringable</u> 35 watt, Stringable, high impact resistance light fixture with optional blue filter. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications. | \$238.35 |
| D00447 | <u>Case, lightweight, for ECU Hoses</u> Lightweight Shipping and Storage Case for ECU hoses. Airline carry-on sized case configured to ship and store ECU hoses | \$287.67 |
| D00452 | <u>Panel, P&S, "STANDARD" Configuration</u> Power & Signal Panel "STANDARD" Configuration. Set of (2) "pre-configured" power & signal panels. | \$7,433.91 |
| D00453 | <u>Panel, P&S, "ALPHA" Configuration</u> Power & Signal Panel "ALPHA" Configuration. Set of two (2) "pre-configured" power & signal panels | \$7,233.20 |
| D00454 | <u>Panel, P&S, "BRAVO" Configuration</u> Power & Signal Panel "BRAVO" Configuration. Set of two (2) "pre-configured" power & signal panels. | \$6,697.90 |
| D00455 | <u>Panel, P&S, "CHARLIE" Configuration</u> Power & Signal Panel "CHARLIE" Configuration. Set of two (2) "pre-configured" power & signal panels. | \$8,948.36 |
| D00456 | <u>Panel, P&S, "DELTA" Configuration</u> | \$5,529.72 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|---|-------------------|
| | Power & Signal Panel "DELTA" Configuration. Set of two (2) "pre-configured" power & signal panels. | |
| D00457 | <u>Panel, P&S, "ECHO" Configuration</u> Power & Signal Panel "ECHO" Configuration. Set of two (2) "pre-configuration" power & signal panels. | \$4,114.06 |
| D00458 | <u>Panel, P&S, "FOXTROT" Configuration</u> Power & Signal Panel "FOXTROT" Configuration. Set of Two (2) 8" Square "pre-configured" power & signal panels. The Power and Signal Panel includes: Three (3) RJ-45 Filter (STU, High Speed Data), Two (2) DB 25 (530) Filters (Ethernet, STU); and One (1) 15 Amp Power Line Filter | \$3,709.49 |
| D00459 | <u>Panel, P&S, "GOLF" Configuration</u> Power & Signal Panel "GOLF" Configuration. One (1) 5" Diameter "pre-configured" power & signal panels. The Power and Signal Panel includes: One (1) 15 Amp Power Line Filter | \$1,105.24 |
| D00460 | <u>Panel, P&S, "HOTEL" Configuration</u> Power & Signal Panel "HOTEL" Configuration. One (1) 5" Diameter "pre-configured" power & signal panels. The Power and Signal Panel includes: DB 9 (keyboard and mouse) Filter | \$616.01 |
| D00461 | <u>Panel, P&S, "INDIA" Configuration</u> Power & Signal Panel "INDIA" Configuration. One (1) 5" Diameter "pre-configured" power & signal panels. The Power and Signal Panel includes: One (1) RJ-45 (STU, High Speed Data) | \$881.81 |
| D00462 | <u>Feed Through, BNC 50 Ohm</u> BNC 50 Ohm wired straight through. | \$ 264.49 |
| D00463 | <u>Feed Through, BNC 75 Ohm</u> BNC 75 Ohm wired straight through. | \$ 269.66 |
| D00486 | <u>Feed Through, Waveguide, (6 cables)</u> Wave Guide Filter Assembly for 6 fiber optic cables. | \$281.70 |
| D00488 | <u>Panel, P&S, Blank 5" Round</u> Blank 5" Round Power & Signal Panel T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications. | \$409.07 |
| D00489 | <u>Panel, P&S, Blank 8" x 8"</u> Blank 8"x8" Square Power & Signal Panel T2C3 components are designed to | \$948.10 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|---|--------------------|
| D00490 | <p>minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> <p><u>Logo, Detachable, Silk Screened</u> Detachable Agency Logo includes: silk screening, material, and Velcro type mounting (Customer to supply camera-ready artwork). For use on T2C3 fabric components that are weatherproof or shielded. (Customer to supply camera-ready artwork).</p> | \$166.25 |
| D00491 | <p><u>Case, Hard, for LF-35 Lights</u> Hard Transit case for LF-35 light fixture. Accommodates four (4) lights. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$ 1,193.49 |
| D00492 | <p><u>Testing, Additional, Shield Effectiveness</u> Set-up and test of enclosure shielding effectiveness at 400MHz and 1GHz at the facility. Hard-copy report of results provided.</p> | \$16,624.69 |
| D00495 | <p><u>DBARS (Data Backup and Recovery System)</u> This ruggedized pair of hard drives with recovery software allows the user to save their current data and restore either individually or both the “as shipped” applications software plus the last stored data files within 15-45 minutes of starting recovery. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$ 1,390.43 |
| D00508 | <p><u>T-TEMPEST™ Enclosure, UL Table Top</u> Ultra light T-TEMPEST™ tabletop shielded (>50db) enclosure is approximately 50% of the weight of the standard light weight configuration. Weight savings are achieved utilizing lighter weight fabrics and modified frame and casing solutions. T2C3 components are designed to minimize size, weight and power and with their Patented features. this shielded enclosure is configured for handling secure data up to NSA Type 1 and stows and ships in airline checkable cases.</p> | \$18,985.29 |
| D00509 | <p><u>T-TEMPEST™ Enclosure, UL, 3'x6'x7'</u> Ultra light T-TEMPEST™ 3'x6'x7' shielded (>60db) enclosure is approximately 50% of the weight of the standard light weight configuration. Weight savings are achieved with the utilization of lighter weight fabrics and modified frame and casing solutions. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (60db) shielded enclosure is configured for handling secure data</p> | \$33,545.22 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|--------------------|
| D00510 | <p>up to NSA Type 1 and stows and ships in airline checkable cases.</p> <p><u>T-TEMPEST™ Enclosure, UL, 6'x9'x7'</u> Ultra light T-TEMPEST™ 6'x9'x7' shielded (>60db) enclosure is approximately 50% of the weight of the standard light weight configuration. Weight savings are achieved with the utilization of lighter weight fabrics and modified frame and casing solutions. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (>60db) shielded enclosure is configured for handling secure data up to NSA Type 1 and stows and ships in airline checkable cases.</p> | \$49,775.28 |
| D00511 | <p><u>T-TEMPEST™, Enclosure, UL 9'x12'x7'</u> Ultra light T-TEMPEST™ 9'x12'x7' shielded (>60db) enclosure is approximately 50% of the weight of the standard light weight configuration. Weight savings are achieved with the utilization of lighter weight fabrics and modified frame and casing solutions. T2C3 components are designed to minimize size, weight and power and with their Patented features. This TEMPEST (60db) shielded enclosure is configured for handling secure data up to NSA Type 1 and stows and ships in airline checkable cases.</p> | \$60,384.96 |
| D00521 | <p><u>Power Cord, Shielded</u> Shielded power cord for use with shielded enclosures. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$22.42 |
| D00522 | <p><u>Case, soft, for P&S Panels</u> Ballistic Cloth Case for Power & Signal Panels T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$128.43 |
| D00523 | <p><u>Case, hard, for P&S Panels plus...</u> Hard Tactical Transit Case for Power & Signal Panels with additional storage. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$1,027.41 |
| D00524 | <p><u>Power, Surge Suppressor, multi-outlet</u> Multi-outlet Surge Suppressor with cord for use inside shielded enclosures. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$44.37 |
| D00525 | <p><u>ECU, Lightweight ECU (9,000 BTU)</u></p> | \$24,937.03 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|--------------------|
| D00527 | <p>Lightweight 9000 BTU Air Conditioner and Hoses in T2/C3 Casing Solution Packaged in airline checkable case with integral shock isolation system, wheels and tote handle.</p> <p><u>2800 Series T-TEMPEST™ Tabletop Enclosure</u> Transit case (22"x28"x9") designed to transport and serve as a table for the Ultra Light T-TEMPEST™ Tabletop Enclosure (D00508) T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet.</p> | \$21,320.60 |
| D00528 | <p><u>Case for Ultra Light Frame, 4400 Series</u> Air Line Checkable Hard Case (14"x44"x18") configured for Ultra Light Frame. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data in configurations that are designed for tactical applications.</p> | \$2,327.46 |
| D00529 | <p><u>2800 Series Case for UL Shielded Enclosure</u> Air Line Checkable Case (28"x22"x27") configured for Ultra Light Shielded Enclosure. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet</p> | \$2,881.61 |
| D00534 | <p><u>Tactical Shielding Effective Tool, T-SET</u> Hand held RF transmitter and hand held received that will measure the shield effectiveness of shielded enclosures and ouches in the field to ensure proper shielding effectiveness. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet.</p> | \$2,438.29 |
| D00535 | <p><u>LED Light System, Power Box & 12" Lights</u> LED lighting system for use in shielded enclosures that includes two (2) LED lite sticks 12" long and a power interface box that will accept wide range AC (85 to 265 VAC) or 12 VDC (from integrator power products)and power up to 10 lite sticks.</p> | \$709.32 |
| D00536 | <p><u>LED Light System, Power Box & 16" Lights</u> LED lighting system for use in shielded enclosures that includes two (2) LED lite sticks 16" long and a power interface box that will accept wide range AC (85 to 265 VAC) or 12 VDC (from integrator power products)and power up to 10 lite sticks. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure</p> | \$ 753.65 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|--------------------|
| D00537 | <p>data up to NSA Type 1 on a single 4'x4' pallet.</p> <p><u>LED Lite Stick, 12", 2W</u> LED light stick that operates on 12 VDC and plugs into a cigarette lighter socket on one end and accepts additional light sticks with a cigarette lighter socket on the other end allowing them to be used together. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet.</p> | \$232.75 |
| D00538 | <p><u>LED Lite Stick, 16", 4W</u> LED light stick that operates on 12 VDC and plugs into a cigarette lighter socket on one end and accepts additional light sticks with a cigarette lighter socket on the other end allowing them to be used together. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet.</p> | \$ 265.99 |
| D00539 | <p><u>LED Light System Power Box (65W)</u> LED power box that will accept wide range AC (85 to 265 VAC) or 12 VDC to power up to 10 light sticks that can be plugged into (either of two) +12 VDC cigarette lighter sockets in the power box. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet.</p> | \$277.08 |
| D00540 | <p><u>Shipping Case for LED Lighting System</u> Airline carry-on sized (9"x14"x22") T2C3 case configured to hold the LED lighting system and additional light sticks. T2C3 workstations are designed to minimize size, weight and power and with their Patented features can provide a complete 4 person command and control center (including ECU) configured for handling secure data up to NSA Type 1 on a single 4'x4' pallet</p> | \$1,052.90 |
| D00555 | <p><u>2100 Series T-TEMPEST™ Tabletop System</u> This airline carry-on sized (9"x14"x22") case with an integral tote handle and wheels comes complete with a tabletop T-TEMPEST enclosure (approximately) 4 feet long, 2 feet tall and 2 feet deep. Power and Signal Panels must be ordered separately. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$18,416.74 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|-------------------|
| D00556 | <p><u>2100 Series T-TEMPEST™ Tabletop Case</u> This airline carry-on sized (9"x14"x22") case with an integral tote handle and wheels is configured to hold a tabletop T-TEMPEST enclosure (approximately) 4 feet long, 2 feet tall and 2 feet deep and Power and Signal Panels must be ordered separately. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$1,329.97 |
| D00557 | <p><u>Case, For Enclosure, Airline Check-in</u> This airline check-in sized T2C3 case with integral wheels and tote handle, measures 44"x14"x18" and is designed for stowage and shipment of T-TEMPEST™ enclosure sizes 3'x6'x7', 6'x6'x7' and Ultra Light 6'x9'x7'. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$1,108.31 |
| D00558 | <p><u>Case, For Frame, Airline Check-in</u> This airline check-in sized T2C3 case with integral wheels and tote handle, measures 44"x14"x18" and is designed for stowage and shipment of T-TEMPEST™ enclosure frames for sizes 3'x6'x7', 6'x6'x7' and 6'x9'x7'. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$1,108.31 |
| D00559 | <p><u>ECU (7K BTU), LW, Airline Check-in</u> Light weight 7,000 BTU ECU packaged in an airline check in sized case (28"x22"x26") with cut foam for stowage and shipment of the ECU configured to support T-TEMPEST™ enclosures 6'x6'x7' to 9'x12'x7' operating in an indoor environment. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$4,987.14 |
| D00560 | <p><u>ECU (7K BTU), LW SI, Airline Check-in</u> Light weight 7,000 BTU ECU packaged in an airline check in sized case (28"x22"x26") with shock isolators for stowage and shipment of the ECU configured to support T-TEMPEST™ enclosures 6'x6'x7' to 9'x12'x7' operating in an indoor environment. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$6,428.21 |
| D00561 | <p><u>ECU Power XFMR (3KW), Airline Carry-on</u> Power Transformer (3 KW) configured in a T2C3 airline carry-on sized case</p> | \$2,438.29 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|---|-------------------|
| D00562 | <p>(9"x14"22") with integral wheels and tote handle that enables the ECU to be operated with 220VAC power or 110 VAC power. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> <p><u>Filter, FT, DB25, RS530 Panel Mount</u></p> <p>Low profile RS 530 DB 25 connector that can be used either as a panel mount or utilized in the T2C3 signal panel interface boxes for use with the T-TEMPEST™ shielded enclosures. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$365.24 |
| D00563 | <p><u>Filter, FT, DB9, KB/Mouse Panel Mount</u></p> <p>Low profile keyboard/mouse DB 9 connector that can be used either as a panel mount or utilized in the T2C3 signal panel interface boxes for the T-TEMPEST™ shielded enclosures. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$233.75 |
| D00564 | <p><u>Filter, FT, Triple (3) RJ45 Panel Mount</u></p> <p>Small profile triple RJ45 panel mount connector that can be used in the T2C3 signal panel plates through the T-TEMPEST™ shielded enclosure wall. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$1,022.67 |
| D00565 | <p><u>Connector, FT, DB25 (25 pin) Panel Mount</u></p> <p>Low profile DB 25 bulkhead mount (25 pin) connector to be used for the T2C3 signal interface through the bulkhead mounted plate in the T-TEMPEST™ enclosures. For use with the DB25 Multi-Connector Breakout Cable (UL) or breakout box. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$394.46 |
| D00566 | <p><u>Filter, FT, Multi-connector BO Cable #01</u></p> <p>Signal cable configured for the 25 pin DB 25 bulkhead mount feed through connector (D00565) that provides connectivity for three (3) DB 9 connectors</p> | \$657.43 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|---|-------------------|
| D00567 | <p>through the T-TEMPEST™ shielded enclosure wall. Note the DB 9 can be used for an RJ45 connection. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> <p><u>Filter, FT, DB9, Serial, Panel Mount</u></p> <p>Low profile Serial Port DB 9 connector that can be used either as a panel mount or utilized in the T2C3 signal panel interface boxes. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$255.67 |
| D00568 | <p><u>Shielded Pouch, Blackberry & Cell Phone</u></p> <p>Pouch made from the same shielding materials that are used in the T-TEMPEST™ enclosures shields the contents of the pouch making them inoperable when the pouch is closed. Security loops used with cable ties can be used to verify case was not opened.</p> | \$165.69 |
| D00569 | <p><u>Shielded Pouch, Multiple Device (8"x10")</u></p> <p>Pouch made from the same shielding materials that are used in the T-TEMPEST™ enclosures shields the contents of the pouch making them inoperable when the pouch is closed. Security loops used with cable ties can be used to verify case was not opened.</p> | \$173.34 |
| D00570 | <p><u>P&S Panel, 3.75"x3.75", Blank (UL)</u></p> <p>Blank Power and Signal panel that mounts on the small power and signal aperture to which the small power and signal panel assemblies mount or the cover if no filters are required. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$1,022.67 |
| D00571 | <p><u>P&S Panel, 3.75"x3.75", Config #3-01</u></p> <p>Configured Power and Signal Panel includes the 20A Power Line Filter and the male and female connection pigtails and a six (6) line fiber optic feed through connector mounted on a 3.75"x3.75" feed through panel. Signal filters not included. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$3,101.35 |
| D00572 | <p><u>P&S Panel, 3.75"x3.75", Config #3-02</u></p> <p>Configured Power and Signal Panel, 20A Power Line Filter, male and female power pigtails and a DB25 feed through connector with two(2) breakout</p> | \$4,784.63 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|-------------------|
| D00573 | <p>cables with 3 DB9 connectors on each cable mounted on the feed through panel. Signal filters not included. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> <p><u>P&S Panel, 3.75"x3.75", Config #3-03</u> Configured Power and Signal Panel includes a six (6) line fiber optic feed through and a DB25 feed through connector with two(2) breakout cables with 3 DB 9 connectors on each cable mounted on a 3.75"x3.75" feed through panel. Signal Filters not included. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$3,269.36 |
| D00574 | <p><u>P&S Panel, 5" Diameter, Config #5-01</u> Configured Power and Signal Panel, 20A Power Line Filter, male and female power connection pigtailed, a DB 9 keyboard/mouse signal filter and a DB9 serial port signal filter mounted on a 5" diameter power and signal plate. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$3,912.88 |
| D00575 | <p><u>P&S Panel, 5" Diameter, Config #5-02</u> Configured Power and Signal Panel, Triple (3) RJ45 signal filter mounted on a 5" diameter power and signal plate. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$2,080.48 |
| D00576 | <p><u>P&S Panel, 8"x8", Config #8-01</u> Configured Power and Signal Panel, 20A Power Line Filter and the male and female connection pigtailed, one (1) triple (3) RJ45 signal filter, and three (3) RS 530 DB25 mounted on a 8"x8" power and signal plate.</p> | \$4,863.47 |
| D00577 | <p><u>P&S Panel, 8"x8", Config #8-02</u> Configured Power and Signal Panel, one (1) triple (3) RJ45 signal filter, and two (2) RS 530 DB25 mounted on a 8"x8" power and signal plate. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$2,701.25 |
| D00578 | <p><u>P&S Panel, 8"x8", Config #8-03</u> Configured Power and Signal Panel, 20A Power Line Filter and the male and female connection pigtailed, and one (1) triple (3) RJ45 signal filter mounted</p> | \$5,564.73 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|----------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |

| | | |
|---------------|--|-------------------|
| D00579 | <p>on a 8"x8" power and signal plate. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> <p><u>Filter, PL, Shielded Pigtail, Female</u> Cable designed to mate with the 20A bulkhead mounted Power Line Filter (D00581) used on the interior of the T-TEMPEST™ enclosure. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$387.15 |
| D00580 | <p><u>Filter, PL, Shielded Pigtail, Male</u> Cable designed to mate with the 20A bulkhead mounted Power Line Filter (D00581) used on the exterior of the T-TEMPEST™ enclosure. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$387.15 |
| D00581 | <p><u>Filter, PL, 20A, Panel Mount</u> This requires an exterior Power line pigtail (D00580) and an interior power pigtail (D00579) or termination box (D00582) or equivalent interconnection for operation.</p> | \$1,022.67 |
| D00582 | <p><u>Power Outlet, Shielded Surge Suppression</u> Multi-outlet surge suppression box modified to mate with the 20A bulkhead mounted Power Line Filter (D00581) used on the interior of the T-TEMPEST™ enclosure. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$365.24 |
| D00583 | <p><u>Keyboard, TEMPEST, small</u> TEMPEST, keyboard, small modified to be used with the tabletop T-TEMPEST™ enclosures plugging into the Power and Signal Panels and stowing within the standard case solutions. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications.</p> | \$730.48 |
| D00584 | <p><u>Logo, Embroidery, each, 1 Color, Large</u> The recurring cost per piece after set up and initial quantity of five (5) pieces, reference D00344.</p> | \$44.33 |
| D00585 | <p><u>Logo, Embroidery, each, 2 Color, Large</u> The recurring cost per piece after set up and initial quantity of five (5) pieces, reference D00345.</p> | \$66.50 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|---------------|---|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |
| D00586 | <u>Logo, Embroidery, each, 1 Color, Small</u> The recurring cost per piece after set up and initial quantity of five (5) pieces, reference D00346. | \$11.08 |
| D00587 | <u>Logo, Embroidery, each, 2 Color, Small</u> The recurring cost per piece after set up and initial quantity of five (5) pieces, reference D00347. | \$16.62 |
| D00588 | <u>Logo, Silk Screen, Set-Up +, 1 Color, Small</u> Setup and silk screen of single color silkscreen of up to five (5) pieces with largest dimension less than 2". | \$110.83 |
| D00589 | <u>Logo, Silk Screen, each, 1 Color, Small</u> The recurring cost per piece after set up and initial quantity of five (5) pieces, reference D00588. | \$4.43 |
| D00590 | <u>1U Power and Signal Interface Unit</u> 1U 19 inch rack designed to work with the T-TEMPEST™ small power and signal panel design with the 20A Power Line Filter and the DB25 composite signal connector. Signal filters are purchased separately. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications. | \$1,753.15 |
| D00591 | <u>Tactical Signal Interface Box, Exterior</u> Omni/Sectera Sized interface case designed to stow in T2C3 Cases, DB 25 cable on the rear surface to connect to the Power and Signal Panel DB25 signal connector and bulkhead mounted RJ45 (3) DB9 (2) and DB25 (2) are on front surface. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications. | \$ 876.57 |
| D00592 | <u>Tactical Signal Interface Box, Interior</u> Omni/Sectera Sized interface case designed to stow in T2C3 Cases, DB 25 cable on the rear surface connects to the Power and Signal Panel DB25 connector, bulkhead mounted RJ45 (3) DB9 (2) and DB25 (2) mounted on front. Signal Filters purchased separately. T2C3 components are designed to minimize size, weight and power and with their Patented features can provide for handling secure data up to NSA Type 1 in configurations that are designed for tactical applications. | \$ 876.57 |
| D00594 | <u>Cord, Power, 4' Shielded</u> Four (4) foot long Shielded Power Cord to connect 15 amp Power Line Filter on Power and Signal Panel to AC Power | \$ 13.91 |

V & A Incorporated d.b.a Action Systems
GSA Schedule Price List GS-07F-9545S

| Part No. | Description | GSA Price w/IFF |
|---------------|--|--------------------|
| | <i>Items have a one-year warranty with option to purchase 2nd year warranty extension for an additional 13% of GSA Price w/IFF.</i> | |
| D00595 | <u>Cord, Power, 9' Shielded</u> Nine (9) foot long Shielded Power Cord to connect 15 amp Power Line Filter on Power and Signal Panel to AC Power. | \$ 16.55 |
| D00647 | <u>Switch, Fan, Variable Power</u> Variable power switch designed to be used with the Tabletop Shielded Enclosure allowing the user to reduce the fan speed. | \$ 277.08 |
| D00648 | <u>LED Lights, Slim (AC)</u> Small LED light for use on the tabletop shielded enclosure using AC power. | \$ 277.08 |
| D00649 | <u>LED Lights, Slim (DC)</u> Small LED light for use on the tabletop shielded enclosure using DC power. | \$ 277.08 |
| D00650 | <u>T-Tempest Large Tabletop Enclosure</u> -Tabletop Shielded Enclosure with frame that will fit into the 2800 series case or two will fit into the 4400 series case. The shielding effectiveness is a minimum of -50 dbm. | \$ 8430.38 |
| D00654 | <u>Power Strip, Multi-Outlet</u> Power strip used to plug power cords into. | \$ 16.50 |