

**GENERAL SERVICES ADMINISTRATION
FEDERAL ACQUISITION SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through **GSA Advantage!**, a menu-driven database system. The INTERNET address for **GSA Advantage!** is <http://www.gsaadvantage.gov>

SCHEDULE TITLE: [Total Solutions for Law Enforcement, Security, Facilities Management, Fire, Rescue, Clothing, Marine Craft and Emergency/Disaster Response](#)
FSC Group: 84

CONTRACT NUMBER: [GS-07F-9776H](#)

CONTRACT PERIOD [through November 30, 2017](#)

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link at www.gsa.gov

CONTRACTOR: [Nasatka Barrier, Incorporated](#)
[7427 Old Alexandria Ferry Road](#)
[Clinton, MD. 20735](#)
[301-868-0301](#)
[301-868-0524](#)
john.scolaro@nasatka.com
joseph.wiendl@nasatka.com
<http://www.nasatka.com>
[DUNS: 185057601](#)

CONTRACTOR'S ADMINISTRATION SOURCE: [Joseph Wiendl, 727-417-2205](#)

BUSINESS SIZE: [Small Business](#)

Socioeconomic Indicators:

CUSTOMER INFORMATION:

1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)

SIN	DESCRIPTION
246 35 1	Physical Access Control Systems (PACS)

1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:
(Government net price based on a unit of one)

SIN	Part Number	Model	GSA Price
246 35 1	1105-0802-0000	NMSB III-D 8' Steel Plate Barrier Hydraulic Weldment	32,800.00
246 35 1	1105-0804-0000	NMSB III-D 8' Steel Plate Barrier Hydraulic 2 Units Weldm	58,685.84
246 35 1	1105-0902-0000	NMSB III-D 9' Steel Plate Barrier Hydraulic Weldment	27,678.54
246 35 1	1105-0904-0000	NMSB III-D 9' Steel Plate Barrier Hydraulic 2 Units Weldm	60,285.84
246 35 1	1105-1002-0000	NMSB III-D 10' Steel Plate Barrier Hydraulic Weldment	34,400.00
246 35 1	1105-1004-0000	NMSB III-D 10' Steel Plate Barrier Hydraulic 2 Units Weldm	60,285.84
246 35 1	1105-1202-0000	NMSB III-D 12' Steel Plate Barrier Hydraulic Weldment	38,800.00
246 35 1	1105-1204-0000	NMSB III-D 12' Steel Plate Barrier Hydraulic 2 Units Weldm	64,685.84
246 35 1	1105-1402-0000	NMSB III-D 14' Steel Plate Barrier Hydraulic	40,800.00

		Weldment	
246 35 1	1105-1404-0000	NMSB III-D 14' Steel Plate Barrier Hydraulic 2 Units Weldm	66,685.84
246 35 1	1122-0801-0000	NMSB VIII - 8' Steel Plate Barrier - Weldment	17,714.27
246 35 1	1122-1001-0000	NMSB VIII - 10' Steel Plate Barrier - Weldment	26,870.00
246 35 1	1122-1201-0000	NMSB VIII - 12' Steel Plate Barrier Weldment	29,070.00
246 35 1	1122-1401-0000	NMSB VIII - 14' Steel Plate Barrier Weldment	31,270.00
246 35 1	1126-1002-0000	NMSB XI 10' Steel Plate Barrier Hydraulic Weldment	13,285.70
246 35 1	1126-1202-0000	NMSB XI - 12' Steel Plate Barrier Hydraulic Weldment	15,485.70
246 35 1	1126-1402-0000	NMSB XI - 14' Steel Plate Barrier Hydraulic Weldment	17,685.70
246 35 1	1131-1201-0000	NMSB XII - 12' Manual Crash Beam - Weldment	20,480.00
246 35 1	1131-1202-0000	NMSB XII - 12' Crash Beam Hydraulic Weldment	24,341.41

246 35 1	1131-1601-0000	NMSB XII - 16' Manual Crash Beam - Weldment	25,880.00
246 35 1	1131-1602-0000	NMSB XII - 16' Crash Beam Hydraulic Weldment	25,511.41
246 35 1	1131-1801-0000	NMSB XII - 18' Manual Crash Beam - Weldment	25,880.00
246 35 1	1131-1802-0000	NMSB XII - 18' Crash Beam Hydraulic Weldment	28,761.41
246 35 1	1131-2001-0000	NMSB XII - 20' Manual Crash Beam Weldment	27,080.00
246 35 1	1131-2002-0000	NMSB XII - 20' Crash Beam Hydraulic Weldment	31,800.00
246 35 1	1132-1201-0000	NMSB XII-A - 12' Crash Beam Manual Weldment	18,200.00
246 35 1	1132-1202-0000	NMSB XII-A - 12' Crash Beam Hydraulic Weldment	21,721.51
246 35 1	1132-1601-0000	NMSB XII-A - 16' Crash Beam Manual Weldment	18,200.00
246 35 1	1132-1602-0000	NMSB XII-A - 16' Crash Beam Hydraulic Weldment	23,921.51
246 35 1	1132-1801-0000	NMSB XII-A - 18' Crash Beam Manual Weldment	19,600.00
246 35 1	1132-1802-0000	NMSB XII-A - 18' Crash Beam Hydraulic	26,121.51

		Weldment	
246 35 1	1132-2001-0000	NMSB XII-A - 20' Crash Beam Manual Weldment	21,721.51
246 35 1	1132-2002-0000	NMSB XII-A - 20' Crash Beam Hydraulic Weldment	28,321.51
246 35 1	1133-1601-0000	NMSB XII- HOR - 16' Crash Beam Manual Weldment	21,036.00
246 35 1	1133-1801-0000	NMSB XII- HOR - 18' Crash Beam Manual Weldment	21,276.00
246 35 1	1133-2001-0000	NMSB XII- HOR - 20' Crash Beam Manual Weldment	21,516.00
246 35 1	1134-1601-0000	NMSB XII-A1- HOR 16' Crash Beam Manual	17,760.00
246 35 1	1134-1801-0000	NMSB XII-A1- HOR - 18' Crash Beam Manual	18,000.00
246 35 1	1134-2001-0000	NMSB XII-A1- HOR - 20' Crash Beam Manual	18,240.00
246 35 1	1141-0202-0000	NMSB VI - K12/L2 - 2 Retractable Bollard Hydraulic	22,831.06

246 35 1	1141-0302-0000	NMSB VI - K12/L2 - 3 Retractable Bollard Hydraulic	29,682.06
246 35 1	1141-0402-0000	NMSB VI - K12/L2 - 4 Retractable Bollard Hydraulic	36,717.01
246 35 1	1142-0102-0000	NMSB VI-SC - Retractable Bollard - Hydraulic - Single	13,599.81
246 35 1	1142-0202-0000	NMSB VI-SC - 2 Retractable Bollard - Hydraulic	23,847.46
246 35 1	1142-0302-0000	NMSB VI-SC - 3 Retractable Bollard - Hydraulic	34,095.11
246 35 1	1143-0101-0000	NMSB VI-SEMI - K12/L2 - 1 Manual- Retractable Bollard	7,614.48
246 35 1	1143-0201-0000	NMSB VI-SEMI - K12/L2 - 2 Manual- Retractable Bollard	13,683.86
246 35 1	1143-0301-0000	NMSB VI-SEMI - K12/L2 - 3 Manual- Retractable Bollard	19,753.23

246 35 1	1146-0100-0000	NMSB VI-FS-1 Fixed Bollard Shallow Mount K12 L3 Hot Dip Galv	5,390.00
246 35 1	1146-0300-0000	NMSB VI-FS-3 Fixed Bollard Shallow Mount DoD K12 L3 Hot Dip	9,996.00
246 35 1	1151-1201-0000	NMSB XV - 12' Mobile Steel Plate Barrier Manual	22,722.00
246 35 1	1151-1202-0000 NMSB XV - ASTM M30 (K4) Mobile Steel Plate Barrier - Hydraulic - 12' Opening	NMSB XV - 12' Mobile Steel Plate Barrier Hydraulic	29,546.86
246 35 1	1152-1201-0000	NMSB XV-P - 12' Portable Steel Plate Barrier Manual	22,722.00
246 35 1	1152-1202-0000	NMSB XV-P - Portable 12' Steel Plate Barrier Hydraulic	25,594.30
246 35 1	1153-1602-0000	NMSB XVI - 16' Mobile Steel Plate Barrier - Hydraulic	40,590.00
246 35 1	1154-1602-0000	NMSB XVI-P - Portable Steel Plate Barrier - Hydraulic - 16'	38,376.00

1c. HOURLY RATES: (Services Only)

2. MAXIMUM ORDER*: \$100000 per SIN and \$100000 per order

*If the best value selection places your order over the Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the schedule contract in accordance with FAR 8.404.

3. MINIMUM ORDER: \$100

4. GEOGRAPHIC COVERAGE: 50 states, Washington, DC, Puerto Rico, US Territories and to a CONUS port or consolidation point for orders received from overseas activities or give details as negotiated

5. POINT(S) OF PRODUCTION: US

6. DISCOUNT FROM LIST PRICES: GSA Net Prices are shown on the attached GSA Pricelist (or shown below). Negotiated discount has been applied.

7. QUANTITY DISCOUNT(S): NA

8. PROMPT PAYMENT TERMS: 2%10 Net30 and 1% 20 Net30

9.a Government Purchase Cards must be accepted at or below the micro-purchase threshold.

9.b Government Purchase Cards are accepted above the micro-purchase threshold. Contact contractor for limit.

10. FOREIGN ITEMS: None

11a. TIME OF DELIVERY: Shipped 56 Days after receipt of order

11b. EXPEDITED DELIVERY: Contact Contractor's Representative

11c. OVERNIGHT AND 2-DAY DELIVERY: Contact the Contractor for rates.

11d. URGENT REQUIRMENTS: Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

12. FOB POINT: Origin

13a. ORDERING ADDRESS: Same as above

13b. ORDERING PROCEDURES: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in FAR 8.405-3

14. PAYMENT ADDRESS: Same as contractor

15. WARRANTY PROVISION: Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.

16. **EXPORT PACKING CHARGES:** *As negotiated per standard commercial policies*
17. **TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:**
As applicable
18. **TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR (IF APPLICABLE):**
As applicable
19. **TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE):** *As applicable*
20. **TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF AVAILABLE):** *N/A*
- 20a. **TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE):** *N/A*
21. **LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE):** *As applicable*
22. **LIST OF PARTICIPATING DEALERS (IF APPLICABLE):** *N/A*
23. **PREVENTIVE MAINTENANCE (IF APPLICABLE):** *As applicable*
- 24a. **SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):** *N/A*
- 24b. **Section 508 Compliance for EIT:** *As applicable*
25. **DUNS NUMBER:** *185057601*
26. **NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE:** *Registration valid until current expiration.*

Part Number	Part Name	Description	Manufacturer List Price	GSA Price
1105-0802-0000	NMSB III-D 8' Steel Plate Barrier Hydraulic Weldment	8ft clear opening. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals	44,438.75	32,800.00
1105-0804-0000	NMSB III-D 8' Steel Plate Barrier Hydraulic 2 Units Weldm	Two 8ft clear opening barriers. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals	79,509.93	58,685.84
1105-0902-0000	NMSB III-D 9' Steel Plate Barrier Hydraulic Weldment	9ft clear opening. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals.	37,500.00	27,678.54

1105-0904-0000	NMSB III-D 9' Steel Plate Barrier Hydraulic 2 Units Weldm	Two 9ft clear opening barriers. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals.	81,677.67	60,285.84
1105-1002-0000	NMSB III-D 10' Steel Plate Barrier Hydraulic Weldment	10ft clear opening. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals.	46,606.50	34,400.00
1105-1004-0000	NMSB III-D 10' Steel Plate Barrier Hydraulic 2 Units Weldm	Two 10ft clear opening barriers. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals	81,677.67	60,285.84
1105-1202-0000	NMSB III-D 12' Steel Plate Barrier Hydraulic Weldment	12ft clear opening. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals.	52,567.79	38,800.00
1105-1204-0000	NMSB III-D 12' Steel Plate Barrier Hydraulic 2 Units Weldm	Two 12ft clear opening barriers. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals	87,638.97	64,685.84
1105-1402-0000	NMSB III-D 14' Steel Plate Barrier Hydraulic Weldment	14ft clear opening. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals	55,277.47	40,800.00
1105-1404-0000	NMSB III-D 14' Steel Plate Barrier Hydraulic 2 Units Weldm	Two 14ft clear opening barriers. ASTM M50/P1 (K12/L3) Remote HPU in weatherized enclosure. 50' ft. max. Hydraulic Lines. Circuit Control Panel. . Bio-degradable fluid. Limit Switch(s), Disconnect, Manual Hand Pump Operation, 2-3 cycle Accumulator. O&M Technical Manuals	90,348.65	66,685.84
1122-0801-0000	NMSB VIII - 8' Steel Plate Barrier - Weldment	Engineer Rated K4/K8 8' FT Clear Opening, Bolt Down, Single Buttress Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. Limit Switch(s); Manual Operable via Spring Counter-balance Operation; 2-3 cycle Accumulator. O&M Technical Manuals	24,000.00	17,714.27
1122-1001-0000	NMSB VIII - 10' Steel Plate Barrier - Weldment	Engineer Rated K4/K8 10' FT Clear Opening, Bolt Down, Single Buttress Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. Limit Switch(s); Manual Operable via Spring Counter-balance Operation; 2-3 cycle Accumulator. O&M Technical Manuals.	36,404.55	26,870.00
1122-1201-0000	NMSB VIII - 12' Steel Plate Barrier Weldment	Engineer Rated K4/K8 12' FT Clear Opening, Bolt Down, Single Buttress Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. Limit Switch(s); Manual Operable via Spring Counter-balance Operation; 2-3 cycle Accumulator. O&M Technical Manuals.	39,385.20	29,070.00

1122-1401-0000	NMSB VIII - 14' Steel Plate Barrier Weldment	Engineer Rated K4/K8 12' FT Clear Opening, Bolt Down, Single Buttruss Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. Limit Switch(s); Manual Operable via Spring Counter-balance Operation; 2-3 cycle Accumulator. O&M Technical Manuals.	42,365.85	31,270.00
1126-1002-0000	NMSB XI 10' Steel Plate Barrier Hydraulic Weldment	Ten foot clear opening length. Engineer Rated to 5,000 lbs at 30 mph. Single Buttruss, Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Limit Switch(s). O&M Technical Manuals.	18,000.00	13,285.70
1126-1202-0000	NMSB XI - 12' Steel Plate Barrier Hydraulic Weldment	Twelve foot clear opening length. Engineer Rated to 5,000 lbs at 30 mph. Single Buttruss, Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Limit Switch(s). O&M Technical Manuals	20,980.65	15,485.70
1126-1402-0000	NMSB XI - 14' Steel Plate Barrier Hydraulic Weldment	Fourteen foot clear opening length. Engineer Rated to 5,000 lbs at 30 mph. Single Buttruss, Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Limit Switch(s). O&M Technical Manuals	23,961.29	17,685.70
1131-1201-0000	NMSB XII - 12' Manual Crash Beam - Weldment	DoS K12 Certified. 12' Clear Opening Access Manual Crash Beam. Single Buttruss Integrated Buttruss Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	27,747.12	20,480.00
1131-1202-0000	NMSB XII - 12' Crash Beam Hydraulic Weldment	DoS K12 Certified. 12' Clear Opening Access. Single Buttruss with Integrated Buttruss and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	32,978.71	24,341.41
1131-1601-0000	NMSB XII - 16' Manual Crash Beam - Weldment	DoS K12 Certified. 16' Clear Opening Access Manual Crash Beam. Single Buttruss Integrated Buttruss Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	35,063.26	25,880.00
1131-1602-0000	NMSB XII - 16' Crash Beam Hydraulic Weldment	DoS K12 Certified. 16' Clear Opening Access. Single Buttruss with Integrated Buttruss and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	34,563.88	25,511.41
1131-1801-0000	NMSB XII - 18' Manual Crash Beam - Weldment	DoS K12 Certified. 18' Clear Opening Access Manual Crash Beam. Single Buttruss Integrated Buttruss Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	35,063.26	25,880.00
1131-1802-0000	NMSB XII -18' Crash Beam Hydraulic Weldment	DoS K12 Certified. 18' Clear Opening Access. Single Buttruss with Integrated Buttruss and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	38,967.11	28,761.41
1131-2001-0000	NMSB XII - 20' Manual Crash Beam Weldment	Engineer Rated K12 20' FT Clear Opening Access Manual Crash Beam. Single Buttruss Integrated Buttruss Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	36,689.07	27,080.00

1131-2002-0000	NMSB XII - 20' Crash Beam Hydraulic Weldment	K12 20' Clear Opening Access. Single Buttress with Integrated Buttress and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	43,083.91	31,800.00
1132-1201-0000	NMSB XII-A - 12' Crash Beam Manual Weldment	Engineer rated K4 with a 12' Clear Opening Access. Single Buttress Integrated Buttress Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	24,658.09	18,200.00
1132-1202-0000	NMSB XII-A - 12' Crash Beam Hydraulic Weldment	Engineer Rated K4 with a 12' Clear Opening Access. Single Buttress with Integrated Buttress and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	29,429.17	21,721.51
1132-1601-0000	NMSB XII-A - 16' Crash Beam Manual Weldment	Engineer Rated K4 with a 16' Clear Opening Access. Single Buttress Integrated Buttress Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	24,658.09	18,200.00
1132-1602-0000	NMSB XII-A - 16' Crash Beam Hydraulic Weldment	Engineer Rated K4 with a 16' Clear Opening Access. Single Buttress with Integrated Buttress and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	32,409.82	23,921.51
1132-1801-0000	NMSB XII-A - 18' Crash Beam Manual Weldment	Engineer Rated K4 with a 18' Clear Opening Access. Single Buttress Integrated Buttress Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	26,554.87	19,600.00
1132-1802-0000	NMSB XII-A - 18' Crash Beam Hydraulic Weldment	Engineer Rated K4 with a 18' Clear Opening Access. Single Buttress with Integrated Buttress and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	35,390.47	26,121.51
1132-2001-0000	NMSB XII-A - 20' Crash Beam Manual Weldment	Engineer Rated K4 with a 20' FT Clear Opening Access. Single Buttress Integrated Buttress Housing. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation; O&M Technical Manuals.	29,429.17	21,721.51
1132-2002-0000	NMSB XII-A - 20' Crash Beam Hydraulic Weldment	Engineer Rated K4 with a 20' Clear Opening Access. Single Buttress with Integrated Buttress and Hydraulic Operator (HPU). Bio-degradable fluid. Beam w/ Red & White reflective stripes. Manual Counter-balance Operation, limit switch(s), and O&M Technical Manuals.	38,371.12	28,321.51
1133-1601-0000	NMSB XII-HOR - 16' Crash Beam Manual Weldment	Engineer Rated K12. 16' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals. Certified. 16' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals.	28,500.42	21,036.00
1133-1801-0000	NMSB XII-HOR - 18' Crash Beam Manual Weldment	Engineer Rated K12. 18' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals. Certified. 18' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals.	28,825.58	21,276.00

1133-2001-0000	NMSB XII-HOR - 20' Crash Beam Manual Weldment	Engineer Rated K12. 20' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals. Certified. 18' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals.	29,150.74	21,516.00
1134-1601-0000	NMSB XII-A1-HOR 16' Crash Beam Manual	Engineer Rated K4 with a 16' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals.	24,061.96	17,760.00
1134-1801-0000	NMSB XII-A1-HOR - 18' Crash Beam Manual	Engineer Rated K4 with a 18' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals.	24,387.12	18,000.00
1134-2001-0000	NMSB XII-A1-HOR - 20' Crash Beam Manual	Engineer Rated K4 with a 20' Clear Opening Access. Single Buttress Integrated Buttress Housing. Horizontal Crash Beam w/ Red & White reflective stripes. Manual Operation; O&M Technical Manuals.	24,712.28	18,240.00
1141-0202-0000	NMSB VI - K12/L2 - 2 Retractable Bollard Hydraulic	Two (2) units, retractable bollard. DoS K12 / DoD Anti-Ram Vehicle Barriers Listed. Remote Hydraulic Power Unit (HPU). 50' ft. hydraulic line distance and connections (other lengths available upon request). Circuit control panel. Weather resistant HPU Operator Enclosure. Bio-degradable operator fluid. Aluminum anti-skid deck-plate and bollard top cover. Hot-dip galvanized. Limit Switch(s); Disconnect; Manual Hand Pump Operation; 1-3 cycle Accumulator. Electronic O&M Technical Manual. 36" high, 10 3/4" diameter.	30,932.43	22,831.06
1141-0302-0000	NMSB VI - K12/L2 - 3 Retractable Bollard Hydraulic	Three (3) units, retractable bollard. DoS K12 / DoD Anti-Ram Vehicle Barriers Listed. Remote Hydraulic Power Unit (HPU). 50' ft. hydraulic line distance and connections (other lengths available upon request). Circuit control panel. Weather resistant HPU Operator Enclosure. Bio-degradable operator fluid. Aluminum anti-skid deck-plate and bollard top cover. Hot-dip galvanized. Limit Switch(s); Disconnect; Manual Hand Pump Operation; 1-3 cycle Accumulator. Electronic O&M Technical Manual. 36" high, 10 3/4" diameter.	40,214.44	29,682.06
1141-0402-0000	NMSB VI - K12/L2 - 4 Retractable Bollard Hydraulic	Four (4) units, retractable bollard. DoS K12 / DoD Anti-Ram Vehicle Barriers Listed. Remote Hydraulic Power Unit (HPU). 50' ft. hydraulic line distance and connections (other lengths available upon request). Circuit control panel. Weather resistant HPU Operator Enclosure. Bio-degradable operator fluid. Aluminum anti-skid deck-plate and bollard top cover. Hot-dip galvanized. Limit Switch(s); Disconnect; Manual Hand Pump Operation; 1-3 cycle Accumulator. Electronic O&M Technical Manual. 36" high, 10 3/4" diameter.	49,745.67	36,717.01
1142-0102-0000	NMSB VI-SC - Retractable Bollard - Hydraulic - Single	One (1) unit, retractable bollard. K12 rated. Integrated, self-contained, Hydraulic Power Unit (HPU). No external hydraulic line runs required. Nasatka standard circuit controls with Remote Operator Enclosure. Bio-degradable operator fluid. Aluminum anti-skid deck-plate and bollard top cover. Hot-dip galvanized. Limit Switch(s); Disconnect; Manual Hand Pump Operation; 1-2 cycle Accumulator. Electronic O&M Technical Manual. 36" high, 10 3/4" diameter.	18,425.56	13,599.81

1142-0202-0000	NMSB VI-SC - 2 Retractable Bollard - Hydraulic	Two (2) unit, retractable bollard. K12 rated. Integrated, self-contained, Hydraulic Power Unit (HPU). No external hydraulic line runs required. Nasatka standard circuit controls with Remote Operator Enclosure. Bio-degradable operator fluid. Aluminum anti-skid deck-plate and bollard top cover. Hot-dip galvanized. Limit Switch(s); Disconnect; Manual Hand Pump Operation; 1-2 cycle Accumulator. Electronic O&M Technical Manual. 36" high, 10 3/4" diameter.	32,309.49	23,847.46
1142-0302-0000	NMSB VI-SC - 3 Retractable Bollard - Hydraulic	Three (3) unit, retractable bollard. K12 rated. Integrated, self-contained, Hydraulic Power Unit (HPU). No external hydraulic line runs required. Nasatka standard circuit controls with Remote Operator Enclosure. Bio-degradable operator fluid. Aluminum anti-skid deck-plate and bollard top cover. Hot-dip galvanized. Limit Switch(s); Disconnect; Manual Hand Pump Operation; 1-2 cycle Accumulator. Electronic O&M Technical Manual. 36" high, 10 3/4" diameter.	46,193.43	34,095.11
1143-0101-0000	NMSB VI-SEMI - K12/L2 - 1 Manual-Retractable Bollard	Manual Retractable Bollard - 36" - K12 - 10 3/4" pipe with Cylinder. 36" high. Galvanized, and aluminum deck plate.	10,316.41	7,614.48
1143-0201-0000	NMSB VI-SEMI - K12/L2 - 2 Manual-Retractable Bollard	Manual Retractable Bollard - 36" - K12 - 10 3/4" pipe with Cylinder. 36" high. Galvanized, and aluminum deck plate. Bank of 2.	18,539.44	13,683.86
1143-0301-0000	NMSB VI-SEMI - K12/L2 - 3 Manual-Retractable Bollard	Manual Retractable Bollard - 36" - K12 - 10 3/4" pipe with Cylinder. 36" high. Galvanized, and aluminum deck plate. Bank of 3.	26,762.47	19,753.23
1146-0100-0000	NMSB VI-FS-1 Fixed Bollard Shallow Mount K12 L3 Hot Dip Galv	Fixed Bollard - Shallow Mount - K12 - Single. Shallow mount (hot dip galvanized).	7,302.59	5,390.00
1146-0300-0000	NMSB VI-FS-3 Fixed Bollard Shallow Mount DoD K12 L3 Hot Dip	Fixed Bollard - Shallow Mount - K12 - Bank of 3. Shallow mount (zinc - powder coat primer). DOS K12 rated. Listed on the 2012 DoD (USACE PDC) Anti-Ram Vehicle Barriers List. 36" high, 10 3/4" diameter.	13,542.98	9,996.00
1151-1201-0000	NMSB XV - 12' Mobile Steel Plate Barrier Manual	NMSB XV Portable Barrier - Twelve foot clear opening. ASTM Rated M30/P3 (K4). Purchase price includes hot-dip galvanizing: tool box items, dual traffic lights, and power outlet. Dual Buttress. Integrated Weather Resistant Operator Enclosure. Standard Hitch. Fender, Electric Lights & Brakes. Fed. Highway VIN# Manual Spring Counter-balance Operation.	30,784.68	22,722.00
1151-1202-0000	NMSB XV - 12' Mobile Steel Plate Barrier Hydraulic	NMSB XV Mobile Barrier - Twelve foot clear opening. ASTM Rated M30/P3 (K4). Purchase price includes hot-dip galvanizing: tool box items, manual jacks, dual traffic lights, and power outlet. Dual Buttress w/ Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. Tether controller; Standard Hitch. Fender, Electric Lights & Brakes. Fed. Highway VIN# Limit Switch(s), Allows for Manual Spring Counter-balance Operation in the event of power failure.	40,031.27	29,546.86
1152-1201-0000	NMSB XV-P - 12' Portable Steel Plate Barrier Manual	NMSB XV Manual Portable Barrier - Twelve foot clear opening. ASTM Rated M30/P3 (K4). Purchase price includes hot-dip galvanizing: tool box items, dual traffic lights, and power outlet. Dual Buttress. Integrated Weather Resistant Operator Enclosure. Standard Hitch. Fender, Electric Lights & Brakes. Fed. Highway VIN# Manual Spring Counter-balance Operation.	30,784.68	22,722.00

1152-1202-0000	NMSB XV-P - Portable 12' Steel Plate Barrier Hydraulic	NMSB XV Portable Barrier - Twelve foot clear opening. ASTM Rated M30/P3 (K4). Purchase price includes hot-dip galvanizing: tool box items, manual jacks, dual traffic lights, and power outlet. Dual Buttress w/ Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. Tether controller; Standard Hitch. Fender, Electric Lights & Brakes. Fed. Highway VIN# Limit Switch(s), Manual Spring Counter-balance Operation for use in the event of power failure.	34,676.18	25,594.30
1153-1602-0000	NMSB XVI - 16' Mobile Steel Plate Barrier - Hydraulic	NMSB XVI Mobile Barrier - Sixteen foot clear opening. ASTM Rated M30/P3 (K8). Purchase price includes hot-dip galvanizing: tool box items, manual jacks, dual traffic lights, and power outlet. Dual Buttress w/ Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. 25' Tether controller; Standard Hitch. Fender, Electric Lights & Brakes. Fed. Highway VIN# Limit Switch(s), Manual Spring Counter-balance Operation in the event of power failure. Battery based HPU with an AC battery charger.	54,992.96	40,590.00
1154-1602-0000	NMSB XVI-P - Portable Steel Plate Barrier - Hydraulic - 16'	"NMSB XVI Portable Hydraulic Barrier - Sixteen foot clear opening. ASTM Rated M30/P3 (K8). Purchase price includes hot-dip galvanizing: tool box items, manual jacks, dual traffic lights, and power outlet. Dual Buttress w/ Integrated Hydraulic Operator. Circuit Control Panel. Integrated Weather Resistant Operator Enclosure. Bio-degradable fluid. 25' Tether controller; Standard Hitch. Fender, Electric Lights & Brakes. Fed. Highway VIN# Limit Switch(s), Manual Spring Counter-balance Operation for use in the event of power failure. Battery based HPU with an AC battery charger.	51,993.34	38,376.00