

Hertz® Equipment Rental

888-777-3500

www.hertzequip.com



Contract Holder
Contract GS-21F-0020T

WORLDWIDE FEDERAL SUPPLY SCHEDULE
CONTRACT FOR HARDWARE SUPERSTORE
Schedule # 51 V
Contract Period: July 7, 2007 through July 7, 2012

SINS 105-001 Walk In/Walk Out
SINS 105-002 Catalog
SINS515-002 Equipment Rental
CCR Registered
DUNS # & CAGE Code: Each location is individually registered.

Hertz Equipment Rental Corporation (HERC) is one of the largest and most diversified construction and industrial equipment providers in the U.S. We are able to offer a wide range of assets from gloves, shovels, and small power tools to large earth moving equipment trucks and aerial equipment - all from a single source.

WHY HERC?

Locations

- HERC currently has over two hundred-eighty (280) locations throughout North America
- We have the longest established U.S. network of branches.

Experience

- Over 40 years of providing the right equipment or tools for the job

Staff

- Dedicated Government Account Managers to oversee projects on a national level
- Local sales team to meet your day to day needs

Equipment

- HERC rents over one hundred and fifty (150) different types of construction and industrial equipment.
- Equipment ranges from earth moving equipment, material handling equipment, aerial and electrical equipment, to air compressors, compaction equipment and trucks

Tools & Supplies

- HERC has over 10,000 items for sales through our tool & Supply division
- Items range from bits, blades and abrasives to gloves, safety supplies and small hand tools

Additional Services

- Hertz Equipment provides specialty services and equipment to assist you on your project.
 - ❖ **Service Pump & Compressor (Pumps & Compressors),**
 - ❖ **Generator Services ,**
 - ❖ **Trench Safety Services,**
 - ❖ **Aerial Services**
 - ❖ **Industrial Plant Services**

For more information, including GSA pricing, availability and to place an order please contact

Toll-free: 877-777-3500

E-mail: cenralres@hertz.com

Ready to Help.

Hertz® *Equipment Rental*

Company Information

Company: Hertz Equipment Rental Corporation (HERC)

Address: 225 Brae Blvd.
Park Ridge, NJ 07656

Ordering/Contact Information: For information on GSA pricing products or services:
Phone: 1-(888) 777-3500 or 1-(281) 372-5670
Fax: 1-(888) 777-3582
e-mail: centralres@hertz.com

Contract Number: GS21F0020T

Duns Number: Each branch is individually registered.

CAGE Code: Each branch is individually registered

SINS: 105-001 Walk In/Walk Out
105-002 Catalog

Min Order/Max Order: None / \$750,000.00

Business Size: Other than small business

North American Industry Classification System (NAICS) codes: 532120 – Truck, utility trailer, and Recreational Vehicle rentals and leasing
532412 – Construction, mining, and forestry machinery and equipment rental and leasing
532490 – Other commercial and industrial machinery and equipment rental and leasing

Ready to Help.

Hertz® Equipment Rental

The equipment list below represents a majority of items Hertz Equipment offers as part of our rental fleet.

If an item is not part of the GSA contract, rental of these items may still take place in an open market transaction.

Hertz Equipment List

AERIAL

ELECTRIC SCISSOR LIFTS - PLATFORM HEIGHTS FROM 15 FT TO 40 FT

- Emissions free operation.
- Narrow aisle models and tight turning radius capability for better maneuverability.
- 110V AC Outlet on work platform.
- Non-marking tires.
- Extendible work platform with skid resistant plating.
- Pothole guards to reduce tipover hazards.



ROUGH TERRAIN SCISSOR LIFTS -

PLATFORM HEIGHTS FROM 26 FT TO 53 FT

- Diesel and dual fuel systems.
- 4WD with wide treaded tires to handle rough conditions.
- Large extendible work platforms.
- Proportional drive and multi-speed lift functions.
- Tilt sensor with alarm.

ARTICULATING BOOM LIFTS, ELECTRIC - PLATFORM HEIGHTS

FROM 20 FT TO 60 FT

- Emissions free operation.
- Up and over clearance heights to over 25 ft.
- Large work platforms with up to 500 lbs capacity.
- Compact models with zero tail swing and non-marking tires.

ARTICULATING BOOM LIFTS - PLATFORM HEIGHTS: 34 FT TO 150 FT

- 360-degree continuous turntable rotation.
- Large work platform with 110V AC powered outlet.
- Fully proportional controls and tilt alarm.

STRAIGHT BOOM LIFTS - PLATFORM HEIGHTS FROM 40 FT TO 135 FT

- Large work platform with proportional controls.
- Self-leveling platforms.
- 12V DC auxiliary power system.
- Quick lift/lower speeds.



MANUAL PERSONNEL LIFTS - PLATFORM HEIGHTS FROM 15 FT TO 40 FT

- Non-marking tires.
- Standard doorway access.
- Easy loading.
- Small outrigger footprints.
- GFCI-protected power receptacle for safe use of power tools.

SELF-PROPELLED PERSONNEL LIFTS - PLATFORM HEIGHTS

FROM 12 FT TO 205 FT

- Full height drivability.
- Low (19") entry height.
- Standard pothole protection systems.
- Non-marking tires.
- Compact designs allow entry in most commercial door openings.



BUCKET TRUCKS - AVAILABLE RANGE: 34 FT TO 51 FT

- Available two man platforms.
- Platform leveling system.
- Outrigger & backup warning alarms.
- Tool lines at boom.
- 12V emergency operation system.

AIR EQUIPMENT

AIR COMPRESSORS - 130 CFM MODELS TO 1600 CFM TRAILER MOUNTED

- Pressures up to 350 psi (Select availability. Please call.)
- Large capacity fuel tanks for uninterrupted operation.
- Safety shutoff and curbside instrument panels.
- Lockable tool compartments for convenience and security.



BREAKERS - 30 TO 90 LB

- Ergonomic flex handles and noise reducing mufflers.
- Full line of breaker steels available.

CHIPPING HAMMERS - AVAILABLE RANGE 7 TO 31 LB

- Forged handles and heavy-duty steel cylinders.
- Exhaust deflectors on all, adjustable type on some models.
- Choice of round or hex chucks to accommodate a wide selection of points and chisels.

ROCK DRILLS - AVAILABLE RANGE 15 TO 60 LB

- Lightweight heavy-duty design.
- Stop rotation feature to convert for light chipping work.
- Speed adjustable hammers.

Hertz® Equipment Rental

TAMPERS - AVAILABLE RANGE: 30 TO 60 LB

- Durable, lightweight design.
- Integrated oilers.
- Quiet design mufflers.
- Pole (half moon) and 3" butts available.

GENERAL AIR TOOLS

- Scales - 2 - 6 lb.
- Air Movers/Exhausters - 3" - 10", Horn Type.
- Drills/Reamers - ½" - 2".
- Nailers - Framing, Roofing, Flooring, ½" - 1".
- Grinders - Surface, Right Angle, Vertical.
- Impact Wrenches - ½" - 9 ½".
- Air Manifold/Receivers - 2" - 3" Inlets, 6 - 8 Outlets.
- Saws - Hacksaw, Reciprocating; Cutoff, Bandsaw.
- Sand Blasters - 100 - 700 lb.
- Tuggers/Winches - 1,000 - 10,000 lb.

COMPACTION

RAMMERS - AVAILABLE RANGE: UP TO 199 LB

- Gas and Diesel type available with up to 3,600 lb of force.
- Various models and shoe sizes available for cohesive, granular, and mixed soils.
- Heavy-duty shock absorbers and low center of gravity for increased operator control and comfort.
- Roller guide handles for easy loading.



PLATE COMPACTORS - FORWARD MODELS AVAILABLE TO 299 LB OPERATING WEIGHT; REVERSIBLE MODELS TO 1,500 LB

- Open base plate designs minimize dirt and rock build up.
- Oversized and heavy-duty shock mounts concentrate the vibration energy to the plate and not the operator.
- Water tank models available for greater versatility.

WALK-BEHIND ROLLERS - AVAILABLE RANGE: 23" TO 33"

- Single and Double Drum models available in various drum widths.
- Hydrostatic drives for continuous speed settings.
- Water tanks and spray bars for asphalt work.

TRENCH ROLLERS - AVAILABLE RANGE: 22" TO 33"

- Walk behind and remote control models.
- Fully hydrostatic drives - steering, travel, and vibration.
- Center mount lift hooks for accurate placement.

SINGLE DRUM ROLLERS - AVAILABLE RANGE: 5 TO 12 TON

- Smooth and padfoot models available in a variety of drum widths.
- All cabs are designed with ROPS and heavy vibration dampers for safety and comfort.
- Axle and drum drive systems allow for increased gradability.
- Hydrostatic drives for different vibration and speed settings.

DOUBLE DRUM ROLLERS - AVAILABLE RANGE: 1 TO 7 TON

- Multiple vibration settings utilizing the front, rear, or both drums.
- Hydrostatic vibration and travel drives.
- ROPS designed cabs and seatbelt for operator safety.



CONCRETE & MASONRY

CONCRETE TROWELS - AVAILABLE RANGE: WALK-BEHIND MODELS AVAILABLE TO 48", RIDING MODELS TO 99"

- Adjustable blades and variable speeds for maximum load response.
- Low center of gravity on walk-behind models.
- Hydraulic steering on the riding models reduce operator fatigue.



CONCRETE SAWS - AVAILABLE RANGE: UP TO 39 HP

- Various blade capacities available for the cutting depth and speed your job requires.
- Hydraulic lift and lower functions for smooth operation.
- All models include blade guard and emergency stop switch for safety.
- Full line of diamond, concrete, and asphalt blades available.



CUT-OFF SAWS - AVAILABLE RANGE: 12" TO 14"

- Lightweight designs and shock mounted engines to increase operator comfort.
- Powerful enough to handle the roughest materials.
- Decompression valves for easier starting.
- Wet cut kits available.

CONCRETE POWER BUGGIES

- Variable hydrostatic drive.
- Heavy-duty polyethylene tubs with splash protection.
- Large capacity fuel tanks for uninterrupted operation.

CONCRETE VIBRATORS - AVAILABLE RANGE: FLEX SHAFT, 1 TO 3 HP, HF INTERNAL 2 ¼" TO 2 ½"

- Lightweight, compact designs.
- Quick disconnect shafts & heads.
- Vibration reducing motor mounts for operator comfort.

DEMOLITION HAMMERS

- Reduced-vibration models for operator comfort and control.
- Adjustable side handle allows user to work in tight spaces.
- Electro-pneumatic impact system delivers maximum force for increased productivity on demo jobs.

HAMMER DRILLS

- Lightweight design for less operator fatigue.
- High power motor for heavy-duty applications.
- Various bits available for different applications.



Hertz® Equipment Rental

SURFACE GRINDERS

- Maximum torque transfer for heavy-duty jobs.
- Standard $\frac{3}{8}$ " x 11" spindle for mounting various accessories.
- AC/DC switch.
- Variable-position handle for reaching tight spots.

CORE DRILLS - AVAILABLE RANGE: 1" TO 12"

- Precise cutting into steel-reinforced concrete, masonry, asphalt or natural stone.
- Hand-held drills for 6" diameter holes.
- Rig systems for holes up to 12" in diameter.
- Dustless wet systems available.

EARTHMOVING

LANDSCAPE LOADERS - AVAILABLE RANGE: 10 TO 73 HP

- Lift capacities available to 6,500 lb.
- 2WD and 4WD models available.
- Ergonomically designed operator stations for comfort.

MINI EXCAVATORS - AVAILABLE RANGE: UP TO 8 METRIC TON

- Independent boom swing allows for offset digging around obstacles.
- 360-degree rotating cab reduces need to reposition during excavating.
- Backfill blade for leveling and grading.

SKID STEER LOADERS - AVAILABLE RANGE: 10 TO 105 HP

- High visibility cab designs.
- Padded seat bar for operator safety and comfort.
- Auxiliary hydraulics for a wide range of attachments.

Attachments For Skid Steers

- **ANGLE BROOM** - Useful for sweeping driveways, sidewalks, parking lots, warehouses, etc.
- **AUGER** - Three auger models fit to drill holes for posts and poles.
- **BREAKER** - Deliver over 150 foot-pounds of impact energy on your next demolition job with a hydraulic breaker.
- **DOZER BLADE** - Six-way adjustable blade with a reversible 3-piece cutting edge. Adjustable depth guides make scraping and leveling easier.
- **LANDSCAPE RAKE** - Break up lumpy soil and pick up rocks as small as $\frac{1}{8}$ ". Use it for ground preparation, seeding, sodding, and more.
- **STANDARD OR HIGH FLOW PLANER** - Quickly mills asphalt or concrete surfaces. Ideal for street repair and utility uses. Various sizes of drums available.
- **SNOWBLADE** - Ideal for clearing snow from sidewalks, driveways, and parking lots.
- **SWEEPER** - Ideal for loosening and removing mud, dirt and debris on construction, industrial or municipal jobs.
- **TRENCHER** - Tackle light-to-medium (up to 2' digging depth) trenching jobs with the trencher.

COMPACT TRACK LOADERS -

AVAILABLE RANGE: .5 TO .75 YD

- As versatile as a skid steer loader with the same capacity for hydraulic attachments.
- Tracks offer improved traction over wet or rough terrain.
- Minimizes soil disturbance.



TRACK LOADERS - AVAILABLE RANGE: 1.3 TO 1.5 YD

- Load, push, shape, clear, grade even rip with a versatile track loader.
- Several bucket types available.
- Ergonomic operator station and efficient controls.

TRENCHERS - AVAILABLE RANGE:

WALK-BEHIND: 10 TO 40 HP, 2 TO 4 FT;

RIDING: 30 TO 89 HP, 3 TO 8 FT

- Available walk-behind units trench up to 4' deep, 16" wide.
- Available riding units trench up to 8' deep, 24" wide.
- Backhoe and blade attachments available for riding models.



BACKHOES - AVAILABLE RANGE: 70 TO 115 HP

- Late model inventory of two and four wheel drive configurations.
- Standard or extendible hoe models available.
- Variety of buckets and attachments available.

DOZERS - AVAILABLE RANGE: 70 TO 190 HP

- Standard track or low ground pressure (LGP) models available.
- Hydrostatic drives offer infinite settings for primary controls.
- Load sensing feature to automatically adjust speed and power to match changing load conditions.

EXCAVATORS - AVAILABLE RANGE: 70 TO 190 HP, 18,000 - 70,000 LB CLASS

- Operator compartments feature fully adjustable seats and ergonomically designed controls for operator comfort and reduced fatigue.
- Computer controlled power-sensing system for optimum performance.



WHEEL LOADERS - UP TO 5 YD

- Cab designs with the latest features for improved visibility and operator comfort.
- Our units feature the latest technology to keep cycle times down and material moving.
- Available options include multipurpose buckets, quick coupler systems, fork attachments and more.

ELECTRICAL

ARROW BOARDS - AVAILABLE RANGE: 50 TO 100 WATT

- High intensity LED lamps.
- Solar powered for silent and emissions free operation.
- Photocell for lamp intensity control and power conservation.

MESSAGE BOARDS - AVAILABLE RANGE: 225 TO 450 WATT

- High intensity LED lamps.
- Solar powered for silent and emissions free operation.
- Heavy-duty batteries for extended uninterrupted service.
- Preprogrammed messages are easily displayed.

LIGHT TOWER

- Rugged but compact designs for easy transportation.
- 360-degree rotating light mast.
- Large capacity fuel tanks provide up to 68 hours of continuous run time.
- Heavy-duty engines with automatic protective shutdowns.

Hertz® Equipment Rental

GENERATORS - 2.5 to 6.0 kW

- Heavy-duty frames for durability.
- Oversize fuel tanks for extended operation.
- Wheel kits available for some models.
- Magnetic circuit breakers, GFI protected outlets, and low-oil shutdown for operator and equipment safety.



GENERATORS - 15 to 60 kW

- Stationary and towable models available.
- Heavy-duty mufflers for quiet operation.
- Brushless alternator designs for dependable performance.
- Safety features include warning lights, circuit breakers, and low oil shutdown.

GENERATORS - 62 to 275 kW

- Voltage regulation for controlled power.
- Automatic safety shutdown systems.
- Noise-reducing, weather-resistant steel housing.
- Stationary or towable models available.

POWER TOOLS

- CIRCULAR SAW - CE/C/WD 6 1/2" - 8 1/2"
- RECIPROCATING SAW - CE/C 7.5 - 11.8 Amp; 18V
- MITER SAW - CE 10"-12"; 15 Amp
- CHOP SAW - CE 14"
- CUT-OFF SAW - GP/CE 12", 14" & 16"
- JIG SAW - CE/C 4.5 Amp - 6.2 Amp, 18V
- CHAIN SAW - GP 14" - 24" Bar, 30 to 77cc
- BAND SAW - CE HH, 43.4" Cut
- HORIZONTAL DRILL - CE/C 3/8" - 1/2" Chuck
- RIGHT-ANGLE DRILL - CE 3/8" - 1/2" Chuck
- MAGNETIC BASE DRILL - CE 1/2" Chuck, Annular Cutters
- CORE DRILL - Vac Base Stand/HH 1" - 12" Holes
- ROTARY HAMMER DRILL - Std Chuck SDS/SDS Max Spline Std Bits up to 5"/Core Bits
- BELT SANDER - CE 3" & 4" Wide Belts
- DISC SANDER - CE 7" - 9"
- ORBITAL SANDER - CE 1/2" Sheet, 5" Capacity
- PALM SANDER - CE 5" Capacity
- TRIM ROUTER - CE 1 1/2 HP
- PLUNGE ROUTER - CE 2 - 3 HP
- FIXED BASE ROUTER - CE 1/2 HP, 5.6 Amp
- STRAIGHT GRINDER - CE 5 - 15 Amp
- DIE GRINDER - CE 3 - 11 Amp
- RIGHT ANGLE GRINDER - CE 4" - 9"
- METAL SHEARS - C, 14V/CE 18 - 12 Gauge
- WOOD PLANER - CE 5.2 - 7.8 Amp



* Corded Electric: CE; Cordless: C; Worm Drive: WD; Gas Powered: GP; Hand Held: HH; Standard: Std

GENERAL TOOLS

SPACE HEATERS: KEROSENE FORCED AIR - AVAILABLE RANGE: 50,000 TO 350,000 Btu

- Heats properly ventilated enclosed areas from 9,000 to 29,000 cu ft.
- Continuous ignition and automatic safety shutdown if flame goes out.
- Heavy-duty heating power, yet safe and easy to use.

SPACE HEATERS: PROPANE/NATURAL GAS - AVAILABLE RANGE: 35,000 TO 700,000 Btu

- Adjustable heat output on several models.
- Heats properly ventilated enclosed areas from 5,000 to 69,000 cu ft.
- Safe, clean burning and odor free.

GROUND HEATERS - AVAILABLE RANGE: 150,000 TO 500,000 Btu

- Removes up to 12" of frost in 24 hours.
- Perform multiple heating functions with one ground-heating unit.
- All models are fully contained units utilizing an environmentally safe boiler system.

PRESSURE WASHERS - AVAILABLE RANGE: 1,000 TO 4,000 PSI

- Hot or cold water models available.
- Safety relief valve.
- Portable, stationary, belt-drive, direct drive, and various fuel/power types available.

UTILITY VEHICLES

- Liquid cooled engines.
- 4 or 6 wheel models available.
- Handy on-board cargo box.
- Heavy-duty load capacities.



WELDERS - AVAILABLE RANGE: 170 TO 600 AMP

- MIG, TIG, stick, arc and other welder types available.
- Stationary and towable models available.

GENERAL TOOLS AND SUPPLIES

Drilling/Cutting

- Abrasive Blades & Disks
- Carbide Bits & Blades
- Diamond Bits & Blades
- High Speed Bits & Taps

Hand Tools

- Hammers
- Levels
- Rakes
- Rebar Bender/Cutters
- Saws
- Shovels

Jobsite

- Caution Tape
- Coolers
- Marking Paints
- Orange Safety Fencing
- Silt Fencing
- Tarps

Ladders

- 6' to 12' Step
- 16' to 40' Extension

Piping Equipment

- Benders
- Cutters
- Pullers
- Threaders

Post Hole Diggers

- 1-2 Person
- Manual

Power Tools

- Breakers
- Chipping Hammers
- Drills
- Extension Cords
- Grinders
- Planers
- Planers
- Routers
- Sanders
- Saws
- Shears

Safety

- Arrow Boards
- Caution Tape
- Dust Masks & Respirators
- Ear Protection
- Eye Protection
- Fall Protection
- Fire Extinguishers
- First Aid Kits
- Flags & Signs
- Hardhats
- Lanyards
- Message Boards
- Safety Harnesses
- Safety Vests
- Traffic Cones
- Work Gloves

Surveying Equipment

- Site Lasers



Hertz® Equipment Rental

MATERIAL HANDLING

CONSTRUCTION FORKLIFTS - AVAILABLE RANGE: 5,000 TO 8,000 LB, LIFT HEIGHTS TO 30 FT

- Telescoping and tiltable mast for lifting versatility.
- Available in 2WD and 4WD configurations.
- Zero tail swing and narrow machine width for maximum maneuverability.
- Up to 105' per minute lifting speed.

HIGH REACH FORKLIFTS - AVAILABLE RANGE: 5,000 TO 10,000 LB, LIFT HEIGHTS TO 56 FT

- 4WD and large diameter tires for extreme conditions.
- Long wheelbase and low center of gravity provide stability.
- Ergonomically designed cabs with ROPS for operator comfort and safety.
- 90-degree pivot and 4-wheel steering available on most models.

INDUSTRIAL FORKLIFTS - AVAILABLE RANGE: DUAL FUEL - 5,000 TO 10,000 LB; DIESEL - 5,000 TO 36,000 LB

- Gasoline, dual fuel and diesel models available.
- Narrow width and tight turning radius for improved access and maneuvering.
- Hydrostatic power steering.
- Hydraulic system provides smooth, constant lowering speeds.



CARRY DECK CRANES - AVAILABLE RANGE: 4 TO 15 TONS

- 4-wheel steer for maneuverability.
- 360-degree boom rotation for accurate material placement.
- Hydraulic outriggers for stability.
- Pneumatic, solid rubber, non-marking tires available.

TRUCK CRANES - AVAILABLE RANGE: 10 TO 21 TONS

- Mounted on standard production chassis for highway access.
- Boom length and angle indicators for accurate and safe handling.
- Dual operator control stations.

PUMPS

CENTRIFUGAL PUMPS - AVAILABLE RANGE: 1" TO 10"

- Die cast aluminum casing is lightweight but durable.
- Low oil alert.
- Strainers prevent solids from entering and clogging mechanism.



DIAPHRAGM PUMPS - AVAILABLE RANGE: ½" TO 3"

- Positive displacement design for fast priming.
- Up to 85 gpm.
- Oil bath transmissions with 6:1 gear reduction.
- Compact and lightweight for easy transportation.

SUBMERSIBLE PUMPS - AVAILABLE RANGE: ¾" TO 12"

- ISO 9001 and UL listed models available.
- No priming assistance required.
- Thermal overload protection.

TRASH PUMPS - AVAILABLE RANGE: 2" TO 12"

- Quick priming.
- Cast iron volute and impeller assure minimal clogging.
- Integral lifting bale for easy placement on the jobsite.

TRUCKS AND TRAILERS

ARTICULATING DUMP TRUCKS - AVAILABLE RANGE: 14 TO 30 TON

- High power, high torque engines for maximum power.
- Automatic transmission with limited slip differential axles on all models.
- Sloped front end for better visibility.
- Cabs designed for operator comfort to reduce fatigue.

BOX DUMP TRUCKS - AVAILABLE RANGE: 3 TO 14 YD

- Heavy-duty steel bed construction.
- Material tarp to contain load and reduce spillage.
- Single cylinder hoist and high degree dump angle.
- Pintle-type hitch and trailer wiring.



FLATBED DUMPS -

AVAILABLE RANGE: 16 FT

- Advanced hydraulics for smooth unloading.
- Side and rear stake pockets for installation of sideboards.
- All steel flatbed construction.
- High capacity winch for assisted loading.

STAKEBODY TRUCKS - AVAILABLE RANGE: 12 FT & 22 FT

- 42" removable stake racks.
- Automatic transmission.
- Stakebed design for maximum loading efficiency of solid materials.
- Hydraulic liftgate for easy loading.

WATER TRUCKS - AVAILABLE RANGE: 2,000 GAL & 3,750 GAL

- Multiple front, rear, and side spray nozzles.
- Hydrant fill capability and low point drains.
- 1 ½" hose with spray nozzle.
- In-cab controls and back up alarms.

PICK-UP TRUCKS - AVAILABLE RANGE: ¾, 1, & 1 TON; 2WD AND 4WD

- Standard, extended, and crew cabs available.
- Automatic transmission on all models.
- Trailer towing capabilities on most models.

EQUIPMENT TRAILERS - AVAILABLE RANGE: 11 TO 35 TON

- Rubber-mounted sealed beam lights for long life.
- Safety headboard and steel supported hardwood decking.
- Hydraulic tail and fold-down approach plate on some models.
- Safety striping and conspicuity markings for safety.

CARGO/BOX TRAILERS - AVAILABLE RANGE: 8, 10, & 12 FT LENGTHS

- Enclosed (cargo) and open top (box) available.
- Up to 7,000 lb load capacity with 12 ft trailer.
- Surge brakes on 10 & 12 ft models.
- Single and double axles.
- Ball type hitches.

Hertz® Equipment Rental

STORAGE TRAILERS - AVAILABLE RANGE: 10, 20, 24, & 40 FT LENGTHS

- Fully vertical corrugated steel sides and end walls.
- 1 1/2" thick marine grade steel floor.
- Forklift pockets for loading and handling.
- A security lock box is provided for added protection.
- 8 ft ceiling height.
- Die stamped steel roof.
- ISO/1161 corner fittings in all eight corners.
- Corrugated double-hinged doors with rubber gaskets.

WATER TRAILERS - AVAILABLE RANGE: 500 & 600 GAL

- Dual rear spray heads.
- Hydraulic surge brakes.
- Low point drain valves.
- All steel construction.
- Standard bumper and ball-type hitch.
- Top fill or rear hydrant fill.

INDUSTRIAL EQUIPMENT

Abrasives	Grinding Wheel, Cut-Off, Chop Saw, Road Saw
Air Compressors	185 - 1,600 cfm
Air Fitting	Coupling, In-Line Oilers, General Fittings
Air Tools, Contractor	Breakers, Rock Drills, Chipping Hammers
Air Tools, Industrial	Grinders, Drills, Impacts, Saws, etc.
Anchors	Wedge, Sleeve, Self-Drilling, Drop-In, Plastic, Epoxy, Tapcon™
Bandsaws	Stationary, Portable
Batteries	AAA, AA, C, D, 9 Volt, etc.
Beam Clamps	Steel and Malleable
Blades	Bandsaw, Circular Saw, Hacksaw, Holesaw
Brooms	Cleaning (Mops, Brooms)
Cable Markers & Ties	
Caulking	Silicone, Latex, Acrylic
Compaction Equipment	Rammers, Plates, Rollers
Concrete Equipment	Trowels, Vibrators, Saws
Concrete Drilling, Cutting	Bits, Equipment, Blades
Concrete Products	Sand, Cement, Sakrete, Grout
Cordless Tools	Drills, Drivers
Cut-Off Machines	Electric-Portable, Electric-Stationary, Gas-Portable, Gas-Walk-Behind
Drill Bits	High-Speed Steel, Masonry, Carbide Tipped
Drill Presses	
Drill Steel	Bull and Moil Points, Chisels
Electric Tools	Drills, Grinders, Saws, etc.
Electrician Tools	Hand Tools, Punches, Testers, etc.
Electrolyte Drinks	Powder, Liquid
Extension Cords	25', 50' & 100' Heavy-Duty, Meet OSHA Requirements
Fall Protection	Harnesses, Lanyards, Confined Space
Fire Barrier	Welding Shield
Fire Extinguishers	2.5, 5, 10 & 20 lb Multipurpose ABC
First Aid	Kits, 100 lb. Box
Floor Sweep	
Forklifts	Industrial, Rough Terrain, High Reach
Gang Boxes	Piano Type, Flat Top, Casters
Gas Cans	Safety Cans, Storage Cabinets
Generators	Portable, Stationary, Emergency 2.5 - 1,000 kW
Hand Tools	Sockets, Pliers, Pipe Wrenches, Levels, Hammers, Rakes, Shovels, Files, etc.
Hangers	Clevis, Riser Clamps, Teardrop
Hard Hats	Meet OSHA Requirements

Hoists	Cable, Chain
Hose	Suction, Discharge, Hydraulic
Hydraulic Equipment	Cylinders, Pumps, Spreaders
Jackhammers	Electric, Air; 30, 60 & 90 lb
Jacks	Steel & Aluminum
Ladders	Wood, Aluminum, Fiberglass
Levels	Wood, Aluminum
Lifts	Duct, Personnel, Scissor,
Light Towers	1,000 Watt (Four Light - Diesel Powered)
Locks	#1, #3 & #5
Lubricants	2-26 Spray Galv.
Material Moving Equipment	Hand Trucks, Pallet Jacks
Nuts, Bolts, Washers	Plain & Plated
Oil Sorb	50 lb Bags
Paint	Marker
Pins & Loads	Powder Actuated, Track Pins, Threaded Studs, Hilti Pins, Loads
Pipe Dope	#5 Virgin Teflon, T+2
Pipe Handling Tools	Roust-A-Bout™, Grasshopper
Pipe Threading	Pipe or Conduit Dies
Pipe Tools	Cutting, Reaming, Threading, Snap Cutters, PVC Cutters
Plastic Pipe Clamps	Strut Clamps, Caps, Test Plugs
Plastic Pipe Supports	Posifix, Stakfix, Pipefix
Polyethylene	4 & 6 mil, Reinforced
Pop Rivets	Steel, Aluminum, Stainless, Tools
Powdered Actuated	Single Shot, Semi-Automatic
Pressure Washers	High Pressure
Pumps	Submersible, Trash, Water, Hydraulic Submersible, Self-Priming, High Head, Sewer Bypass
Rags	All White, Mixed, All Cotton
Rainwear	Parkas, Boots
Reel Jacks	Steel, Aluminum
Rope	Manila, Polypropylene, Nylon
Screwdriver Bits	Phillips Bits, Hex Bits
Sheet Metal Tools	Snips, Punches, etc.
Slings	Wire Rope, Nylon
Steel Erection Tools	Spud Wrenches, Bull Pins, Lineup Bars, Bolt Bags, Full Body Harness and Lanyards
Striking Tools	Sledges, Picks, Crowbars, Diggers & Tampers
Strut	1.5 & .75
Strut Clamps	
Tape	Duct, Electrical, Masking, Teflon, Marking
Tape Measures	Metal, Fiberglass, Cloth
Taps	Carbon
Tek Screws	Hex Washer, Bonded
Test Pumps	Hydrostatic
Threaded Rod	25-1 Plain & Plated
Tie Wire	Wire and Reels
Trowels	Hand
Torch Kits	Oxy-Acetylene, LP
Trucks	Pickups, Stakebeds, Dumps
Truck Boxes	Plastic, Metal, Aluminum
Vibrators	Concrete, Pencil
Water Coolers	5 & 10 Gal Dispensers, Cups
Welders	Portable, Stationary
Wire Accessories	Lubricant, Connectors

Ready to Help.