

Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

GENERAL SERVICES ADMINISTRATION

Federal Supply Service

Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address GSA Advantage! is: www.GSAAdvantage.gov.

Schedule Title: Hardware Superstore
FSC GROUP 51 PART V SECTION N/A

FSC CLASS(ES)/PRODUCT CODE(S): 32, 34, 35, 37, 41, 51, 52, 68, 73, 80, 87, 91

834 100 --- Commercial Coatings, Adhesives, Sealants and Related Services

Contract number: GS-21F-0161Y

Contract period: Sept 1, 2012- August 30, 2017

Maxi Adhesive Products

Specializing in quality-strength adhesive tapes

217 Forest Rd
P.O. Box 1030
Greenfield, NH 03047
800-258-3629 • 603-547-2449
Fax 603-547-6370

Joyce Dumaine

jdumaine@maxiadhensiveproducts.com

Woman Owned Small Business

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at www.fss.gsa.gov



CUSTOMER INFORMATION:

1a. Table of awarded special item number(s) with appropriate cross-reference to item descriptions and awarded price(s). [834 100](#) Commercial Coatings, Adhesives, Sealants and Related Service

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract. This price is the Government price based on a unit of one, exclusive of any quantity/dollar volume, prompt payment, or any other concession affecting price. Those contracts that have unit prices based on the geographic location of the customer, should show the range of the lowest price, and cite the areas to which the prices apply.

1147	1" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per roll	\$5.04
------	--------------	---	----------	--------

1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided. If hourly rates are not applicable, indicate "Not applicable" for this item.

2. Maximum order. \$500,000
3. Minimum order. \$100
4. Geographic coverage (delivery area). CONUS
5. Point(s) of production - Various USA locations
6. Discount from list prices or statement of net price. GSA net prices.
7. Quantity discounts- 3-5% for one case and below.
7% for single purchases of cases in excess of \$25,000
8. Prompt payment terms. 1% w/i 10 days

9a. Notification that Government purchase cards are accepted at or below the micro-purchase threshold. Yes

9b. Notification whether Government purchase cards are accepted or not accepted above the micro-purchase threshold. Yes

10. Foreign items (list items by country of origin). None

11a. Time of delivery. (Contractor insert number of days.) 10 – 30Days ARO

11b. Expedited Delivery. The Contractor will insert the sentence "Items available for expedited delivery are noted in this price list." under this heading. The Contractor may use a symbol of its choosing to highlight items in its price lists that have expedited delivery. Contact Maxi Adhesive



- 11c. Overnight and 2-day delivery. Contact Maxi Adhesive Products, Inc.
- 11d. Urgent Requirements. – Contact Maxi Adhesive Products, Inc.
12. F.O.B. point(s). Destination within the 48 contiguous States
- 13a. Ordering address(es). 217 Forest Road Greenfield, NH 03047
- 13b. Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.
14. Payment address(es). PO Box 1030 Greenfield, NH 03047
15. Warranty provision. Standard Commercial Warranty
16. Export packing charges, if applicable. Not Applicable
17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level). None
18. Terms and conditions of rental, maintenance, and repair (if applicable). Not Applicable
19. Terms and conditions of installation (if applicable). Not Applicable
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable). Not Applicable
- 20a. Terms and conditions for any other services (if applicable) Not Applicable
21. List of service and distribution points (if applicable). Not Applicable
22. List of participating dealers (if applicable). Not Applicable
23. Preventive maintenance (if applicable). Not Applicable
- 24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants). Not Applicable
- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at: www.Section508.gov/.
25. Data Universal Number System (DUNS) number. 966265691
26. Notification regarding registration in Central Contractor Registration (CCR) database. Maxi Adhesive is registered.

Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

Flash Tape

Maxi Adhesive's pressure sensitive masking tapes for the aerospace industry are easy to apply, provide excellent chemical and temperature resistance and remove cleanly.



- FB-1 BLUE.....1 MIL PET
- FB-2 BLUE.....2 MIL PET
- FB-5 BLUE.....5 MIL PET
- stocked in 1" and 2" widths, other widths available on request



Speed Tape

Aluminum foil tapes for specialty masking applications. Used for waterproofing, vapor barrier, chemical paint stripping and air leakage applications.



- 12RAF-1.2 mil alum/rubber adhesive
- 12AAF-1.2 mil alum/acrylic adhesive
- 20RAF-2.0 mil alum/rubber adhesive
- 20AAF-2.0 mil alum/acrylic adhesive
- 30AAF-3.0 mil alum/acrylic adhesive
- 50AAF-5.0 mil alum/acrylic adhesive
- 20ASW-2.0 mil alum/no liner acrylic
- 30ASW-3.0 mil alum/no liner acrylic
- AFSKA-4.8 mil scrim alum/acrylic
- AFSKR-4.8 mil scrim alum/rubber
- Standard widths-2", 3", 4" and 6"



Carpet Tapes

Heavy-duty, double coated cloth tape for carpet installation on passenger compartment floors. Easily re-aligns and resists curl. Removes without residue. Meets FAR 25.853 and BMS 5-133E Type II, Class 1 and Class 2. #PART NUMBER #108



Leading Edge Tape

Exterior surface protection film for aircraft leading and trailing edges. Protects aluminum skin from foreign object damage and rain erosion. Flexible, tough, and UV resistant #PART NUMBER #8300



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

Plasma Spray

Used to protect surface areas during grit blasting and thermal spraying. Very abrasion and thermal resistant. Removes easily and cleanly without leaving a residue.



- Fiberglass w/ silicone.....436G
- Fiberglass w/ acrylic.....430A
- Fiberglass w/rubber.....420R
- Double-sided adhesive/s....437GD
- Aluminum Foil /fiberglass.....2508



Available in all widths needed



Teflon Tapes

Excellent electrical, mechanical and chemical properties. Used in electrical applications such as harness/coil wraps & separators, transformers and as a primary insulation. Meets AA-59474 Type 1



- 2 mil Skived#445
- 5 mil Skived.....#115
- 10 mil Skived.....#115-10
- 3 mil Teflon coated glass cloth#1085
- 5 mil Teflon coated glass cloth#8505
- 10 mil Teflon coated glass cloth#8510

Other types available, data sheets available upon request.



F-4 Tape

F4 Tape was the name given by servicemen of the Navy, Air Force and Marine Corp., the high temperature high performance electrical tape was used extensively on the F-4 Phantom. Today this tape is known as self-fusing Silicone rubber, tape.



Available in 1" and 2" widths.

Bonds instantly when stretched and wrapped on any surface. Convenient tearable liner. Forms a water and air tight seal instantly.



Surface Protection Tapes

Heavy duty surface protection films for most metals and plastics. Used to prevent chipping, scratching, and abrasion. Squeak and rattle reduction. Insulation and sound dampening. "Wing Walk" protection.



- Protective Paper w/rubber.#2730A
- UV Resistant Sealing & Preservation#5410

- Finline Masking.....#3305
- Low Stretch Finline Masking#1776A



- PE Protective Tape.....#5560
- PU Protective Tape.....#8450
- Helicopter Tape.....#8300

Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

GSA Pricelist:

DEALER PART NUMBER (if applicable)	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA Price
#14450 NOMEX	1" X 55 YDS.	#14450 Nomex substrate insulating tape. A superior heat resistant tape, with stable electrical insulation even under high temperatures. Puncture resistant, with good flexibility to wrap coils. Solvent resistant, and flame retardant. Available in a variety of widths by 55 yds.	per roll	\$41.15
#14450 NOMEX	1 1/2" X 55 YDS.	#14450 Nomex substrate insulating tape. A superior heat resistant tape, with stable electrical insulation even under high temperatures. Puncture resistant, with good flexibility to wrap coils. Solvent resistant, and flame retardant. Available in a variety of widths by 55 yds.	per roll	\$61.72
#14450 NOMEX	2" X 55 YDS.	#14450 Nomex substrate insulating tape. A superior heat resistant tape, with stable electrical insulation even under high temperatures. Puncture resistant, with good flexibility to wrap coils. Solvent resistant, and flame retardant. Available in a variety of widths by 55 yds.	per roll	\$82.29
S345	1" X 60 YDS.	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per roll	\$20.91
S345	2" X 60 YDS.	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per roll	\$41.05
S345	3" X 60 YDS	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per roll	\$61.57
S345	4" X 60 YDS.	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per roll	\$82.10
#1147 LDPE	1" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per roll	\$5.08
#1147 LDPE	2" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per roll	\$10.16
#1147 LDPE	3" X 36 YDS	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per roll	\$15.25
#1147 LDPE	4" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per roll	\$20.33
#1147 LDPE	6" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per roll	\$30.49
#50HT YELLOW	1" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per roll	\$9.82
#50HT YELLOW	2" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per roll	\$19.64



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#50HT YELLOW	3" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per roll	\$29.47
#50HT YELLOW	4" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per roll	\$39.29
#50HT YELLOW	6" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per roll	\$58.93
FA-UHB10B FOAM	1/4" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per roll	\$13.19
FA-UHB10B FOAM	3/8" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per roll	\$19.25
FA-UHB10B FOAM	1/2" X 36 YDS	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per roll	\$25.51
FA-UHB10B FOAM	3/4" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per roll	\$38.31
FA-UHB10B FOAM	1" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per roll	\$50.82
#5AT- ADHESIVE TRANSFER	3/4" X 60 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per roll	\$16.89
#5AT- ADHESIVE TRANSFER	1" X 60 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per roll	\$22.53
#5AT- ADHESIVE TRANSFER	2" X 60 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per roll	\$45.05
#76 FIBERGLASS CLOTH	2" X 127 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per roll	\$148.95
#48-1272 1 MIL FLASH	1/2" X 72 YDS	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per roll	\$5.38
#48-3472	3/4" X 72 YDS	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per roll	\$6.69
#48-0172	1" X 72 YDS.	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per roll	\$8.89
#48-11272	1 1/2" X 72 YDS.	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per roll	\$13.34



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#48-272	2" X 72 YDS.	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per roll	\$17.79
#48-372	3" X 72 YDS	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per roll	\$26.68
#957-1272 2 MIL FLASH	1/2" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per roll	\$7.43
#957-3472	3/4" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per roll	\$8.89
#957-172	1" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per roll	\$11.83
#957-11272	1 1/2" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per roll	\$17.74
#957-272	2" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per roll	\$23.65
#957-372	3" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per roll	\$35.48
#548-1236 5 MIL FLASH	1/2" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per roll	\$7.43
#548-3472	3/4" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per roll	\$8.89
#548-172	1" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per roll	\$11.83
#548-11272	1 1/2" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per roll	\$17.74
#548-272	2" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per roll	\$23.65
#548-372	3" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per roll	\$35.48
#11530-136 3MIL PTFE	1" X 36 YDS.	#11503 PTFE impregnated fiberglass cloth, coated with a high temperature silicone adhesive. Excellent chemical, mechanical, and electrical properties. Low friction surface, abrasion resistant, available with or without a liner. Operating temperature -100°F to 500°F. Available in a variety of widths unto 36" wide x 36 yards long. Pricing is proportional, designed to meet MIL-I-18746. Minimum order required.	per roll	\$28.83



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#11530-236	2" X 36 YDS.	#11503 PTFE impregnated fiberglass cloth, coated with a high temperature silicone adhesive. Excellent chemical, mechanical, and electrical properties. Low friction surface, abrasion resistant, available with or without a liner. Operating temperature -100°F to 500°F. Available in a variety of widths unto 36" wide x 36 yards long. Pricing is proportional, designed to meet MIL-I-18746. Minimum order required.	per roll	\$57.66
#11530-2108	2" X 108 YDS.	#11503 PTFE impregnated fiberglass cloth, coated with a high temperature silicone adhesive. Excellent chemical, mechanical, and electrical properties. Low friction surface, abrasion resistant, available with or without a liner. Operating temperature -100°F to 500°F. Available in a variety of widths unto 36" wide x 36 yards long. Pricing is proportional, designed to meet MIL-I-18746. Minimum order required.	per roll	\$172.99
#PTFE-HD2 2MIL PTFE	1/2" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength then regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per roll	\$57.08
#PTFE-HD2 2MIL PTFE	1 1/2" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength then regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per roll	\$85.42
#PTFE-HD2 2MIL PTFE	2" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength then regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per roll	\$113.86
#PTFE-HD2 2MIL PTFE	3" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength then regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per roll	\$170.54
#PTFE-HD2 2MIL PTFE	36" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength then regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per roll	\$1,832.49
#1510-10 MIL PTFE	1" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in a widths up to 36" x 36 yds. in length. Pricing is proportional.	per roll	\$47.21
#1510-10 MIL PTFE	1 1/2" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per roll	\$70.66
#1510-10 MIL PTFE	2" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per roll	\$94.12
#1510-10 MIL PTFE	3" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per roll	\$140.74
#1510-10 MIL PTFE	36" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per roll	\$1,512.91
#436G-1236 GLASS CLOTH	1/2" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$10.41
#436G-3472	3/4" X 36 YDS	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$15.39



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#436G-172	1" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$18.37
#436G-11236	1 1/2" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$27.32
#436G-236	2" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$36.31
#436G-336	3" X 36 YDS	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$54.19
#436G-3636	36" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per roll	\$561.57
#1956AL-ALUM/GC	1" X 36 YDS.	#1956AL-High temperature, heat reflective wire harness tape that has been designed to meet specification MIL-I-83284. Excellent choice for applications requiring a combination of conformability and high abrasion resistance. A wide range of widths available x 36 yds. standard length. Pricing is proportional, minimum order required.	per roll	\$39.09
#1956AL-ALUM/GC	2" X 36 YDS	#1956AL-High temperature, heat reflective wire harness tape that has been designed to meet specification MIL-I-83284. Excellent choice for applications requiring a combination of conformability and high abrasion resistance. A wide range of widths available x 36 yds. standard length. Pricing is proportional, minimum order required.	per roll	\$78.19
#687-1 MIL POLYIMIDE	1/2' X 36 YDS.	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per roll	\$7.57
#687-1 MIL POLYIMIDE	3/4" X 36 YDS.	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per roll	\$11.39
#687-1 MIL POLYIMIDE	1" X 36 YDS	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per roll	\$15.15
#687-1 MIL POLYIMIDE	2" X 36 YDS	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per roll	\$30.30
#14450 NOMEX	1" X 55 YDS.	#14450 Nomex substrate insulating tape. A superior heat resistant tape, with stable electrical insulation even under high temperatures. Puncture resistant, with good flexibility to wrap coils. Solvent resistant, and flame retardant. Available in a variety of widths by 55 yds.	per Case	\$1,450.70
#14450 NOMEX	1 1/2" X 55 YDS.	#14450 Nomex substrate insulating tape. A superior heat resistant tape, with stable electrical insulation even under high temperatures. Puncture resistant, with good flexibility to wrap coils. Solvent resistant, and flame retardant. Available in a variety of widths by 55 yds.	per Case	\$1,450.70



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#14450 NOMEX	2" X 55 YDS.	#14450 Nomex substrate insulating tape. A superior heat resistant tape, with stable electrical insulation even under high temperatures. Puncture resistant, with good flexibility to wrap coils. Solvent resistant, and flame retardant. Available in a variety of widths by 55 yds.	per Case	\$1,934.27
S345	1" X 60 YDS.	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per Case	\$737.41
S345	2" X 60 YDS.	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per Case	\$964.84
S345	3" X 60 YDS	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per Case	\$964.84
S345	4" X 60 YDS.	Speed Tape, a self-wound aluminum foil tape, single-coated with an acrylic adhesive. Excellent heat deflector, and vapor barrier. Used for aircraft painting/masking, designed to meet FAR 25.853 (a), and MIL-T-23397B. Available in a variety width. Pricing is proportional.	per Case	\$964.84
#1147 LDPE	1" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per Case	\$238.91
#1147 LDPE	2" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per Case	\$238.91
#1147 LDPE	3" X 36 YDS	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per Case	\$238.91
#1147 LDPE	4" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per Case	\$238.91
#1147 LDPE	6" X 36 YDS.	#1147 IS 5.5 mil low density polyethylene film coated on one side with a synthetic rubber adhesive. Remains permanently tacky and bonds well to most surfaces. Highly conformable, waterproof and resistant to chemical deterioration. Available in a variety of widths by 36 yds. Pricing is proportional.	per Case	\$238.91
#50HT YELLOW	1" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per Case	\$346.31
#50HT YELLOW	2" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per Case	\$461.74
#50HT YELLOW	3" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per Case	\$461.74
#50HT YELLOW	4" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per Case	\$461.74
#50HT YELLOW	6" X 72 YDS.	#50HT is a high temperature masking tape used for heavy duty hold down applications when a high level of adhesion is required. Removes easily after use, ideal for holding in place heavier non-woven breather materials. Pricing is proportional, available in a variety of widths.	per Case	\$461.74
FA-UHB10B FOAM	1/4" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per Case	\$620.25



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

FA-UHB10B FOAM	3/8" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per Case	\$603.41
FA-UHB10B FOAM	1/2" X 36 YDS	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per Case	\$599.58
FA-UHB10B FOAM	3/4" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per Case	\$600.34
FA-UHB10B FOAM	1" X 36 YDS.	Double coated foam with an acrylic adhesive with a special composition giving excellent all around bonding properties and unique characteristics that allows for a very high performance in the most demanding applications. Available in a variety of widths, lengths and thicknesses. Pricing will vary-	per Case	\$597.28
#5AT-ADHESIVE TRANSFER	3/4" X 60 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per Case	\$1,190.88
#5AT-ADHESIVE TRANSFER	1" X 60 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per Case	\$1,191.40
#5AT-ADHESIVE TRANSFER	2" X 60 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per Case	\$1,191.40
#76 FIBERGLASS CLOTH	2" X 127 YDS.	#5AT is a high peel and tack laminating transfer adhesive. Excellent initial peel, and fast wet out. Used for kiss cut and component assembly applications. Available in various widths and lengths. Pricing is proportional.	per Case	\$1,021.12
#48-1272 1 MIL FLASH	1/2" X 72 YDS	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per Case	\$379.04
#48-3472	3/4" X 72 YDS	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per Case	\$314.72
#48-0172	1" X 72 YDS.	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per Case	\$313.57
#48-11272	1 1/2" X 72 YDS.	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per Case	\$418.10
#48-272	2" X 72 YDS.	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per Case	\$418.10
#48-372	3" X 72 YDS	#48 1 Mil Flash Tape is a general purpose high temperature, silicone adhesive tape. Easy to apply, and provides excellent chemical and temperature resistant. Removes cleanly, leaves no residue available in a variety of widths. Designed to meet LT-100 specifications . Pricing is proportional, 1" x 72 yds. / 36 rolls/cs	per Case	\$418.10
#957-1272 2 MIL FLASH	1/2" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per Case	\$523.77
#957-3472	3/4" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per Case	\$418.10



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#957-172	1" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per Case	\$416.95
#957-11272	1 1/2" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per Case	\$555.93
#957-272	2" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per Case	\$555.94
#957-372	3" X 72 YDS.	#957 2 mil Flash Tape is an all-purpose, high temperature, polyester silicone tape. Easy to apply, and provides excellent chemical and temperature resistance. Removes cleanly, no residue. Designed to meet specification LT-100.	per Case	\$555.93
#548-1236 5 MIL FLASH	1/2" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per Case	\$523.77
#548-3472	3/4" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per Case	\$418.10
#548-172	1" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per Case	\$418.10
#548-11272	1 1/2" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per Case	\$555.93
#548-272	2" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per Case	\$555.93
#548-372	3" X 36 YDS.	#548 - 5 mil Flash Tape is an all-purpose heavy duty, high temperature, silicone adhesive tape. #548 is a 5 mil high tensile polyester film coated with 1 1/2 mils of fully cured silicone adhesive. Available in a variety of widths, pricing is proportional 1" x 36 yds. (36 rolls/cs). Designed to meet specification L-T-100	per Case	\$555.93
#11530-136 3MIL PTFE	1" X 36 YDS.	#11503 PTFE impregnated fiberglass cloth, coated with a high temperature silicone adhesive. Excellent chemical, mechanical, and electrical properties. Low friction surface, abrasion resistant, available with or without a liner. Operating temperature -100°F to 500°F. Available in a variety of widths unto 36" wide x 36 yards long. Pricing is proportional, designed to meet MIL-I-18746. Minimum order required.	per Case	\$1,016.52
#11530-236	2" X 36 YDS.	#11503 PTFE impregnated fiberglass cloth, coated with a high temperature silicone adhesive. Excellent chemical, mechanical, and electrical properties. Low friction surface, abrasion resistant, available with or without a liner. Operating temperature -100°F to 500°F. Available in a variety of widths unto 36" wide x 36 yards long. Pricing is proportional, designed to meet MIL-I-18746. Minimum order required.	per Case	\$1,355.37
#11530-2108	2" X 108 YDS.	#11503 PTFE impregnated fiberglass cloth, coated with a high temperature silicone adhesive. Excellent chemical, mechanical, and electrical properties. Low friction surface, abrasion resistant, available with or without a liner. Operating temperature -100°F to 500°F. Available in a variety of widths unto 36" wide x 36 yards long. Pricing is proportional, designed to meet MIL-I-18746. Minimum order required.	per Case	\$3,049.57
#PTFE-HD2 2MIL PTFE	1/2' X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength than regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per Case	\$2,014.29



Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

#PTFE-HD2 2MIL PTFE	1 1/2" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength than regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per Case	\$2,007.78
#PTFE-HD2 2MIL PTFE	2" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength than regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per Case	\$2,007.20
#PTFE-HD2 2MIL PTFE	3" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength than regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per Case	\$2,004.33
#PTFE-HD2 2MIL PTFE	36" X 36 YDS.	PTFE-HD is a high density, sensitized skived PTFE film, which provides higher tensile strength, lower elongation, and a higher dielectric strength than regular skived ptfе film. Designed to meet specifications AA-549474, Type 1 and, MIL-I-23594C, Type 1. Available in a variety of widths unto 36" wide x 36 yds. long. pricing is proportional, minimum order required	per Case	\$1,794.71
#1510-10 MIL PTFE	1" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in a widths up to 36" x 36 yds. in length. Pricing is proportional.	per Case	\$1,664.34
#1510-10 MIL PTFE	1 1/2" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per Case	\$1,660.90
#1510-10 MIL PTFE	2" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per Case	\$1,659.17
#1510-10 MIL PTFE	3" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per Case	\$1,654.01
#1510-10 MIL PTFE	36" X 18 YDS.	#1510-10 is pure skived PTFE coated with a high temperature silicone adhesive. Used in electrical applications where good insulation and heat resistance are required. Designed to meet specification MIL-P-27730A. Available in widths up to 36" x 36 yds. in length. Pricing is proportional.	per Case	\$1,481.71
#436G-1236 GLASS CLOTH	1/2" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per Case	\$733.77
#436G-3472	3/4" X 36 YDS	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per Case	\$723.63
#436G-172	1" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per Case	\$647.82
#436G- 11236	1 1/2" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per Case	\$642.08
#436G-236	2" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per Case	\$640.07
#436G-336	3" X 36 YDS	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available	per Case	\$636.91

Maxi Adhesive Products

Specializing in quality industrial-strength adhesive tapes

		in widths unto 36" wide, 36 yds. long. Pricing is proportional.		
#436G-3636	36" X 36 YDS.	#436G is an electrical grade Glass Cloth with Silicone Adhesive. Conformable, chemical and solvent resistant. Designed for use in strategic area masking of areas in thermal spray/plasma spray applications, used for insulation of electrical apparatus. Designed to meet MIL_I_19166C. Available in widths unto 36" wide, 36 yds. long. Pricing is proportional.	per Case	\$549.99
#1956AL-ALUM/GC	1" X 36 YDS.	#1956AL-High temperature, heat reflective wire harness tape that has been designed to meet specification MIL-I-83284. Excellent choice for applications requiring a combination of conformability and high abrasion resistance. A wide range of widths available x 36 yds. standard length. Pricing is proportional, minimum order required.	per Case	\$1,378.34
#1956AL-ALUM/GC	2" X 36 YDS	#1956AL-High temperature, heat reflective wire harness tape that has been designed to meet specification MIL-I-83284. Excellent choice for applications requiring a combination of conformability and high abrasion resistance. A wide range of widths available x 36 yds. standard length. Pricing is proportional, minimum order required.	per Case	\$1,837.78
#687-1 MIL POLYIMIDE	1/2' X 36 YDS.	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per Case	\$534.11
#687-1 MIL POLYIMIDE	3/4" X 36 YDS.	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per Case	\$535.25
#687-1 MIL POLYIMIDE	1" X 36 YDS	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per Case	\$534.11
#687-1 MIL POLYIMIDE	2" X 36 YDS	#687 is 1 1 mil polyimide film coated with a high temperature pressure sensitive silicone adhesive. An excellent electrical insulator, thin and conformable, has outstanding tear resistance at elevated temperatures. Holds firmly without flagging, and strips cleanly when removed. Available in a variety of widths, pricing is proportional. Designed to meet MIL-P-46112, Type I. Other mil thicknesses, and adhesive types available.	per Case	\$712.14

