



KONICA MINOLTA

General Services Administration

**FEDERAL ACQUISITION SERVICE
Authorized Federal Supply Schedule Price List**

**Contract #GS-25F-0030M
Effective 10/1/06 - 9/30/2011**

**FSC GROUP 36
OFFICE, IMAGING & DOCUMENT SOLUTIONS PRODUCTS & SERVICES**

**Konica Minolta Business Solutions U.S.A., Inc.
2120 Washington Blvd., Suite 450
Arlington, VA 22204
(703) 553-6000 * (800) 331-0561 Tel
(703) 271-1188 Fax**

**Business Size: Large Cage Code: 3AV14
DUNS #: 62-657-8041 Tax ID: 13-1921089
www.kmbs.konicaminolta.us**



SECTION A

Information for Ordering Activities and General Terms & Conditions	A-1
--------------------------------------------------------------------------	-----

SECTION B

Terms & Conditions for Lease-To-Own Plan LTOP 51-48 and Operating Lease Plan 51-58a	B-1
----------------------------------------------------------------------------------------------	-----

SECTION C

Terms & Conditions for Rental 51-55	C-1
Terms & Conditions for Rental 51-100C	C-3

SECTION D

Terms & Conditions for Maintenance Plans 51-57	D-1
------------------------------------------------------	-----

SECTION E

GSA Pricing & Specifications - *Black/White Digital Copiers*

bizhub 200	E-1
bizhub 250	E-3
bizhub 350	E-5
bizhub 360	E-7
bizhub 420	E-9
bizhub 500	E-11
bizhub 600	E-13
bizhub 750	E-15
bizhub PRO 920	E-17
bizhub PRO 1050	E-19

Configuration Charts - *Black/White Digital Copiers*

bizhub 200, 250, 350, 360, 420, 500	E-21
bizhub 600, 750, 920 PRO, 1050 PRO	E-22

GSA Pricing & Specifications - *Full Color Digital Copiers*

bizhub C353	E-23
bizhub PRO C500	E-26
bizhub C550	E-29
bizhub PRO C6500	E-32

Configurations Charts - *Full Color Digital Copiers*

bizhub C353, C500 PRO	E-35
bizhub C550, C6500 PRO	E-36

12. F.O.B. POINTS

All items included in this schedule are delivered FOB Destination within the 48 contiguous states and the District of Columbia. Delivery to Alaska, Hawaii and Puerto Rico are on an Open Market FOB Origin basis. If premium routing is requested, the additional charge shall be added as a separate item to KMBS's invoice on an Open Market basis. Prices include delivery to the customer location. Customers will be responsible for the expense necessitated by the need for rigging. Rigging is defined as inside delivery to the point of installation when adequate elevators are not available, requiring carrying equipment upstairs, through windows, etc. When rigging is required, it will be billed on an Open Market basis.

13a. ORDERING ADDRESS

All orders should be issued to Konica Minolta Business Solutions U.S.A., Inc. and sent to the following address:

Konica Minolta Business Solutions U.S.A., Inc.
c/o Selling Branch/Dealer (if applicable)
2120 Washington Blvd., #450
Arlington, VA 22204
703-553-6000 Tel
703-271-1188 Fax

13b. ORDERING PROCEDURES

For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules). No deviations from the terms/conditions of this schedule are authorized. All purchase orders must include:

- Contract Number
- Special Item Number (SIN)
- BPA number, if applicable
- Quantity, description and pricing extension of items being ordered
- Model (model of the supply item needed)
- Ship-to and Bill-to Information
- Term of Agreement
- Copier and Accessory serial numbers (renewal only)
- Rate, Copy Allowance and Excess Copy Charge
- Physical Location of Copier
- Point of Contact, Name and Number
- Servicing Dealer, Name and Address (if applicable)

14. PAYMENT ADDRESS

Payment should be made to Konica Minolta Business Solutions U.S.A., Inc. and sent to the "remit-to" address on the invoice.

15. WARRANTY PROVISIONS

Purchase, LTOP, OLP, and Rental Conversion to Purchase/LTOP, Copier and Accessory Warranty:

For a period of ninety (90) days after acceptance by the Government, all necessary adjustments and parts replacement on equipment procured hereunder, not occasioned by accident or misuse through fault or negligence by the

Government, shall be provided by KMBS, including transportation cost, if any. KMBS warrants that its copiers will be free of defects in material and workmanship and will replace or repair copiers which are found to be defective under this warranty.

Notwithstanding the Government's right under the Inspection and Disputes Clause other than the obligation of KMBS expressly set forth herein, KMBS disclaims all warranties, expressed or implied, including but not limited to any implied warranties of merchantability or fitness for a particular purpose. The foregoing constitutes KMBS's sole obligation with respect to damages, whether direct, incidental or consequential, resulting from the use or performance of copiers. The ninety (90) day warranty does not apply to any consumable supply item, including, but not limited to, drums and paper. During the warranty period, all consumable items, except toner, must be installed by KMBS at specific copy volume intervals.

The Government will be charged for labor for such installation at the rates listed for Hourly Repair (SIN 51-56). This charge will be waived if at the time of installation, the Government has issued a purchase order to KMBS for either a Full Service Maintenance Agreement or Cost-Per-Copy Maintenance Agreement to be effective at the expiration of the ninety (90) day warranty period.

Parts Warranty - For a period of ninety (90) days after acceptance by the Government, KMBS will replace any defective part not occasioned by accident or misuse through fault or negligence by the Government. Labor for the replacement of the defective part will also be provided by KMBS. The costs of other repair work performed at the same time of the replacement of the defective part will be paid to KMBS by the Government.

Consumable Supply Warranty - KMBS's Drum Warranty Schedule may be found in the Drum Warranty section of this catalog. KMBS warrants photoreceptor drums under normal use and service to be free from defects in material and workmanship on a prorated basis for a maximum period of twelve (12) months or a maximum number of copies from the date of installation, whichever comes first. KMBS will provide a credit to the customer towards a replacement drum if the drum in the copier fails to operate within the maximums indicated in the Schedule. Tables contained in the Drum Warranty Schedule, indicate by model what percentage of warranty is applied depending on the month of failure for the drum as well as the number of copies at failure. In all cases, when the month of failure does not correspond to the copies at failure, the lesser credit will be applied to the replacement drum price. All other consumable supplies are warranted by KMBS to be free from defects at time of purchase.



16. EXPORT PACKING CHARGES

Export Packing is available for most products at standard commercial rates on an Open Market basis.

17. GOVERNMENT PURCHASE CARD

At the Governments option, payments of \$25,000 or less for oral or written delivery orders may be made using the Government commercial credit card. "Oral delivery orders" are orders placed orally in person or by phone which is paid for by a government commercial credit card. KMBS will not process the transaction for payment through the credit card clearinghouse until the purchased items have been shipped or services have been performed. Unless the cardholder requests correction or replacement of a defective item in accordance with other contract requirements, KMBS shall immediately credit a cardholder's account for items returned as defective.

18. TERMS & CONDITIONS - RENTAL & MAINTENANCE

Please see Sections C & D of this Price List.

19. INSTALLATION

KMBS does not charge for installation or delivery of copiers.

20. REPAIR PARTS

Repair parts are available through KMBS authorized dealers and the KMBS Direct Branch Organization.

21. SERVICE & DISTRIBUTION POINTS

Our site <http://kmbs.konicaminolta.us> has a listing of KMBS's service and distribution points. Once there, you may click on "Sales/Service Locator" and enter the zip code of any office requiring sales or service. This list is updated daily so current information is always available.

22. PARTICIPATING DEALERS: N/A

For a list of KMBS authorized dealers, please visit www.kmbs.konicaminolta.us.

23. PREVENTIVE MAINTENANCE

All copiers installed on this contract and covered by a current maintenance agreement will have preventative maintenance (PM) performed regularly in accordance with KMBS' copier maintenance standards. This service will be performed when the copiers reach the prescribed PM copy volume as dictated by KMBS's engineers.

24a. ENVIRONMENTAL ATTRIBUTES

KMBS is aware of the magnitude of global environmental problems and continually takes autonomous and proactive measures to protect the environment. Environmental Preservation Action Policies include:

- 1) Consistent implementation of environmental management systems throughout the company based on ISO 14001 requirements.
- 2) Reduction of resource and energy consumption and waste generation at all levels of operations.

3) Development of environmentally conscious products that offer the highest possible energy efficiency, improved ease of recycling and minimum content of substances that might negatively impact the environment.

4) Green procurement procedures, collecting from suppliers precise data on parts and materials.

ISO 14001 certification is accredited third-party verification that provides a formal structure for environmental management. The requirements of ISO 14001 cover the main principles of professional management and are based on the cyclical process of plan, implement, check and review. The standard outlines 21 specific requirements for areas of management control, grouped under policy, planning, implementation and operation, checking and corrective action and management review. The intent of ISO 14001 is to support environmental protection and prevention of pollution.

24b. SECTION 508 COMPLIANCE

KMBS takes compliance with Section 508 seriously and has developed a rigorous process to ensure that our products are easy to use. Section 508, part of the Rehabilitation Act of 1973, requires that electronic and information technology developed, procured, maintained or used by the U.S. Federal Government be accessible to individuals with disabilities.

KMBS designs and manufactures products that enable all people to access and use quality images, making them more productive and efficient in the working world. The ideals of Section 508 are designed into all KMBS products. KMBS's design philosophy requires that accessibility should be considered from the beginning and be incorporated into core requirements, that accessibility features will not restrict functionality, that the design process will incorporate accessibility and usability evaluations, and that products will be compatible with personal assistive technologies and devices commonly used by impaired operators. The application of this philosophy ensures that KMBS customers benefit from state-of-the-art technology and features that make our products easy to access as well as operate, including front-loading paper trays, adjustable display contrasts, convenient heights and reach, and easily accessible machine interiors for adding toner and replacing imaging cartridges. Detailed information by model regarding KMBS's Section 508 Compliance can be obtained from:

<http://www.kmbs.konicaminolta.us/eprise/main/KMBS/About/General/Detail/Section508>

25. DUNS NUMBER: 62-657-8041

CAGE CODE: 3AV14

26. CENTRAL CONTRACTOR REGISTRATION: Yes

27. ORDER OF PRECEDENCE

Orders placed under this contract shall be governed by the prices and terms of this contract at time of order only, regardless of any prices, terms, or omissions on order documents.



Customer Information and General Terms & Conditions

28. TRADE-INS

Trade-Ins are not included in this contract and will be considered as Open Market items.

29. EXCLUSIONS

KMBS reserves the right to return orders requiring installation in remote areas not readily or adequately serviced by KMBS.

30. OPEN MARKET

Orders not issued as stated in this catalog and orders placed directly with anyone other than Konica Minolta Business Solutions U.S.A., Inc. are Open Market and as such, this contract number may not be used. No deviation from terms and conditions specified in this schedule is authorized.

31. METER READINGS

The Government will submit meter readings to KMBS via telephone, fax, web, or email, contact initiated by KMBS, or any other means authorized by KMBS.

Estimated Meter Readings - It is the responsibility of the applicable agency to provide meter readings to KMBS in an agreed upon format. In the event a meter reading is not provided on a timely basis, KMBS may estimate the meter.

32. COMMERCIAL ELIGIBILITY

Government contractors may use this contract after being authorized in writing by the Federal Agency which awarded the contract to the contractor requesting GSA pricing. A written purchase order must be issued and must contain a statement as follows:

"This order is placed pursuant to written authorization from (Name of Government Agency)...(date), a copy of which is attached (or which you have on file-after the initial order). In the event of an inconsistency between the terms and conditions of this order and those of your Federal Supply Service Contract, the latter will govern."

Contractors certified to use this contract as a source of supply will use items ordered in the performance of the Federal Contract and shall notify KMBS promptly in writing in the event that the authorization furnished herein is terminated. Federal grantees are not permitted to use this contract as a source of supply.

33. ELECTRONIC FUNDS TRANSFER (EFT)

KMBS will accept payment by EFT method for all invoices. Please reference the following information:

Banc of America
777 Main Street
Hartford, CT 06115
Phone: 860-952-7490
Acct Name: Konica Minolta Business Solutions U.S.A., Inc.
Tax ID: 13-1921089
Account Number: 000050343564
Routing Number: 011900571

All remittance information not submitted with the EFT transmission should be forwarded to:

Konica Minolta Business Solutions U.S.A., Inc.
500 Day Hill Road, Dept. C403
Windsor, CT 06095

34. EQUIPMENT/ACCESSORY/SUPPLY RETURN POLICY

Requests for return authorizations due to a KMS error must be submitted within 30 days from the date of shipment to Government Marketing Division at 703-553-6000. The equipment being returned must be in new condition (unused) and should be returned in the original shipping container whenever possible. Any equipment that is returned without prior written approval from KMBS will be rejected.

Requests for return authorization due to a Government error must be submitted within 30 days from the date of shipment to KMBS Government Marketing Division at 703-533-6000 and will be subject to a 15% restocking charge. Equipment being returned must be in new condition (unused). Any equipment that is returned without prior written approval from KMBS will be rejected.

Receipt of Defective Equipment: If the Government receives a defective unit, at its option KMBS will:

- 1) repair the product at no charge using new replacement parts or
- 2) exchange the product with a product that is new or
- 3) refund the purchase price of the product. A replacement product assumes the remaining warranty of the original product or 90 days whichever provides longer coverage.

1. STATEMENT OF GOVERNMENT INTENT

For the purpose of this solicitation, Lease Term is defined as the duration of the lease in months (not to exceed 60 months) as shown on the Ordering Agency's initial delivery order. It is understood by all parties to this contract that this is a leasing arrangement. In that regard, the Government anticipates fulfilling the leasing agreement subject to the availability of appropriated funds and the continued needs of the Ordering Agency.

The Ordering Agency, upon issuance of any delivery order pursuant to Special Item Numbers (SIN's) 51-58, 51-58a, intends to use the equipment for the lease term specified in the initial delivery order so long as the needs of the Ordering Agency for the equipment or functionally similar equipment continues to exist and adequate funds are appropriated. Each lease hereunder shall be initiated by a delivery order which shall, either through a statement of work or other attachment specify the equipment being leased, and the terms of the transaction as required in other sections of SIN's 51-58, 51-58a. The lease commencement is the date of acceptance as defined by FAR Subpart 12.4

The first period or initial term of the leasing agreement will be through September 30th of the fiscal year in which the order is placed, or as extended by act of Congress, unless the ordering office has multi-year funding.

Ordering Agencies are advised to follow the guidance provided in Federal Acquisition Regulation (FAR) Subpart 7.4 Equipment Lease or Purchase, and to review the lease terms and conditions prior to ordering and obligating funding for a lease. Ordering Agencies are responsible for the obligation of the funding consistent with fiscal law when entering into any lease arrangement.

2. ORDERING PROCEDURES

- (1) Ordering Agencies are strongly encouraged to conduct a needs assessment prior to the procurement of copiers.
- (2) When the Ordering Agency expresses an interest in leasing a product(s), the Ordering Agency will provide the following information to the prospective vendors:
 - (i) Which product(s) is (are) required.
 - (ii) The required delivery date.
 - (iii) The proposed term of the lease.
 - (iv) Where the equipment is located.
 - (v) Description of the intended use of the equipment.
- (3) The contractor will respond with:
 - (i) Whether the contractor can provide the required equipment.
 - (ii) The monthly payment based on the rate and the initial and residual values of the equipment.
 - (iii) The estimated cost, if any, of applicable State or local taxes.
 - (iv) A confirmation of the availability of the equipment on the required delivery date.
 - (v) Extent of warranty coverage, if any, of the leased products.

(vi) Cite the cost of any mandatory maintenance as applicable.

(vii) The Termination Ceiling Charges, as applicable. (See Section 13, Early Termination Charges).

(4) The ordering agency and contractor shall agree upon a termination ceiling charge which is established in accordance with the appropriate formula in Section 13. Early Termination Charges (See FAR Subpart 17.1)

(5) The Contracting Officer shall insert the agreed upon termination ceiling charge for the first year in the order and modify it for successive years upon availability of funds.

3. ORDERS AND PERIOD OF LEASE ARRANGEMENTS

a. Lease Options: At a minimum, Ordering Agencies placing orders for equipment under a leasing arrangement must specify on the delivery order the applicable leasing SIN under which the equipment is being leased. 51-58 Lease to Ownership Plan (LTOP) (Lease/Purchase)(Copier) 51-58a Lease with Option to Own (Operating Lease) (Copier).

b. Annual Year Funding. When using annually appropriated funds when placing an order for leasing, the following applies:

(1) Any lease executed by the Ordering Agency shall be on the basis that the known requirements exceed the remainder of the fiscal year. Due to funding constraints however the Ordering Agency cannot normally commit to a term longer than one fiscal year at the commencement of the lease. To facilitate the exercise of renewal options for future fiscal years, the lease term will be specified in the delivery order. All orders for leasing shall remain in effect through the Gov't fiscal year (or as extended by Act of Congress), or the planned expiration date of the lease, whichever is earlier, unless the Ordering Agency exercises its rights hereunder to acquire title to the equipment prior to the planned expiration date. Despite the fact that the delivery order will specify the total lease term, orders under the lease shall not be deemed to obligate succeeding fiscal year's funds or to otherwise commit the Ordering Agency to a renewal.

(2) All orders for leasing automatically terminate at the end of the Government fiscal year (or as extended by Act of Congress) or the contract term, whichever is earlier. However, Ordering Agencies should notify the contractor in writing thirty (30) calendar days prior to the expiration of such orders as to the Government's intent to renew. Ordering Agencies are instructed to follow the guidelines set forth in Paragraph 14 of this section with regard to termination of lease terms for non-appropriation or agency decisions not to renew. Should Ordering Agencies decide to terminate the lease prior to the expiration of the lease term under any other condition other than those set forth in Paragraph 14, early termination charges shall apply, (See Section 13, Early Termination).



Terms & Conditions for LTOP SIN 51-58 & OLP SIN 51-58a

c. Multi-Year Funding Within contract Period: Where an Ordering Agency's specific appropriation authority provides for funds in excess of a 12 month (fiscal year) period, the Ordering Agency may place a schedule contract order for leasing for a period up to the expiration of its period of appropriation availability, or the expiration of the contract period whichever comes first, notwithstanding the intervening fiscal years.

d. In recognition of the types of products on this Schedule and the potential adverse impact to the Government's mission, the Government's quiet and peaceful possession and unrestricted use of the equipment shall not be disturbed in the event the equipment is sold by the Contractor, or in the event of bankruptcy of the contractor, corporate dissolution of the Contractor, or other event, so long as the Government is not in default. The equipment shall remain in the possession of the Government until the expiration of the lease. Any assignment, sale, bankruptcy, or other transfer of the leased equipment by the contractor will not relieve the Contractor of its obligations to the Government, and will not change the Government's duties or increase the burdens or risks imposed on the Government.

e. Assignment of Claims: In accordance with GSAR 552.232-23 Assignment of Claims under this contract, the Ordering Agency Contracting Officer may approve the assignment of claim for an order under these leasing Special Item Numbers (SINs) in accordance with FAR 32.803. Contractors cannot prohibit or otherwise limit the Government's ability to setoff lease payments under any lease or assignment of a lease.

f. Government Rights under Lease: The Government does NOT waive any performance requirements, warranty rights nor other contract or statutory rights, such as the right to set off payments against other Government debt, as a part of the lease. The Government's acceptance of an assignment of a lease, does not waive any of the Government contract provisions.

4. MAINTENANCE AND INSTALLATION

a. Maintenance and installation, when applicable, are not included in the lease payments. The Ordering Agency will obtain installation and/or maintenance from the contractor or a designated authorized service provider.

b. When installation and/or maintenance are to be performed by the Contractor, the payments, terms and conditions will be as stated in this contract. Maintenance payments and terms and conditions during subsequent renewal periods of this lease will be those of the prevailing GSA Schedule contract in effect.

5. MONTHLY PAYMENTS

a. Prior to the placement of an order under this SIN, the Ordering Agency and KMBS must agree on a "base value" for the products to be leased. The base value will be the contract purchase price (less any discounts). For operating leases the residual value is independent of the pur-

chase option price. The residual value will be used in the calculation of the original lease payment.

b. To determine the initial lease term payment, the contractor agrees to apply the negotiated lease factor to the agreed upon base value:

Examples: Lease factor one (1) percent over the rate for the three year (or other term) Treasury Bill (T-bill) at the most current U. S. Treasury auction. -OR-

The Contractor's most favored finance rate factor as agreed to during contract negotiations. -OR-

The lease payment may be calculated by using a programmed business calculator or by using "rate" functions provided in commercial computer spreadsheets (e.g., Lotus 1-2-3, Excel).

Lease Rate Factors: Monthly LTOP/OLP Rate Factors

TERM	LTOP	OLP/FMV
24	0.05363	0.04687
36	0.03757	0.03378
48	0.02965	0.02806
60	0.02503	0.02432
<i>The above rate factors include a 0.000267 factor for risk of loss</i>		

KMBS offers LTOP and FMV rates for all months 12-60. For these rates not shown herein, please contact the Federal Contracts Manager at 703-553-6000.

c. The purchase option price will be based upon the unamortized principle of the product. The payment will be based upon the unamortized principle, as shown on the payment schedule as of the last payment prior to date of transfer of ownership. In the event the Government desires, at any time, to acquire title to equipment leased hereunder, the Government may make a one time lump sum payment.

6. EXPIRATION OF LEASE TERM:

a. Upon the expiration of the Lease Term, the Ordering Agency will:

- (i) Upon 30 day written notice, return the Equipment to the Contractor or -
- (ii) Purchase the equipment at the fair market value of the equipment or;
- (iii) Obtain requirements in accordance with FAR 8.4 (Ordering Procedures) by issuing a new request for quote.

Note: Customers are advised to see paragraph 15-18 for additional lease expiration provisions.

7. ADDITIONS

For the purpose of this solicitation the definition of an addition is defined as follows: The addition of accessories features or other enhancements available for lease under this contract to an existing model (base unit) already installed. Additions shall not change the functionality of the installed equipment.

a. The ordering agency may require the contractor to modify existing leased equipment through order modifications, provided the modifications are customarily offered by the contractor for the equipment leased. The price of the modification will be mutually agreed upon by the ordering agency and the contractor. The ordering agency may pay for the modification at full price upon acceptance, or the modification price may be leased coterminous with the initial lease term. The contract lease interest rate in effect at the time of order of the modification will be used to calculate the monthly payment applicable to the modification. For 51-58a, residual value should be negotiated for the modification.

For example: Lease to Ownership

Price of the modification - \$1,000

Months remaining on the equipment lease - 19

Current contract lease factor at the time of the modification .045 for 24 mo lease, the term closest to remainder of lease.

Interest equivalent (i) for lease factor is 0.625% per month $[\text{rate}(N, \text{pmt}, \text{Price}) / \text{rate}(24, -0.045, 1)]$

Modification Payment \$55.98

$[\text{PMT}(i, N, P) / \text{PMT}(.625\%, 19, 1000)]$

b. The Ordering Agency may affix or install any accessory, addition, equipment or device on the equipment ("additions") provided that such additions:

- (1) can be removed without causing material damage to the equipment;
- (2) do not reduce the value of the equipment; and
- (3) are obtained from or approved by the contractor, and are not subject to the interest of any third party other than the contractor.

c. Any other additions may not be installed without the contractor's prior written consent. At the end of the lease term, the Government shall remove any additions which:

- (1) were not leased from the contractor, and
- (2) are readily removable without causing material damage or impairment of the intended function, use, or value of the equipment, and restore the equipment to its original configuration.

d. Any additions, which are not removable, will become the contractor's property (lien free).

e. Payment may be modified based on the schedule price adjusted to reflect the actual period until the end of the lease term.

f. Should the Ordering Agency elect to replace equipment under the lease, a new FAR 8.4 competition is required. This does not preclude substitution for failure to perform. Ordering Agencies are advised that when making the decision to conduct a new competition, consideration must be given to the early termination of existing equipment and/or the financial considerations involved with the rollover of existing equipment should the current contractor prevail. Ordering Agencies are strongly advised to perform a cost benefit analysis in accordance with their agency procedures and policies with regard to rollovers.

8. RISK OF LOSS OR DAMAGE

The Government is relieved from all risk of loss or damage to the equipment during periods of transportation, installation, and during the entire time the equipment is in possession of the Government, except when loss or damage is due to the fault or negligence of the Government. The Government shall assume risk of loss or damage to the equipment during relocation unless the Contractor shall undertake such relocation.

9. WARRANTY

In accordance with Clause 552.246-73 under this contract, the contractor's warranty, as stated in the contractor's GSA Authorized Price List, is applicable to the lease.

10. EQUIPMENT PERFORMANCE

a. The equipment supplied must be in operational or repairable condition throughout the term of the lease.

(1) Operational condition means the equipment is producing clear and clean copies, all mechanical accessories are operating as intended and in all respects the equipment is performing up to the standards in the manufacturer's specifications.

(2) Repairable condition means that the equipment can be repaired by a qualified technician within the terms of the maintenance agreement. Additionally, all required replacement parts are available and the equipment down time does not exceed that specified in the maintenance agreement.

b. After a thirty (30) day notice and cure period, if the equipment continues to fail to be operational or repairable as defined above, the Ordering Agency may take those remedies available to it under either the contractor warranty provisions or default clause set forth in FAR 52.212-4(m). Such recourse will not be the basis for increasing the monthly payment or extending the term of the lease.

c. Maintenance and Support: Preventive Maintenance: The contractor shall provide preventive maintenance at least equal to the commercial practice. Intervals between scheduled maintenance services shall be no greater than those provided to commercial customers for the same model of copier.

Response to Service Calls: At minimum, during normal working hours (as specified by the using activity), M-F (excluding holidays observed by the Government), the contractor shall respond to verbal or written requests for service calls. The contractor shall repair the copier within either nine (9) working hours or sixteen (16) working hours (as specified by the User Activity) after the verbal or written request for the service call. However, for copiers identified as critical, the contractor shall respond to verbal requests for service calls and shall repair the copier within four (4) working hours.

Copiers designated critical will be identified by the ordering activity in the order and shall not exceed 5% of the total number of copiers on the order. The contractor's response time on a service call starts, when authorized personnel of an ordering activity place a verbal request to the contractor for a service call or a written request is received by the contractor requesting a service call, whichever is earlier. Contractors are required to submit a contingency plan to maintain full and proper operation of copiers and to avoid extended delays for repair or replacement of copiers.

Repair and Maintenance Service: Offerors shall submit and include in their pricelist's, a list of Names, addresses, and phone number(s) of authorized representatives, responsible to the contractor, who may be contacted by ordering activities for repair and maintenance of equipment. Only those authorized representatives listed may render maintenance service, unless the list is subsequently modified by mutual agreement between the contractor and the Contracting Officer, to add or terminate authorized representatives.

11. TITLE

During the Lease Term, the equipment shall always remain the property of the contractor. The Government shall have no right or interest in the equipment except as provided in this leasing agreement and shall hold the equipment subject and subordinate to the rights of the contractor.

12. STATE AND LOCAL TAXES (52-229-1):

Notwithstanding the terms of the Federal, State, and Local Taxes Clause, the contract price excludes all State and Local taxes levied on or measured by the contract or sales price of the services or completed supplies furnished under this contract. The contractor shall state separately on its invoices taxes excluded from the contract price, and the Government agrees either to pay the amount of the taxes (based on the current value of the equipment) to the contractor or provide evidence necessary to sustain an exemption. See FAR clauses 52.229-1 State and Local Taxes; 52.229-3 Federal, State, and Local Taxes, which are incorporated by, reference.

13. EARLY TERMINATION CHARGES

Equipment leased under this agreement may be terminated at any time during a Government fiscal year by the Ordering Agency's Contracting Office responsible for the delivery order in accordance with FAR 52.212-4, paragraph (l) Termination for the Government's Convenience.

The Termination Ceiling Charge is a limit on the amount that a contractor may claim from the Ordering Agency on the termination for convenience of a lease or failure to renew a lease prior to the end of the lease term for reasons other than those set forth in section 14, Termination for Non-Appropriation. Termination ceiling charges will apply for each year of the lease term (See FAR 17.1). The Ordering Agency

and contractor shall establish a Termination Ceiling amount. The Contracting Officer shall insert the Termination Ceiling Charge for amount of the first year in the order and modify it for successive years upon availability of funds.

No claim will be accepted for future costs: supplies, maintenance, usage charges or interest expense beyond the date of cancellation. In accordance with the bona fide needs rule, all termination charges must reasonably represent the value the Ordering Agency received for the work performed at cancellation based upon the shorter lease term. No termination cost will be associated with the expiration of the lease term.

Formula 1: FOR Lease To Own (LTOP) SIN 51-58

Termination Fee = $\text{pmt}(i,n,P) * n - \text{sum of PMT} - \text{FMV}$

"P" = Schedule Price of equipment at time of order, inclusive of Ordering Agency negotiated price reductions should be considered.

"PMT" = Actual Monthly Payment paid on order to termination

"i" = Monthly Interest Rate applicable to the order

"n" = number of months from order to termination

"pmt" = Monthly payment corrected to actual lease term"

"FMV" = Fair Market Value of equipment if returned at termination. Unit price adjustments, residual or FMV values used to calculate operating leases, should not be considered

Formula 2: For Operating leases SIN 51 58a

Termination Fee = $\text{PV}(i, n, -\text{PMT})$

"PV"= Present Value

"i" = Interest rate per month, equal to the interest rate applicable to the calculation of the payment on the delivery order

"n"= Number of months remaining from termination date to the end of the lease term

"PMT" = Current monthly payment amount of the original payments through end of the lease

14. TERMINATION FOR NON-APPROPRIATION

The Ordering Agency reasonably believes that the bona fide need will exist for the entire lease term and corresponding funds in an amount sufficient to make all payment for the lease term will be available to the Ordering Agency. Therefore, it is unlikely that leases entered into under the SINS 51 58/Lease to Own (Copiers), 51 58a/Operating Lease (Copier), all other equipment will be terminated prior to the full lease term. Nevertheless, the Ordering Agency's Contracting Officer may terminate or not renew leases at the end of any initial base period or renewal period under this paragraph if (a) it no longer has a bona fide need the equipment or functionally similar equipment; or (b) there is a continuing need, but adequate funds have not been appropriated to the ordering agency in an amount sufficient to continue to make the lease payments. If this occurs, the Ordering Agency will promptly notify the contractor and the equipment lease will be cancelled at the end of the last fiscal year for which funds were appropriated. The determination of the availability of funds is made solely by the Government.

15. LEASE EXTENSIONS

Extension of the present lease term is not permitted. Future copier requirements shall be procured in accordance with FAR 8.4, FSS Ordering Procedures.

16. LEASE EXPIRATIONS - SIN 51-58/LTOP

Title to equipment installed under SIN 51-58 automatically transfers to the Government upon conclusion of the Lease Term Agreement.

17. LEASE EXPIRATIONS - SIN 51-58a/OLP

Extension of the present lease term is not permitted. Future copier requirements shall be procured in accordance with FAR 8.4 covering Ordering Procedures. Unless notified by the Ordering Agency that the Government intends to exercise its option to purchase the equipment, the equipment, upon the expiration of the lease term, will be removed by the contractor at the earliest practicable time. The Ordering Agency is responsible for removal charges. Unless specified under the schedule contract, removal charges will be administered outside the scope of the contract.

The equipment shall be in the same condition as when delivered, with the exception of ordinary wear and tear. The contractor shall conduct a timely inspection of the returned products and within thirty (30) days of the return, assert a claim if the condition of the equipment exceeds normal wear and tear.

In the event the Ordering Agency desires, at any time, to acquire title to equipment leased hereunder, the price will be mutually agreed upon by the parties.

18. RETURN OF EQUIPMENT - LEASE TERMINATION

The Government will provide written instructions for the removal of the equipment. The Ordering Agency is required to provide serial numbers and exact location of equipment for pick up.

Upon receipt of this notice the contractor shall remove the equipment within thirty (30) days or a mutually agreed date and time. The Ordering Agency is responsible for removal charges. Unless specified under the schedule contract, removal charges will be administered outside the scope of the contract.

The equipment shall be in the same condition as when delivered, with the exception of ordinary wear and tear. The contractor shall conduct a timely inspection of the returned products and within thirty (30) days of the return, assert a claim if the condition of the equipment exceeds normal wear and tear.

Equipment not removed by the contractor within thirty (30) days of the date of notification by the Order Agency shall be considered as abandoned and subject to such disposal as the Government may deem appropriate.

1. RENTAL EQUIPMENT & SUPPLIES SIN 51-55

All KMBS copiers furnished for rental will be in good working order. Copiers may be either new or newly remanufactured at KMBS's discretion. Rental prices include copier, appropriate paper cassettes by model, instruction, delivery, installation, photoreceptor and all necessary parts, supplies and service for maintenance, but do not include toner, developer, or paper. Toner and developer are purchased separately as consumable supply items. One toner and one developer are included upon initial delivery inside the copier at no additional charge.

In the event that the use of non-KMBS supplies cause damage to the copier and/or its components or generates the need for excessive service calls, KMBS may charge for any repairs and parts to bring the equipment into KMBS specifications, for the replacement of damaged drums, or cancel the rental agreement by providing thirty (30) day advance written notice to the government. Work will not commence by KMBS until the Government issues a purchase order to pay for all repairs and parts caused by the use of non-KMBS supplies.

2. SERVICE OF RENTAL EQUIPMENT

Unless otherwise specified by the using activity, KMBS must repair or replace equipment within nine (9) working hours after it receives written or oral notice of a breakdown in equipment. If not, deductions of rental charges will be made on the basis of 1/30th of the monthly rate for each day the equipment is inoperative. KMBS shall grant a credit to the Government for any machine which fails to perform at an effectiveness level of ninety percent (90%) during any month.

The effectiveness level for a machine is computed by the formula; One Hundred percent (100%) minus (the total # of hours downtime divided by the total productive time in the month). Total productive time shall be computed by multiplying eight (8) hours per day by the number of working days in the month (weekends and Federal holidays excluded). The credit shall be a percentage amount of the fixed monthly rental charge, which is determined by subtracting the actual percentage of effectiveness level attained during the month from 90.

Example: If a machine was down for twenty (20) hours in a month which had 168 hours of total productive time, the percentage downtime would be 11.9% (20 hrs/168 hrs), the effectiveness level would be 88.1% (100%-11.9%). In this instance, the credit due the Government would be 1.9% (90%-88.1%); however, if the effectiveness level were 90% or higher, no credit is due to the Government.

In the event that a piece of rental equipment is inoperative due to machine failure, through no fault or negligence of the Government, and the total number hours of downtime exceeds ten percent (10%) of the total productive use time for three consecutive calendar months, the Government has the right to require KMBS to replace the equipment or terminate the order with no termination or removal charges being assessed to the Government.

The purchase option credits for the replacement equipment shall be not less than the credits accrued from the date of installation of the original equipment, regardless of whether the replacement is made at the request of the Government or for the convenience of KMBS.

3. TITLE TO RENTAL EQUIPMENT

The copier(s) placed with the Government remain the property of Konica Minolta Business Solutions U.S.A., Inc., and the Government agrees not to make any alterations in the copier(s), nor to remove the copier(s) from the original installation address without prior written approval of Konica Minolta Business Solutions U.S.A., Inc. Where relocation does take place, the Government will be responsible for expenses incurred on an Open Market basis. The Government agrees to return the copier(s) in the same condition as when received except for reasonable wear. During the term hereof and while the Government has possession of the copier(s), KMBS assumes all risk of loss or damage to the copier(s) except where such loss or damage is due to negligence on the part of the Government.

4. PURCHASE ORDERS

A written order shall be the only basis for rental in accordance with these terms and conditions. Orders issued to KMBS shall be for a federal fiscal year. The fiscal year, as interpreted in this contract, shall begin on the first full day of installation at the using agency. The year shall end on September 30th of the same federal fiscal year. An additional order must be issued for each subsequent year.

Payment address:

Konica Minolta Business Solutions U.S.A., Inc.
P.O. Box 30341
Hartford, CT 06150-3034

The Government should indicate on their purchase orders whether they are selecting the one-year or two-year rental agreement. Orders for two-year agreements should contain the following language:

"This agency shall be liable for the difference between the two-year pricing and the one-year pricing if this order is terminated prior to the expiration of the two-year rental agreement."

Orders for less than ninety (90) days will not be accepted by KMBS, unless the purchase order states that the Government intends to continue the rental into the next fiscal year. Orders for rental shall cover only the period of use of the equipment within the contract period.

5. P.O. RENEWALS

If the agency neglects to renew their PO, then KMBS shall have the right to continue invoicing and customer will pay until such time as notice of termination or renewal P.O. has been provided to KMBS.

Rental charges shall commence on the next working day following that on which the equipment is installed and ready to operate.

Rental payment to the contractor shall be restricted to the actual period the equipment was in use, prorated on the basis of twelve (12) calendar months in the contract year, thirty (30) days in a month. All current rental placements will continue to renew at current rental rates throughout the full rental placement term.

The Government will be required to pay an excess copy charge once the monthly copy volume of the rental agreement is exceeded. KMBS is not responsible for the monitoring of Government machine usage to insure that billings do not exceed the dollar amounts indicated on the purchase orders. As a result, the amount of funds shown on the purchase order shall not be binding on KMBS.

6. TERMINATION & REMOVAL

If the Government fulfills the requirements of a rental agreement then no termination charges will be applied. Termination charges will apply if a one-year rental agreement is terminated at any time during the agreement upon thirty (30) days advance written notice to KMBS. The Government will be liable for any amounts currently owed plus 4 monthly payments or remaining balance whichever is less.

Termination charges will apply if a two-year rental agreement is terminated at any time prior to the completion of the two-year period. The Government is liable for any difference between the two-year rate and the one-year rate retroactive to the start date of the agreement plus any amounts currently owed plus 4 monthly payments or remaining balance whichever is less. For example, if a two-year rental agreement is terminated in month thirteen (13), the Government owes the difference between the two-year and one-year rate for the thirteen (13) months the equipment was rented plus 4 monthly payments.

7. DISCONTINUANCE OF SERVICE

Removal charges will apply if the Government cancels a rental agreement prior to the expiration of the term and if the Government requires KMBS to go inside a building (other than the loading dock or front door) to retrieve the copier.

8. CONVERSION TO PURCHASE

The Government may exercise the option to convert a rental to purchase on the anniversary date of any month after installation. For each month the copier is installed on rental, the Government will accumulate credit towards the purchase of the copier. The credit is determined by multiplying the equity amount listed for the month of conversion by the number of months the copier was installed. Please contact your Government Account Manager to obtain monthly and maximum rental credit amounts. The maximum rental credit available is eighty (80%) of the GSA purchase price.

All receivables for a rental copier to be converted to purchase must be current prior to the conversion. To exercise the rental conversion to purchase option, the Government must advise KMBS in writing of its intent to purchase, listing the machine by model and serial number. The Government should also issue a purchase order authorizing payment of the difference between the GSA price and the rental credits.

Upon completion of the conversion and after the expiration of the ninety (90) day warranty, KMBS shall, if requested, provide Cost-Per-Copy Maintenance service in accordance with SIN 51-57. Rental accrual is not transferable from one machine to another, except for copiers which were replaced at the initiation of KMBS, or at the request of the Government for mechanical reasons.

KMBS agrees to furnish 36, 48 or 60 month term Cost Per Copy (CPC) copier units within the 48 contiguous states and the District of Columbia at the prices and quantity levels specified in the Government CPC price schedule. Delivery and installation charges may apply to orders outside of the CONUS on an Open Market Basis, FOB Point of Origin, and KMBS reserves the right to reject any order for installation outside of the CONUS.

KMBS reserves the right to reject any order for equipment outside a 50-mile radius from a KMBS branch office location or a KMBS authorized dealer location. KMBS may accept any order outside of the 50 mile radius from a KMBS branch office or dealer when it is mutually agreeable to both KMBS and the Government. For any order issued during the period October 1, 2001 through September 30, 2006 or through the termination date of any contract extension, the following terms and conditions apply:

1. CONTRACT TERM

It is understood by both the Government and KMBS that the Government fully intends that each machine placed under this plan will remain in place for a full 36, 48 or 60 months (the "Term"), as a minimum, starting from the date of installation. By placing a delivery order under the terms of this CPC Plan, it is understood that the Government ordering office intends to exercise each renewal option and to extend the CPC Plan until the completion of the entire Term, as long as the need for the equipment or functionally similar equipment continues to exist, and funds are appropriated.

If (i) a delivery order expires prior to the expiration of the relevant full Term and the Government does not exercise any option to renew the delivery order, or (ii) the Government terminates the Delivery Order pursuant to a Termination for Convenience or (iii) the Government terminates due to a non-appropriation; the Government agrees not to replace the equipment leased under a Delivery Order with functionally similar equipment for a period of one (1) year succeeding such expiration, termination, or non-appropriation.

Non-Substitution: It is the intent of the Government by placing a delivery order under this contract to exercise each renewal option and to extend the lease until completion of the full Term (base period and all renewal periods) so long as the bona fide needs of the Government for the equipment or functionally similar equipment continues to exist.

If (i) a delivery order expires prior to the expiration of the relevant full Term and the Government does not exercise any option to renew the delivery order, or (ii) the Government terminates the Delivery Order pursuant to a Termination for Convenience or (iii) the Government terminates due to a non-appropriation; the Government agrees not to replace the equipment leased under a Delivery Order with functionally similar equipment for a period of one (1) year succeeding such expiration, termination, or non-appropriation. Any CPC Plan delivery order shall be executed by the Government on the basis that the known requirement for such equipment exceeds

the initial base period of the delivery order, which is typically 12 months or for the remainder of the fiscal year. Delivery orders with options to renew that are funded by annual (fiscal year) appropriations may provide for the initial base period and option periods that cross fiscal years, as long as the base period of each option does not exceed 12 months.

When an ordering agency's specific appropriation authority provides for funds in excess of a fiscal year period, the ordering office may place a delivery order for a period up to expiration of the Term, or to the expiration of the period of availability of the multiple year appropriation. The Term will be specified in each delivery order, including any relevant renewal options of the Government. All delivery orders, whether for the initial base period or renewal period, shall remain in effect through September 30 of the fiscal year. The Government shall provide KMBS with written notice to exercise each renewal option as soon as practicable, but in no event later than (30) business days after the Government receives notice of availability of fiscal year appropriations.

2. EQUIPMENT

All machines installed will be newly manufactured, Factory Produced New Model, remanufactured or used equipment at KMBS's option. Title to the equipment remains with KMBS.

3. MINIMUM ORDER

KMBS reserves the right to require a minimum order of 25 machines at any one location on any one purchase order. Individual orders with a total dollar value of less than \$50,000 will not be accepted by KMBS.

4. PRICING

The pricing includes all supplies (except paper), and service.

5. GUARANTEED MO. MINIMUM VOLUME

The Government agrees to pay the following "Guaranteed Monthly Minimum Volume" copies/month:

Volume Band 1	750
Volume Band 2	5,001
Volume Band 3	15,001
Volume Band 4	30,001
Volume Band 5	50,001
Volume Band 6	80,001
Volume Band 7	100,000

6. REMITTANCE

Payment should be made to Konica Minolta Business Solutions U.S.A., Inc. and sent to the "remit-to" address on the invoice.

7. INSTALLATION & TRAINING

Equipment pricing includes delivery (except excess rigging charges which will be quoted and billed as an Open Market item, if required) and installation of hardware, with the exception of those items indicated as Government installable. Installation of KMBS provided Network connectable hardware shall be charged at the network integration charges listed

under this contract. An installation charge may apply for accessories placed after the initial machine installation.

In addition to delivery and installation referenced above, KMBS will unpack, install and check the equipment to insure that it is in good working order. The Government will assign a Key Operator who will be responsible for normal operator maintenance; i.e., loading of paper, adding toner and developer, clearing paper misfeeds, and cleaning platen glass. Equipment pricing includes one initial training session and manual, unless otherwise noted. Any additional on-site training or network integration assistance can be obtained on an Open Market basis through a separate contract from KMBS.

8. ADD-ON EQUIPMENT TO THE ORIGINAL UNIT

New placements may be made at the original installation sites. A different lease term may be chosen for the add on equipment, but the add on equipment lease term stands alone, and the entire lease term for the add on equipment must be fulfilled in its entirety. KMBS reserves the right to require that new purchase orders be written for a minimum of 25 units. Add-on installation units will not co-terminate with the original installs but will fulfill their complete 36, 48 or 60 month term. The original installations and any add-ons may be extended to achieve a consolidated co-terminus date.

9. ADD-ON ACCESSORIES

The Government may add KMBS accessories as listed in this catalog to current placements. A different lease price will be used for the add on accessory in order for the accessory to coterminate with the original equipment. KMBS reserves the right to reject any equipment accessory add-ons.

10. ALTERATIONS OR REMOVALS

The Government may not make or permit any alterations to the machines by others nor remove the machines from the stated address without KMBS's written authorization.

11. NON-KMBS ACCESSORIES

Authorized KMBS personnel will not install or connect non-KMBS attachments to KMBS equipment. To insure that KMBS equipment complies with the federal, state and local regulations and ordinances; the Occupational Safety and Health Act of 1970; Underwriters Laboratory requirements and in order to maintain the KMBS equipment in good working order, it is necessary that any such attachment or accessory be subject to KMBS's approval to determine its compliance with the above mentioned acts, regulations, ordinances and requirements.

Should the accessories or attachments meet with KMBS's concurrence and Underwriter's Laboratory combination listing for use with the KMBS equipment to which it is to be attached, the Government may purchase from KMBS and KMBS will install the necessary interface for the non-KMBS attachment. All charges will be on an "Open Market" basis.

Non-KMBS attachments/accessories which do not comply with these provisions will not be permitted and may void maintenance coverage.

12. SUPPLIES

The CPC plan includes all operating supplies excluding paper. Supplies will be delivered via standard "ground" procedures after receipt of a verbal order from pre-determined authorized personnel. The Government must provide a point of contact who will be responsible for ordering additional supplies from KMBS. The Government must also identify the location and serial number of the unit for which the additional supplies are being ordered.

13. CPC SERVICE

All CPC copiers are to be serviced and maintained in good operating condition during KMBS's normal business hours (8:30 a.m. to 5:00 p.m. - Monday through Friday, except Federal Government and KMBS holidays) without charge to the Government, provided such service is secured from the authorized KMBS Service Point making the original installation, except charges for repair or replacement arising from the negligence of the Government. After Hours Service, if available, will be negotiated and charged as an Open Market item.

14. LOSS OR DAMAGE

The Government is relieved from all risk of loss or damage to the equipment during periods of transportation, installation, and during the entire time the equipment is in possession of the Government, except when loss or damage is due to the fault or negligence of the Government. The Government shall assume risk of loss or damage to the equipment during relocation unless the Contractor shall undertake such relocation.

15. EQUIPMENT RELOCATION

Any equipment relocation costs, including dismantling, packing, shipping, uncrating, set up, and any applicable network integration charges will be at the Government's expense. In the event that equipment being maintained under the this contract, and procured under the CPC program is moved to another location, KMBS shall continue to maintain the equipment at the new location unless the equipment is moved to a geographical location not covered by this contract. The Government shall give at least thirty (30) days written notice of its intention to move the equipment unless such a move is required due to an emergency. When shipment is under control of the Government and damage is incurred which results in cost for either labor or parts to restore the equipment to good operating condition at the new site, such costs shall be borne by the Government.

No relocation of equipment shall reduce or impair any obligation of the Government to pay the payments for the Guaranteed Monthly Minimum Volume due under the CPC Plan, which shall continue in full force and effect.

16. EQUIPMENT CONDITION UPON RETURN

Upon the expiration or other termination of a delivery order under this CPC Plan, the Government agrees, at its own expense and risk, to pay for any repairs and to replace any parts required to place the equipment in the same condition as when received by the Government, reasonable wear and tear excepted.

17. CONVERSION TO PURCHASE

In the event the Government desires, at any time, to purchase the equipment, the Government may make a one-time lump sum payment. The purchase option price shall be the sum of (i) the net present value of the payments for the Guaranteed Monthly Minimum Volume remaining through the end of the Term, discounted to present value using a rate of three percent per annum, plus (ii) the fair market value of the equipment. The Government shall give KMBS sixty (60) days prior written notice of its exercise of the purchase option. Please contact KMBS to obtain an "Early Purchase Option" quote.

18. DISCONTINUANCE OF SERVICE CHARGES

In the event of expiration, termination, or discontinuance of the CPC service for any reason other than non-appropriations or the default of KMBS prior to the expiration of the Term, the Government will pay a discontinuation charge equal to the monthly base charge for the appropriate volume band multiplied by the appropriate factor for the effective date of termination as outlined below:

	<u>36 Month Term</u>
Discontinuance in the first 12 months	9 times Monthly Minimum
Discontinuance in the first 13-24 months	8 times Monthly Minimum
Discontinuance in the first 25-34 months	6 times Monthly Minimum
Discontinuance at 35 months	2 times Monthly Minimum
	<u>48 Month Term</u>
Discontinuance in the first 12 months	9 times Monthly Minimum
Discontinuance in the first 13-24 months	8 times Monthly Minimum
Discontinuance in the first 25-36 months	6 times Monthly Minimum
Discontinuance in the first 37-46 months	5 times Monthly Minimum
Discontinuance at 47 months	2 times Monthly Minimum
	<u>60 Month Term</u>
Discontinuance in the first 12 months	9 times Monthly Minimum
Discontinuance in the first 13-24 months	8 times Monthly Minimum
Discontinuance in the first 25-36 months	6 times Monthly Minimum
Discontinuance in the first 37-47 months	5 times Monthly Minimum
Discontinuance in the first 48-58 months	3 times Monthly Minimum
Discontinuance at 59 months	2 times Monthly Minimum

KMBS requires 60 days written notice for all cancellations. Exceptions to the payment of cancellation charges will only be permitted as follows;

- a) The equipment is purchased prior to the end of the Term.

- b) When KMBS receives written notice signed by the contracting officer responsible for the installation and the cognizant fiscal or financial officer which states, "This is to certify that sufficient funds have not been and will not be appropriated to renew the CPC delivery order. The Government will not replace the equipment with equipment that is functionally similar to that leased for a period of no less than one year following termination under the provisions for non-appropriation."

In the event the Government facility at which the equipment is installed is closed for any reason whatsoever, any termination or cancellation as a result of such closure shall be deemed a "Termination for Convenience of the Government" and the Government agrees to pay the cancellation charge described above.

19. GOVERNMENT RESPONSIBILITIES

The Government will submit meter reading to KMBS via telephone, fax, web, or email, contact initiated by KMBS, or any other means authorized by KMBS.

It is the responsibility of the applicable agency to provide meter reading to KMBS in an agreed upon format. In the event a meter reading is not provided on a timely basis, KMBS will issue invoices based on the Guaranteed Monthly Minimum Volume.

20. ELECTRICITY

The Government will furnish the proper electrical current meeting KMBS's published standards, and required electrical receptacles for the equipment.

21. SURVIVAL OF TERMS: ORDER OF PRECEDENCE

- a. In the event of any inconsistency between the terms and conditions of this CPC Plan and other terms and conditions of this GSA Schedule, the terms and conditions of this CPC Plan shall have precedence with respect to any delivery order governed thereby.

- b. Termination, expiration or modification of this GSA Schedule shall in no way reduce or affect the Government's liability or obligations with respect to any delivery order issued prior to the effective date of such termination, expiration or modification. Each delivery order issued pursuant to this CPC Plan and any renewal thereof shall survive the expiration, termination or modification of this GSA Schedule and each delivery order and any renewal thereof shall be subject to the term and conditions of this CPC Plan in effect on the date of the issuance of the initial delivery order.

1. SERVICE

KMBS will provide service on all copiers located within fifty (50) miles of a KMBS branch or an authorized dealer. KMBS will maintain copiers in good working condition throughout the period covered by a Full Service Maintenance or a Cost-Per-Copy Maintenance program. Repair service necessitated by ordinary use will be provided as required by and at the request of the Government during KMBS's normal business hours. The Government agrees to provide KMBS full access to the copiers to perform service without delay. Repair work will begin within nine (9) hours from the time the repair order is received, Monday through Friday, 8:30 a.m. to 5:00 p.m. except Federal Government and KMBS holidays. Failure to render emergency service within nine (9) business hours (maximum), after written or oral notification, shall be subject to a deduction of 1/30th of the monthly rate for each day the equipment is inoperative. Full Service Maintenance or Cost-Per-Copy Maintenance shall remain in full force and effect for the remainder of the life of this contract, i.e. the remainder of the fiscal year or the maximum number of annual copies specified in the maintenance plan.

For copiers within fifty (50) miles of a service location, KMBS shall grant a credit to the Government for any machine that fails to perform at an effectiveness level of ninety percent (90%) during any month. The effectiveness level for a machine shall be computed in the same manner as under SIN 51-55, 51-100C, and 51-100F. The credit shall be a percentage amount of the fixed monthly maintenance charge, which is determined by subtracting the actual percentage of effectiveness level attained during the month from 90. (Examples: if the effectiveness level for a machine is 87% for the month the credit would be 3% of the fixed monthly maintenance charge; if the effectiveness level is 90% or higher there is no credit due under this provision).

If, in KMBS's opinion, extensive repair work is necessary on any copier that is currently under a maintenance agreement, and that has been under a maintenance agreement since the expiration of the original purchase warranty, through either a KMBS branch or authorized dealer, KMBS will perform the repair work at either the Government location or a KMBS location at KMBS's expense (excluding charges for a replacement unit, if any, for use during performance of the repair work). Transportation costs, if any, will be at KMBS's expense. Only new or remanufactured KMBS parts shall be used. All parts that are replaced by KMBS shall remain the property of the Government.

2. EXCLUSIONS OF FSM PLAN

Cost-Per-Copy Maintenance Plans include photoreceptor drum replacement and all consumable supplies (except paper).

Full Service Maintenance Plans include photoreceptor drum replacement, unless user has selected the contract specifically without drum. Consumable supplies such as toner, developer, cleaning rollers, filters, webs, staples and PM/Maintenance Kits are excluded.

In the event that the use of non-KMBS supplies causes damage to the copier and/or its components or generates the need for excessive service calls, KMBS may charge for any repairs and parts to bring the equipment into KMBS specifications, charge for the replacement of damaged drums, or cancel the maintenance agreement by providing thirty (30) day advance written notice to the Government. Work will not commence by Konica until the Government issues a purchase order to pay for all repairs and parts caused by the use of non-Konica supplies. All charges will be in accordance with the Hourly Repair (SIN 51-56), Parts (SIN 51-102) and Drum (SIN 51-101-2/51-101-3) rates contained herein. KMBS is not responsible for repairs made necessary by accident, misuse, abuse, neglect, theft, riot, vandalism, electrical power failure, fire, water or other casualty or to repairs made necessary by service personnel other than those of KMBS will not be required to replace motors burned out by current fluctuation or negligence/abuse by the operator. Service connected with relocation of copiers, adding, removing or maintaining accessories may be obtained on an Open Market basis.

3. INSPECTION OF EQUIPMENT

Copiers being placed for the first time under maintenance service shall be in good operating condition and shall be subject to inspection by KMBS at the time the order is placed. If the copier is coming out of KMBS's warranty or being converted from a rental to purchase, no inspection is required. If the copier is to be placed under a Full Service Maintenance or Cost-Per-Copy Maintenance program at any other time, an initial inspection is required to insure KMBS that the copier is within KMBS specifications. There will be no charge for the inspection. If repairs to the copier are necessary to bring the copier up to KMBS specifications, KMBS shall furnish the user agency with an estimate of repair cost. Work will not commence by KMBS until the Government has issued KMBS a purchase order for the estimated price of the repair work and parts. Prices charged to the Government will be in accordance with Hourly Repair (SIN 51-56) and Parts (SIN 51-102) rates contained herein.

4. PARTS OBSOLESCENCE

KMBS guarantees the availability of parts for its copier equipment for a period of seven (7) years from the last date of manufacture. A parts disclaimer applies to any agreement initiated after the parts guarantee expires. If at any time after the parts guarantee expires, parts become unavailable for the equipment covered by a maintenance agreement, KMBS reserves the right to terminate the maintenance agreement and any amounts due the customer will be applied to any unpaid invoices, with any surplus being refunded within thirty (30) days.

5. PURCHASE ORDERS

*This is a non-mandatory source that may be used by agencies for the maintenance of Government-owned equipment.

*This is a mandatory requirement for all equipment acquired under the LTOP and FMV Lease plans.

A written purchase order shall be the only basis for maintenance agreements under this contract. KMBS will honor orders for maintenance service for periods less than (1) year, in which event, payment to KMBS shall be prorated on the basis of 1/12th of the offered price for each month the service was rendered, plus 1/30th of the monthly rate for each day less than a complete month the service was rendered. Once an order is placed, it will remain in effect for the remainder of the fiscal year unless terminated upon (30) days advance written notice to KMBS. The Government will be required to pay an excess copy charge once the annual copy volume of the maintenance agreement is exceeded. KMBS is not responsible for the monitoring of government machine usage to insure that billings do not exceed the dollar amounts indicated on the purchase orders. As a result, the amount shown on the purchase order shall not be binding on KMBS.

6. P.O. RENEWALS

If the agency neglects to renew their PO, then the KMBS shall have the right to continue invoicing and customer will pay until such time as notice of termination or renewal P.O. has been provided to KMBS. A maintenance agreement that includes drums assumes that the drum in the copier is either new, or the copier is just coming off warranty or rental conversion to purchase. In all other instances, the Government must purchase a drum when changing from a Full Service Maintenance plan that does not include drums to one that does include drums. The old drum remains the property of the Government.

7. RELOCATION OF COPIERS

In the event equipment being maintained under the terms and conditions of a Full Service Maintenance or Cost-Per-Copy Maintenance plan is moved to another location, KMBS will continue to maintain the equipment at the new location providing KMBS has service coverage at the new location. If the equipment is moved to a geographical area not serviced by KMBS or beyond fifty (50) miles of a KMBS branch or authorized dealer, the maintenance order shall be terminated without further obligations being incurred by either KMBS or the government. The Government shall give at least thirty (30) days advance written notice of the movement of equipment.

When relocation of copiers covered by a Full Service Maintenance plan or Cost-Per-Copy Maintenance plan occurs, the Government will be responsible for all costs associated with the move. When shipment is under control of the Government and damage is incurred which results in costs for either labor or parts to restore the equipment to good operating condition at the new site, such costs shall be borne by the Government. If the Government moves equipment that is owned by KMBS without prior written permission from KMBS, any and all damages and expenses as a result of that move will be borne by the Government. When the relocation of the copier is under control of KMBS and damage occurs which results in costs for either labor or parts to restore the equipment in good operating condition, such cost shall be borne by KMBS. KMBS reserves the right to reject any request for relo-

cation to an area which is remote or not readily or adequately serviced by a KMBS branch or authorized dealer.

8. KMBS HOURLY REPAIR SERVICE

The rates listed below apply to all copying equipment included in this contract for which Full Service Maintenance is available. All service charges will be based on actual labor time plus all necessary parts. The parts will be computed at a 19% discount from KMBS's published retail price list. During KMBS's normal working hours, mileage or travel time will not be charged under this schedule. The hourly rate schedule applies to the 48 contiguous states and the District of Columbia, within fifty (50) miles of a KMBS branch or authorized dealer. Rates for service beyond fifty (50) miles must be obtained on an Open Market basis. Repair work will begin within nine (9) hours from the time the repair order is received. No refund to the Government will be made if the service repair is not made within nine (9) hours, 8:30 a.m. to 5:00 p.m., Monday through Friday, excluding Federal Government and KMBS holidays. Where two or more copiers are located in the same building or easy walking distance and repairs are ordered for multiple units, the charges will be computed from the time the serviceman commences work on the first copier until the work is complete on the last copier (provided the copiers are within a reasonable walking distance of each other). KMBS will charge the Government for the time needed to go from one copier to another.

HOURLY REPAIR RATES	Minimum Labor Charge	Hourly Labor Charge	Each Add'l 1/4 Hour
Monday-Friday (8:30 a.m. - 5:00 p.m.) (Excluding Holidays)	\$121.00	\$121.00	\$30.25
Monday-Friday (5:00 p.m. - Midnight) (Excluding Holidays)	\$182.00	\$182.00	\$45.50
Saturday Hours* (8:30 a.m. - 5:00 p.m.)	\$182.00	\$182.00	\$45.50
Sunday Hours* (8:30 a.m. - 5:00 p.m.)	\$242.00	\$242.00	\$60.50

* Service at other than normal business hours is subject to manpower availability and charges will be calculated to include round trip travel expense.

9. SERVICE/REPAIR AT KMBS SERVICE LOCATIONS

Copiers will be serviced and repaired at any KMBS service location as provided listed in this schedule provided the copiers are delivered to and picked up from KMBS's service location by the Government.

10. DISCONTINUED LEGACY MINOLTA COPIERS - MAINTENANCE PRICING STRUCTURE

Copier Service is provided in the following zones at the rates shown for the zone in which the equipment is located:

- Zone 1: 0 to 25 miles from servicing location
- Zone 2: 26 to 50 miles from servicing location
- Zone 3: 51+ miles from servicing location



(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
4291312	bizhub 200	\$2,317.00		\$87.05	\$68.70	\$57.99	\$78.27	\$65.02	\$56.35
4344712	DF 605 Reversing Auto Doc Feeder	\$642.00		\$24.12	\$19.04	\$16.07	\$21.69	\$18.01	\$15.61
4348011	DK 501 Desk/Storage Drawer	\$100.00		\$3.76	\$2.97	\$2.50	\$3.38	\$2.81	\$2.43
4599481	EK 502 Local Interface Kit	\$78.00		\$2.93	\$2.31	\$1.95	\$2.63	\$2.19	\$1.90
4551641	EM 303 Expanded Memory Unit 32MB	\$65.00		\$2.44	\$1.93	\$1.63	\$2.20	\$1.82	\$1.58
4551651	EM 304 Expanded Memory Unit 64MB	\$130.00		\$4.88	\$3.85	\$3.25	\$4.39	\$3.65	\$3.16
4551661	EM 305 Expanded Memory Unit 128MB	\$258.00		\$9.69	\$7.65	\$6.46	\$8.72	\$7.24	\$6.27
4551613	FK 503 Fax Kit	\$538.00		\$20.21	\$15.95	\$13.47	\$18.17	\$15.10	\$13.08
4349712	FS 508 Base Finisher	\$764.00		\$28.70	\$22.65	\$19.12	\$25.81	\$21.44	\$18.58
7640001812	HD 504 40GB Hard Disk Drive	\$281.00		\$10.56	\$8.33	\$7.03	\$9.49	\$7.88	\$6.83
4347711	JS 502 Job Separator (requires OT 501)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
4623472	Key Counter Attachment Kit (Legacy Konica)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623481	Key Counter Attachment Kit (Legacy Minolta)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623471	Key Counter Mount Kit 2 (Legacy Minolta)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4551621	ML 502 Fax Multi Line	\$540.00		\$20.29	\$16.01	\$13.52	\$18.24	\$15.15	\$13.13
4510712	MT 501 Mailbin Kit (for FS 508)	\$503.00		\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
4599225	OC 502 Original Cover	\$36.00		\$1.35	\$1.07	\$0.90	\$1.22	\$1.01	\$0.88
4625241	OT 601 Output Tray	\$24.00		\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
4061112	PC 102 550 Sheet Paper Feed Cabinet	\$409.00		\$15.37	\$12.13	\$10.24	\$13.82	\$11.48	\$9.95
4061212	PC 202 (2) 550 Sheet Universal Cassettes	\$600.00		\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
4061317	PC 402 2,750 Sheet Large Capacity Tray	\$585.00		\$21.98	\$17.35	\$14.64	\$19.76	\$16.42	\$14.23
4512812	PU 501 Punch Unit	\$252.00		\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
4599444	SC 504 HDD Encryption Kit	\$212.00		\$7.96	\$6.29	\$5.31	\$7.16	\$5.95	\$5.16
4511811	SD 502 Saddle Stitcher Kit	\$650.00		\$24.42	\$19.27	\$16.27	\$21.96	\$18.24	\$15.81
4614506	SP 501 Stamp Unit	\$20.00		\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare Tx Marker Stamp	\$9.00		\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
Item #	Description	Yield	GSA Price	<i>Includes All Supplies</i>			<i>NO Supplies Included</i>		
				Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
4068612	Drum Unit DR 310	65K	\$71.53	2,000	\$26.40	\$0.0132	2,000	\$22.17	\$0.0111
8938451	Developer DV 310 300g	65K	\$27.71	3,000	\$38.10	\$0.0127	3,000	\$31.83	\$0.0106
8938413	TN 211 Polymerized Toner	17.5K	\$43.32	4,000	\$48.40	\$0.0121	4,000	\$40.67	\$0.0102
7640000838	MS 5D Staples (FS 508)	(5,000 x 3)	\$31.36	6,000	\$65.40	\$0.0109	6,000	\$56.50	\$0.0094
4599161	MS 2C Staples (SD 502)	(2,000 x 4)	\$37.24	8,000	\$83.20	\$0.0104	8,000	\$69.00	\$0.0086
				10,000	\$100.00	\$0.0100	10,000	\$83.08	\$0.0083
				14,000	\$133.00	\$0.0095	14,000	\$102.08	\$0.0073
				18,000	\$169.20	\$0.0094	18,000	\$114.58	\$0.0064

NOTES:

- 1) DK 501 is a storage cabinet only.
- 2) FK 503 comes bundled with 32MB memory.
- 3) When you add the HD 504, you must add a MINIMUM of 32MB of memory by installing the EM 303 Memory Upgrade or the FK 503 Fax Kit.
- 4) OT 601 Output Tray adds third tray to FS 508 Base Finisher.
- 5) The FS 508 Base Finisher must be installed to support Finisher Options.
- 6) The JS 502 Job Separator Tray cannot be installed if the FS 508 Base Finisher is installed.
- 7) The MT 501 Mailbin Kit cannot be mounted if SD 502 Saddle Stitcher is installed.
- 8) The SD 502 Saddle Sticher cannot be mounted if MT 501 Mailbin Kit is installed.

bizhub 200



PRINTER_COPIER_SCANNER_FAX_

CONNECT_COMMUNICATE_CONTROL

General Specifications

TYPE:	Digital Printer/Copier/Scanner/Fax
IMAGING SYSTEM:	Simitri® Polymerized Toner
SCANNING SYSTEM:	CCD Line Sensor
PRINT/COPY SPEED:	20 ppm (letter) 8-1/2" x 11" portrait, 17 ppm (letter) 8-1/2" x 11" landscape, 14 ppm (legal) 8-1/2" x 14", 12 ppm (ledger) 11" x 17"
MONTHLY DUTY CYCLE:	60,000 pages
PRINT/COPY RESOLUTION:	True 600 x 600 dpi
HALFTONE REPRODUCTION:	256 gradations
MEMORY:	192 MB (32 MB for files, 170 pages) (standard), 40 GB (maximum) (optional)
WARM-UP TIME:	14 seconds (from Sub Power On), 24 seconds (from Main Power On)
FIRST COPY:	5.3 seconds or less
COPY QUANTITY:	1 - 999 copies (countdown, interrupt capability)
MAGNIFICATION:	Zoom range: 25 - 400%, 0.1% increments, Preset reduction: 93%, 79%, 73%, 65%, 50%, Preset enlargement: 121%, 129%, 155%, 200%
EXPOSURE MODES:	Auto, Text, Photo, Text/Photo, Manual
ORIGINAL SIZE:	Up to 11" x 17" maximum
PAPER SIZE:	5-1/2" x 8-1/2" to 11" x 17"
PAPER WEIGHT:	15 lb. to 24 lb. bond, Manual bypass: 24-1/4 lb. to 55-3/4 lb. bond; specialty paper (thick paper, OHP transparencies, postcards, envelopes, label sheets)
STANDARD PAPER SUPPLY:	550-sheet Universal Paper Drawers (2), 150-sheet Intelligent Bypass
OPTIONAL PAPER SUPPLY:	550-sheet Universal Paper Cabinet (1 paper drawer plus storage drawer), 1,100-sheet Universal Paper Cabinet (two 550-sheet drawers), 2,750-sheet Large Capacity Cabinet
MAXIMUM PAPER CAPACITY:	4,000 sheets (total, with options)
DOCUMENT FEEDER:	DF-605 Reversing Auto Document Feeder (optional), Capacity: 80 sheets, Speed: up to 70 scans per minute, Original size: up to 11" x 17", 1-sided, 2-sided originals, Mixed Original Detection
POWER REQUIREMENTS:	120 V, 60 Hz, 11.5 A
POWER CONSUMPTION:	1380 W (max.)
DIMENSIONS (W x D x H):	26-3/4" x 28" x 28-1/4"
WEIGHT:	163 lbs.
OPTIONS:	DF-605 Reversing Auto Document Feeder, DK-501 Copy Desk, EK-502 Local Interface Kit (IEEE Parallel), EM-303 32 MB Expanded Memory, EM-304 64 MB Expanded Memory, EM-305 128 MB Expanded Memory, FK-503 Fax Kit, FS-508 Base Finisher, HD-504 40 GB Hard Disk Drive, JS-502 Job Separator Tray, ML-502 Fax Dual Line (requires FK-503), MT-501 Mailbin Kit, OC-502 Original Cover, OT-601 Output Tray, PC-102 Universal Paper Feed Cabinet (550 sheets, letter to ledger size, plus storage drawer), PC-202 Universal Two-Way Paper Feed Cabinet (1,100 sheets, letter to ledger size), PC-402 Large Capacity Cabinet (2,750 sheets, letter portrait), PU-501 Punch Unit, SC-504 HDD Encryption Kit, SD-502 Saddle Stitcher, SP-501 Stamp Unit (requires FK-503), Spare TX Marker Stamp 2 (requires FK-503)
PAGESCOPE APPLICATIONS:	Network & Device Management: PageScope HDD Backup Utility, PageScope Web Connection, PageScope Net Care, PageScope Network Setup, PageScope EMS Plug-Ins, PageScope NDPS Gateway, PageScope Data Administrator, PageScope Driver Packaging Utility, User Tools: PageScope Box Operator, PageScope Print Status Notifier, PageScope Web Print Assistant, Optional Software: PageScope Workware
AVAILABLE PRINT/COPY FUNCTIONS:	Account Track (up to 1,000 accounts), APS/AMS, Auto Duplex, Stackless, Auto/Manual/Photo Exposure, Auto Tray Switching, Black-White Reverse, Book Copy, Book Erase, Booklet Function, Box Function (Copier), Reprint with setting mode change, Resend, Combined Copy Setting (2-in-1, 4-in-1), Copy Job Reserve (queue) (5 jobs), Copy Programs (Mode Memory) (10 jobs), Cover Mode, Criss/Cross Sorting, Distribution Number and Stamping, Energy Save Mode, Erase (Edge/Frame), File Margin, Hole-Punching (2/3 hole), Horizontal/Vertical Zoom Ratios (XY magnification), Image Overlay, Image Repeat, Image Rotation, Interrupt Mode, Mixed Original Detection, OHP Interleave, Page Insertion, Proof Copy, Separate Scanning, Sleep Mode Recovery, Stapling (single, multi-position, center), Text, Photo, Text/Photo, Dot Matrix Modes, Zoom

Emperon Print System (standard):

TYPE:	Embedded
PROCESSOR:	300 MHz
MEMORY:	192 MB (standard)
NETWORK INTERFACE:	RJ45 (Ethernet 10-BaseT/100-BaseTX) + USB 1.1/2.0 Port (standard), Parallel (IEEE 1284 compatibility) (optional)
NETWORK PROTOCOLS:	TCP/IP, IPX/SPX, SMB, LPD, IPP1.1, AppleTalk (EtherTalk), LPR, Netware (4.x, 5, 6), NDPS, SMTP, POP3, LDAP, SSL, SNMP, HTTP 3.0
SCANNING FUNCTIONS:	Scan-to-Email, Scan-to-FTP, Scan-to-HDD (with optional HDD), Scan-to-SMB (Scan-to-Desktop), Scan-to-URL, Network HDD TWAIN
PRINT DRIVERS:	PCL6 emulation: Windows 98 SE or Windows ME, Windows 2000 (SP4 or later), Windows XP (SP2 or later), Windows Server 2003, Windows NT 4.0 (SP6a), Windows Vista 32-bit, 64-bit PostScript 3 emulation: Windows 98 SE or Windows ME (PPD file), Windows 2000, Windows XP (SP2 or later), Windows Server 2003, Windows NT 4.0 (SP6a), Windows Vista 32-bit, 64-bit Mac OS 9.2 (PPD file), Mac OS X 10.2 or 10.3

FK-503 Fax Option Specifications

COMMUNICATION LINE:	Public Switched Telephone Network (PSTN)
COMPATIBILITY:	G3, Super G3
DATA COMPRESSION:	MH, MR, MMR, JBIG
MODEM SPEED:	33.6 kbps (max; auto fallback)
TRANSMISSION SPEED:	Less than 3 seconds per page
SCANNING SPEED:	Up to 70 sheets per minute (with DF-605 Reversing Auto Document Feeder option)
FAX RESOLUTION:	200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi, Text/Photo (200 x 200 dpi), Grayscale (200 x 200 dpi), Super Grayscale (400 x 400 dpi)
MEMORY:	32 MB
FAX TRANSMISSION/RECEPTION SIZE:	Up to 11" x 17"
DIALING:	540 one-touch dialing locations
BROADCAST:	300 destinations
OTHER FACSIMILE FUNCTIONS:	IP Address Faxing, IP Relay Fax, PC Faxing



(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
4289312	bizhub 250	\$2,725.00		\$102.38	\$80.80	\$68.21	\$92.05	\$76.46	\$66.27
4344712	DF 605 Reversing Auto Doc Feeder	\$642.00		\$24.12	\$19.04	\$16.07	\$21.69	\$18.01	\$15.61
4348011	DK 501 Desk/Storage Drawer	\$100.00		\$3.76	\$2.97	\$2.50	\$3.38	\$2.81	\$2.43
4599481	EK 502 Local Interface Kit	\$78.00		\$2.93	\$2.31	\$1.95	\$2.63	\$2.19	\$1.90
4551641	EM 303 Expanded Memory Unit 32MB	\$65.00		\$2.44	\$1.93	\$1.63	\$2.20	\$1.82	\$1.58
4551651	EM 304 Expanded Memory Unit 64MB	\$130.00		\$4.88	\$3.85	\$3.25	\$4.39	\$3.65	\$3.16
4551661	EM 305 Expanded Memory Unit 128MB	\$258.00		\$9.69	\$7.65	\$6.46	\$8.72	\$7.24	\$6.27
4551613	FK 503 Fax Kit	\$538.00		\$20.21	\$15.95	\$13.47	\$18.17	\$15.10	\$13.08
4349712	FS 508 Base Finisher	\$764.00		\$28.70	\$22.65	\$19.12	\$25.81	\$21.44	\$18.58
7640001812	HD 504 40GB Hard Disk Drive	\$281.00		\$10.56	\$8.33	\$7.03	\$9.49	\$7.88	\$6.83
4347711	JS 502 Job Separator (requires OT 501)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
4623472	Key Counter Attachment Kit (Legacy Konica)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623481	Key Counter Attachment Kit (Legacy Minolta)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623471	Key Counter Mount Kit 2 (Legacy Minolta)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4551621	ML 502 Fax Multi Line	\$540.00		\$20.29	\$16.01	\$13.52	\$18.24	\$15.15	\$13.13
4510712	MT 501 Mailbin Kit (for FS 508)	\$503.00		\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
4599225	OC 502 Original Cover	\$36.00		\$1.35	\$1.07	\$0.90	\$1.22	\$1.01	\$0.88
4625241	OT 601 Output Tray	\$24.00		\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
4061112	PC 102 550 Sheet Paper Feed Cabinet	\$409.00		\$15.37	\$12.13	\$10.24	\$13.82	\$11.48	\$9.95
4061212	PC 202 (2) 550 Sheet Universal Cassettes	\$600.00		\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
4061317	PC 402 2,750 Sheet Large Capacity Tray	\$585.00		\$21.98	\$17.35	\$14.64	\$19.76	\$16.42	\$14.23
4512812	PU 501 Punch Unit	\$252.00		\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
4599444	SC 504 HDD Encryption Kit	\$212.00		\$7.96	\$6.29	\$5.31	\$7.16	\$5.95	\$5.16
4511811	SD 502 Saddle Stitcher Kit	\$650.00		\$24.42	\$19.27	\$16.27	\$21.96	\$18.24	\$15.81
4614506	SP 501 Stamp Unit	\$20.00		\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare Tx Marker Stamp	\$9.00		\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
Item #	Description	Yield	GSA Price	<i>Includes All Supplies</i>			<i>NO Supplies Included</i>		
				Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
4068612	Drum Unit DR 310	80K	\$71.53	2,000	\$26.40	\$0.0132	2,000	\$22.17	\$0.0111
8938451	Developer DV 310 300g	80K	\$27.71	3,000	\$38.10	\$0.0127	3,000	\$31.83	\$0.0106
8938413	TN 211 Polymerized Toner	17.5K	\$43.32	4,000	\$48.40	\$0.0121	4,000	\$40.67	\$0.0102
7640000838	MS 5D Staples (FS 508)	(5,000 x 3)	\$31.36	6,000	\$65.40	\$0.0109	6,000	\$56.50	\$0.0094
4599161	MS 2C Staples (SD 502)	(2,000 x 4)	\$37.24	8,000	\$83.20	\$0.0104	8,000	\$69.00	\$0.0086
				10,000	\$100.00	\$0.0100	10,000	\$83.08	\$0.0083
				14,000	\$133.00	\$0.0095	14,000	\$102.08	\$0.0073
				18,000	\$169.20	\$0.0094	18,000	\$114.58	\$0.0064

NOTES:

- 1) DK 501 is a storage cabinet only.
- 2) FK 503 comes bundled with 32MB memory.
- 3) When you add the HD 504, you must add a MINIMUM of 32MB of memory by installing the EM 303 Memory Upgrade or the FK 503 Fax Kit.
- 4) OT 601 Output Tray adds third tray to FS 508 Base Finisher.
- 5) The FS 508 Base Finisher must be installed to support Finisher Options.
- 6) The JS 502 Job Separator Tray cannot be installed if the FS 508 Base Finisher is installed.
- 7) The MT 501 Mailbin Kit cannot be mounted if SD 502 Saddle Stitcher is installed.
- 8) The SD 502 Saddle Sticher cannot be mounted if MT 501 Mailbin Kit is installed.



bizhub 250

PRINTER_COPIER_SCANNER_FAX_

CONNECT_COMMUNICATE_CONTROL

General Specifications

TYPE:	Digital Printer/Copier/Scanner/Fax
IMAGING SYSTEM:	Simltri® Polymerized Toner
SCANNING SYSTEM:	CCD Line Sensor
PRINT/COPY SPEED:	25 ppm (letter) 8-1/2" x 11" portrait, 20 ppm (letter) 8-1/2" x 11" landscape, 17 ppm (legal) 8-1/2" x 14", 14 ppm (ledger) 11" x 17"
MONTHLY DUTY CYCLE:	120,000 pages
PRINT/COPY RESOLUTION:	True 600 x 600 dpi
HALFTONE REPRODUCTION:	256 gradations
MEMORY:	192 MB (32 MB for files, 170 pages) (standard), 40 GB (maximum) (optional)
WARM-UP TIME:	14 seconds (from Sub Power On), 24 seconds (from Main Power On)
FIRST COPY:	5.3 seconds or less
COPY QUANTITY:	1 - 999 copies (countdown, interrupt capability)
MAGNIFICATION:	Zoom range: 25 - 400%, 0.1% increments, Preset reduction: 93%, 79%, 73%, 65%, 50%, Preset enlargement: 121%, 129%, 155%, 200%
EXPOSURE MODES:	Auto, Text, Photo, Text/Photo, Manual
ORIGINAL SIZE:	Up to 11" x 17" maximum
PAPER SIZE:	5-1/2" x 8-1/2" to 11" x 17"
PAPER WEIGHT:	15 lb. to 24 lb. bond, Manual bypass: 24-1/4 lb. to 55-3/4 lb. bond; specialty paper (thick paper, OHP transparencies, postcards, envelopes, label sheets)
STANDARD PAPER SUPPLY:	550-sheet Universal Paper Drawers (2), 150-sheet Intelligent Bypass
OPTIONAL PAPER SUPPLY:	550-sheet Universal Paper Cabinet (1 paper drawer plus storage drawer), 1,100-sheet Universal Paper Cabinet (two 550-sheet drawers), 2,750-sheet Large Capacity Cabinet
MAXIMUM PAPER CAPACITY:	4,000 sheets (total, with options)
DOCUMENT FEEDER:	DF-605 Reversing Auto Document Feeder (optional), Capacity: 80 sheets, Speed: up to 70 scans per minute, Original size: up to 11" x 17", 1-sided, 2-sided originals, Mixed Original Detection
POWER REQUIREMENTS:	120 V, 60 Hz, 11.5 A
POWER CONSUMPTION:	1380 W (max.)
DIMENSIONS (W x D x H):	26-3/4" x 28" x 28-1/4"
WEIGHT:	163 lbs.
OPTIONS:	DF-605 Reversing Auto Document Feeder, DK-501 Copy Desk, EK-502 Local Interface Kit (IEEE Parallel), EM-303 32 MB Expanded Memory, EM-304 64 MB Expanded Memory, EM-305 128 MB Expanded Memory, FK-503 Fax Kit, FS-508 Base Finisher, HD-504 40 GB Hard Disk Drive, JS-502 Job Separator Tray, ML-502 Fax Dual Line (requires FK-503), MT-501 Mailbin Kit, OC-502 Original Cover, OT-601 Output Tray, PC-102 Universal Paper Feed Cabinet (550 sheets, letter to ledger size, plus storage drawer), PC-202 Universal Two-Way Paper Feed Cabinet (1,100 sheets, letter to ledger size), PC-402 Large Capacity Cabinet (2,750 sheets, letter portrait), PU-501 Punch Unit, SC-504 HDD Encryption Kit, SD-502 Saddle Stitcher, SP-501 Stamp Unit (requires FK-503), Spare TX Marker Stamp 2 (requires FK-503)
PAGESCOPE APPLICATIONS:	Network & Device Management: PageScope HDD Backup Utility, PageScope Web Connection, PageScope Net Care, PageScope Network Setup, PageScope EMS Plug-Ins, PageScope NDPS Gateway, PageScope Data Administrator, PageScope Driver Packaging Utility, User Tools: PageScope Box Operator, PageScope Print Status Notifier, PageScope Web Print Assistant, Optional Software: PageScope Workware
AVAILABLE PRINT/COPY FUNCTIONS:	Account Track (up to 1,000 accounts), APS/AMS, Auto Duplex, Stackless, Auto/Manual/Photo Exposure, Auto Tray Switching, Black-White Reverse, Book Copy, Book Erase, Booklet Function, Box Function (Copier, Reprint with setting mode change, Resend), Combined Copy Setting (2-in-1, 4-in-1), Copy Job Reserve (queue) (5 jobs), Copy Programs (Mode Memory) (10 jobs), Cover Mode, Criss/Cross Sorting, Distribution Number and Stamping, Energy Save Mode, Erase (Edge/Frame), File Margin, Hole-Punching (2/3 hole), Horizontal/Vertical Zoom Ratios (X/Y magnification), Image Overlay, Image Repeat, Image Rotation, Interrupt Mode, Mixed Original Detection, OHP Interleave, Page Insertion, Proof Copy, Separate Scanning, Sleep Mode Recovery, Stapling (single, multi-position, center), Text, Photo, Text/Photo, Dot Matrix Modes, Zoom

Emperon Print System (standard)

TYPE:	Embedded
PROCESSOR:	300 MHz
MEMORY:	192 MB (standard)
NETWORK INTERFACE:	RJ45 (Ethernet 10-BaseT/100-BaseTX) + USB 1.1/2.0 Port (standard), Parallel (IEEE 1284 compatibility) (optional)
NETWORK PROTOCOLS:	TCP/IP, IPX/SPX, SMB, LPD, IPP1.1, AppleTalk (EtherTalk), LPR, Netware (4.x, 5, 6), NDPS, SMTP, POP3, LDAP, SSL, SNMP, HTTP 3.0
SCANNING FUNCTIONS:	Scan-to-Email, Scan-to-FTP, Scan-to-HDD (with optional HDD), Scan-to-SMB (Scan-to-Desktop), Scan-to-URL, Network HDD TWAIN
PRINT DRIVERS:	PCL6 emulation: Windows 98 SE or Windows ME, Windows 2000 (SP4 or later), Windows XP (SP2 or later), Windows Server 2003, Windows NT 4.0 (SP6a), Windows Vista 32-bit, 64-bit PostScript 3 emulation: Windows 98 SE or Windows ME (PPD file), Windows 2000, Windows XP (SP2 or later), Windows Server 2003, Windows NT 4.0 (SP6a), Windows Vista 32-bit, 64-bit Mac OS 9.2 (PPD file), Mac OS X 10.2 or 10.3

FK-503 Fax Option Specifications

COMMUNICATION LINE:	Public Switched Telephone Network (PSTN)
COMPATIBILITY:	G3, Super G3
DATA COMPRESSION:	MH, MR, MMR, JBIG
MODEM SPEED:	33.6 kbps (max; auto fallback)
TRANSMISSION SPEED:	Less than 3 seconds per page
SCANNING SPEED:	Up to 70 sheets per minute (with DF-605 Reversing Auto Document Feeder option)
FAX RESOLUTION:	200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi, Text/Photo (200 x 200 dpi), Grayscale (200 x 200 dpi), Super Grayscale (400 x 400 dpi)
MEMORY:	32 MB
FAX TRANSMISSION/RECEPTION SIZE:	Up to 11" x 17"
DIALING:	540 one-touch dialing locations
BROADCAST:	300 destinations
OTHER FACSIMILE FUNCTIONS:	IP Address Faxing, IP Relay Fax, PC Faxing



(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
4288312	bizhub 350	\$3,549.00		\$133.34	\$105.23	\$88.83	\$119.89	\$99.58	\$86.31
4344712	DF 605 Reversing Auto Doc Feeder	\$642.00		\$24.12	\$19.04	\$16.07	\$21.69	\$18.01	\$15.61
4348011	DK 501 Desk/Storage Drawer	\$100.00		\$3.76	\$2.97	\$2.50	\$3.38	\$2.81	\$2.43
4599481	EK 502 Local Interface Kit	\$78.00		\$2.93	\$2.31	\$1.95	\$2.63	\$2.19	\$1.90
4551641	EM 303 Expanded Memory Unit 32MB	\$65.00		\$2.44	\$1.93	\$1.63	\$2.20	\$1.82	\$1.58
4551651	EM 304 Expanded Memory Unit 64MB	\$130.00		\$4.88	\$3.85	\$3.25	\$4.39	\$3.65	\$3.16
4551661	EM 305 Expanded Memory Unit 128MB	\$258.00		\$9.69	\$7.65	\$6.46	\$8.72	\$7.24	\$6.27
4551613	FK 503 Fax Kit	\$538.00		\$20.21	\$15.95	\$13.47	\$18.17	\$15.10	\$13.08
4349712	FS 508 Base Finisher	\$764.00		\$28.70	\$22.65	\$19.12	\$25.81	\$21.44	\$18.58
7640001812	HD 504 40GB Hard Disk Drive	\$281.00		\$10.56	\$8.33	\$7.03	\$9.49	\$7.88	\$6.83
4347711	JS 502 Job Separator (requires OT 501)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
4623472	Key Counter Attachment Kit (Legacy Konica)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623481	Key Counter Attachment Kit (Legacy Minolta)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623471	Key Counter Mount Kit 2 (Legacy Minolta)	\$46.00		\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4551621	ML 502 Fax Multi Line	\$540.00		\$20.29	\$16.01	\$13.52	\$18.24	\$15.15	\$13.13
4510712	MT 501 Mailbin Kit (for FS 508)	\$503.00		\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
4599225	OC 502 Original Cover	\$36.00		\$1.35	\$1.07	\$0.90	\$1.22	\$1.01	\$0.88
4625241	OT 601 Output Tray	\$24.00		\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
4061112	PC 102 550 Sheet Paper Feed Cabinet	\$409.00		\$15.37	\$12.13	\$10.24	\$13.82	\$11.48	\$9.95
4061212	PC 202 (2) 550 Sheet Universal Cassettes	\$600.00		\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
4061317	PC 402 2,750 Sheet Large Capacity Tray	\$585.00		\$21.98	\$17.35	\$14.64	\$19.76	\$16.42	\$14.23
4512812	PU 501 Punch Unit	\$252.00		\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
4599444	SC 504 HDD Encryption Kit	\$212.00		\$7.96	\$6.29	\$5.31	\$7.16	\$5.95	\$5.16
4511811	SD 502 Saddle Stitcher Kit	\$650.00		\$24.42	\$19.27	\$16.27	\$21.96	\$18.24	\$15.81
4614506	SP 501 Stamp Unit	\$20.00		\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare Tx Marker Stamp	\$9.00		\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
				<i>Includes All Supplies</i>			<i>NO Supplies Included</i>		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
4068612	Drum Unit DR 310	100K	\$71.53	2,000	\$26.40	\$0.0132	2,000	\$22.17	\$0.0111
8938451	Developer DV 310 300g	100K	\$27.71	3,000	\$38.10	\$0.0127	3,000	\$31.83	\$0.0106
8938402	TN 311 Polymerized Toner	17.5K	\$39.29	4,000	\$48.40	\$0.0121	4,000	\$40.67	\$0.0102
7640000838	MS 5D Staples (FS 508)	(5,000 x 3)	\$31.36	6,000	\$65.40	\$0.0109	6,000	\$56.50	\$0.0094
4599161	MS 2C Staples (SD 502)	(2,000 x 4)	\$37.24	8,000	\$83.20	\$0.0104	8,000	\$69.00	\$0.0086
				10,000	\$100.00	\$0.0100	10,000	\$83.08	\$0.0083
				14,000	\$133.00	\$0.0095	14,000	\$102.08	\$0.0073
				18,000	\$169.20	\$0.0094	18,000	\$114.58	\$0.0064

NOTES:

- 1) DK 501 is a storage cabinet only.
- 2) FK 503 comes bundled with 32MB memory.
- 3) When you add the HD 504, you must add a MINIMUM of 32MB of memory by installing the EM 303 Memory Upgrade or the FK 503 Fax Kit.
- 4) OT 601 Output Tray adds third tray to FS 508 Base Finisher.
- 5) The FS 508 Base Finisher must be installed to support Finisher Options.
- 6) The JS 502 Job Separator Tray cannot be installed if the FS 508 Base Finisher is installed.
- 7) The MT 501 Mailbin Kit cannot be mounted if SD 502 Saddle Stitcher is installed.
- 8) The SD 502 Saddle Sticher cannot be mounted if MT 501 Mailbin Kit is installed.



bizhub 350

PRINTER_COPIER_SCANNER_FAX_

CONNECT_COMMUNICATE_CONTROL

General Specifications

TYPE:	Digital Printer/Copier/Scanner/Fax
IMAGING SYSTEM:	Simltri® Polymerized Toner
SCANNING SYSTEM:	CCD Line Sensor
PRINT/COPY SPEED:	35 ppm (letter) 8-1/2" x 11" portrait, 28 ppm (letter) 8-1/2" x 11" landscape, 23 ppm (legal) 8-1/2" x 14", 20ppm (ledger) 11" x 17"
MONTHLY DUTY CYCLE:	150,000 pages
PRINT/COPY RESOLUTION:	True 600 x 600 dpi
HALFTONE REPRODUCTION:	256 gradations
MEMORY:	192 MB (32 MB for files, 170 pages) (standard), 40 GB (maximum) (optional)
WARM-UP TIME:	14 seconds (from Sub Power On), 24 seconds (from Main Power On)
FIRST COPY:	4.8 seconds or less
COPY QUANTITY:	1 - 999 copies (countdown, interrupt capability)
MAGNIFICATION:	Zoom range: 25 - 400%, 0.1% increments, Preset reduction: 93%, 79%, 73%, 65%, 50%, Preset enlargement: 121%, 129%, 155%, 200%
EXPOSURE MODES:	Auto, Text, Photo, Text/Photo, Manual
ORIGINAL SIZE:	Up to 11" x 17" maximum
PAPER SIZE:	5-1/2" x 8-1/2" to 11" x 17"
PAPER WEIGHT:	15 lb. to 24 lb. bond, Manual bypass: 24-1/4 lb. to 55-3/4 lb. bond; specialty paper (thick paper, OHP transparencies, postcards, envelopes, label sheets)
STANDARD PAPER SUPPLY:	550-sheet Universal Paper Drawers (2), 150-sheet Intelligent Bypass
OPTIONAL PAPER SUPPLY:	550-sheet Universal Paper Cabinet (1 paper drawer plus storage drawer), 1,100-sheet Universal Paper Cabinet (two 550-sheet drawers), 2,750-sheet Large Capacity Cabinet
MAXIMUM PAPER CAPACITY:	4,000 sheets (total, with options)
DOCUMENT FEEDER:	DF-605 Reversing Auto Document Feeder (optional), Capacity: 80 sheets, Speed: up to 70 scans per minute, Original size: up to 11" x 17", 1-sided, 2-sided originals, Mixed Original Detection
POWER REQUIREMENTS:	120 V, 60 Hz, 11.5 A
POWER CONSUMPTION:	1380 W (max.)
DIMENSIONS (W x D x H):	26-3/4" x 28" x 28-1/4"
WEIGHT:	163 lbs.
OPTIONS:	DF-605 Reversing Auto Document Feeder, DK-501 Copy Desk, EK-502 Local Interface Kit (IEEE Parallel), EM-303 32 MB Expanded Memory, EM-304 64 MB Expanded Memory, EM-305 128 MB Expanded Memory, FK-503 Fax Kit, FS-508 Base Finisher, HD-504 40 GB Hard Disk Drive, JS-502 Job Separator Tray, ML-502 Fax Dual Line (requires FK-503), MT-501 Mailbin Kit, OC-502 Original Cover, OT-601 Output Tray, PC-102 Universal Paper Feed Cabinet (550 sheets, letter to ledger size, plus storage drawer), PC-202 Universal Two-Way Paper Feed Cabinet (1,100 sheets, letter to ledger size), PC-402 Large Capacity Cabinet (2,750 sheets, letter portrait), PU-501 Punch Unit, SC-504 HDD Encryption Kit, SD-502 Saddle Stitcher, SP-501 Stamp Unit (requires FK-503), Spare TX Marker Stamp 2 (requires FK-503)
PAGESCOPE APPLICATIONS:	Network & Device Management: PageScope HDD Backup Utility, PageScope Web Connection, PageScope Net Care, PageScope Network Setup, PageScope EMS Plug-Ins, PageScope NDPS Gateway, PageScope Data Administrator, PageScope Driver Packaging Utility, User Tools: PageScope Box Operator, PageScope Print Status Notifier, PageScope Web Print Assistant, Optional Software: PageScope Workware Account Track (up to 1,000 accounts), APS/AMS, Auto Duplex, Stackless, Auto/Manual/Photo Exposure, Auto Tray Switching, Black-White Reverse, Book Copy, Book Erase, Booklet Function, Box Function (Copier, Reprint with setting mode change, Resend), Combined Copy Setting (2-in-1, 4-in-1), Copy Job Reserve (queue) (5 jobs), Copy Programs (Mode Memory) (10 jobs), Cover Mode, Criss/Cross Sorting, Distribution Number and Stamping, Energy Save Mode, Erase (Edge/Frame), File Margin, Hole-Punching (2/3 hole), Horizontal/Vertical Zoom Ratios (X/Y magnification), Image Overlay, Image Repeat, Image Rotation, Interrupt Mode, Mixed Original Detection, OHP Interleave, Page Insertion, Proof Copy, Separate Scanning, Sleep Mode Recovery, Stapling (single, multi-position, center), Text, Photo, Text/Photo, Dot Matrix Modes, Zoom
AVAILABLE PRINT/COPY FUNCTIONS:	

Emperon Print System (standard):

TYPE:	Embedded
PROCESSOR:	300 MHz
MEMORY:	192 MB (standard)
NETWORK INTERFACE:	RJ45 (Ethernet 10-BaseT/100-BaseTX) + USB 1.1/2.0 Port (standard), Parallel (IEEE 1284 compatibility) (optional)
NETWORK PROTOCOLS:	TCP/IP, IPX/SPX, SMB, LPD, IPP1.1, AppleTalk (EtherTalk), LPR, Netware (4.x, 5, 6), NDPS, SMTP, POP3, LDAP, SSL, SNMP, HTTP 3.0
SCANNING FUNCTIONS:	Scan-to-Email, Scan-to-FTP, Scan-to-HDD (with optional HDD), Scan-to-SMB (Scan-to-Desktop), Scan-to-URL, Network HDD TWAIN
PRINT DRIVERS:	PCL6 emulation: Windows 98 SE or Windows ME, Windows 2000 (SP4 or later), Windows XP (SP2 or later), Windows Server 2003, Windows NT 4.0 (SP6a), Windows Vista 32-bit, 64-bit PostScript 3 emulation: Windows 98 SE or Windows ME (PPD file), Windows 2000, Windows XP (SP2 or later), Windows Server 2003, Windows NT 4.0 (SP6a), Windows Vista 32-bit, 64-bit Mac OS 9.2 (PPD file), Mac OS X 10.2 or 10.3

FK-503 Fax Option Specifications

COMMUNICATION LINE:	Public Switched Telephone Network (PSTN)
COMPATIBILITY:	G3, Super G3
DATA COMPRESSION:	MH, MR, MMR, JBIG
MODEM SPEED:	33.6 kbps (max; auto fallback)
TRANSMISSION SPEED:	Less than 3 seconds per page
SCANNING SPEED:	Up to 70 sheets per minute (with DF-605 Reversing Auto Document Feeder option)
FAX RESOLUTION:	200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi, Text Photo (200 x 200 dpi), Grayscale (200 x 200 dpi), Super Grayscale (400 x 400 dpi)
MEMORY:	32 MB
FAX TRANSMISSION/RECEPTION SIZE:	Up to 11" x 17"
DIALING:	540 one-touch dialing locations
BROADCAST:	300 destinations
OTHER FACSIMILE FUNCTIONS:	IP Address Faxing, IP Relay Fax, PC Faxing



(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
36GJ	bizhub 360	\$4,016.00		\$150.88	\$119.07	\$100.52	\$135.66	\$112.69	\$97.67
4348011	DK 501 Desk/Storage Drawer	\$100.00		\$3.76	\$2.97	\$2.50	\$3.38	\$2.81	\$2.43
15LB	FK 502 Super G3 Fax Board	\$551.00		\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
4349812	FS 510 Base Finisher	\$767.00		\$28.82	\$22.74	\$19.20	\$25.91	\$21.52	\$18.65
4521812	FS 511 Console Finisher	\$1,287.00		\$48.35	\$38.16	\$32.21	\$43.47	\$36.11	\$31.30
16GA	HD 505 40 GB Hard Disk Drive	\$435.00		\$16.34	\$12.90	\$10.89	\$14.69	\$12.21	\$10.58
16JE	IC 204 Image Controller	\$681.00		\$25.59	\$20.19	\$17.05	\$23.00	\$19.11	\$16.56
4347711	JS 502 Job Separator Tray	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
16AA	LU 201 Large Capacity Unit (2,000 sheets)	\$630.00		\$23.67	\$18.68	\$15.77	\$21.28	\$17.68	\$15.32
16LA	MK 708 Mount Kit for FK 502	\$117.00		\$4.40	\$3.47	\$2.93	\$3.95	\$3.28	\$2.85
16PA	ML 503 Dual Line Fax Kit	\$117.00		\$4.40	\$3.47	\$2.93	\$3.95	\$3.28	\$2.85
4510716	MT 501 Mailbin Kit (for FS 510)	\$503.00		\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
16BA	OT 501 Output Tray (For JS 502)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
4625241	OT 601 Output Tray (For FS 510)	\$24.00		\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
4061212	PC 202 (2) 500 Sheet Univ. Cassettes	\$600.00		\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
4061317	PC 402 2,500 sheet LCC	\$585.00		\$21.98	\$17.35	\$14.64	\$19.76	\$16.42	\$14.23
4512812	PU 501 Punch Unit 9 (For FS 510)	\$252.00		\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
16FA	RU 502 Relay unit for FS 511	\$128.00		\$4.81	\$3.80	\$3.20	\$4.32	\$3.59	\$3.11
16HA	SC 502 HDD Encryption Kit	\$234.00		\$8.79	\$6.94	\$5.86	\$7.90	\$6.57	\$5.69
4511811	SD 502 Saddle Stitcher Kit (For FS 510)	\$650.00		\$24.42	\$19.27	\$16.27	\$21.96	\$18.24	\$15.81
4614506	SP 501 Stamp Unit	\$20.00		\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare TX Marker Stamp	\$9.00		\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
Item #	Description	Yield	GSA Price	<i>Includes All Supplies</i>			<i>NO Supplies Included</i>		
				Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
024E	Toner (TN 511)	32,200	\$53.40	3,000	\$38.40	\$0.0128	3,000	\$31.83	\$0.0106
024G	Developer (DV511)	250,000	\$90.68	4,000	\$48.00	\$0.0120	4,000	\$40.67	\$0.0102
024K	Drum (DR510)	250,000	\$108.81	6,000	\$66.00	\$0.0110	6,000	\$52.50	\$0.0088
4623361	MS 5D Staples (FS 510/FS 511)	(5,000 x 3)	\$31.36	8,000	\$81.60	\$0.0102	8,000	\$66.50	\$0.0083
4599161	MS 2C Staples (SD 502)	(2,000 x 4)	\$37.24	10,000	\$97.00	\$0.0097	10,000	\$75.83	\$0.0076
				14,000	\$126.00	\$0.0090	14,000	\$96.67	\$0.0069
				18,000	\$154.80	\$0.0086	18,000	\$115.42	\$0.0064
				25,000	\$207.50	\$0.0083	25,000	\$151.83	\$0.0061

NOTES:

- 1) When ordering the FS 511 Console Finisher, you MUST order the RU 502 Relay Unit.
- 2) MT 501 Mailbin Kit requires a FS 510 Base Finisher. Cannot be mounted if SD 502 Saddle Stitcher Kit is installed.
- 3) PU 501 Punch Unit requires FS 510 Base Finisher provides 2/3 hole punch
- 4) SD 502 Saddle Stitcher requires FS 510 Base Finisher cannot be mounted if MT 501 Mail Bin Kit is installed.
- 5) DK 501 Copy Desk required when no additional paper drawers are installed.
- 6) HD 505 40GB Hard Disk Drive required to support Scan to HDD and other features (see 420/500 Product & Sales Guide).
- 7) FK 502 Fax Board and MK 708 are required for fax line capability.
- 8) IC 204 Image Controller Required for PCL5e/PCL6/PS3 emulation printing.
- 9) OT 601 Output Tray adds third tray to FS 510 finisher.
- 10) Base Finisher must be installed to support FS 510 options.
- 11) If you require dual line fax capability FK 502 Fax Board and MK 708 Mount Kit MUST be purchased as the 1st line and if you require the 2nd line, an additional FK 502 Fax Board and ML 503 Dual Line Fax Kit MUST be purchased.
- 12) When ordering LU 201 Large Capacity Unit, you must order either PC 202 or PC 402.



bizhub 360

CONNECT

COMMUNICATE

CONTROL



GENERAL SPECIFICATIONS:

TYPE:
Digital Printer/Copier/Scanner/Fax

TONER TYPE:
Simitri® Polymerized Toner

MONTHLY DUTY CYCLE: 150,000

PRINT/COPY SPEED:
B&W: 36 ppm (letter, portrait)

SCAN SPEED: Up to 70 opm

PRINT/COPY RESOLUTION:
1200dpi equivalent x 600 dpi

MEMORY:
Page memory: 192 MB (Standard)
System memory: 384 MB (Standard)

ORIGINAL SIZE:
Up to 11" x 17" (scanning/copying)

PAPER SIZE:
5.5" x 8.5" to 11" x 17"
Tray 2 Universal Cassette: 5.5" x 8.5" to 11" x 17"
Multiple Bypass: 5.5" x 8.5" to 11" x 17"

PAPER WEIGHT:
16 lb. to 28 lb. bond
Manual Bypass: 13 lb. bond to 110 lb. index

WARM-UP TIME: Less than 30 seconds

FIRST COPY:
Less than 3.6 seconds (letter)

COPY QUANTITY: 1 - 999

STANDARD PAPER SUPPLY:
500-sheet universal cassette (20 lb.)
500-sheet universal cassette (20 lb.)
150-sheet bypass (20 lb.)

MAGNIFICATION:
Zoom range: 25% - 400%, 0.1% increments
Preset reduction: 79%, 77%, 65%, 50%
Preset enlargement: 121%, 129%, 155%, 200%

COPY EXPOSURE MODES:
Text (legible text)
Text/Photo (clear text and halftones)
Photo
Dot Matrix

MAXIMUM PAPER CAPACITY:
5,650 sheets (total, with options)

POWER REQUIREMENTS:
120V, 60Mhz, 12A

POWER CONSUMPTION:
Less than 1,560W

DIMENSIONS: (W x D x H):
26.7" x 27.9" x 35.23"

WEIGHT: 201 lbs.

OPTIONS:
FK-502 Fax Kit
ML-503 Fax Multi Line
DF-607 Automatic Document Feeder
FS-511 Console Finisher (50 Sheets)
FS-510 Base Finisher (50 Sheets)
LU-201 Large Capacity Unit
OT-601 Output Tray
JS-502 Job Separator (requires OT-601)
SD-502 Saddle Stitcher (for FS-510)
MT-501 Mail Bin Kit (for FS-510)
PU-501 Punch Kit Unit (for FS-510)
SC-502 HDD Encryption Kit
HD-505 40GB Hard Disk Drive
IC-204 Print Controller
SP-501 Fax Stamp Kit
DK-501 Desk/Storage Drawer
PC-202 500 Sheet Universal x 2
PC-402 Paper Feed Cabinet (2,500 Sheets)

Available Print/Copy Functions

Account Track (1,000 accounts)
APS/AMS
Auto Duplex
Auto Reset
Auto Tray Switching
Bi-Directional Communication
(Device Option Setting)
Box Function
(Store Copy Jobs, Print Jobs, Scans, Fax Data,
Print Stored Data, Route Scanned Data)
Copy Modes
(Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1,
Book Copy (Separation), Book Mode Copy)

Cover Mode
Creative Functions
(XY Zoom, Image Centering,
Neg./Pos. Reverse, Image Repeat)
Criss-Cross Sorting
Frame Erase, Saddle Erase
Energy Save Mode
Enlarge Display
Erase (Border, Frame, Edge) Mode
Finishing (Group, Sort, Staple, Punch,
Center Crease and Fold)
HDD Random Erase
Image Density Adjustment
(Density, Background Removal)
Image Overlay
Image Preview (Job Finishing Image Display,
Engine Configuration Display)
Interrupt
Job List
Job Erase
Job Reserve
LDAP/Up to 5 LDAP servers/Global LDAP
OHP Interleaving
Mixplex, Mix-Media
Program/Recall Jobs
Paper Size Selection (APS, Manual)
Paper Type Selection
Proof Copy
Secure Printing
Separate Scan
Sleep Mode
User Authentication
(Synchronize w/ Account Track)
Utility (Meter Count, Environment Setting,
Default Setting, OneTouch Setting,
Check Consumable Life, Admin. Mode)
Watermarks
Zoom Selection
(AMS, Fixed Zoom Ratio, User Programmable
Zoom Ratio, Manual)

Available Scan Functions

Scan-to-Email
Scan-to-FTP
Scan-to-SMB (Scan-to-Desktop)
Scan-to-HDD (Scan-to-User Box)
Network TWAIN/HDD TWAIN)

Available Fax Functions

Autodialing (1,000 one-touch keys w/o HDD/
2,000 one-touch keys w/ optional HDD)
Auto Memory Reception
Auto Reduction Printing
Border Erase Transmission
Broadcasting (maximum 600 locations)
Bulletin Board
Density Adjustment
Duplex Transmission/Reception
Exposure Mode
(Text, Text/Photo, Photo, Dot Matrix)
Group Dialing
(up to 200 one-touches per group)
Image Rotation Transmission/Reception
Mailbox (Private) Transmission/Reception
Memory/Quick Dial
Mixed Originals Transmission
Original Size Designation
Overseas Transmission
Password Transmission/Reception
PC Fax
Polling Transmission/Reception
Priority Transmission
Print Setting for Overnight Reception
Program Dialing (400 programs)
Redial
Relay Broadcasting
Relay Transmission
Remote Reception
Timer Transmission
TSI User Box
TSI User Box Routing

FAXING (with fax option):

Super G3 compatibility;
JBIG data compression
33.6 Kbps modem speed
F-Code Support

FAX TRANSMISSION SPEED:
Approximately 2.4 seconds/page

FAX EXPOSURE MODES:
Text, Text/Photo, Photo, Dot Matrix

Emperon Print System

PROCESSOR:

400 MHz

RAM:

Shared with main body

HARD DISK DRIVE:

40 GB (shared scan and copier HDD)

PAGE DESCRIPTION LANGUAGE:

PCL 5e Emulation
PCL 6 (XL 2.1) Emulation
PostScript 3 Emulation

FONTS:

PCL Resident Fonts: 80 outline
PS3 Emulation Resident Fonts: 136 outline

PRINT DRIVERS:

PCL 6:
Windows 98/Me, Windows NT 4.0, Windows
2000, Windows XP, Windows Server 2003
Vista Compatibility
(please see www.mykonicaminolta.com
for the latest information)
PS3 Emulation:
Windows 98SE/Me CPFD
Windows NT 4.0/2000/XP/Server 2003 (driver)
Windows XP x 64/Server 2003 x 64 (driver)
Mac OS9.2 (PPD)
Mac OS X 10.2, 10.3, 10.4
Linux/Unix

STANDARD INTERFACES:

Ethernet (100Base-TX/10Base-T)
IEEE 1284
USB 2.0

PROTOCOLS:

TCP/IP
IPX/SPX
AppleTalk (EtherTalk)
LPR
SMB
LPD
Netware (4.x, 5, 6)
Pserver
N Printer
NDPS
IPP 1.1
SMTP
POP3
LDAP
SSL
SNMP
HTTP
Bonjour

APPLICATIONS:

Network & Device Management:

PageScope NetCare
PageScope NDPS Gateway
PageScope EMS Plug-Ins
PageScope Network Setup
PageScope Data Administrator
HDD Backup Utility
PageScope Web Connection
Plug-In for WebJet Admin™

User Tools:

PageScope Direct Print
PageScope Box Operator
PageScope Print Status Notifier
Font Management Utility
Print Utility for Unix™

Management Tools:

bizhub Vcare capable

Optional Software:

PageScope Workware



(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
42GH	Bizhub 420	\$4,436.00		\$166.66	\$131.53	\$111.03	\$149.85	\$124.47	\$107.88
4348011	DK 501 Copy Desk/Storage Drawer	\$100.00		\$3.76	\$2.97	\$2.50	\$3.38	\$2.81	\$2.43
15LB	FK 502 Super G3 Fax Board	\$551.00		\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
4349812	FS 510 Base Finisher	\$767.00		\$28.82	\$22.74	\$19.20	\$25.91	\$21.52	\$18.65
4521812	FS 511 50 sheet Console Finisher	\$1,287.00		\$48.35	\$38.16	\$32.21	\$43.47	\$36.11	\$31.30
16GA	HD 505 40GB HDD	\$435.00		\$16.34	\$12.90	\$10.89	\$14.69	\$12.21	\$10.58
16JE	IC 204 Print Controller	\$681.00		\$25.59	\$20.19	\$17.05	\$23.00	\$19.11	\$16.56
4347711	JS 502 Job Separator (requires OT 501)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
16AA	LU 201 Large Capacity Tray (2000 Sheets)	\$630.00		\$23.67	\$18.68	\$15.77	\$21.28	\$17.68	\$15.32
16LA	MK 708 Mount Kit for FK 502	\$117.00		\$4.40	\$3.47	\$2.93	\$3.95	\$3.28	\$2.85
16PA	ML 503 Dual Line Kit	\$117.00		\$4.40	\$3.47	\$2.93	\$3.95	\$3.28	\$2.85
4510716	MT 501 Mailbin Kit (for FS 508)	\$503.00		\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
16BA	OT 501 Output Tray (required for JS 502)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
4625241	OT 601 Output Tray	\$24.00		\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
4061212	PC 202 (2) 500 Sheet Universal Cassettes	\$600.00		\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
4061317	PC 402 2,750 Sheet Paper Feed Cabinet	\$585.00		\$21.98	\$17.35	\$14.64	\$19.76	\$16.42	\$14.23
4512812	PU 501 Punch Unit	\$252.00		\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
16FA	RU 502 Relay Unit for FS 511	\$128.00		\$4.81	\$3.80	\$3.20	\$4.32	\$3.59	\$3.11
16HA	SC 502 HDD Encryption Kit	\$234.00		\$8.79	\$6.94	\$5.86	\$7.90	\$6.57	\$5.69
4511811	SD 502 Saddle Stitcher Kit	\$650.00		\$24.42	\$19.27	\$16.27	\$21.96	\$18.24	\$15.81
4614506	SP 501 Stamp Unit	\$20.00		\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare TX Marker Stamp	\$9.00		\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
024E	Toner (TN 511)	32,200	\$53.40	4,000	\$50.40	\$0.0126	4,000	\$45.58	\$0.0114
024G	Developer (DV51)	250,000	\$90.68	5,000	\$56.50	\$0.0113	5,000	\$48.75	\$0.0098
024K	Drum (DR510)	250,000	\$108.81	6,000	\$61.80	\$0.0103	6,000	\$51.17	\$0.0085
4623361	MS 5D Staples (FS 510/FS 511)	(5,000 x 3)	\$31.36	8,000	\$77.60	\$0.0097	8,000	\$66.33	\$0.0083
4599161	MS 2C Staples (SD 502)	(2,000 x 4)	\$37.24	10,000	\$91.00	\$0.0091	10,000	\$73.00	\$0.0073
				15,000	\$127.50	\$0.0085	15,000	\$94.92	\$0.0063
				20,000	\$166.00	\$0.0083	20,000	\$123.67	\$0.0062
				25,000	\$205.00	\$0.0082	25,000	\$146.67	\$0.0059

NOTES:

- 1) When ordering the FS 511 Console Finisher, you MUST order the RU 502 Relay Unit.
- 2) MT 501 Mailbin Kit requires a FS 510 Base Finisher. Cannot be mounted if SD 502 Saddle Stitcher Kit is installed.
- 3) PU 501 Punch Unit requires FS 510 Base Finisher provides 2/3 hole punch
- 4) SD 502 Saddle Stitcher requires FS 510 Base Finisher cannot be mounted if MT 501 Mail Bin Kit is installed.
- 5) DK 501 Copy Desk required when no additional paper drawers are installed.
- 6) HD 505 40GB Hard Disk Drive required to support Scan to HDD and other features (see 420/500 Product & Sales Guide).
- 7) FK 502 Fax Board and MK 708 are required for fax line capability.
- 8) IC 204 Image Controller Required for PCL5e/PCL6/PS3 emulation printing.
- 9) OT 601 Output Tray adds third tray to FS 510 finisher.
- 10) Base Finisher must be installed to support FS 510 options.
- 11) If you require dual line fax capability FK 502 Fax Board and MK 708 Mount Kit MUST be purchased as the 1st line and if you require the 2nd line, an additional FK 502 Fax Board and ML 503 Dual Line Fax Kit MUST be purchased.
- 12) When ordering LU 201 Large Capacity Unit, you must order either PC 202 or PC 402.



bizhub 420

CONNECT

COMMUNICATE

CONTROL

GENERAL SPECIFICATIONS:

TYPE:

Digital Printer/Copier/Scanner/Fax

TONER TYPE:

Simitri® Polymerized Toner

MONTHLY DUTY CYCLE:

150,000

PRINT/COPY SPEED:

B&W: 42 ppm (letter, portrait)

SCAN SPEED:

Up to 70 opm

PRINT/COPY RESOLUTION:

1200 dpi equivalent x 600 dpi

MEMORY:

Page memory: 192 MB (Standard)
System memory: 384 MB (Standard)

HARD DISK DRIVE:

40 GB (optional)

ORIGINAL SIZE:

Up to 11" x 17" (scanning/copying)

PAPER SIZE:

5.5" x 8.5" to 11" x 17"

PAPER WEIGHT:

16 lb. to 28 lb. bond
Manual Bypass: 13 lb. bond to 110 lb. index

WARM-UP TIME:

Less than 30 seconds

FIRST COPY:

Less than 3.6 seconds (letter)

COPY QUANTITY:

1 - 999

STANDARD PAPER SUPPLY:

500-sheet universal cassette (20 lb.)
500-sheet universal cassette (20 lb.)
150-sheet bypass (20 lb.)

MAGNIFICATION:

Zoom range: 25% - 400%, 0.1% increments
Preset reduction: 79%, 77%, 65%, 50%
Preset enlargement: 121%, 129%, 155%, 200%

COPY EXPOSURE MODES:

Text (legible text)
Text/Photo (clear text and halftones)
Photo
Dot Matrix

MAXIMUM PAPER CAPACITY:

5,650 sheets (total, with options)

DOCUMENT FEEDER:

Capacity: 80 sheets
Original size: Up to 11" x 17"
1-sided, 2-sided originals, mixed original detection

POWER REQUIREMENTS:

120V, 60MHz, 12A

POWER CONSUMPTION:

Less than 1,560W

DIMENSIONS: (W x D x H):

26.7" x 27.9" x 35.2"

WEIGHT:

201 lbs.

OPTIONS:

FK-502 Fax Kit
ML-503 Fax Multi Line
FS-511 Console Finisher (50 Sheets)
FS-510 Base Finisher (50 Sheets)
LU-201 Large Capacity Unit
OT-601 Output Tray
JS-502 Job Separator (requires OT-601)
SD-502 Saddle Slitcher (for FS-510)
MT-501 Mail Bin Kit (for FS-510)
PU-501 Punch Kit Unit (for FS-510)
SC-502 HDD Encryption Kit
HD-505 40GB Hard Disk Drive
IC-204 Print Controller
SP-501 Fax Stamp Kit
DK-501 Desk/Storage Drawer
PC-202 500 Sheet Universal x 2
PC-402 Paper Feed Cabinet (2,500 Sheets)

Available Print/Copy Functions

Account Track (1,000 accounts)
APS/AMS
Auto Duplex
Auto Reset
Auto Tray Switching
Bi-Directional Communication
(Device Option Setting)
Box Function
(Store Copy Jobs, Print Jobs, Scans, Fax Data,
Print Stored Data, Route Scanned Data)
Copy Modes
(Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1,
Book Copy (Separation), Book Mode Copy)

Cover Mode
Creative Functions
(XY Zoom, Image Centering,
Neg./Pos. Reverse, Image Repeat)
Criss-Cross Sorting
Frame Erase
Energy Save Mode
Enlarge Display
Erase (Border, Frame, Edge) Mode
Finishing (Group, Sort, Staple, Punch,
Center Staple and Fold)
HDD Random Erase
Image Density Adjustment
(Density, Background Removal)
Image Overlay
Image Preview (Job Finishing Image Display,
Engine Configuration Display)
Interrupt
Job List
Job Erase
Job Reserve
LDAP/up to 5 LDAP servers/Global LDAP
OHP Interleaving
Mixplex, Mix-Media
Program/Recall Jobs
Paper Size Selection (APS, Manual)
Paper Type Selection
Proof Copy
Secure Printing
Separate Scan
Sleep Mode
User Authentication
(Synchronize w/ Account Track)
Utility (Meter Count, Environment Setting,
Default Setting, OneTouch Setting,
Check Consumable Life, Admin. Mode)
Watermarks
Zoom Selection
(AMS, Fixed Zoom Ratio, User Programmable
Zoom Ratio, Manual)

Available Scan Functions*

Scan-to-Email
Scan-to-FTP
Scan-to-SMB (Scan-to-Desktop)
Scan-to-HDD (Scan-to-User Box)
Network TWAIN (HDD TWAIN)

Available Fax Functions*

Autodialing (1,000 one-touch keys w/o HDD/
2,000 one-touch keys w/ optional HDD)
Auto Memory Reception
Auto Reduction Printing
Border Erase Transmission
Broadcasting (maximum 600 locations)
Bulletin Board
Density Adjustment
Duplex Transmission/Reception
Exposure Mode
(Text, Text/Photo, Photo, Dot Matrix)
Group Dialing
(up to 500 one-touches per group)
Image Rotation Transmission/Reception
Mailbox (Private) Transmission/Reception
Memory/Quick Dial
Mixed Originals Transmission
Original Size Designation
Overseas Transmission
Password Transmission/Reception
PC Fax
Polling Transmission/Reception
Priority Transmission
Print Setting for Overnight Reception
Program Dialing (400 programs)
Redial
Relay Broadcasting
Relay Transmission
Remote Reception
Timer Transmission
TSI User Box
TSI User Box Routing

FAXING (with fax option):

Super G3 compatibility;
JBIG data compression
33.6 Kbps modem speed
F-Code Support

FAX TRANSMISSION SPEED:

Approximately 2.4 seconds/page

FAX EXPOSURE MODES:

Text, Text/Photo, Photo, Dot Matrix

Emperon Print System

PROCESSOR:

400 MHz

RAM:

Shared with main body

HARD DISK DRIVE:

40 GB (shared scan and copier HDD) optional

PAGE DESCRIPTION LANGUAGE:

PCL 5e Emulation
PCL 6 (XL 2.1) Emulation
PostScript 3 Emulation

FONTS:

PCL Resident Fonts: 80 outline
PS3 Emulation Resident Fonts: 136 outline

PRINT DRIVERS:

PCL 6:
Windows 98/Me, Windows NT 4.0, Windows
2000, Windows XP, Windows Server 2003
Vista Compatibility
(please see www.mykonicaminolta.com
for the latest information)
PS3 Emulation:
Windows 98SE/Me (PPD)
Windows NT 4.0/2000/XP/Server 2003 (driver)
Windows XP x 64/Server 2003 x 64 (driver)
Mac OS9.2 (PPD)
Mac OS X 10.2, 10.3, 10.4
Linux/Unix

STANDARD INTERFACES:

Ethernet (100Base-TX/10Base-T)
IEEE 1284
USB 2.0

PROTOCOLS:

TCP/IP
IPX/SPX
AppleTalk (EtherTalk)
LPR
SMB
LPD
Netware (4.x, 5, 6)
Pserver
N Printer
NDPS
IPP 1.1
SMTP
POP3
LDAP
SSL
SNMP
HTTP
Bonjour

APPLICATIONS:

Network & Device Management:

PageScope NetCare
PageScope NDPS Gateway
PageScope EMS Plug-Ins
PageScope Network Setup
PageScope Data Administrator
HDD Backup Utility
PageScope Web Connection
Plug-in for WebJet Admin*

User Tools:

PageScope Direct Print
PageScope Box Operator
PageScope Print Status Notifier
Font Management Utility
Print Utility for Unix*

Management Tools:

bizhub Vcare capable

Optional Software:

PageScope Workware



(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
50GH	Bizhub 500	\$5,500.00		\$206.64	\$163.08	\$137.67	\$185.79	\$154.33	\$133.76
4348011	DK 501 Copy Desk/Storage Drawer	\$100.00		\$3.76	\$2.97	\$2.50	\$3.38	\$2.81	\$2.43
15LB	FK 502 Super G3 Fax Board	\$551.00		\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
4349812	FS 510 Base Finisher	\$767.00		\$28.82	\$22.74	\$19.20	\$25.91	\$21.52	\$18.65
4521812	FS 511 50 sheet Console Finisher	\$1,287.00		\$48.35	\$38.16	\$32.21	\$43.47	\$36.11	\$31.30
16GA	HD 505 40GB HDD	\$435.00		\$16.34	\$12.90	\$10.89	\$14.69	\$12.21	\$10.58
16JE	IC 204 Print Controller	\$681.00		\$25.59	\$20.19	\$17.05	\$23.00	\$19.11	\$16.56
4347711	JS 502 Job Separator (requires OT 501)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
16AA	LU 201 Large Capacity Tray (2000 Sheets)	\$630.00		\$23.67	\$18.68	\$15.77	\$21.28	\$17.68	\$15.32
16LA	MK 708 Mount Kit for FK 502	\$117.00		\$4.40	\$3.47	\$2.93	\$3.95	\$3.28	\$2.85
16PA	ML 503 Dual Line Kit	\$117.00		\$4.40	\$3.47	\$2.93	\$3.95	\$3.28	\$2.85
4510716	MT 501 Mailbin Kit (for FS 508)	\$503.00		\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
16BA	OT 501 Output Tray (required for JS 502)	\$72.00		\$2.71	\$2.13	\$1.80	\$2.43	\$2.02	\$1.75
4625241	OT 601 Output Tray	\$24.00		\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
4061212	PC 202 (2) 500 Sheet Universal Cassettes	\$600.00		\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
4061317	PC 402 2,750 Sheet Paper Feed Cabinet	\$585.00		\$21.98	\$17.35	\$14.64	\$19.76	\$16.42	\$14.23
4512812	PU 501 Punch Unit	\$252.00		\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
16FA	RU 502 Relay Unit for FS 511	\$128.00		\$4.81	\$3.80	\$3.20	\$4.32	\$3.59	\$3.11
16HA	SC 502 HDD Encryption Kit	\$234.00		\$8.79	\$6.94	\$5.86	\$7.90	\$6.57	\$5.69
4511811	SD 502 Saddle Stitcher Kit	\$650.00		\$24.42	\$19.27	\$16.27	\$21.96	\$18.24	\$15.81
4614506	SP 501 Stamp Unit	\$20.00		\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare TX Marker Stamp	\$9.00		\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
024E	Toner (TN 511)	32,200	\$53.40	4,000	\$50.40	\$0.0126	4,000	\$45.58	\$0.0114
024G	Developer (DV51)	250,000	\$90.68	5,000	\$56.50	\$0.0113	5,000	\$48.75	\$0.0098
024K	Drum (DR510)	250,000	\$108.81	6,000	\$61.80	\$0.0103	6,000	\$51.17	\$0.0085
4623361	MS 5D Staples (FS 510/FS 511)	(5,000 x 3)	\$31.36	8,000	\$77.60	\$0.0097	8,000	\$66.33	\$0.0083
4599161	MS 2C Staples (SD 502)	(2,000 x 4)	\$37.24	10,000	\$91.00	\$0.0091	10,000	\$73.00	\$0.0073
				15,000	\$127.50	\$0.0085	15,000	\$94.92	\$0.0063
				20,000	\$166.00	\$0.0083	20,000	\$123.67	\$0.0062
				25,000	\$205.00	\$0.0082	25,000	\$146.67	\$0.0059

NOTES:

- When ordering the FS 511 Console Finisher, you MUST order the RU 502 Relay Unit.
- MT 501 Mailbin Kit requires a FS 510 Base Finisher. Cannot be mounted if SD 502 Saddle Stitcher Kit is installed.
- PU 501 Punch Unit requires FS 510 Base Finisher provides 2/3 hole punch
- SD 502 Saddle Stitcher requires FS 510 Base Finisher cannot be mounted if MT 501 Mail Bin Kit is installed.
- DK 501 Copy Desk required when no additional paper drawers are installed.
- HD 505 40GB Hard Disk Drive required to support Scan to HDD and other features (see 420/500 Product & Sales Guide).
- FK 502 Fax Board and MK 708 are required for fax line capability.
- IC 204 Image Controller Required for PCL5e/PCL6/PS3 emulation printing.
- OT 601 Output Tray adds third tray to FS 510 finisher.
- Base Finisher must be installed to support FS 510 options.
- If you require dual line fax capability FK 502 Fax Board and MK 708 Mount Kit MUST be purchased as the 1st line and if you require the 2nd line, an additional FK 502 Fax Board and ML 503 Dual Line Fax Kit MUST be purchased.
- When ordering LU 201 Large Capacity Unit, you must order either PC 202 or PC 402.



bizhub 500

CONNECT

COMMUNICATE

CONTROL

GENERAL SPECIFICATIONS:

TYPE:
Digital Printer/Copier/Scanner/Fax

TONER TYPE:
Simitri® Polymerized Toner

MONTHLY DUTY CYCLE: 175,000

PRINT/COPY SPEED:
B&W: 50 ppm (letter, portrait)

SCAN SPEED: Up to 70 opm

PRINT/COPY RESOLUTION:
1200dpi equivalent x 600 dpi

MEMORY:
Page memory: 192 MB (Standard)
System memory: 384 MB (Standard)

HARD DISK DRIVE:
40 GB (optional)

ORIGINAL SIZE:
Up to 11" x 17" (scanning/copying)

PAPER SIZE:
5.5" x 8.5" to 11" x 17"

PAPER WEIGHT:
16 lb. to 28 lb. bond
Manual Bypass: 13 lb. bond to 110 lb. index

WARM-UP TIME: Less than 60 seconds

FIRST COPY:
Less than 3.2 seconds (letter)

COPY QUANTITY: 1 - 999

STANDARD PAPER SUPPLY:
500-sheet universal cassette (20 lb.)
500-sheet universal cassette (20 lb.)
150-sheet bypass (20 lb.)

MAGNIFICATION:
Zoom range: 25% - 400%, 0.1% increments
Preset reduction: 79%, 77%, 65%, 50%
Preset enlargement: 121%, 129%, 155%, 200%

COPY EXPOSURE MODES:
Text (legible text)
Text/Photo (clear text and halftones)
Photo
Dot Matrix

MAXIMUM PAPER CAPACITY:
5,650 sheets (total, with options)

DOCUMENT FEEDER:
Capacity: 80 sheets
Original size: Up to 11" x 17"
1-sided, 2-sided originals, mixed original detection

POWER REQUIREMENTS:
120V, 60Mhz, 12A

POWER CONSUMPTION:
Less than 1,560W

DIMENSIONS: (W x D x H):
26.7" x 27.9" x 35.2"

WEIGHT: 201 lbs.

OPTIONS:
FK-502 Fax Kit
ML-503 Fax Multi Line
FS-511 Console Finisher (50 Sheets)
FS-510 Base Finisher (50 Sheets)
LU-201 Large Capacity Unit
OT-601 Output Tray
JS-502 Job Separator (requires OT-601)
SD-502 Saddle Stitcher (for FS-510)
MT-501 Mail Bin Kit (for FS-510)
PU-501 Punch Kit Unit (for FS-510)
SC-502 HDD Encryption Kit
HD-505 40GB Hard Disk Drive
IC-204 Print Controller
SP-501 Fax Stamp Kit
DK-501 Desk/Storage Drawer
PC-202 500 Sheet Universal x 2
PC-402 Paper Feed Cabinet (2,500 Sheets)

Available Print/Copy Functions
Account Track (1,000 accounts)
APS/AMS
Auto Duplex
Auto Reset
Auto Tray Switching
Bi-Directional Communication
(Device Option Setting)
Box Function
(Store Copy Jobs, Print Jobs, Scans, Fax Data,
Print Stored Data, Route Scanned Data)
Copy Modes
(Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1,
Book Copy (Separation), Book Mode Copy)

Cover Mode
Creative Functions
(XY Zoom, Image Centering,
Neg./Pos. Reverse, Image Repeat)
Criss-Cross Sorting
Frame Erase
Energy Save Mode
Enlarge Display
Erase (Border, Frame, Edge) Mode
Finishing (Group, Sort, Staple, Punch,
Center Staple and Fold)
HDD Random Erase
Image Density Adjustment
(Density, Background Removal)
Image Overlay
Image Preview (Job Finishing Image Display,
Engine Configuration Display)
Interrupt
Job List
Job Erase
Job Reserve
LDAP/up to 5 LDAP servers/Global LDAP
OHP Interleaving
Mixplex, Mix-Media
Program/Recall Jobs
Paper Size Selection (APS, Manual)
Paper Type Selection
Proof Copy
Secure Printing
Separate Scan
Sleep Mode
User Authentication
(Synchronize w/ Account Track)
Utility (Meter Count, Environment Setting,
Default Setting, OneTouch Setting,
Check Consumable Life, Admin. Mode)
Watermarks
Zoom Selection
(AMS, Fixed Zoom Ratio, User Programmable
Zoom Ratio, Manual)

Available Scan Functions*

Scan-to-Email
Scan-to-FTP
Scan-to-SMB (Scan-to-Desktop)
Scan-to-HDD (Scan-to-User Box)
Network TWAIN (HDD TWAIN)

Available Fax Functions*

Autodialing (1,000 one-touch keys w/o HDD/
2,000 one-touch keys w/ optional HDD)
Auto Memory Reception
Auto Reduction Printing
Border Erase Transmission
Broadcasting (maximum 600 locations)
Bulletin Board
Density Adjustment
Duplex Transmission/Reception
Exposure Mode
(Text, Text/Photo, Photo, Dot Matrix)
Group Dialing
(up to 500 one-touches per group)
Image Rotation Transmission/Reception
Mailbox (Private) Transmission/Reception
Memory/Quick Dial
Mixed Originals Transmission
Original Size Designation
Overseas Transmission
Password Transmission/Reception
PC Fax
Polling Transmission/Reception
Priority Transmission
Print Setting for Overnight Reception
Program Dialing (400 programs)
Redial
Relay Broadcasting
Relay Transmission
Remote Reception
Timer Transmission
TSI User Box
TSI User Box Routing

FAXING (with fax option):

Super G3 compatibility;
JBIG data compression
33.6 Kbps modem speed
F-Code Support

FAX TRANSMISSION SPEED:

Approximately 2.4 seconds/page

FAX EXPOSURE MODES:

Text, Text/Photo, Photo, Dot Matrix

Emperon Print System

PROCESSOR:
400 MHz
RAM:
Shared with main body

HARD DISK DRIVE:
40 GB (shared scan and copier HDD) optional

PAGE DESCRIPTION LANGUAGE:

PCL 5e Emulation
PCL 6 (XL 2.1) Emulation
PostScript 3 Emulation

FONTS:

PCL Resident Fonts: 80 outline
PS3 Emulation Resident Fonts: 136 outline

PRINT DRIVERS:

PCL 6:
Windows 98/Me, Windows NT 4.0, Windows
2000, Windows XP, Windows Server 2003
Vista Compatibility
(please see www.mykonicaminolta.com
for the latest information)
PS3 Emulation:
Windows 98SE/Me (PPD)
Window NT 4.0/2000/XP/Server 2003 (driver)
Windows XP x 64/Server 2003 x 64 (driver)
Mac OS9.2 (PPD)
Mac OS X 10.2, 10.3, 10.4
Linux/Unix

STANDARD INTERFACES:

Ethernet (100Base-TX/10Base-T)
IEEE 1284
USB 2.0

PROTOCOLS:

TCP/IP
IPX/SPX
AppleTalk (EtherTalk)
LPR
SMB
LPD
Netware (4.x, 5, 6)
Pserver
N Printer
NDPS
IPP 1.1
SMTP
POP3
LDAP
SSL
SNMP
HTTP
Bonjour

APPLICATIONS:

Network & Device Management:

PageScope NetCare
PageScope NDPS Gateway
PageScope EMS Plug-Ins
PageScope Network Setup
PageScope Data Administrator
HDD Backup Utility
PageScope Web Connection
Plug-In for WebJet Admin*

User Tools:

PageScope Direct Print
PageScope Box Operator
PageScope Print Status Notifier
Font Management Utility
Print Utility for Unix*

Management Tools:

bizhub Vcare capable

Optional Software:

PageScope Workware



KONICA MINOLTA

bizhub 600

60 cpm B/W Digital Printer/Copier/Scanner/Fax

(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
57BJ	Bizhub 600	\$7,511.00		\$282.19	\$222.70	\$188.00	\$253.72	\$210.76	\$182.67
15NQ	EK 701 Local Interface Kit	\$131.00		\$4.92	\$3.88	\$3.28	\$4.43	\$3.68	\$3.19
15LB	FK 502 Super G3Fax Board	\$551.00		\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
15JK	FS 504 Finisher (50 Staple)	\$1,351.00		\$50.76	\$40.06	\$33.82	\$45.64	\$37.91	\$32.86
15JL	FS 505 Finisher (100 Staple)	\$2,087.00		\$78.41	\$61.88	\$52.24	\$70.50	\$58.56	\$50.76
15JM	FS 602 Finisher (Booklet)	\$2,134.00		\$80.17	\$63.27	\$53.41	\$72.09	\$59.88	\$51.90
15NL	HD 503 40GB HDD Kit	\$387.00		\$14.54	\$11.47	\$9.69	\$13.07	\$10.86	\$9.41
15NB	IC 202 Print Controller (PCL6/PS3)	\$1,355.00		\$50.91	\$40.18	\$33.92	\$45.77	\$38.02	\$32.95
15JT	LU 401 Large Capacity Tray (Letter Portrait)	\$1,003.00		\$37.68	\$29.74	\$25.11	\$33.88	\$28.14	\$24.39
15JX	LU 402 Large Capacity Tray (Up to 12" x 18")	\$1,453.00		\$54.59	\$43.08	\$36.37	\$49.08	\$40.77	\$35.34
15MY	MK 701 Mount Kit	\$115.00		\$4.32	\$3.41	\$2.88	\$3.88	\$3.23	\$2.80
15JF	PI 501 Multi Post Inserter	\$489.00		\$18.37	\$14.50	\$12.24	\$16.52	\$13.72	\$11.89
15KB	PK 505 2/3 Hole Punch Kit	\$363.00		\$13.64	\$10.76	\$9.09	\$12.26	\$10.19	\$8.83
A0890Y0	SC 501 Encryption Kit	\$234.00		\$8.79	\$6.94	\$5.86	\$7.90	\$6.57	\$5.69
15JP	SF 601 Shift Tray	\$322.00		\$12.10	\$9.55	\$8.06	\$10.88	\$9.04	\$7.83
15KW	ZU 602 Z Fold/Punch Unit	\$2,742.00		\$103.02	\$81.30	\$68.63	\$92.62	\$76.94	\$66.69
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
				<i>Includes All Supplies</i>			<i>NO Supplies Included</i>		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
02XJ	TN 710 Toner	55,000	\$56.85	10,000	\$84.00	\$0.0084	10,000	\$68.00	\$0.0068
02XL	DR 710 Drum	500,000	\$228.50	15,000	\$115.50	\$0.0077	15,000	\$76.50	\$0.0051
02XK	DV 710 Developer	250,000	\$99.74	20,000	\$146.00	\$0.0073	20,000	\$100.00	\$0.0050
57AE PM25	Maintenance Kit	250,000	\$389.90	25,000	\$175.00	\$0.0070	25,000	\$127.50	\$0.0051
14YK	SK 602 Staples (FS 504)	(5,000 x 3)	\$48.36	40,000	\$264.00	\$0.0066	40,000	\$144.00	\$0.0036
4448121	MS 5C Staples (FS 602)	(5,000 x 3)	\$32.24	60,000	\$378.00	\$0.0063	60,000	\$210.00	\$0.0035
4599141	MS 10A Staples (FS 505)	(5,000 x 3)	\$95.71	80,000	\$480.00	\$0.0060	80,000	\$280.00	\$0.0035
				100,000	\$580.00	\$0.0058	100,000	\$350.00	\$0.0035

NOTES:

- 1) When you order the FK 502 Super G Fax Board, you MUST order the MK 701 Mount Kit as well.
- 2) Must include an output option by adding one of the following FS 602, FS 504, FS 505, or the SF 601.

bizhub 600



General Specifications

TYPE:
Digital Printer/Copier/Scanner/Fax

IMAGING SYSTEM:
Simitri® Polymerized Toner

SCANNING SYSTEM:
CCD Line Sensor

PRINT/COPY SPEED
60 ppm (letter) 8-1/2" x 11" portrait
49 ppm (letter) 8-1/2" x 11" landscape
40 ppm (legal) 8-1/2" x 14"
34 ppm (ledger) 11" x 17"

MONTHLY DUTY CYCLE:
300,000 pages

PRINT/COPY RESOLUTION:
True 600 x 600 dpi; 1200 x 600 dpi (emulation)

HALFTONE REPRODUCTION:
256 gradations

MEMORY:
512 MB (standard)
40 GB (optional HDD)

WARM-UP TIME:
4.5 minutes or less

FIRST COPY:
3.5 seconds or less

COPY QUANTITY
1 - 9,999 copies
(countdown, interrupt capability)

MAGNIFICATION:
Zoom range:
25 - 400%, 0.1% increments
Preset reduction:
79%, 77%, 65%, 50%
Preset enlargement:
121%, 129%, 155%, 200%

EXPOSURE MODES:
Auto, Text, Photo, Text/Photo, Manual

ORIGINAL SIZE:
Up to 11" x 17" maximum

PAPER SIZE:
5-1/2" x 8-1/2" to 12" x 18"

PAPER WEIGHT:
16 lb. bond to 110 lb. index
Manual bypass: 13 lb. bond to 110 lb. index; specialty paper (thick paper, OHP transparencies)

STANDARD PAPER SUPPLY:
1,500-sheet Paper Drawer (letter-landscape)
1,000-sheet Paper Drawer (letter-landscape)
500-sheet Universal Paper Drawers (2)
100-sheet Intelligent Bypass

OPTIONAL PAPER SUPPLY:
4,000-sheet Large Capacity Tray (letter-landscape)
4,000-sheet Large Capacity Tray (up to 12" x 18")

MAXIMUM PAPER CAPACITY:
7,600 sheets (total, with options)

DOCUMENT FEEDER:
Capacity: 100 sheets
Speed: up to 75 scans per minute
Original size: up to 11" x 17"
1-sided, 2-sided originals
Mixed Original Detection

POWER REQUIREMENTS:
120 V, 60 Hz, 16.0 A

POWER CONSUMPTION:
1.92 kW (max.)

DIMENSIONS (W x D x H):
25-5/8" x 31-1/8" x 44-7/8"

WEIGHT:
488 lbs.

OPTIONS:
EK-701 USB 2.0/Parallel Interface Kit (IEEE 1284)
FK-502 Fax Kit (requires MK-701)
FS-504 Staple Finisher (50-sheet capacity)
FS-505 Staple Finisher (100-sheet capacity)
FS-602 Booklet Finisher
HD-503 Hard Disk Drive (40 GB)
IC-202 Image Controller
LU-401 Large Capacity Tray (4000-sheet capacity, 8-1/2" x 11")
LU-402 Large Capacity Tray (4000-sheet capacity, up to 12" x 18")
MK-701 Fax Attachment Kit
PI-501 Post Inserter
PK-505 Punch Unit (2/3-hole; for FS-504, FS-505, FS-602)
SF-601 Shift Tray
ZU-602 Z-Fold Unit

PAGESCOPE APPLICATIONS:
Network & Device Management
PageScope Web Connection
PageScope Net Care
PageScope Network Setup
PageScope EMS Plug-Ins
PageScope NDPS Gateway
PageScope Data Administrator
PageScope Job Spooler
Document Workflow Management
PageScope Workware
PageScope Router

IC-202 Image Controller Option

TYPE:
Embedded

PROCESSOR:
Intel Celeron 400 MHz

MEMORY:
512 MB (standard)

NETWORK INTERFACE:
Ethernet 10-BaseT/100-BaseTX (standard)
Parallel (IEEE 1284 compatibility) and USB 2.0 (with optional EK-701 Interface Kit)

NETWORK PROTOCOLS:
TCP/IP, IPX/SPX, IPP (LPR/RTW socket), Ethertalk, NDS/Bindery, NetBEUI

SCANNING FUNCTIONS:
Scan-to-Email (with LDAP)
Scan-to-FTP
Scan-to-HDD (with optional HDD)
Scan-to-SMB (Scan-to-Desktop)

PRINT DRIVERS:
PostScript 3 driver:
Windows 98ME, NT4.0, 2000, XP, Windows 2003 Server, Mac OS 9.0 or later, Mac OS X (10.2/10.3)
PCL6 (emulation) driver:
Windows 98ME, NT4.0, 2000, XP, Windows 2003 Server

FK-502 Fax Option

COMMUNICATION LINE:
Public Switched Telephone Network (PSTN)

COMPATIBILITY:
G3, Super G3

DATA COMPRESSION:
MH, MR, MMR, JBIG

MODEM SPEED:
33.6 kbps (max; auto fallback)

TRANSMISSION SPEED:
Less than 3 seconds per page

SCANNING SPEED:
Up to 75 sheets per minute

FAX RESOLUTION:
200 x 100 dpi
200 x 200 dpi
400 x 400 dpi
600 x 600 dpi
Text Photo (200 x 200 dpi)
Grayscale (200 x 200 dpi)
Super Grayscale (400 x 400 dpi)

FK-502 Fax Option Continued

MEMORY:
32 MB (standard)

FAX TRANSMISSION/RECEPTION SIZE:
Up to 11" x 17"

DIALING:
200 one-touch dialing locations (standard)
400 (with HDD option)

BROADCAST:
600 destinations

OTHER FACSIMILE FUNCTIONS:
IP Relay Fax
PC Faxing

Available Print/Copy Functions*

Account Track (up to 1,000 accounts)
APS/AMS
Auto Duplex, Stackless
Auto/Manual/Photo Exposure
Auto Tray Switching
Black-White Reverse Image
Book Copy
Book Erase
Booklet Function
Box Function (Copier, Reprint with setting mode change, Resend)
Combined Copy Setting (2-in-1, 4-in-1)
Copy Job Reserve (queue) (51 jobs, including current job)
Cover Mode
Distribution Number and Stamping
Energy Save Mode
Erase (Edge/Frame)
Face Up/Face Down Output (selectable)
File Margin
Hole-Punching (2/3 hole)
Horizontal/Vertical Zoom Ratios (X/Y magnification)
Image Density Shift
Image Repeat
Image Reverse (mirror-image)
Image Rotation
Interrupt Mode
Job Memory (30 jobs)
Mixed Original Detection (letter/legal)
OHP Interleave
Original Position Adjustment
Page Insertion
Proof Copy
Separate Scanning
Sleep Mode Recovery
Stapling (single, multi-position, center)
Text, Photo, Text/Photo, Dot Matrix Modes
Zoom



KONICA MINOLTA

bizhub 750

75 cpm B/W Digital Printer/Copier/Scanner/Fax

(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
57AJ	Bizhub 750	\$9,907.00		\$372.21	\$293.74	\$247.97	\$334.66	\$277.99	\$240.94
15NQ	EK 701 Local Interface Kit	\$131.00		\$4.92	\$3.88	\$3.28	\$4.43	\$3.68	\$3.19
15LB	FK 502 Super G3Fax Board	\$551.00		\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
15JK	FS 504 Finisher (50 Staple)	\$1,351.00		\$50.76	\$40.06	\$33.82	\$45.64	\$37.91	\$32.86
15JL	FS 505 Finisher (100 Staple)	\$2,087.00		\$78.41	\$61.88	\$52.24	\$70.50	\$58.56	\$50.76
15JM	FS 602 Finisher (Booklet)	\$2,134.00		\$80.17	\$63.27	\$53.41	\$72.09	\$59.88	\$51.90
15NL	HD 503 40GB HDD Kit	\$387.00		\$14.54	\$11.47	\$9.69	\$13.07	\$10.86	\$9.41
15NB	IC 202 Print Controller (PCL6/PS3 Emulation)	\$1,355.00		\$50.91	\$40.18	\$33.92	\$45.77	\$38.02	\$32.95
15JT	LU 401 Large Capacity Tray (Letter Portrait)	\$1,003.00		\$37.68	\$29.74	\$25.11	\$33.88	\$28.14	\$24.39
15JX	LU 402 Large Capacity Tray (Up to 12" x 18")	\$1,453.00		\$54.59	\$43.08	\$36.37	\$49.08	\$40.77	\$35.34
15MY	MK 701 Mount Kit	\$115.00		\$4.32	\$3.41	\$2.88	\$3.88	\$3.23	\$2.80
15JF	PI 501 Multi Post Inserter	\$489.00		\$18.37	\$14.50	\$12.24	\$16.52	\$13.72	\$11.89
15KB	PK 505 2/3 Hole Punch Kit	\$363.00		\$13.64	\$10.76	\$9.09	\$12.26	\$10.19	\$8.83
A0890Y0	SC 501 Encryption Kit	\$234.00		\$8.79	\$6.94	\$5.86	\$7.90	\$6.57	\$5.69
15JP	SF 601 Shift Tray	\$322.00		\$12.10	\$9.55	\$8.06	\$10.88	\$9.04	\$7.83
15KW	ZU 602 Z Fold/Punch Unit	\$2,742.00		\$103.02	\$81.30	\$68.63	\$92.62	\$76.94	\$66.69
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance			(SIN 51 57) FSM Maintenance		
				<i>Includes All Supplies</i>			<i>NO Supplies Included</i>		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
02XJ	TN 710 Toner	55,000	\$56.85	10,000	\$84.00	\$0.0084	10,000	\$68.00	\$0.0068
02XL	DR 710 Drum	500,000	\$228.50	15,000	\$115.50	\$0.0077	15,000	\$76.50	\$0.0051
02XK	DV 710 Developer	250,000	\$99.74	20,000	\$146.00	\$0.0073	20,000	\$100.00	\$0.0050
57AE PM25	Maintenance Kit	250,000	\$389.90	25,000	\$175.00	\$0.0070	25,000	\$127.50	\$0.0051
14YK	SK 602 Staples (FS 504)	(5,000 x 3)	\$48.36	40,000	\$264.00	\$0.0066	40,000	\$144.00	\$0.0036
4448121	MS 5C Staples (FS 602)	(5,000 x 3)	\$32.24	60,000	\$378.00	\$0.0063	60,000	\$210.00	\$0.0035
4599141	MS 10A Staples (FS 505)	(5,000 x 3)	\$95.71	80,000	\$480.00	\$0.0060	80,000	\$280.00	\$0.0035
				100,000	\$580.00	\$0.0058	100,000	\$350.00	\$0.0035

NOTES:

- 1) When you order the FK 502 Super G Fax Board, you MUST order the MK 701 Mount Kit as well.
- 2) Must include an output option by adding one of the following FS 602, FS 504, FS 505, or the SF 601.

bizhub 750

General Specifications

TYPE:
Digital Printer/Copier/Scanner/Fax

IMAGING SYSTEM:
Simitri® Polymerized Toner

SCANNING SYSTEM:
CCD Line Sensor

PRINT/COPY SPEED
75 ppm (letter) 8-1/2" x 11" portrait
61 ppm (letter) 8-1/2" x 11" landscape
50 ppm (legal) 8-1/2" x 14"
42 ppm (ledger) 11" x 17"

MONTHLY DUTY CYCLE:
300,000 pages

PRINT/COPY RESOLUTION:
True 600 x 600 dpi; 1200 x 600 dpi (emulation)

HALFTONE REPRODUCTION:
256 gradations

MEMORY:
512 MB (standard)
40 GB (optional HDD)

WARM-UP TIME:
5 minutes or less

FIRST COPY:
3 seconds or less

COPY QUANTITY
1 - 9,999 copies
(countdown, interrupt capability)

MAGNIFICATION:
Zoom range:
25 - 400%, 0.1% increments
Preset reduction:
79%, 77%, 65%, 50%
Preset enlargement:
121%, 129%, 155%, 200%

EXPOSURE MODES:
Auto, Text, Photo, Text/Photo, Manual

ORIGINAL SIZE:
Up to 11" x 17" maximum

PAPER SIZE:
5-1/2" x 8-1/2" to 12" x 18"

PAPER WEIGHT:
16 lb. bond to 110 lb. index
Manual bypass: 13 lb. bond to 110 lb. index; specialty paper (thick paper, OHP transparencies)

STANDARD PAPER SUPPLY:
1,500-sheet Paper Drawer (letter-landscape)
1,000-sheet Paper Drawer (letter-landscape)
500-sheet Universal Paper Drawers (2)
100-sheet Intelligent Bypass

OPTIONAL PAPER SUPPLY:
4,000-sheet Large Capacity Tray (letter-landscape)
4,000-sheet Large Capacity Tray (up to 12" x 18")

MAXIMUM PAPER CAPACITY:
7,600 sheets (total, with options)

DOCUMENT FEEDER:
Capacity: 100 sheets
Speed: up to 75 scans per minute
Original size: up to 11" x 17"
1-sided, 2-sided originals
Mixed Original Detection

POWER REQUIREMENTS:
120 V, 60 Hz, 16.0 A

POWER CONSUMPTION:
1.92 kW (max.)

DIMENSIONS (W x D x H):
25-5/8" x 31-1/8" x 44-7/8"

WEIGHT:
488 lbs.

OPTIONS:
EK-701 USB 2.0/Parallel Interface Kit (IEEE 1284)
FK-502 Fax Kit (requires MK-701)
FS-504 Staple Finisher (50-sheet capacity)
FS-505 Staple Finisher (100-sheet capacity)
FS-602 Booklet Finisher
HD-503 Hard Disk Drive (40 GB)
IC-202 Image Controller
LU-401 Large Capacity Tray (4000-sheet capacity, 8-1/2" x 11")
LU-402 Large Capacity Tray (4000-sheet capacity, up to 12" x 18")
MK-701 Fax Attachment Kit
PI-501 Post Inserter
PK-505 Punch Unit (2/3-hole; for FS-504, FS-505, FS-602)
SF-601 Shift Tray
ZU-602 Z-Fold Unit

PAGESCOPE APPLICATIONS:
Network & Device Management
PageScope Web Connection
PageScope Net Care
PageScope Network Setup
PageScope EMS Plug-Ins
PageScope NDPS Gateway
PageScope Data Administrator
PageScope Job Spooler
Document Workflow Management
PageScope Workware
PageScope Router

IC-202 Image Controller Option

TYPE:
Embedded

PROCESSOR:
Intel Celeron 650 MHz

MEMORY:
512 MB (standard)

NETWORK INTERFACE:
Ethernet 10-BaseT/100-BaseTX (standard)
Parallel (IEEE 1284 compatibility) and USB 2.0 (with optional EK-701 Interface Kit)

NETWORK PROTOCOLS:
TCP/IP, IPX/SPX, IPP (LPR/RTW socket), EtherTalk, NDS/Bindery, NetBEUI

SCANNING FUNCTIONS:
Scan-to-Email (with LDAP)
Scan-to-FTP
Scan-to-HDD (with optional HDD)
Scan-to-SMB (Scan-to-Desktop)

PRINT DRIVERS:
PostScript 3 driver:
Windows 98ME, NT4.0, 2000, XP, Windows 2003 Server, Mac OS 9.0 or later, Mac OS X (10.2/10.3)
PCL6 (emulation) driver:
Windows 98ME, NT4.0, 2000, XP, Windows 2003 Server

FK-502 Fax Option

COMMUNICATION LINE:
Public Switched Telephone Network (PSTN)

COMPATIBILITY:
G3, Super G3

DATA COMPRESSION:
MH, MR, MMR, JBIG

MODEM SPEED:
33.6 kbps (max; auto fallback)

TRANSMISSION SPEED:
Less than 3 seconds per page

SCANNING SPEED:
Up to 75 sheets per minute

FAX RESOLUTION:
200 x 100 dpi
200 x 200 dpi
400 x 400 dpi
600 x 600 dpi
Text Photo (200 x 200 dpi)
Grayscale (200 x 200 dpi)
Super Grayscale (400 x 400 dpi)



FK-502 Fax Option Continued

MEMORY:
32 MB (standard)

FAX TRANSMISSION/RECEPTION SIZE:
Up to 11" x 17"

DIALING:
200 one-touch dialing locations (standard)
400 (with HDD option)

BROADCAST:
600 destinations

OTHER FACSIMILE FUNCTIONS:
IP Relay Fax
PC Faxing

Available Print/Copy Functions*

Account Track (up to 1,000 accounts)
AFS/AMS
Auto Duplex, Stackless
Auto/Manual/Photo Exposure
Auto Tray Switching
Black-White Reverse Image
Book Copy
Book Erase
Booklet Function
Box Function (Copier, Reprint with setting mode change, Resend)
Combined Copy Setting (2-in-1, 4-in-1)
Copy Job Reserve (queue) (51 jobs, including current job)
Cover Mode
Distribution Number and Stamping
Energy Save Mode
Erase (Edge/Frame)
Face Up/Face Down Output (selectable)
File Margin
Hole-Punching (2/3 hole)
Horizontal/Vertical Zoom Ratios (X/Y magnification)
Image Density Shift
Image Repeat
Image Reverse (mirror-image)
Image Rotation
Interrupt Mode
Job Memory (30 jobs)
Mixed Original Detection (letter/legal)
OHP Interleave
Original Position Adjustment
Page Insertion
Proof Copy
Separate Scanning
Sleep Mode Recovery
Stapling (single, multi-position, center)
Text, Photo, Text/Photo, Dot Matrix Modes
Zoom



KONICA MINOLTA

bizhub PRO 920

92 cpm B/W Digital Printer/Copier/Scanner

(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price		36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
57GJ	bizhub PRO 920	\$14,222.00		\$534.32	\$421.68	\$355.98	\$480.42	\$399.07	\$345.88
7640000942	EM 701 Memory for Internal Controller	\$56.00		\$2.10	\$1.66	\$1.40	\$1.89	\$1.57	\$1.36
15VF	FS 516 100 Sheet Stapling Finisher w/Staple Cut	\$2,378.00		\$89.34	\$70.51	\$59.52	\$80.33	\$66.73	\$57.83
15SJ	FS 604 Booklet Finisher	\$2,333.00		\$87.65	\$69.17	\$58.39	\$78.81	\$65.46	\$56.74
15RB	IC 203 Image Controller (PCL6)	\$1,321.00		\$49.63	\$39.17	\$33.06	\$44.62	\$37.07	\$32.13
15ST	LU 403 Large Capacity Tray	\$978.00		\$36.74	\$29.00	\$24.48	\$33.04	\$27.44	\$23.78
15SX	LU 404 Large Capacity Tray	\$1,321.00		\$49.63	\$39.17	\$33.06	\$44.62	\$37.07	\$32.13
15SR	MK 707 Adapter Kit for TU 501	\$835.00		\$31.37	\$24.76	\$20.90	\$28.21	\$23.43	\$20.31
15JF	PI 501 Multi Post Inserter	\$489.00		\$18.37	\$14.50	\$12.24	\$16.52	\$13.72	\$11.89
15KB	PK 505 2/3 Hole Punch Kit	\$363.00		\$13.64	\$10.76	\$9.09	\$12.26	\$10.19	\$8.83
15RL	PS 503 PostScript 3 Kit	\$786.00		\$29.53	\$23.30	\$19.67	\$26.55	\$22.06	\$19.12
15SM	TU 501 Trimmer Unit for FS 604	\$3,777.00		\$141.90	\$111.99	\$94.54	\$127.59	\$105.98	\$91.86
15KW	ZU 602 Z Fold/Punch Unit	\$2,742.00		\$103.02	\$81.30	\$68.63	\$92.62	\$76.94	\$66.69
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance <i>Includes All Supplies</i>			(SIN 51 57) FSM Maintenance <i>NO Supplies Included</i>		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
022J	Toner (TN910)	66,000	\$59.44	40,000	\$284.00	\$0.0071	40,000	\$257.83	\$0.0064
022B	Developer (DV910)	1,000,000	\$241.80	60,000	\$384.00	\$0.0064	60,000	\$290.75	\$0.0048
022H	Drum (DR910)	1,000,000	\$443.30	80,000	\$472.00	\$0.0059	80,000	\$348.83	\$0.0044
57GA PM50	Maintenance Kit	500,000	\$231.73	100,000	\$550.00	\$0.0055	100,000	\$396.83	\$0.0040
4599141	MS 10A Staples(FS 509)	(5,000 x 3)	\$95.71	120,000	\$624.00	\$0.0052	120,000	\$423.00	\$0.0035
4448121	MS 5C Staples (FS 604)	(5,000 x 3)	\$32.24	160,000	\$816.00	\$0.0051	160,000	\$507.67	\$0.0032
14YJ	SK 701 Staples (FS 516)	(5,000 x 5)	\$127.95	200,000	\$980.00	\$0.0049	200,000	\$580.83	\$0.0029
				300,000	\$1,440.00	\$0.0048	300,000	\$762.75	\$0.0025

NOTES:

- 1) MK 707 Mount Kit required for connection of TU 501 Trimmer Unit.
- 2) Must include an output option on the bizhub PRO 920 by adding the FS 516 or the FS 604.

bizhub PRO 920

GENERAL SPECIFICATIONS

GENERAL SPECIFICATIONS:

TYPE:
PRODUCTION PRINTER/COPIER/SCANNER

IMAGING SYSTEM:
HIGH-SPEED DUAL BEAM
LASER IMAGING

DEVELOPMENT SYSTEM:
SIMITRI® POLYMERIZED TONER

MONTHLY DUTY CYCLE:
750,000 PAGES

PRINT/COPY SPEED:
92 PPM (8-1/2" X 11")

PRINT/COPY RESOLUTION:
600 X 600 DPI (1200 X 600 DPI EMULATION)

HALFTONE REPRODUCTION:
256 GRADATIONS

MEMORY:
256 MB (STANDARD)
512 MB (MAXIMUM)
40 GB HARD DISK DRIVE

WARM-UP TIME:
5.5 MINUTES (APPROX)

FIRST COPY:
3.1 SECONDS OR LESS (APPROX)

COPY QUANTITY:
1 - 9,999 COPIES

MAGNIFICATION:
ZOOM RANGE: 25 - 400%, 0.1% INCREMENTS
PRESET REDUCTION: 79%, 77%, 65%, 50%,
PRESET ENLARGEMENT: 121%, 129%,
155%, 200%

EXPOSURE MODES:
AUTO, TEXT, PHOTO, TEXT/PHOTO, MANUAL

MAXIMUM ORIGINAL SIZE:
12" X 18" (11" X 17" THROUGH RADF)

PAPER SIZE (THROUGHPUT):
5-1/2" X 8-1/2" TO 12" X 18"

PAPER WEIGHTS (THROUGHPUT):
13 LB. BOND TO 53 LB. BOND
(MAX 200GSM = 110 LB. INDEX)

PAPER SUPPLY:
500-SHEET UNIVERSAL PAPER TRAYS (2)
1,000-SHEET UNIVERSAL PAPER TRAY
150-SHEET INTELLIGENT BYPASS
(TO 12" X 18")

OPTIONAL PAPER SUPPLIES:
4,500-SHEET LARGE CAPACITY TRAY
(8-1/2" X 11" PORTRAIT)
4,000-SHEET LARGE CAPACITY TRAY
(TO 12" X 18")

MAXIMUM PAPER CAPACITY:
6,650 SHEETS (TOTAL, WITH OPTIONS)

DOCUMENT FEEDER:
SPEED: UP TO 92 ORIGINALS PER MINUTE
CAPACITY: UP TO 100 SHEETS
PAPER SIZE: 5-1/2" X 8-1/2" TO 11" X 17"
PAPER WEIGHT: 16 LB. BOND TO 53 LB. BOND
(110 LB. INDEX)

POWER REQUIREMENTS:
208V-240V, 17.6 A, 60HZ
(DEDICATED LINE)

DIMENSIONS (W X D X H):
35" X 30-3/4" X 47-3/8"

WEIGHT:
616 LBS.

OPTIONS:
EM-701 MEMORY UPGRADE (256 MB)
FS-516 FINISHER (SORT, 100-SHEET STAPLE)
FS-604 FINISHER (SORT, 50-SHEET STAPLE,
SADDLE-STITCH, TRI-FOLD)
IC-203 EMBEDDED IMAGE CONTROLLER
LU-403 LARGE CAPACITY TRAY
(4,500 SHEETS, 8-1/2" X 11")
LU-404 LARGE CAPACITY TRAY
(4,000 SHEETS, TO 12" X 18")
PI-501 POST-PROCESS INSERTER
PK-505 PUNCH UNIT
PS-503 ADOBE POSTSCRIPT KIT (FOR IC-203)
TU-501 TRIMMER UNIT
ZU-602 PUNCH AND Z-FOLD UNIT

PAGESCOPE APPLICATIONS:
PAGESCOPE WEB CONNECTION
(EMBEDDED WEB PAGE FOR DEVICE)
PAGESCOPE NET CARE
(NETWORKED DEVICE MANAGEMENT)
PAGESCOPE JOB SPOOLER
(PRINT QUEUE MANAGEMENT)
PAGESCOPE DIRECT PRINT (DRAG-AND-DROP)
(PRINTING OF TIFF AND PDF FILES)
PAGESCOPE WORKWARE™ (OPTIONAL -
DOCUMENT MANAGEMENT SOLUTION)

SECURITY:
ISO-15408 COMPLIANT

AVAILABLE FUNCTIONS*

ACCESSIBILITY
ACCOUNT MANAGEMENT (PRINT/COPY/SCAN
COUNTER)
AUTO DOCUMENT FEEDING
AUTO DUPLEX (STACKLESS)
AUTO EXPOSURE SETTING
AUTO LAYOUT (CENTERING)
AUTO LOW POWER, RESET, SHUT-OFF
AUTO MAGNIFICATION
AUTO PAPER SELECT
AUTO TRAY SWITCHING
BOOK COPY
BOOKLET MAKING
BORDER ERASE (FRAME, FOLD, FRAME & FOLD)
CHAPTERIZATION
CONCURRENCY (COPY, PRINT, SCAN)
CUSTOM ORIGINALS
COVER INSERTION
DUPLEX PRINTING
ELECTRONIC COPY MONITOR (1,000 ACCOUNTS)
ENERGY SAVE MODE
EXPOSURE MODES (AUTO, TEXT, PHOTO,
TEXT/PHOTO, MANUAL)
FACE-UP OR FACE-DOWN OUTPUT
FOLDING (HALF-FOLD, TRI-FOLD, Z-FOLD)
GROUPING
HELP (CONTEXT SENSITIVE)
HOLE-PUNCHING (2/3-HOLE)
IMAGE CENTERING
IMAGE OVERLAY
IMAGE INSERT
IMAGE ROTATION
IMAGE SHIFT
IMPOSITION
INSERT SHEETS
INTELLIGENT JOB BUILDING
INTERERRUPT (PAUSE)
IPP PRINTING
JOB LIST
JOB RESERVE (MAX. 99 JOBS)
JOB PROGRAMMING (30 JOBS)
JOB STATUS
JOB STATUS
LOW POWER MODE
MIXED ORIGINAL DETECTION
NEGATIVE IMAGE CAPABILITY
NETWORK SCANNING
NON-IMAGE AREA ERASE
OFFLINE FINISHING
PRESET SCALING
POST-PROCESS COVER/SHEET INSERTION
POWER SAVE
PRINT SPOOLING (MAX. 99 JOBS)
PROOF COPY
SADDLE-STITCHING
SCANNING:
SCAN-TO-E-MAIL (WITH LDAP)
SCAN-TO-FTP
SCAN-TO-SMB (DESKTOP)
SCAN-TO-HDD (MAILBOX)
SECURE PRINT
TWIN SCANNING
SORTING
STAMPING (CONTINUOUS)
STAPLING (8-POSITION)
STORYBOARDING (2-IN-1, 4-IN-1, 8-IN-1,
TO 16-IN-1 FROM PRINT DRIVER)
TABS
TANDEM COPY CAPABILITY
TRANSPARENCY INTERLEAVING (BLANK OR
COPIED SHEETS)
TRIMMING MODE
WATERMARKING
WATERMARK NUMBERING
WEEKLY TIMER
ZOOM

IC-203 (OPTIONAL) IMAGE CONTROLLER SPECIFICATIONS

TYPE:
EMBEDDED IMAGE CONTROLLER

CENTRAL PROCESSING UNIT:
800 MHZ

MEMORY/HDD (SHARED WITH ENGINE):
256 MB (STANDARD)
512 MB (MAXIMUM)
40 GB HARD DISK DRIVE

PRINT SPEED:
92 PPM WITH BIZHUB PRO 920

PRINT RESOLUTION:
600 X 600 DPI
(1200 X 600 DPI EMULATION)

SCANNING:
SCANNING IN TIFF AND PDF FORMATS
SCAN-TO-EMAIL (WITH LDAP)
SCAN-TO-FTP
SCAN-TO-SMB (DESKTOP)
SCAN-TO-HDD (MAILBOX)
TWIN DRIVER FOR SCAN RETRIEVAL
FROM HDD

SCANNING SPEED:
UP TO 92 OPM (ORIGINALS PER MINUTE)

PRINT DRIVERS:
WINDOWS 98/ME, NT 4.0, 2000/XP,
SERVER 2003
MACINTOSH OS 9.0 OR LATER
OS X (10.2/10.3)

PAGE DESCRIPTION LANGUAGE:
STANDARD: PCL 5E/XL (PCL6), TIFF
DIRECT PRINT
OPTIONAL: ADOBE POSTSCRIPT 3,
PDF DIRECT PRINT

PROTOCOLS:
TCP/IP, IPX/SPX, ETHERTALK, IPP, NETBEUI





KONICA MINOLTA

bizhub PRO 1050

105 cpm B/W Digital Printer/Copier/Scanner

(SIN 51 100) Purchase of Equipment/Accessories				(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description		GSA Price	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
564J	bizhub PRO 1050e		\$23,208.00	\$871.92	\$688.12	\$580.90	\$783.97	\$651.22	\$564.42
56UAPA0101	Additional HDD Case		\$86.00	\$3.23	\$2.55	\$2.15	\$2.91	\$2.41	\$2.09
15BV	EM 701 256MB Memory Upgrade		\$61.00	\$2.29	\$1.81	\$1.53	\$2.06	\$1.71	\$1.48
15BN	FD 501 Folding/Punch/Post Insertor		\$7,513.00	\$282.26	\$222.76	\$188.05	\$253.79	\$210.81	\$182.72
15AE	FS 503 100 Sheet Simple Finisher		\$3,208.00	\$120.52	\$95.12	\$80.30	\$108.37	\$90.02	\$78.02
56UAPA0001	Hard Disk Drive Kit		\$1,593.00	\$59.85	\$47.23	\$39.87	\$53.81	\$44.70	\$38.74
15AZ	LC 501 Additional LS Cart Option		\$459.00	\$17.24	\$13.61	\$11.49	\$15.51	\$12.88	\$11.16
15AV	LS 501 5,000 Sheet Stacker		\$8,360.00	\$314.09	\$247.87	\$209.25	\$282.40	\$234.58	\$203.32
15AW	LS 502 5,000 Sheet Stacker		\$8,360.00	\$314.09	\$247.87	\$209.25	\$282.40	\$234.58	\$203.32
A075010	PB 501 Perfect Binder Kit		\$17,238.00	\$647.63	\$511.11	\$431.47	\$582.30	\$483.70	\$419.23
15BA	PF 701 (3 X 2,000) Paper Unit		\$3,069.00	\$115.30	\$91.00	\$76.82	\$103.67	\$86.12	\$74.64
56UA 9980	Post Card Size Feed Support Kit		\$546.00	\$20.51	\$16.19	\$13.67	\$18.44	\$15.32	\$13.28
A08R0Y0	PP 701 Pre Printed Paper Feed Kit		\$608.00	\$22.84	\$18.03	\$15.22	\$20.54	\$17.06	\$14.79
14RU	RC 501 Toner Recycle Cut Kit		\$502.00	\$18.86	\$14.88	\$12.57	\$16.96	\$14.09	\$12.21
15AN	SD 501 Booklet/Trimmer		\$12,108.00	\$454.90	\$359.00	\$303.06	\$409.01	\$339.75	\$294.47
15BAR9010	Small Customer Size Universal Feed Support (for PF 701)		\$1,501.00	\$56.39	\$44.50	\$37.57	\$50.70	\$42.12	\$36.50
(SIN 51 101 2) Consumable Supplies				(SIN 51 57) CPC Maintenance <i>Includes All Supplies</i>			(SIN 51 57) FSM Maintenance <i>NO Supplies Included</i>		
Item #	Description	Yield	GSA Price	Monthly Volume	Mo. Base	Overage Charge	Monthly Volume	Mo. Base	Overage Charge
02UL	Drum Unit	1,000,000	\$303.26	80,000	\$488.00	\$0.0061	80,000	\$284.42	\$0.0036
02UJ	Toner	88,000	\$70.53	120,000	\$648.00	\$0.0054	120,000	\$317.83	\$0.0026
02UK	Developer	1,000,000	\$207.55	200,000	\$940.00	\$0.0047	200,000	\$511.33	\$0.0026
56UE PM75	Maintenance Kit	750,000	\$280.34	300,000	\$1,320.00	\$0.0044	300,000	\$701.25	\$0.0023
14YJ	SK 701 Staples (FS 503)	(5,000 x 5)	\$127.95	400,000	\$1,680.00	\$0.0042	400,000	\$883.42	\$0.0022
14YH	SK 601 Staples (SD 501)	(5,000 x 3)	\$78.59	500,000	\$2,000.00	\$0.0040	500,000	\$982.00	\$0.0020
A0800Y0	GC 501 Glue for PB 501		\$29.72	600,000	\$2,400.00	\$0.0040	600,000	\$1,148.67	\$0.0019
				800,000	\$3,120.00	\$0.0039	800,000	\$1,458.75	\$0.0018

NOTES:

- 1) 15AM and 15 AW Large Capacity Stackers come standard with (1) cart.
- 2) Additional carts available part number 15AZ Additional LS Cart Option.
- 3) Mainframe ships standard with initial Developer.
- 4) Comes standard with PS Kit and Engine Memory.

bizhub PRO 1050e

GENERAL SPECIFICATIONS

TYPE:
CONSOLE DIGITAL PRINTER/COPIER/SCANNER

IMAGING SYSTEM:
LASER ELECTROSTATIC

DEVELOPMENT SYSTEM:
NEXT-GENERATION SIMITRI®
POLYMERIZED TONER

MONTHLY DUTY CYCLE:
1,500,000 PAGES

PRINT/COPY SPEED:
105 PPM

PRINT RESOLUTION:
1200 X 600 DPI

REGISTRATION ACCURACY:
0.5MM OR LESS

SCANNING SPEED:
103 PPM

SCAN RESOLUTION:
200, 300, 400, 600 DPI

HALFTONE REPRODUCTION:
256 GRADATIONS

MEMORY:
512 MB (STANDARD)
40 GB (HDD)

WARM-UP TIME:
LESS THAN 6 MINUTES

FIRST COPY:
LESS THAN 3 SECONDS

COPY QUANTITY:
1 - 9,999 COPIES (COUNTDOWN,
INTERRUPT CAPABILITY)

MAGNIFICATION:
ZOOM RANGE: 25 - 400%, 0.1% INCREMENTS
PRESET REDUCTION: 93%, 77%, 65%, 50%
PRESET ENLARGEMENT: 121%, 129%,
155%, 200%

EXPOSURE MODES:
AUTO
TEXT
PHOTO
TEXT/PHOTO
MANUAL

ORIGINAL SIZE:
TO 11" X 17" MAXIMUM

PAPER SIZE:
4" X 6" TO 12" X 18"

PAPER WEIGHT:
11 LB. BOND TO 140 LB. INDEX UP TO
170 LB. INDEX /300 GSM (FROM TRAY 4)
OHP, TRANSPARENCIES, TAB PAGES,
COATED STOCK

PAPER SUPPLY:
TRAY 1: 1,500-SHEET UNIVERSAL PAPER TRAY
TRAY 2: 1,500-SHEET UNIVERSAL PAPER TRAY

OPTIONAL PAPER SUPPLY:
THREE-TRAY UNIVERSAL PAPER FEED
UNIT, INCLUDING:
TRAY 3: 2,000-SHEET CAPACITY
TRAY 4: 2,000-SHEET CAPACITY
TRAY 5: 2,000-SHEET CAPACITY

MAXIMUM PAPER CAPACITY:
INPUT: 9,000 SHEETS (TOTAL, WITH OPTIONAL
PAPER FEED UNIT)
OUTPUT: 10,000 SHEETS (TOTAL, WITH 2
OPTIONAL STACKER UNITS)

DOCUMENT FEEDER:
DF-603 REVERSING AUTO DOCUMENT FEEDER
(STANDARD)

SPEED:
103 OPM

PAPER CAPACITY:
UP TO 100 SHEETS

PAPER SIZE:
5-1/2" X 8-1/2" TO 11" X 17"

PAPER WEIGHT:
UP TO 110 LB. INDEX, 200 GSM

POWER REQUIREMENTS:
208 - 240 V, 17.6 A, 60 HZ

POWER CONSUMPTION:
3.66 KW (MAX. WITH FULL OPTIONS)

MAIN BODY DIMENSIONS (W X D X H):
35-1/4" X 30-1/2" X 46-7/8"
(895 X 775 X 1190 MM)

WEIGHT:
683 LBS. (310 KG) (WITH ADF)

OPTIONS:
PB-501 PERFECT BINDER
(300-SHEET, 600 PAGE INLINE PERFECT
BINDING WITH COVER PRINTING OR INSERTION)
FS-503 STAPLER/STACKER UNIT
(100-SHEET CAPACITY, STAPLE,
CUTTING FUNCTION)
FD-501 MULTI-FOLDING UNIT
(6 FOLDING TYPES, COVER INSERTER, POST-
INSERTION, HOLE-PUNCH)
SD-501 SADDLE-STITCH UNIT
(50 SHEETS, 200-PAGE BOOKLET-MAKING)
LS-501 LARGE CAPACITY STACKER
(5,000-SHEET CAPACITY)
LS-502 LARGE CAPACITY STACKER
(5,000-SHEET CAPACITY)
PF-701 PAPER FEED UNIT
(THREE UNIVERSAL TRAYS,
EACH 2,000-SHEET CAPACITY)
PP-701 PAPER FEED ASSISTANCE FAN
(DECREASES ADHESION TYPICAL OF
PREPRINTED OR PRECONDITIONED STOCK)
RC-501 TONER RECYCLE BYPASS KIT
POSTCARD FEED KIT
SMALL CUSTOM SIZE UNIVERSAL FEED KIT
REMOVABLE HDD KIT

PAGESCOPE APPLICATIONS:
PRODUCTION PRINTING:
PAGESCOPE DIRECTPRINT
PAGESCOPE JOB SPOOLER

NETWORK & DEVICE MANAGEMENT:
PAGESCOPE EMS PLUG-INS
PAGESCOPE NDPS GATEWAY
PAGESCOPE NET CARE
PAGESCOPE NETWORK SETUP
PAGESCOPE WEB CONNECTION

AVAILABLE FUNCTIONS*

ANNOTATION (BATES STAMP)
AUTO PAPER SELECTION
AUTO MAGNIFICATION SETTING
AUTO DOCUMENT FEEDING
AUTO DUPLEX, STACKLESS
AUTO LAYOUT (CENTERING)
AUTO LOW POWER, RESET, SHUTOFF
AUTO/TEXT/PHOTO/INCREASE
CONTRAST EXPOSURE MODES
AUTO TRAY SWITCHING
BOOK COPY
BOOKLET MAKING
BORDER ERASE (FRAME, FOLD, FRAME & FOLD)
COVER INSERTION
ELECTRONIC COPY MONITOR (1,000 ACCOUNTS)
ENERGY SAVE MODE
ERASE (FRAME, FOLD, NON-IMAGE AREA)
FACE-UP OR FACE-DOWN OUTPUT
FOLDING (BOOKLET, GATEFOLD, LETTER
FOLD-IN, LETTER FOLD-OUT, DOUBLE
PARALLEL, Z-FOLD)
GROUPING
HOLE-PUNCHING (2-HOLE, 3-HOLE)
IMAGE INSERT
IMAGE OVERLAY (SCANNED IMAGE ONTO
COPIED IMAGE)
IMAGE REPEAT
IMAGE ROTATION
IMAGE SHIFT
INTELLIGENT JOB BUILDING
INTERRUPT (PAUSE)
JOB MEMORY (30 JOBS), RECALL,
RESERVE (100 JOBS)
JOB STATUS
MIXED ORIGINAL DETECTION
NEGATIVE IMAGE CAPABILITY
OHP INTERLEAVE (BLANK OR COPIED SHEETS)
PRINT SPOOLING
PROOF COPY
ROTATION EXIT (HORIZONTAL/VERTICAL)
SADDLE-STITCHING (CENTER-STAPLING UP TO
50 SHEETS FOR 200-PAGE BOOKLETS)
SCANNING: EMAIL, FTP, PC, HDD,
TWIN SCAN (HDD DATA CAN BE RETRIEVED
THROUGH THE TWIN DRIVER)
SECURE PRINT
SEPARATE SCANNING (JOB BUILDING)
SORTING
STAMPING
STAPLING
STORYBOARDING (2-IN-1, 4-IN-1, 8-IN-1,
EVEN 16-IN-1 FROM PRINT DRIVER)
TABS (FROM TABBED ORIGINALS TO TABBED
SHEETS WITH TAB EJECTION FEATURE)
TANDEM COPY/PRINT CAPABILITY
WEEKLY TIMER
ZOOM

PRINT CONTROLLER SPECIFICATIONS

TYPE:
INTERNAL PRINT CONTROLLER

CENTRAL PROCESSING UNIT:
INTEL® PENTIUM® III @ 933MHZ

MEMORY:
512 MB

HARD DISK DRIVE:
20 GB

PRINT DRIVERS:
WINDOWS, 98, ME, NT4.0, 2000, XP, 2003
MAC OS 8.0 OR LATER
MAC OS 10.2/10.3


PAGE DESCRIPTION LANGUAGE:
PCL5E/XL (PCL6)
ADOBE POSTSCRIPT 3

FONTS:
PCL FONTS: 88
POSTSCRIPT FONTS: 136
INTERFACE:
ETHERNET 10/100 BASE T
PARALLEL IEEE 1284


SECURITY:
ISO-15408 COMPLIANT
NETWORK SCANNING:
EMAIL, FTP, PC, HDD, TWIN SCAN
(HDD DATA CAN BE RETRIEVED
THROUGH THE TWIN DRIVER)




bizhub 350/250/200




bizhub 500/420/360




bizhub 750/600



bizhub PRO 920



bizhub PRO1050





KONICA MINOLTA

bizhub C353

35 cpm Color & B/W Digital Copier/Printer/Scanner/Fax

(SIN 51 100) Purchase of Equipment/Accessories			(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
A02E014	bizhub C353 Color Printer/Copier/Scanner	\$5,469.00	\$205.47	\$162.16	\$136.89	\$184.74	\$153.46	\$133.01
A09MWY0	AU 101 Biometric Authentication Unit	\$459.00	\$17.24	\$13.61	\$11.49	\$15.51	\$12.88	\$11.16
A01HOW0	DF 611 Reversing Automatic Document Feeder	\$840.00	\$31.56	\$24.91	\$21.03	\$28.38	\$23.57	\$20.43
A0930Y3	DK 504 Copy Desk	\$112.00	\$4.21	\$3.32	\$2.80	\$3.78	\$3.14	\$2.72
A0DPWW0	EK 603 USB Host Kit Local Interface Kit	\$101.00	\$3.79	\$2.99	\$2.53	\$3.41	\$2.83	\$2.46
15LB	FK 502 Super G3 Fax Board	\$551.00	\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
A01G0Y1	FS 519 Base Finisher for C353/C253/C203	\$762.00	\$28.63	\$22.59	\$19.07	\$25.74	\$21.38	\$18.53
A0830Y0	JS 505 Job Separator Tray	\$217.00	\$8.15	\$6.43	\$5.43	\$7.33	\$6.09	\$5.28
4623472	Key Counter Attach Kit (Hecon) (Legacy Konica)	\$46.00	\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623481	Key Counter Attach Kit (Legacy Minolta)	\$46.00	\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
A0DCWY0	MK 711 Option Mount Kit (Box Type)	\$109.00	\$4.10	\$3.23	\$2.73	\$3.68	\$3.06	\$2.65
A0D9WY0	MK 713 Banner Paper Guide	\$335.00	\$12.59	\$9.93	\$8.39	\$11.32	\$9.40	\$8.15
4599414	ML 501 Fax Multi Line	\$172.00	\$6.46	\$5.10	\$4.31	\$5.81	\$4.83	\$4.18
4510761	MT 502 Mailbin Kit for FS 519	\$503.00	\$18.90	\$14.91	\$12.59	\$16.99	\$14.11	\$12.23
A0D8WY0	OC 507 Original Cover	\$40.00	\$1.50	\$1.19	\$1.00	\$1.35	\$1.12	\$0.97
4625246	OT 602 Additional Output Tray for FS 519	\$24.00	\$0.90	\$0.71	\$0.60	\$0.81	\$0.67	\$0.58
A0930Y0	PC 104 500 x 1 Paper Feed Cabinet	\$460.00	\$17.28	\$13.64	\$11.51	\$15.54	\$12.91	\$11.19
A0930Y1	PC 204 500 x 2 Paper Feed Cabinet	\$600.00	\$22.54	\$17.79	\$15.02	\$20.27	\$16.84	\$14.59
A093010	PC 405 Large Capacity Cassette (2,500 sheets)	\$707.00	\$26.56	\$20.96	\$17.70	\$23.88	\$19.84	\$17.19
A0DHWY1	PK 515 2/3 Hole Punch Kit for FS 519	\$252.00	\$9.47	\$7.47	\$6.31	\$8.51	\$7.07	\$6.13
4599386	SA 501 Scan Accelerator Kit	\$230.00	\$8.64	\$6.82	\$5.76	\$7.77	\$6.45	\$5.59
4599441	SC 503 HDD Encryption Kit	\$212.00	\$7.96	\$6.29	\$5.31	\$7.16	\$5.95	\$5.16
4511761	SD 505 Saddle Finisher Kit for FS 519	\$648.00	\$24.35	\$19.21	\$16.22	\$21.89	\$18.18	\$15.76
4614506	SP 501 Stamp Unit	\$20.00	\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare TX Marker Stamp 2	\$9.00	\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
960856	TU 109 Trimmer Unit	\$2,385.00	\$89.60	\$70.72	\$59.70	\$80.57	\$66.92	\$58.00
A091WW0	VI 504 Video Interface Kit for IC 409	\$152.00	\$5.71	\$4.51	\$3.80	\$5.13	\$4.27	\$3.70
A07EWW0	WT 502 Working Table	\$48.00	\$1.80	\$1.42	\$1.20	\$1.62	\$1.35	\$1.17

NOTES:

- 1) OC 507 Original Cover is required if DF 611 Reversing Document Feeder is not installed.
- 2) To add Super G3 fax capability you must order FK 502 Fax Board and MK 711 Option Mount Kit (Box Type).
- 3) If you require dual line fax capability FK 502 Fax Board and MK 711 Option Connection Kit (Box Type) MUST be purchased as the 1st line and if you require the 2nd line an additional FK 502 Fax Board and ML 501 Fax Multi Line must be purchased.
- 4) FS 519 Base Finisher is required to support MT 502 Mailbin Kit, OT 602 Output Tray, PK 515 Punch Kit, and SD 505 Saddle Finisher Kit. SD 505 Saddle Finisher Kit and MT 502 Mail bin Kit CANNOT be installed together on the FS 519 Base Finisher.
- 5) MT 502 Mail bin Kit requires FS 519 Base Finisher, CANNOT be mounted if SD 505 Saddle Finisher Kit is installed.
- 6) SD 505 Saddle Finisher Kit requires the FS 519 Base Finisher. It cannot be mounted if MT 502 Mail bin Kit is installed.
- 7) OT 602 Output Tray adds a third tray to the FS 519 Base Finisher.
- 8) EK 603 USB Host Kit (Local Interface Kit) requires MK 711Option Mount Kit.
- 9) EK 603 USB Host Kit (Local Interface Kit) is required for the AU 101 Biometric Authentication Unit.
- 10) Only one MK 711 Option Mount Kit is required per machine.
- 11) A07EWW0 Working Table is required for the AU 101 Biometrics Authentication Unit.
- 12) To attach SA 501 Scan Accelerator Kit, the MK 711 Option Connection Kit is required.



KONICA MINOLTA

bizhub C353

35 cpm Color & B/W Digital Copier/Printer/Scanner/Fax

(SIN 51 101 2) Consumable Supplies				(SIN 51 57) FSM Maintenance <i>NO Supplies Included</i>			
Item #	Description/Yield	Yield	GSA Price	Mo. Vol.	Monthly Color Base	Color Overage	
A0DE03F	IU313K (C353: 120K)	120,000	\$105.79	3,000	\$120.74	\$0.0443	
A0DE0JF	IU313C (C353: 90K)	90,000	\$413.08	4,000	\$144.75	\$0.0398	
A0DE0DF	IU313M (C353: 90K)	90,000	\$413.08	5,000	\$168.84	\$0.0371	
A0DE07F	IU313Y (C353: 90K)	90,000	\$413.08	6,000	\$190.69	\$0.0350	
A0D7131	TN314K (C353: 26K, 466g)	26,000	\$33.75	8,000	\$238.36	\$0.0328	
A0D7431	TN314C (C353: 20K, 364g)	20,000	\$66.50	10,000	\$278.09	\$0.0306	
A0D7231	TN314Y (C353: 20K, 364g)	20,000	\$66.50	15,000	\$392.52	\$0.0288	
A0D7331	TN314M (C353: 20K, 364g)	20,000	\$66.50	25,000	\$613.18	\$0.0270	
A0DTWY0	Waste Toner Box	50,000	\$22.17				
A02ER72000	Fusing Unit (400K)	400,000	\$346.58				
A02ER73000	Transfer Belt Unit (150K)	150,000	\$161.20				
A02ER71300	Transfer Roller (150K)	150,000	\$35.26				
4599161	MS 2C Staples for SK 1, SD 502, SD 503, SD 505	2K staples x 4	\$30.63				
14YK	SK 602 Staples for FS 504, FS 514, FS 519, FS 608, FS 520	5,000 X 3	\$46.35				
7640000420	Color Laser Transparency Film 8 1/2" X 11"	50 sheets/box	\$22.22				
7640002409	KM Banner Paper 100lb Text 11.75"x 47.25" (WxL)	200 sheets/box	\$60.45				
(SIN 51 57) CPC Maintenance COLOR BASED <i>Includes All Supplies</i>				(SIN 51 57) CPC Maintenance B/W BASED <i>Includes All Supplies</i>			
Mo. Vol.	Monthly Color Base	Color Overage	All B/W Copies	Mo. Vol.	Monthly B/W Base	B/W Overage	All Color Copies
500	\$42.75	\$0.0855	\$0.0105	3,000	\$35.63	\$0.0119	\$0.0846
1,000	\$77.90	\$0.0779	\$0.0105	4,000	\$44.08	\$0.0110	\$0.0846
2,000	\$142.50	\$0.0713	\$0.0105	6,000	\$56.43	\$0.0094	\$0.0846
4,000	\$269.80	\$0.0675	\$0.0105	10,000	\$84.55	\$0.0085	\$0.0846
7,000	\$445.55	\$0.0637	\$0.0105	15,000	\$116.85	\$0.0078	\$0.0846



bizhub C353

FULL COLOR _PRINTER_COPIER_SCANNER_FAX_

CONNECT_COMMUNICATE_CONTROL

General Specifications

TYPE:	Full-Color Printer/Copier/Scanner with Stationary Platen
PRINT/COPY PROCESS:	Tandem Process
TONER TYPE:	Simltri® HD Color Polymerized Toner
MONTHLY DUTY CYCLE:	100,000 pages
PRINT/COPY SPEED:	Full Color: 35 ppm (letter, portrait), B&W: 35 ppm (letter, portrait)
PRINT/COPY RESOLUTION:	1800 dpi equivalent x 600 dpi
SCAN SPEED:	Full Color: 70 opm (@ 300 dpi, letter), 50 opm (@ 600 dpi, letter), B&W: 70 opm (@ 300 dpi, letter), 55 opm (@ 600 dpi, letter)
SCAN RESOLUTION:	200 dpi, 300 dpi, 400 dpi, 600 dpi
SCAN FILE FORMATS:	TIFF, PDF, Compact PDF, JPEG, XPS
MEMORY/HARD DISK DRIVE:	1,024 MB (shared print, copy, scan and fax memory), 60 GB (shared print, copy, scan and fax HDD)
GRADATION:	256 color shades per pixel
ORIGINAL SIZE:	Up to 11" x 17" (scanning/copying), Up to 11" x 17" full bleed on 12" x 18" paper (printing)
COPY SIZE:	Tray 1 (universal cassette): 5.5" x 8.5" to 11" x 17", Tray 2 (universal cassette): 5.5" x 8.5" to 12" x 18", Bypass Tray: 4" x 6" to 12" x 18"
WARM UP TIME:	Full Color: Less than 41 seconds, B&W: Less than 30 seconds
FIRST COPY TIME:	Full Color: Less than 8.5 seconds (letter), B&W: Less than 5.9 seconds (letter)
COPY QUANTITY:	1-999
MAGNIFICATION:	Zoom range: 25% - 400%, 0.1% increments, Preset reduction: 79%, 73%, 65%, 50%, Preset enlargement: 121%, 129%, 155%, 200%
COLOR MODES:	Auto Color, Full Color, Black & White, 2-Color, Single Color
COPY EXPOSURE MODES:	Text (legible text), Text/Photo (clear text and halftones), Photo (optimized for gradations), Map (fine edges and legible text), Dot Matrix (dot matrix or pencil originals), Copied Paper
FAXING (optional):	Super G3 compatibility, MH, MR, MMR, JBIG data compression, 33.6 Kbps modem speed, F-Code Support
FAX TRANSMISSION SPEED:	Less than 3 seconds/page (V.34, JBIG, Standard Resolution)
FAX MEMORY:	1024MB (shared copier memory)
FAX EXPOSURE MODES:	Text, Text/Photo, Photo, Dot Matrix
STANDARD PAPER SIZE:	500-sheet universal cassette (16 lb. bond to 140 lb. index), 500-sheet universal cassette (16 lb. bond to 140 lb. index), 150-sheet bypass (16 lb. bond to 100 lb. cover or up to 271 gsm)
MAXIMUM PAPER CAPACITY:	3,650 sheets (total, with options)
DOCUMENT FEEDER (OPTIONAL):	DF-611 Auto Document Feeder, Speed: Full Color: 70 opm, B&W: 70 opm, Paper Capacity: 100 sheets, Paper Size: 5.5" x 8.5" to 11" x 17", Paper Weight: Single-sided: 9.25" lb. bond to 55.75 lb. bond Double-sided or mixed: 13.25 lb. bond to 34 lb. bond
POWER REQUIREMENTS/CONSUMPTION:	120V, 60Hz / Less than 1.5KW
DIMENSIONS (W X D X H):	25.25" x 33.5" x 30.25"
WEIGHT:	218 lb.
OPTIONS:	AU-101 Biometric Authentication Unit, DF-611 Reversing Automatic Document Feeder, DK-504 Copy Desk, EK-603 USB Host Kit, C353/C253/C203 Fax Kit, FS-519 Built-In Base Finisher, JS-505 Job Separator, MK-711 Option Mount Kit, MK-713 Banner Set Guide, ML-501 Fax Multi-Line Kit, MT-502 Mailbin Kit (for FS-519), OC-507 Original Cover, OT-602 Additional Tray (for FS-519), PC-104 Paper Feed Cabinet, PC-204 Paper Feed Cabinet, PC-405 Paper Feed Cabinet, PK-515 Punch Kit (for FS-519), SA-501 Scan Accelerator Kit, SC-503 HDD Encryption Kit, SD-505 Saddle Stitcher Kit (for FS-519), SP-501 Fax Stamp Unit, Spare TX Marker Stamp 2.WT-502 Working Table
AVAILABLE PRINT/COPY FUNCTIONS:	Account Track (1,000 accounts), Auto Duplex, Auto Tray Switching, Banner Printing (with FS-519), Bi-Directional Communication, Color Modes & Functions (Auto Color/Full Color, Black & White Mode, Single Color Mode, 2-Color Mode, Color Adjustments - Brightness, Contrast, Saturation, Sharpness, Red, Green, Blue, Portrait, Hue, Density, Color Balance, Copy Density, Sample Copy), Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1, Book, Booklet, Booklet + Bind), Cover Mode, Creative Functions (Mirror Image, XY Zoom, Image Center, Base Color, Neg./Pos. Reverse, Image Repeat), Encrypted Network Password Printing, Energy Save Mode, Enlarge Display, Erase (Border, Frame, Edge) Mode, Finishing (Group, Sort, Staple, Punch, Half-Fold, Center Staple and Fold), Form Overlay, Glossy Mode, HDD Random Erase, Image Adjustments (Color Matching, Pure Black Auto ON/OFF, Color Balance, Screen Settings, Image Smoothing ON/OFF), Image Preview (Job Finishing Image Display, Engine Configuration Display), Interrupt, Job List, Job Erase, Job Reserve, LDAP, OHP Interleaving, Mixplex, Mix-Media, Program/Recall Jobs, Paper Type Selection (Normal, Thick 1, Thick 2, Thick 3, Thick 4), Print Modes (Simplex/Duplex, 2-in-1, 4-in-1, 6-in-1, 9-in-1, 16-in-1, Booklet, Booklet + Bind), Proof Copy, Secure Printing, Separate Scan, Text Enhancement, User Authentication (up to 20 authentication servers) (Synchronize w/Account Track) User Box Function, Utility (Meter Count, Environment Setting, Default Setting, One-Touch Setting, Check Consumables Life), Administration Mode, Watermarks, Zoom Selection
AVAILABLE SCAN FUNCTIONS:	Scan-to-Email, Scan-to-FTP, Scan-to-SMB (Scan-to-Desktop), Scan-to-HDD (Scan-to-User Box), Scan-to-WebDAV, Scan-to-USB, Network TWAIN, WS Scan
AVAILABLE FAX FUNCTIONS:	Autodialing (2,000 one-touches), Auto Memory Reception, Auto Reduction Printing, Broadcasting (maximum 605 locations), Bufferin Board, Duplex Transmission/Reception, Exposure Mode, Group Dialing (up to 500 one-touches per group), Image Rotation Transmission/Reception, Mailbox Transmission/Reception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fax, Polling Transmission/Reception, Priority Transmission, Print Setting for Overnight Reception, Program Dialing (400 programs), Redial, Relay Broadcasting, Relay Transmission, Remote Reception, Timer Transmission
Emperon Print System (standard):	
PROCESSOR:	1 GHz (MC7447A)
MEMORY/HARD DISK DRIVE:	1,024 MB (shared copier memory)/60 GB (shared copier HDD)
PAGE DESCRIPTION LANGUAGE:	PCL5e/c, PCL6 (XL version 3.0) Emulation, PS3 (version 3016), XPS (XML Paper Specification)
FONTS:	PCL: 80 fonts, Postscript 3 Emulation: 137 fonts
PRINT DRIVERS:	PCL6: Windows 2000, Windows XP (Home/Professional), Windows Server 2003, Windows XP Professional x64, Windows Server 2003 x64, Windows NT 4.0, Windows Vista (x32, x64)* PS3: Windows 2000, Windows XP (Home/Professional), Windows Server 2003, Windows XP Professional x64, Windows Server 2003 x64, Windows Vista (x32, x64)* Mac OS 9.2 (PPD File), Mac OS X 10.2, 10.3, 10.4, Intel-based 10.4 (print driver)
INTERFACE:	10BASE-T/100BASE-TX/1000BASE-T, USB 1.1, USB 2.0
PROTOCOLS:	TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, LPD, Netware (4.x, 5.6), Pserver, Nprinter, NDPS, IPP1.1, SMTP, POP3, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6, DPWS (WSD)*
APPLICATIONS:	Network & Device Management: PageScope NetCare, PageScope NDPS Gateway, PageScope EMS Plug-Ins, PageScope Network Setup, PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up Utility, Download Manager (ICC Color Profile Utility), Log Management Utility*, User Tools: PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print Status Notifier, Web Print Assistant, Font Management Utility, Copy Protect Utility, Print Utility for Unix
MANAGEMENT TOOLS:	bizhub vCare support
OPTIONAL SOFTWARE:	PageScope Workware



KONICA MINOLTA

bizhub PRO C500

50 cpm Color & B/W Digital Printer/Copier/Scanner

(SIN 51 100) Purchase of Equipment/Accessories			(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
65LJ	bizhub PRO C500	\$8,500.00	\$319.35	\$252.03	\$212.76	\$287.13	\$238.51	\$206.72
7640002845	2GB Memory Upgrade for IC 302	\$411.00	\$15.44	\$12.19	\$10.29	\$13.88	\$11.53	\$10.00
7640000801	256MB Memory Upgrade	\$78.00	\$2.93	\$2.31	\$1.95	\$2.63	\$2.19	\$1.90
7640002239	256MB Upgrade for IC 405	\$212.00	\$7.96	\$6.29	\$5.31	\$7.16	\$5.95	\$5.16
7640002844	1GB Memory Upgrade for IC 302	\$249.00	\$9.35	\$7.38	\$6.23	\$8.41	\$6.99	\$6.06
7640002333	Color Profiler Kit	\$1,836.00	\$68.98	\$54.44	\$45.96	\$62.02	\$51.52	\$44.65
950456	CV 131 Platen Cover	\$29.00	\$1.09	\$0.86	\$0.73	\$0.98	\$0.81	\$0.71
960851	DF 319 Duplexing Document Feeder	\$570.00	\$21.41	\$16.90	\$14.27	\$19.25	\$15.99	\$13.86
7640002301	Dongle FACI Kit enable for IC 302	\$775.00	\$29.12	\$22.98	\$19.40	\$26.18	\$21.75	\$18.85
7640002236	EFI Auto Trap	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640002296	EFI Bundle CP/GA2/PPP/FACI enable/Impose for IC 302	\$9,016.00	\$338.73	\$267.32	\$225.67	\$304.56	\$252.99	\$219.27
7640002299	EFI Bundle GA2/CP/FACI enable for IC 302	\$4,623.00	\$173.69	\$137.07	\$115.71	\$156.16	\$129.72	\$112.43
7640002297	EFI Bundle GA2/PPP for IC 302	\$6,604.00	\$248.11	\$195.81	\$165.30	\$223.08	\$185.31	\$160.61
7640002298	EFI Bundle PPP/Impose/FACI enable for IC 302	\$5,140.00	\$193.11	\$152.40	\$128.65	\$173.63	\$144.23	\$125.00
7640002235	EFI Hot Folders and Virtual Printers for IC 405	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640002302	EFI Impose 2.5 for IC 302	\$1,436.00	\$53.95	\$42.58	\$35.94	\$48.51	\$40.29	\$34.92
7640001277	EFI Impose V.2.5 for IP 901	\$1,436.00	\$53.95	\$42.58	\$35.94	\$48.51	\$40.29	\$34.92
7640002237	EFI Impose Version 2.6	\$1,436.00	\$53.95	\$42.58	\$35.94	\$48.51	\$40.29	\$34.92
7640002234	EFI Secure Erase	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640002240	EFI Spot On for IC 405	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640000848	Exit Tray and Extension	\$18.00	\$0.68	\$0.53	\$0.45	\$0.61	\$0.51	\$0.44
7640002316	FACI Kit for IC 302	\$2,002.00	\$75.22	\$59.36	\$50.11	\$67.63	\$56.18	\$48.69
7640000744	FACI Kit Stand for IC 302	\$388.00	\$14.58	\$11.50	\$9.71	\$13.11	\$10.89	\$9.44
20GA	FS 513 Stapler Finisher	\$1,004.00	\$37.72	\$29.77	\$25.13	\$33.92	\$28.17	\$24.42
20GB	FS 606 Saddle Stitch Finisher	\$1,555.00	\$58.42	\$46.11	\$38.92	\$52.53	\$43.63	\$37.82
7640002303	Graphic Arts Package (GA1) for IC 302	\$1,828.00	\$68.68	\$54.20	\$45.75	\$61.75	\$51.29	\$44.46
7640002304	Graphic Arts Package Premium (GA2) for IC 302	\$4,135.00	\$155.35	\$122.60	\$103.50	\$139.68	\$116.03	\$100.56
7640002305	Graphic Arts Premium Upgrade (GA1 to GA2) for IC 302	\$2,757.00	\$103.58	\$81.75	\$69.01	\$93.13	\$77.36	\$67.05
960859	HD 106 20 GB Copier Hard Disk Drive	\$347.00	\$13.04	\$10.29	\$8.69	\$11.72	\$9.74	\$8.44
7640002300	HDD Security Kit for IC 302 (removable HDD)	\$689.00	\$25.89	\$20.43	\$17.25	\$23.27	\$19.33	\$16.76
20FU	IC 301 External Creo Print Controller	\$9,000.00	\$338.13	\$266.85	\$225.27	\$304.02	\$252.54	\$218.88
20BF	IC 302 External Fiery Controller	\$7,500.00	\$281.78	\$222.38	\$187.73	\$253.35	\$210.45	\$182.40
20FG	IC 405 Embedded Image Controller w/ Fiery System 8e	\$3,500.00	\$131.50	\$103.78	\$87.61	\$118.23	\$98.21	\$85.12
960853	LT 211 2,500 sheet LCT	\$1,078.00	\$40.50	\$31.96	\$26.98	\$36.41	\$30.25	\$26.22
7640000749	MU 412 Copier Engine Memory (256MB x 4)	\$154.00	\$5.79	\$4.57	\$3.85	\$5.20	\$4.32	\$3.75
950553	PI 110 Multi Post Inserter	\$422.00	\$15.85	\$12.51	\$10.56	\$14.26	\$11.84	\$10.26
20GJ	PK 507 3 Hole Punch Kit	\$224.00	\$8.42	\$6.64	\$5.61	\$7.57	\$6.29	\$5.45
20GN	PK 508 2 Hole Punch Kit	\$313.00	\$11.76	\$9.28	\$7.83	\$10.57	\$8.78	\$7.61
7640001348	Production Print Package	\$4,476.00	\$168.16	\$132.71	\$112.03	\$151.20	\$125.60	\$108.86
960856	TU 109 Trimmer Unit	\$2,385.00	\$89.60	\$70.72	\$59.70	\$80.57	\$66.92	\$58.00
960857	TU 109A Trimmer Adapter Kit	\$572.00	\$21.49	\$16.96	\$14.32	\$19.32	\$16.05	\$13.91

NOTES:

- 1) Post Inserter (PI 110) works with either the FS 513 stapler finisher or FS 606 booklet finisher.
- 2) Saddle Stitch Finisher (FS 606) does either trifold, multi position stapling or booklets.
- 3) Trimmer Kit can ONLY be used with the FS 606. If you want trimming, you MUST include FS 606, TU109 and TU109A.
- 4) Hole Punch Kits (PK 120 / PK 120A) work with either the FS 513 or FS 606.
- 5) Mainframe ships with initial Developer.
- 6) The IC 405 includes a video interface and replaces both the IP 921 and VI 621. The IC 405 CANNOT be used in conjunction with MicroPress. Therefore, if MicroPress is required, the IP 921 and VI 621 MUST still be ordered.



KONICA MINOLTA

bizhub PRO C500

50 cpm Color & B/W Digital Printer/Copier/Scanner

(SIN 51 101 2) Consumable Supplies						
Item #	Description	Yield	GSA Price			
020V	Toner (Black) TN510K	30,000	\$33.25			
020W	Toner (Yellow) TN510Y	20,000	\$59.44			
020X	Toner (Magenta) TN510M	20,000	\$59.44			
020Y	Toner (Cyan) TN510C	20,000	\$59.44			
020Z	Developer (Black) DV510K	100,000	\$36.27			
0200	Developer (Yellow) DV510Y	100,000	\$108.81			
0201	Developer (Magenta) DV510M	100,000	\$108.81			
0202	Developer (Cyan) DV510C	100,000	\$108.81			
20EH	Image Drum DR 101	100,000	\$166.24			
960908	Maintenance Kit	100,000	\$488.64			
65LA PM20	Maintenance Kit	200,000	\$552.22			
950764	Staples (FS 513 & FS 606)	15,000	\$31.60			
(SIN 51 57) CPC Maintenance COLOR BASED		(SIN 51 57) FSM Maintenance				
<i>Includes All Supplies</i>		<i>NO Supplies Included</i>				
Mo. Vol.	Color Base	Color Overage	All B/W Copies	Mo. Vol.	Color Base	Color Overage
3,000	\$219.00	\$0.0730	\$0.0150	7,000	\$257.09	\$0.0367
6,000	\$408.00	\$0.0680	\$0.0150	10,000	\$330.91	\$0.0331
6,667	\$411.33	\$0.0617	\$0.0145	12,500	\$367.05	\$0.0294
10,000	\$582.00	\$0.0582	\$0.0145	15,000	\$385.91	\$0.0257
12,500	\$711.25	\$0.0569	\$0.0145	20,000	\$463.64	\$0.0232
15,000	\$838.50	\$0.0559	\$0.0145	30,000	\$660.00	\$0.0220
20,000	\$1,094.00	\$0.0547	\$0.0145	40,000	\$836.36	\$0.0209
25,000	\$1,330.00	\$0.0532	\$0.0145	50,000	\$1,009.09	\$0.0202
40,000	\$2,076.00	\$0.0519	\$0.0145	75,000	\$1,459.09	\$0.0195
50,000	\$2,555.00	\$0.0511	\$0.0145	100,000	\$1,872.73	\$0.0187
75,000	\$3,765.00	\$0.0502	\$0.0145			
100,000	\$4,940.00	\$0.0494	\$0.0145			
125,000	\$6,075.00	\$0.0486	\$0.0145			

bizhub PRO C500

GENERAL SPECIFICATIONS

GENERAL SPECIFICATIONS

TYPE:
FULL-COLOR PRINTER/COPIER/SCANNER WITH STATIONARY PLATEN

PRINT/COPY PROCESS:
TANDEM INTERMEDIATE TRANSFER LASER ELECTROSTATIC METHOD

DEVELOPMENT SYSTEM:
SIMITRI[®] COLOR POLYMERIZED TONER

PRINT/COPY SPEED (COLOR AND B&W):
50 PPM (LETTER, 8-1/2" X 11" PORTRAIT)

MAXIMUM MONTHLY DUTY CYCLE:
150,000 PAGES

PRINT/COPY RESOLUTION:
TRUE 600 X 600 DPI
2400 X 600 DPI QUALITY*

GRADATION: 256 COLOR SHADES PER PIXEL

MEMORY: 512 MB (STANDARD)
1.5 GB (MAXIMUM)

WARM-UP TIME: 6.5 MINUTES

FIRST COPY: 7.6 SECONDS (COLOR)
6 SECONDS (B&W)

COPY QUANTITY:
1 - 9,999 COPIES (COUNTDOWN, INTERRUPT CAPABILITY)

MAGNIFICATION:
ZOOM RANGE: 25 - 400%, 0.1% INCREMENTS

COLOR MODES:
AUTO, FULL COLOR, BLACK & WHITE, SINGLE COLOR

EXPOSURE MODES:
TEXT (LEGIBLE TEXT)
TEXT/PHOTO (CLEAR TEXT & HALFTONES)
PHOTO IMAGE (OPTIMIZED FOR GRADATIONS)
MAP (FINE EDGES, LEGIBLE TEXT)

ORIGINAL SIZE: UP TO 11" X 17" MAXIMUM

PAPER SIZE:
UP TO 13" X 19.2" MAXIMUM (ALL TRAYS)

PAPER WEIGHT:
UP TO 110 LB. INDEX
UP TO 140 LB. INDEX IN BYPASS AND LARGE CAPACITY TRAY

STANDARD PAPER SUPPLY:
500-SHEET UNIVERSAL PAPER DRAWERS (3)
250-SHEET BYPASS

OPTIONAL PAPER SUPPLY:
2,500-SHEET LARGE CAPACITY TRAY

MAXIMUM PAPER CAPACITY:
4,250 SHEETS (TOTAL, WITH OPTIONS)

DOCUMENT FEEDER:
DF-319 REVERSING DUPLEXING DOCUMENT FEEDER
CAPACITY: 100 SHEETS
ORIGINAL SIZE: UP TO 11" X 17"
1-SIDED, 2-SIDED ORIGINALS
MIXED ORIGINAL DETECTION

POWER REQUIREMENTS:
208 V - 240 V, 16 A (DEDICATED LINE)

DIMENSIONS (W X D X H):
31-1/4" X 35" X 41-5/8" (MACHINE ONLY)

WEIGHT: 551 LBS.

BIZHUB PRO C500 OPTIONS

DF-319 REVERSING DUPLEXING DOCUMENT FEEDER
IC-302 EXTERNAL FIERY[®] IMAGE CONTROLLER
IC-405 EMBEDDED FIERY[®] IMAGE CONTROLLER
IC-301 EXTERNAL CREO[®] IMAGE CONTROLLER
FS-513 STAPLE FINISHER (SORT, MULTI-POSITION STAPLE)
FS-606 BOOKLET FINISHER (SORT, STAPLE, FOLD)
PK-507 3-HOLE PUNCH KIT
PK-508 2-HOLE PUNCH KIT
PI-110 POST SHEET INSERTER
TU-109 TRIMMER UNIT
TU-109A TRIMMER ATTACHMENT KIT
LT-211 LARGE CAPACITY TRAY (2,500 SHEETS)
CV-131 PLATEN COVER
HD-106 HARD DISK DRIVE
MU-412 MEMORY UPGRADE (1 GB)

PAGESCOPE APPLICATIONS:
NETWORK & DEVICE MANAGEMENT
PAGESCOPE NET CARE
PAGESCOPE NETWORK SETUP
PAGESCOPE EMS PLUG-INS
PAGESCOPE NDPS GATEWAY
PAGESCOPE ABU (ADDRESS BOOK UTILITY)

IC-302 EXTERNAL FIERY[®] IMAGE CONTROLLER SPECIFICATIONS

PROCESSOR: INTEL[®] PENTIUM[®] 4 @ 3.2GHZ

MEMORY: STANDARD: 1 GB
MAXIMUM: 3 GB

HARD DRIVE: 160 GB

PAGE DESCRIPTION LANGUAGE:
ADOBE POSTSCRIPT 3

FONTS: 136 FONTS (ADOBE TYPE 1)

INTERFACE: 10/100/1000 BASET

NETWORKING:
ETHERNET: APPLTALK (ETHERTALK), IPX/SPX (NDS), TCP/IP (STATIC IP, AUTO IP), SMB
HTTP, SNMP, SMB, IPP
PSEVER (8 CONNECTIONS)
PORT 9100 (NON-STATUS READ BACK)

SCANNING:
SCAN RESOLUTION: 600 DPI
SCAN-TO-EMAIL
SCAN-TO-FTP
SCAN-TO-HDD

UTILITIES:
COMMAND WORKSTATION™ 4.1
COMMAND WORKSTATION™ LE (MAC OS 10.2 AND ABOVE)
FIERY[®] DOWNLOADER™
FIERY[®] FREEFORM™
FIERY[®] JOB MERGE/EDIT™
FIERY[®] SPOILER™
FIERY[®] WEPTOOLS™
FIERY[®] NETWISE™
FIERY[®] COLORWISE[®]

DRIVERS:
WINDOWS 2000, XP, 2003
MAC OS 9.X, 10.2 OR LATER

OPTIONS:
FIERY[®] IMPOSE
EFI COLOR PROFILER™
FIERY[®] GRAPHIC ARTS PACKAGE
FIERY[®] GRAPHIC ARTS PACKAGE PREMIUM EDITION
PRODUCTION PRINT PACKAGE
HDD SECURITY KIT
FACI KIT (MONITOR, KEYBOARD, MOUSE)

IC-405 EMBEDDED FIERY[®] IMAGE CONTROLLER SPECIFICATIONS

PROCESSOR: INTEL[®] CELERON D @ 2.8GHZ

MEMORY: STANDARD: 512 MB
MAXIMUM: 1 GB

HARD DRIVE: 80 GB (OR HIGHER)

PAGE DESCRIPTION LANGUAGES:
ADOBE[®] POSTSCRIPT 3
PCL 6C

FONTS:
136 POSTSCRIPT FONTS (ADOBE[®] TYPE 1)
80 SCALABLE PCL FONTS

PRINT DRIVERS:
PCL/PS3: WINDOWS 98, ME, NT 4.0, 2000, XP
PS (PPD): MAC OS 9.X, 10.2 OR LATER

INTERFACE: 10/100/1000 BASET

NETWORKING:
ETHERNET: APPLTALK (ETHERTALK), IPX/SPX (NDS), TCP/IP (STATIC IP, AUTO IP), SMB
HTTP, SNMP, SMB, IPP
PSEVER (8 CONNECTIONS)
PORT 9100 (NON-STATUS READ BACK)

SCANNING:
SCAN RESOLUTION: 600 DPI
SCAN-TO-EMAIL (WITH LDAP)
SCAN-TO-FTP
SCAN-TO-HDD
SCAN-TO-HOLD QUEUE

UTILITIES:
COMMAND WORKSTATION™
WINDOWS EDITION V4.5
COMMAND WORKSTATION™
MACINTOSH EDITION V1.3-V1.4
FIERY[®] COLORWISE[®] PROTOOLS V3.7-V3.8
FIERY[®] EMAIL PORT MONITOR
FIERY[®] VDP RESOURCE MANAGER V1.2
FIERY[®] PRINTER DELETE UTILITY
FIERY[®] REMOTE SCAN V5.4-V5.5
FIERY[®] WEPTOOLS™
SPOT-ON COLOR MATCHING

OPTIONAL SOFTWARE APPLICATIONS:
EFI[®] IMPOSE
EFI[®] COLOR PROFILER™
EFI[®] GRAPHIC ARTS FEATURES:
HOT FOLDERS
AUTO TRAPPING
EFI SECURE ERASE

IC-301 EXTERNAL CREO[®] IMAGE CONTROLLER SPECIFICATIONS

OPERATING SYSTEM:
MICROSOFT[®] WINDOWS[®] XP PROFESSIONAL
ADOBE[®] ACROBAT[®] 6.0 PROFESSIONAL (PDF 1.5)

HARDWARE SPECIFICATIONS:
INTEL[®] PENTIUM 4 @ 3.2 GHZ SYSTEM (HYPER THREADING)
512 MB DDR SYSTEM MEMORY
768 MB IMAGE MEMORY
80 GB SYSTEM AND USER DISK
2 X 80 GB IMAGE DISK SPACE
10/100/1000 ETHERNET NETWORK ADAPTER
DVD ROM

PROTOCOLS SUPPORTED:
APPLTALK[®]
NETBEUI
TCP/IP
IPX/SPX

SUPPORTED SERVICES:
APPLESHARE[®] FILE SHARING
PAP: FILE PRINTING
NETBIOS: PRINTING AND FILE SHARING OVER TCP/IP/NETBEUI/MPX
TCP/IP: PRINTING LPR/LPD
NOVELL: NDS AND BINDERY (NOVELL CERTIFIED CLIENT) NFS (OPTION) FILE SHARING

IC-301 EXTERNAL CREO[®] IMAGE CONTROLLER SPECIFICATIONS CONTINUED

PAGE DESCRIPTION LANGUAGES:
ADOBE POSTSCRIPT™ 3
NATIVE PDF
EPS
TIFF, TIFF/IT
JPEG

ELECTRICAL:
AC INPUT VOLTAGE:
100 TO 127 VAC/127/200-240 VAC
@ 50 TO 60 HZ
AMPERE RATING: 100-127 VAC/ 2 A,
200-240 VAC/ 1 A

AVAILABLE FUNCTIONS

AUTO LAYOUT (CENTERING)
AUTO SLEEP MODE
AUTO ORIGINAL DETECTION (COLOR, B&W)
AUTO PAPER SELECTION (APS)
AUTO POWER OFF
AUTO TRAY SWITCH
BOOK CREATION
BOOK ERASE
BOOK SEPARATION
BOOKLET MAKING (STITCH AND FOLD)
CHAPTER MODE
COLOR MODES & FUNCTIONS:
AUTO COLOR, FULL COLOR, BLACK & WHITE MODES, SINGLE COLOR MODE
COMBINATION (2-IN-1, 4-IN-1, 8-IN-1)
COPY TRACK FUNCTION (999 ACCOUNTS)
DISTRIBUTION NUMBER STAMPING
DUPLEXING (HIGH-SPEED STACKLESS)
ENERGY STAR COMPLIANT
EXPOSURE MODES (TEXT, TEXT AND PHOTO, PHOTO, MAP)
FOLDING (B-FOLD AND TRI-FOLD)
FRAME/CENTER ERASE
GLOSS MODE
HOLE PUNCHING (2-HOLE OR 3-HOLE)
IMAGE INSERTION
IMAGE REPEAT
IMAGE ROTATION
JOB LIST
JOB INTERRUPT
JOB STORE (SEPARATE SCAN)
MULTI-PAGE ENLARGEMENT
NON-IMAGE AREA ERASE
POSITIVE/NEGATIVE REVERSE
PRESET JOBS (MAX. 5 JOBS)
PRINT MODES (TEXT, TEXT & PHOTO, ETC.)
PROOF COPY
SHEET/COVER INSERTION
SHIFT MARGIN
SORT, NON-SORT, GROUP FINISHING
STAMP/OVERLAY
STAPLING
TRIMMING
WHEELCHAIR ACCESSIBILITY
ZOOM (AUTO, PRESET, CUSTOM SIZES)





KONICA MINOLTA

bizhub C550

55 cpm B/W - 45 cpm Color Digital Copier/Printer/Scanner/Fax

(SIN 51 100) Purchase of Equipment/Accessories			(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
A00J011	bizhub C550	\$9,368.00	\$351.96	\$277.76	\$234.48	\$316.45	\$262.87	\$227.83
A09MWY0	AU 101 Biometric Authentication Unit	\$459.00	\$17.24	\$13.61	\$11.49	\$15.51	\$12.88	\$11.16
A01HOW0	DF 611 Automatic Document Feeder	\$840.00	\$31.56	\$24.91	\$21.03	\$28.38	\$23.57	\$20.43
7640002333	EFI Color Profiler Suite v2.0 w/ES 1000	\$1,836.00	\$68.98	\$54.44	\$45.96	\$62.02	\$51.52	\$44.65
A090WW0	EK 602 USB Host Board (Local Interface Kit)	\$101.00	\$3.79	\$2.99	\$2.53	\$3.41	\$2.83	\$2.46
7640002323	EFI Impose V2.6 for IC 409	\$1,436.00	\$53.95	\$42.58	\$35.94	\$48.51	\$40.29	\$34.92
15LB	FK 502 Super G3 Fax Board	\$551.00	\$20.70	\$16.34	\$13.79	\$18.61	\$15.46	\$13.40
A07ROW0	FS 517 50 Sheet Staple Finisher	\$1,280.00	\$48.09	\$37.95	\$32.04	\$43.24	\$35.92	\$31.13
A07UOW0	FS 608 Saddle Finisher	\$2,056.00	\$77.24	\$60.96	\$51.46	\$69.45	\$57.69	\$50.00
4623472	Key Counter Attachment Kit (HECON)(legacy Konica)	\$46.00	\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
4623481	Key Counter Attachment Kit (legacy Minolta)	\$46.00	\$1.73	\$1.36	\$1.15	\$1.55	\$1.29	\$1.12
A03N0Y1	LU 301 Large Capacity Unit (3,000 letter sheets)	\$818.00	\$30.73	\$24.25	\$20.47	\$27.63	\$22.95	\$19.89
4599414	ML 501 Fax Multi Line	\$172.00	\$6.46	\$5.10	\$4.31	\$5.81	\$4.83	\$4.18
A092WW0	OT 503 Output Tray Unit (Exit Tray)	\$53.00	\$1.99	\$1.57	\$1.33	\$1.79	\$1.49	\$1.29
A04F0Y1	PK 512 2/3 Hole Punch Kit for FS 517 & FS 608	\$375.00	\$14.09	\$11.12	\$9.39	\$12.67	\$10.52	\$9.12
4599386	SA 501 Scan Accelerator Kit	\$230.00	\$8.64	\$6.82	\$5.76	\$7.77	\$6.45	\$5.59
4599441	SC 503 (HDD Encryption Kit)	\$212.00	\$7.96	\$6.29	\$5.31	\$7.16	\$5.95	\$5.16
4614506	SP 501 Stamp Unit	\$20.00	\$0.75	\$0.59	\$0.50	\$0.68	\$0.56	\$0.49
4614511	Spare TX Marker Stamp	\$9.00	\$0.34	\$0.27	\$0.23	\$0.30	\$0.25	\$0.22
A091WW0	VI 504 Video Interface Kit for IC 409	\$152.00	\$5.71	\$4.51	\$3.80	\$5.13	\$4.27	\$3.70
A07EWW0	WT 502 Working Table	\$48.00	\$1.80	\$1.42	\$1.20	\$1.62	\$1.35	\$1.17

NOTES:

- 1) When ordering C550 you **MUST** order DF 611 Automatic Document Feeder.
- 2) OT 503 Output Tray is required if a finisher is not installed.
- 3) WT 502 Working Table is required for AU 101 Biometric Authentication Unit.
- 4) To add fax capability you must order FK 502 Fax Board . It does not require mount kits.
- 5) AU 101 Biometric Authentication Unit requires WT 502 Working Table and EK 602 Local Interface Kit.
- 6) PK 512 Punch Kit is an option for FS 517 Staple Finisher and FS 608 Saddle Finisher.
- 7) EK 602 Local Interface Kit USB 2.0 required for AU 10 Biometric Authentication Unit only.
- 8) SP 501 Stamp Unit is installed on DF 611.
- 9) If you require dual line fax capability FK 502 Fax Board **MUST** be purchased as the 1st line and if you require the 2nd line an additional FK 502 Fax Board and ML 501 Fax Multi Line must be purchased.
- 10) The VI 504 Video Interface Kit is **REQUIRED** when ordering the IC 409 Image Controller (EFI Fiery)



KONICA MINOLTA

bizhub C550

55 cpm B/W - 45 cpm Color Digital Copier/Printer/Scanner/Fax

(SIN 51 101 2) Consumable Supplies				(SIN 51 57) FSM Maintenance <i>NO Supplies Included</i>			
Item #	Description/Yield	Yield	GSA Price	Mo. Vol.	Monthly Base	Overage	
A070130	TN611K Toner Black	45,000	\$35.26	6,000	\$186.55	\$0.0311	
A070230	TN611Y Toner Yellow	27,000	\$83.62	10,000	\$253.64	\$0.0254	
A070330	TN611M Toner Magenta	27,000	\$83.62	15,000	\$336.82	\$0.0225	
A070430	TN611C Toner Cyan	27,000	\$83.62	20,000	\$443.86	\$0.0222	
A06003F	IU610K Imaging Unit Black	300,000	\$243.82	30,000	\$616.36	\$0.0205	
A06007F	IU610Y Imaging Unit Yellow	100,000	\$426.17	40,000	\$796.36	\$0.0199	
A0600DF	IU610M Imaging Unit Magenta	100,000	\$426.17	50,000	\$963.64	\$0.0193	
A0600JF	IU610C Imaging Unit Cyan	100,000	\$426.17	100,000	\$1,818.18	\$0.0182	
A0ATWY0	Waste Toner Box (20% coverage)	57,000	\$22.17				
A00JR72100	Fusing Unit (Inc. Ozone Filter)	300,000	\$410.05				
A00JR71400	Transfer Belt Unit	450,000	\$416.10				
A00JR71500	Transfer Roller Unit	450,000	\$39.29				
14YK	SK 602 Staples for FS 517	15,000	\$48.36				
4448121	MS 5C Staple Cart. for FS 608	15,000	\$32.24				
A00JR70000	Color Toner Filter	150,000	\$30.23				
(SIN 51 57) CPC Maintenance COLOR BASED <i>Includes All Supplies</i>				(SIN 51 57) CPC Maintenance B/W BASED <i>Includes All Supplies</i>			
Mo. Vol.	Monthly Color Base	Color Overage	All B/W Copies	Mo. Vol.	Monthly B/W Base	B/W Overage	All Color Copies
500	\$45.00	\$0.0900	\$0.0095	5,000	\$49.00	\$0.0098	\$0.0850
1,000	\$80.00	\$0.0800	\$0.0095	12,000	\$100.80	\$0.0084	\$0.0850
3,000	\$213.00	\$0.0710	\$0.0095	20,000	\$146.00	\$0.0073	\$0.0850
6,000	\$396.00	\$0.0660	\$0.0095	50,000	\$330.00	\$0.0066	\$0.0850
20,000	\$1,240.00	\$0.0620	\$0.0095				



bizhub C550

CONNECT

COMMUNICATE

CONTROL



GENERAL SPECIFICATIONS:

TYPE:

Full-Color Printer/Copier/Scanner w/ Stationary Platen

PRINT/COPY PROCESS:

Tandem Process

TONER TYPE:

Smith® HD Color Polymerized Toner

MONTHLY DUTY CYCLE:

200,000

PRINT/COPY SPEED:

Full Color: 45 ppm (letter, portrait)
B&W: 55 ppm (letter, portrait)

SCAN SPEED:

Up to 70 cpm

PRINT/COPY RESOLUTION:

1800 dpi (equivalent) x 600 dpi

GRADATION:

256 color shades per pixel

ORIGINAL SIZE:

Up to 11" x 17" (scanning/copying)
Up to 11" x 17" full-bleed
on 12" x 18" paper (printing)

COPY SIZE:

Tray 1 Universal Cassette: 8.5" x 11" to 12" x 18"
Tray 2 Universal Cassette: 8.5" x 11" to 12" x 18"
Tray 3 4" x 6" or 8.5" x 11"
Tray 4 4" x 6" or 8.5" x 11"
Multiple Bypass: 4" x 6" to 12" x 18"

WARM UP TIME:

Less than 30 seconds

FIRST COPY:

Full color: less than 6.5 seconds (letter)
B&W: Less than 4.3 seconds (letter)

COPY QUANTITY:

1 - 9,999

PAPER SUPPLY:

500-sheet multi-purpose cassette
(17 lb. bond, to 140 lb. index)
500-sheet universal cassette
(17 lb. bond, to 140 lb. index)
1,500-sheet letter-size cassette
(17 lb. bond, to 140 lb. index)
1,000-sheet letter-size cassette
(17 lb. bond, to 140 lb. index)
150-sheet bypass
(17 lb. bond, to 100 lb. cover)

STANDARD DOCUMENT FEEDER:

DF-611 Automatic Document Feeder
Paper Capacity: 100 sheets
Paper Size: 5-1/2" x 8-1/2" to 11" x 17"
Paper Weight: Single-sided: 9.25, bond to 55.75 lb.
Double-sided: 13.25 lb. bond to 34 lb. bond

POWER REQUIREMENTS:

120 V, 60 Hz

POWER CONSUMPTION:

Less than 1.92 KW

DIMENSIONS: (W x D x H):

25.5" x 30.5" w/o control panel)
36" (with control panel) x
45.25" (standard configuration)

WEIGHT:

418.5 lbs.

MAGNIFICATION:

Zoom range: 25% - 400%, 0.1% increments
Preset reduction: 79%, 73%, 65%, 50%
Preset enlargement: 121%, 129%, 155%, 200%

COLOR MODES:

Auto Color Mode
Full Color Mode
Black & White Mode
2-Color Mode
Single Color Mode

COPY EXPOSURE MODES:

Text (legible text)
Text/Photo (clear text and halftones)
Photo (optimized for gradations)
Map (line edges and legible text)
Dot Matrix (dot matrix originals)
Copied Paper

MAXIMUM PAPER CAPACITY:

6,650 sheets (total, with options)

Available Print/Copy Functions

Account Track (1,000 accounts)
APS/AMS
Auto Duplex
Auto Reset
Auto Tray Switching
Bi-Directional Communication
(Device Option Setting)
Box Function
(Store Copy Jobs, Print Jobs, Scans, Fax Data,
Print Stored Data, Route Scanned Data)
Color Modes & Functions
Auto Color/Full Color
Black & White Mode
Single Color Mode
2-Color Mode
Color Adjustments (Brightness, Contrast,
Saturation, Sharpness, Red, Gm, Blue,
Portrait, Hue Density, Color Balance,
Copy Density, Sample Copy)

Copy Modes

(Simplex/Duplex, 2-in-1, 4-in-1, 8-in-one,
Book, Booklet, Booklet + Bind)

Cover Mode

Creative Functions
(Mirror Image, XY Zoom, Image Center, Base-
Color, Neg./Pos. Reverse, Image Repeat)

Cross-Cross Sorting

Distribution No. Printing

Energy Save Mode

Enlarge Display

Erase (Border, Frame, Edge) Mode

Finishing (Group, Sort, Staple, Punch, Half-Fold,
Center Staple and Fold and Tri-Fold)

Form Overlay

OPTIONS:

AU-101 Biometric Authentication Unit
EK-602 Local Interface (USB 2.0 Host, for AU-101 only)
FK-502 Fax Kit
FS-517 Staple Finisher
FS-608 Booklet Finisher
LU-301 Large Capacity Unit
ML-501 Fax Multi Line
OT-503 Output Tray
PK-512 Punch Kit Unit
SA-501 Scan Accelerator Kit
SC-503 HDD Encryption Kit
SP-501 Stamp Unit (For DF-611)
Spare TX Marker
WT-502 Working Table

Glossy Mode
HDD Random Erase
Image Adjustments
(Color Matching, Pure Black Auto ON/OFF,
Color Balance, Screen Setting, Image
Smoothing (ON/OFF)
Image Density Adjustment
(Density, Background Removal)
Image Preview (Job Finishing Image Display,
Engine Configuration Display)
Interrupt
Job List
Job Erase
Job Reserve
LDAP
OHP Interfacing
Muxler, Mix-Media
Program/Recall Jobs
Paper Size Selection (APS, Manual)
Paper Type Selection
(Normal, Thick 1/1+, Thick 2,
Thick 3, Thick 4)
Proof Copy
Secure Printing
Separate Scan
Sleep Mode
Text Enhancement
User Authentication
(Synchronize w/ Account Track)
Utility (Meter Count, Environment Setting,
Default Setting, One-Touch Setting,
Check Consumable Life, Admin. Mode)
Watermarks
Zoom Selection
(AMS, Fixed Zoom Ratio, User Programmable
Zoom Ratio, Manual)

Available Scan Functions*

Scan-to-E-mail
Scan-to-FTP
Scan-to-SMB (Scan-to-Desktop)
Scan-to-HDD (Scan-to-User Box)
Network TWAIN

Available Fax Functions*

Autodialing (2,000 one-touch keys)
Auto Memory Reception
Auto Reduction Printing
Border Erase Transmission
Broadcasting (maximum 600 locations)
Bulletin Board
Density Adjustment
Duplex Transmission/Reception
Exposure Mode
(Text, Text/Photo, Photo, Dot Matrix)
Group Dialing
(up to 500 one-touches per group)
Image Rotation Transmission/Reception
Mailbox (Private) Transmission/Reception
Memory/Quick Dial
Mixed Originals Transmission
Original Size Designation
Overseas Transmission
Password Transmission/Reception
PC Fax
Polling Transmission/Reception
Priority Transmission
Print Setting for Overnight Reception
Program Dialing (400 programs)
Redial
Relay Broadcasting
Relay Transmission
Remote Reception
Timer Transmission

FAXING (with fax option):

Super G3 compatibility, JBIG
data compression
33.6 Kbps modern speed
F-Code Support

FAX TRANSMISSION SPEED:

Approximately 3 seconds/page

FAX EXPOSURE MODES:

Text, Text/Photo, Photo, Dot Matrix

Emporon Print System

PROCESSOR:

867MHz

RAM:

1024 MB (shared scan and copier memory)

HARD DISK DRIVE:

60 GB (shared scan and copier HDD)

PAGE DESCRIPTION LANGUAGE:

PCL 6 (XL version 3.0) Emulation
PS3 (Version 3015) Emulation

FONTS:

PCL Resident Fonts: 80 outline
PS3 Emulation Resident Fonts: 137 outline

PRINT DRIVERS:

PCL 6:
Windows 2000, Windows XP (Home/
Professional)
Windows Server 2003, Windows XP
Professional x 64, Windows Server x 64,
Windows NT 4.0
Vista Compatibility (please see www.mykonicaminolta.com
for the latest information)
PS3 Emulation:
Windows 2003, Windows XP (Home/Professional),
Windows Server 2003, Windows XP Professional x 64
Mac OS 9.2 (PPD)
Mac X 10.2, 3, 4
Linux
TWAIN Driver:
Windows 2000/XP/VP 64-bit or later

STANDARD INTERFACES:

Ethernet 10/100/1000 BaseT, Hi-Speed USB (2.0)

PROTOCOLS:

TCP/IP
IPX/SPX
AppleTalk (EtherTalk)
LPR
SMB
LPD
Netware (4.x, 5, 6)
Pserver
N Printer
NDPS
IPP 1.1
SMTP
POP3
LDAP
SSL
SNMP
HTTP

APPLICATIONS:

Network & Device Management

PageScope NetCare
PageScope NDPS Gateway
PageScope EMS Plug-Ins
PageScope Network Setup
PageScope Data Administrator
Driver Packaging Utility
HDD Backup Utility
Log Management Utility*
PageScope Web Connection
Plug-In for WebJet Admin*

User Tools

PageScope Direct Print
PageScope Box Operator
PageScope Print Status Notifier
Font Management Utility
Copy Protection Utility
Print Utility for Unix*

Management Tools

bizhub Vcare capable

Optional Software

PageScope Workware



KONICA MINOLTA

bizhub PRO C6500

65 cpm Color & B/W Digital Copier/Printer/Scanner

(SIN 51 100) Purchase of Equipment/Accessories			(SIN 51 58) LTOP Lease			(SIN 51 58a) FMV Lease		
Item #	Description	GSA Price	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.	36 mo. Pymt.	48 mo. Pymt.	60 mo. Pymt.
A03U011	bizhub PRO C6500 Printer/Copier/Scanner	\$19,376.00	\$727.96	\$574.50	\$484.98	\$654.52	\$543.69	\$471.22
7640002845	1GB x 2 (2GB total) Upgrade Memory for IC 303	\$411.00	\$15.44	\$12.19	\$10.29	\$13.88	\$11.53	\$10.00
7640002934	512MB Memory Upgrade for IC 408	\$227.00	\$8.53	\$6.73	\$5.68	\$7.67	\$6.37	\$5.52
7640002844	512MB x 2 (1GB total) Upgrade Memory for IC 303	\$249.00	\$9.35	\$7.38	\$6.23	\$8.41	\$6.99	\$6.06
7640002333	EFI Color Profiler Suite v2.0 w/ES 1000	\$1,836.00	\$68.98	\$54.44	\$45.96	\$62.02	\$51.52	\$44.65
A0520Y0	DF 609 Reversing Auto Document Feeder	\$772.00	\$29.00	\$22.89	\$19.32	\$26.08	\$21.66	\$18.78
7640002569	EFI AutoTrap	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640002568	EFI Hot Folders and Virtual Printers for IC 408	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640002323	EFI Impose 2.6 for IC 303/IC 408	\$1,436.00	\$53.95	\$42.58	\$35.94	\$48.51	\$40.29	\$34.92
7640002567	EFI Secure Erase	\$462.00	\$17.36	\$13.70	\$11.56	\$15.61	\$12.96	\$11.24
7640002324	FACI Kit Enabler Dongle for IC 303	\$775.00	\$29.12	\$22.98	\$19.40	\$26.18	\$21.75	\$18.85
7640002325	FACI kit for IC 303	\$2,002.00	\$75.22	\$59.36	\$50.11	\$67.63	\$56.18	\$48.69
7640000744	FACI Kit Stand for IC 303	\$388.00	\$14.58	\$11.50	\$9.71	\$13.11	\$10.89	\$9.44
15BN	FD 501 Multi Folding Unit	\$7,513.00	\$282.26	\$222.76	\$188.05	\$253.79	\$210.81	\$182.72
15AE	FS 503 100 Sheet Stapling Finisher	\$3,208.00	\$120.52	\$95.12	\$80.30	\$108.37	\$90.02	\$78.02
A04D0Y0	FS 607 Booklet Finisher	\$1,970.00	\$74.01	\$58.41	\$49.31	\$66.55	\$55.28	\$47.91
7640002319	Graphic Arts Package (GA1) for IC 303	\$1,828.00	\$68.68	\$54.20	\$45.75	\$61.75	\$51.29	\$44.46
7640002320	Graphic Arts Premium Edition (GA2) for IC 303	\$4,135.00	\$155.35	\$122.60	\$103.50	\$139.68	\$116.03	\$100.56
7640002321	Graphic Arts Premium Upgrade (GA1 to GA2) for IC 303	\$2,757.00	\$103.58	\$81.75	\$69.01	\$93.13	\$77.36	\$67.05
A03Y0Y0	HD 506 4 X 40GB Hard Drives (all included in kit)	\$969.00	\$36.41	\$28.73	\$24.25	\$32.73	\$27.19	\$23.57
7640002300	HDD Security Kit for IC 303 (removable HDD)	\$689.00	\$25.89	\$20.43	\$17.25	\$23.27	\$19.33	\$16.76
A0410Y0	HT 503 Dehumidifier Heater for LU 202	\$527.00	\$19.80	\$15.63	\$13.19	\$17.80	\$14.79	\$12.82
A0410Y1	HT 504 Dehumidifier Heater for PF 601	\$835.00	\$31.37	\$24.76	\$20.90	\$28.21	\$23.43	\$20.31
A0350Y0	IC 303 (EFI S450 External Controller)	\$10,434.00	\$392.01	\$309.37	\$261.16	\$352.46	\$292.78	\$253.75
A0730Y0	IC 304 (Creo DFE External Controller)	\$13,678.00	\$513.88	\$405.55	\$342.36	\$462.04	\$383.80	\$332.65
A0360Y0	IC 408 (EFI Embedded Controller)	\$4,107.00	\$154.30	\$121.77	\$102.80	\$138.73	\$115.24	\$99.88
15HS	LC 501 Additional LS Cart Option	\$459.00	\$17.24	\$13.61	\$11.49	\$15.51	\$12.88	\$11.16
15AM	LS 501 Large Capacity Stacker	\$8,360.00	\$314.09	\$247.87	\$209.25	\$282.40	\$234.58	\$203.32
A03W0Y0	LU 202 Large Capacity Tray	\$1,366.00	\$51.32	\$40.50	\$34.19	\$46.14	\$38.33	\$33.22
A0420Y0	OC 506 Original Cover	\$87.00	\$3.27	\$2.58	\$2.18	\$2.94	\$2.44	\$2.12
A0430Y0	OT 502 Output Tray	\$272.00	\$10.22	\$8.06	\$6.81	\$9.19	\$7.63	\$6.62
A03X0Y0	PF 601 Paper Feed Unit	\$2,867.00	\$107.71	\$85.01	\$71.76	\$96.85	\$80.45	\$69.73
A04H0Y0	PI 502 Cover Inserter for FS 607	\$505.00	\$18.97	\$14.97	\$12.64	\$17.06	\$14.17	\$12.28
A04FOY1	PK 512 2/3 Hole Punch Kit for FS 607	\$375.00	\$14.09	\$11.12	\$9.39	\$12.67	\$10.52	\$9.12
7640002322	Production Print Package (PPP) for IC 303	\$4,476.00	\$168.16	\$132.71	\$112.03	\$151.20	\$125.60	\$108.86
A04J0Y0	RU 503 Relay Unit No Power Supply	\$1,005.00	\$37.76	\$29.80	\$25.16	\$33.95	\$28.20	\$24.44
A04K0Y0	RU 504 Relay Unit with Power Supply	\$1,318.00	\$49.52	\$39.08	\$32.99	\$44.52	\$36.98	\$32.05
15AQ	SD 501 Saddle Stitch Finisher	\$12,108.00	\$454.90	\$359.00	\$303.06	\$409.01	\$339.75	\$294.47

NOTES:

- 1) HT 503 and HT 504 recommended when running high volumes of coated stock.
- 2) The HD 506 is not utilized for printing functions. It is however, still required for booklet pagination processing of copy jobs and adding stamps and overlays.
- 3) Use RU 503 when configuration does NOT include FS 503.
- 4) Use RU 504 when configuration includes FS 503.
- 5) LC 501 **only** can be used with LS 501, LC 501 **can't** be used with LS 501
- 6) For using the PB 501 with the C6500, both the IC 303 and C6500 firmware update is necessary.
- 7) Not all components on this price sheet are compatible within the same configuration therefore, do NOT configure systems from the price sheets alone.
Please contact your sales representative for configuration assistance.



KONICA MINOLTA

bizhub PRO C6500

65 cpm Color & B/W Digital Copier/Printer/Scanner

(SIN 51 101 2) Consumable Supplies						
Item #	Description	Yield	GSA Price			
A04P130	TN610K Black Toner	35,000	\$32.24			
A04P230	TN610Y Yellow Toner	24,000	\$58.03			
A04P330	TN610M Magenta Toner	24,000	\$58.03			
A04P430	TN610C Cyan Toner	24,000	\$58.03			
A04P600	DV610K Black Developer	200,000	\$64.68			
A04P700	DV610Y Yellow Developer	200,000	\$157.17			
A04P800	DV610M Magenta Developer	200,000	\$157.17			
A04P900	DV610C Cyan Developer	200,000	\$157.17			
A0400Y0	DU 102 Drum Unit	200,000	\$243.82			
14YJ	SK 701 Staples for FS 503	25,000	\$127.95			
14YH	SK 601 Staples for SD 501	15,000	\$78.59			
4448121	MS 5C Staple Cartridge for FS 607	15,000	\$32.24			
7640X025	C6500 200 PM Kit A	200,000	\$1,309.75			
7640X026	C6500 200K PM Kit B	200,000	\$2,216.50			
DC65PM100	C6500 100K PM Kit	100,000	\$156.16			
DC65PM200	C6500 200K PM Kit	200,000	\$785.85			
(SIN 51 57) CPC Maintenance COLOR BASED				(SIN 51 57) FSM Maintenance		
<i>Includes All Supplies</i>				<i>NO Supplies Included</i>		
Mo. Vol.	Color Base	Color Overage	All B/W Copies	Mo. Vol.	Color Base	Color Overage
5,000	\$330.00	\$0.0660	\$0.0150	10,000	\$330.77	\$0.0331
20,000	\$1,160.00	\$0.0580	\$0.0150	20,000	\$462.91	\$0.0231
40,000	\$1,960.00	\$0.0490	\$0.0150	30,000	\$614.05	\$0.0205
75,000	\$3,442.50	\$0.0459	\$0.0150	40,000	\$732.36	\$0.0183
150,000	\$6,405.00	\$0.0427	\$0.0150	50,000	\$880.91	\$0.0176
				75,000	\$1,250.11	\$0.0167
				100,000	\$1,606.36	\$0.0161
				125,000	\$1,986.36	\$0.0159
				150,000	\$2,357.73	\$0.0157
				200,000	\$3,109.09	\$0.0155
				250,000	\$3,821.59	\$0.0153

bizhub PRO C6500

GENERAL SPECIFICATIONS

TYPE:
CONSOLE TYPE

PRINT/COPY PROCESS:
LASER ELECTROSTATIC TRANSFER METHOD

DEVELOPMENT SYSTEM:
DRY-TYPE DUAL COMPONENT MAGNETIC
BRUSH DEVELOPING

PRINT/COPY SPEED (COLOR AND B&W):
65 PPM (8.5" X 11")

MAXIMUM MONTHLY DUTY CYCLE:
300,000 PAGES

PRINT/COPY RESOLUTION:
600 X 600 DPI

GRADATION: 256 (8 BITS) CMYK

MEMORY: 1 GB

WARM-UP TIME: APPROX. 6.5 MINUTES

FIRST COPY:
APPROX. 6.5 SECONDS (COLOR)
APPROX. 5.0 SECONDS (B&W)

COPY QUANTITY:
1 - 9,999 COPIES (COUNTDOWN,
INTERLUPT CAPABILITY)

MAGNIFICATION:
ZOOM RANGE: 25 - 400%,
0.001% INCREMENTS

COLOR MODES:
AUTO
FULL COLOR
BLACK & WHITE
SINGLE COLOR

EXPOSURE MODES:
TEXT (LEGIBLE TEXT)
TEXT/PHOTO (CLEAR TEXT & HALFTONES)
PHOTO IMAGE (OPTIMIZED FOR GRADATIONS)
MAP (FINE EDGES, LEGIBLE TEXT)

ORIGINAL SIZE:
UP TO 11" X 17" MAXIMUM

PAPER SIZE:
UP TO 13" X 19.2" MAXIMUM (ALL TRAYS)

PAPER WEIGHT:
UP TO 140 LB. INDEX/256 GSM
UP TO 170 LB. INDEX/300 GSM (PF-601 TRAY 5)

STANDARD PAPER SUPPLY:
500-SHEET UNIVERSAL PAPER DRAWERS (3)

OPTIONAL PAPER SUPPLY:
6,000-SHEET PAPER FEED UNIT (PF-601)
2,500-SHEET LARGE CAPACITY TRAY (LU-202)

MAXIMUM PAPER CAPACITY:
7,500 SHEETS (TOTAL, WITH OPTIONS)

DOCUMENT FEEDER:
DF-609 REVERSING DUPLEXING
DOCUMENT FEEDER (OPTIONAL)
CAPACITY: 100 SHEETS
ORIGINAL SIZE: UP TO 11" X 17"
1-SIDED, 2-SIDED ORIGINALS
MIXED ORIGINAL DETECTION

POWER REQUIREMENTS:
208V - 240V, 60HZ, 16A
(DEDICATED LINE)

DIMENSIONS (W X D X H):
31" X 39.1" X 41.63" (MACHINE ONLY)

WEIGHT: 794 LBS.

BIZHUB PRO C6500 OPTIONS

FD-501 MULTI-FOLDING UNIT
FS-503 STAPLE FINISHER
FS-520 STAPLER FINISHER
FS-607 BOOKLET FINISHER
HD-506 HARD DISK DRIVE
HT-503 HEATER/DEHUMIDIFIER
HT-504 HEATER/DEHUMIDIFIER
IC-303 EXTERNAL FIERY® IMAGE CONTROLLER
IC-304 EXTERNAL CREO® IMAGE CONTROLLER
IC-408 INTERNAL FIERY® IMAGE CONTROLLER
LS-501 LARGE CAPACITY STACKER
LU-202 LARGE CAPACITY TRAY
OC-506 PLATEN COVER
PB-501 PERFECT BINDER
PF-601 PAPER FEEDER UNIT
PI-502 POST INSERTER
PK-512 PUNCH KIT
RU-503/RU-504 RELAY UNIT
SD-501 SADDLE-STITCH FINISHER

AVAILABLE FUNCTIONS

AUTO ZOOM
AUTO PAPER SELECT
AUTO LOW POWER
AUTO RESET
AUTO SHUT-OFF
BOOK COPY
BOOKLET PAGINATION
CHAPTERS
COLOR MODE
COLLATE (FS-503, LS-501)
COMBINE ORIGINALS
COPY DENSITY
COVER SHEET FEEDING (FS-503 W/ FD-501)
CUSTOM SIZE IN ORIGINAL SETTING
FOLDING (FS-503 W/ FD-501, SD-501)
FRAME CENTER ERASURE
IMAGE CENTERING
IMAGE OVERLAY
IMAGE REPEAT
INSERT IMAGE
INSERT SHEET
INTERLUPT COPYING
JOB LIST
MANUAL SHUT-OFF
MIXED IN ORIGINAL SETTING
MODE MEMORY
MULTI-PAGE ENLARGEMENT
NEG./POS. REVERSE
NON-IMAGE AREA ERASE
NON-SORT (FS-503, LS-501)
PAGE MARGIN
PROGRAM OVERLAY
POWER SAVE
PROGRAM JOB
PROOF COPY
PUNCH (FS-503 W/ FD-501)
RESERVE
ROTATION
SEPARATE SCAN MODE
SIMPLEX/DUPLEX
STAMP
STAPLE (FS-503, SD-501)
TAB PAPER
TRIMMING (SD-501)
UNCOLLATE (FS-503, LS-501)
WEEKLY TIMER
Z-FOLDED IN ORIGINAL SETTING
ZOOM

IC-303 EXTERNAL FIERY® IMAGE CONTROLLER SPECIFICATIONS

PROCESSOR:
INTEL® PENTIUM® 4, 3.2GHZ, FSB 800MHZ

MEMORY: STANDARD: 1 GB
MAXIMUM: 3 GB

HARD DRIVE: 160 GB

SYSTEM SOFTWARE: FIERY® SYSTEM 8

PAGE DESCRIPTION LANGUAGE:
ADOBE POSTSCRIPT 3

FONTS: 136 FONTS

IC-303 EXTERNAL FIERY® IMAGE CONTROLLER SPECIFICATIONS CONTINUED

PRINT DRIVERS:
WINDOWS 2000, XP, 2003

INTERFACE: 10/100/1000 BASET

NETWORKING:
ETHERNET, APPLE TALK (ETHER TALK), IPX/SPX
(NDS), TCP/IP (STATIC IP, AUTO IP), SNMP V3,
SMB, PORT 9100 (BI-DIRECTIONAL SUPPORT),
KERBEROS V5, NTLM V2.0, IPP, LDAP V3,
GSSAPI, LPR-RFC, HOST RESOURCE MIB/PRINTER
MIB/AMB-2, EMAIL FORMAT RFC822, SMTP-
RFC821, POP3, IMAP, HTTP, HTTPS, FTP,
EFI SDK V1.0, IP FILTERING, PORT BLOCKING,
LDAP USER AUTHENTICATION

SCANNING:
SCAN RESOLUTION: 600 DPI
SCAN-TO-EMAIL (WITH LDAP)
SCAN-TO-FTP
SCAN-TO-HDD
SCAN-TO-SMB

UTILITIES:
COMMAND WORKSTATION™ WINDOWS
EDITION V4.5
COMMAND WORKSTATION™ MACINTOSH
EDITION V1.3-V1.4
FIERY® COLORWISE® PROTOOLS V3.7-V3.8
FIERY® EMAIL PORT MONITOR
FIERY® VDP RESOURCE MANAGER V1.2
FIERY® PRINTER DELETE UTILITY
FIERY® REMOTE SCAN V5.4-V5.5
EFI HOT FOLDERS V2.2-V2.3
EFI WEBTOOLS™
SPOT ON
AUTO TRAPPING
HOT FOLDERS

OPTIONS:
FIERY® GRAPHIC ARTS PACKAGE (GA1)
FIERY® GRAPHIC ARTS PACKAGE,
PREMIUM EDITION (GA2)
EFI PRODUCTION PRINT PACKAGE
EFI COLOR PROFILER™ SUITE V2.0
EFI IMPOSE V2.6
HDD SECURITY KIT
FACI KIT

IC-408 EMBEDDED FIERY® IMAGE CONTROLLER SPECIFICATIONS

PROCESSOR:
INTEL® CELERON-D®, 2.8GHZ FSB 533MHZ

MEMORY:
STANDARD: 512 MB
MAXIMUM: 1 GB

HARD DRIVE: 80 GB

SYSTEM SOFTWARE:
FIERY® SYSTEM 8E

PAGE DESCRIPTION LANGUAGES:
ADOBE® POSTSCRIPT 3

FONTS: 136 POSTSCRIPT FONTS

PRINT DRIVERS:
WINDOWS 2000, XP, 2003

INTERFACE:
10/100/1000 BASET

NETWORKING:
ETHERNET, APPLE TALK (ETHER TALK), IPX/SPX
(NDS), TCP/IP (STATIC IP, AUTO IP), SNMP V3,
SMB, PORT 9100 (BI-DIRECTIONAL SUPPORT),
KERBEROS V5, NTLM V2.0, IPP, LDAP V3,
GSSAPI, LPR-RFC, HOST RESOURCE MIB/PRINTER
MIB/AMB-2, EMAIL FORMAT RFC822, SMTP-
RFC821, POP3, IMAP, HTTP, HTTPS, FTP,
EFI SDK V1.0, IP FILTERING, PORT BLOCKING,
LDAP USER AUTHENTICATION

IC-408 EMBEDDED FIERY® IMAGE CONTROLLER SPECIFICATIONS CONTINUED

SCANNING:
SCAN RESOLUTION: 600 DPI
SCAN-TO-EMAIL (WITH LDAP)
SCAN-TO-FTP
SCAN-TO-HDD (MAILBOX)
SCAN-TO-HOLD QUEUE

UTILITIES:
COMMAND WORKSTATION™ WINDOWS
EDITION V4.5
COMMAND WORKSTATION™ MACINTOSH
EDITION V1.3-V1.4
FIERY® COLORWISE® PROTOOLS V3.7-V3.8
FIERY® EMAIL PORT MONITOR
FIERY® VDP RESOURCE MANAGER V1.2
FIERY® PRINTER DELETE UTILITY
FIERY® REMOTE SCAN V5.4-V5.5
FIERY® WEBTOOLS™
SPOT ON

OPTIONAL SOFTWARE APPLICATIONS:
FIERY® GRAPHIC ARTS FEATURES:
AUTO TRAPPING, HOT FOLDERS
WITH VIRTUAL PRINTERS
EFI COLOR PROFILER™ SUITE V2.0
EFI IMPOSE V2.6
EFI SECURE ERASE

IC-304 EXTERNAL CREO IMAGE CONTROLLER SPECIFICATIONS

OPERATING SYSTEM
MICROSOFT WINDOWS XP PROFESSIONAL SP2
ADOBE ADOBE ACROBAT 7.0 STANDARD (PDF 1.6)

HARDWARE SPECIFICATIONS
INTEL CORE2 DUO PROCESSOR (4M CACHE)
FUSION IN BOARD
1 GB SYSTEM MEMORY
1 GB IMAGE MEMORY
80 GB SATA SYSTEM AND USER DISK
2 x 80 GB SATA IMAGE DISK SPACE
10/100/1000 ETHERNET NETWORK ADAPTER
DVD R/W
X-RITE DTP34 DENSITOMETER
KEYBOARD AND MOUSE
17" TFT LCD MONITOR
CREO COLOR SERVER STAND

PROTOCOLS SUPPORTED

APPLE TALK
NETBEUI
TCP/IP
IPX/SPX

SERVICES SUPPORTED

APPLESHARE: FILE SHARING
PAR: FILE PRINTING
NETBIOS: PRINTING AND FILE SHARING
OVER TCP/IP/NETBEUI/PIX
TCP/IP: PRINTING LPR/LPD
NOVELL: NDS AND BINDERY
(NOVELL CERTIFIED CLIENT)
NFS (OPTION) FILE SHARING

PAGE DESCRIPTION LANGUAGES (PDLs)

ADOBE POSTSCRIPT 3
NATIVE PDF
EPS
TIFF, TIFF/IT
JPEG, CT/LW

VARIABLE DATA FILE FORMATS

CREO VARIABLE PRINT SPECIFICATION (VPS)

DIMENSIONS INCLUDING STAND AND PALLET


FOOTPRINT: 27.6 x 41.4 x 28.4 IN.
WEIGHT 116 LB.

ELECTRICAL


AC INPUT VOLTAGE: 100 TO 127 VAC/127/200-240
VAC @ 50 TO 60 HZ
AMPERE RATING: 1.00-1.27 VAC/2 A, 200-240
VAC/1 A




bizhub C353P



bizhub PRO C500



bizhub C550



bizhub PRO C6500

