- 1. Awarded Item Numbers: All items in the price list are special items number SIN 711.1, 711.13, 711.3, 711.93, 711.94, 711.95
- 2. Lowest Priced Item: PCTC, Panel Connector Top Cap
- 3. Maximum Order: \$500,000 (net after discount).

4. Minimum Order:

\$2,000 List orders will be accepted at full list price, with no discount.

- 5. **Geographic Coverage:** (delivery area) contiguous United States Only.
- 6. Points of Production: U.S.A. 55%, s. Korea 45%

7.	Total List	Discount
	\$2,000 to \$100,000	= 55%
	\$100,001 to \$500,000	= 60%
	\$500,001 and up	= 65%

- 8. **Payment Terms:** As a certified small business, prompt payment 2% 10, net 30 days
- 9. Government purchase cards: accepted. Government Commercial Credit Card Payment Discount Not Applicable
- 10. Foreign Items: Content 45% S. Korean.
- 11. **Time of delivery:** 30-90 days after receipt of complete P.O. (Product Dependant)
- 12. Overnight and 2 day delivery: Not Available
- 13. **F.O.B. point:** Destination within 48 contiguous states and District of Columbia
- 14. <u>Contract Holder and Order Address:</u> M/W International, Inc. 1019 Evans Ave. Akron, OH 44305-1020
- 15. E-MAIL: sales@mwintl.net
- 16. Phone: 888-566-5400 Fax: 888-566-5415
- 17. Payment Address: M/W International, Inc. 1019 Evans Ave. Akron, OH 44305-1020

- Changes and Cancellations: All orders are processed immediately and therefore cannot be cancelled. Changes must be authorized and be submitted in writing and may require a new Purchase Order
- 19. **Restocking Fee, 25%:** assessed on any authorized returns.
- 20. **Warranty:** The Company warrants to the original end user that each of its products is free from defects in materials and workmanship for ten (10) years (except for fabrics and telecommunications connecting hardware). Such warranty is limited to repair or replacement at the company's option. Any product that under normal use in accordance with the company's published instruction prove to be defective. Damage arising from misuse, accidents or normal wear and tear is excluded from this warranty. Fabrics are warranted against defects in materials and workmanship for three (3) years. Telecommunications Connecting Hardware and Computer Desks are warranted against defect for a period of five (5) years.
- 21. Terms and conditions of installation: per individual labor quote. SIN 711.95
- 22. Design / Layout Services available: SIN 711.94
- 23. Reconfiguration and Relocation Services: SIN 711.93, Priced on case-by-case basis.
- 24. Contract Information: Contract Number: GS-29F-0033J Contract Period: 13 Aug 2009 through 12 Aug 2014 DUNS Number: 96-512-0611 Tax ID Number: 34-1840711 Cage Code: IPX23 Business Size: Small

All Discounts and Pricing has been modified per modification FX03

Revised Jun2012

2012MWICatalog.pdf


SPECIAL ITEM NUMBERS (SINs) TOPIC

Page

711-1	Panel Frames	2
711-1	Stackable Panel Frames	3
711-1	Door Panels	3
711-1	Panel Top Caps	4
711-1	Panel Base Covers	4
711-1	Panel Connector Kits	5
	Two-Way 90°, Three-Way 180°, Four Way 90°	5
	Upper Two-Way & Three Way 90° • Change of Height	6
	Two-Way • 120°, Three-Way 120°	7
	Three-Way • 135° & Two-Way 45 °	8
711-1	Panel Connector Top Caps	9
711-1	End Cover Kits	10
711-1	Panel Segments - Fabric Covered • Tackable/Acoustical • Painted (not in Contract) Power Telecom • Marker Board • Airflow • Clear & Frosted Glass (pair) • Brushed Stainless Steel • Painted Embossed (not in contract) • Wood Grain (not in contract)	11-17
711-1	Lighting	17
711-1	T-Mount Kit	18
711-1	Wall Tracks • Wall Starter	18
711-1	Power Distribution	19-22
711-1	Worksurfaces	23-31
711-1	Worksurface Supports	32-35
711-1	Worksurface Accessories	36
711-1	Pedestals	37-39
711-1	Pedestal Accessories	39
711-1	Modesty Panels	40-41
711-1	Overhead Storage	42-43
711-1	Tack Board	43
711-1	Table Tops • Table Pedestal Base	44-48
711-1	Paper Management	49
711-1	Magnetic Accessories • Office Accessories	50
711-1	Adjustable Height Tables	51-54
711-1	Add-On Frames • Tiles	55
711-1	Ceiling Height Panels	55
711-1	Custom Stack-On Frames	56
711-1	Sliding Panel Screen	57
711-13	FC-300 Demountable Wall	58
711-13	Mills Demountable Wall	59
711-1	Fabrics • Finishes2	60

PANEL FRAMES

All items on this page pertain to SIN 711-1



PANEL FRAMES

PANEL FRAMES	Model N	o. Size H"	W "	Weight LB	Price \$
STANDARD FEATURES	PF4218	$42^{9/16}$	18	15.8	\$172
	PF4224	$42^{9/16}$	24	17.8	\$174
• 14 gage, roll formed, cold rolled steel	PF4230	$42^{9/16}$	30	19.8	\$186
 Powder coated paint finish 	PF4236	$42^{9/16}$	36	21.8	\$198
 Slotted uprights support components at 1" increments 	PF4242	42 %	42	24.1	\$211
• Top, middle and bottom cable distribution	PF4248	42 ⁹ / ₁₆	48	26.5	\$223
• 2 vertical cable access channels	PF4260	42 ⁹ / ₁₆	60	30.2	\$286
3 1/4 " finished panel thickness (2" deep interior cavity)		-			
Gravity lock, keyhole slots accept panel inserts (segments)	PF4818	47 ¹ / ₄	18	16.9	\$182
Straight line, steel panel-to-panel connectors included	PF4824	47 ¹ / ₄	24	18.9	\$184
3" adjustable leveling glides	PF4830	47 ¹ / ₄	30	20.9	\$195
Non-progressive panel removal / replacement	PF4836	47 ¹ / ₄	36	22.9	\$208
Panel connections accomplished with one tool -	PF4842	47 ¹ / ₄	42	25.1	\$223
-13mm open end wrench	PF4848	47 ¹ / ₄	48	27.3	\$238
DPTIONS	PF4860	47 ¹ / ₄	60	31.3	\$296
Specify panel segments (page 11-17)	222440	1	10		
Specify panel top caps (page 4)	PF5618	56 ¹ / ₁₆	18	22.1	\$196
Specify panel base covers (page 4)	PF5624	$50\frac{1}{16}$	24	24.9	\$198
Power distribution available for field	PF5630	$56\frac{1}{16}$	30	27.7	\$212
installation (page 19-22)	PF5636	$56\frac{1}{16}$	36	30.6	\$228 \$242
	PF5642 PF5648	56 ¹ / ₁₆ 56 ¹ / ₁₆	42 48	33.9 37.1	\$242 \$257
SPECIFY ON ORDER	PF 3648 PF 5660	$56 \frac{1}{16}$	48 60	43.2	\$237 \$338
Quantity	PF3000	30 /16	00	45.2	\$220
Model number	PF6518	$65\frac{3}{8}$	18	24.3	\$218
Options	PF6524	$65\frac{3}{8}$	24	27.1	\$210
Note: Panel frame required at the base	PF6530	$65\frac{3}{8}$	30	29.9	\$234
of every stackable panel frame.	PF6536	$65\frac{3}{8}$	36	32.8	\$250
Note: Panel height measured with	PF6542	$65\frac{3}{8}$	42	35.1	\$264
glides fully receded.	PF6548	$65\frac{3}{8}$	48	39.2	\$281
	PF6560	$65\frac{3}{8}$	60	45.4	\$351
	PF8318	83 %	18	31.2	\$283
	PF8324	83 ⁹ / ₁₆	24	35.2	\$285
	PF8330	83 %	30	39.2	\$300
	PF8336	83 %	36	43.2	\$322
		a a 0 i			** * *

83 %

83 %

42

48

47.4

51.4

\$344

\$363

PF8342

PF8348

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Stacks on existing panel frame
- Supports overhead storage
- 14 gauge, roll formed, cold rolled steel
- Powder coated paint finish
- Slotted upright support components at 1" Increments allow top-level cable lay-in and two vertical cable access channels
- 2 vertical cable access channels
- 3 1/4" finished panel thickness (2" deep interior cavity)
- Gravity lock, keyhole slots accept panel inserts (segments)
- Straight line, steel panel-to-panel connectors included
- Non-progressive panel removal / replacement
- Panel connections accomplished with one tool
 13mm open end wrench

OPTIONS

- Specify panel segments (page 11-17)
- Specify panel top caps (page 4)
- Telecommunications connecting hardware available for field installation (page 19-22)

SPECIFY ON ORDER

- Quantity
- Model number
- Options
- Note: Panel frame required at the base of every

STANDARD FEATURES

- 42" wide door panel has ADA code 36" wide opening
- Door frame is adjustable up and down 3/4" to allow for irregular floors
- Includes door frame, fasteners, hinges, threshold, brushed aluminum knob with keyed lock, one key and strike plate
- Cherry stained birch veneer or plastic laminate door surfaces, standard options available
- 1 1/4" deep top raceway for laying-in of cable
- Frame is black

OPTIONS

• ADA lever add \$250 list

SPECIFY ON ORDER

- Quantity
- Catalog Number
- Options
- Top Cap Finish
- Door laminate finish



STACKABLE PANEL FRAMES

Model No.		ze/Inches [" W"	Weight LB	Price \$
PFS1818	$18\frac{3}{16}$	18	6.6	\$111
PFS1824	$18\frac{3}{16}$	24	7.9	\$113
PFS1830	$18\frac{3}{16}$	30	9.2	\$119
PFS1836	$18\frac{3}{16}$	36	10.3	\$124
PFS1842	18 ³ / ₁₆	42	11.4	\$131
PFS1848	18 ³ / ₁₆	48	12.5	\$136
PFS1860	$18\frac{3}{16}$	60	14.9	\$166

Specify door swing as follows

Left hand



Right hand opposite



DOOR PANELS

Model No.	Size/I "H"	nches " W"	Weight LB	Price \$
Complete Package				
PD8342 R	83 ⁹ / ₁₆	42	116	\$1,808
PD8342 L	83 ⁹ / ₁₆	42	116	\$1,808
Individual Items				
Door frame				
DF8342 R	83 %	42	68	\$1,082
DF8342 L	83 %	42	68	\$1,082
Lock set				
LS8342	83 ⁹ / ₁₆	42	8	\$523
Hollow core door				
WD8342	83 ⁹ / ₁₆	42	40	\$1,044



PANEL

All items on this page pertain to SIN 711-1

PANEL TOP CAPS

PTC30

PTC36

PTC42

PTC48

PTC60

PTC3500

PTCEP, PR

STANDARD FEATURES

- $\frac{1}{2}$ " thick, flush mounted de-• sign
- Integrally colored, texture • paint finish
- Full length grip edge •
- Reinforced gusset to prevent • warping
- Removable to permit laying-• in of cables
- Order top cap end plug • (PTCEP)
 - 2 per set (PR) when or-

dering

PTC3500

SPECIFY ON ORDER

- Quantity
- Model number
- Finish

	A	PTCEP	
Model No.	Size W "	Weight LB	Price \$
PTC18	18	1.0	\$15
PTC24	24	1.1	\$18

1.2

1.4

1.7

1.9

2.2

5.7

.1

30

36

42

48

60

144

•

WOOD GRAIN TOP CAPS



Model No.	Size W "	Weight LB	Price \$
PTCW18	18	1.0	\$43
PTCW24	24	1.1	\$45
PTCW30	30	1.2	\$51
PTCW36	36	1.4	\$56
PTCW42	42	1.7	\$62
PTCW48	48	1.9	\$67
PTCW60	60	2.2	\$76
PTCW3500	144	5.7	\$152
PTCEPW, PR	•	.1	\$26

STANDARD FEATURES

- $4\frac{5}{16}$ high (excluding glides) •
- 20 gauge, cold rolled steel
- Powder coated paint finish
- Includes receptacle (s) openings and
- snap-in and out filler (s)
- Removable to permit laying in of cables

SPECIFY ON ORDER

- Quantity
- Model number
- Finish

PANEL BASE COVERS



Model No.	Size W "	Weight LB	Price \$
PBC18	18	2.1	\$44
PBC24	24	2.8	\$46
PBC30	30	3.5	\$51
PBC36	36	4.2	\$55
PBC42	42	4.8	\$61
PBC48	48	5.5	\$67
PBC60	60	6.9	\$76

4

\$20

\$22

\$24

\$26

\$30

\$86

\$13

STANDARD FEATURES

- 10 gauge, cold rolled steel, universal connector blocks
- Powder coated paint finish includes connecting hardware

OPTIONS

Specify panel connector, top cap (page 4) •

SPECIFY ON ORDER

- Quantity
- Model number
- Finish •

TWO-WAY, 90 DEGREE PANEL CONNECTOR KITS



Model No.	Size H "	Weight LB	Price \$
Painted Cover			
PC29030	30	4.0	\$83
PC29042	41 ¹ / ₂	4.8	\$83
PC29048	46 ¹ / ₈	5.8	\$86
PC29056	55 ¹ / ₁₆	6.7	\$88
PC29056	55 ¹ / ₁₆	6.7	\$88
PC29065	64 ³ / ₈	7.6	\$94
PC29083	$82\frac{1}{2}$	9.3	\$105
PC290120	$119\frac{1}{2}$	12.7	\$116
Wood Grain			
PCW29030	30	4.0	\$138
PCW29042	41 ¹ / ₂	4.8	\$138
PCW29048	$46\frac{1}{8}$	5.8	\$141
PCW29056	55 ¹ / ₁₆	6.7	\$143
PCW29065	64 ³ / ₈	7.6	\$149
PCW29083	82 ¹ / ₂	9.3	\$160
PCW290120	119 ¹ / ₂	2.7	\$171

Model No. Size H " Weight LB Price \$ **Painted Cover** PC330 30 \$83 4.0 PC342 41 ¹/₂ 4.4 \$83 16 1/ DC240 5 2 000

THREE-WAY, 180 DEGREE PANEL CONNECTOR KITS

PC348	46 1/8	5.3	\$86
PC356	55 ¹ / ₁₆	6.2	\$88
PC365	64 ³ / ₈	7.1	\$94
PC383	82 ¹ / ₂	8.4	\$105
PC3120	119 ¹ / ₂	11.2	\$116
Wood Grain			
PCW330	30	4.0	\$138
PCW342	41 ¹ / ₂	4.4	\$138
PCW348	46 ¹ / ₈	5.3	\$141
PCW356	55 ¹ / ₁₆	6.2	\$143
PCW365	64 ³ / ₈	7.1	\$149
PCW383	82 ¹ / ₂	8.4	\$160
PCW3120	119 ¹ / ₂	11.2	\$171

FOUR-WAY, 360 DEGREE PANEL CONNECTOR KITS

Model No.	Size H "	Weight LB	Price \$
PC400	3 ¹ / ₈	2.7	\$64

PANELS


All items on this page pertain to SIN 711-1

STANDARD FEATURES

- 10 gauge, cold rolled steel, universal connector blocks
- 20 gauge, cold rolled steel, connector cover
- Powder coated paint finish
- Includes connecting hardware

OPTIONS

- Specify panel connector (page 5), top cap (page 4) SPECIFY ON ORDER
- Quantity
- Model number
- Finish



UPPER TWO-WAY, 90 DEGREE
CHANGE OF HEIGHT CONNECTOR COVER KITS

Model No.	Size H "	Weight LB	Price \$
Painted Cover			
PCV29006	42-48	0.9	\$66
PCV29009	42-56	1.3	\$66
PCV29018	48-65, 65-83	2.4	\$66
PCV29023	42-65	3.1	\$66
PCV29035	48-83	3.6	\$66
PCV29053	30-83	4.1	\$66
Wood grain			
PCVW29006	42-48	0.9	\$94
PCVW29009	42-56	1.3	\$94
PCVW29018	48-65, 65-83	2.4	\$94
PCVW29023	42-65	3.1	\$94
PCVW29035	48-83	3.6	\$94
PCVW29053	30-83	4.1	\$94

UPPER THREE-WAY, 90 DEGREE CHANGE OF HEIGHT CONNECTOR COVER KITS

	0	-	1		
L	-	-	5		-
E	-	-	0	Y	
		_		Y	
Ŀ	-		1		


Model No.	Size "H "	Weight LB	Price \$
Painted Cover			
PCV306	42-48	0.9	\$66
PCV309	42-56	1.3	\$66
PCV318	48-65, 65-83	2.4	\$66
PCV323	42-65	3.1	\$66
PCV335	48-83	3.6	\$66
PCV353	30-83	4.1	\$66
Wood grain			
PCVW306	42-48	0.9	\$94
PCVW309	42-56	1.3	\$94
PCVW318	48-65, 65-83	2.4	\$94
PCVW323	42-65	3.1	\$94
PCVW335	48-83	3.6	\$94
PCVW353	30-83	4.1	\$94

STANDARD FEATURES

- Each kit includes connector blocks, connector bolts, misc hardware
- Includes connector covers and connector top cap
- Corner condition is open between connector blocks for power and single distribution
- Top cap is painted metal to match standard top cap (page 4)
- Corner condition includes continuous black metal covers to block light and sound / applied to connector blocks with #6 / 5/8" tek screws for application to connector block

SPECIFY ON ORDER

- Quantity
- Model number
- Finish: trim color or fabric color



PANELS

All items on this page pertain to SIN 711-1

TWO-WAY, 120 DEGREE PANEL CONNECTOR KITS

Model No.	Size H "	Weight LB	Price \$
Painted			
PC21230	30	5.0	\$163
PC21242	41 ¹ / ₄	5.4	\$163
PC21248	46 ¹ / ₈	6.1	\$169
PC21256	55 ¹ / ₁₆	7.1	\$174
PC21265	64 ³ / ₈	7.8	\$182
PC21283	82 ¹ / ₈	9.5	\$204
PC212120	$119\frac{1}{8}$	11.5	\$215
Wood Grain			
PCW21230	30	5.0	\$179
PCW21242	41 1/4	5.4	\$179
PCW21248	$46 \frac{1}{8}$	6.1	\$186
PCW21256	55 ¹ / ₁₆	7.1	\$190
PCW21265	64 ³ / ₈	7.8	\$198
PCW21283	82 ¹ / ₈	9.5	\$220
PCW212120	$119\frac{1}{2}$	11.5	\$231

THREE-WAY, 120 DEGREE PANEL CONNECTOR KITS



Model No.	Size H "	Weight LB	Price \$
Painted			
PC3130	30	5.0	\$163
PC3142	41 ¹ / ₄	5.4	\$163
PC3148	$46\frac{1}{8}$	6.1	\$169
PC3156	55 ¹ / ₁₆	7.1	\$174
PC3165	64 ³ / ₈	7.8	\$182
PC3183	$82\frac{1}{2}$	9.5	\$204
PC32120	119 ¹ / ₂	11.5	\$215
Wood Grain			
PCW3130	30	5.0	\$179
PCW3142	41 ¼	5.4	\$179
PCW3148	46 ¹ / ₈	6.1	\$186
PCW3156	55 ¹ / ₁₆	7.1	\$190
PCW3165	64 ³ / ₈	7.8	\$198
PCW3183	$82\frac{1}{2}$	9.5	\$220
PCW32120	119 ¹ / ₂	11.5	\$231

STANDARD FEATURES

- Each kit includes connector blocks, connector bolts, • misc hardware
- Includes connector covers and connector top cap .
- Corner condition is open between connector blocks . for power and signal distribution
- Top cap is painted metal to match standard top cap (page 4)
- Corner condition includes continuous black metal • covers to block light and sound/ applied to connector blocks with #6 / 5/8" tek screws for application to connector block

SPECIFY ON ORDER

- Quantity •
- Model number
- Finish: trim color or fabric color



PANELS

All items on this page pertain to SIN 711-1

THREE-WAY, 135 DEGREE CONNECTOR KITS

Model No.	Size/l "H"	Inches "W"	Weight LB	Price \$
Painted				
PC31342	$41^{1}/_{2}$	$3\frac{1}{4}$	5.4	\$218
PC31348	$46^{1}/_{8}$	$3\frac{1}{4}$	6.1	\$224
PC31356	55 ¹ / ₁₆	3 1/4	7.1	\$229
PC31365	$64^{3}/_{8}$	$3\frac{1}{4}$	7.8	\$259
PC31383	$82^{1}/_{2}$	$3\frac{1}{4}$	9.5	\$281
PC313120	120	$3^{1}/_{4}$	15	\$303
Wood Grain				
PCW31342	41 ¹ / ₂	3 1/4	5.4	\$234
PCW31348	$46^{1}/_{8}$	3 1/4	6.1	\$240
PCW31356	55 ¹ / ₁₆	3 1/4	7.1	\$245
PCW31365	64 ³ / ₈	3 1/4	7.8	\$275
PCW31383	$82^{1}/_{2}$	3 1/4	9.5	\$297
PCW313120	120	3 ¹ / ₄	15	\$319

TWO-WAY, 45 DEGREE CONNECTOR KITS



Model No.	Size/l "H"	Inches "W"	Weight LB	Price \$
Painted				
PC21342	41 ¹ / ₂	31/4	5.4	\$237
PC21348	46 ¹ / ₈	3 ¹ / ₄	6.1	\$259
PC21356	55 ¹ / ₁₆	3 ¹ / ₄	7.1	\$281
PC21365	64 ³ / ₈	31/4	7.8	\$303
PC21383	82 ¹ / ₂	31/4	9.5	\$325
PC213120	120	31/4	15	\$347
Wood Grain				
PCW21342	41 ¹ / ₂	31/4	5.4	\$253
PCW21348	46 ¹ / ₈	31/4	6.1	\$275
PCW21356	55 ¹ / ₁₆	31/4	7.1	\$297
PCW21365	64 ³ / ₈	31/4	7.8	\$319
PCW21383	82 ¹ / ₂	31/4	9.5	\$341
PCW213120	120	31/4	15	\$363

STANDARD FEATURES

- 1/2" thick flush mounted design
- Integrally colored, textured paint finish
- Grip fit maintains alignment and prevents dislodgement
- Removable to permit laying-in of cables

SPECIFY ON ORDER Quantity

- Model number
- Finish



PANEL CONNECTOR TOP CAPS

Model No. Size W " Weight LB Price \$

PCTC 3 1/4 .1 \$6



WOOD GRAIN PANELCONNECTOR TOP CAPS

Model No. Size W " Weight LB Price \$

PCTCW 3 1/4 .1 \$17

- STANDARD FEATURES
- 1/2" thick flush mounted design
- Wood grain, PVC finish
- Grip fit maintains alignment and prevents dislodgement
- Removable to permit laying-in of cables

SPECIFY ON ORDER

- Quantity
- Model number
- Finish

PANELS

All items on this page pertain to SIN

2

PECEP

STANDARD FEATURES

- 1/2" thick flush mounted design
- Wood grain, PVC finish
- Integrally colored, textured paint finish
- Grip fit maintains alignment and prevents dislodgement
- Panel end cover end plug (PECEP) 1 • each when ordering for replacement

SPECIFY ON ORDER

- Quantity
- Model number
- Finish

PANELS

All items on this page pertain to SIN 711-1

END COVER KITS

Model No.	Size H "	Weight LB	Price \$
EC42	42 ¹ / ₈	1.6	\$34
EC48	$46\frac{3}{4}$	1.7	\$37
EC56	55 ⁵ / ₈	2.1	\$42
EC65	64 ¹⁵ / ₁₆	2.4	\$47
EC83	83 ¹ / ₈	3.1	\$55
EC3300	144	3.0	\$88
PECEP	•	.1	\$13

END COVER KITS, CHANGE OF HEIGHT

PE

ECEP —	Model No.	Size "H "	Weight LB	Price \$
1	ECV06	42-48	.2	\$28
	ECV09	9	.3	\$28
100	ECV18	48-65, 65-83	.6	\$28
	ECV23	42-65	.8	\$28
	ECV35	48-83	.6	\$28
	PECEP	•	.1	\$13

STANDARD FEATURES

- 1/2" thick flush mounted design •
- Wood grain, PVC finish
- Integrally colored, textured paint finish
- Grip fit maintains alignment and prevents dislodgement
- Panel end cover end plug (PECEP) 1 • each when ordering for replacement **SPECIFY ON ORDER**
- Quantity
- Model number

PECEPW

END CO	VER KITS, W	VOOD GRA	IN
Model No.	Size H "	Weight LB	Price \$
ECW42	42 ¹ / ₈	1.6	\$103
ECW48	46 ³ / ₄	1.7	\$111
ECW56	55 ⁵ / ₈	2.1	\$124
ECW65	64 ¹⁵ / ₁₆	2.4	\$141
ECW83	83 1/8	3.1	\$165
ECW3300	144	3.0	\$105
PECEPW	•	.1	\$26

END COVER KITS, CHANGE OF HEIGHT WOOD GRAIN



3	Model No.	Size H "	Weight LB	Price \$
<u>.</u>	ECVW06	42-48	.2	\$83
	ECVW09	9	.3	\$83
	ECVW18	48-65, 65-83	.6	\$83
	ECVW23	42-65	.8	\$83
	ECVW35	48-83	1.3	\$83
	ECVPW	•	.1	\$26

10

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- 20 guage, cold rolled steel casing
- 65 noise reduction coefficient (NRC)
- Removable / replaceable (no tools required)
- Class A interior wall and ceiling finish certified
- Can be reupholstered in the field
- Provides RF frequency barrier for interior cabling

OPTIONS

- Secure access required on both sides of panel frame (page 2)
- Note: Call factory for cam lock detail.

SPECIFY ON ORDER

- Quantity
- Model Number
- Fabric
- Note: Call factory for current fabric pricing. Cost of fabric will be added to cost of Bare Tile Price as a lump sum Fabric Up-Charge.

PANEL SEGMENTS, FABRIC COVERED

	Model No.	Size " H "	Size "W '		ht Bare til Price S	
Р	SNT1418		$17\frac{5}{8}$		\$34	Þ
	SNT1424		$23\frac{5}{8}$		\$35	
	SNT1430		$29\frac{5}{8}$		\$40	
	SNT1436		35 ⁵ / ₈		\$46	
Р	SNT1442	$13\frac{7}{16}$	41 5/8	6.1	\$51	
Р	SNT1448	13 1/16	47 ⁵ / ₈	6.9	\$56	
Р	SNT1818	18 ¹ / ₈	17 ⁵ / ₈	3.3	\$37	
Р	SNT1824	$18\frac{1}{8}$	23 ⁵ / ₈	4.2	\$39	
Р	SNT1830	$18\frac{1}{8}$	29 ⁵ / ₈	5.1	\$46	
Р	SNT1836	$18\frac{1}{8}$	35 ⁵ / ₈	6.1	\$51	
Р	SNT1842	$18\frac{1}{8}$	41 ⁵ / ₈	7.1	\$58	
Р	SNT1848	18 ¹ / ₈	47 ⁵ / ₈	8.1	\$63	
Р	SNT2418	$23\frac{1}{2}$	17 5/8	4.2	\$52	
Р	SNT2424	$23\frac{1}{2}$	23 ⁵ / ₈	5.4	\$53	
	SNT2430		29 ⁵ / ₈	6.6	\$61	
	SNT2436		35 ⁵ / ₈	7.9	\$68	
	SNT2442		41 ⁵ / ₈	9.1	\$76	
Р	SNT2448	$23\frac{1}{2}$	47 ⁵ / ₈	10.4	\$84	
Mode			lize	Weight		
No.			W "	LB	Price \$	
PNT4218		$17\frac{5}{8}$	6.	.6	\$79 \$81	
PNT4224 PNT4230		23 ⁵ / ₈ 29 ⁵ / ₈	ð. 14	.5 0.4	\$81 \$92	
PNT4230 PNT4236		$\frac{29}{35}\frac{7}{8}$	1	3.2	\$92 \$105	
PNT4230		$41\frac{5}{8}$	1. 1.	5.2 5.2	\$103 \$114	
PNT4242		$47\frac{5}{8}$	1.	7.3	\$124	
		-				
PNT4818	$41 \frac{1}{16}$	$17\frac{5}{8}$	8.	.4	\$83	
PNT4824				0.1	\$85 #07	
PNT4830	$41.1^{1}/_{10}$	₅ 29 ⁵ / ₈	1.	2.4	\$97	

	No.	"Н "	"W "	LB	Price \$
	PNT4218	$37\frac{1}{16}$	17 ⁵ / ₈	6.6	\$79
	PNT4224	$37\frac{1}{16}$	23 ⁵ / ₈	8.5	\$81
	PNT4230	$37\frac{1}{16}$	29 ⁵ / ₈	10.4	\$92
	PNT4236	$37\frac{1}{16}$	35 5/8	13.2	\$105
	PNT4242	$37\frac{1}{16}$	41 ⁵ / ₈	15.2	\$114
	PNT4248	37 ¹ / ₁₆	47 ⁵ / ₈	17.3	\$124
	PNT4818	$41 \ 1^{1}/_{16}$	17 ⁵ / ₈	8.4	\$83
	PNT4824	$41 \ 1^{1}/_{16}$	$23\frac{5}{8}$	10.1	\$85
	PNT4830	41 1 ¹ / ₁₆	29 ⁵ / ₈	12.4	\$97
2	PNT4836	$41 \ 1^{1}/_{16}$	35 ⁵ / ₈	14.7	\$109
	PNT4842	$41 \ 1^{1}/_{16}$	41 ⁵ / ₈	17.1	\$120
	PNT4848	$41 \ 1^{1}/_{16}$	47 ⁵ ⁄8	19.4	\$132
			_		
	PNT5618	50 ⁹ / ₁₆	17 ⁵ / ₈	9.4	\$111
	PNT5624	$50^{9/16}$	$23\frac{5}{8}$	12.1	\$113
	PNT5630	50 ⁹ / ₁₆	$29\frac{5}{8}$	14.8	\$129
	PNT5636	$50^{9/16}$	$35\frac{5}{8}$	17.7	\$145
	PNT5642	50 ⁹ / ₁₆	$41\frac{5}{8}$	20.5	\$164
	PNT5648	50 ⁹ / ₁₆	47 ⁵ ⁄8	23.4	\$177
		_			
	PNT6518	59 $\frac{7}{8}$	$17\frac{5}{8}$	10.9	\$118
	PNT6524	59 $\frac{7}{8}$	$23\frac{5}{8}$	14.2	\$120
	PNT6530	59 $\frac{7}{8}$	$29\frac{5}{8}$	17.5	\$139
	PNT6536	59 $\frac{7}{8}$	$35\frac{5}{8}$	20.8	\$154
	PNT6542	59 $\frac{7}{8}$	$41\frac{5}{8}$	24.1	\$173
	PNT6548	59 ⁷ / ₈	47 ⁵ ⁄ ₈	27.5	\$188

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEA-TURES

- Inset with ¹/₂" compressed fiberglass
- 20 gauge, cold rolled steel casing
- 80 noise reduction coefficient (NRC)
- Removable/replaceable (no tools required)
- Class A interior wall and ceiling finish certified
- Can be reupholstered in the field
- Provides RF frequency barrier for interior cabling
 OPTIONIC

OPTIONS

- Secure access required on both sides of panel frame (page 2) SPECIFY ON OR-
- DER
- Quantity
- Model Number
- Fabric
- Note: Call factory for current

1	Model No.	Size "H "	Size "W	" Weight LB	Bare tile Price \$
	PST1418	$13\frac{7}{16}$	17 ⁵ / ₈	3.9	\$40
	PST1424	13 1/16	$23\frac{5}{8}$	4.1	\$44
5	PST1430	$13\frac{7}{16}$			\$52
	PST1436	$13\frac{7}{16}$	35 ⁵ / ₈	5.9	\$62
	PST1442	$13^{7}/_{16}$		6.9	\$67
	PST1448	13 1/16	47 ⁵ / ₈	7.7	\$70
	PST1818	$18\frac{1}{8}$	17 5/8	4.0	\$41
	PST1824	$18\frac{1}{8}$	$23\frac{5}{8}$	4.7	\$52
	PST1830	$18\frac{1}{8}$	$29\frac{5}{8}$	5.7	\$58
	PST1836	$18\frac{1}{8}$	35 5/8	6.8	\$65
	PST1842	$18\frac{1}{8}$	41 5/8	7.9	\$72
	PST1848	$18\frac{1}{8}$	47 ⁵ / ₈	9.1	\$79
	PST2418	$23\frac{1}{2}$	17 5/8	4.7	\$52
	PST2424		$23\frac{5}{8}$	6.1	\$68
	PST2430	$23\frac{1}{2}$	29 ⁵ / ₈	7.4	\$78
	PST2436	$23\frac{1}{2}$	35 5/8	8.8	\$88
	PST2442	$23\frac{1}{2}$	$41\frac{5}{8}$	10.1	\$98
	PST2448	$23\frac{1}{2}$	47 ⁵ / ₈	11.4	\$107

PANEL SEGMENTS, TACKABLE, ACOUSTICAL

PANEL TILE, TACKABLE, ACOUSTICAL

	Model No.	Size "H "	' Size "W "	Weight LB	Bare tile Price \$
	PT4218	$37\frac{1}{16}$	17 ⁵ / ₈	7.9	\$102
	PT4224	$37\frac{1}{16}$	23 ⁵ / ₈	9.5	\$112
	PT4230	$37\frac{1}{16}$	29 ⁵ / ₈	11.5	\$128
	PT4236	$37\frac{1}{16}$	35 ⁵ / ₈	14.4	\$144
	PT4242	$37\frac{1}{16}$	41 5/8	16.5	\$161
	PT4248	37 ¹ / ₁₆	47 ⁵ / ₈	18.7	\$177
	PT4818	41 $1^{1/16}$	17 ⁵ / ₈	8.9	\$107
	PT4824	$41 \ 1^{1}/_{16}$	23 ⁵ / ₈	11.3	\$117
	PT4830	$41 \ 1^{1}/_{16}$	29 ⁵ / ₈	14.1	\$135
1	PT4836	41 $1^{1}/_{16}$	35 5/8	16.6	\$151
	PT4842	$41 \ 1^{1}/_{16}$	41 ⁵ / ₈	19.4	\$168
	PT4848	41 1 ¹ / ₁₆	47 ⁵ / ₈	22.1	\$186
	PT5618	50 ⁹ / ₁₆	$17\frac{5}{8}$	10.9	\$149
	PT5624	50 ⁹ / ₁₆	$23\frac{5}{8}$	13.6	\$161
	PT5630	50 ⁹ / ₁₆	$29\frac{5}{8}$	16.9	\$186
	PT5636	50 ⁹ / ₁₆	35 5/8	20.2	\$208
	PT5642	50 ⁹ / ₁₆	$41\frac{5}{8}$	23.3	\$233
	PT5648	50 ⁹ / ₁₆	47 ⁵ / ₈	26.5	\$256
	PT6518	59 ⁷ / ₈	17 ⁵ / ₈	14.2	\$150
	PT6524	59 ⁷ / ₈	$23\frac{5}{8}$	16.1	\$165
	PT6530	59 ⁷ / ₈	29 ⁵ / ₈	19.8	\$191
	PT6536	59 ⁷ / ₈	35 5/8	23.6	\$215
	PT6542	59 ⁷ / ₈	41 ⁵ / ₈	27.3	\$240
	PT6548	59 ⁷ / ₈	47 ⁵ / ₈	31.2	\$263



MW International Product Catalog and Price List STANDARD FEATURES

PANEL SEGMENTS, PAINTED

			1 I N 9 I				
٠	Powder coated paint finish		Model	Size "H	Size "W	Weight	Bare tile
٠	20 gauge, cold rolled steel		No.	"	••	LB	Price \$
	casing		PSP1418		$17\frac{5}{8}$	3.1	\$35
•	35 sound transmission class		PSP1424	10	$23\frac{5}{8}$	3.6	\$40
	(STC)		PSP1430	_ 10	29 ⁵ / ₈	4.3	\$45
•	Removable/replaceable (no	NOT IN GSA CONTRACT	PSP1436	- 10	35 5/8	5.2	\$52
-			PSP1442		41 5/8	6.1	\$58
	tools required)		PSP1448	$13 /_{16}$	47 ⁵ / ₈	6.9	\$65
•	Class A interior wall and ceil-			1	~		
	ing finish certified		PSP1818	$18\frac{1}{8}$	$17\frac{5}{8}$	3.8	\$45
•	Provides RF frequency barrier		PSP1824	0	$23\frac{5}{8}$	4.2	\$45
	for interior cabling		PSP1830	0	29 ⁵ / ₈	5.1	\$55
	OPTIONS		PSP1836	0	$35\frac{5}{8}$	6.1	\$63
			PSP1842	$18\frac{1}{8}$	$41\frac{5}{8}$	7.1	\$70
-			PSP1848	18 ¹ / ₈	47 ⁵ ⁄ ₈	8.1	\$80
•	Secure access required on		DCD2410	$23\frac{1}{2}$	17 5/8	20	¢50
	both sides of panel frame		PSP2418 PSP2424	, =	$\frac{17}{8}$ 23 $\frac{5}{8}$	3.8 5.4	\$52 \$52
	(page 2)		PSP2424 PSP2430	1 -	$23 \frac{7}{8}$ 29 $\frac{5}{8}$	5.4 6.6	\$32 \$64
	Note: Call factory for cam		PSP2430	, -	$\frac{29}{8}$	0.0 7.9	\$04 \$76
	lock details		PSP2442	$23^{1/2}$	$41\frac{5}{8}$	9.1	\$70 \$87
			PSP2448	$23^{1/2}$	$47\frac{5}{8}$	10.4	\$87 \$89
			1012110	-0 /2	., /8	10.1	<i>407</i>

PANEL TILE, PAINTED

	Model No.	Size "H "	Size "W	Weight LB	Bare tile Price \$
	PTP4224	37 1/16	23 1/8	8.5	\$75
	PTP4230	37 1/16	29 ⁵ / ₈	10.4	\$85
	PTP4236	37 1/16	35 ⁵ / ₈	13.2	\$95
	PTP4242	37 1/16	41 1/8		\$105
	PTP4248	37 1/16	47 ⁵ / ₈	17.3	\$114
	PTP4824	41 11/16	23 1/8	10.1	\$78
	PTP4830	41 ¹¹ / ₁₆	29 ⁵ / ₈	12.4	\$89
	PTP4836	41 11/16	35 ⁵ / ₈	14.7	\$99
	PTP4842				\$109
NOT IN GSA CONTRACT	PTP4848	41 11/16	47 ⁵ / ₈	19.4	\$120
	PTP5624	50 ⁹ / ₁₆		12.1	\$107
	PTP5630	50 ⁹ / ₁₆			\$121
	PTP5636			17.7	\$138
	PTP5642			20.5	\$151
	PTP5648	50 ⁹ / ₁₆	47 3/8	23.4	\$164
	PTP6524				\$109
	PTP6530			17.5	\$125
	PTP6536			20.8	\$140
	PTP6542	0		24.1	\$155
	PTP6548	59 ⁷ / ₈	47 ⁵ / ₈	27.5	\$169

Quantity

Model Number

SPECIFY ON ORDER

Finish

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES


- Contains knockouts for both power and telecommunications outlets
- 20 gauge, cold rolled steel casing
- 35 sound transmission coefficient
- Removable / replaceable (no tools required)
- Class A interior wall and ceiling finish certified
- Can be reupholstered in the field
- Provides RF frequency barrier for interior cabling

OPTIONS

- Telecommunications connecting hardware available for field installation
- Secure access required on both sides of panel frame.
- Note: Call factory for cam lock details Note: Order 36" wide pass-thru (page 19), power raceway (page 19) and desk height power adapter kit (page 22) for desk height power applications.
 SPECIFY ON ORDER
- Quantity
- Model Number
- Fabric
- Note: Call factory for current fabric pricing. Cost of fabric will be added to cost of Bare Tile Price as a lump sum Fabric Up-

PANEL SEGMENTS, POWER TELECOM

Model No.	Size "H "	Size "W "	Weight LB	Bare tile Price \$
PSD1424	13 ³ / ₈	23 ⁵ / ₈	3.6	\$113
PSD1430	13 ³ / ₈	29 ⁵ / ₈	4.3	\$120
PSD1436	$13\frac{3}{8}$	35 ⁵ / ₈	5.2	\$133
PSD1442	13 ³ / ₈	41 1/8	6.1	\$149
PSD1448	$13\frac{3}{8}$	47 ⁵ / ₈	6.9	\$165
PSD1824	$18 \frac{1}{8}$	23 ⁵ / ₈	4.2	\$131
PSD1830	$18\frac{1}{8}$	29 ⁵ / ₈	5.1	\$153
PSD1836	18 ¹ / ₈	35 ⁵ / ₈	6.1	\$166
PSD1842	18 ¹ / ₈	41 ⁵ / ₈	7.1	\$180
PSD1848	$18 \frac{1}{8}$	47 ⁵ / ₈	8.1	\$194



PANEL SEGMENTS, MARKER BOARD

	Model	Size	Size	Weight	Bare tile
	No.	"Н "	"W "	LB	Price \$
	PSM1824	$18\frac{1}{8}$	$23\frac{5}{8}$	6.4	\$303
lami-	PSM1830	$18\frac{1}{8}$	29 ⁵ / ₈	8.0	\$308
	PSM1836	$18\frac{1}{8}$	35 ⁵ / ₈	9.6	\$421
	PSM1842	$18\frac{1}{8}$	41 ⁵ / ₈	11.2	\$426
ing	PSM1848	18 1/8	47 ⁵ / ₈	13.0	\$431
to panel		2 - 5 -	a a 5 (* - 1 •
	PSM3624	$36\frac{5}{16}$	$23\frac{5}{8}$	12.8	\$543
	PSM3630	36 ⁵ / ₁₆	29 ⁵ / ₈	16.0	\$549
	PSM3636	36 ⁵ / ₁₆	35 ⁵ / ₈	19.2	\$771
	PSM3642	36 ⁵ / ₁₆	41 ⁵ / ₈	22.4	\$776
	PSM3648	$36\frac{5}{16}$	47 ⁵ / ₈	26.0	\$782
	PSM3660	36 ⁵ / ₁₆	59 ⁵ / ₈	30.0	\$1060



- 1/2" thick composite wood core with laminate front and back and PVC edge
- Tray color is black
- Steel reinforcement to prevent warping
- Steel threaded inserts for mounting to panel frame (page 2)

SPECIFY ON ORDER

- Quantity
- Model Number

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Powder coated paint finish
- Perforated steel panel to allow air circulation
- 20 gauge, cold rolled steel casing
- Removable/ replaceable (no tools re-

quired)

Class A interior wall and ceiling finish certified

SPECIFY ON ORDER

STANDARD FEATURES

tempered glass

Aluminum frame with 5mm thick

20 gauge, cold rolled steel interior

Removable/ replaceable (no tools

Class A interior wall and ceiling

Note: No vertical cable access. Note: Custom design available.

SPECIFY ON ORDER

Call factory for detail

- Quantity
- Model NumberFinish
- Finis

•

•

trim

required)

Quantity Model Number

finish certified Frame color is black



PANEL SEGMENTS, AIRFLOW

Model	Size	Size	Weight	Bare tile
No.	"Н"	"W "	LB	Price \$
PSA1824	$18\frac{1}{8}$	23 ⁵ / ₈	3.4	\$94
PSA1830	$18\frac{1}{8}$	29 ⁵ / ₈	4.4	\$101
PSA1836	$18\frac{1}{8}$	35 ⁵ / ₈	4.9	\$109
PSA1842	$18\frac{1}{8}$	41 ⁵ / ₈	5.7	\$116
PSA1848	$18\frac{1}{8}$	47 ⁵ / ₈	6.5	\$123
PSA2424	$23 \frac{1}{2}$	23 ⁵ / ₈	4.3	\$106
PSA2430	$23 \frac{1}{2}$	29 ⁵ / ₈	5.3	\$114
PSA2436	$23\frac{1}{2}$	35 ⁵ / ₈	6.3	\$123
PSA2442	$23 \frac{1}{2}$	41 1/8	7.3	\$132
PSA2448	$23 \frac{1}{2}$	47 ⁵ / ₈	8.3	\$143

PANEL SEGMENTS, CLEAR GLASS (PAIR)

Size Size Weight Bare tile

Model



1	No.	"Н "	"W "	LB	Price \$
4	PSG1418	$13^{7}/_{16}$	17 ⁵ / ₈	24	\$169
	PSG1424	$13\frac{7}{16}$	23 ⁵ / ₈	31	\$193
	PSG1430	$13\frac{7}{16}$	29 ⁵ / ₈	38.8	\$216
	PSG1436	$13\frac{7}{16}$	35 ⁵ / ₈	41.8	\$238
	PSG1442	$13\frac{7}{16}$	41 ⁵ / ₈	54.6	\$261
	PSG1448	$13\frac{7}{16}$	47 ⁵ / ₈	62.6	\$285
	PSG1818	$18\frac{1}{8}$	17 ⁵ / ₈	26	\$227
	PSG1824	$18\frac{1}{8}$	$23\frac{5}{8}$	31	\$267
	PSG1830	$18\frac{1}{8}$	$29\frac{5}{8}$	38.8	\$303
	PSG1836	$18\frac{1}{8}$	35 ⁵ / ₈	46.8	\$338
	PSG1842	$18\frac{1}{8}$	41 ⁵ / ₈	54.6	\$371
	PSG1848	$18\frac{1}{8}$	47 ⁵ / ₈	62.6	\$409

PANEL SEGMENTS, FROSTED GLASS (PAIR)



1	Model	Size	Size	Weight	Bare tile
2	No.	"Н"	" W "	LB	Price \$
	PSGF1418	13 ⁷ / ₁₆	17 ⁵ / ₈	24	\$179
	PSGF1424	13 ⁷ / ₁₆	23 ⁵ / ₈	31	\$184
	PSGF1430	13 1/16	29 ⁵ / ₈	38.8	\$232
	PSGF1436	13 1/16	35 ⁵ / ₈	46.8	\$259
	PSGF1442	$13\frac{7}{16}$	41 ⁵ / ₈	54.6	\$284
	PSGF1448	$13\frac{7}{16}$	47 ⁵ / ₈	62.6	\$312
	DCCE1010	101/	175/	26	ф о ли
	PSGF1818	$18\frac{1}{8}$	$17\frac{5}{8}$	26	\$254
	PSGF1824	$18\frac{1}{8}$	$23\frac{5}{8}$	31	\$295
	PSGF1830	$18\frac{1}{8}$	29 ⁵ / ₈	38.8	\$336
	PSGF1836	$18\frac{1}{8}$	35 ⁵ / ₈	46.8	\$377
	PSGF1842	$18\frac{1}{8}$	41 ⁵ / ₈	54.6	\$418
	PSGF1844	$18\frac{1}{8}$	43 5/8	58	\$440
	PSGF1848	$18\frac{1}{8}$	47 ⁵ / ₈	62.6	\$462

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- 20 gauge stainless steel
- Removable/ replaceable (no tools required)
- Class A interior wall and ceiling finished certified
- Provides RF frequency barrier for interior cabling

Brushed or perforated finish SPECIFY ON ORDER

- Quantity
- Model Number
- Finish

P	ANEL SEGM	IENTS, BI	RUSHED S	STAINLESS	STEEL
	Model No.	"Н"	Inches "W"	Weight LB	Price \$
	PSBS1418	$13\frac{7}{16}$	17 ⁵ / ₈	2.9	\$70
	PSBS1424	$13^{7/16}$	$23\frac{5}{8}$	3.6	\$84
	PSBS1430	$13^{7/16}_{13^{7/16}}_{13^{7/16}}$	$\frac{1}{29}\frac{5}{8}$ $35\frac{5}{8}$	4.3	\$98 \$111
	PSBS1436			5.2	\$111
	PSBS1442	13 ⁷ / ₁₆	41 5/8	6.1	\$125
	PSBS1448	13 1/16	47 ⁵ / ₈	6.9	\$139
	PSBS1818	$17\frac{1}{8}$ $17\frac{1}{8}$	$17\frac{5}{8}$ 23 $\frac{5}{8}$	3.3 4.2	\$85 \$102
	PSBS1824		$23\frac{7}{8}$ 29 ⁵ / ₈		\$102 \$121
	PSBS1830	$17\frac{1}{8}$	$29^{-7}/_{8}$	5.1	\$121 \$120
	PSBS1836	$17\frac{1}{8}$	35 5/8	6.1	\$138
	PSBS1842	$17\frac{1}{8}$	41 5/8	7.1	\$155
	PSBS1848	$17\frac{1}{8}$	47 ⁵ / ₈	8.1	\$173
	PSBS2418	$23 \frac{1}{2}$	17 5/8	4.2	\$99
	PSBS2424	$23\frac{1}{2}$	$23\frac{5}{8}$	5.4	\$124
	PSBS2430	$23\frac{1}{2}$	$29\frac{5}{8}$	6.6	\$146
	PSBS2436	$23\frac{1}{2}$	35 5/8	7.9	\$169
	PSBS2442	$23\frac{1}{2}$	41 5/8	9.1	\$191
	PSBS2448	$23\frac{1}{2}$	$47\frac{5}{8}$	10.4	\$215

STANDARD FEATURES

- 20 gauge stainless steel
- Removable/ replaceable (no tools required)
- Class A interior wall and ceiling finished certified
- Provides RF frequency barrier for interior cabling
 Brushed or perforated finish

SPECIFY ON ORDER

NOT IN GSA CONTRACT

- Quantity
- Model Number
- Finish

PANEL SEGMENTS, PAINTED EMBOSSED

	Model No.	Size/I "H"	nches "W"	Weight LB	Price \$
	PSE1418	13 1/16	17 5/8	2.9	\$70
	PSE1424	13 1/16	23 5/8	3.6	\$84
	PSE1430	$13\frac{7}{16}$	29 ⁵ / ₈	4.3	\$98
	PSE1436	13 7/16	35 ⁵ / ₈	5.2	\$111
т	PSE1442	13 ⁷ / ₁₆	41 5/8	6.1	\$125
	PSE1448	13 1/16	47 ⁵ / ₈	6.9	\$139
	PSE1818	$17\frac{1}{8}$	17 5/8	3.3	\$85
	PSE1824	$17\frac{1}{8}$	$23\frac{5}{8}$	4.2	\$102
	PSE1830	$17\frac{1}{8}$	29 ⁵ / ₈	5.1	\$121
	PSE1836	$17\frac{1}{8}$	35 5/8	6.1	\$138
	PSE1842	$17\frac{1}{8}$	41 5/8	7.1	\$155
	PSE1848	$17 \frac{1}{8}$	47 ⁵ / ₈	8.1	\$173
	PSE2418	23 $\frac{1}{2}$	$17\frac{5}{8}$	4.2	\$99
	PSE2424	$23\frac{1}{2}$	$23\frac{5}{8}$	5.4	\$124
	PSE2430	23 $\frac{1}{2}$	$29\frac{5}{8}$	6.6	\$146
	PSE2436	$23 \frac{1}{2}$	35 ⁵ / ₈	7.9	\$169
	PSE2442	$23\frac{1}{2}$	41 5/8	9.1	\$191
	PSE2448	$23\frac{1}{2}$	$47\frac{5}{8}$	10.4	\$215

PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- $\frac{1}{2}$ " thick
- Composite wood core
- Painted black edge
- Steel threaded inserts for mounting to panel frame (page 2)
- High-pressure laminate finish
- Steel reinforced construction to prevent warping
- Vertical grain standard

SPECIFY ON ORDER

- Quantity
- Model Number
- Vertical wood grain is standard

STANDARD FEATURES

- Quick start ballast
- Polished, U.V. stabilized white vinyl reflector
- Formed 20 gauge steel housing
- Powder coated paint finish
- Cool white fluorescent lamp
- Euro-style on-off rocker switch
- Prismatic acrylic lens
- Nine foot black cord
- U.L. listed / CSA certified and labeled

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish

STANDARD FEATURES

- Cool white LED Lamp
- Black cord
- U.L. listed/CSA certified and labeled

SPECIFY ON ORDER

- Quantity
- Model Number

PANEL SEGMENTS, WOOD GRAIN NOT IN GSA CONTRACT




Model No.	Size/II "H" x		Weight LB	Price \$
PSW1424	$13\frac{7}{16}$	23 ⁵ / ₈	3.6	\$105
PSW1430	$13\frac{7}{16}$	29 ⁵ / ₈	4.3	\$119
PSW1436	$13\frac{7}{16}$	35 ⁵ / ₈	5.2	\$134
PSW1442	$13\frac{7}{16}$	41 ⁵ / ₈	6.1	\$149
PSW1448	13 ⁷ / ₁₆	47 ⁵ / ₈	6.9	\$164
		-		
PSW1824	$18\frac{1}{8}$	$23\frac{5}{8}$	4.2	\$112
PSW1830	$18\frac{1}{8}$	$\frac{10}{29}\frac{5}{8}$	5.1	\$129
PSW1836	$18\frac{1}{8}$	$35\frac{5}{8}$	6.1	\$149
PSW1842	$18\frac{1}{8}$	$41\frac{5}{8}$	7.1	\$169
PSW1848	$18\frac{1}{8}$	47 ⁵ / ₈	8.1	\$189
DOMOADA	22 l	$22^{5/}$	5 4	¢110
PSW2424	$23\frac{1}{2}$	$23 \frac{5}{8}$ $29 \frac{5}{8}$	5.4	\$119
PSW2430	$23\frac{1}{2}$	$29\frac{7}{8}$	6.6	\$138
PSW2436	$23\frac{1}{2}$	35 5/8	7.9	\$163
PSW2442	$23\frac{1}{2}$	$41\frac{5}{8}$	9.1	\$189
PSW2448	$23\frac{1}{2}$	47 ⁵ / ₈	10.4	\$215

TASK LIGHTING



Model No.	WATTS	Size/Inches Shelf Width"	Weight LB	Price \$
TL18	15	24	5	\$226
TL24	17	30/36	7.5	\$241
TL36 TL48	17 32	$\begin{array}{c} 42/48\\ 60\end{array}$	8 11	\$269 \$286



Model No.	WATTS	Size/Inches Shelf Width"	Weight LB	Price \$
LED18	7	17 x 0.74 x 0.41	6	\$269
LED24	9	24 x 0.74 x 0.41	7.5	\$289
LED36	13.5	35 x 0.74 x 0.41	8	\$319
LED48	18	46 x 0.74 x 0.41	11	\$389

T-MOUNT KIT

*

1

ú

4

STANDARD FEATURES

- 14 gauge, roll formed, cold rolled steel
- Powder coated paint finish
- Slotted uprights supports components at 1" increments
- Gravity lock, keyhole slots accept panel segments
- Color is black
- Note: Two wall tracks required for each storage component.
- Note: Mounting hardware not included.
- Note: Use wall starter to attach panel frame to fixed wall in wall mounting applications.

SPECIFY ON ORDER


- Quantity
- Model Number

STANDARD FEATURES

- 14 gauge, roll formed, cold rolled steel
- Powder coated paint finish
- Color is black
- Note: Use T-mount kit to attach panel frame to adjoining panel frame in T-mounting applications
- Note: Must be field cut for 42"-48" and 56" high panels.
- Note: Mounting hardware not included.

SPECIFY ON ORDER

- Quantity
- Model Number




Model No.	Size H "	Weight LB	Price \$
WT	65 ¹ / ₁₆	14	\$141

WALL STARTER

Model No.	Size H "	Weight LB	Price \$
WST	65 ¹ / ₁₆	9.3	\$86

PANSLS

All items on this page pertain to SIN 711-1



WALL TRACKS (PAIR)

18

PANELS

All items on this page pertain to SIN 711-1


POWER DISTRIBUTION

STANDARD FEATURES

- Note: Plan electrical layout so floor supported pedestals do not block receptacle location
- Provides one distribution block in 24" panels, two blocks in panels 30" and wider. Specify to match width of the panel
- Receptacles can be plugged in on opposite sides of the panel
- Snaps into panel raceway without tools
- Self contained jumper harness plugs into end terminals of preceding harness. Expands to span three-way and four-way panel connections
- UL listed/CSA certified and labeled

• Shielded conduit provides effective EMF barrier

- **SPECIFY ON ORDER**
- Quantity.
- Model Number



POWER RACEWAYS

Model No.	Size w "	Weight LB	Price \$
PR24	24	1.7	\$138
PR30	30	2.2	\$149
PR36	36	2.5	\$160
PR42	42	2.7	\$171
PR48	48	2.9	\$182
PR60	60	3.3	\$193

STANDARD FEATURES

- The pass-thru provides power continuation in all panels
- Expands to span three-way and four-way panel connectors
- The pass-thru does not provide a distribution block. Use the harness for power continuation only
- UL listed/CSA certified and labeled
- Shielded conduit provides effective EMF barrier

SPECIFY ON ORDER

- Quantity.
- Model Number

PASS-THRUS - MALE TO FEMALE

Model No.	Size w "	Weight LB	Price \$
PT18	18	1.4	\$103
PT24	24	1.0	\$103
PT30	30	1.4	\$120
PT36	36	1.8	\$131
PT42	42	2.2	\$142
PT48	48	2.3	\$153
PT60	60	2.7	\$164



PASS-THRUS - MALE TO MALE					
Model No.	Size w "	Weight LB	Price \$		
MMPT18	18	1.4	\$103		

POWER DISTRIBUTION

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Duplex receptacles provide two grounded plugs.
- Side mounting feature prevents accidental dislodgment.
- Color on all receptacles is black
- Circuit IV receptacles have orange lettering on face.
- UL Listed/CSA Certified and labeled.
- Note: In the United States, Genesis Power Distribution can be fitted with a maximum of 52 duplex receptacles (13 per circuit), with each receptacle rated at an average of 15 amps.
- Note: In Canada, Genesis Power Distribution can be fitted with a maximum of 48 duplex receptacles (12 per circuit), with each receptacle rated at an average of 12 amps.

SPECIFY ON ORDER

- Quantity
- Model Number

STANDARD FEATURES **POWER ENTRY**

- Plugs into distribution block face
- Supplies a dedicated circuit plus 3 common circuits sharing a 10 gauge neutral wire
- Includes 72" of liquid-tight conduit for hardwired connection to building supply
- Note: Hardwired connection to building system must be made by a licensed electrician.
- Note: The power block accepting this power input cannot accept a receptacle.


NEW YORK POWER ENTRY

- Supplies a dedicated circuit plus 3 common circuits sharing a 10 gauge neutral wire through service entry box in panel raceway
- No wire supplied in conduit, electrician must supply and connect wires
- Install in panel 30" or wider, to either panel face. Provides power right or left
- Includes 72" of green field for hardwired connection to building supply
- Note: The panel accepting this power input cannot accept a receptacle.
- Note: Hard wired connection to building system must be made by licensed electrician


SPECIFY ON ORDER


- Quantity
- Model Number

DUPLEX RECEPTACLES



Model No.	Description	Weight LB	Price \$
R1	Circuit 1	.15	\$28
R2	Circuit 2	.15	\$28
R3	Circuit 3	.15	\$28
R4	Circuit 4	.15	\$28
	(Dedicated)		





POWER DISTRIBUTION

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Order one Chicago junction box for each panel ٠ electrical receptacle
- Note: Hardware components are to be obtained • locally and all wiring to be done in accordance with Chicago City drawing 8912E.

SPECIFY ON ORDER

- Quantity. •
- Catalog Number



CHICAGO JUNCTION BOX

Model No.	Weight LB	Price \$
CJB	2	\$55

STANDARD FEATURES

- Includes plug to connect to end of distribu-• tion block. Supplies a dedicated circuit plus 3 common circuits sharing a 10 gauge neutral wire
- Order one cable pole (page 22) •
- UL listed/ CSA certified and labeled •
- Note: Power feed runs through top of panel • and connects to adjacent panel only.
- Note: Junction box not included •
- Note: Shielded conduit provides effective ٠ EMF barrier.

Note: Hardwired connections must be made by a licensed electrician

POWER FEED (FROM CEILING)



Model No.	Cord Length	Weight LB	Price \$
PF	144	7.2	\$164

POWER DISTRIBUTION


All items on this page pertain to SIN 711-1

CABLE POLE

STANDARD FEATURES

- 20 gauge, cold rolled steel
- Powder coated paint finish •
- Contains a floor-to-top-of-panel raceway for housing electrical and telecommunications cables Cut to size at installation site for lower ceilings
- Order one power feed separately (page 21)
- Feed harness sized for length of the cable pole. To be hardwired inside ceiling plenum

SPECIFY ON ORDER



Quantity Model Number	Model No.	Size "H"	Weight LB	Price \$
Finish: SD-Stonedust and BK-Black	CP96	96	9.4	\$143
	CP120	120	12.4	\$154


STANDARD FEATURES

- 14 gauge, cold rolled steel •
- Powder coated paint finish •
- Field installed in panel frame
- Allows attachment of power raceway at . desk height (page 19)
- Note: Order 30" wide pass-thru (page 19), power raceway (page 19) and desk height power adapter kit for desk height power application.

SPECIFY ON ORDER

- Quantity •
- Model Number
- Finish: SD-Stonedust and BK Black

DESK HEIGHT, POWER ADAPTER KIT (PAIR)



Model No.	Size "w"	Weight LB	Price \$
DPAK	3 1/4	0.8	\$28

WORKSURFACES

All items on this page pertain to SIN 711-1

STANDARD FEATURES 1 $\frac{1}{4}$ " thick

- Composite wood core
- Square edge design
- 3mm PVC front edge
- One grommet standard of worksurfaces up to 48" wide.
- Two grommets on worksurfaces 60" and wider


OPTIONS

- Specify side supports (page 33), or end support bracket (page 32) or cantilever supports (page 32)
- Specify floor-supported pedestals (page 37) and /or end panel supports (page 35)
- Note: Not designed for freestanding application.
- Note: Worksurface supports must be ordered separately. (page 32-35)

SPECIFY ON ORDER

- Quantity
- Model Number
- Options

STANDARD WORKSURFACES



Model No.	Size "D"	"W"	Weight LB	Price \$
WSS1824	18	34	13.7	\$190
WSS1830	18	30	17.1	\$208
WSS1836	18	36	20.5	\$227
WSS1842	18	42	23.9	\$250
WSS1848	18	48	27.3	\$310
WSS1860	18	60	34.1	\$358
WSS1866 WSS1872	18 18	66 72	37.5 40.9	\$399 \$432
WSS1872 WSS1884	18	84	40.9	\$508
WSS2424	24	24	18.4	\$205
WSS2430	24	30	22.9	\$211
WSS2436	24	36	27.6	\$230
WSS2442	24	42	33.4	\$253
WSS2445	24	45	36.0	\$314
WSS2448	24	48	36.7	\$314
WSS2454	24	54	40.0	\$338
WSS2460	24	60	45.9	\$361
WSS2466	24	66	50.5	\$403
WSS2472	24	72	55.1	\$460
WSS2484	24	84	60.0	\$559
WSS3024	30	24	22.9	\$293
WSS3030	30	30	28.7	\$367
WSS3036	30	36	34.4	\$398
WSS3042	30	42	41.6	\$417
WSS3048	30	48	45.9	\$523
WSS3060	30	60	57.4	\$550
WSS3066	30	66	63.1	\$637
WSS3072	30	72	68.7	\$692

WORKSURFACES

All items on this page pertain to SIN 711-1

CORNER WORKSURFACE

$\langle \rangle \langle$

6

• $1\frac{1}{4}$ " thick				WC	oo grain
 Composite wood core 	Model No.	Size D"	W''	Weight LB	Price \$
• Square edge design	CWST2436	24	36	39.1	\$440
• 3mm PVC front edge	CWST2442	24	42	57.7	\$473
• Grommet is standard	CWST2448	24	48	65.8	\$534
OPTIONS	CWST3042	30	42	58.1	\$528
• Specify side supports (page 33) and/or cantile- ver supports (page 32)	CWST3048	30	48	66.2	\$550
• Note: Not designed for freestanding application.	Wood Grain				
• Note: Worksurface supports must be ordered	CWSTW2436	24	36	39.1	\$526
separately (page 33).	CWSTW2442	24	42	57.7	\$611
SPECIFY ON ORDER	CWSTW2448	24	48	65.8	\$825
QuantityModel Number	CWSTW3042	30	42	58.1	\$831
• Options	CWSTW3048	30	48	66.2	\$853

STANDARD FEATURES

- $1\frac{1}{4}$ " thick
- Composite wood core
- Square edge design
- 3mm PVC front edge


OPTIONS

•	Specify post leg (page 34) and side supports
	(page 33) or cantilever supports (page 32)

- Note: not designed for freestanding application
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number
- Options
- Finish



PENINSULA WORKSURFACE



Model No.	Size D"	W''	Weight LB	Price \$
PWST3060	30	60	51.8	\$605
PWST3066	30	66	57.5	\$663
PWST3072	30	72	63.2	\$677
PWST3660	36	60	58.0	\$699
Wood Grain				
PWSTW3060	30	60	51.8	\$605
PWSTW3066	30	66	57.5	\$663
PWSTW3072	30	72	63.2	\$677
PWSTW3660	36	60	58.0	\$699

EXTENDED WORKSURFACE

Model No.	Size D"	W''	Weight LB	Price \$
EWST48	$27\frac{15}{16}$	$51\frac{3}{16}$	35.9	\$545
EWST60	$31^{15}/_{16}$	63 ¹ / ₄	45.9	\$641
Wood Grain				
EWSTW48	$27 \frac{15}{16}$	51 $\frac{3}{16}$	35.9	\$545
EWSTW60	$31^{15}/_{16}$	$63\frac{1}{4}$	45.9	\$641

24

wood grain

С

A

WORKSURFACES

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Curved design
- $1\frac{1}{4}$ " thick
- Composite wood core
- 3mm PVC front edge
- Grommet is standard

OPTIONS


- Specify side supports (page 33) and cantilever supports (page 32)
- Note: Not designed for freestanding application
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number
- Options
- Finish

CURVED CORNER WORKSURFACE






Model No.	Size A"	В"	С"	D"	Weight LB	Price \$
CWC2436	24	24	36	36	39.1	\$460
CWC2442	24	24	42	42	53.9	\$622
CWC2448	24	24	48	48	71.2	\$647
CWC2348	24	30	48	48	71.9	\$647
CWC3248	30	24	48	48	71.9	\$647
CWC3048	30	30	48	48	72.6	\$647
Wood Grain						
CWCW2436	24	24	36	36	39.1	\$596
CWCW2442	24	24	42	42	53.9	\$677
CWCW2448	24	24	48	48	71.2	\$833
CWCW2348	24	30	48	48	71.9	\$833
CWCW3248	30	24	48	48	71.9	\$833
CWCW3048	30	30	48	48	72.6	\$833

WORKSURFACES

All items on this page pertain to SIN 711-1



STANDARD FEATURES


- Curved and wrap- around design
- $1\frac{1}{4}$ " thick
- Composite wood core
- 3mm PVC front edge
- Two grommets are standard

OPTIONS

- Specify side supports (page 33) and cantilever supports (page 32)
- Note: Not designed for freestanding application.
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number



EXTENDED CORNER WORKSURFACE LEFT-HAND


Model No.	Size A"	B "	С"	D"	Weight LB	Price \$
CWE2445L	24	24	48	60	65.3	\$737
CWE2446L	24	24	48	72	74.5	\$856
Wood Grain						
CWEW2445L	24	24	48	60	65.3	\$737
CWEW2446L	24	24	48	72	74.5	\$856
CWE2345L	24	30	48	60	69.8	\$748
CWE2346L	24	30	48	72	79.1	\$869
Wood Grain						
CWEW2345L	24	30	48	60	69.8	\$748
CWEW2346L	24	30	48	72	79.1	\$869
CWE3245L	30	24	48	60	76.8	\$748
CWE3246L	30	24	48	72	117.7	\$869
Wood Grain						
CWEW3245L	30	24	48	60	76.8	\$748
CWEW3246L	30	24	48	72	117.7	\$869
CWE3045L	30	30	48	60	81.3	\$770
CWE3046L	30	30	48	72	122.2	\$886
Wood Grain						
CWEW3045L	30	30	48	60	81.3	\$770
CWEW3046L	30	30	48	72	122.2	\$886

EXTENDED CORNER WORKSURFACE RIGHT-HAND

Model No. CWE2445R CWE2446R	Size A'' 24 24	B'' 24 24	C" 48 48	D'' 60 72	Weight LB 65.3 74.5	Price \$ \$737 \$856
Wood Grain CWEW2445R CWEW2446R	24 24	24 24	48 48	60 72	65.3 74.5	\$737 \$856
CWE2345R CWE2346R Wood Grain	24 24	30 30	48 48	60 72	69.8 79.1	\$748 \$869
CWEW2345R CWEW2346R	24 24	30 30	48 48	60 72	69.8 79.1	\$748 \$869
CWE3245R CWE3246R	30 30	24 24	48 48	60 72	76.8 117.7	\$748 \$869
Wood Grain CWEW3245R CWEW3246R	30 30	30 30	48 48	60 72	81.3 122.2	\$770 \$886
Wood Grain CWEW3045R CWEW3046R	30 30	30 30	48 48	60 72	81.3 122.2	\$770 \$886

WORKSURFACES

All items on this page pertain to SIN 711-1



EXTENDED COVE CORNER WORKSURFACE LEFT-HAND

Model No.	Size A"	В"	C"	D"	Weight LB	Price \$
CWEC2345L	24	30	48	60	75.8	\$820
CWEC2346L	24	30	48	72	116.7	\$872
Wood Grain						
CWECW2345L	24	30	48	60	75.8	\$820
CWECW2346L	24	30	48	72	116.7	\$872

STANDARD FEATURES


- Curve and wrap- around design
- 1 1/4" thick
- Composite wood core
- 3mm PVC front edge
- Two grommets are standard

OPTIONS

- Specify side supports (page 33), end support bracket (page 32) and cantilever supports (page 32)
- Note: Not designed for freestanding applications
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number
- Options
- Finish




EXTENDED COVE CORNER WORKSURFACE RIGHT-HAND

Model No.	Size A"	В"	C"	D"	Weight LB	Price \$
CWEC2345R	24	30	48	60	75.8	\$820
CWEC2346R	24	30	48	72	116.7	\$872
Wood Grain						
CWECW2345R	24	30	48	60	75.8	\$820
CWECW2346R	24	30	48	72	116.7	\$872

WORKSURFACES

All items on this page pertain to SIN 711-1





	Model No.	Size A"	В"	С"	D"	Weight LB	Price \$
7	PWE2466L	24	48	66	30	76.9	\$899
	PWE2472L	24	48	72	30	82.6	\$935
	PWE3066L	30	48	66	30	88.7	\$910
	PWE3072L	30	48	72	30	94.8	\$946
	Wood Grain						
	PWEW2466L	24	48	66	30	76.9	\$899
	PWEW2472L	24	48	72	30	82.6	\$935
	PWEW3066L	30	48	66	30	88.7	\$910
	PWEW3072L	30	48	72	30	94.8	\$946

STANDARD FEATURES

- Curve and wrap- around design
- $1\frac{1}{4}$ " thick
- Composite wood core
- 3mm PVC front edge
- One grommet is standard

OPTIONS


• Specify post leg (page 34) and side supports (page 33) or post leg (page 34) or double cantilever supports

(page 32)

- Note: Not designed for freestanding applications.
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number
- Options
- Finish




EXTENDED PENINSULA WORKSURFACE LEFT-HAND

Model No.	Size A"	В"	C"	D"	Weight LB	Price \$
PWE2466R	24	48	66	30	76.9	\$899
PWE2472R	24	48	72	30	82.6	\$935
PWE3066R	30	48	66	30	88.7	\$910
PWE3072R	30	48	72	30	94.8	\$946
Wood Grain						
PWEW2466R	24	48	66	30	76.9	\$899
PWEW2472R	24	48	72	30	82.6	\$935
PWEW3066R	30	48	66	30	88.7	\$910
PWEW3072R	30	48	72	30	94.8	\$946

WORKSURFACES

All items on this page pertain to SIN 711-1



TEARDROP PENINSULA WORKSURFACE
LEFT-HAND

Model No.	Size A"	B "	C"	Weight LB	Price \$
TWE2446L	24	48	72	85.5	\$1051
TWE2447L	24	48	78	91.3	\$1407
Wood Grain					
TWEW2446L	24	48	72	85.5	\$1051
TWEW2447L	24	48	78	91.3	\$1407

STANDARD FEATURES


- Curve and wrap- around design
- $1\frac{1}{4}$ " thick
- Composite wood core
- 3mm PVC front edge
- One grommet is standard

OPTIONS

- Specify post leg (page 34) and side supports (page 33) or post leg (page 34) or double cantilever supports (page 32)
- Note: Not designed for freestanding applications.
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number
- Options
- Finish



TEARDROP PENINSULA WORKSURFACE RIGHT-HAND

Model No.	Size A"	В"	C"	Weight LB	Price \$
TWE2446R	24	48	72	85.5	\$1051
TWE2447R	24	48	78	91.3	\$1407
Wood Grain					
TWEW2446R	24	48	72	85.5	\$1051
TWEW2447R	24	48	78	91.3	\$1407

WORKSURFACES

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Bullnose design front only
- $1\frac{1}{2}$ " thick
- Composite wood core
- One grommet standard on worksurfaces up to 48" wide
- Two grommets on worksurfaces 60" and wider
- PVC side edge

OPTIONS

- Specify side supports (page 33), end support bracket (page 32) or cantilever support (page 32) for panel - mounted applications
- Specify floor-supported pedestals (page 37) and / or end panel supports (page 35) and modesty panels (page 40-41) and flat brackets (page 33 or ell bracket (page 33) for freestanding applications
- Note: 36" deep worksurfaces should be supported by 30" deep floor supported pedestals for maximum stability. (page 37)
- Note: Worksurface supports must be ordered separately (page 32-35).

SPECIFY ON ORDER

- Quantity
- Model Number
- Options
- Finish



BULLNOSE WORKSURFACE 1 - 1/4" THICK

Model No.	Size D"	W ''	Weight LB	Price \$
WS1830	18	30	20.4	\$229
WS1836	18	36	24.5	\$265
WS1842	18	42	29.8	\$298
WS1848	18	48	32.7	\$307
WS1860	18	60	40.9	\$371
WS1866	18	66	44.9	\$422
WS1872	18	72	49.1	\$428
WS2424	24	24	21.8	\$234
WS2430	24	30	27.2	\$273
WS2436	24	36	32.7	\$298
WS2442	24	42	39.7	\$307
WS2448	24	48	43.6	\$371
WS2460	24	60	54.5	\$451
WS2466	24	66	59.9	\$518
WS2472	24	72	65.4	\$523
WS3030	30	30	34.1	\$378
WS3036	30	36	40.8	\$428
WS3042	30	42	49.4	\$439
WS3048	30	48	54.5	\$524
WS3060	30	60	68.1	\$616
WS3066	30	66	74.9	\$617
WS3072	30	72	81.6	\$736
WS3672	36	72	98.1	\$844

WORKSURFACES

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Bullnose design front only
- 1 1/2" thick •
- Composite wood core
- Grommet is standard .
- PVC side edge ٠

OPTIONS

- Specify side supports (page 33) or cantile-• ver support (page 32) for panel - mounted applications
- Specify end panel supports (page 35), • modesty panels (page 40-41), ell bracket (page 33) and corner leg (page 35) for freestanding applications
- Note: Worksurface supports are not in-• cluded (pages 32-35).

SPECIFY ON ORDER

- Quantity •
- Model Number
- Options •
- Finish

BULLNOSE CORNER WORKSURFACE

-		-
\langle		

	10000		
- W	1000	grain	

Model No.	Size D"	"W"	Weight LB	Price \$
CWS2436	24	36	46.4	\$572
CWS2442	24	42	68.5	\$655
CWS2448	24	48	89.2	\$853
CWS3042	30	42	68.9	\$880
Wood Grain				
CWSW2436	24	36	46.4	\$660
CWSW2442	24	42	68.5	\$770
CWSW2448	24	48	89.2	\$985
CWSW3042	30	42	68.9	\$

STANDARD FEATURES

- Bullnose design front only and back edge •
- 1 1/2" thick .
- Composite wood core
- Brackets not included
- Note: Order transaction brackets on (page 33)

SPECIFY ON ORDER

- Quantity Model Number •
- Finish .

BULLNOSE TRANSITION SURFACE



Model No.	Size D"	W''	Weight LB	Price \$
TS24	13	24	9.9	\$163
TS30	13	30	12.4	\$174
TS36	13	36	14.9	\$196
TS42	13	42	17.3	\$213
TS48	13	48	19.8	\$223
TS60	13	60	24.8	\$278
TS66	13	66	27.3	\$310
TS72	13	72	29.8	\$320
Wood Grain				
TSW24	13	24	9.9	\$163
TSW30	13	30	12.4	\$174
TSW36	13	36	14.9	\$196
TSW42	13	42	17.3	\$213
TSW48	13	48	19.8	\$223
TSW60	13	60	24.8	\$278
TSW66	13	66	27.3	\$310
TSW72	13	72	29.8	\$320

WORKSURFACE SUPPORTS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

• All support brackets include attaching hardware where necessary

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: SD-Stonedust and BK-Black



END SUPPORT BRACKET


Model No.	Size D"	W''	Weight LB	Price \$
ESB	3 1/2	20	3.8	\$33

Note: End support bracket supports a worksurface at the end when enclosed by a panel of greater depth. Must be used with segmented tiles only.



Model No.	Size D"	W''	Weight LB	Price \$
DESB	3 1/2	20	3.8	\$44

Note: Double end support bracket supports worksurface on each side of panel at ends when enclosed by a panel of greater depth. Must be used with segment tiles only.



CANTILEVER SUPPORTS (LEFT OR RIGHT)

Model No.	Size D"	W ''	Weight LB	Price \$
CSL	21	7 7/8	2.6	\$33
CSR	21	7 7/8	2.6	\$33

Note: Left or right hand cantilever supports are used to panel-mount either end of worksurface.



DOUBLE CANTILEVER SUPPORT

Model No.	Size D"	W''	Weight LB	Price \$
DCS	21	7 7/8	3.5	\$44

Note: Double cantilever support joins worksurfaces mounted at same height

32

WORKSURFACE SUPPORTS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

• All support brackets include attaching hardware where necessary

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: SD-Stonedust and BK-Black



SIDE SUPPORTS (PAIR)

Model No.	Size D"	W ''	Weight LB	Price \$
SS-2	$2^{3}/_{4}$	$3 \ 1^{5}/_{16}$	1	\$15

Note: Side supports support a worksurface at the end when enclosed by a panel of the same depth and to support a corner worksurface at back corner

SIDE SUPPORT (1)

Model No.	Size D"	W''	Weight LB	Price \$
SS-1	$2^{3}/_{4}$	3 1 5/16	13/4	\$7.50

Note: Side supports support a worksurface at the end when enclosed by a panel of the same depth and to support a corner worksurface at back corner



TRANSACTION SURFACE SUPPORTS (PAIR)


Model No.	Size D"	W''	Weight LB	Price \$
TS	4 ¹ / ₂	3 1/4	0.8	\$28



FLAT BRACKETS

Model No.	Size D"	W''	Weight LB	Price \$
FB3	3	$2\frac{1}{4}$	0.5	\$6
FB18	18	$2\frac{1}{4}$	2.0	\$11

Note: Flat brackets join primary worksurface to return worksurface



ELL BRACKET

Model No.	Size D"	W "	Weight LB	Price \$
LB	18	$1\frac{3}{8}$	2	\$13

Note: Ell bracket joins freestanding corner worksurface/desk to return worksurface and teardrop worksurface to side of floor-supported pedestal.

WORKSURFACE SUPPORTS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

 All support brackets include attaching hardware where necessary

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: SD-Stonedust and BK-Black



PANEL SUPPORT BRACKET

Model No.	Size D"	W''	Weight LB	Price \$
PSB	9 1/8	1 %	2.5	\$11

• Note: Panel support bracket installs in panel connector slots and attaches to end of end panel support, c-leg or floor-supported pedestal for added stability. Must be used with panel tile only.



ANGLE BRACKET

Model No.	Size D"	W''	Weight LB	Price \$
AB	21	7 1/8	2.6	\$33

• Note: Angle bracket installs on peninsula worksurfaces and attaches to center of end panel support for added stability.



POST LEGS

Model No.	Size H"	Weight LB	Price \$
PL	$27 \frac{1}{16}$	8.8	\$121
PLSP	24 1/8 - 29	11.1	\$253

• Note: Post legs support freestanding edge of peninsula,. Tear drop or extended worksurface (page 28 and 29).

WORKSURFACE SUPPORTS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

• All support brackets include attaching hardware where necessary

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: SD-Stonedust and BK-Black

CORNER LEG

Model No.	Size H"	Weight LB	Price \$
CL	27 ¹ / ₁₆	4.4	\$77

Note: Corner leg supports freestanding back corner of corner workstation. corner leg must be used with one (1) pair modesty panels (page 41-42) and two (2) end panel supports.

C-LEG

.



Model No.	Size D"	Н"	Weight LB	Price \$
CLG	23 ¹ / ₂	$27 \frac{1}{16}$	12.5	\$160

Note: C-Leg supports a worksurface at intermediate or run-end positions. Attaches to panel frame with a panel support bracket (page 34). Use with ell bracket (page 33) as intermediate support between two worksurfaces. Also used with components on pages 47-48 to create freestanding units.

STANDARD FEA-TURES

- 20 gauge, steel double wall construction
- Powder coated paint finish
- Two adjustable glides
- Attaching hardware is included for connection to worksurface

OPTIONS

- Specify panel support bracket (page 34) for panel mounting application -order separately
- Specify modesty panel for freestanding application order separately (page 40-41)

SPECIFY ON ORDER

Quantity Model Number Options Finish

END PANEL SUPPORTS

Model No.	Size D"	Н"	Weight LB	Price \$
EPS18	$17\frac{7}{8}$	27 ¹ / ₁₆	15.6	\$165
EPS24	23 ¹ / ₂	27 ¹ / ₁₆	18.9	\$201
EPS30	29 ¹ / ₂	27 ¹ / ₁₆	22.2	\$237

• Note: End panel supports a worksurface at intermediate or run-end positions. Attaches to panel frame with a panel support bracket (page 34). Use with ell bracket (page 33) as intermediate support between two worksurfaces. Also used with components on pages 47-48 to create freestanding units.

WORKSURFACE ACCESSORIES

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Dual worksurfaces with 1" space between the surfaces Front worksurface is 12" deep
- Sit/Stand mechanism mounts under the worksurface
- Free release lever allows user to adjust worksurface
- High-pressure laminate tops with PVC edges

Sit/Stand, Keyboard Mechanism

- 12 ³/₄" travel range (7" above, 5 ³/₄" below).
- +15", -15" Tilt adjustment with knob
- Meets ANSI/BIFMA standards for primary worksurfaces up to 48" wide

OPTIONS

- Specify worksurface supports (page 34/35)
- Specify sit/stand keyboard mechanism
- Note: Can be used with 30" deep worksurfaces

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: black

STANDARD FEATURES Articulating Keyboard

- Retracts beneath worksurface for storage
- Includes mechanism, keyboard tray, palm rest and hardware for installation on worksurface
- Mechanism lets the user swivel, lift, lower and tilt keyboard. Negativeangle tilt position is possible
- Finish is black


Pencil Drawer

- Multi compartment storage
- Finish is black
- Not lockable
- Mounts under worksurface


SPECIFY ON ORDER

- Quantity
- Model Number

SIT/ STAND SPLIT CORNER WORKSURFACE



KEY BOARD TRAY





ARTICULATING KEYBOARD WITH MOUSE EXTENSION (LEFT OR RIGHT HANDED)

Model	Si	ze	Weight	Price
No.	W''	D''	LB	\$
AKML	30	11	14.9	\$655
AKMR	30	11	14.9	\$655

PENCIL DRAWER

Model No.	Size W"	D"	Weight LB	Price \$
PD	22	18	5.1	\$171

Model No. Size D"

FP24BBF

FP30BBF

 $23\frac{1}{2}$

PEDESTALS


All items on this page pertain to SIN 711-1

STANDARD FEATURES

- 20 gauge steel case construction
- Powder Coated paint finish
- Lock standard at top right
- Full width recessed drawer pull
- 4 leveling glides in base
- Steel ball bearing drawer slides
- Full extension box and file drawer
- File drawer equipped for hanging folders, letter front-to-back, letter side-to-side or legal filing
- Key alike option at \$5.00 net per lock
- Master key option at \$15.00 net per key Please contact Customer
 - Service Department at time of order for key alike requirements.
- Replacement keys \$15.00 net
- Master key replacement \$18.00 net
- Note: Open top requires attachment under a Genesis Worksurface.
- Note: Drawer dividers sold separately. (Page 39)

SPECIFY ON ORDER

- Quantity
- Catalog Number
- Finish



With Top					
FP24BBFT	$23 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	83.5	\$829
FP30BBFT	$29 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	85.5	\$939
FP24FF	$23 \frac{1}{2}$	27 ¹ / ₁₆	14 ³ / ₄	65.5	\$669
FP30FF	$29 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	69.5	\$604
With Top					
FP24FFT	$23 \frac{1}{2}$	27 ¹ / ₁₆	14 ³ / ₄	81.5	\$769
FP30FFT	$29 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	83.5	\$859

Н"

 $27\frac{1}{16}$

 $29\frac{1}{2}$ $27\frac{1}{16}$

FLOOR SUPPORTED PEDESTALS

Weight

LB

67.5

70.5

Price \$

\$729

\$839

W''

 $14\frac{3}{4}$

 $14\frac{3}{4}$

FPL30	$23 \frac{1}{2}$	$27 \frac{1}{16}$	$29 \frac{1}{2}$	117.8	\$929
FPL36	$23 \frac{1}{2}$	27 ¹ / ₁₆	35 ¹ / ₂	140.1	\$1769

Note: Lateral file case has square edges and all drawers have full horizontal pulls.

• A safety interlock system allows only one drawer to be open at a time.

• Caution: Counter weights recommended if laterals are not anchored



PEDESTALS

All items on this page pertain to SIN 711-1

STANDARD FEA-TURES

- 20 gauge steel case construction
- Lock standard at top right
- Full width recessed drawer pull
- Wood grain drawer front in Hard Rock Maple or Oiled Cherry
- 4 leveling glides in base
- Black ADA handle •
- Steel ball bearing drawer slides
- Full extension box and file drawer
- File drawer equipped for hanging folders, letter frontto-back, letter side-to-side or legal filing
- Key alike option at \$5.00 net per lock
- Master key option at \$15.00 net per key
- Please contact Customer Service Department at time of order for key alike requirements.
- Replacement keys \$15.00 net
- Master key replacement \$18.00 net
- Note: Open top requires attachment under a Genesis Worksurface.
- Note: Drawer dividers sold separately. (Page 39)

SPECIFY ON ORDER

- Quantity
- Catalog Number
- Cabinet Finish: Black
- Wood grain finish



FLOOR-SUPPORTED PEDESTALS WITH WOOD GRAIN DRAWER FRONTS •

Note: Extended lead time.

Model No.	D"	Size H"	W "	Weight LB	Price \$
FP24BBF HM/OC	$23 \frac{1}{2}$	$27 \frac{1}{16}$	$14\frac{3}{4}$	67.5	\$829
FP30BBF HM/OC	$29 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	70.5	\$899
With Top					
FP24BBFT HM/ OC	$23 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	83.5	\$929
FP30BBFT HM/ OC	29 ¹ / ₂	$27 \frac{1}{16}$	14 ³ / ₄	85.5	\$989

FLOOR-SUPPORTED PEDESTALS WITH WOOD GRAIN DRAWER FRONTS Note: Extended lead time.

Model No.	D"	Size H"	W "	Weight LB	Price \$
FP24FF HM/OC	$23 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	67.5	\$819
FP30FF HM/OC	$29 \ ^1\!\!/_2$	$27 \frac{1}{16}$	14 ³ / ₄	70.5	\$889
With top					
FP24FFT HM/OC	$23 \frac{1}{2}$	$27 \frac{1}{16}$	14 ³ / ₄	83.5	\$919
FP30FFT HM/OC	29 ¹ / ₂	$27 \frac{1}{16}$	14 ³ / ₄	85.5	\$989



FPL30 HM/OC	$23 \frac{1}{2}$	$27 \frac{1}{16}$	29 ¹ / ₂	117.8	\$1929
FPL36 HM/OC	$29 \frac{1}{2}$	$27 \frac{1}{16}$	35 ¹ / ₂	140.1	\$2769

MW International Product Catalog and Price List 39 PEDESTALS

 $23\frac{1}{2}$

 $23\frac{1}{2}$

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- 20 gauge steel case construction •
- Powder Coated paint finish
- Lock standard at top right
- Full width recessed drawer pull .
- 4 leveling glides in base
- Steel ball bearing drawer slides
- Full extension box and file drawer
- File drawer equipped for hanging folders, letter front-to-back, letter side-to-side or legal filing
- Key alike option at \$5.00 net per lock
- Master key option at \$15.00 net per key

Please contact Customer Service Department at time of order for key alike requirements.

- Replacement keys \$15.00 net
- Master key replacement \$18.00 net
- Note: Open top requires attachment under a Genesis Worksurface.
- Note: Drawer dividers sold separately. (Page 39)

SPECIFY ON ORDER


- Quantity
- Catalog Number
- Finish •

STANDARD FEATURES

- Pencil tray suspends from sides of drawer and slides for drawer access
- Dividers separates contents of box and file drawers
- Finish is black

SPECIFY ON ORDER

- Quantity
- Model Number



Model No.

FPS24BF

Model No.

MP24BBF

MP24FF


PENCIL

 $23\frac{1}{2}$

Model No.	Size D"	Н"	W''	Weight LB	
РТ	ν	1 15/16	13 ¹⁵ / ₁₆	0.6	4

15

Note: Check for availability.



DRAWER DIVIDERS

Model No.	Size W''	D"	Weight LB	Price \$
DD6	$12\frac{3}{16}$	4 1/8	1.7	\$12
DD12	$12\frac{3}{16}$	$9\frac{1}{16}$	3.7	\$17

Size D"	Н"	W"	Weight LB

15

15

27

27

MOBILE PEDESTAL

Price \$

\$624

\$624

Price \$


\$475

Weight LB

69.3

65.9

65.9



 $19\frac{1}{2}$

MODESTY PANELS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- 20 Gauge, steel construction
- Cross brace for extra rigidity
- Powder coated paint finish
- Full-to-floor modesty panel
- Wire access hole standard

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish



MODESTY PANELS, DOUBLE PEDESTAL DESK

Model No.	Size/Inches Worksurface Width	Weight LB	Price \$
MPDP60	60	20	\$130
MPDP66	66	21.1	\$145
MPDP72	72	22.1	\$160

• Note: Use with floor supported pedestals (page 37) and standard worksurfaces (page 23) in top size shown to make a freestanding double pedestal desk.

MODESTY PANELS, SINGLE PEDESTAL DESK

Model No.	Size/Inches Worksurface Width	Weight LB	Price \$
MPSP60	60	22.2	\$164
MPSP66	66	25.6	\$178
MPSP72	72	31.1	\$194

Note: Use with floor supported pedestals (page 37), end panel support (page 35) and standard worksurfaces (page 23) in top size shown to make a freestanding single pedestal desk.

MODESTY PANELS, SINGLE PEDESTAL RETURN

Model No.	Size/Inches Worksurface Width	Weight LB	Price \$
MPRP42	42	19.2	\$127
MPRP48	48	21.1	\$143
MPRP60	60	23.3	\$165

• Note: Use with floor supported pedestals (page 37) and standard worksurfaces (page 23) in top size shown to make a freestanding single pedestal desk.




STANDARD FEATURES

- 20 Gauge, steel construction
- Cross brace for extra rigidity
- Powder coated paint finish
- Full-to-floor modesty panel
- Wire access hole standard

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish





MODESTY PANELS

All items on this page pertain to SIN 711-1

Model Size/Inches No. Worksurface Width		Weight LB	Price \$
MPOE30	30	20.4	\$127
MPOE36	36	21.3	\$143

• Note: Use with end panel support (page 37) and standard worksurfaces (page 23) in top size shown to make a freestanding open end return.

MODESTLY PANELS, U-BRIDGE

Model No.	Size/Inches Worksurface Width	Weight LB	Price \$
MPUB36	36	21.7	\$145
MPUB42	42	22.2	\$161
MPUB48	48	23.8	\$176

• Note: Use with standard worksurfaces (page 23) in top size shown to make a freestanding U-bridge.

_	 -	7
	-6	ſ

	Ν	MODESTLY I	PANELS, CORNER
		WORKSURF	ACE/DESK (PAIR)
Model	Size/Inches	Weight	Price
No.	Worksurface Width	LB	\$
MPCD36	36	20.5	\$248
MPCD42	42	21.3	\$284

• Note: use with two end panel supports (page 37), corner leg (page 35) and corner worksurface (page 24) in top size shown to make a freestanding corner worksurface / desk.

MODESTLY PANELS, SHELL DESK

Model	Size/Inches	Weight	Price
No.	Worksurface Width	LB	\$
MPSD60	60	32.2	\$198

• Note: Use with two end panel supports (page 37) and 60" worksurface (page 23) to make a freestanding shell desk.

STORAGE BIN

OVERHEAD STORAGE

STANDARD FEA-

All items on this page pertain to SIN 711-1

5	/
1	

TURES	Model		Size		Weigh	t Price
	No.	D''	Н"	W ''	LB	\$
• 16 gauge, steel side panels	SB24	24	15 ⁵ / ₈	$13^{15}/_{16}$	33.0	\$396
 20 gauge, steel flipper door 	SB30	30	15 ⁵ / ₈	$13^{15}/_{16}$	37.0	\$418
	SB36	36	15 ⁵ / ₈	$13^{15}/_{16}$	42.3	\$446
• Powder coated paint finish	SB42	42	15 ⁵ / ₈	13 ¹⁵ / ₁₆	47.6	\$471
• Lock standard at bottom	SB48	48	15 ⁵ / ₈	13 15/16	52.9	\$497
center of flipper door	SB60	60	$15\frac{5}{8}$	$13^{15}/_{16}$	63.5	\$550
• Accommodates domestic and	Model		Size	10	Weight	Price \$
international A4 size binders	No.	D''	Н"	W''	LB	Fabric Door GR 1
• Flipper door stores on top of	SB24-F	24	15 5/8	13 ¹⁵ / ₁₆	33.0	\$451
unit for increased interior clearance	SB30-F	30	$15\frac{5}{8}$	$13^{15}/_{16}$	37.0	\$473
	SB36-F	36	$15\frac{5}{8}$	$13^{15}/_{16}$	42.3	\$501
• Steel ball bearing door slides	SB42-F	42	$15\frac{5}{8}$	$13^{15}/_{16}$	47.6	\$526
 Pivoting hinges minimizes 	SB48-F	48	$15\frac{5}{8}$	$13^{15}/_{16}$	52.9	\$552
opening radius for operation in space restricted applica-	SB60-F	60	15 5/8	$13^{15}/_{16}$	63.5	\$616
tions	OPEN SHELV	ES				

- Safety interlock prevents dislodgment from panel connector slots
- Hutch is standard with two doors
- Key alike option at \$5.00 net per lock
- Master key option at \$15.00 net per key
- Replacement keys \$15.00 net
- Master Key replacement \$18.00 per
- Please contact Customer Service Department at time of order for keyed alike requirements.
- Note: Call factory for current fabric pricing. Cost of fabric will be added as a lump sum fabric surcharge.
- Note: All overhead storage units and shelves accept task lights (page 17).

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish
- Fabric

OI EN SHELVES Madal

	Model		Size		weight	Price
	No.	D''	Н"	W''	LB	\$
	OS24	24	9 ¹³ / ₁₆	$13\frac{1}{8}$	20.5	\$165
\checkmark /	OS30	30	9 ¹³ / ₁₆	$13\frac{1}{8}$	22.8	\$173
	OS36	36	9 ¹³ / ₁₆	$13\frac{1}{8}$	25.0	\$186
	OS42	42	9 ¹³ / ₁₆	$13\frac{1}{8}$	27.2	\$190
	OS48	48	9 ¹³ / ₁₆	$13\frac{1}{8}$	29.4	\$201
	OS60	60	9 ¹³ / ₁₆	$13\frac{1}{8}$	34.9	\$222

C:---

Walak

D.....

HUTCH

Model		Size		Weight	Price	
No.	"D"	"Н"	W''	LB	\$	
H60	60	35	14	169.8	\$1284	
H66	66	35	14	169.8	\$1342	
H72	72	35	14	169.8	\$1386	

Model No.	D''	Size "H"	"W"	Weight LB	Price \$ Fabric Door Gr1
H60-F	60	35	14	149.8	\$1337
H66-F	66	35	14	159.8	\$1403
H72-F	72	35	14	169.8	\$1425
	No. H60-F H66-F	No. D" H60-F 60 H66-F 66	No. D" "H" H60-F 60 35 H66-F 66 35	No. D" "H" "W" H60-F 60 35 14 H66-F 66 35 14	No. D" "H" "W" LB H60-F 60 35 14 149.8 H66-F 66 35 14 159.8

OVERHEAD STORAGE

All items on this page pertain to SIN 711-1

STANDARD FEA-TURES

- 16 gauge steel side panels.
- Wood grain door in Hard Rock Maple or Oiled Cherry
- Lock standard at bottom center of door
- Accommodates domestic and international A4 size binders
- Flipper door stores on top of unit for increased clearance
- Steel ball bearing door slides.
- Hutch is standard with 2 doors
- Pivoting hinges minimizes opening radius for operation in space restricted applications
- Safety interlock prevents dislodgment from panel connector slots
- Key alike option at \$5.00 net per lock
- Master key option at \$15.00 net per key
- Please contact Customer Service Department at time of order for key alike requirements
- Replacement keys \$15.00 net
- Master key replacement \$18.00 net
- Note: All overhead storage units and shelves accept task lights (page 17).

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish



STORAGE BINS WITH WOOD GRAIN DOORS

Model No. Si	ze D"	Н"	W ''	Weight LB	Price \$
SB24 HM/OC	24	15 1/8	13 ¹⁵ / ₁₆	33.0	\$539
SB30 HM/OC	30	15 1/8	13 ¹⁵ / ₁₆	37.0	\$554
SB36 HM/OC	36	15 1/8	13 ¹⁵ / ₁₆	42.3	\$619
SB42 HM/OC	42	15 1/8	13 ¹⁵ / ₁₆	47.6	\$631
SB48 HM/OC	48	15 1/8	13 15/16	52.9	\$644
SB60 HM/OC	60	15 1/8	13 ¹⁵ / ₁₆	63.5	\$832

 Note: Call factory for current pricing. Cost of fabric will be added as a lump sum fabric up-charge.

HUTCH WITH WOOD GRAIN DOORS

Model No.	Size D"	Н"	W''	Weight LB	Price \$
HW60	59 ⁷ / ₈	35	14	149.8	\$1788
HW66	65 ⁷ / ₈	35	14	159.8	\$1788
HW72	71 1/8	35	14	169.8	\$1788

 Note: Call factory for current pricing. Cost of fabric will be added as a lump sum fabric up-charge.

FABRIC COVERED TACK BOARD

Model No.	Size D"	Н"	W''	Weight LB	Price \$
TB60	$21\frac{3}{8}$	57 $\frac{3}{2}$	$^{3}/_{2}$	18.0	\$303
TB66	$21\frac{3}{8}$	$63\frac{3}{2}$	$\frac{3}{2}$	19.0	\$330
TB72	$21\frac{3}{8}$	$69\frac{3}{2}$	$\frac{3}{2}$	20.0	\$358

Note: Applied with Velcro supplied with tack board.



Velcro

TABLE TOPS

All items on this page pertain to SIN 711-1

STANDARD FEATURES


- $1\frac{1}{4}$ " thick.
- Laminate top has a 3mm PVC radius edge.
- Laminate top has 45lb industrial grade, composite wood core and phenolic backer.
- Membrane tops are thermo-fused with tapered edge.
- Membrane tops have MDF core

OPTIONS

- Specify post legs (page 34).
- Specify table pedestal base for 36" round table top.

SPECIFY ON ORDER

- Quantity
- Model Number
- Laminate Finish
- PVC Edge Finish
- Membrane Finish
- Options



wood grain

LAMINATE ROUND TABLE TOPS

Model No.	Legs Required	Size/Inches Diameter	Weight LB	Price \$
RT36	(See note)	36	62.2	\$450
RT42	4	42	71.1	\$606
RT48	4	48	88.9	\$639
RT60	4	60	100.0	\$782

Note: 36" diameter top uses table pedestal base


BOAT SHAPED TABLE TOPS

Model No. Legs		Si	ze	Weight	Price	
	Required	D"	W''	LB	\$	
BS92	4	47 ¹ / ₄	92	130.0	\$935	

MEMBRANE ROUND TABLE TOPS

Model No.	Legs Required	Size/ Inches Diameter	Weight LB	Price \$
MRT36	(See note)	36	45.0	\$579
MRT42	4	42	57.0	\$652
MRT48	4	48	75.0	\$728

• Note: 36" diameter top uses round table pedestal base



MEMBRANE OVAL TABLE TOPS

Model No.	Legs	Size		Weight	Price
	Required	D"	W''	LB	\$
MOT2142	4	21	42	31.0	\$503
MOT2448	4	24	48	40.0	\$551
MOT3060	4	30	60	63.0	\$845
MOT3672	4	36	72	90.0	\$912

TABLE PEDESTAL BASE

Model No.	Model No. Size/Inches H"		Price \$
TPB	27 ¹ / ₁₆	25.4	\$402
TPB-42	42	40.9	\$712



TABLE TOPS

All items on this page pertain to SIN 711-1

STANDARD FEA-TURES

- $1\frac{1}{4}$ " thick
- Laminate top has a 3mm PVC • radius edge
- Laminate top has 45lb industrial grade, composite wood core and phenolic backer.
- Membrane tops are thermo-• fused with tapered edge
- Membrane tops have MDF • core.

OPTIONS

- Specify post legs (page 34). •
- Specify table pedestal base for • 36" round table top (page 44).

SPECIFY ON ORDER

- Quantity
- Model Number •
- Laminate Finish •
- PVC Edge Finish •
- Membrane Finish .
- Options •



Model No.	Legs Req.	Size D"	W''	Weight LB	Price \$
RTT3060	4	30	60	63.0	\$457
RTT3072	5	30	72	75.0	\$523
RTT3084	6	30	84	88.0	\$667
RTT3090	6	30	90	94.0	\$678
RTT3096	6	30	96	100.0	\$688
RTT3660	4	36	60	75.0	\$526
RTT3672	5	36	72	90.0	\$615
RTT3684	6	36	84	105.0	\$766
RTT3690	6	36	90	112.0	\$777
RTT3696	6	36	96	120.0	\$787
RTT4260	4	42	60	88.0	\$663
RTT4272	5	42	72	105.0	\$754
RTT4284	6	42	84	123.0	\$965
RTT4290	6	42	90	132.0	\$970
RTT4296	6	42	96	140.0	\$976

MEMBRANE RECTANGLE TABLE TOPS

	Model No.	Legs	Size D"	W''	Weight LB	Price \$
	MRTT3060	Req.	30	60	64.0	\$1020
		4		60 72		
	MRTT3072	5	30	72	76.0	\$1065
wood grain	MRTT3084	6	30	84	90.0	\$1246
	MRTT3090	6	30	90	97.0	\$1262
	MRTT3096	6	30	96	104.0	\$1298
	MRTT3660	4	36	60	76.0	\$1086
	MRTT3672	5	36	72	91.0	\$1312
	MRTT3684	6	36	84	107.0	\$1312
	MRTT3690	6	36	90	116.0	\$1375
	MRTT3696	6	36	96	124.0	\$1411
	MRTT4260	4	42	60	89.0	\$1249
	MRTT4272	5	42	72	106.0	\$1312
	MRTT4284	6	42	84	125.0	\$1319
	MRTT4290	6	42	90	133.0	\$1406
	MRTT4296	6	42	96	144.0	\$1432

LAMINATE RECTANGLE TABLE TOPS

MW International Product Catalog and Price List LAMINATE RACETRACK TABLE TOPS 46

TABLE TOPS

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- $1\frac{1}{4}$ " thick •
- Laminate top has a 3mm PVC • radius edge
- Laminate top has 45lb indus-• trial grade, composite wood core and phenolic backer.
- Membrane tops are thermo-• fused with tapered edge
- Membrane tops have MDF • core.

OPTIONS

- Specify post legs (page 34). •
- Specify table pedestal base for • 36" round table top (page 44).

SPECIFY ON ORDER

- Quantity
- Model Number
- Laminate Finish
- PVC Edge Finish
- Membrane Finish
- Options

LAWIMATE KACETKACK TABLE IC						
	Model No.	Legs	S	ize	Weight	Price
		Required	"D"	"W"	LB	\$
	RRT3060	4	30	60	63	\$526
	RRT3072	5	30	72	75	\$611
	RRT3084	6	30	84	88	\$756
	RRT3090	6	30	90	94	\$765
	RRT3096	6	30	96	100	\$793
	• RRT30108	8	30	108	113	\$1596
	• RRT30120	8	30	120	125	\$1669
	RRT3660	4	36	60	75	\$601
	RRT3672	5	36	72	90	\$692
	RRT3684	6	36	84	100	\$866
	RRT3690	6	36	90	113	\$909
	RRT3696	6	36	96	120	\$928
	• RRT36108	8	36	108	135	\$1824
	• RRT36120	8	36	120	150	\$1946
	RRT4260	4	42	60	88	\$739
	RRT4272	5	42	72	105	\$855
	• RRT4284	8	42	84	123	\$1824
	• RRT4290	8	42	90	131	\$1868
	• RRT4296	8	42	96	140	\$1899
	• RRT42108	8	42	108	168	\$2199
	• RRT42120	8	42	120	175	\$2316

Tops manufactured as two (2) pieces. Order flat bracket (page 33) to connect tops. •



note: 1 1/8 " thick

wood grain

MEMBRANE RACETRACK TABLE TOPS Model No. Legs Size Weight L.B Price

Legs	Size		weight LD	Frice
Required	D"	W''		\$
4	30	60	64	\$1141
5	30	72	76	\$1195
6	30	84	90	\$1319
6	30	90	97	\$1372
6	30	96	104	\$1394
4	36	60	76	\$1158
5	36	72	91	\$1217
6	36	84	107	\$1341
6	36	90	116	\$1394
6	36	96	124	\$1416
4	42	60	89	\$1164
5	42	72	106	\$1223
6	42	84	125	\$1349
6	42	90	133	\$1399
6	42	96	144	\$1421
	Required 4 5 6 6 6 4 5 6 6 6 6 4 5 6 6 6 6 6 6 6	$\begin{array}{c cccc} \mathbf{Required} & \mathbf{D''} \\ 4 & 30 \\ 5 & 30 \\ 6 & 30 \\ 6 & 30 \\ 6 & 30 \\ 6 & 30 \\ 4 & 36 \\ 5 & 36 \\ 6 & 36 \\ 6 & 36 \\ 6 & 36 \\ 4 & 42 \\ 5 & 42 \\ 6 & 42 \\ 6 & 42 \\ \end{array}$	RequiredD"W"4 30 60 5 30 72 6 30 84 6 30 90 6 30 90 6 30 96 4 36 60 5 36 72 6 36 84 6 36 90 6 36 90 6 36 96 4 42 60 5 42 72 6 42 84 6 42 90	RequiredD"W"430606453072766308490630909763096104436607653672916368410763690116636961244426089542721066428412564290133

TABLE TOPS

All items on this page pertain to SIN 711-1

STANDARD FEATURES


- $1\frac{1}{4}$ " thick
- Laminate top has a 3mm PVC radius edge
- Laminate top has 45lb industrial grade, composite wood core and phenolic backer.
- Membrane tops are thermo-fused with tapered edge
- Membrane tops have MDF core.

OPTIONS

- Specify post legs (page 34).
- Specify table pedestal base for 36" round table top (page 44).

SPECIFY ON ORDER

- Quantity
- Model Number
- Laminate Finish
- PVC Edge Finish
- Membrane Finish
- Options



MEMBRANE BISCUIT TABLE TOP						
	Model No.	Legs	Size		Weight	Price
		Required	A ''	В"	LB	\$
	MBT3672	4	36	72	76	\$1195
	MBT3678	4	36	78	98	\$1319



MEMBRANE KIDNEY TABLE TOPS

Model No.	Legs	Size		Weight	Price
	Re- quired	А "	В"	LB	\$
MKT3036	4	30	36	35	\$831
MKT3042	4	30	42	41	\$891
MKT3048	4	30	48	47	\$1117

• Note: Can be used in 120° panel configurations



A

MEMBRANE DOCKING TABLE TOPS

Model No.	Legs	Size		Weight	Price
	Re- quired	А "	В"	LB	\$
MDT2436	2/4	23	36	30.0	\$641
MDT2442	2/4	23	42	35.0	\$678
MDT2448	2/4	23	48	40.0	\$696
MDT2460	2/4	23	60	50.0	\$743
MDT2466	2/4	23	66	55.0	\$779
MDT2472	2/4	23	72	60.0	\$789

• Note: Use with biscuit table top or wing table top (page 48).

TABLE TOPS


All items on this page pertain to SIN 711-1

STANDARD FEATURES

- $1\frac{1}{4}$ " thick.
- Laminate top has a 3mm PVC radius edge
- Laminate top has 45lb industrial grade, composite wood core and phenolic backer
- Membrane tops are thermo-fused with tapered edge
- Membrane tops have MDF core **OPTIONS**
- Specify post legs (page 34)
- Specify table pedestal base for 36" table top (page 44)


SPECIFY ON ORDER

- Quantity
- Model Number
- Laminate Finish
- PVC Edge
- Membrane
- Options



MEMBRANE WING TABLE TOPS LEFT-HAND

Model No.	Legs		Size/Inches	5	Weight	Price
	Required	A''	В"	С"	LB	\$
MWT2366L	4	24	36	66	65	\$1216
MWT2372L	4	24	36	72	70	\$1238



MEMBRANE WING TABLE TOPS RIGHT-HAND

Model No.	Legs		Size/Inches	5	Weight	Price
	Required	A''	В"	С"	LB	\$
MWT2366R	4	24	36	66	65	\$1216
MWT2372R	4	24	36	72	70	\$1238

NOT IN GSA CONTRACT

PAPER MANAGEMENT

All items on this page pertain to SIN 711-1


STANDARD FEATURES

- Rigid steel construction
- Fused epoxy-coated finish
- Open wire design does not impair acoustical properties of panels
- Locking end caps prevent accidental dislodgment
- Color is black

SPECIFY ON ORDER

- Quantity
- Model number





PANEL MOUNTED V-BEAMS

Model No.	V Capac ity	- Size W	" Weight LB	Price \$
PMVB30	V-5	30	2.2	\$165
PMVB36	V-7	36	3.3	\$181
PMVB42	V-9	42	3.8	\$196
PMVB48	V-10	48	4.2	\$238

DIAGONAL LETTER ORGANIZER

Model No.	V Capacity	Size W "	Weight LB	Price \$
DLO	1	$3\frac{3}{8}$	1.2	\$65



VERTICAL BINDER ORGANIZER

IN / OUT TRAY

Model No.	V Capacity	Size W "	Weight LB	Price \$
VBO	1	4 ¹ / ₈	2.1	\$96



Model No.	V Capacity	Size W "	Weight LB	Price \$
IOT	3	$12\frac{3}{8}$	2.6	\$199


MAGNETIC ACCESSORIES

All items on this page pertain to SIN 711-1

NOT IN GSA CONTRACT


STANDARD FEATURES

- All steel construction SPECIFY ON ORDER
- Quantity
- Model Number
- Finish: black



MAGNETIC HEAVY DUTY HOLDER

Model No.	Size Inches"	Holding Power Steel wall LB	Fabric wall LB	Price \$
MA3	3	30	15	\$35
MA5	5	90	25	\$48



MAGNETIC HEAVY DUTY HOLDER WITH HOOK

Model No.	Size Inches''	Holding Power Steel wall LB	Fabric wall LB	Price \$
CH1	1- ¹ / ₂ " x 2" X 3"	30	12	\$51
CH2	1- ½" x 2" X 5"	90	25	\$68

• Note: 5" round plate behind hook.

OFFICE ACCESSORIES

STANDARD FEATURES

All steel construction

- **SPECIFY ON ORDER**
- Quantity
- Model Number
- Finish: black

HANG ON COAT HOOK FURNITURE SLOT MOUNTED

1.	Model No.	2.	Projection Size H"	3.	Price \$
	4. HH1		5. 2"	6	. \$28

NOT IN GSA CONTRACT

ADJUSTABLE HEIGHT TABLES

All items on this page pertain to SIN 711-1

STANDARD FEATURES

- Adjustable Table Mechanisms
- Tables are dimensioned to fit into various panel configurations
- Tension brakes provide keyboard negative and positive tilt of 15°
- Maximum equipment load is 150 pounds
- Keyboard infinite adjustments are travel accomplished via pneumatic cylinders for 10" of vertical travel
- Torsion springs via mechanical devices provide infinite adjustment within ranges noted
- Dimensions shown are nominal to match panels.
- Table Tops ordered separately

Table Tops

- $1\frac{1}{4}$ " thick •
- Clearance around table is 1".
- Base color is black
- Laminate top has 45lb, industrial grade, composite wood core
- Laminate top has 3mm PVC radius edge
- Membrane Top has MDF core
- Membrane top is thermo fused with tapered edge

SPECIFY ON ORDER

- Specify Table Tops •
- Quantity
- Model Number

Laminate Top

- Laminate Finish
- PVC Edge Finish

Membrane Top

Membrane Finish

FREESTANDING, SPLIT CORNER AJUSTABLE

TABLE MECHANISMS (SEATED RANGE)

	Model No.		nal top ize	Monitor range	Keyboard range	Weight LB	Price \$
hundrage		"D"	"W"	H"	H"		
	ASTS9030 42	30	42	22 - 35	17 - 40	180.3	\$3601
J "	ASTS9030 48	30	48	22 - 35	17 - 40	186.0	\$3744

FREESTANDING, SPLIT CORNER ADJUSTABLE TABLE MECHANISMS (SIT-TO-STAND)

	Model No.	Nominal	top Size	Monitor	Keyboard	Weigh	Price
-		D"	W "	range H"	range H"	t LB	\$
-	ASTST9030 42	30	42	27 - 45	22 - 50	190.3	\$3601
	ASTST9030 48	30	48	27 - 45	22 - 50	196.0	\$3744

FREESTANDING, 90 DEGREE SPLIT CURVED CORNER TOPS

	Model No.	S	ize	Weight	Price
141		"D"	"W"	LB	\$
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Laminate Top				
	FSSC902940	29	40	60	\$985
252	FSSC902946	29	46	73	\$1051
wood grain	Membrane				
	Тор				
	MFSS903042	30	42	58	\$1109
	MFSS903048	30	48	71	\$1154

#### **FREESTANDING, 120 DEGREE** SPLIT CURVED CORNER TOPS

5	Model No.	S	ize	Weight	Price
~~~		"D"	"W"	LB	\$
	Laminate Top				
\square	FSS1203042	30	42	65	\$1054
22	FSS1203048	30	48	75	\$1099
wood grain	Membrane Top				
	MFSSC902940	29	40	67	\$1040
	MFSSC902946	29	46	75	\$1106



MW International Product Catalog and Price List 52 ADJUSTABLE HEIGHT TABLES

All items on this page pertain to SIN 711-1

STANDARD FEA-TURES

- $1\frac{1}{4}$ " thick
- Clearance around table is 1"
- Base color is black
- Laminate top has 45lb, industrial grade, composite wood core
- Laminate top has 3mm PVC radius edge
- Membrane top has MDF core
- Membrane top is thermofused with tapered edge

SPECIFY ON ORDER

- Specify table tops
- Quantity
- Model number


Laminate Top

• Laminate finish PVC Edge finish Membrane Top

• Membrane finish

FREESTANDING, 90 DEGREE CURVED CORNER TOPS

Model No.	Size D "	W''	Weight LB	Price \$
Laminate Top)			
FSC902940	29	40	60	\$908
FSC902946	29	46	73	\$974
Membrane top)			
MFSC902940	29	40	58	\$963
MFSC902946	29	46	71	\$1029



wood grain

ADJUSTABLE HEIGHT TABLES

All items on this page pertain to SIN 711-1

STANDARD FEATURES Adjustable Table Mechanisms


- Tables are dimensioned to fit into various panel configurations
- Tension brakes provide keyboard . negative and positive tilt of 15°
- Maximum equipment load is 150 • pounds
- Keyboard infinite adjustments are • travel accomplished via pneumatic cylinders for 10 inches of vertical travel
- Torsion springs via mechanical devices provide infinite adjustment within ranges noted
- Dimensions shown are nominal to • match panels
- Table tops ordered separately
- **Table Tops**
- $1\frac{1}{4}$ " thick •
- Clearance around table is 1"
- Base color is black
- Laminate top has 45lb, industrial • grade, composite wood core
- Laminate top has 3mm PVC radius edge
- Membrane top has MDF core
- Membrane top is thermo fused with tapered edge

SPECIFY ON ORDER

- Specify table tops
- Ouantity
- Model Number
- Laminate Top
- Laminate finish •
- PVC Edge finish


Membrane Top

Membrane finish



FREESTANDING STRAIGHT SPLIT SURFACE, ADJUSTABLE TABLE MECHANISMS (SEATED RANGE)

Model No.	Nomina	l top Size	Monitor	Keyboard	Weight	Price
	"D"	" W"	Range "H"	range "H"	LB	\$
ASTS3036	30	36	22 - 35	17 - 40	152.6	\$3601
ASTS3042	30	42	22 - 35	17 - 40	172.2	\$3744
ASTS3048	30	48	22 - 35	17 - 40	186.8	\$3744
ASTS3060	30	60	22 - 35	17 - 40	201.8	\$3804
ASTS3072	30	72	22 - 35	17 - 40	225.0	\$3804



FREESTANDING STRAIGHT SPLIT SURFACE, ADJUSTABLE TABLE MECHANISMS (SIT-TO-STAND)

Model No.	Nominal "D"	top Size " W"	Monitor range "H"	Keyboard range "H"	Weight LB	Price \$
ASTST3036	30	36	27 - 45	22 - 50	162.6	\$3601
ASTST3042	30	42	27 - 45	22 - 50	182.2	\$3744
ASTST3048	30	48	27 - 45	22 - 50	186.8	\$3744
ASTST3060	30	60	27 - 45	22 - 50	210.8	\$3804
ASTST3072	30	72	27 - 45	22 - 50	235.0	\$3804



FREESTANDING STRAIGHT SPLIT TOP

Model No.	S	ize	Weight	Price
	"D"	"W"	LB	\$
Laminate Tops				
FSS2934	29	34	34	\$308
FSS2940	29	40	40	\$358
FSS2946	29	46	45	\$380
FSS2958	29	58	57	\$457
FSS2970	29	70	69	\$528
Membrane Tops				
MFSS2934	29	34	36	\$594
MFSS2940	29	40	40	\$616
MFSS2946	29	46	46	\$644
MFSS2958	29	58	55	\$913
MFSS2970	29	70	66	\$1001

53

MW International Product Catalog and Price List 54 Adjustable height tables

All items on this page pertain to SIN 711-1

STANDARD FEATURES Adjustable Table Mechanisms

- Tables are dimensioned to fit into various panel configurations
- Tension brakes provide keyboard negative and positive tilt of 15°
- Maximum equipment load is 150 pounds
- Keyboard infinite adjustments are travel accomplished via pneumatic cylinders for 10" of vertical travel
- Torsion springs via mechanical devices provide infinite adjustment within ranges noted
- Dimensions shown are nominal to match panels
- Table tops ordered separately
- **Table Tops**
- $1\frac{1}{4}$ " thick
- Clearance around table is 1"
- Base color is black
- Laminate top has 45lb, industrial grade, composite wood core
- Laminate top has 3mm PVC radius edge
- Membrane top has MDF core
- Membrane top is thermo fused with tapered edge

SPECIFY ON ORDER


- Specify table tops
- Quantity
- Model Number

Laminate Top


- Laminate finish
- PVC Edge finish

Membrane Top


• Membrane finish



FREESTANDING STRAIGHT SINGLE SURFACE, ADJUSTABLE TABLE MECHANISMS (SEATED RANGE)



Model No.	Nomina	l top Size	Monitor range	Weight	Price
	"D"	" W"	"H"	LB	\$
ATS3036	30	36	22 - 35	142.6	\$2793
ATS3042	30	42	22 - 35	162.2	\$2894
ATS3048	30	48	22 - 35	166.8	\$2894
ATS3060	30	60	22 - 35	201.0	\$2933
ATS3072	30	72	22 - 35	210.0	\$2933



FREESTANDING STRAIGHT SINGLE SURFACE, ADJUSTABLE TABLE MECHANISMS (SIT-TO-STAND)

Model No.	Nomina	l top Size	Monitor range	Weight	Price
	"D"	"W"	"H"	LB	\$
ATST3036	30	36	27 - 45	152.6	\$2793
ATST3042	30	42	27 - 45	172.8	\$2894
ATST3048	30	48	27 - 45	178.0	\$2894
ATST3060	30	60	27 - 45	212.8	\$2933
ATST3072	30	72	27 - 45	220.2	\$2933

STRAIGHT TOPS

Model No.	Nomina "D"	l top Size "W"	Weight LB	Price \$
LAMINATE TOPS				
FS2934	29	34	34	\$248
FS2940	29	40	40	\$297
FS2946	29	46	45	\$314
FS2958	29	58	57	\$363
FS2970	29	70	69	\$424
MEMBRANE TOPS				
MFS2934	29	34	36	\$534
MFS2940	29	40	40	\$556
MFS2946	29	46	46	\$578
MFS2958	29	58	55	\$820
MFS2970	29	70	66	\$897

MWI FLOOR TO CEILING ADD-ON FRAME AND TILES

Items on this page pertain to SIN 711-1

HOW TO CHANGE FRAMES TO FULL-HEIGHT WALLS

Extend panel frames to the ceiling to create a fully enclosed office space. This is accom-

plished through the use of a ceiling track mounted to the ceiling grid, allowing the custom add-on frame to be inserted. Custom add on frame with tiles must be ordered for ceiling height conditions. The ceiling track condition is $1 - \frac{3}{4}$ "high. Ceiling Height Panel Adapter Track (CT-120) must be ordered separately. Standard

Add-On Frames (Page 3). Ceiling track is shipped in 8' and 10' lengths. Ceiling channel mounting clips are included. Custom frame tiles can be standard fabric clad steel or double

glazed acoustical glass. Air flow units are also available. When ordering custom frames and tiles, use the catalog numbers. The factory will determine the correct tile size to fit the specified custom frame height. Sheets to facilitate field measuring area

in various locations will be sent out prior to order acknowledgment upon request. However, the following formula can be used to determine the nominal height of a custom add-on frame and tiles: Determine the overall height of the ceiling (field measure in several locations) and the total frame assembly should be 1" less than the ceiling height allows an approximately 1"

Upward or downward panel adjustment.

THE FOLLOWING EXAMPLES WILL ACT AS A GUIDELINE IN MAKING THESE CALCULATIONS

- 1. 8'0" ceiling = 96" less 84 $\frac{1}{2}$ " = approx. 11 $\frac{1}{2}$ ' height of custom Stack-on frame.
- 2. 8'6" ceiling = 102" less 84 $\frac{1}{2}$ " = 17 $\frac{1}{2}$ " height of Stack-on frame.
- 3. 9'0" ceiling = 108" less 84 $\frac{1}{2}$ " = 23 $\frac{1}{2}$ " height of custom Stack-on frame.
- 4. 10'0" ceiling = 120" less 84 $\frac{1}{2}$ " = 35 $\frac{1}{2}$ " height of (1) standard stack-on frame and (1) custom stack-on frame.

8'0" HIGH CEILING

11 $\frac{1}{2}$ " Custom Stack-On Frame Standard 80" Height Door

8'6" HIGH CEILING

 $17~^{1}\!\!/_{2}"$ Custom Stack-on Frame Standard 80" Height Door

9'0" HIGH CEILING

23 ¹/₂" Custom Stack-on Frame Standard 80" Height Door

t t T	I	I	I	п	п	Ш	. m	III	ш
	18"		18"	18"		18"	18"		18"
9'0' 8'6" 8'0"	18"	1	18"	18"		18"	18"		18"
	18"	⊸	18"	18"	-	18"	18'		18"
	24" 5"		24* 5"	24* 5*		24"	24' 5"		24"


 $2^{1}/_{4}$

CT96

STANDARD FEATURES

- 20 gauge, cold rolled steel
- Powder coated finish
- Includes light and sound seal and clips for attachment to standard C - 60 Grid
- Color is black
- SPECIFY ON ORDER
- Quantity
- Model Number

CEILING-HEIGHT PANELS




96

9.8

\$141

 $1^{3}/_{4}$



CUSTOM STACK-ON FRAMES WITH FABRIC CLAD TILES / CEILING HIGH

All items on this page pertain to SIN 711-1

CEILING HEIGHTS


96" CEILING HEIGHT UTILIZES (1) 11-¹/₂" CUSTOM STACK-ON. 132" CEILING HEIGHT UTILIZES (1) STANDARD 18-3/16" STACK-ON & (1) 29-⁵/₁₆ STACK-ON. 144" CEILING HEIGHT UTILIZES (2) STANDARD 18-3/16" STACK-ONS & (1) 23-1/8 STACK-ON. •SEE PAGE 55 TO DETERMINE HEIGHT REQUIREMENTS.

STANDARD FEATURES

- Stacks on existing panel frame to ceiling track
- 16 gauge formed galvanneal steel
- Black paint finish on frame
- Non-slotted upright supports
- 2" vertical cable access channels
- 3-¹/₄" finished panel thickness(2" deep interior cavity)
- Straight line, steel panel to panel connectors included
- Non-progressive panel replacement/removal
- Panel connection accomplished with 13mm socket wrench (4) 13mmlong bolts, (4) 13mm short bolts, (8) 13mm hex nuts (1) connector tube, (1) connector plate


SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: black



STACK-ONS - CEILING HEIGHT 96" TO 144" FABRIC COVERED STEEL GRADE 1

				-
Model No.	Size		Weight	Price \$
	"H"	"W"	LB	Grade 1
PNLCF-18	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	18	14.0	\$287
PNLCF-24	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	24	16.0	\$321
PNLCF-30	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	30	19.3	\$347
PNLCF-36	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	36	22.8	\$389
PNLCF-42	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	42	27.2	\$431
PNLCF-48	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	48	30.7	\$473



STACK-ONS - CEILING HEIGHT 96" TO 144" DOUBLE GLAZED, CLEAR TEMPERED GLASS

Model No.	Size		Weight	Price \$	
	"Н"	" W''	LB	Grade 1	
PNLCG-18	$11\frac{1}{2}$ to 29 $\frac{5}{16}$	18	34.6	\$502	
PNLCG-24	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	24	37.6	\$546	
PNLCG-30	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	30	46.7	\$594	
PNLCG-36	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	36	56.0	\$660	
PNLCG-42	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	42	66.0	\$735	
PNLCG-48	11 $\frac{1}{2}$ to 29 $\frac{5}{16}$	48	75.1	\$803	

- Note: Price includes 1 frame and a pair of glazed tiles.
- Note: Price does not include: ceiling tracks (page 55) end cover kits (page 10) and/or panel connector kits (page 8-9)ceiling high (Ordered separately).
- Note: Frosted glass upon request.

STANDARD FEATURES

- Stacks on existing panel frame to ceiling track
- 16 gauge formed galvanneal steel
- Black paint finish on frame
- Non-slotted upright supports
- 2" vertical cable access channels
- $3\frac{1}{4}$ " finished panel thickness(2" deep interior cavity)
- Straight line, steel panel to panel connectors included (8) 13mm long bolts,(8) 13mm short bolts, (8) 13mm hex nuts,(1) tube connector, (1) bar connector
- Non-progressive panel replacement/removal
- Panel connection accomplished with 13mmsocket wrench and #12 X 2-¹/₂" hex head tek sheet metal screws.
- Glass panel frame is anodized extruded aluminum with 6mm thick tempered glass

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: black

56

SLIDING PANEL SCREEN

All items on this page pertain to SIN 711-

NOT IN GSA CONTRACT

STANDARD FEATURES

- Non handed sliding panel screen
- Includes metal frame, polycarbonate obscure lite, 2 pr metal mounting brackets & fasteners, for both RH &LH application
- Both screens fill 36" opening

SPECIFY ON ORDER

- Quantity
- Model number
- Finish: black



SLIDING PANEL SCREEN

Model No.	Size H"	W''	Weight LB	Price \$
PNLSCRN8336	83	36	100.0	\$2,636

Note: mounts to 83" tall Genesis panel frame 36" wide or wider.

PNLSCRN6536	65	36	75.0	\$2,436

Note: mounts to 65" tall Genesis panel frame 36" wide or wider.

MILLS WALLS FC-300 DEMOUNTABLE WALL

All items on this page pertain to SIN 711-1, 711-13, 711-93, 711-94, 711-95, 711-96

STANDARD FEATURES

- 60mm thick, modular, non-progressive, unitized, non-destructive fastening wall system
- 5" high X 60mm thick raceway built into base of all panels
- 18 and 20 gauge formed galvanneal steel
- Trim is pre-coated finish
- Glass Panels are supplied with clear tempered glass, factory installed
- Ceiling Height 7'6" 10'0"
- Externally applied PVC locking strip used for panel to panel connection •

Panels come with floor channel attached and leveler screw adjusters

MASP MAGC MCRP MCSP MASD MAGD MSST MMGP MSGT Model No. Description Size W" Weight LB/SQ. FT Price \$

FC-300 FULL HEIGHT MODULAR WALL SYSTEM

MASP	 Finished Galvanized Steel 	12 - 48	4.0	\$508/LF
MAGC	• All Glass	12 - 48	6.0	\$547/LF
MCRP	Half Glass	12 - 48	6.0	\$579/LF
MCSP	Clerestory/Glass Transom	12 - 48	6.0	\$560/LF
MMGP	Multiple Lite/Mullion Panel	12 - 48	6.0	\$722/LF
MSST	All Steel Door Frame with door hinges and standard lockset	42	4.0	\$638/LF
MSGT	Glass Transom Door Frame with door hinges and standard lockset	42	4.0	\$783/LF
MASD	All Steel Door	36	4.0	\$596/LF
MAGD	All Glass Door	36	4.0	\$789/LF

OPTIONS & ACCESSORIES (ADD TO ABOVE PRICES)

MFAB	• Fabric/Vinyl - Call factory for current fabric pricing	Call Dealer or	Factory for Pricing	
MBEC	Base Trim with Electrical Cutout - 24" Section		1	\$358
MDFS	• Door Frame Switch - Located on Door Jamb - Note: Includes box, 15 amps switch, & cover		1/2	\$338
MEFP	• End Filler Panel - Special Field Adaptable 6" to 12" Note: Facilitates odd sized panel runs and accommodates window sill termination. Field cut for narrower panel		4	\$932
MFEK	• Finished End Kit - Note: Features ceiling, floor and base covers factory capped	1 3/16	2	\$341
MFWK	Three-Way and Four-Way Connector Kit	1 1/4	2	\$416
MTWK	Two-Way 90° Corner Panel Connector Kit - Note: Comes with factory mitered floor channel, base cover, ceiling corner connector	1 3/16	2	\$636
MSDP	• Special Details And Panels - Note: Includes: mullions, full height doors, pivot hinges, wood veneer doors, special door lock/latch sets, patterned glass, custom pan- els, custom slotting pattern etc	Call Dealer or	Factory for Pricing	
MVRC	Vertical Raceway Channel	4	1	\$258
MWSC	Wall Starter Channel	2 5/16	1	\$238

• For detailed quotes and architectural drawing details - E-Mail: sales@mwintl.net or Fax to: (888) 566-5415

SPECIFY ON ORDER

- Quantity ۰
- . Model Number
- Finish: Trim color and panel color
- Fabric pattern, if applicable

MILLS DEMOUNTABLE WALL

All items on this page pertain to SIN 711-1, 711-13, 711-93, 711-94, 711-95, 711-96

STANDARD FEATURES


- 2⁵/₁₆" thick, modular, non-progressive, unitized, non-destructive fastening wall system
- 4" high X 2 $\frac{5}{16}$ " thick raceway built into base of all panels
- 18 and 20 gauge formed galvanneal steel
- Trim is baked painted finish
- Glass panels are supplied with acoustic laminated glass, factory installed
- Ceiling height 7'6" 10'0"
- Internal cam-action locking spline used for panel to panel connection
- Panels come with attached leveler screw adjusters

SPECIFY ON ORDER

- Quantity
- Model Number
- Finish: Trim color and panel color

59

• Fabric pattern if applicable



MILLS FULL HEIGHT MODULAR WALL SYSTEM

Model No.	Description	Size W"	Weight LB/SQ. FT	Price \$
ASF	 Finished Galvanized Steel 	6 - 48	4.0	\$581/LF
AGC	All Glass	6 - 48	6.0	\$601/LF
CRP	• Half Glass	6 - 48	6.0	\$651/LF
CSP	Glass Transom	6 - 48	6.0	\$639/LF
MGP	 Multiple Mullion Panel 	6 - 48	6.0	\$744/LF
SST	All Steel Door Frame with door hinges and standard lockset	42	4.0	\$738/LF
SGT	Glass Transom Door Frame with door hinges and standard lockset	42	4.0	\$883/LF
ASD	All Steel Door	36	4.0	\$596/LF
AGD	All Glass Door	36	4.0	\$789/LF

OPTIONS & ACCESSORIES (ADD TO ABOVE PRICES)

Model No.	Description	Size "W"	Weight LB/SQ. FT	Price \$
FC-150	•Call factory for current FC-150 accessory and layout material pricing Call Dealer or Factor for Pricing		2	
BEC	Base Trim with Electrical Cutout - 24" Section		1	\$398
DFS	• Door Frame Switch - Located on Door Jamb Note: Includes box, 15 amps switch & cover.		1/2	\$338
EFP	End Filler Panel - Special Field adaptable 6" to 12" - Note: Facilitates odd sized panel runs and accommodates window sill termination. Field cut for narrower panel.			
FEK	• Finished End Kit - Note: Features ceiling, floor and base covers factory capped.	$1\frac{3}{16}$	2	\$354
FWK	Three-Way and Four-Way Connector Kit	$1\frac{1}{4}$	2	\$476
TWK	Two-Way 90° Corner Panel Connector Kit Note: Comes with factory mitered floor channel, base cover, and ceiling corner connector	1 3/16	2	\$636
SDP	Special Details And Panels - Includes: mullions, full height doors, pivot hinges, wood veneer doors, special door lock/latch sets, patterned glass, custom panels, etc.		aler or Factory or Pricing	
VRC	Vertical Raceway Channel	4	1	\$298
WSC	Wall Starter Channel	2 5/16	1	\$238
NS	• No Slots - Fineline Panel Connection available at a price reduction of \$35/LF.			

• For detailed quotes and architectural drawing details - E-Mail: sales@mwintl.net or Fax to: (888) 566-5415.

MW International Product Catalog and Price List 60 FABRICS AND FINISHES

All items on this page pertain to SIN 711-1

TRIM FINISHES

PANEL BASE COVERS, PANEL TOP CAPS, END COVERS, PANEL CONNECTOR KITS, PANEL CONNECTOR TOPCAPS

- SD-Stonedust
- BK-Black
- M-Maple
- C-Cherry
- SL-Slate
- KH-Khaki
- Note: SL-Slate and KH-Khaki, minimum quantity required 100 pieces each. .Available on extended lead time only.
- Note: M-Maple and C-Cherry are not available on panel base covers and panel connector kits.

LAMINATE FINISHES

WOODSURFACE, WOOD GRAIN PANEL SEGEMENTS

- SD-Stonedust
- FG-Folkstone Grey
- GS-Grey Spectrum
- EW-Eggshell White
- HM-Hard Rock Maple
- OC-Oiled Cherry

FINISHES

PEDESTALS, MODESTY PANELS, END PANELS, OVERHEAD

STORAGE, PAINTED PANEL SEGMENTS

- SD-Stonedust
- BK- Black
- FG-Folkstone Grey
- SL-Slate
- KH-Khaki
- Note: SL-Slate, FG-Folkstone Grey and KH-Khaki, minimum quantity required 100 pieces each. Available on extended lead time only.
- Note: Worksurface supports available BK-Black and SD-Stonedust only
- Note: 15% of net up charge for custom colors and metallic colors.

FABRIC SUPPLIED BY M/W

MW has access to all Burch Fabrics, True Textiles, C F Stinson, Mayer Fabrics, Maharam and Victor for use on Genesis panels, overhead storage door and tack boards.

• Note: Price is based on bare tile price, fabric cost will be added as a lump sum Fabric Up-Charge.

For samples and swatches of fabrics contact your M/W representative or contact:

Burch Fabrics Group: 800.841.8111 or www.burchfabrics.com

True Textiles: 800.544.0200 or www.truetextiles.com

C F Stinson: 248.299.3800 or www.cfstinson.com

Mayer Fabrics: 800.428.4415 or www.mayerfabrics.com

CUSTOMER'S OWN MATERIAL

Prices for COM - Call factory for current fabric pricing. Please submit a sample of 1 linear yard of 66" width COM fabric for panels for approval before ordering. MW does not assume responsibility for inspection of upholstery material furnished by others or for its performance or flammability characteristics.

PRODUCT IMPROVEMENT POLICY

MW International, Inc. reserves the right to make product changes and improvements on an ongoing basis without notifications.