



**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST
VEHICULAR MULTIPLE AWARD SCHEDULE**

**CONTRACT NUMBER:
GS-30F-0003S**

**PERIOD COVERED BY CONTRACT:
MARCH 20, 2006 THROUGH MARCH 19, 2011**

**BUSINESS SIZE:
LARGE**

**DUNS NUMBER:
001018522**

L-3 Communications Essco, Inc.

90 Nemco Way

Ayer, MA 01432

Phone: (978) 568-5100

Fax: (978) 772-7580

www.l-3com.com/essco/

Contract Administrator: John Tilly

E-Mail: John.Tilly@L-3com.com

Pricelist current through Modification #PA-0013, dated November 3, 2008

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!™, a menu-driven database system. The Internet address for GSA Advantage!™ is GSAAAdvantage.gov. For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at <http://www.gsa.gov/fas>.



TABLE OF CONTENTS

CUSTOMER INFORMATION 3

L-3 COMMUNICATIONS ESSCO, INC.'S AUTHORIZED SCHEDULE PRICELIST5

L-3 COMMUNICATIONS ESSCO, INC.'S MOBILE COMMAND
CENTER DESCRIPTIONS15

CUSTOMER INFORMATION

- 1a. Authorized Special Item Number (SIN):
Special Item No. 618-01/618-01RC FIRE FIGHTING VEHICLES AND ACCESSORIES
- 1b. Lowest priced model number and lowest unit price for that model for each SIN awarded in the contract: *Wolf Coach MC2b 2007CF Baseline (1 Unit) \$53,733*
2. Maximum order: *25 units*
3. Minimum order: *1 unit*
4. Geographic coverage (delivery area): *Domestic Delivery only*
5. Point of production: *Ayer, MA (Middlesex County) US*
6. Discount from list prices or statement of net price: *Government prices are net (discounts already deducted).*
7. Quantity discounts off of list price: *Quantity discounts are shown on page 5*
8. Prompt payment terms: *None, Net 30 days*
- 9a. Government purchase cards are accepted below the micropurchase threshold: *Yes*
- 9b. Government purchase cards are accepted above the micropurchase threshold: *No*
10. Foreign items (list items by country of origin): *None*
- 11a. Time of delivery: *180 Days ARO*
- 11b. Items available for expedited delivery: *Not Applicable*
- 11c. Overnight and 2-day delivery: *Not Applicable*
- 11d. Urgent Requirements: *Not Applicable*
12. F.O.B.: *Origin*
13. Ordering address: *L-3 Communications Essco, Inc.
90 Nemco Way
Ayer, MA 01432*

- 13b. Ordering Procedures: *For supplies and services, the ordering procedures, and information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.*
14. Payment address: *L-3 Communications Essco, Inc.
90 Nemco Way
Ayer, MA 01432*
15. Warranty provision: *Standard Commercial Warranty*
16. Export packing charges: *Not Applicable*
17. Terms and conditions of Government purchase card acceptance (any thresholds above the micropurchase level): *Accepted below micropurchase level*
18. Terms and conditions of rental, maintenance, and repair: *Not Applicable*
19. Terms and conditions of installation: *Not Applicable*
20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices: *Not Applicable*
21. List of service and distribution points: *Not Applicable*
22. List of participating dealers: *Not Applicable*
23. Preventive maintenance: *Not Applicable*
- 24a. Special Attributes such as environmental attributes: *Not Applicable*
- 24b. If applicable, Section 508 compliance information on the products in this contract are available in Electronic and Information Technology (EIT) at the following: *N/A*
25. Duns number: *001018522*
26. Contractor has registered with the Central Contractor Registration Database.
CAGE Code: *15175*

***L-3 Communications Essco, Inc.'s
Authorized Schedule Pricelist***

Model Number - Mobile Command Center	GSA Price (Per Unit)
MC2b 2007CF Baseline	
1 Unit	\$53,733
4 Units	\$53,161
8 Units	\$53,161
15 Units	\$53,161
25 Units	\$52,590
Option MC2 Rear Tent/Shelter	
1 Unit	\$3,048
4 Units	\$3,015
8 Units	\$3,015
15 Units	\$3,015
25 Units	\$2,983
Option MC2 OmniTracs	
1 Unit	\$4,960
4 Units	\$4,907
8 Units	\$4,907
15 Units	\$4,907
25 Units	\$4,854
Option MC2 Basic Microwave	
1 Unit	\$24,577
4 Units	\$24,316
8 Units	\$24,316
15 Units	\$24,316
25 Units	\$24,054

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option MC2 0.75M VSAT Advanced Antenna Reachback Package	
1 Unit	\$23,865
4 Units	\$23,611
8 Units	\$23,611
15 Units	\$23,611
25 Units	\$23,357
Option MC2-CF Basic Computer Network	
1 Unit	\$45,983
4 Units	\$45,494
8 Units	\$45,494
15 Units	\$45,494
25 Units	\$45,004
Option MC2-CF Radio Interoperability System Install Package	
1 Unit	\$24,094
4 Units	\$23,838
8 Units	\$23,838
15 Units	\$23,838
25 Units	\$23,582
Option MC2-CF Basic Video	
1 Unit	\$6,863
4 Units	\$6,790
8 Units	\$6,790
15 Units	\$6,790
25 Units	\$6,717
Super Sentinel 2007 Baseline	
1 Unit	\$503,295
4 Units	\$497,941
8 Units	\$497,941
15 Units	\$497,941
25 Units	\$492,586
Option Sentinel 22' Awning	
1 Unit	\$7,758
4 Units	\$7,675
8 Units	\$7,675
15 Units	\$7,675
25 Units	\$7,593

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option Sentinel Cypher Locks	
1 Unit	\$2,892
4 Units	\$2,861
8 Units	\$2,861
15 Units	\$2,861
25 Units	\$2,830
Sentinel 2007 Baseline	
1 Unit	\$349,824
4 Units	\$346,102
8 Units	\$346,102
15 Units	\$346,102
25 Units	\$342,381
Option Sentinel 2007 33,000 GVWR Chassis	
1 Unit	\$1,168
4 Units	\$1,155
8 Units	\$1,155
15 Units	\$1,155
25 Units	\$1,143
Option Sentinel 3-Bay Rackset Addition	
1 Unit	\$2,386
4 Units	\$2,361
8 Units	\$2,361
15 Units	\$2,361
25 Units	\$2,335
Option Sentinel Emergency Light Package	
1 Unit	\$9,975
4 Units	\$9,869
8 Units	\$9,869
15 Units	\$9,869
25 Units	\$9,763
Option Sentinel 42' Mast Package	
1 Unit	\$18,800
4 Units	\$18,600
8 Units	\$18,600
15 Units	\$18,600
25 Units	\$18,400
Option Sentinel Trailer Towing Package	
1 Unit	\$2,972
4 Units	\$2,941
8 Units	\$ 2,941
15 Units	\$2,941
25 Units	\$2,909

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option Sentinel OmniTracs Mobile Tracking System	
1 Unit	\$6,326
4 Units	\$6,259
8 Units	\$6,259
15 Units	\$6,259
25 Units	\$6,192
Option Sentinel Tie-Down Rings	
1 Unit	\$3,499
4 Units	\$3,462
8 Units	\$3,462
15 Units	\$3,462
25 Units	\$3,425
Option Sentinel Awning, 18-ft automatic	
1 Unit	\$6,887
4 Units	\$6,813
8 Units	\$6,813
15 Units	\$6,813
25 Units	\$6,740
Option Sentinel Basic Safe, 2-drawer	
1 Unit	\$3,937
4 Units	\$3,895
8 Units	\$3,895
15 Units	\$3,895
25 Units	\$3,853
MC2-MV 2007	
1 Unit	\$224,887
4 Units	\$222,494
8 Units	\$222,494
15 Units	\$222,494
25 Units	\$220,102
Option MC2-MV 2007 Spares Kit	
1 Unit	\$2,704
4 Units	\$2,676
8 Units	\$2,676
15 Units	\$2,676
25 Units	\$2,647
MC2 2007A Baseline	
1 Unit	\$88,146
4 Units	\$87,208
8 Units	\$87,208
15 Units	\$87,208
25 Units	\$86,271

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option 6kW Mobile Power System	
1 Unit	\$12,751
4 Units	\$12,615
8 Units	\$12,615
15 Units	\$12,615
25 Units	\$12,479
Option MC2 External Connector Panel	
1 Unit	\$2,350
4 Units	\$2,325
8 Units	\$2,325
15 Units	\$2,325
25 Units	\$2,300
Option MC2 Commander's Center, Rear	
1 Unit	\$3,778
4 Units	\$3,738
8 Units	\$3,738
15 Units	\$3,738
25 Units	\$3,698
Option MC2 Emergency Light Package	
1 Unit	\$4,232
4 Units	\$4,187
8 Units	\$4,187
15 Units	\$4,187
25 Units	\$4,142
Option MC2 2-Bay Rear Rackset	
1 Unit	\$4,246
4 Units	\$4,201
8 Units	\$4,201
15 Units	\$4,201
25 Units	\$4,156
Option MC2 Tie-Down Rings	
1 Unit	\$734
4 Units	\$726
8 Units	\$726
15 Units	\$726
25 Units	\$718
50' Command Trailer Baseline	
1 Unit	\$333,957
4 Units	\$330,405
8 Units	\$330,405
15 Units	\$330,405
25 Units	\$326,852

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option System Infrastructure Package Level 1	
1 Unit	\$4,850
4 Units	\$4,798
8 Units	\$4,798
15 Units	\$4,798
25 Units	\$4,747
Option System Infrastructure Package Level 2	
1 Unit	\$5,864
4 Units	\$5,802
8 Units	\$5,802
15 Units	\$5,802
25 Units	\$5,740
Option System Uninterruptible Power Supply Package	
1 Unit	\$3,830
4 Units	\$3,789
8 Units	\$3,789
15 Units	\$3,789
25 Units	\$3,749
Option Exterior Commanders Panel Comms Pkg	
1 Unit	\$7,875
4 Units	\$7,791
8 Units	\$7,791
15 Units	\$7,791
25 Units	\$7,707
Option System IP Computer Network Level 1	
1 Unit	\$43,024
4 Units	\$42,566
8 Units	\$42,566
15 Units	\$42,566
25 Units	\$42,109
Option System IP Computer Network Level 2	
1 Unit	\$58,689
4 Units	\$58,064
8 Units	\$58,064
15 Units	\$58,064
25 Units	\$57,440
Option System IP Computer Network Level 3	
1 Unit	\$77,436
4 Units	\$76,612
8 Units	\$76,612
15 Units	\$76,612
25 Units	\$75,789

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option System IP Computer Network Level 4	
1 Unit	\$101,972
4 Units	\$100,887
8 Units	\$100,887
15 Units	\$100,887
25 Units	\$99,803
Option System IP Computer Network Level 5	
1 Unit	\$128,864
4 Units	\$127,493
8 Units	\$127,493
15 Units	\$127,493
25 Units	\$126,122
Option System 0.75m Reachback Package	
1 Unit	\$22,547
4 Units	\$22,307
8 Units	\$22,307
15 Units	\$22,307
25 Units	\$22,067
Option System 0.96M-12W Reachback Package	
1 Unit	\$44,082
4 Units	\$43,613
8 Units	\$43,613
15 Units	\$43,613
25 Units	\$43,144
Option System 1.2M-8W Reachback Package	
1 Unit	\$48,127
4 Units	\$47,615
8 Units	\$47,615
15 Units	\$47,615
25 Units	\$47,103
Option System 1.2M-16W Reachback Package	
1 Unit	\$56,034
4 Units	\$55,438
8 Units	\$55,438
15 Units	\$55,438
25 Units	\$54,842
Option System 1.5M-8W Reachback Package	
1 Unit	\$95,429
4 Units	\$94,414
8 Units	\$94,414
15 Units	\$94,414
25 Units	\$93,399

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option System 1.8M-16W Reachback Package	
1 Unit	\$78,314
4 Units	\$77,481
8 Units	\$77,481
15 Units	\$77,481
25 Units	\$76,648
Option System 2.4M-8W Reachback Package	
1 Unit	\$127,719
4 Units	\$126,361
8 Units	\$126,361
15 Units	\$126,361
25 Units	\$125,002
Option System Video Level 1	
1 Unit	\$11,549
4 Units	\$11,426
8 Units	\$11,426
15 Units	\$11,426
25 Units	\$11,303
Option System Video Level 2	
1 Unit	\$19,748
4 Units	\$19,538
8 Units	\$19,538
15 Units	\$19,538
25 Units	\$19,327
Option System Video Level 3	
1 Unit	\$25,384
4 Units	\$25,114
8 Units	\$25,114
15 Units	\$25,114
25 Units	\$24,844
Option System Rvision PTZ Camera Package	
1 Unit	\$10,807
4 Units	\$10,692
8 Units	\$10,692
15 Units	\$10,692
25 Units	\$10,577
Option System ACU-T Interoperability Package (excl. radios)	
1 Unit	\$19,387
4 Units	\$19,181
8 Units	\$19,181
15 Units	\$19,181
25 Units	\$18,974

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option System ACU-1000 Interoperability Package (excl. radios)	
1 Unit	\$48,248
4 Units	\$47,735
8 Units	\$47,735
15 Units	\$47,735
25 Units	\$47,222
Option System Conference Room Display Package	
1 Unit	\$5,969
4 Units	\$5,906
8 Units	\$5,906
15 Units	\$5,906
25 Units	\$5,842
Option System Touchscreen Control Package	
1 Unit	\$7,959
4 Units	\$7,875
8 Units	\$7,875
15 Units	\$7,875
25 Units	\$7,790
Option System Video Teleconference Package Level 1	
1 Unit	\$4,332
4 Units	\$4,286
8 Units	\$4,286
15 Units	\$4,286
25 Units	\$4,240
Option System Video Teleconference Package Level 2	
1 Unit	\$21,374
4 Units	\$21,146
8 Units	\$21,146
15 Units	\$21,146
25 Units	\$20,919
Option System V7 Reachback Package	
1 Unit	\$32,996
4 Units	\$32,645
8 Units	\$32,645
15 Units	\$32,645
25 Units	\$32,294
Option System Small Office Computer Network	
1 Unit	\$14,799
4 Units	\$14,641
8 Units	\$14,641
15 Units	\$14,641
25 Units	\$14,484

Model Number - Mobile Command Center	GSA Price (Per Unit)
Option System ICRI Interoperability Package (excl. radios)	
1 Unit	\$16,658
4 Units	\$16,481
8 Units	\$16,481
15 Units	\$16,481
25 Units	\$16,304
Option System DSS Receive Package	
1 Unit	\$5,711
4 Units	\$5,651
8 Units	\$5,651
15 Units	\$5,651
25 Units	\$5,590
Guardian 144 Baseline	
1 Unit	\$98,740
4 Units	\$97,689
8 Units	\$97,689
15 Units	\$97,689
25 Units	\$96,639
Guardian 170 Baseline	
1 Unit	\$108,312
4 Units	\$107,160
8 Units	\$107,160
15 Units	\$107,160
25 Units	\$106,008

L-3 Communications Essco, Inc.'s Mobile Command Center Descriptions

WOLF COACH MC2b-2007CF

The MC2b-2007CF provides mobile command and control in a customer-furnished vehicle. The package is designed to operate in a customer-furnished shorter wheelbase Chevrolet Tahoe or GMC Yukon 4x2 chassis, or in the longer wheelbase Chevrolet Suburban or GMC Yukon XL. The upfitting of this customer-furnished vehicle includes: 200 amp alternator upgrade; auto throttle; dual gelled electrolyte technology battery system with boost switch; 2000 watts of 120 volt inverter power; 12 volt power system; shore power connection with 25ft shore cord; one rear operator station, roof deck, a convenient cable pass-through and storage space for equipment. The vehicle is equipped with up to 12 roof-top mounted antenna NMO bases, depending on options selected, and two full-width electronics racks with up to 36 rack units available for optional system equipment.

The MC2b-2007CF is designed as a baseline rack-ready vehicle, ready for integration of video, computer network, radio, reachback, and/or other options. This upfitted vehicle and associated options is designed to arrive quickly and deploy rapidly.

Option MC2 Rear Tent/Shelter

A 10' x 10' collapsible polyester fabric shelter with powder-coated steel tube frame with side curtains and carrying bag provides protection from the elements for personnel working in the rear hatch area of the vehicle.

Option MC2 OmniTRACS System

Qualcomm's OmniTRACS solution will provide wireless communication and satellite positioning tools to better manage your vehicles and equipment. The system utilizes Qualcomm's nationwide two-way satellite wireless link, enabling you to rapidly locate and contact your vehicles at any time regardless of their location. Option pricing includes equipment, installation, and configuration.

Option MC2 Basic Microwave System

This compact microwave transmission equipment package provides capability of receiving video, audio and data over varying distances depending on terrain.

Option MC2 0.75M VSAT Advanced Antenna Reachback Package

TracStar 0.75-meter auto-deploy VSAT antenna package with integrated standard-definition DSS capability. Enables reliable, secure high-speed IP-based data communications over satellite.

Option MC2-CF Basic Computer Network

The basic network communications system in the entry-level MC2 supports IP Telephony by utilizing Cisco Call Manager Express and is capable of connecting to the Public Switched Telephone Network (PSTN) via cellular, satellite, or local hard wired interfaces. This system

also includes a complete GPS navigation system, including receiver and embedded antenna that tracks up to twelve (12) satellites at a time while providing one-second navigation updates and low power consumption; a weather station including display and software; a 17" interactive pen display; and a multifunction scan/fax/printer.

Option MC2-CF Radio Interoperability System Install Package

Primarily for users furnishing their own ACU-1000, ACU-T, and/or radios, this option provides for the installation and configuration of the customer-furnished ("CF") equipment including ACU, a CF DSP module, and up to 12 CF radios.

Option MC2-CF Basic Video

Entry-level video system includes installation and configuration of DVD recorder, single video and audio monitor and video switcher.

WOLF COACH SUPER SENTINEL 2007 BASELINE

2007 International 7400 Chassis with the following: GVWR: 37,000 lbs; WB: 287"; Engine: 285 HP, 800 lb-ft Torque@1400 RPM; Transmission: Allison Automatic w/ PTO, 5 Speed; Front Axle: 14,000 lbs.; Rear Axle: 23,000 lbs.; Alternator: 200 Amp; Fuel Tanks: Dual 50 gal.; Air Conditioning; Power Windows, Power Locks; Radio: AM/FM, with CD Player; Block Engine Heater: 120 V/ 1250 Watt. Chassis prepped to run electrical and fuel lines for the generator installation and body electrical. Custom 28ft body with ducted A/C with divided conference, operation, and staging areas with the following features: four (4) under-floor storage compartments; under-floor 20kW generator; exterior access connector panel; two (2) 30" X 75" conference tables; re-configurable rear conference room to seven (7) workstation; fourteen (14) roll-around chairs; galley with refrigerator, microwave, & coffee maker; Incinolet toilet; one (1) 3-Bay, 24" deep full height rack set w/ service lighting; full width work console at rack; removable ladder for roof access; three (3) stair assemblies for truck access; twenty (20) NMO, communication antenna mounts; A 120 / 240 volt power distribution panel with power selection from either shore or on-board 20kW generator power, tap transformer; circuit breakers, analog volt, amp, and frequency metering; two (2) 120 / 12V 80 amp converter; four (4) 15,000 BTU Roof Mounted ducted A/C's with 3,600 BTU heat strips; one (1) 3,333 BTU 120 volt electric rack base heater; two (2) 5,000 BTU 120 volt wall mounted electric heater; seven (7) 12V scene-lights; 12V fluorescent interior utility lighting; two (2) stabilizing jacks; backup camera system; safety system includes: two (2) fire extinguishers, CO detector, road hazard safety kit, remote activated burglar alarm.

Option Sentinel Awning 22' Automatic

22' automatic awning including controls and motion detection system.

Option Sentinel Cypher Locks

Cypher Locks with a keypad and a no-key-bypass deadbolt will be provided for up to three doors.

SENTINEL 2007 BASELINE

2007 International 4300 Chassis with the following: GVWR: 25,999 lbs; WB: 236"; Engine: 255 HP, 660 lb-ft Torque@1400 RPM; Transmission: Automatic, 5 Speed; Front Axle: 10,000 lbs.; Rear Axle: 19,000 lbs.; Alternator: 200 Amp; Fuel Tanks: Dual 50 gal.; Air Conditioning; Power Windows, Power Locks; Radio: AM/FM, with CD Player; Block Engine Heater: 120 V/ 1250 Watt. Chassis prepped to run electrical and fuel lines for the generator installation and body electrical. Custom 22ft body with ducted A/C with divided conference, operation, and storage areas with the following features: two (2) under-floor storage compartments; under-floor 20kW generator; exterior access communications panel; 30" X 75" conference table; nine (9) roll-around chairs; One (1) 5-Bay, 24" deep full height rack set w/ service lighting; full width work console; removable ladder for roof access; two (2) stair assemblies for truck access; twenty (20) NMO, communication antenna mounts; A 120 / 240 volt power distribution panel with power selection from either shore or on-board generator power, circuit breakers, analog volt, amp, and frequency metering; two (2) 120 / 12V 80 amp converter; three (3) 15,000 BTU Roof Mounted ducted A/C's with 3,600 BTU heat strips; a 3,333 BTU 120 volt electric rack base heater; A 5,000 BTU 120 volt wall mounted electric heater; Five (5) 12V scene-lights; 12V fluorescent utility lighting in the operator's and storage areas; Two (2) stabilizing; backup camera system; safety system includes: two (2) fire extinguishers, CO detector, road hazard safety kit, remote activated burglar alarm.

Option Sentinel 2007 33,000 GVWR Chassis

Upgrade Sentinel 2007 Baseline chassis from 25,999-lb GVWR to 33,000-lb GVWR.

Option Sentinel 3-Bay Rackset Addition

Replace Partition, Sliding Door and Storage Cabinet in baseline Sentinel 2007 Baseline with 3-Bay rack.

Option Sentinel Emergency Light Package

Includes six (6) emergency strobe lights, lightbar with six (6) strobes and four (4) LED's, sirens and speakers, two (2) front fender-mounted strobes, two (2) front grill-mounted strobes, and one (1) solid-state headlamp flasher, and control panel.

Option Sentinel 42' Mast Package

42-foot mast system, including mast, air-lines and valves, a 1-1/4" Nycoil, 110-volt compressor, two (2) 12Volt lights, "mast up" warning alarm, and warning labels.

Option Sentinel Trailer Towing Package

Pintle Hitch mounted on rear of vehicle, includes removable Pintle hook, removable 2 5/16" ball hitch, and electrical connectors.

Option Sentinel OmniTracs Mobile Tracking System

OmniTracs system, including 1-year Message Service Base Plan and \$500 budget for Supplementary Messaging.

Option Sentinel Tie-Down Rings

Eight (8) tie-down rings shall be provided and installed along the chassis rails, four (4) on each side. Each tie-down shall be rated for 25,000lbs and in conjunction with the vehicle axles, will provide adequate restraint under standard aircraft loading conditions.

Option Sentinel Awning, 18-ft Automatic

18' automatic awning for Sentinel includes controls and motion detection system.

Option Sentinel Basic Safe, 2-drawer

The 2 Drawer Safe is a Class-6 legal size safe with a Multi-Lock and a Gray Finish.

MC2-MV 2007 BASELINE

The MC2-MV '07 is based on an International MXT-MV chassis which includes: GVWR of 18,500 lbs; AM/FM stereo with Cassette; International VT 365 Engine; Allison automatic transmission; 200 amp alternator; auto throttle; dual battery system with boost; two (2) manual jacks; rear equipment module w/ ample storage; tie-downs for equipment storage; 2000 watts of 120 volt inverter power; 12 volt power system; shore power connection with 25ft shore cord; one operator station, seating for three. The vehicle is also equipped with 12 roof-top mounted antenna NMO bases, contains 24 to 26 (full rack width) and 26 (half rack width) rack units of space in the equipment rack and an additional 14 (half rack width) rack units in the radio console for optional system equipment.

Option MC2-MV 2007 Spares Kit

The Vehicle Spares Kit for the MC2-MV includes a six months supply of consumable fluids (oil & windshield washer), filters (oil & fuel), and two (2) of each replaceable belt. One spare tire with rim will be provided, along with one additional tire only.

MC2 2007A BASELINE

Chevrolet Suburban 2500 4x4 chassis meets California State emissions requirements and includes: Power windows and door locks; AM/FM stereo with CD; Vortec 6000 V-8 320HP Engine; heavy duty suspension package; 200 amp alternator upgrade; auto throttle; dual battery system with boost; 2000 watts of 120 volt inverter power; 12 volt power system; shore power connection with 25ft shore cord; one operator station, seating for four, roof deck, cable pass-through and storage space for equipment or an optional Commander's Package. Also includes 12 roof-top mounted antenna NMO bases, 18 to 20 (full rack width) and 16 (half rack width) rack units.

Option 6kW Mobile Power System

Replace baseline MC2 2kW power system and associated shore power input connector and cord with a 6kW mobile power system that includes 6kW under-the-hood generator, 120VAC power distribution panel with power selection from either shore or on-board generator power, circuit breakers, a 120VAC to 12VDC 80amp converter, 2100W UPS with custom made rack, and a 50amp shore input connector and cord.

Option MC2 External Connector Panel

Exterior access cable connector panel with up to 6 connection points, and door with two stage locking latch.

Option MC2 Commander's Center, Rear

The Truck Vault Commanders Center installed in the rear storage area; cannot be used with Rack Set, Electronics 2-Bay option.

Option MC2 Emergency Light Package

MC2 Optional Emergency Light Package includes roof mounted LED light bar, sirens, speakers, headlamp flashers, taillight flashers, and front grill lights, and control panel.

Option MC2 2-Bay Rear Rackset

2-Bay rack installed in rear storage area; cannot be used with Truck Vault Commanders Center option.

Option MC2 Tie-Down Rings

Six (6) tie-down rings shall be provided and installed to the vehicle framework, three (3) on each side. Each tie-down shall be rated for 11,000lbs and in conjunction with the vehicle axles, will provide adequate restraint under standard aircraft loading conditions.

50' COMMAND TRAILER BASELINE

The Command Trailer is a 50' straight floor style insulated, lined trailer with conventional aluminum skin over steel or aluminum skeleton construction. The trailer includes two (2) personnel doors, one on the curbside and one on the rear of the vehicle, two (2) sets of stairs with railings for access to personnel doors, four (4) independently operated two-speed landing gear/leveling jacks rated for 50,000 pounds each, three (3) underbody storage compartments, 50-gallon fuel tank, 20kW generator, and four (4) roof-mounted 15,000-BTU air conditioners. The interior includes one (1) 3-bay custom aluminum electronics rack, a partition between the aft workstation area and forward conference room area, 18 workstations with rollaround chairs, and conference room with table and five rollaround chairs.

Option System Infrastructure Package Level 1

"Building block" for electronics options includes basic supply items (for example, wire, connectors, rackmounts, interface panels, etc., necessary to build any complete electronics package), along with one (1) Day of Technology Training at Wolf Coach.

Option System Infrastructure Package Level 2

Building block for electronics options in large vehicles includes basic supply items (for example, wire, connectors, rackmounts, interface panels, etc., necessary to build any complete electronics package), plus one (1) dry erase board, one (1) cork board, one (1) rear connector panel, along with one (1) Day of Technology Training at Wolf Coach.

Option System Uninterruptible Power Supply Package

This option contains: one (1) 2100 Watt Uninterruptible Power Supply with, one (1) External 72 VDC Extra Battery, one (1) External Bypass, and one (1) Network Card.

Option Exterior Commanders Panel Comms Pkg

This Option includes installation and integration into the Commander's Panel of: one (1) 17' monitor, one (1) sealed keyboard, one (1) speaker, one (1) KVM switch, and network and Telco jacks.

Option System IP Computer Network Level 1

This Option includes installation and integration of: two (2) Cell Gateways, one (1) Single Input Video Server, five (5) wired IP Phones, one (1) wireless IP Phone, one (1) Cisco 2811 Router with Network Switch, WAP, VPN, CME, FXS,FXO Modules, one (1) Operations Computer with Monitor and Keyboard, and one (1) Multifunction Scan/Fax/Printer.

Option System IP Computer Network Level 2

This option includes installation of two (2) Cell Gateways, one (1) Quad Input Video Server with Recording Software, seven (7) wired IP Phones, two (2) wireless IP Phones, one (1) Cisco 3825 Router with Network Switch, WAP, VPN, CME, FXS,FXO Modules, one (1) Operations Computer with Monitor and Keyboard, one (1) Multifunction Scan/Fax/Printer.

Option System IP Computer Network Level 3

This Option includes installation and integration of: two (2) Cell Gateways, one (1) Quad Input Video Server with Recording Software, seven (7) Cisco wired IP Phones, four (4) Cisco wireless IP Phones, one (1) Cisco 3825 Router with Network Switch, WAP, VPN, CME, FXS,FXO Modules, one (1) 2801 Router with VPN, one (1) 1500 Mesh Access Point, one (1) Operations Computer with Monitor and Keyboard, and one (1) Multifunction Scan/Fax/Printer.

Option System IP Computer Network Level 4

This Option includes installation and integration of: three (3) Cell Gateways, one (1) Satellite gateway, two (2) Quad input Video Servers, two (2) Single input Servers with Recording Software, seven (7) Cisco wired IP Phones, two (2) Cisco wireless IP Phones, one (1) Cisco 2811 Router with VPN, CME, FXS,FXO Modules, one (1) 2801 Router with VPN, one (1) Wireless Access Point, one(1) 3560 48 port switch, one (1) Operations Computer with Monitor and Keyboard, and one (1) Multifunction Scan/Fax/Printer.

Option System IP Computer Network Level 5

This Option includes installation and integration of: three (3) Cell Gateways, one (1) Satellite gateway, two (2) Quad input Video Servers, two (2) Single input Servers with Recording Software, seven (7) Cisco wired IP Phones, four (4) Cisco wireless IP Phones, one (1) Cisco 3825 Router with VPN, CME, FXS,FXO Modules, one (1) 2801 Router with VPN, one (1) Interior Wireless Access Point, one (1) 1500 Mesh Access Point, one(1) 3560 48 port switch, one (1) Operations Computer with Monitor and Keyboard, and one (1) Multifunction Scan/Fax/Printer.

Option System 0.75m Reachback Package

This Option includes installation and integration of: one (1) .75 Meter VSAT Dish with a One Button Auto Acquire Antenna Controller, one (1) Dish Network LNB Kit with wiring for one (1) customer furnished Dish Network receiver. The VSAT Dish has a 2 Watt BUC and LNB with an EMS Modem. The Package includes an Antenna Up Warning System.

Option System 0.96m-M-12W Reachback Package

This Option includes installation and integration of: one (1) .96 Meter VSAT Dish with a One Button Auto Acquire Antenna Controller, one (1) DSS System with Direct TV receiver. The VSAT Dish has a 12 Watt BUC and LNB with an EMS Modem. The Package includes an Antenna Up Warning System.

Option System 1.2M-8W Reachback Package

This Option includes installation and integration of: one (1) 1.2 Meter VSAT Dish with a One Button Auto Acquire Antenna Controller, one (1) DSS System with Direct TV receiver. The VSAT Dish has a 8 Watt BUC and LNB with an EMS Modem. The Package includes an Antenna Up Warning System.

Option System 1.2M-16W Reachback Package

This Option includes installation and integration of: one (1) 1.2 Meter VSAT Dish with a One Button Auto Acquire Antenna Controller, one (1) DSS System with Direct TV receiver. The VSAT Dish has a 16 Watt BUC and LNB with an EMS Modem. The Package includes an Antenna Up Warning System.

Option System 1.5M-8W Reachback Package

This Option includes installation and integration of: one (1) 1.5 Meter VSAT Dish with a One Button Auto Acquire Antenna Controller, one (1) DSS System with Direct TV receiver. The VSAT Dish has a 8 Watt BUC and Phase Stable LNB. The Package includes an Antenna Up Warning System, and an iDirect Modem.

Option System 1.8M-16W Reachback Package This Option includes installation and integration of: one (1) 1.8 Meter VSAT Dish with a One Button Auto Acquire Antenna Controller, one (1) DSS System with Direct TV receiver. The VSAT Dish has a 16 Watt BUC and LNB with an EMS Modem. The Package includes an Antenna Up Warning System.

Option System 2.4M-8W Reachback Package

This Option includes installation and integration of: one (1) 2.4 Meter VSAT Dish with a One Button Auto Deploy Antenna Controller, one (1) DSS System with Direct TV receiver. The VSAT Dish has a Redundant 8 Watt BUC's and Phase Stable LNB's. The Package includes an Antenna Up Warning System, and redundant iDirect Modems.

Option System Video Level 1 This Option includes installation and integration of: one (1) surveillance camera, one (1) quad 4" LCD monitor, one (1) quad audio monitor, one (1) 6x1 AFV switcher, and one (1) DV/DVD/HDD Recorder.

Option System Video Level 2 This Option includes installation and integration of: one (1) surveillance camera, one (1) quad 4" LCD monitor, one (1) quad audio monitor, one (1) 6x1 AFV switcher, one (1) DV/DVD/HDD Recorder, one (1) computer with 15" monitor and rackmount keyboard.

Option System Video Level 3

This Option includes installation and integration of: four (4) surveillance camera, ten (10) 2.5" LCD monitors, one (1) quad audio monitor, one (1) 12x1 AFV switcher, one (1) DV/DVD/HDD recorder, one (1) VHS recorder, one (1) computer with 15" monitor and rackmount keyboard.

Option System Rvision PTZ Camera Package

This Option includes installation of one (1) Sony 980 Block Camera with a 26X Zoom Lens mounted in and Nitrogen Pressurized Enclosure with one(1) 100 Watt Infrared Illuminator, and one (1) LOOK Display/Controller.

Option System ACU-T Interoperability Package (excl. radios)

This Option includes requirement-specific configuration and integration of one (1) ACU-T interoperability system with, four (4) DSP-2 Radio Interface Cards and, one(1) PSTN Telephone Interface Card. It also includes the mounting, 12 VDC power, antennas and integration of four (4) Customer Furnished Radios.

Option System ACU-1000 Interoperability Package (excl. radios)

This option includes requirement-specific configuration and integration of one (1) ACU-1000 interoperability system with, eight (8) DSP-2 Radio Interface Cards and, one(1) PSTN

Telephone Interface Card, one (1) Operations Computer with Monitor and Keyboard. It includes the mounting, 12 VDC power, antennas and integration of eight (8) Customer Furnished Radios. It also includes one (1) scanner and one (1) dual band cell repeater.

Option System Conference Room Display Package

This option includes installation of one (1) 42" Display with a wall mount, and two (2) wall mounted speakers.

Option System Touchscreen Control Package

This option includes installation of one (1) 42" touchscreen control overlay, one (1) CAT-5 KVM Extender, and one (1) Computer with Mouse and Keyboard.

Option System Video Teleconference Package Level 1

This option includes installation of one (1) Polycom Video Teleconference System.

Option System Video Teleconference Package Level 2

This Option includes installation and integration of: one (1) Tandberg Video Teleconference System, with Natural Presenter Package and MultiSite Feature.

Option System V7 Reachback Package

This Option includes installation and integration of: one (1) KVH V7 Trackphone with one (1) rackmounted Modem and one (1) Antenna Control Unit.

Option System Small Office Computer Network

This Option includes installation and integration of: one (1) Cell Gateways, one (1) Single Input Video Server , three (3) wired IP Phones, one (1) Cisco/Linksys SVR3000 Router with Network Switch, one (1) Cisco/Linksys VGA2000 Analog Voice Gateway, one (1) Panasonic CF-52 Computer, and one (1) Multifunction Scan/Fax/Printer.

Option System ICRI Interoperability Package (excl. radios)

This Option includes requirement-specific configuration and integration of one (1) ICRI interoperability system with. It also includes the mounting, 12 VDC power, antennas and integration of four (4) Customer Furnished Radios.

Option System DSS Receive Package

This Option includes installation and integration of: one (1) KVH R6 TrackVision System with one (1) rackmounted Direct TV Receiver.

GUARDIAN 144 BASELINE

The Guardian 144 Baseline is designed to support communications and/or production capabilities in a Dodge Sprinter 144-inch wheelbase platform with 9,990 GVWR. Includes High Roof, 3.0-liter V6 diesel engine, 5-speed automatic transmission, back-up alarm, roof deck with rear ladder access, 7.5kW generator with compartment, exterior A/V connector panel, 3-bay rackset, console, roll-around chair, 12-volt 50-Amp DC terminal block for radio circuit, lined and insulated interior, roof-mounted 13,500-btu air conditioner, shore cord with exterior inlet, power distribution system, two (2) exterior duplex outlets, battery boost and charger, perimeter lighting as well as 12-volt interior and storage area lighting, and carbon monoxide alarm. Standard color is white with gray cloth front bucket seats.

GUARDIAN 170 BASELINE

The Guardian 170 Baseline is designed to support communications and/or production capabilities in a Dodge Sprinter 170-inch wheelbase extended platform with 11,030 GVWR. Includes High Roof, 3.0-liter V6 diesel engine, 5-speed automatic transmission, back-up alarm, roof deck with rear ladder access, 12 kW generator with compartment, exterior A/V connector panel, 3-bay rackset, console, roll-around chair, 12-volt 50-Amp DC terminal block for radio circuit, lined and insulated interior, two (2) roof-mounted 13,500-btu air conditioners, two (2) shore cords with two (2) exterior inlets, power distribution system, two (2) exterior duplex outlets, battery boost and charger, perimeter lighting as well as 12-volt interior and storage area lighting, and carbon monoxide alarm. Standard color is white with gray cloth front bucket seats.