

**GENERAL SERVICES ADMINISTRATION  
FEDERAL SUPPLY SERVICE  
AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through *GSA Advantage!*, a menu-driven database system. The INTERNET address for *GSA Advantage!* is <http://www.gsaadvantage.gov>

**SCHEDULE TITLE: MAS**

**SIN 3361V** Vocational Vehicles  
**FSC Class(es)/Product Code:** 2540

**SIN ANCILLIARY** Ancillary Supplies & Services  
**FSC Class(es)/Product Code:** N025

**SIN 336212** Trailers and Attachments  
**FSC Class(es)/Product Code:** 2330

**SIN 3363P** Spare Components and Vehicle Accessories  
**FSC Class(es)/Product Code:** 2590

**SIN 336211** Tank Trucks  
**FSC Class(es)/Product Code:** 2320

**SIN 3361** Law Enforcement and Fire Fighting Vehicles and Attachments  
**FSC Class(es)/Product Code:** 4240



**Contract Number: GS-30F-005DA**

**Contract Period: January 5, 2016- January 4, 2021**

*For more information on ordering from Federal Supply go to this website:  
[www.gsa.gov/schedules](http://www.gsa.gov/schedules)*

**CONTRACTOR: AFRICA AUTOMOTIVE DISTRIBUTION SERVICES LTD  
40, DEVILS TOWER ROAD,  
GIBRALTAR, GIBRALTAR**  
Phone: +350 22505400  
Fax: +350 20061587  
<http://www.jeep-j8.com>

**CONTRACTOR'S ADMINISTRATION SOURCE (Domestic & Overseas):**  
Mariano Baleriola  
8-9 Devil's Tower Road  
Gibraltar, Gibraltar GX11 1AA  
**Phone:** +350 22505407  
**Email:** [Mariano.baleriola@aads-gib.com](mailto:Mariano.baleriola@aads-gib.com)

**BUSINESS SIZE:** o - Other than small business

# AADS

## CUSTOMER INFORMATION:

### 1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs)

**SIN 3361V** Vocational Vehicles

**SIN ANCILLIARY** Ancillary Supplies & Services

**SIN 336212** Trailers and Attachments

**SIN 3363P** Spare Components and Vehicle Accessories

**SIN 336211** Tank Trucks

**SIN 3361** Law Enforcement and Fire Fighting Vehicles and Attachments

### 1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:

SIN	MFR PART NO	PRODUCT NAME AND DESCRIPTION	UOI	GSA PRICE W/IFF	COO
3361V	J8SPK	JEEP J8 1ST YEAR SERVICE PACK KIT	EA	\$3,552.17	GB
ANCILLIARY	J8 Jeep 2- Day Training	J8 Jeep 2- Day Training 4WD	Per Instructor/Per Day	\$2,962.22	GB
	4WD Fleet Management and Technical 5-Day Training	Fleet Management and Technical 5-Day Training	Per Instructor/Per Day	\$2,962.22	GB
336212	3009	Cargo Trailer	EA	\$15,436.27	PT
3363P	J8SPK2	JEEP J8 1ST YEAR -20K KM-SERVICE PACK KIT V.2	EA	\$4,888.89	US
336211	IVEC 01	Iveco Eurocargo 4x4 Water tanker	EA	\$143,269.33	ES
3361	J8SP3	J8 2019 SERVICE PACK KIT V.3	EA	\$7,351.73	GB

\*These prices are the government price based on a unit of one, exclusive of any quantity / dollar volume, prompt payment, or any other concession affecting price.

1c. **HOURLY RATES (Services only):** Not Applicable

### 2. MAXIMUM ORDER\*:

<u>SIN</u>	<u>MAXIMUM ORDER</u>
3361V	\$2,000,000.00
ANCILLARY	250,000.00
336212	\$1,000,000.00

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

# AADS

3363P	\$250,000.00
336211	\$250,000.00
3361	\$2,000,000.00

NOTE TO ORDERING ACTIVITIES: \*If the best value selection places your order over the Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the schedule contract in accordance with FAR 8.404.

- MINIMUM ORDER:** One (1) Unit.
- GEOGRAPHIC COVERAGE:** Worldwide (OCONUS). LEFT-HAND DRIVE (LHD) and RIGHT-HAND DRIVE (RHD) COUNTRIES DEPENDING ON MODELS. NOT FOR USE IN DOMESTIC USA MARKET
- POINT(S) OF PRODUCTION:**  
**AFN**, Rua da Madeira 113, 3700 São João da Madeira, Portugal  
Tel.: (+351) 256 838 300 + 7 lines  
Fax: (+351) 256 838 305/8  
**AMZ**- KUTNO Skłęczkowska 18 St., 99-300 Kutno, Poland  
Tel. +48 (0) 24 357 99 00  
Fax. +48 (0) 24 357 99 01  
**ELS**, Carretera Argamasilla km 1,9. Tomelloso, Ciudad Real. Spain  
Tel +34 926 51 05 86  
**CCM Defence & Security**, Austin Clews, MD, Unit 5, Jubilee Works , Vale Street, Bolton, BL2 6QF, UK.  
Tel. + 44 (0) 1204 544930  
Fax + 44 (0) 1204 544931  
**AADS**, 8-9 Devil's Tower Road, Gibraltar, Gibraltar GX11 1AA  
Phone: +350 22505407  
Fax: +350 20061587
- DISCOUNT FROM LIST PRICES:** Prices herein are net government prices.
- QUANTITY DISCOUNT(S):**

Part ID	PRODUCT DESCRIPTION	UOI	Quantity Volume Discounts
3361	J8 LPV HARDTOP	EA	10-15 Units: 2.94% 15+ Units: 4.20%
3361V	J8 COMMAND VEHICLE	EA	10-15 Units: 3.50% 15+ Units: 5%

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726

[www.aads-gib.com](http://www.aads-gib.com)



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

3361V	J8 AMBULANCE	EA	10-15 Units: 3.50% 15+ Units: 5%
3361V	J8 TROOP CARRIER	EA	10-15 Units: 3.50% 15+ Units: 5%
3361	J8 ARMoured PATROL VEHICLE (APV)	EA	10-15 Units: 3.50% 15+ Units: 5%
3361	J8 LIGHT PATROL VEHICLE (LPV)	EA	10-15 Units: 3.12% 15+ Units: 4.65%
3361V	J8 ENHANCED COMMAND VEHICLE (ECV)	EA	10-15 Units: 2.94% 15+ Units: 4.20%
3361V	J8 UTILITY VEHICLE	EA	10-15 Units: 2.94% 15+ Units: 4.20%
3361	J8 RECONNAISSANCE VEHICLE	EA	10-15 Units: 2.94% 15+ Units: 4.20%
336212	CARGO TRAILER	EA	10-15 Units: 2.94% 15+ Units: 4.20%
3361V	J8 COMMAND VEHICLE V2	EA	10-15 Units: 3.50% 15+ Units: 5%
3361	J8 ARMoured PATROL VEHICLE V2	EA	10-15 Units: 3.50% 15+ Units: 5%
3361V	J8 TROOP CARRIER V2	EA	10-15 Units: 3.50% 15+ Units: 5%
3361V	J8 TROOP CARRIER 2019	EA	10-15 Units: 3.50% 15+ Units: 5%

**8. PROMPT PAYMENT TERMS:** Net 30 Days

**9.a Government Purchase Cards must be accepted at or below the micro-purchase threshold.**

**9.b Government Purchase Cards are not accepted above the micro-purchase threshold.** Government purchase cards are accepted above the micro-purchase threshold.

**10. FOREIGN ITEMS:**

Special Item Number (SIN)	Part Number	Product Description	Country of Origin
3361V	3016	J8 LPV HARDTOP	PT
3361V	3001	J8 COMMAND VEHICLE	PT
3361V	3002	J8 AMBULANCE	PT
3361V	3003	J8 TROOP CARRIER	PT
3361V	3004	J8 ARMoured PATROL VEHICLE (APV)	PL
3361V	3005	J8 LIGHT PATROL VEHICLE (LPV)	PT
3361V	3006	J8 ENHANCED COMMAND VEHICLE	PT

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

# AADS

3361V	3007	J8 UTILITY VEHICLE	PT
3361V	3008	J8 RECONNAISSANCE VEHICLE	PT
336212	3009	CARGO TRAILER	PT
3361V	J8HP	HARRIS APPROVED INSTALLATION RACKS FOR MULTIBRAND, HF & VHF RADIOS	GB
3361V	IVEC03	IVECO EUROCARGO 4X4 PERSONNEL CARRIER	ES
3361V	IVEC04	IVECO EUROCARGO 4X4 TACTICAL PICKUP	ES
3361V	IVEC05	IVECO EUROCARGO 4X4 LITTER CARRIER	ES
3361V	IVEC06	IVECO EUROCARGO 4X4 FLATBED	ES
3362V	IVEC02	IVECO EUROCARGO 4X4 FUEL TANKER	ES
336211	IVEC01	IVECO EUROCARGO 4X4 WATER TANKER	ES
3361	MT230	CCM MT230 MOTORCYCLE	GB
3361V	30012	J8 COMMAND VEHICLE V2	PT
3361V	30052	J8 ARMoured PATROL VEHICLE V2	PL
3361V	30032	J8 TROOP CARRIER V2	PT
3361V	4003	J8 TROOP CARRIER 2019	GB

## 11a. TIME OF DELIVERY:

SIN 3361V: Eight (8) Months ARO  
 SIN Ancillary: As Agreed with Ordering Agency  
 SIN 3361: Eight (8) Months ARO  
 SIN 336211: Eight (8) Months ARO  
 SIN 3363P: As Agreed with Ordering Agency  
 SIN 336212: Eight (8) Months ARO

**11b. EXPEDITED DELIVERY:** All items in this pricelist are available for expedited delivery.

**11c. OVERNIGHT AND 2-DAY DELIVERY:** N/A

## 11d. URGENT REQUIRMENTS:

When the Federal Supply Schedule contract delivery period does not meet the bona fide urgent delivery requirements of an ordering agency, agencies are encouraged, if time permits, to contact the Contractor for the purpose of obtaining accelerated delivery. The Contractor shall reply to the inquiry within 3 workdays after receipt. (Telephonic replies shall be confirmed by the Contractor in writing.) If the Contractor offers an accelerated delivery time acceptable to the ordering agency, any order(s) placed pursuant to the agreed upon accelerated delivery time frame shall be delivered within this shorter delivery time and in accordance with all other terms and conditions of the contract. Agencies can contact the Contractor's representative to affect a faster delivery.

## 12. FOB POINT: Origin & Destination

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

# AADS

## 13a. ORDERING ADDRESS:

AFRICA AUTOMOTIVE DISTRIBUTION SERVICES LTD  
Att.: Mariano Baleriola  
8-9 Devil's Tower Road, Gibraltar, Gibraltar GX11 1AA  
Phone: +350 200 59186  
Fax: +350 200 61587  
Email: [Mariano.Baleriola@aads-gib.com](mailto:Mariano.Baleriola@aads-gib.com)

## 13b. ORDERING PROCEDURES: Ordering activities shall use the ordering procedures described in Federal Acquisition Regulation 8.405-3 on Blanket Purchase Agreements (BPA's)

## 14. PAYMENT ADDRESS:

AFRICA AUTOMOTIVE DISTRIBUTION SERVICES LTD  
Attn: Mariano Baleriola  
40 DEVIL'S TOWER ROAD  
Gibraltar  
Gibraltar GX11 1AA  
Phone: +350 22505407  
Fax: +350 200 61587  
Email: [mariano.baleriola@aads-gib.com](mailto:mariano.baleriola@aads-gib.com)

## 15. WARRANTY PROVISION:

### **AADS WARRANTY**

Whenever any vehicle has a mechanical or electrical problem in the field, identified as Warranty issue then the Client should return a request for Warranty cover to AADS.

Important notes regarding coverage and maintenance of the Jeep, IVECO & CCM vehicles supplied by AADS.

#### **Examples of Coverage:**

Engines and related parts.  
Transmission.  
Transfer box.  
Axles.  
Instrument clusters and electronic control modules.

The Jeep, IVECO & CCM vehicles will be exempt from Warranty if the correct maintenance and records of routine maintenance / servicing are not kept for auditing purposes.

#### **Issues and Items covered:**

The Client is covered by the **AADS Basic Jeep, IVECO & CCM Limited Warranty**, which covers the cost of all parts needed to repair any defective item on vehicles supplied by AADS that are

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: [info@aads-gib.com](mailto:info@aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726

[www.aads-gib.com](http://www.aads-gib.com)



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

defective in material, workmanship or factory preparation subject to any exclusions specified in the Contract.

These Warranty repairs or adjustments, including all parts and labour connected with them will be made by an authorized Jeep/IVECO/CCM Distributor (Herein after referred to as AADS) at no charge, using new, reconditioned or remanufactured parts, depending on the part involved approved by AADS.

## General Requirements:

The Basic Jeep /IVECO/CCM AADS Warranty covers vehicles ONLY if they have been operated and maintained in the manner described in the Service Schedules.

The Warranty Begins the date the vehicles are delivered to the customer and is valid for 12 months or 20,000kms (Whichever comes first) in the case of Jeep vehicles and 12 months for IVECO vehicles.

## Issues and Items not covered:

The AADS Warranty does not cover vehicles that have missed Maintenance Schedules.

The AADS Warranty does not cover Environmental factors such as, Airborne Fallout, Bird Droppings, Insect damage, Chemicals, tree sap, salt, ocean spray, Acid rain, and road hazards.

The AADS Warranty does not cover damage caused by Hailstorms, Windstorms, Tornados, sandstorms, lightning, floods or earthquakes.

The AADS warranty does not cover damage from anything impacting the vehicle. These include Cracks and chips in glass and chips in Painted surfaces, or damage from a collision.

The AADS warranty do not cover the costs of routine maintenance and the associated parts some of these include: Lubrication, Engine tune ups, replacing filters, fuses, wiper blades, worn brake pads etc. (Wear and tear items).

## Other exclusions:

Fire or accident, Abuse or neglect.

Misuse or poor driving practices i.e.: driving over curbs, damaging wheels and or tyres or tampering with the vehicle electronics.

The use of any fluids on the vehicle not recommended by AADS resulting in malfunction or damage.

- 16. EXPORT PACKING CHARGES: N/A**
- 17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE: See 9a and 9b.**
- 18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR (IF APPLICABLE): N/A**
- 19. TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE): N/A**

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726

[www.aads-gib.com](http://www.aads-gib.com)



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

20. **TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF AVAILABLE):** N/A
- 20a. **TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE):** N/A
21. **LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE):** N/A
22. **LIST OF PARTICIPATING DEALERS (IF APPLICABLE):** N/A
23. **PREVENTIVE MAINTENANCE (IF APPLICABLE):** N/A
- 24a. **SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):** see product info for recycle content.
- 24b. **Section 508 Compliance for Electronic and Information Technology (EIT):** N/A
25. **Africa Automotive Distribution Ltd.'s DUNS NUMBER:** 565556726
26. **NOTIFICATION REGARDING REGISTRATION IN SYSTEM FOR AWARD MANAGEMENT (SAM) DATABASE:**  
Contractor has an Active Registration in the SAM database. **CAGE:** SKP60

## SIN 3361V Vocational Vehicles Pricing:

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
30012	J8 COMMAND VEHICLE V2	<p>The Jeep J8 Command Vehicle V2 is equipped with a reinforced chassis, larger brakes, axles and suspension components. It has a payload capacity of 1,160kg and is available as a 2 or 4 door model with an optional hard/soft top.</p> <p><b>PERFORMANCE</b> Max speed: 140kmh Fuel capacity: 83.3 litres Cruising range: 450-600km</p> <p><b>WEIGHTS</b> GVW: 3,364kg Curb weight: 2,204kg Payload: 1,160kg Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b> Length: 4612mm Width: 1876mm Height: 1800mm</p> <p><b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 42.2° Departure angle: 28.7°</p>	\$64,588.92

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Ramp break-over angle: 22° Side slope (driver only): 45%</p> <p><b>SUSPENSION</b> Front coil springs, rear leaf springs with heavy-duty gas assisted shock absorbers</p> <p><b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS</p> <p><b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C Vinyl seats with 60/40 rear seats</p> <p><b>TYRES</b> 265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b> 180A @ 12V</p> <p><b>EXTERIOR</b> 2 x 2 shackles for helicopter transportation Rear Dana 60 axles Rear 2" combination ball and pintle hook Reinforced chassis Twin reversing lights Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b> 2kg fire extinguisher Blackout lights Dual front airbags Full underbody protection plate group Rear light guard kit Grill inserts "A" Frame nudge bar mounted on front bumper Rear folding step LED map reading light Internal rear door release with shut handle Additional 12V power outlet Lashing eyes in rear cargo area Battery isolator switch MOPAR® Hardtop Heavy-duty aftermarket steel bumpers Portable air compressor with tyre inflation hose Tow Rope Headlight protector RFID tags</p>	
30032	<b>J8 TROOP CARRIER V2</b>	<p>Based on the Jeep J8 2 door vehicle, the Troop carrier V2 offers seating for eight soldiers. Two in the front and six in the rear. The heavy duty raised tubular frame provides additional head room and storage capacity. The soft top is manufactured with canvas and has roll up rear and side panels. The inward facing bench seats can be folded to provide additional cargo space.</p> <p><b>PERFORMANCE</b> Max speed: 140kmh Fuel capacity: 83.3 litres</p>	\$66,141.44

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Cruising range: 450-600km</p> <p><b>WEIGHTS</b>            GVW: 3,364kg            Curb weight: 2,324kg            Payload: 1,040kg            Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b>            Length: 4612mm            Width: 1876mm            Height: 2300mm</p> <p><b>OFF-ROAD CAPABILITIES</b>            60% grade incline on hard surface            Off-road clearance            Approach angle: 42.2°            Departure angle: 38.7°            Ramp break-over angle: 22°            Side slope (driver only): 45%</p> <p><b>SUSPENSION</b>            Front coil springs, rear leaf springs            with heavy-duty gas assisted            shock absorbers</p> <p><b>BRAKES</b>            Servo-assisted, uprated front            and rear disc brakes with ABS</p> <p><b>INTERIOR</b>            Front 2 x 12V power outlets            Heating, ventilation and A/C</p> <p><b>TYRES</b>            265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b>            180A @ 12V</p> <p><b>EXTERIOR</b>            Fastening clips for secured hood system            Halogen headlamps            Loop on hood to secure lowered windshield            Heavy-duty rear axle            Rear combination 2" ball and pintle hook            Reinforced chassis            Twin reversing lights            Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Dual front airbags            Underbody protection plate group            Rear light guard kit            Grill inserts            Rear folding step            LED map reading light            Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            6 x safety cage mounted grab handles            Battery isolator switch            Canvas soft top with roll up panel            Reinforced internal safety cage</p>	

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		Padding for safety cage Heavy-duty aftermarket steel bumpers Polyurethane bed liner LED interior lights Inward facing folding seats (3+3) Tow rope Headlight protectors RFID tag Portable air compressor with tyre inflation hose 2 x Optima spiral AGM batteries (75Ah each) <b>AVAILABLE OPTIONS</b> Trailer socket - 7 pin ISO 1724 Dual AGM battery system DIESEL FUEL ONLY labels 20L jerry can with holder Ammunition box storage x 2 9,000 lb electric recovery winch	
4003	<b>J8 TROOP CARRIER 2019</b>	Based on the Jeep long wheelbase vehicle, the Troop carrier 2019 offers seating for eight soldiers. Two in the front and six in the rear. The heavy duty raised tubular frame provides additional head room and storage capacity. The soft top is manufactured with canvas and has roll up rear and side panels. The inward facing seats can be folded to provide additional cargo space. <b>PERFORMANCE</b> Max speed: 177kmh Fuel capacity: 85 litres Cruising range: 700-800km <b>WEIGHTS</b> GVW: 3,200kg Curb weight: 2,200kg Payload: 1,000kg Trailer towing: 2,495kg <b>DIMENSIONS</b> Length: 4785mm Width: 1877mm Height: 2300mm <b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 41° Departure angle: 35° Ramp break-over angle: 22° Side slope (driver only): 45% <b>SUSPENSION</b> Front and rear coil springs with heavy-duty gas assisted shock absorbers <b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS <b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C <b>TYRES</b>	\$66,141.44

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>245/75R17  <b>ELECTRICAL SYSTEM</b>            12V  <b>EXTERIOR</b>            Fastening clips for secured hood system            Halogen headlamps            Loop on hood to secure lowered windshield            Heavy-duty rear axle            Rear combination 2" ball and pintle hook            Reinforced chassis            Twin reversing lights            Vehicle painted in desert tan or green  <b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Dual front airbags            Underbody protection plate group            Rear light guard kit            Grill inserts            Rear folding step            Internal rear door release with shut handle            Lashing eyes in rear cargo area            Safety cage mounted grab handles            Battery isolator switch            Canvas soft top with roll up panel            Reinforced internal safety cage            Padding for safety cage            Heavy-duty steel bumpers            Polyurethane bed liner            LED interior lights            Inward facing folding seats (3+3)            Tow rope            Headlight protectors            RFID tag            Portable air compressor with tyre inflation hose  <b>AVAILABLE OPTIONS</b>            Trailer socket - 7 pin ISO 1724            Dual AGM battery system            DIESEL FUEL ONLY labels            20L jerry can with holder            Ammunition box storage x 2            9,000 lb electric recovery winch</p>	
3001	<b>J8 COMMAND VEHICLE</b>	<p>The Jeep J8 Command Vehicle is equipped with a reinforced chassis, larger brakes, axles and suspension components. It has a payload capacity of 1,160kg and is available as a 2 or 4 door model with an optional hard/soft top.  <b>PERFORMANCE</b>            Max speed: 140kmh            Fuel capacity: 83.3 litres            Cruising range: 450-600km  <b>WEIGHTS</b>            GVW: 3,364kg            Curb weight: 2,204kg            Payload: 1,160kg            Trailer towing: 1,591kg</p>	\$57,907.47

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p><b>DIMENSIONS</b>            Length: 4612mm            Width: 1876mm            Height: 1800mm</p> <p><b>OFF-ROAD CAPABILITIES</b>            60% grade incline on hard surface            Off-road clearance            Approach angle: 42.2°            Departure angle: 28.7°            Ramp break-over angle: 22°            Side slope (driver only): 45%</p> <p><b>SUSPENSION</b>            Front coil springs, rear leaf springs            with heavy-duty gas assisted shock absorbers</p> <p><b>BRAKES</b>            Servo-assisted, uprated front and rear disc brakes with ABS</p> <p><b>INTERIOR</b>            Front 2 x 12V power outlets            Heating, ventilation and A/C</p> <p><b>TYRES</b>            265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b>            180A @ 12V</p> <p><b>EXTERIOR</b>            2 x 2 shackles for helicopter transportation            Fastening clips for secured hood system            Halogen headlamps            Loop on hood to secure lowered windshield            Rear Dana 60 axles            Rear pintle hook for towing            Reinforced chassis            Twin reversing lights            Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Blackout lights            Dual front airbags            Full underbody protection plate group            Rear light guard kit            Grill inserts            "A" Frame nudge bar mounted on front bumper            Rear folding step            LED map reading light            Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            Battery isolator switch            MOPAR® Hardtop            Heavy-duty aftermarket steel bumpers</p>	
3002	J8 AMBULANCE	<p>Based on the Jeep J8 2 door vehicle, the J8 Ambulance is a fast response vehicle to safely evacuate troops injured in the field. Fitted with an adjustable roller stretcher, folding pole stretcher, IV track bar with two bottle hooks and a large first aid cabinet.</p> <p><b>PERFORMANCE</b></p>	\$71,318.31

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Max speed: 140kmh            Fuel capacity: 83.3 litres            Cruising range: 450-600km</p> <p><b>WEIGHTS</b>            GVW: 3,364kg            Curb weight: 2,324kg            Payload: 1,040kg            Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b>            Length: 5112mm            Width: 1876mm            Height: 2200mm</p> <p><b>OFF-ROAD CAPABILITIES</b>            60% grade incline on hard surface            Off-road clearance            Approach angle: 42.2°            Departure angle: 28.7°            Ramp break-over angle: 22°            Side slope (driver only): 45%</p> <p><b>SUSPENSION</b>            Front coil springs, rear leaf springs            with heavy-duty gas assisted shock absorbers</p> <p><b>BRAKES</b>            Servo-assisted, uprated front and rear disc brakes with ABS</p> <p><b>INTERIOR</b>            Front 2 x 12V power outlets            Heating, ventilation and A/C            Vinyl front seats</p> <p><b>TYRES</b>            265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b>            180A @ 12V</p> <p><b>EXTERIOR</b>            2 x 2 shackles for helicopter transportation            Fastening clips for secured hood system            Halogen headlamps            Loop on hood to secure lowered windshield            Rear Dana 60 axles            Rear pintle hook for towing            Reinforced chassis            Twin reversing lights            Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Blackout lights            Dual front airbags            Full underbody protection plate group            Rear light guard kit            Grill inserts            "A" Frame nudge bar mounted on front bumper            Rear folding step            LED map reading light</p>	

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            Battery isolator switch            High capacity aluminium hardtop            Reinforced internal safety cage            Heavy-duty aftermarket steel bumpers            2 x Optima spiral gel batterie (75Ah each)            Underfloor battery storage compartment            LED interior lights (red/white)  <b>AMBULANCE EQUIPMENT</b>            Red cross stickers            Emergency lightbar            IV Track bar and twin bottle hooks            Patient attendant seat            Large medical supplies cabinet            PA system            Ambulance flooring - easy wipe clean            Folding pole stretcher            First aid kit            Extractor fan            Roller stretcher with 4 swivel wheels and an adjustable backrest</p>	
3003	<b>J8 TROOP CARRIER</b>	<p>Based on the Jeep J8 2 door vehicle, the Troop carrier offers seating for eight soldiers. Two in the front and six in the rear. The heavy duty raised tubular frame provides additional head room and storage capacity. The soft top is manufactured with canvas and has roll up rear and side panels. The two inward facing bench seats can be folded to provide additional cargo space.</p> <p><b>PERFORMANCE</b>            Max speed: 140kmh            Fuel capacity: 83.3 litres            Cruising range: 450-600km</p> <p><b>WEIGHTS</b>            GVW: 3,364kg            Curb weight: 2,324kg            Payload: 1,040kg            Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b>            Length: 4612mm            Width: 1876mm            Height: 2300mm</p> <p><b>OFF-ROAD CAPABILITIES</b>            60% grade incline on hard surface            Off-road clearance            Approach angle: 42.2°            Departure angle: 28.7°            Ramp break-over angle: 22°            Side slope (driver only): 45%</p> <p><b>SUSPENSION</b>            Front coil springs, rear leaf springs with heavy-duty gas assisted shock absorbers</p> <p><b>BRAKES</b>            Servo-assisted, uprated front</p>	\$59,189.53

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>and rear disc brakes with ABS</p> <p><b>INTERIOR</b>            Front 2 x 12V power outlets            Heating, ventilation and A/C            Vinyl front seats</p> <p><b>TYRES</b>            265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b>            180A @ 12V            2 x 2 shackles for helicopter transportation            Fastening clips for secured hood system            Halogen headlamps            Loop on hood to secure lowered windshield            Rear Dana 60 axles            Rear pintle hook for towing            Reinforced chassis            Twin reversing lights            Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Blackout lights            Dual front airbags            Full underbody protection plate group            Rear light guard kit            Grill inserts            "A" Frame nudge bar mounted on front bumper            Rear folding step            LED map reading light            Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            6 x safety cage mounted grab handles            Battery isolator switch            Canvas soft top with roll up panel            Reinforced internal safety cage            Heavy-duty aftermarket steel bumpers            2 x Optima spiral gel batterie (75Ah each)            Underfloor battery storage compartment            Anti-slip polyurethane bed liner            LED interior lights (red/white)            2 inward facing folding bench seats (3+3)</p>	
3006	<b>J8 ENHANCED COMMAND VEHICLE (ECV)</b>	<p>The Jeep J8 4-door Enhanced Command Vehicle is equipped with a reinforced chassis, larger brakes, axles and suspension components. A heavy duty raised aluminum hard top and a carbon steel internal safety cage offer increased cargo space for equipment stowage or communications installations</p> <p><b>PERFORMANCE</b>            Max speed: 140kmh            Fuel capacity: 83.3 litres            Cruising range: 450-600km</p> <p><b>WEIGHTS</b>            GVW: 3,364kg            Curb weight: 2,304kg</p>	\$70,105.79

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Payload: 1,060kg Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b> Length: 4612mm Width: 1876mm Height: 2100mm</p> <p><b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 42.2° Departure angle: 28.7° Ramp break-over angle: 22° Side slope (driver only): 45%</p> <p><b>SUSPENSION</b> Front coil springs, rear leaf springs with heavy-duty gas assisted shock absorbers</p> <p><b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS</p> <p><b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C Vinyl seats with 2 individual rear seats</p> <p><b>TYRES</b> 265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b> 180A @ 12V</p> <p><b>EXTERIOR</b> 2 x 2 shackles for helicopter transportation Fastening clips for secured hood system Halogen headlamps Loop on hood to secure lowered windshield Rear Dana 60 axles Rear pintle hook for towing Reinforced chassis Twin reversing lights Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b> 2kg fire extinguisher Blackout lights Dual front airbags Full underbody protection plate group Rear light guard kit Grill inserts "A" Frame nudge bar mounted on front bumper Rear folding step LED map reading light Internal rear door release with shut handle Additional 12V power outlet Lashing eyes in rear cargo area Battery isolator switch Reinforced internal safety cage High capacity aluminum hard top Heavy-duty aftermarket steel bumpers</p>	

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		2 x Optima spiral gel batteries (75Ah each) Underfloor battery storage compartment Anti-slip polyurethane bed liner 2 x 20ltr jerry can holders	
3007	<b>J8 UTILITY VEHICLE</b>	The Jeep J8 Utility Vehicle is equipped with a reinforced chassis, larger brakes, axles and suspension components. It has an extended body and can be ordered in a 2 or 4 door configuration allowing a diverse range of roles to be fulfilled by this vehicle including troop transport (crew capacity of 11), cargo vehicle, communications etc <b>PERFORMANCE</b> Max speed: 140kmh Fuel capacity: 83.3 litres Cruising range: 450-600km <b>WEIGHTS</b> GVW: 3,364kg Curb weight: 2,364kg Payload: 1,000kg Trailer towing: 1,591kg <b>DIMENSIONS</b> Length: 4950mm Width: 1876mm Height: 2100mm <b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 42.2° Departure angle: 28.7° Ramp break-over angle: 22° Side slope (driver only): 45% <b>SUSPENSION</b> Front coil springs, rear leaf springs with heavy-duty gas assisted shock absorbers <b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS <b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C Vinyl seats with 60/40 rear seats <b>TYRES</b> 265/70R17 mud terrain <b>ELECTRICAL SYSTEM</b> 180A @ 12V <b>EXTERIOR</b> 2 x 2 shackles for helicopter transportation Fastening clips for secured hood system Halogen headlamps Loop on hood to secure lowered windshield Rear Dana 60 axles Rear pintle hook for towing Reinforced chassis Twin reversing lights Vehicle painted in military green or beige	\$71,318.31

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Blackout lights            Dual front airbags            Full underbody protection plate group            Rear light guard kit            Grill inserts            "A" Frame nudge bar mounted on front bumper            Rear folding step            LED map reading light            Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            Battery isolator switch            High capacity aluminium hardtop            Reinforced internal safety cage            Heavy-duty aftermarket steel bumpers            2 x Optima spiral gel batterie (75Ah each)            Underfloor battery storage compartment            Anti-slip polyurethane bed liner</p>	
30052	<b>J8 ARMoured PATROL VEHICLE V2</b>	<p>Based on the 4-door J8 platform the Armored Jeep J8 V2 is fully protected to STANAG 4569 level 1 (CEN B6) and incorporates a 360° turret ring with an armored hatch and gunner protection plates along with a number of tactical and operational accessories.</p> <p><b>PERFORMANCE</b>            Max speed: 140kmh            Fuel capacity: 83.3 liters            Cruising range: 350-450km</p> <p><b>WEIGHTS</b>            GVW: 4,800kg            Curb weight: 4,150kg            Payload: 650kg</p> <p><b>DIMENSIONS</b>            Length: 4612mm            Width: 1876mm            Height: 2100mm</p> <p><b>OFF-ROAD CAPABILITIES</b>            60% grade incline on hard surface            Off-road clearance            Approach angle: 42.2°            Departure angle: 28.7°            Ramp break-over angle: 22°            Side slope (driver only): 45%</p> <p><b>SUSPENSION</b>            Front coil springs, rear leaf springs with heavy-duty gas assisted monotube shock absorbers</p> <p><b>INTERIOR</b>            Front 2 x 12V power outlets            Heating, ventilation and A/C            Vinyl front seats with 3 x tactical rear seats</p> <p><b>EXTERIOR</b>            2 x 2 shackles for helicopter</p>	<b>\$156,528.46</b>

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		transportation Fastening clips for secured hood system Halogen headlamps Rear Dana 60 axles Rear combination 2" ball and pintle hook for towing Reinforced chassis Twin reversing lights Vehicle painted in military green or beige <b>TYRES</b> 265/70R17 mud terrain <b>ELECTRICAL SYSTEM</b> 180A @ 12V <b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS <b>ADDITIONAL FITTED EQUIPMENT</b> 2kg fire extinguisher Blackout lights Dual front airbags Full underbody protection plate group Rear light guard kit Recovery gear "A" Frame nudge bar mounted on front bumper Rear folding step LED map reading light Internal rear door release with shut handle Additional 12V power outlet Lashing eyes in rear cargo area Battery isolator switches Heavy-duty aftermarket steel bumpers 2 x Optima spiral gel batteries (75Ah each) Anti-slip polyurethane bed liner Rocker rails/sidesteps 360° turret ring with integrated gunner seat Armored hatch and gunner protection package Stowage for ammunition (7.62) Long gun weapon holders x 4 2 x 20ltr jerry can holders LED interior light (red/white) Heavy duty electric recovery winch Spotlight kit 2-way intercom system with siren and flashing headlights Lockable fuel filler cap Window lifters with manual override (4 doors) Exhaust pipe end grill B6 armored J8 suspension pack Run-flat system on all 5 wheels Stainless steel braided brake lines Engine bay fire extinguisher (manual) Armored radiator grill Reinforced front axle assembly Tactical seats for rear x 3 Air compressor with tyre inflation hose	

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		Tow Rope Headlight protectors RFID tag	
3016	J8 LPV HARDTOP	<p>The Jeep J8 4-door light patrol vehicle is equipped with a heavy duty raised aluminum hardtop and a carbon steel internal safety cage. The tubular structure of the safety cage provides mounting points for a 360° turret ring along with other tactical equipment. This variant also provides weapon and ammunition stowage.</p> <p><b>PERFORMANCE</b> Max speed: 140kmh Fuel capacity: 83.3 liters Cruising range: 450-600km</p> <p><b>WEIGHTS</b> GVW: 3,364kg Curb weight: 2,324kg Payload: 1,040kg Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b> Length: 4612mm Width: 1876mm Height: 2100mm</p> <p><b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 42.2° Departure angle: 28.7° Ramp break-over angle: 22° Side slope (driver only): 45%</p> <p><b>SUSPENSION</b> Front coil springs, rear leaf springs with heavy-duty gas assisted shock absorbers</p> <p><b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS</p> <p><b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C Vinyl seats with 2 individual rear seats</p> <p><b>TYRES</b> 265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b> 180A @ 12V</p> <p><b>EXTERIOR</b> 2 x 2 shackles for helicopter transportation Fastening clips for secured hood system Halogen headlamps Loop on hood to secure lowered windshield Rear Dana 60 axles Rear pintle hook for towing Reinforced chassis Twin reversing lights Vehicle painted in military green or beige</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b> 2kg fire extinguisher Blackout lights</p>	\$77,744.87

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		Dual front airbags Full underbody protection plate group Rear light guard kit Grill inserts "A" Frame nudge bar mounted on front bumper Front and rear nerf bars Rear folding step LED map reading light Internal rear door release with shut handle Additional 12V power outlet Lashing eyes in rear cargo area Battery isolator switch Reinforced internal safety cage High capacity aluminum hardtop Heavy-duty aftermarket steel bumpers 2 x Optima spiral gel batteries (75Ah each) Underfloor battery storage compartment Anti-slip polyurethane bed liner Rocker rails/sidesteps 360° turret ring with integrated gunner seat Gunner platform Stowage for ammunition (7.62) Long gun weapon holders x 4 2 x 20ltr jerry can holders	
3004	<b>J8 ARMoured PATROL VEHICLE (APV)</b>	Based on the 4-door J8 platform the Armoured Jeep J8 is fully protected to STANAG 4569 level 1 (CEN B6) and incorporates a 360° turret ring with an armoured hatch and gunner protection plates along with a number of tactical and operational accessories. <b>PERFORMANCE</b> Max speed: 140kmh Fuel capacity: 83.3 litres Cruising range: 350-450km <b>WEIGHTS</b> GVW: 4,800kg Curb weight: 4,150kg Payload: 650kg <b>DIMENSIONS</b> Length: 4612mm Width: 1876mm Height: 2100mm <b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 42.2° Departure angle: 28.7° Ramp break-over angle: 22° Side slope (driver only): 45% <b>SUSPENSION</b> Front coil springs, rear leaf springs with heavy-duty gas assisted monotube shock absorbers	\$142,834.23

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p><b>INTERIOR</b>            Front 2 x 12V power outlets            Heating, ventilation and A/C            Vinyl front seats with 3 x tactical rear seats</p> <p><b>EXTERIOR</b>            2 x 2 shackles for helicopter transportation            Fastening clips for secured hood system            Halogen headlamps            Rear Dana 60 axles            Rear pintle hook for towing            Reinforced chassis            Twin reversing lights            Vehicle painted in military green or beige</p> <p><b>TYRES</b>            265/70R17 mud terrain</p> <p><b>ELECTRICAL SYSTEM</b>            180A @ 12V</p> <p><b>BRAKES</b>            Servo-assisted, uprated front and rear disc brakes with ABS</p> <p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Blackout lights            Dual front airbags            Full underbody protection plate group            Rear light guard kit            Recovery gear            "A" Frame nudge bar mounted on front bumper            Rear folding step            LED map reading light            Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            Battery isolator switches            Heavy-duty aftermarket steel bumpers            2 x Optima spiral gel batteries (75Ah each)            Underfloor battery storage compartment            Anti-slip polyurethane bed liner            Rocker rails/sidesteps            360° turret ring with integrated gunner seat            Armoured hatch and gunner protection package            Stowage for ammunition (7.62)            Long gun weapon holders x 4            2 x 20ltr jerry can holders            LED interior light (red/white)            Heavy duty electric recovery winch            Spotlight kit            2-way intercom system with siren and flashing            headlights            Lockable fuel filler cap            Window lifters with manual override (4 doors)            Exhaust pipe end grill            B6 armoured J8 suspension pack</p>	

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		Run-flat system on all 5 wheels Stainless steel braided brake lines Engine bay fire extinguisher (manual) Armoured radiator grill Reinforced front axle assembly Tactical seats for rear x 3	
3008	<b>J8 RECONNAISSANCE VEHICLE</b>	The Jeep J8 2-door reconnaissance vehicle is equipped with a full external safety cage offering rollover protection. The carbon steel tubular structure provides mounting points for a 360° turret ring along with other tactical equipment. <b>PERFORMANCE</b> Max speed: 140kmh Fuel capacity: 83.3 litres Cruising range: 450-600km <b>WEIGHTS</b> GVW: 3,364kg Curb weight: 2,442kg Payload: 922kg Trailer towing: 1,591kg <b>DIMENSIONS</b> Length: 4450mm Width: 1876mm Height: 2100mm <b>OFF-ROAD CAPABILITIES</b> 60% grade incline on hard surface Off-road clearance Approach angle: 42.2° Departure angle: 28.7° Ramp break-over angle: 22° Side slope (driver only): 45% <b>SUSPENSION</b> Front coil springs, rear leaf springs with heavy-duty gas assisted shock absorbers <b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS <b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C Vinyl seats with 60/40 rear seats <b>TYRES</b> 265/70R17 mud terrain <b>ELECTRICAL SYSTEM</b> 180A @ 12V <b>EXTERIOR</b> 2 x 2 shackles for helicopter transportation Fastening clips for secured hood system Halogen headlamps Loop on hood to secure lowered windshield Rear Dana 60 axles Rear pintle hook for towing Reinforced chassis Twin reversing lights Vehicle painted in military green or beige	\$71,194.90

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p><b>ADDITIONAL FITTED EQUIPMENT</b>            2kg fire extinguisher            Blackout lights            Dual front airbags            Full underbody protection plate group            Rear light guard kit            Grill inserts            "A" Frame nudge bar mounted on front bumper            Front and rear nerf bars            Rear folding step            LED map reading light            Internal rear door release with shut handle            Additional 12V power outlet            Lashing eyes in rear cargo area            Battery isolator switch            Full external safety cage (rollover protection)            Heavy-duty aftermarket steel bumpers            2 x Optima spiral gel batteries (75Ah each)            Underfloor battery storage compartment            Anti-slip polyurethane bed liner            Rocker rails/sidesteps            360° turret ring with integrated gunner seat            Gunner platform            Stowage for ammunition (7.62)            Axe and spade            2 x 20ltr jerry can holders</p>	
3005	<b>J8 LIGHT PATROL VEHICLE (LPV)</b>	<p>The Jeep J8 4-door light patrol vehicle is equipped with a heavy-duty carbon steel safety cage. The tubular structure provides mounting points for a 360° turret ring along with other tactical equipment. This variant also provides weapon and ammunition stowage.</p> <p><b>PERFORMANCE</b>            Max speed: 140kmh            Fuel capacity: 83.3 litres            Cruising range: 450-600km</p> <p><b>WEIGHTS</b>            GVW: 3,364kg            Curb weight: 2,324kg            Payload: 1,040kg            Trailer towing: 1,591kg</p> <p><b>DIMENSIONS</b>            Length: 4612mm            Width: 1876mm            Height: 2280mm</p> <p><b>OFF-ROAD CAPABILITIES</b>            60% grade incline on hard surface            Off-road clearance            Approach angle: 42.2°            Departure angle: 28.7°            Ramp break-over angle: 22°            Side slope (driver only): 45%</p> <p><b>SUSPENSION</b>            Front coil springs, rear leaf springs            with heavy-duty gas assisted shock</p>	\$71,194.90

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		absorbers <b>BRAKES</b> Servo-assisted, uprated front and rear disc brakes with ABS <b>INTERIOR</b> Front 2 x 12V power outlets Heating, ventilation and A/C Vinyl seats with 2 individual rear seats <b>TYRES</b> 265/70R17 mud terrain <b>ELECTRICAL SYSTEM</b> 180A @ 12V <b>EXTERIOR</b> 2 x 2 shackles for helicopter transportation Fastening clips for secured hood system Halogen headlamps Loop on hood to secure lowered windshield Rear Dana 60 axles Rear pintle hook for towing Reinforced chassis Twin reversing lights Vehicle painted in military green or beige <b>ADDITIONAL FITTED EQUIPMENT</b> 2kg fire extinguisher Blackout lights Dual front airbags Full underbody protection plate group Rear light guard kit Grill inserts "A" Frame nudge bar mounted on front bumper Front and rear nerf bars Rear folding step LED map reading light Internal rear door release with shut handle Additional 12V power outlet Lashing eyes in rear cargo area Battery isolator switch Reinforced internal safety cage Heavy-duty aftermarket steel bumpers 2 x Optima spiral gel batteries (75Ah each) Underfloor battery storage compartment Anti-slip polyurethane bed liner Rocker rails/sidesteps 360° turret ring with integrated gunner seat Gunner platform Stowage for ammunition (7.62) Long gun weapon holders x 4 Axe and spade 2 x 20ltr jerry can holders	
IVEC02	<b>IVECO EUROCARGO 4X4 FUEL TANKER</b>	Rigid tanker truck type in torsion free execution suitable for dispensing diesel fuel with a tank capacity of 7.000 l useful plus ullage 4% for expansion and a dispensing performance up to 500l/min at idle speed	155,025.46

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>conditions. Including assembly of fuelling equipment cabinet and tank on truck chassis.</p> <p><b>OPERATIONS</b>            Top loading            Bottom loading            Discharge through pump w/o meter            Discharge through pump and meter            Discharge through hose reel and meter            Self-loading</p> <p><b>PERFORMANCE</b>            Discharge through pump – 470 lpm approx.            Discharge through pump and nozzle – 80 lpm approx.            Self-loading 250 lpm approx.</p> <p><b>CHASSIS</b>            Chassis IVECO EURO CARGO ML150E2XWS 4X4            Wheelbase: 3.915            GVW – Up to 15,7 Tn.            24 V – ADR – PTO. Exhaust pipe to the opposite side of operations.</p> <p><b>DIMENSIONS AND WEIGHTS</b>            Overall dimensions of the tank – 7.500x2.500x3.000H approx.            Weight of the tank system – 2.600 Kg. approx.</p> <p><b>CHASSIS MODIFICATIONS AND COMPLETATION</b>            Subframe in SHS profile            First saddle with torsion-free pin connection.            Mounting of mudguards including brackets and mudflaps for 2nd axle.            Shortening of rear overhang in case</p> <p><b>TANK</b>            Rigid tank of 7.000 l gross volume. (excluding ullage). 2 compartments 5k-5k.            Total volume of 7.500 l. approx.            Min. 4% ullage.            Mild steel S235JR acc. EN10027. 4mm thickness.            Baffles (1) with DN500 access hole.            Welding procedure acc. EN ISO 15614-1 and licensed welders acc. EN ISO 9606-1.            Piping made of mild steel. All flanged connections.            Rear ladder made of stainless steel.            Extruded aluminium antislip catwalk on top of the tank.            Spill tray from the rear to the manhole with drain pipes all ball valves.            Foldable edge protection in aluminium.</p> <p><b>TANK FITTINGS</b>            (1) DN500 manholes made of aluminium with steel neck with security vent valve 651000 ET, pneumatic overfill sensor N17 NIEHUSER and calibrated dipstick.            Pneumatic 3” coaming valve for both compartments. Brand ET.            (1) Compensated bottom valves DN100. PBV 100 HAAR.            Control panel with pneumatic control.            2 Nos. outlets (LH+RH) camlock type for aspiration (self-loading) and for gravity discharge.            2 Nos. outlets (LH+RH) camlock type for discharge through pump w/meter.            2 Nos. outlets (LH+RH) camlock type for discharge through pump w/o meter.            Air service unit. With oil tank, pressure gauge and regulator  <b>CAMOZZI.</b></p>	

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Side enclosed cabinet with heavy duty with hinged door &amp; lock made of mil steel. Make ELS with pump pressure gauge.</p> <p><b>PUMP ASSEMBLY</b> Comprising of: 1 self-priming vane volumetric pump, with mechanical shaft sealing bypass valve, Haar 65- 500 or Blackmer DXT2.5 brand, hydraulically driven, with 500 lpm. The pump is operated by the truck engine through a properly dimensioned hydraulic system, activated by a PTO installed on the truck gear box. The PTO is pneumatically controlled from the driver's cab. Upstream 1 filter DN80 is installed in the pump line. Pneumatic controls in the cabinet allows to use the hydraulic flow to give power to the pump.</p> <p><b>FLOW METER</b> Comprising of: 1 rotatory positive displacement with accuracy of 0.05% flow meter made of aluminum casting: LIQUID CONTROL M7 2" 50-500 lpm. (or ISOIL or HAAR brand) 1 counter Veeder Root. Meter register, 5 figures. Totalizer, 8 figures. With air eliminator and strainer considered.</p> <p><b>HOSE REEL</b> 1 hose reel with automatic rewinding (spring type) suitable for 16 metres of 3/4" hose. 16 m. of XHD 19 diesel fuel hose with aluminium clamp and brass barbs connections. Brand ELAFLEX. 1 gravity nozzle DN25 for diesel fuel, diesel spout (DN19), ZVA2 1.0 with swivel connection up to 80 lpm. Brand ELAFLEX.</p> <p><b>DRIVING SYSTEMS</b> Hydraulic drive for fuel pump, driven from engine's PTO, consisting of: 1 hydraulic drive system of water pump using hydraulic motor. 1 hydraulic tank 75 l, with dipstick and strainer (volume required to avoid overheating and lamination of hydraulic oil during operation in extreme conditions) 1 hydraulic pump (50 cc/rev). Oil pressure gauge. And all necessary control valves, high-pressure hoses, tubes, gauge and fittings.</p> <p><b>PNEUMATIC SYSTEM</b> The standard chassis air system is supplemented with: 1 pressure protection valve which ensures that priority air supply is always available for vehicle's brake system. 1 micronic filter / dryer and lubricator. And the following equipment is connected to this: 1 emergency engine stop devices, placed at operation and maintenance side (refer to CHASSIS MODIFICATIONS) 1 pneumatic control to engage the pump. 1 break interlock with:</p> <p>Handrails in extended position, Cabinet door opened. And all necessary control valves, high-pressure hoses, tubes, gauge and fittings.</p> <p><b>ELECTRICAL INSTALLATION</b> Illumination of the control cabinet with ATEX light points and switch.</p>	

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE**  
We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>1 PTO warning light, inside driver's cabin (chassis standard light in cab control dashboard panel is used).            2 adjustable floodlights lights to illuminate the dispensing area.            1 license plate light            All marker lights needed.            All supplementary items are wired through fuses; switches and fuses are mounted inside driver's cabin resp. inside fuelling equipment cabinet.            All items in the dispensing circuit is labelled in English/Arabic language.</p> <p><b>GROUNDING / BONDING EQUIPMENT</b>            1 cable reel, manually rewind, with 15 m grounding / bonding cable (steel, PVC coated) and brass crocodile clip.            1 earthing / grounding bolt fitted to the control cabinet.            Braid mass connections between tank and chassis.</p> <p><b>SPARE WHEEL CARRIER</b>            Spare wheel carrier made of steel profiles with a Haacon manual winch with 250 Kg capacity with hand crank.</p> <p><b>MISCELLANEOUS</b>            1 PP toolbox 100 l.            PVC hose carriers DN150 for 2 Nos. of 2.5" hoses. It includes 2 drain points with a storage plastic box.            2 Nos. of 2.5" composite hoses, 3 m long with F-M camlock couplings.            Rear bumper (to be included with the chassis supply).            2 x fuel jerry cans 20l + 2 x water canisters 20 l.            ABC extinguishers of 2kg (in the cabin from OEM) and 6 Kg mounted in the chassis.</p> <p><b>OPERATION MANUAL / SPARE PARTS</b>            One set will be supplied incl. <b>operating and maintenance</b> instructions, diagrams and drawings, <b>spare parts catalogue</b> and sub-suppliers' literature in English/Arabic language.</p> <p><b>TESTS</b>            - Pumping system test.            - Hydraulic system test.            - Functional test of all components and systems.            - Driving and braking test.            - Weight card for each axle.</p>	
IVEC03	<b>IVECO            EUROCARGO 4X4            PERSONNEL            CARRIER</b>	<p><b>OPERATIONS</b>            Transport people and goods.            7,500 Kgs Payload</p> <p><b>TRUCK CHASSIS</b>            Chassis IVECO EUROCARGO ML 150E28WS 4x4            Wheelbase: 4150 mm</p> <p><b>CARGO BODY</b>            The Body platform is designed to transport all type of goods.            Manufactured in high quality Steel            The lateral and rear drop sides (electro welding drop sides) will be removable, so the body can be used like Flat Rack configuration</p> <p><b>DIMENSIONS AND WEIGHTS APROX</b>            External Length: 4550 mm            External Width (wall to wall): 2450 mm            Height of front wall: 1000 mm            Height of side walls with 2 rails: 500 + 300 mm - side walls to be easily removable</p>	\$115,146.10

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Height of rear wall: 500 + 300 mm - rear wall to be easily removable                      Inside Height: 1800 mm</p> <p><b>FLOOR</b>                      High quality Steel manufacture Ant slip floor. 3/5 mm Chequered steel.                      Lashing Rings to ensure load (including Euro pallets) each 500 mm along the length of the platform (each side). Minimum 08 Units                      Foldable Steps will be installed in the Tailgate to be easy the access to the platform.                      Lateral handles will be installed, for the easy access to the platform.                      Steel Mudguards will be integrated in the platform (including with the platform) and will be with anti-stone chipping treatment and no-name rubber flaps</p> <p><b>DROP SIDES</b>                      Side walls and tailgate in 2 mm steel construction 500 mm high (electro welding drop sides); + 300 mm rail (backrest) Drop side type and easily removable                      One removable stanchion on the rear corners and one center stanchion each side converts the side walls into two equal parts                      Standard hook on the stanchions, walls demountable without any tools to produce flatbed body with lashing points.</p> <p><b>FOLDABLE SEAT BENCHES</b>                      Foldable Seat benches will be installed on the Removable Drop Sides.                      Made in steel or wooden plates.                      4 units seat benches. One unit installed on each drop side.                      For transport up to <u>16 people</u>, with aprox 480 mm seat room for each person.                      For transporting general cargo, the seat benches turned upward with manual action without tools.</p> <p><b>ROOF. TARPAULIN BOWS.</b>                      Steel arches structures with a tarpaulin will be installed to cover the goods.                      The Arches will be easy removable with not Tools                      The tarpaulin will be easy dissemblable with not tools.                      The structure is robust and suitable for off-road use</p> <p><b>TARPAULIN</b>                      The tarpaulin is a UV protection PVC tarpaulin with 630g/m2                      100% Waterproof, openable and rollable up on the lateral sides and rear.                      Reinforced in the most critical parts for Off road use.</p> <p><b>LABELING</b>                      Available in ENGLISH and Arabic</p> <p><b>OPERATION MANUAL / SPARE PARTS</b>                      One set will be supplied incl. operating and maintenance instructions, diagrams and drawings, spare parts catalogue in English</p>	
IVEC04	IVECO EUROCARGO 4X4 TACTICAL PICKUP	<p>Pick-up type cargo body based on 4x4 Eurocargo Double Cabin</p> <p><b>BODY DIMENSIONS:</b>                      Length – 3,500 mm                      Width – 2,500 mm</p> <p><b>CARGO BODY:</b>                      Fabricated in S275JR and S235 steel.                      Floor fabricated from smooth steel plate                      Fixed front and side walls – height 500mm                      4 cargo securing rings (1 in each corner of the truck bed)</p> <p><b>EXTERIOR EQUIPMENT:</b></p>	\$129,457.53

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

www.aads-gib.com

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		<p>Steel Mudguards will be integrated in the platform and will be with anti-stone chipping treatment and rubber flaps            Canvas Cover securing hooks (Canvas cover not included)            Hinged spare wheel holder with manual winch to aid loading/unloading operations of the spare wheel  <b>OPERATION MANUAL / SPARE PARTS</b>            One set will be supplied incl. operating and maintenance instructions, diagrams and drawings, spare parts catalogue in English / Arabic language.</p>	
IVEC05	IVECO EUROCARGO 4X4 LITTER CARRIER	<p>Military litter carrier with 4 stretchers based on a single cabin 4x4 Iveco Eurocargo.  <b>INTERIOR BODY DIMENSIONS:</b>            Height – 2,100 mm            Length – 4,200 mm            Width – 2,500 mm  <b>LITTER CARRIER BODY:</b>            Fabricated using Polyester sandwich panels of 40mm thickness            Floor is made from wood with a hygienic PVC finish and drainage channels to facilitate easy cleaning and disinfecting process.            Double doors and fixed steps at the rear for easy ingress/egress            Tinted windows for patient privacy            Intercom system for communication between the Ambulance body and the truck cabin  <b>INTERIOR EQUIPMENT:</b>            24V interior lighting for general illumination and working areas            24V 1200VA Inverter            24V-12V DC-DC converter – 240W            A/C system with additional compressor – 9kW cooling capacity            2kW heating system            Extractor Fan            31L Refrigerator            75ah Auxiliary battery            64L plastic water tank with electric pump and stainless steel sink            Storage cabinets            Folding attendant seat for 2 people            Stainless steel medical waste bin  <b>EXTERIOR EQUIPMENT:</b>            Steel Mudguards will be integrated in the platform and will be with anti-stone chipping treatment and rubber flaps            Access Lighting            2 rotating blue beacons on the roof positioned for maximum visibility.            100W PA and Siren System  <b>MEDICAL EQUIPMENT:</b>            Stretcher system to accommodate 4 stretchers (2 on each side)            4 stretchers            Supports for 4 oxygen bottles            2 oxygen bottles (425l each) including regulator, pressure gauge and flow meter.            100 piece First Aid Kit  <b>OPERATION MANUAL / SPARE PARTS</b>            One set will be supplied incl. operating and maintenance instructions, diagrams and drawings, spare parts catalogue in English / Arabic language.</p>	\$152,193.45

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
IVEC06	IVECO EURO CARGO 4X4 FLATBED	<p><b>OPERATIONS</b> Transport goods. Aprox 8,000 Kgs Payload</p> <p><b>TRUCK CHASSIS</b> Chassis IVECO EURO CARGO ML 150E 28 WS Wheelbase: 4150 mm</p> <p><b>CARGO BODY</b> The Body platform is designed to transport all type of goods. Manufactured in high quality Steel The lateral and rear drop sides (electro welding drop sides) will be removable, so the body can be used like Flat Rack configuration.</p> <p><b>DIMENSIONS AND WEIGHTS APROX</b> External Length: 4550 mm External Width (wall to wall): 2450 mm Height of front wall: 1000 mm Height of side walls: 600 mm - side walls to be easily removable Height of rear wall: 600 mm - rear wall to be easily removable</p> <p><b>FLOOR</b> High quality Steel manufacture Anti slip floor. 3/5 mm Chequered steel. Lashing Rings to ensure load (including Euro pallets) each 600 mm along the length of the platform (each side). Minimum 08 Units Foldable Steps will be installed in the tailgate for easy access to the platform. Lateral handles will be installed, for easy access to the platform. Steel Mudguards will be integrated in the platform and will be with anti-stone chipping treatment and rubber flaps</p> <p><b>DROP SIDES</b> Side walls and tailgate in 2 mm steel construction 600 mm high (electro welding drop sides); Drop side type and easily removable. One removable stanchion on the rear corners and one centers stanchion each side converts the side walls into two equal parts Standard hook on the stanchions, walls demountable without any tools to produce flatbed body with lashing points.</p> <p><b>LABELING</b> Will be in ENGLISH / ARABIC language</p> <p><b>OPERATION MANUAL / SPARE PARTS</b> One set will be supplied incl. operating and maintenance instructions, diagrams and drawings, spare parts catalogue in English / Arabic language.</p>	\$129,457.53
J8HP	Harris approved installation racks for multiband, HF & VHF radios.	<p>AADS in conjunction with Harris have developed approved solutions for the installation of HF, VHF and Multiband radio systems into various Jeep J8 conversions. The installation solutions include:</p> <ul style="list-style-type: none"> <li>• Bespoke racking for the major system components using anti-shock mount trays such as the transceiver, amplifier and antenna coupler (Harris radio specific)</li> <li>• Bespoke bracketry for various small items such as remote keypads, power kill switches and remote speakers (Harris radio configuration specific)</li> </ul> <ul style="list-style-type: none"> <li>• Integration of appropriate power supply (Harris to supply)</li> <li>• Reinforced antenna bracket mounting points</li> <li>• Pre-cabling with protected cable routings (Harris to supply)</li> </ul>	\$3,818.79

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE**  
We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
		Provision of multiple ground straps throughout connecting the various vehicle elements to ensure the best possible ground plane for optimal radio performance.”	
<b>J8MK1</b>	<b>Jeep J8 Maintenance Kit</b>	<b>Jeep J8 Maintenance Kit Contains the following items:</b> 2 x FRONT BRAKE PADS; 2 x REAR BRAKE PADS, 2 x FRONT BRAKE DISCS; 2 x REAR BRAKE DISCS; 1 x SERPENTINE DRIVE BELT; 1 x RADIATOR HOSE (OUTLET); 1 x RADIATOR HOSE (INLET); 2 x WIPER BLADE (RH& LH); 5 x 10A MINI FUSE, RED 5 x 15A MINI FUSE, LT. BLUE; 5 x 20A MINI FUSE (YELLOW); 5 x 25A MINI FUSE (NATURAL); 5 x 30A MINI FUSE (GREEN); 1 x STEERING KNUCKLE BALL JOINT KIT; 1 x DIFFERENTIAL PLUG; 2 x SENSOR KIT, WHEEL SPEED FRONT; 2 x SENSOR KIT, WHEEL SPEED REAR; 1 x ISOLATOR SWITCH BATTERY; 2 x SHOCK ABSORBER FRONT; 2 x SHOCK ABSORBER REAR; 4 x GLOW PLUGS; 4 x INJECTORS; 2 x PARKING BRAKE SHOE KIT; 1 x RIGHT MIRROR GLASS; 1 x LEFT MIRROR GLASS; 1 x BULB KIT	\$16,246.38
<b>J8SPK</b>	<b>Jeep J8 - 1st year - 20k Km - Service Pack Kit</b>	Jeep J8 - 1st year - 20k Km - Service Pack Kit Contains the following items:4 x OIL FILTER; 4 x SUMP PLUG WASHER; 2 x FUEL FILTER; 2 x AIR FILTER; 1 x BULB KIT; 4 x OIL FILLER CAP SEAL; 8 x ENGINE OIL (32LTR in 4 Ltr Cans); 1 x OIL FRONT & REAR AXLE (5 LTR); 1 x COOLANT (25 LTR); 2 x BRAKE FLUID (500ml); 5 x 10A MINI FUSE, RED; 5 x 15A MINI FUSE, LT. BLUE; 5 x 20A MINI FUSE (YELLOW); 5 x 25A MINI FUSE (NATURAL); 5 x 30A MINI FUSE (GREEN)	\$3,552.17
<b>J8DS</b>	<b>Wi-tech diagnostic tool</b>	WI-TECH DIAGNOSTIC TOOL Contains the following: wiTECH Access Gateway The wiTECH Access Gateway provides a diagnostic tool–only wireless network for StarMOBILE VCIs, wiTECH VCI Pods, and laptops running the wiTECH Diagnostic Application. wiTECH VCI Pod The wiTECH VCI Pod provides communication with the vehicle similar to a StarMOBILE device but at less than half the cost. Multiple wiTECH VCI Pods and StarMOBILE devices can be supported by a single wiTECH Access Gateway. wiTECH Diagnostic Application This all-new diagnostic application replaces the existing StarMOBILE Desktop Client application and contains significant enhancements to improve technicians' efficiency. The application can be installed on any laptop or desktop PC that meets the minimum wiTECH system requirements. It is highly recommended that you install your software on a portable laptop computer, as this will significantly increase your mobility in the service area. Laptop as per Wi-tech recommendations and Software Pre- installation included	\$6,906.90

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

## SIN ANCILLIARY Pricing:

TRAINING COURSE NUMBER/ NAME	TRAINING COURSE DESCRIPTION	UOI	GSA Price w/IFF
<b>J8 Jeep 2- Day Training</b>	<p><b>Two Day J8 Jeep Driver and Product Training</b>                      The intended audience for this two-day course in J8 Jeep Driver Training are the Operational Handlers of the vehicles who will be required to use the J8 in the field and should be familiar with the vehicles driving capabilities across a range of relevant off road - terrain.</p> <p><b>Instructor to Student Ratio:</b> 1 Instructor to 10 Students</p> <p><b>Note:</b> AADS does not charge additionally for travel and accommodation.</p>	Per Instructor/Per Day	\$2,962.22
<b>4WD Fleet Management and Technical 5-Day Training</b>	<p><b>4WD Fleet Management and Technical - 5 Day Training</b>                      The intended audience for this 5-day course is staff managing a fleet of 4WD vehicles, covering Advanced driving skills, training skills, mechanics, diagnostics, vehicle maintenance, fleet management and training delivery as well as student assessment and evaluation.</p> <p><b>Instructor to Student Ratio:</b> 1 Instructor to 10 Students</p> <p><b>Note:</b> AADS does not charge additionally for travel and accommodation.</p>	Per Instructor/Per Day	\$2,962.22

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

## SIN 336212 Trailers and Attachments Pricing:

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
3009	CARGO TRAILER	<p>The Cargo Trailer has been specifically designed for the Jeep J8. Versatile to accommodate large and heavy payloads and can be configured for almost any application from light tactical weapons platforms, generator mounting, environmental control units, mobile maintenance workshop, enclosed container, cargo transportation, and more.</p> <p><b>WEIGHTS</b>            GVW: 1,590kg            Curb weight: 547kg            Payload: 1,043kg            Tongue weight: 159kg</p> <p><b>DIMENSIONS</b>            Length: 3835mm            Width: 1905mm            Height: 1244mm            Height with bows: 2056mm            Bed height: 1244mm            Deck height: 840mm            Inside box length: 2270mm            Inside box width: 1238mm</p> <p><b>SUSPENSION</b>            Independent rubber torsion axle</p> <p><b>SHOCK ABSORBERS</b>            Double-acting hydraulic</p> <p><b>ELECTRICAL SYSTEM</b>            12V /24V</p> <p><b>BRAKES</b>            10 x 2-1/4" inertia-actuated hydraulic surge brake system. Independent hand-brake levers for left and right-side parking brakes</p> <p><b>WHEELS</b>            Tyres: 2 x BF Goodrich LT265/70R17            Jeep rims: 17" / 5 lug x 5.5" BC</p> <p><b>CAPABILITIES</b>            Departure angle: 39°            Turning radius: 3353mm            Pintle height: 600mm            Track width: 1610mm</p>	\$15,436.27

## SIN SIN 3363P Spare Components and Vehicle Accessories Pricing:

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
ARMSPK	Jeep J8 -Armoured Spare parts kit	<b>Jeep J8 -Armoured Spare parts kits- 1 year- 20.000 km-10 vehicles includes:</b> BUSHING, Stabilizer Bar x4.LINK ASSY, Stabilizer Bar x2.Front Coil x2.Front Shock Absorber x2.Rear Shock Absorber x2.Front Stabilizer Bar x1.Rear Stabilizer Bar x1.Leaf Spring x2.Leaf Spring Bush x2.Leaf Spring U-bolts (inc nuts) x4.Leaf Spring U-bolt Mounting Plate x2.Pad Kit, Front Brakes x4.Pad Kit, Rear Brakes x2.SHACKLE, Leaf Spring (inc. integral bushing) x2.Steel Braided Brakelines (set) x1.Upper and Lower Ball Joint Kit (2 upper and 2 lower) x4. window lifter, Limit Switch x4. Relay (window lifter, light kill switch, intercom) x10.Intercom PTT Handset x2. Siren Speaker x2. Intercom Speaker x2. Window Lifter Motor x4. Door Switch x5. DAMPER, Steering x1.Run Flats System x2.Run Flat bolts (kit) x5.TYRE, BFG 265/70R17 KM2, x10.Hinge, Tailgate x3.Hinge, Side Door x8.Rubber Gasket Type A x5.Rubber Gasket Type B x5. Armoured Glass, Full Set x1. 8" 100 Watt Light set x1.Strobe Light Bulb x4.Strobe Light Power Supply x1. Mechanism, Hatch x1.Gas Spring, Hatch x4.Hinge, Hatch x2.Mechanism, Handle, Lock, Hatch x1.	\$57,854.54
J8MK2	Jeep J8 Maintenance Kit V.2	<b>Jeep J8 Maintenance Kit. v.2 Includes:</b> Plug, differential cover x2; Pad kit front disc brake x4; Disc brake front x2; Hub stud x20; Hex lock nut and washer x40; Rear brake pad kit x2; Rear brake disc x2; Park brake assy x4; Serpentine belt x2; Blade front wiper x10; Abs sensors front x2; Abs sensors rear x2; Gasket oil filler cap x2; Clean air hose x2; Calliper assembly (r) x1; Calliper assembly (l) x1; Piston and seal kit, front, disc, brake x4; Brake caliper rear right x1; Brake caliper rear left x1; Washer pump x1; Oil filler cap x1; Clk spring x1; Fuel rail x1; Fuel injector #1 cyl x1; Module kit, fuel pump/level unit x1; Accelerator pedal x1; Transfer box cable x1; Bulb kit x1; Brake master cylinder x1; Hose radiator inlet x1; Radiator outlet hose x1; Thermostat x1; Nozzle windshield washer x2; Sensor, oil temperature x1; Sensor, camshaft x1; Sensor, airflow x1; Sensor, coolant x1;Sensor, engine speed x1; Reluctor wheel crankshaft x1;Tyre, bf Goodrich 265/70r17 bfmtta km2 x10	\$13,060.49
J8SPK2	Service Pack kit v.2	<b>Service Pack Kit v.2 Includes:</b> Washer sealing x4; Element oil filter and x4; Filter fuel x4; Filter air x2; 4 ltr helix ultra-fully synthetic; motor oil x4; Transfer & steering oil (1ltr) x5; Lubricant, axle 80w 90 (5l) x1; Coolant (25l) x1; Brake; fluid, dot 4 (500ml) x1; Pad kit front disc brake x2; Rear brake pad kit x2; Park brake assy x2; Serpentine belt x1; Blade front wiper x4; Abs sensors front x1; Abs sensors rear x1; Gasket oil filler cap x2; Bulb kit x1; Tyre, bf Goodrich 265/70r17 bfmtta KM2 x5	\$4,888.89
J8MK3	J8 2019 Maintenance Kit v.3	<b>Jeep J8 Maintenance Kit v.3. J8 2019 Includes :</b> Plug, differential cover x2; Pad kit front disc brake x4; Disc brake front x2; Hub stud x20; Hex lock nut and washer x40; Rear brake pad kit x2; Rear brake disc x2; Park brake assy x4; Serpentine belt x2; Blade front wiper x10; Abs sensors front x2; Abs sensors rear x2; Gasket oil filler cap x2; Clean air hose x2; Calliper assembly (r) x1; Calliper assembly (l) x1; Brake caliper rear right x1; Brake caliper rear left x1; Washer pump x1; Oil filler cap x1; Clk spring x1; Fuel rail x1; Fuel injector #1 cyl x1; Module kit, fuel pump/level unit x1; Accelerator pedal x1; Transfer box cable x1; Brake master cylinder	\$18,332.88

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

		x1; Hose radiator inlet x1; Radiator outlet hose x1; Thermostat x1; Nozzle windshield washer x2; Sensor, oil temperature x1; Sensor, camshaft x1; Sensor, airflow x1; Sensor, coolant x1; Sensor, engine speed x1; OEM Tyres 245/75r17 x10;	
--	--	---	--

## SIN 336211 Tank Trucks Pricing:

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
IVEC01	IVECO EURO CARGO 4X4 WATER TANKER	<p>Rigid tanker truck type suitable for dispensing drinking water with a tank capacity of 6.000 l useful plus ullage 3% for expansion and a dispensing performance of 500l/min. Including assembly of piping, equipment and tank on truck chassis.</p> <p><b>OPERATIONS</b>            Top loading            Bottom loading            Gravity discharge            Discharge through pump            Self-loading</p> <p><b>PERFORMANCE</b>            Discharge through pump – 500 lpm approx..            Self-loading 250 lpm approx..</p> <p><b>CHASSIS</b>            Chassis IVECO EURO CARGO ML150E28WS 4X4            Wheelbase: 3.915            GVW – Up to 15,7 Tn.            24 V – PTO. Exhaust pipe to the opposite side of operations.</p> <p><b>DIMENSIONS AND WEIGHTS</b>            Overall dimensions of the tank – 7.500x2.500x3.000H approx..            Weight of the tank system – 2.400 Kg. approx..</p> <p><b>CHASSIS MODIFICATIONS AND COMPLETION</b>            Subframe in SHS profile            First saddle with torsion-free pin connection.            Mounting of mudguards including brackets and mudflaps for 2nd axle.            Shortening of rear overhang in case</p> <p><b>TANK</b>            Rigid tank of 6.000 l gross volume. (excluding ullage). One compartment.            Total volume of 6.400 l. approx..            Min. 3% ullage.            AISI316L 3mm thickness.            Baffles (1) with DN500 access hole.            Welding procedure acc. EN ISO 15614-1 and licensed welders acc. EN ISO 9606-1.            Piping made of SS. All flanged connections.            Rear and side ladder made of steel in AISI304            Extruded aluminium antislip catwalk on top of the tank.</p> <p><b>TANK FITTINGS</b>            DN500 manhole made of SS with vent breather and inspection/filling port (Ø3”).            Tank level indicator made of a transparent hose.            PVC hose carriers DN150 for 2 Nos. of 3” hoses.</p> <p><b>PUMP ASSEMBLY</b>            Comprising:            1 self-priming centrifugal pump, with mechanical shaft sealing, especially for drinking water            GMP G3T, up to 500 lpm @ 1000 rpm. Hydraulically driven. (or SAER or INOXPA)            1 pump suction line 3”, made of SS, mounted in the right side.            1 pump suction filter DN80, Mesh 2 mm.</p>	\$143,269.33

PO Box 1147  
 Ground Floor Wellington Court  
 8-9 Devil's Tower Road  
 GX11 1AA  
 Gibraltar

T: +350 22505400  
 E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
 We invest in people Platinum

Company Registration no: 95274

# AADS

Suction and supply outlets, camlock type male 3" w/cap in SS (LH+RH).  
The pump is operated by the truck engine through a properly dimensioned hydraulic system, activated by a PTO installed on the truck gear box. The PTO is pneumatically controlled from the driver's cab. To relief the pressure in case of blocking the outlets, one relief line is considered.

## **DRIVING SYSTEMS**

Hydraulic drive for water pump, driven from engine's p.t.o., consisting of:

1 hydraulic drive system of water pump using hydraulic motor.  
1 hydraulic tank 75 l, with dipstick and strainer (volume required to avoid overheating and lamination of hydraulic oil during operation in extreme conditions)

1 hydraulic pump (60 cc/rev).

And all necessary control valves, high-pressure hoses, tubes, gauge and fittings.

## **ELECTRICAL INSTALLATION**

1 PTO warning light, inside driver's cabin (chassis standard light in cab control dashboard panel is used).

2 adjustable floodlights lights to illuminate the dispensing area.

1 license plate light

All marker lights needed.

All supplementary items are wired through fuses; switches and fuses are mounted inside driver's cabin resp. inside fuelling equipment cabinet.

All items in the dispensing circuit is labelled in English/Arabic language.

## **SPARE WHEEL CARRIER**

Spare wheel carrier made of steel profiles with a manual winch with 250 Kg capacity.

## **MISCELLANEOUS**

1 PP toolbox 100 l.

PVC hose carriers DN150 for 2 Nos. of 3" hoses.

2 hoses of 3" with water test material, 3 m long with F-M camlock couplings inside the side carriers.

Rear bumper (to be included with the chassis supply).

2 x fuel jerry cans 20l + 2 x water canisters 20 l.

ABC extinguishers of 2kg (in the cabin from OEM).

## **PAINTING**

The tank is coated with an epoxy primer. PU topcoat is applied as the final coating. 1 single colour: tan, white or olive green. No CARC or IR coating considered. No internal coating considered.

## **OPERATION MANUAL / SPARE PARTS**

Two sets will be supplied incl. operating and maintenance instructions, diagrams and drawings, spare parts catalogue and sub-suppliers literature in English/Arabic language.

## **TESTS**

Pumping system test.

Hydraulic system test.

Functional test of all components and systems.

Driving and braking test.

Weight card for each axle.

## **PRODUCTION**

It will be executed under the established quality control system ISO 9001 and considering AQAP2110.

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274

# AADS

## SIN SIN 3361 Law Enforcement and Fire Fighting Vehicles and Attachments Pricing:

PART ID	PART NAME	PRODUCT DESCRIPTION	GSA PRICE w/IFF
MT230	MT230	<b>CCM MT230 Defence motorcycle.</b> The CCM MT230 is a 230 cc hand built "dual sport" motorcycle and is designed to provide individual transport between camps and stations under conditions of unimproved roads, mountainous terrain, and extreme climatic conditions.	<b>\$8,962.22</b>
J8SP3	J8 2019 Service Pack v.3	<b>Jeep J8 - 1st year - 20k Km - Service Pack Kit v.3 j8 2019</b> <b>Includes:</b> Washer sealing x4; Element oil filter and x4; Filter fuel x4; Filter air x2; 4 ltr helix ultra-fully synthetic; motor oil x4; Transfer & steering oil (1ltr) x5; Lubricant, axle 80w 90 (5l) x1; Coolant (25l) x1; Brake; fluid, dot 4 (500ml) x1; Pad kit front disc brake x2; Rear brake pad kit x2; Park brake assy x2; Serpentine belt x1; Blade front wiper x4; Abs sensors front x2; Abs sensors rear x2; Gasket oil filler cap x2; Tyre, OEM 245/75r17 x5	\$7,351.73

PO Box 1147  
Ground Floor Wellington Court  
8-9 Devil's Tower Road  
GX11 1AA  
Gibraltar

T: +350 22505400  
E: info@aads-gib.com

[www.aads-gib.com](http://www.aads-gib.com)

GS-30F-005DA

Rev. 03/18/2020

AADS'DUNS. 565556726



**INVESTORS IN PEOPLE™**  
We invest in people Platinum

Company Registration no: 95274