



Kovatch Mobile Equipment/KME Fire Apparatus

General Services Administration
Federal Supply Service
Authorized Federal Supply Schedule Price List

Schedule Title: Firefighting Vehicles, FSC Group 42, Schedule 23,
Part V Vehicle Multiple Award Schedule

FSC Class 4210

Contract Number: GS-30F-1035D

Contract Period: August 30, 2006 through August 29, 2011



www.kovatch.com



Kovatch Mobile Equipment/KME Fire Apparatus

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Schedule Title: Firefighting Vehicles, FSC Group 42, Schedule 23,
Part V Vehicle Multiple Award Schedule
FSC Class: 4210
Contract Number: GS-30F-1035D
Contract Period: August 30, 2006 through August 29, 2011

Contractor: Kovatch Mobile Equipment
dba KME Fire Apparatus
One Industrial Complex
Nesquehoning, PA 18240
Telephone: 800-235-3928
Fax: 570-669-5124
Email: kme@kovatch.com
Web: www.kovatch.com

Contacts: Phil Gerace, Director of Sales and Marketing
KME Fire Apparatus
One Industrial Complex
Nesquehoning, PA 18240
Telephone: 800-235-3928
Fax: 570-669-5124
Email: pgerace@kovatch.com

Jack Zalesak, Government Sales Manager
KME Fire Apparatus
One Industrial Complex
Nesquehoning, PA 18240
Telephone: 800-235-3928
Fax: 570-669-5199
Email: jzalesak@kovatch.com



Kovatch Mobile Equipment/KME Fire Apparatus

Customer Information

1. Awarded Special Item Numbers: 618-01
2. Maximum Order: \$1,000,000.00
3. Minimum Order: \$92,363.00
4. Geographic Coverage: 48 contiguous states, Washington D.C.
5. Point of Production: Nesquehoning, PA
6. Prices: As listed (discount deducted, industrial funding fee incl)
7. Quantity Discounts: Not available
8. Prompt Payment Terms: Net 30
9. Government Credit Cards: Not Accepted
10. Foreign Items: None
11. Time of Delivery: Refer to Price List for Each Model
12. FOB: Origin, Nesquehoning, PA
13. Ordering Address: KME Fire Apparatus, One Industrial Complex, Nesquehoning, PA 18240
14. Payment Address: Same as Above
15. Warranty Provisions: Starting upon delivery of the vehicle. Basic One Year Parts and Labor. Certain components may be warranted for periods exceeding one year by the component manufacturer.
16. Export Packing Charges: Not available
17. Terms and Conditions Rental, Maint, Repair: Not Available
18. Terms and Conditions of Installation: Not Available
19. Terms and Conditions of Repair Parts: Not Available
20. Terms and Conditions of Other Services: Not Available
21. List of Service and Distribution Points: Call for Details
22. List of Participating Dealers: Not Applicable for Vehicle Sales
23. Preventative Maintenance: Customer to Provide in Accordance with Equipment Maintenance Instructions
24. Additional Contractor Information: DUNS Number: 15-214-4010
25. Tax: Federal Excise Tax-FET (12%) is included in pricing of vehicles in excess of 33,000lb GVWR. Any other applicable taxes are not included.



Kovatch Mobile Equipment/KME Fire Apparatus

Schedule Product Overview

Aerials

Model #	Description	Type	Device	Chassis	Pump	Water	Price	Page #
KA107	75' Single Axle	Rear Mount	Ladder	KME Custom	1500gpm	500 gals	\$583,936	7
KA117	75' Tandem Axle	Rear Mount	Ladder	KME Custom	1500gpm	500 gals	\$600,589	8
KA207	100' Tandem Axle	Rear Mount	Ladder	KME Custom	1500gpm	500 gals	\$684,817	8
KA307	95' Tandem Axle	Rear Mount	Platform	KME Custom	1500gpm	300 gals	\$757,073	9
KA317	102' Tandem Axle	Rear Mount	Platform	KME Custom	1500gpm	300 gals	\$766,100	9
KA407	81' Tandem Axle	MidMount	Platform	KME Custom	1500gpm	300 gals	\$818,942	10
KA417	95' Tandem Axle	MidMount	Platform	KME Custom	1500gpm	300 gals	\$824,586	11
KA427	100' Tandem Axle	MidMount	Platform	KME Custom	1500gpm	300 gals	\$847,153	11
KA507	100' Tractor	Tiller	Ladder	KME Custom	Option	Option	\$763,164	12
KA607	55' FireStix	Water Twr	Ladder	KME Custom	1500gpm	500 gals	\$427,487	13
KA617	75' FireStix	Water Twr	Ladder	KME Custom	1500gpm	500 gals	\$486,268	14

Pumpers

Model #	Description	Chassis	Pump	Water/Foam	Body	Price	Page #
KP107	Skid Pumper	Ford F550 4x4, 4Dr	300gpm	250 gals	Alum	\$113,518	16
KP207	Mini Pumper	GMC 5500 4x2, 2Dr	500gpm	250 gals	Alum	\$144,968	16
KP217	Mini Pumper	GMC 5500 4x4, 2Dr	500gpm	250 gals	Alum	\$148,921	16
KP227	Mini Pumper	Ford F550 4x2, 4Dr	500gpm	250 gals	Alum	\$141,401	17
KP237	Mini Pumper	Ford F550 4x4, 4Dr	500gpm	250 gals	Alum	\$144,948	17
KP307	Competitor	Intl 4400 4x2, 2Dr	1250gpm	1000 gals	Alum	\$169,684	18
KP317	Competitor	Intl 4400 4x2, 4Dr	1250gpm	1000 gals	Alum	\$179,395	19
KP407	Challenger	Intl 4400 4x2, 2Dr	1250gpm	1000 gals	Galv Stl	\$196,941	19
KP417	Challenger	Intl 4400 4x2, 4Dr	1250gpm	1000 gals	Galv Stl	\$204,928	19
KP507	Urban Interface	Intl 7400 4x4, 4Dr	750/175gpm	500/25/25	Galv Stl	\$279,937	20
KPC107	Panther Competitor	KME Custom, 400hp, 6 Man	1500gpm	1000 gals	Alum	\$264,138	21
KPC207	Predator Custom	KME Custom, 425hp, 6 Man	1500gpm	750 gals	Galv Stl	\$307,319	22
KPC217	Predator Foam	KME Custom, 425hp, 6 Man	1500gpm	1000/20	Galv Stl	\$315,896	22
KPC227	Predator CAFS	KME Custom, 410hp, 6 Man	1500gpm	1000/20	Galv Stl	\$375,711	23
KPC307	Rear Mount	KME Custom, 410hp, 6 Man	1000gpm	500 gals	Alum	\$317,605	23
KPC407	Severe Service	KME Custom, 410hp, 6 Man	1500gpm	500/25	Galv Stl	\$337,317	24

Price includes FET when applicable.



Kovatch Mobile Equipment/KME Fire Apparatus

Tankers

Model #	Description	Chassis	Pump	Tank	Style	Price	Page #
KT107	1800 T-Tanker	Intl 7400 4x2, 2Dr	1500gpm	1800 Poly	T-Style	\$217,626	27
KT117	2500 T-Tanker	Intl 7400 6x4, 2Dr	1500gpm	2500 Poly	T-Style	\$262,080	27
KT127	1800 T-Tanker	KME Custom, 400hp, 6 Man	1500gpm	1800 Poly	T-Style	\$318,767	27
KT137	2500 T-Tanker	KME Custom, 470hp, 6 Man	1500gpm	2500 Poly	T-Style	\$358,135	28
KT207	1800 Ellip LE	Intl 7400 4x2, 2Dr	500gpm	1800 Poly/SS	Elliptical	\$188,544	29
KT217	2500 Ellip LE	Intl 7400 6x4, 2Dr	500gpm	2500 Poly/SS	Elliptical	\$198,997	30
KT227	1800 Ellip LX	Intl 7400 4x2, 2Dr	1000gpm	1800 Poly/SS	Elliptical	\$214,964	30
KT237	2500 Ellip LX	Intl 7600 4x2, 2Dr	1000gpm	2500 Poly/SS	Elliptical	\$257,971	30

Rescues

Model #	Description	Chassis	Type	Size	Body	Price	Page #
KR107	Light Duty	Ford F550 4x2, 2Dr	Walk Around	10' (123")	Alum	\$92,363	33
KR117	Light Duty	Ford F550 4x2, 2Dr	Walk Around	13' (157")	Alum	\$96,895	33
KR127	Light Duty	Ford F550 4x2, 2Dr	Walk In	13' (157")	Alum	\$111,840	33
KR207	Medium Duty	Intl 4200 4x2, 2Dr	Walk Around	13'	Alum	\$134,356	34
KR217	Medium Duty	Intl 4200 4x2, 2Dr	Walk Around	15'-6"	Alum	\$138,386	34
KR307	Heavy Duty	Intl 4400 4x2, 2Dr	Walk Around	14'-6"	Alum	\$182,354	36
KR317	Heavy Duty	Intl 4400 4x2, 2Dr	Walk Around	16'	Alum	\$186,304	36
KR327	Heavy Duty	Intl 4400 4x2, 2Dr	Walk In	14'-6"	Alum	\$200,407	36
KR337	Heavy Duty	Intl 4400 4x2, 2Dr	Walk In	16'	Alum	\$203,797	37
KR407	Heavy Duty	KME Custom, 430hp, 6 Man	Walk Around	18'-6"	Alum	\$313,570	37
KR417	Heavy Duty	KME Custom, 430hp, 6 Man	Walk In	18'-6"	Alum	\$331,623	37
KR507	Heavy Duty	KME Custom, 470hp, 6 Man	Walk Around	20'-6"	Alum	\$323,531	38
KR517	Heavy Duty	KME Custom, 470hp, 6 Man	Walk In	20'-6"	Alum	\$341,584	38
KR527	Heavy Duty	KME Custom, 470hp, 6 Man	Combination	20'-6"	Alum	\$345,199	38

Price includes FET when applicable.



Kovatch Mobile Equipment/KME Fire Apparatus

AERIALS

KME sole source, custom manufactures the broadest family of aerials in the fire service. With 21 aerial models, KME has an AerialCat for every department's needs.

Rear mount ladders and platforms range from 55' to 121', midmount ladders and platforms range from 81' to 105', and tractor drawn aerials come in a 75' and 100' version with or without a pump. KME AerialCats are designed to operate in real world conditions including dynamic loads, ice, wind and the dead weight of the ladder. Our aerials are subjected to rigorous proof load testing and UL certification and KME is the only manufacturer in the fire service to do this, because we know that the KME product is unequaled in strength, stability, and reliability.

Highlights

True Sole Source Engineering and Manufacturing of the Chassis, Body, and Aerial Device



All KME AerialCats are completely manufactured by knowledgeable KME manufacturing personnel: custom chassis, body, and aerial device. All components are engineered to work together efficiently and flawlessly and are backed by KME's strong warranty and capable customer service division.

State of the Art Controls



E-ZONE
E-SPEED
E-CUSH

AerialCats are recognized as the strongest ladders available and now KME takes smooth operation to a whole new level. Our IQAN *E-Control*[™] provides smoother, safer, and easier motion controls than any truck ever built for the fire service.

Intelligent Ladder Design



KME's intelligent ladder design provides smooth operation and decreased maintenance. The telescoping extension cylinder rods are fully enclosed at the base so they're protected from damage and weather. At full extension of the ladder, all hydraulic cylinders and rods are completely within the midsection of the ladder. This provides firefighters with clear and safe egress to and from the platform.



Kovatch Mobile Equipment/KME Fire Apparatus

KME Rear Mount Ladders

KME sole source, custom manufactures Rear Mount Ladder aerials known for their maneuverability with the shortest wheelbases and overall lengths and lowest travel heights in the industry. KME's E-Control™ motion control systems provide unprecedented ease of control and smooth operation and superior safety systems. The aerial ladders are constructed of heavy duty, 100,000psi steel and are subjected to rigorous proof load testing and UL certification and KME is the only manufacturer in the fire service to do this, because we know that the KME product is unequaled in strength, stability, and reliability.

Product Highlights

- Available in True Ladder or Quint Configurations
- Available in Single and Tandem Axles Models
- Broad Range of Ladder Choices from 75' to 121'
- Multiple Travel Heights Available
- 500, 750 and 1000 lb. Tip Loads Available
- -5 to +80 Degree Range of Elevation
- 75' Models Have a Short 14' Jack Spread
- 75' and 100' Tandem Models Have Wheelbases as Short as 202" with OAL at Around 37'
- Low Maintenance Required
- Strongest Ladders in the Industry
- Consistency in Design Provides Proven Engineering and Yields Easy Parts Availability

KA107 75' Rear Mount Ladder (Single Axle)

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof

Engine: Cummins ISL 400 with Engine Brake

Transmission: Allison EVS 3000 Automatic

Pump: 1500gpm, Single Stage

Water Tank: 500 Gallons, Polypropylene

Generator: 5500 Watt PTO/Hydraulic

Aerial Device: 75' Ladder, 100,000psi Steel

Base Unit Price: \$583,936.00 (including FET and Industrial Funding Fee)

Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KA117 75' Rear Mount Ladder (Tandem Axle)

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof
Engine: Cummins ISL 400 with Engine Brake
Transmission: Allison EVS 3000 Automatic
Pump: 1500gpm, Single Stage
Water Tank: 500 Gallons, Polypropylene
Generator: 8000 Watt PTO/Hydraulic
Aerial Device: 75' Ladder, 100,000psi Steel
Base Unit Price: \$600,589.00 (including FET and Industrial Funding Fee)
Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list

KA207 100' Rear Mount Ladder (Tandem Axle)

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof
Engine: Cummins ISL 400 with Engine Brake
Transmission: Allison EVS 3000 Automatic
Pump: 1500gpm, Single Stage
Water Tank: 500 Gallons, Polypropylene
Generator: 8000 Watt PTO/Hydraulic
Aerial Device: 100' (4 Section) Ladder, 100,000psi Steel
Base Unit Price: \$684,817.00 (including FET and Industrial Funding Fee)
Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KME Rear Mount Platforms

KME sole source, custom manufactures two Rear Mount Ladder aerials in a 95' and 102' configuration with 1000lb platform loads. KME platforms are known for their maneuverability with the shortest wheelbases and overall lengths and lowest travel heights in the industry. KME's E-Control™ motion control systems provide unprecedented ease of control and smooth operation and superior safety systems. The aerial ladders are constructed of heavy duty, 100,000psi steel and are subjected to rigorous proof load testing and UL certification and KME is the only manufacturer in the fire service to do this, because we know that the KME product is unequalled in strength, stability, and reliability.

Product Highlights

- Available in a 95' or 102' Configuration
- Multiple Travel Heights Available from 136" to 151"
- Best Elevation in the Industry (-5 to +80 degrees)
- KME's Unique Cradle Platform Mounting Provides Precise Platform Leveling
- Low Maintenance Required
- Strongest Platform Aerials in the Industry
- Consistency in Design Provides Proven Engineering, Reliability and Yields Easy Parts Availability

KA307 95' Rear Mount Platform

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof

Engine: Caterpillar C13, 470hp with Engine Brake

Transmission: Allison EVS 4000 Automatic

Pump: 1500gpm, Single Stage

Water Tank: 300 Gallons, Polypropylene

Generator: 10,000 Watt PTO/Hydraulic

Aerial Device: 95' Platform, 100,000psi Steel

Base Unit Price: \$757,073.00 (including FET and Industrial Funding Fee)

Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list

KA317 102' Rear Mount Platform

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof

Engine: Caterpillar C13, 470hp with Engine Brake

Transmission: Allison EVS 4000 Automatic

Pump: 1500gpm, Single Stage

Water Tank: 300 Gallons, Polypropylene

Generator: 10,000 Watt PTO/Hydraulic

Aerial Device: 102' Platform, 100,000psi Steel

Base Unit Price: \$766,100.00 (including FET and Industrial Funding Fee)

Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KME Midmounts

KME sole source, custom manufactures a full family of midmount aerials with both four and five section devices ranging from 81' to 100'. KME midmounts are known for their maneuverability with the shortest wheelbases and overall lengths and lowest travel heights in the industry. KME's E-Control™ motion control systems provide unprecedented ease of control and smooth operation and superior safety systems. The KME midmount with it's capability of a -12 degree elevation, is the only device to reach ground level while fully retracted for ease and safety. Our aerials are subjected to rigorous proof load testing and UL certification and KME is the only manufacturer in the fire service to do this, because we know that the KME product is unequalled in strength, stability, and reliability.

Product Highlights

- Available in True Ladder or Quint Configurations
- Multiple Travel Heights Available at 119", 128" and 132"
- Best Elevation in the Industry (-12 to +80 degrees)
- 500, 750, and 1000lb Tip/Platform Loads Available
- 250" WB on a 100' 5 –Section Platform, this is almost 2' Shorter than Other Major Manufacturers' Aerials
- Over 200' of Ground Ladder Storage within the Aerial Body
- Wide Array of Body Compartment Options
- Standard Stainless Steel Plumbing and Electric Controls with Manual Overrides
- Computerized Outrigger Auto Leveling System Standard
- More Standard Features than Any Other Midmount in the Fire Service

KA407 81' MidMount Platform

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof

Engine: Caterpillar C13, 470hp with Engine Brake

Transmission: Allison EVS 4000 Automatic

Pump: 1500gpm, Single Stage

Water Tank: 300 Gallons, Polypropylene

Generator: 10,000 Watt PTO/Hydraulic

Aerial Device: 81' Platform, 100,000psi Steel

Base Unit Price: \$818,942.00 (including FET and Industrial Funding Fee)

Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KA417 95' MidMount Platform

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof
Engine: Caterpillar C13, 470hp with Engine Brake
Transmission: Allison EVS 4000 Automatic
Pump: 1500gpm, Single Stage
Water Tank: 300 Gallons, Polypropylene
Generator: 10,000 Watt PTO/Hydraulic
Aerial Device: 95' Platform, 100,000psi Steel
Base Unit Price: \$824,586.00 (including FET and Industrial Funding Fee)
Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list

KA427 100' MidMount Platform

Chassis: KME Custom Predator MFD Chassis with 6" Raised Roof
Engine: Caterpillar C13, 470hp with Engine Brake
Transmission: Allison EVS 4000 Automatic
Pump: 1500gpm, Single Stage
Water Tank: 300 Gallons, Polypropylene
Generator: 10,000 Watt PTO/Hydraulic
Aerial Device: 100' Platform, 100,000psi Steel
Base Unit Price: \$847,153.00 (including FET and Industrial Funding Fee)
Delivery: 360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KME Tractor Drawn Aerials

KME sole source, custom manufactures TDA aerials with or without pumps. KME tractor drawn aerials are known for their maneuverability with the shortest wheelbases in the industry. KME's E-Control™ motion control systems provide unprecedented ease of control and smooth operation and superior safety systems. The tiller cab offers outstanding visibility with a no post windshield and the trailer frame is by the far the strongest in the industry. Our aerials are subjected to rigorous proof load testing and UL certification and KME is the only manufacturer in the fire service to do this, because we know that the KME product is unequalled in strength, stability, and reliability.

Product Highlights

- Best Tiller Cab Visibility Available with "No Post Vision" Windshields and Molded Glass
- Low Maintenance Requirements and Unrivaled Strength
- Shortest Tractor and Trailer Wheelbase in the Industry
- Largest Compartmentation in the Industry
- Strongest Trailer Body in the Industry
- Body is Segmented into 3 Isolated Sections to Reduce Twisting from Road Dynamics

<u>KA507</u>	<u>100' Tractor Drawn AerialCat</u>
Chassis:	KME Custom Predator MFD Chassis with 6" Raised Roof
Engine:	Caterpillar C13, 470hp with Engine Brake
Transmission:	Allison EVS 4000 Automatic
Pump:	option
Water Tank:	option
Generator:	10,000 Watt PTO/Hydraulic
Aerial Device:	100' Ladder, 100,000psi Steel
Base Unit Price:	\$763,164.00 (including FET and Industrial Funding Fee)
Delivery:	360 Days ARO Order
	<i>Contact KME for a full set of specifications, drawings and complete option list</i>



Kovatch Mobile Equipment/KME Fire Apparatus

KME FireStix

The KME FireStix is versatile with minimum setup time to maximize your firefighting response and offers the best of both a pumper and ladder truck. The FireStix is available on either a commercial or custom pumper chassis with a 500# tip load ladder.

KME offers two FireStix devices, a 55' two (2) section and a 75' three (3) section. KME FireStix water towers are known for their maneuverability with the shortest wheelbases and overall lengths and lowest travel heights in the industry. The boom sections are constructed of high strength steel with a 2:1 structural safety factor. Our FireStix are subjected to rigorous testing and UL certification.

Product Highlights

- The Rescue Ladder is Manufactured by KME from High Strength Steel, which is Type I Tested and Certified with the Boom Section
- Single waterway, which is enclosed inside the boom sections.
- -10 to +90 degree elevation range
- Internal tooth rotation bearing
- All FireStix are Tested and Certified by Underwriter Laboratories (UL)
- KME Manufactures the Entire FireStix Product In-house
- Torque Box Allows for Maximum Hosebed Storage Capability
- Extension Systems are Fully Enclosed inside the Boom Sections for Added Protection

<u>KA607</u>	<u>55' FireStix-Pumper with Water Tower</u>
Chassis:	KME Custom Predator MFD Chassis with 6" Raised Roof
Engine:	Caterpillar C9 400 with Engine Brake
Transmission:	Allison EVS 3000 Automatic
Pump:	1500gpm, Single Stage
Water Tank:	500 Gallons, Polypropylene
Generator:	10,000 Watt PTO/Hydraulic
Aerial Device:	55' FireStix Water Tower
Base Unit Price:	\$427,487.00 (including FET and Industrial Funding Fee)
Delivery:	360 Days ARO Order

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KA617	75' FireStix-Pumper with Water Tower
Chassis:	KME Custom Predator MFD Chassis with 6" Raised Roof
Engine:	Caterpillar C9 400 with Engine Brake
Transmission:	Allison EVS 3000 Automatic
Pump:	1500gpm, Single Stage
Water Tank:	500 Gallons, Polypropylene
Generator:	10,000 Watt PTO/Hydraulic
Aerial Device:	75' FireStix Water Tower
Base Unit Price:	\$486,268.00 (including FET and Industrial Funding Fee)
Delivery:	360 Days ARO Order
	<i>Contact KME for a full set of specifications, drawings and complete option list</i>



Kovatch Mobile Equipment/KME Fire Apparatus

PUMPERS

When your department needs a new pumper, turn to KME Fire Apparatus. At KME our pumpers are custom-designed to your specifications. No hassles or fuss, just experienced engineers and manufacturing professionals building apparatus for the way you fight fires.

KME Fire Apparatus leads the way with over 300 custom cab and chassis combinations. Each with KME's outstanding engineering, quality and serviceability. All major commercial chassis are available as well. KME pumper bodies offer a full range of options including custom plumbing and custom compartmentation and are available in 3/16" aluminum, galvanealed steel, or stainless steel.

Highlights

Variety of Chassis Available




Choose from a variety of commercial chassis or one of over 300 KME custom chassis in 2 and 4 door styles in 4x2 or 4x4 configurations. KME offers numerous seating and raised roof options as well as cab air bottle storage, interior EMS compartments, and several short wheelbase options for maneuverability in tight areas.

Totally Custom Configurations



KME allows fire departments to totally customize their apparatus to meet the unique needs of the protection area. Special extended bumpers with discharges, tools, and winches; custom plumbing including foam and CAFS; flexible compartmentation including body roof compartments; and unique ladder, suction, and tool storage options are all examples of how KME makes custom easy.

Strong Bodies



KME pumper bodies are the strongest available to the fire service. They utilize fabricated body panels in conjunction with an extruded support structure which provides unsurpassed strength and flexibility. Bodies are available in aluminum, galvanealed steel or stainless steel.



Kovatch Mobile Equipment/KME Fire Apparatus

KME Skid Units & Mini-Pumpers

KME skid units offer a wide range of pumps and storage options in a compact and versatile design ready for any environment. The low profile and compact design offers accessibility on or off road.

The KME mini-pumper offers full size pumper power and storage in a compact package ready for action on or off the road. The low profile offers accessibility to not only wildland fires, but also to busy city streets, long narrow driveways, and parking garages where larger pumpers can't negotiate.

KP107 Ford Skid Mounted 4x4 Pumper

Chassis: Ford F550, 4 Door, 4x4
Engine: 6.0L V8 Power Stroke Diesel (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Pump: Darley 2 1/2 AGE-26 LD portable diesel pump, 300gpm
Water Tank: 250 Gallons, Polypropylene
Body: Aluminum Skid Body
Base Unit Price: \$113,518.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list

KP207 GMC 4x2 Mini-Pumper

Chassis: GMC 5500, 2Door, 4x2
Engine: DURAMAX Diesel 6600, 300 HP (2007 Emission Standard Diesel Engine)
Transmission: EVS 1000 Automatic
Pump: 500gpm PTO Pump
Water Tank: 250 Gallons, Polypropylene
Body: Aluminum Mini-Pumper Body (Rollup or Hinged Doors)
Other: LED Lighting, NFPA Equipment Package
Base Unit Price: \$144,968.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list

KP217 GMC 4x4 Mini-Pumper

Chassis: GMC 5500, 2Door, 4x4
Engine: DURAMAX Diesel 6600, 300 HP (2007 Emission Standard Diesel Engine)
Transmission: EVS 1000 Automatic
Pump: 500gpm PTO Pump
Water Tank: 250 Gallons, Polypropylene
Body: Aluminum Mini-Pumper Body (Rollup or Hinged Doors)
Other: LED Lighting, NFPA Equipment Package
Base Unit Price: \$148,921.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KP227 Ford 4x2 Mini-Pumper, 4 Door

Chassis: Ford F550, 4 Door, 4x2, XL
Engine: 6.0L V8 Power Stroke Diesel (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Pump: 500gpm PTO Pump
Water Tank: 250 Gallons, Polypropylene
Body: Aluminum Mini-Pumper Body (Rollup or Hinged Doors)
Other: LED Lighting, NFPA Equipment Package
Base Unit Price: \$141,401.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KP237 Ford 4x4 Mini-Pumper, 4 Door

Chassis: Ford F550, 4 Door, 4x4, XL
Engine: 6.0L V8 Power Stroke Diesel (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Pump: 500gpm PTO Pump
Water Tank: 250 Gallons, Polypropylene
Body: Aluminum Mini-Pumper Body (Rollup or Hinged Doors)
Other: LED Lighting, NFPA Equipment Package
Base Unit Price: \$144,948.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KME Commercial Pumpers

KME sole source, custom manufactures the most custom pumpers in the fire service. Customers can choose from a wide range of commercial chassis from many major manufacturers.

Single and two-stage pumps are available from all major manufacturers ranging in capacities from 250gpm PTO-driven to 2250gpm midships. A variety of foam and CAF systems are also available. KME plumbing is offered in a full range of galvanized pipe, stainless steel, brass or high pressure hose.

KME offers truly custom-built trucks to your specifications from the ground up. So your truck is your truck—unlike any other and customized to your needs, not your manufacturer's needs.

Product Highlights

- All major brands of commercial chassis in 2 and 4 door models in 4x2, 4x4, and 6x4 models
- Variety of bumper extensions and Pump Panel Options
- Galvannealed steel, aluminum or stainless steel bodies in hundreds of configurations
- 750 to 2250 gpm midship pump or PTO pumps available (polypropylene, fiberglass or stainless steel)
- Foam systems and CAFS available
- Custom discharge and suction layouts
- Hinged or roll-up doors available
- Variety of lighting and generator systems available

<u>KP307</u>	<u>International 4400 2 Door Competitor Pumper</u>
Chassis:	International 4400 2 Door
Engine:	DT 570, 310hp (2007 Emission Standard Diesel Engine)
Transmission:	EVS 3000 Automatic
Pump:	1,250gpm Midship Pump, Side Mount Pump Panel
Water Tank:	1000 Gallons, Polypropylene
Body:	Aluminum 147" Flatback Body (Rollup or Hinged Doors) Left Side Compts: Full Height/Split Depth Right Side Compts: Low Side with External Ladder Storage Above
Other:	Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price:	\$169,684.00 (including FET and Industrial Funding Fee)
Delivery:	180 Days ARO Chassis <i>Contact KME for a full set of specifications, drawings and complete option list</i>



Kovatch Mobile Equipment/KME Fire Apparatus

KP317 International 4400 4 Door Competitor Pumper

Chassis: International 4400 4 Door
Engine: DT 570, 310hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 1,250gpm Midship Pump, Side Mount Pump Panel
Water Tank: 1000 Gallons, Polypropylene
Body: Aluminum 147" Flatback Body (Rollup or Hinged Doors)
Left Side Compts: Full Height/Split Depth
Right Side Compts: Low Side with External Ladder Storage Above
Other: Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price: \$179,395.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KP407 International 4400 2 Door Challenger Pumper

Chassis: International 4400 2 Door
Engine: DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 1,250gpm Midship Pump, Side Mount Pump Panel
Water Tank: 1000 Gallons, Polypropylene
Body: Galvannealed Steel 157" Flatback Body (Rollup or Hinged Doors)
Left & Right Side Compts: Full Height/Split Depth
Internal Ladder Storage Thu Tank
Other: Diamond Logic Multiplex, LED Lights, NFPA Equipment Package
Base Unit Price: \$196,941.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KP417 International 4400 4 Door Challenger Pumper

Chassis: International 4400 4 Door
Engine: DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 1,250gpm Midship Pump, Side Mount Pump Panel
Water Tank: 1000 Gallons, Polypropylene
Body: Galvannealed Steel 157" Flatback Body (Rollup or Hinged Doors)
Left & Right Side Compts: Full Height/Split Depth
Internal Ladder Storage Thu Tank
Other: Diamond Logic Multiplex, LED Lights, NFPA Equipment Package
Base Unit Price: \$204,928.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KP507	International 7400 4x4 Urban Interface Pumper
Chassis:	International 7400 4 Door, 4x4
Engine:	DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission:	EVS 3000 Automatic
Pump:	750gpm Midship Pump, Side Mount Pump Panel 175gpm Aux Pump for Pump and Roll Class A &B Foam System
Water Tank:	500 Water, 25/25 Dual Foam Tanks
Body:	Galvannealed Steel 101" Flatback Body (Rollup or Hinged Doors) Left & Right Side Compts: Full Height/Split Depth Internal Ladder Storage Thu Tank
Other:	Diamond Logic Multiplex, LED Lights, NFPA Equipment Package
Base Unit Price:	\$279,937.00 (including FET and Industrial Funding Fee)
Delivery:	180 Days ARO Chassis <i>Contact KME for a full set of specifications, drawings and complete option list</i>



Kovatch Mobile Equipment/KME Fire Apparatus

KME Custom Pumpers

KME sole source, custom manufactures the most custom pumpers in the fire service. With over 300 different custom cab configurations. KME offers numerous seating and storage compartment options including 2 door cabs with rear storage, 3 door cabs with command centers, cabs with rear crew door entry, and numerous styles of cab compartments.

Single and two-stage pumps are available from all major manufacturers ranging in capacities from 250gpm PTO-driven to 2250gpm midships. A variety of foam and CAF systems are also available. KME plumbing is offered in a full range of galvanized pipe, stainless steel, brass or high pressure hose.

KME offers truly custom-built trucks to your specifications from the ground up. So your truck is your truck—unlike any other and customized to your needs, not your manufacturer's needs.

Product Highlights

- Over 300 cab and chassis configurations
- Cabs available in 2-door (storage compartment), 3-door (command center) and 4-door styles
- Variety of bumper extensions and raised roof options
- Many optional cab accessories are available
- Galvannealed steel, aluminum or stainless steel bodies in hundreds of configurations
- 750 to 2250gpm midship pump or PTO pumps available (polypropylene, fiberglass or stainless steel)
- Foam and CAF systems available
- Custom discharge and suction layouts
- Hinged or roll-up doors available
- Variety of lighting and generator systems available

<u>KPC107</u>	<u>KME Predator Panther Competitor Pumper</u>
Chassis:	KME MFD Custom Tilt 4 Door (Predator Panther) Seating for 6, A/C, 12" Raised Roof
Engine:	Caterpillar C9 400hp (2007 Emission Standard Diesel Engine)
Transmission:	EVS 3000 Automatic
Pump:	1500gpm Midship Pump, Side Mount Pump Panel
Water Tank:	1000 gallons
Body:	Aluminum 147" Flatback Body (Rollup or Hinged Doors) Left Side Compts: Full Height/Split Depth Right Side Compts: Low Side with External Ladder Storage Above
Other:	NFPA Equipment Package
Base Unit Price:	\$264,138.00 (including FET and Industrial Funding Fee)
Delivery:	300 Days ARO Order <i>Contact KME for a full set of specifications, drawings and complete option list</i>



Kovatch Mobile Equipment/KME Fire Apparatus

KPC207

KME Predator Custom Pumper

Chassis: KME XMFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 12" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C9 425hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 3000 Automatic

Pump: 1500gpm Midship Pump, Side Mount Pump Panel

Water Tank: 750 gallons

Body: Galvannealed Steel 157" Flatback Body (Rollup or Hinged Doors)
Left & Right Side Compts: Full Height/Split Depth
Internal Ladder Storage Thru Tank

Other: All LED Lighting, NFPA Equipment Package

Base Unit Price: \$307,319.00 (including FET and Industrial Funding Fee)

Delivery: 300 Days ARO Order
Contact KME for a full set of specifications, drawings and complete option list

KPC217

KME Predator Custom "A" Foam Pumper

Chassis: KME XMFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 12" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C9 425hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 3000 Automatic

Pump: 1500gpm Midship Pump, Side Mount Pump Panel

Water Tank: 1000 gallons Water, 20 gallons Foam

Body: Galvannealed Steel 157" Flatback Body (Rollup or Hinged Doors)
Left & Right Side Compts: Full Height/Split Depth
Internal Ladder Storage Thru Tank

Other: All LED Lighting, NFPA Equipment Package

Base Unit Price: \$315,896.00 (including FET and Industrial Funding Fee)

Delivery: 300 Days ARO Order
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KPC227

KME Predator Custom CAFS Pumper

Chassis: KME XMFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 12" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C13 410hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 4000 Automatic

Pump: 1500gpm Midship Pump, Side Mount Pump Panel
Waterous Pneumax Silver Series CAFS

Water Tank: 1000 gallons Water, 20 gallons Foam

Body: Galvannealed Steel 157" Flatback Body (Rollup or Hinged Doors)
Left & Right Side Compts: Full Height/Split Depth
Internal Ladder Storage Thru Right Hand Side of Body

Other: All LED Lighting, 8kw PTO/Hydraulic Generator, NFPA Equipment Package

Base Unit Price: \$375,311.00 (including FET and Industrial Funding Fee)

Delivery: 360 Days ARO Order
Contact KME for a full set of specifications, drawings and complete option list

KPC307

KME Predator RearMount Pumper

Chassis: KME XMFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 16" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C13 410hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 4000 Automatic

Pump: 1000gpm Rear Mount Pump, Rear Pump Panel

Water Tank: 500 gallons Water

Body: Aluminum 193" Rear Mount Body (Rollup or Hinged Doors)
Left & Right Side Compts: Full Height/Split Depth
Internal Ladder Storage Thru Right Hand Side of Body

Other: LED Lighting, NFPA Equipment Package

Base Unit Price: \$317,605.00 (including FET and Industrial Funding Fee)

Delivery: 360 Days ARO Order
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

<u>KPC407</u>	<u>KME Severe Service Foam Pumper</u>
Chassis:	KME Severe Service Custom Tilt 4 Door (Predator SS) Seating for 4, Heavy Duty A/C Severe Service Interior
Engine:	Caterpillar C13 410hp (2007 Emission Standard Diesel Engine)
Transmission:	EVS 4000 Automatic
Pump:	1500gpm Mid Ship Pump, Side Mount Pump Panel with Locker Compt. FoamPro 2002 Foam System
Water Tank:	500 gallons Water, 25 gallons Foam
Body:	Galv. Steel 135" Flatback Body (Rollup or Hinged Doors) Left Side Compts: Full Height/Split Depth Right Side Compts: Low Side with External Ladder Storage Above
Other:	8kw PTO/Hydraulic Generator, NFPA Equipment Package
Base Unit Price:	\$337,317.00 (including FET and Industrial Funding Fee)
Delivery:	300 Days ARO Order <i>Contact KME for a full set of specifications, drawings and complete option list</i>



Kovatch Mobile Equipment/KME Fire Apparatus

TANKERS

Utilizing a long history of constructing innovative and dependable tankers for both the petroleum and fire markets, KME offers a “T” type and elliptical tanker. Tankers are manufactured in a variety of capacities and configurations, each with the customer’s unique needs in mind.

KME offers a variety of tank sizes and styles including t-tank, wetside, and elliptical tankers. Body styles range from economical saddle mounted (chassis frame) compartments to full pumper tanker subframe bodies.

Pumps are available from all major manufacturers ranging in capacities from 250gpm to 2250gpm. PTO-driven attack or transfer pumps and midship pumps are available. Tankers are also available without pumps.

Highlights

Variety of Tank Configurations



KME capacities range from 1000 to over 4000 gallons. Tanks may be constructed of fiberglass, polypropylene, or stainless steel. Elliptical tanks are available in single or double (insulated) wall with a painted, brushed, or bright/skinned finish.

Flexible Body Compartmentation



Utilizing fabricated body panels in conjunction with an extruded support structure allows KME bodies to not only be strong, but flexible in their compartment layout. Compartment options include lowside, high/low, combination (single airpack), coffin compartments, and economical saddle mounted storage.

Variety of Storage Options



Tankers serve a variety of needs so KME offers plenty of options including tank storage (enclosed, drop down, electric, overhead, and thru the tank), suction and ladder storage (enclosed, electric, overhead, thru or under the tank), portable pump mounting with a special compartment to fit the pumps, as well as thousands of other options.



Kovatch Mobile Equipment/KME Fire Apparatus

T-Tankers

KME offers a wide variety of custom and commercial T-Tankers to fit the unique needs of your department. The T-Tanker line includes a selection of standard configurations, and the capabilities to custom design an apparatus to meet the specific needs of your department.

KME's T-Tankers are designed to store a maximum amount of water in a minimal space with a large array of options. All of our apparatus are designed to meet NFPA 1901 requirements, keeping the safety of your firefighters as our top priority. Design considerations include wheelbase analysis for axle loading from front to rear, as well as side to side weight distribution, to provide better vehicle handling for a safe water delivery system. KME recognizes that fire departments have unique requirements based on their local terrain and SOP's, to help accommodate those requirements we offer the widest variety of dump valve style and location options in the industry. Storage space on a pumper-tanker is critical, KME's custom body configurations eliminate "dead" space providing more storage space for your equipment.

Product Highlights

- Tanks are available in Poly or Fiberglass material with standard lifetime warranties.
- Configurations range from 1000 gallons to 4000 gallons with specialized tank capacities available upon request.
- Standard single axle body configurations range from 153" to 187" long, with up to 2000 gallons of water.
- Standard tandem axle body configurations range from 187" to 237" long, with up to 4000 gallons of water.
- Available compartmentation options include low side, low side/high side, full height/split depth, full height/full depth, low side with enclosed tank storage, and/or your custom design.
- Portable water tank storage options include hinged manual side rack, hinged electric side rack, hydraulic overhead rack, enclosed storage on compartment cap, through the tank storage, beneath tank storage, or in the hosebed storage.
- Suction hose storage options available in same configurations as portable water tanks.
- Ladder storage on pumper-tankers available on side of body, on electric or hydraulic powered racks, through the water tank, beneath the tank, or in the hosebed.
- Dumps available in 10" square configuration, or 8"/10"/12" round configurations. Custom sized round dumps available large than 12" upon request.
- Dumps can be located on the rear of the tank and/or off both sides, forward of the rear axle, behind the rear axle, or between the tandem axles.



Kovatch Mobile Equipment/KME Fire Apparatus

KT107 International 7400 1,800 Gallon T-Tanker

Chassis: International 7400 2 Door, 4x2
Engine: DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 1,500gpm Midship Pump, Side Mount Pump Panel
Water Tank: 1,800 Gallons, Polypropylene
Body: 187" Galvannealed Steel Tanker Body
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side
Other: Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price: \$217,626.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KT117 International 7400 2,500 Gallon T-Tanker

Chassis: International 7600 2 Door, 6x4
Engine: Cummins ISM 410hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 4000 Automatic
Pump: 1,500gpm Midship Pump, Side Mount Pump Panel
Water Tank: 2,500 Gallons, Polypropylene
Body: 213" Galvannealed Steel Tanker Body
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side
Other: Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price: \$262,080.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KT127 KME Predator Custom 1,800 Gallon T-Tanker

Chassis: KME XMFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 12" Raised Roof, Multiplexed Electrical System
Premium Interior
Engine: Cummins ISL 400hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 1,500gpm Midship Pump, Side Mount Pump Panel
Water Tank: 1,800 Gallons, Polypropylene
Body: 187" Galvannealed Steel Tanker Body
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side
Other: NFPA Equipment Package
Base Unit Price: \$318,767.00 (including FET and Industrial Funding Fee)
Delivery: 300 Days ARO Order
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KT137 KME Predator Custom 2,500 Gallon T-Tanker

Chassis: KME XMFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 12" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C13 470hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 4000 Automatic

Pump: 1,500gpm Midship Pump, Side Mount Pump Panel

Water Tank: 2,500 Gallons, Polypropylene

Body: 213" Galvannealed Steel Tanker Body
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side

Other: NFPA Equipment Package

Base Unit Price: \$358,135.00 (including FET and Industrial Funding Fee)

Delivery: 300 Days ARO Order
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

Elliptical Tankers

KME offers a full line of elliptical tankers ranging from the simple water hauler with no pump, to the fully loaded up tanker with a full pump, preconnects, and hose storage areas. The elliptical tankers are broken down into two basic product groups including the “LE” series tanker for the budget conscious, and the “LX” series for the full array of “bells and whistles”.

KME’s Elliptical tankers are designed to carry any water capacity, ranging from 1000 gallons up to 4000+ gallons, in the safest means possible. All tanks and apparatus are designed to exceed NFPA 1901 requirements, keeping the safety of your firefighters as our top priority. Elliptical tanks utilize baffle designs that ensure safe operations when driving with empty, full, or partial loads, while still providing rapid dumping/filling capabilities. KME is proud to offer the widest range of options for dumps, compartmentation, and exterior storage, in the industry.

Product Highlights

- Tanks are available in Stainless Steel, Poly, or Fiberglass materials.
- Stainless steel tanks are available in single wall style with a brushed or painted finish, or double wall with a mirror finish skin.
- Poly tanks are available in a bare poly finish, painted finish, or mirror finish wrap.
- Fiberglass tanks are available with a plain fiberglass finish, color injected fiberglass finish, painted finish, or mirror finish wrap.
- Configurations range from 1000 gallons to 4000+ gallons with specialized tank capacities available upon request.

KT207 International 7400 1,800 Gallon Elliptical Tanker (LE Style)

Chassis:	International 7400 2 Door, 4x2
Engine:	DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission:	EVS 3000 Automatic
Pump:	500gpm PTO Pump, Side Mount Pump Panel
Water Tank:	1,800 Gallons, Polypropylene with Stainless Steel Wrap
Body:	3/16” Treadplate Aluminum Skirted Style Tanker Body 3” NST Tank Fill, Rear Newton Dump Hinged Port-A-Tank Trough Right Side
Other:	Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price:	\$188,544.00 (including FET and Industrial Funding Fee)
Delivery:	180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KT217 International 7400 2,500 Gallon Elliptical Tanker (LE Style)

Chassis: International 7400 2 Door, 6x4
Engine: DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 500gpm PTO Pump, Side Mount Pump Panel
Water Tank: 2,500 Gallons, Polypropylene with Stainless Steel Wrap
Body: 3/16" Treadplate Aluminum Skirted Style Tanker Body
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side
Other: Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price: \$198,997.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KT227 International 7400 1,800 Gallon Elliptical Tanker (LX Style)

Chassis: International 7400 2 Door, 4x2
Engine: DT 570, 330hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 3000 Automatic
Pump: 1,000 gpm Midship Pump, Side Mount Pump Panel
Water Tank: 1,800 Gallons, Polypropylene with Stainless Steel Wrap
Body: Aluminum Tanker Body with Compartmentation
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side
Other: Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price: \$214,964.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KT237 International 7600 2,500 Gallon Elliptical Tanker (LX Style)

Chassis: International 7600 2 Door, 4x2
Engine: Cummins ISM 410hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 4000 Automatic
Pump: 1,000 gpm Midship Pump, Side Mount Pump Panel
Water Tank: 2,500 Gallons, Polypropylene with Stainless Steel Wrap
Body: Aluminum Tanker Body with Compartmentation
3" NST Tank Fill, Rear Newton Dump
Hinged Port-A-Tank Trough Right Side
Other: Diamond Logic Multiplex, NFPA Equipment Package
Base Unit Price: \$257,971.00 (including FET and Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list.



Kovatch Mobile Equipment/KME Fire Apparatus

RESCUES

When it comes to rescues, nowhere is the fire service's demand greater for customization, efficiency, and storage space. That makes KME the perfect choice for both light and heavy rescues. KME's design and manufacturing process offers a no hassle way to get a rescue that fits your exact specifications.

Light, medium, and heavy duty rescues in a walk-in, walk-around, or combination configuration from 10' to over 25' in either 3/16" aluminum or stainless steel.

In today's environment, you never know what you'll encounter when you get to the scene, your department needs to be prepared for anything. Turn to KME, we can help you carry the load with dependable, custom rescues that are always ready to respond.

Highlights

Variety of Chassis Configurations



KME rescues are available on a variety of commercial chassis starting at 15,000lb GVWR in a 4x2 or 4x4 configuration. Heavy duty rescues are available on a variety of commercial chassis or one of over 300 KME custom chassis configurations. KME custom cab configurations include 2 door with rear transverse storage compartment, 3 door command cabs, and 4 door models with multiple seating options.

Custom Interior and Exterior



Interiors have full diamond plate walkways floors and walls and are configured for a variety of purposes including rehab, command post, EMS/paramedic, and communications. Exterior compartments may be customized with dividers, shelving, brackets, tool boards, or trays. KME's standard compartments offer plenty of storage including body roof and under body compartments for airbags and cribbing.

Numerous Options



Rescues are available with hundreds of options including pumps and water tanks; custom configured bumpers with storage wells for tools, reels, or winches; cascade systems; wide range of air, electric and hydraulic reels; gas, diesel or PTO driven generators from 3,500 to 45,000 watts; as well as special lighting.



Kovatch Mobile Equipment/KME Fire Apparatus

Light Duty Rescues

KME Light Duty rescues offer a full range of options to customize to your unique needs. Available in lengths from 10' to 13', these units offer plenty of heavy duty features. While many manufacturers use 1/8" or lighter material, KME utilizes 3/16" substructure, 3/16" door skins, and 3/16" roofs for the most rugged rescues available to the fire service.

In today's environment, you never know what you'll encounter when you get to the scene, your department needs to be prepared for anything. Turn to KME, we can help you carry the load with dependable, custom rescues that are always ready to respond.

Product Highlights

- Available on Ford or GMC commercial chassis ranging from 11,200# to 19,000# GVWR.
- 4x2 and 4x4 Configurations Available in 2 and 4 Door Models
- Aluminum Rescue Bodies Ranging from 10' to 13'
- Both Walk-In and Walk-Around Styles Available with Custom Compartmentation
- Rugged Body Substructure of 3/16" Aluminum with 3" X 1½" X 3/8" Aluminum Structural Tubing.
- Roofs Are Bolted and Sealed Using 3/16" Aluminum Diamond Plate For Maximum Weather Seal and Strength.
- Numerous Options Including Light Towers, Cascade Systems, Generators with Reels, Hydraulic Systems , and Many More Items



Kovatch Mobile Equipment/KME Fire Apparatus

KR107 Ford Light Duty (123") Walk Around Rescue

Chassis: Ford F550, 2 Door, 4x2
Engine: 6.0L V8 Power Stroke Diesel (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 123" Walk Around Rescue Body (Hinged or Roll Up Doors)
(7) Adjustable Shelves
(5) 250# Roll Out Trays

Base Unit Price: \$92,363.00 (including Industrial Funding Fee)

Delivery: 180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list

KR117 Ford Light Duty (157") Walk Around Rescue

Chassis: Ford F550, 2 Door, 4x2
Engine: 6.0L V8 Power Stroke Diesel (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 157" Walk Around Rescue Body (Hinged or Roll Up Doors)
(7) Adjustable Shelves
(5) 250# Roll Out Trays

Base Unit Price: \$96,895.00 (including Industrial Funding Fee)

Delivery: 180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list

KR127 Ford Light Duty (157") Walk In Rescue

Chassis: Ford F550, 2 Door, 4x2
Engine: 6.0L V8 Power Stroke Diesel (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 157" Walk In Rescue Body (Hinged or Roll Up Doors)
(7) Adjustable Shelves
(5) 250# Roll Out Trays

Base Unit Price: \$111,840.00 (including Industrial Funding Fee)

Delivery: 180 Days ARO Chassis

Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

Medium Duty Rescues

KME Medium Duty rescues offer a good compromise for Fire Departments that need more than a Light Duty but can't afford or need a Heavy Rescue. The Medium duty is packaged to be affordable while giving the most in compartment space and a heavier chassis than the Ford F-550 Super-Duty. Available in 13'-7" and 15'-5" body lengths, these units offer plenty of heavy duty features. While many manufacturers use 1/8" or lighter material, KME utilizes 3/16" substructure, 3/16" door skins, and 3/16" roofs for the most rugged rescues available to the fire service. The medium duty offers a 96" wide body with 26" deep compartments, transverse over the chassis frame.

In today's environment, you never know what you'll encounter when you get to the scene, your department needs to be prepared for anything. Turn to KME, we can help you carry the load with dependable, custom rescues that are always ready to respond.

KR207 International 4200 (13') Walk Around Rescue

Chassis: International 4200, 2 Door, 4x2
Engine: International VT365, 215hp (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 13' Walk Around Rescue Body (Hinged or Roll Up Doors)
(7) Adjustable Shelves
(5) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: \$134,356.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KR217 International 4200 (15'-6") Walk Around Rescue

Chassis: International 4200, 2 Door, 4x2
Engine: International VT365, 215hp (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 15'-6" Walk Around Rescue Body (Hinged or Roll Up Doors)
(7) Adjustable Shelves
(5) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: \$138,386.00 (including Industrial Funding Fee)
Delivery: 180 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

Heavy Duty Rescues

KME offers heavy duty rescues in a walk around, walk-in, and combination style in either 3/16" aluminum or stainless steel. These rescues are the most rugged, custom units available to the fire service. KME's formed body design allows for maximum compartment space (29" deep or transverse) and greater design flexibility. The fully integrated roof and light tower compartments and walkways ensure a complete, one piece welded unit with unrivaled strength and weatherproof security.

In today's environment, you never know what you'll encounter when you get to the scene, your department needs to be prepared for anything. Turn to KME, we can help you carry the load with dependable, custom rescues that are always ready to respond.

Product Highlights

- Available on a KME custom or commercial chassis
- Custom cab configurations include 2-Door with a rear transverse storage compartment, 3-Door command cabs, and traditional 4-Door models with multiple seating options
- drop down frames in rear are available for easy rear compartment access
- Raised roofs are available up to 26" for maximum headroom comfort and maneuverability
- KME bodies are available in 3/16" aluminum, 12ga galvanized steel and 12ga stainless steel in lengths from 13' to over 25'
- 29" deep, 66" high standard compartments (taller compartments available) with roll up or hinged doors
- KME custom construction makes maximum use of body space offering transverse compartments, split depth compartments above the frame, and small compartments for unique storage using space that is normally wasted on competitors' models
- Compartments may be customized with dividers, shelving, brackets, tool boards and trays



Kovatch Mobile Equipment/KME Fire Apparatus

KR307 **International 4400 (14'-6") Heavy Duty Walk Around Rescue**
Chassis: International 4400, 2 Door, 4x2
Engine: International DT570, 310hp (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 14'-6" Walk Around Rescue Body (Hinged or Roll Up Doors)
 (9) Adjustable Shelves
 (7) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: **\$182,354.00 (including FET and Industrial Funding Fee)**
Delivery: 220 Days ARO Chassis
 Contact KME for a full set of specifications, drawings and complete option list

KR317 **International 4400 (16') Heavy Duty Walk Around Rescue**
Chassis: International 4400, 2 Door, 4x2
Engine: International DT570, 310hp (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 16' Walk Around Rescue Body (Hinged or Roll Up Doors)
 (9) Adjustable Shelves
 (7) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: **\$186,304.00 (including FET and Industrial Funding Fee)**
Delivery: 220 Days ARO Chassis
 Contact KME for a full set of specifications, drawings and complete option list

KR327 **International 4400 (14'-6") Heavy Duty Walk In Rescue**
Chassis: International 4400, 2 Door, 4x2
Engine: International DT570, 310hp (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 14'-6" Walk In Rescue Body (Hinged or Roll Up Doors)
 (9) Adjustable Shelves
 (7) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: **\$200,407.00 (including FET and Industrial Funding Fee)**
Delivery: 220 Days ARO Chassis
 Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KR337 International 4400 (16') Heavy Duty Walk In Rescue

Chassis: International 4400, 2 Door, 4x2
Engine: International DT570, 310hp (2007 Emission Standard Diesel Engine)
Transmission: 5 speed Automatic
Body: Aluminum 16' Walk In Rescue Body (Hinged or Roll Up Doors)
(9) Adjustable shelves
(7) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: \$203,797.00 (including FET and Industrial Funding Fee)
Delivery: 220 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KR407 KME Predator Custom (18'-6") Heavy Duty Walk Around Rescue

Chassis: KME LFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 16" Raised Roof, Multiplexed Electrical System
Premium Interior
Engine: Caterpillar C13 430hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 4000, 5 speed Automatic
Body: Aluminum 18'-6" Walk Around Rescue Body (Hinged or Roll Up Doors)
(9) Adjustable shelves
(7) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: \$313,570.00 (including FET and Industrial Funding Fee)
Delivery: 330 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KR417 KME Predator Custom (18'-6") Heavy Duty Walk In Rescue

Chassis: KME LFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 16" Raised Roof, Multiplexed Electrical System
Premium Interior
Engine: Caterpillar C13 430hp (2007 Emission Standard Diesel Engine)
Transmission: EVS 4000, 5 speed Automatic
Body: Aluminum 18'-6" Walk In Rescue Body (Hinged or Roll Up Doors)
(9) Adjustable shelves
(7) 250# Roll Out Trays
Other: Winco 25kw Direct Drive PTO/Hydraulic Generator
Base Unit Price: \$331,623.00 (including FET and Industrial Funding Fee)
Delivery: 330 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list



Kovatch Mobile Equipment/KME Fire Apparatus

KR507 KME Predator Custom (20'-6") Heavy Duty Walk Around Rescue

Chassis: KME LFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 22" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C13 470hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 4000, 5 speed Automatic

Body: Aluminum 20'-6" Walk Around Rescue Body (Hinged or Roll Up Doors)
(11) Adjustable shelves
(9) 250# Roll Out Trays

Other: Winco 25kw Direct Drive PTO/Hydraulic Generator

Base Unit Price: \$323,531.00 (including FET and Industrial Funding Fee)

Delivery: 330 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KR517 KME Predator Custom (20'-6") Heavy Duty Walk In Rescue

Chassis: KME LFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 22" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C13 470hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 4000, 5 speed Automatic

Body: Aluminum 20'-6" Walk In Rescue Body (Hinged or Roll Up Doors)
(11) Adjustable shelves
(9) 250# Roll Out Trays

Other: Winco 25kw Direct Drive PTO/Hydraulic Generator

Base Unit Price: \$341,584.00 (including FET and Industrial Funding Fee)

Delivery: 330 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list

KR527 KME Predator Custom (20'-6") Heavy Duty Combination Rescue

Chassis: KME LFD Custom Tilt 4 Door (Predator)
Seating for 6, A/C, 22" Raised Roof, Multiplexed Electrical System
Premium Interior

Engine: Caterpillar C13 470hp (2007 Emission Standard Diesel Engine)

Transmission: EVS 4000, 5 speed Automatic

Body: Aluminum 20'-6" Combination WalkAround /Walk In Rescue Body (Hinged or Roll Up Doors)
(1) Adjustable shelf Compt A
(1) 250# Roll out tray Compt A

Other: Winco 25kw Direct Drive PTO/Hydraulic Generator

Base Unit Price: \$345,199.00 (including FET and Industrial Funding Fee)

Delivery: 330 Days ARO Chassis
Contact KME for a full set of specifications, drawings and complete option list