



**GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE
INFORMATION TECHNOLOGY SCHEDULE PRICELIST**

Progressive Systems LLC., dba LENSEC LLC.

1800 Bering Drive, Ste 751

Houston, Texas – 77057

www.LENSEC.com

Contract Number: GS-35F-0645K



**AUTHORIZED FEDERAL SUPPLY SERVICE
INFORMATION TECHNOLOGY SCHEDULE PRICELIST
GENERAL PURPOSE COMMERCIAL INFORMATION TECHNOLOGY
EQUIPMENT, SOFTWARE AND SERVICES**

Founded in 1998, Houston-based LENSEC is an industry-leading provider of IP-based video surveillance solutions to local governments and schools, ports and transportation authorities, as well as industrial and retail complexes. LENSEC's Video Management System (VMS) enables secure remote access and real-time collaboration with first responders during security events. For more information, visit www.LENSEC.com.

The equipment and services provided by LENSEC are classified under the following Special Item Numbers,

Special Item No. 132-8 Purchase of Equipment

Special Item No. 132-12 Maintenance, Repair Service and Repair Parts/Spare Parts

Special Item No. 132-32 Term Software Licenses

Special Item No. 132-33 Perpetual Software Licenses

Special Item No. 132-34 Maintenance of Software

SIN 132-8 PURCHASE OF EQUIPMENT

FSC CLASS 7010 - SYSTEM CONFIGURATION

FSC CLASS 6145 - WIRE AND CABLE, ELECTRICAL

FSC CLASS 5810 - COMMUNICATIONS SECURITY EQUIPMENT AND COMPONENTS

NOTE: Installation must be incidental to, in conjunction with and in direct support of the products sold under SIN 132-8 of this contract and cannot be purchased separately. If the construction, alteration or repair is segregable and exceeds \$2,000, then the requirements of the Davis-Bacon Act apply.

SIN 132-12 - MAINTENANCE OF EQUIPMENT, REPAIR SERVICE, AND REPAIR PARTS/SPARE PARTS (FPDS Code J070 - Maintenance and Repair Service)(Repair Parts/Spare Parts - See FSC Class for basic equipment)

- Maintenance
- Repair Service
- Repair Parts/Spare Parts
- Third Party Maintenance

SIN 132-32 - TERM SOFTWARE LICENSES

FSC CLASS 7030 - INFORMATION TECHNOLOGY SOFTWARE

SIN 132-33 - PERPETUAL SOFTWARE LICENSES

FSC CLASS 7030 - INFORMATION TECHNOLOGY SOFTWARE

SIN 132-34 - MAINTENANCE OF SOFTWARE



Contractor's Name, Complete Address (including zip code), Telephone Number (including area code) and Internet Address/Web Site

Progressive Systems LLC., dba LENSEC LLC

1800 Bering Drive, Ste 751

Houston, Texas – 77054

Ph: 713-395-0800

www.LENSEC.com

Contract Number: GS-35F-0645K

Period Covered by Contract: September 12, 2015 to September 11, 2020

**General Services Administration
Federal Supply Service**

Pricelist current through Modification # PA-0042, dated 07-02-2015

Products and ordering information in this Authorized FSS Information Technology Schedule Pricelist are also available on the GSA Advantage! System. Agencies can browse GSA Advantage! by accessing the Federal Supply Service's Home Page via the Internet at <http://www.fss.gsa.gov/>



Table of Contents

	Page
1. Information For Ordering Activities	5
2. Terms and Conditions Applicable to Purchase of General Purpose Commercial Information Technology Equipment (Special Item Number 132-8)	14
3. Terms and Conditions Applicable to Maintenance, Repair Service and Repair Parts/Spare Parts for Government-Owned General Purpose Commercial Information Technology Equipment, (After Expiration of Guarantee/Warranty Provisions and/or When Required Service is not Covered by Guarantee/Warranty Provisions) and for Leased Equipment (Special Item Number 132-12)	16
4. Terms and Conditions Applicable to Term Software Licenses (Special Item 132-32), Perpetual Software Licenses (Special Item Number 132-33) and Maintenance of Software (Special Item Number 132-34) for General Purpose Commercial Information Technology Software	22
5. Any descriptive information relating to the equipment and/or software offered (subject to the approval of the Contracting Officer)	
6. Ordering Information and GSA approved LENSEC Dealers	27
7. Products and Services Pricelist	29
a. Brand Name, Model and/or Catalog Number (as applicable)	
b. Brief description of item	
c. Negotiated unit price (NET PRICE) for the product or service.	
8. LENSEC Sales and Installation Agreement – Annexure – I	
9. LENSEC Post-Sales Support and Services Agreement – Annexure – II	



**INFORMATION FOR ORDERING ACTIVITIES
APPLICABLE TO ALL SPECIAL ITEM NUMBERS**

SPECIAL NOTICE TO AGENCIES: Small Business Participation

SBA strongly supports the participation of small business concerns in the Federal Supply Schedules Program. To enhance Small Business Participation SBA policy allows agencies to include in their procurement base and goals, the dollar value of orders expected to be placed against the Federal Supply Schedules, and to report accomplishments against these goals.

For orders exceeding the micropurchase threshold, FAR 8.404 requires agencies to consider the catalogs/pricelists of at least three schedule contractors or consider reasonably available information by using the GSA Advantage!™ on-line shopping service (www.fss.gsa.gov). The catalogs/pricelists, GSA Advantage!™ and the Federal Supply Service Home Page (www.fss.gsa.gov) contain information on a broad array of products and services offered by small business concerns.

This information should be used as a tool to assist ordering activities in meeting or exceeding established small business goals. It should also be used as a tool to assist in including small, small disadvantaged, and women-owned small businesses among those considered when selecting pricelists for a best value determination.

For orders exceeding the micropurchase threshold, customers are to give preference to small business concerns when two or more items at the same delivered price will satisfy their requirement.

1. GEOGRAPHIC SCOPE OF CONTRACT:

Domestic delivery is delivery within the 48 contiguous states, Alaska, Hawaii, Puerto Rico, Washington, DC, and U.S. Territories. Domestic delivery also includes a port or consolidation point, within the aforementioned areas, for orders received from overseas activities.

Overseas delivery is delivery to points outside of the 48 contiguous states, Washington, DC, Alaska, Hawaii, Puerto Rico, and U.S. Territories.

Offerors are requested to check one of the following boxes:

- The Geographic Scope of Contract will be domestic and overseas delivery.
- The Geographic Scope of Contract will be overseas delivery only.
- The Geographic Scope of Contract will be domestic delivery only.

For Special Item Number 132-53 Wireless Services ONLY, if awarded, list the limited geographic coverage area:



2. CONTRACTOR’S ORDERING ADDRESS AND PAYMENT INFORMATION:

a. ORDERING ADDRESS.

LENSEC LLC.
1800 Bering Drive – Suite 751
Houston, Texas – 77057
Ph: 713 395 0800
Fax: 713 395 0597

b. PAYMENT ADDRESS.

LENSEC LLC.
1800 Bering Drive – Suite 751
Houston, Texas – 77057
Ph: 713 395 0800
Fax: 713 395 0597

c. GOVERNMENT CREDIT CARDS.

Contractors are required to accept the Government purchase card for payments equal to or less than the micro-purchase threshold for oral or written delivery orders. Government credit cards will be acceptable for payment above the micro-purchase threshold. In addition, bank account information for wire transfer will be printed on the invoice.

d. TECHNICAL AND/OR ORDERING ASSISTANCE.

The following telephone number(s) can be used by ordering agencies to obtain technical and/or ordering assistance.

713-395-0800

When Authorized Dealers are allowed by the Contractor to bill ordering activities and accept payment, the order and/or payment must be in the name of the Contractor, in care of the Authorized Dealer.

3. LIABILITY FOR INJURY DAMAGE

The Contractor shall not be liable for any injury to ordering activity personnel or damage to ordering activity property arising from the use of equipment maintained by the Contractor, unless such injury or damage is due to the fault or negligence of the Contractor.

4. STATISTICAL DATA FOR GOVERNMENT ORDERING OFFICE COMPLETION OF STANDARD FORM 279:

- Block 9: G. Order/Modification Under Federal Schedule
- Block 16: Data Universal Numbering System (DUNS) Number: 04-705-8669
- Block 30: Type of Contractor - B. Other Small Business
 - A. Small Disadvantaged Business
 - B. Other Small Business
 - C. Large Business



- G. Other Nonprofit Organization
- L. Foreign Contractor

Block 31: Woman-Owned Small Business - No

Block 37: Contractor's Taxpayer Identification Number (TIN): 63-1213387

Block 40: Veteran Owned Small Business (VOSB): _____

- A: Service Disabled Veteran Owned Small Business
- B: Other Veteran Owned Small Business

- 4a. CAGE Code: 1LM12
- 4b. Contractor has registered with the Central Contractor Registration Database.

5. FOB DESTINATION

6. DELIVERY SCHEDULE

a. TIME OF DELIVERY: The Contractor shall deliver to destination within the number of calendar days after receipt of order (ARO), as set forth below:

SPECIAL ITEM NUMBER	DELIVERY TIME (Days ARO)
132-8	45 Days
132-12	30 Days

The delivery schedule indicated above is subject to change depending on the readiness of customer site and availability of information required from the customer to complete the project.

b. URGENT REQUIREMENTS: When the Federal Supply Schedule contract delivery period does not meet the bona fide urgent delivery requirements of an ordering activity, ordering activities are encouraged, if time permits, to contact the Contractor for the purpose of obtaining accelerated delivery. The Contractor shall reply to the inquiry within 3 workdays after receipt. (Telephonic replies shall be confirmed by the Contractor in writing.) If the Contractor offers an accelerated delivery time acceptable to the ordering activity, any order(s) placed pursuant to the agreed upon accelerated delivery time frame shall be delivered within this shorter delivery time and in accordance with all other terms and conditions of the contract.

7. DISCOUNTS: PRICES SHOWN ARE NET PRICES; BASIC DISCOUNTS HAVE BEEN DEDUCTED.

- a. Prompt Payment - 0.5% NET 20 for Invoices more than \$100,000.00
- b. Quantity - None
- c. Dollar Volume - None
- d. Government Educational Institutions - Government Educational Institutions are offered the same discounts as all other Government customers
- e. Other - None

8. TRADE AGREEMENTS ACT OF 1979, AS AMENDED:



All items are U.S. made end products, designated country end products, Caribbean Basin country end products, Canadian end products, or Mexican end products as defined in the Trade Agreements Act of 1979, as amended.

9. STATEMENT CONCERNING AVAILABILITY OF EXPORT PACKING:

Not available within the scope of this contract.

10. SMALL REQUIREMENTS:

The minimum dollar value of orders to be issued is \$500

11. MAXIMUM ORDER (All dollar amounts are exclusive of any discount for prompt payment.)

a. The Maximum Order value for the following Special Item Numbers (SINs) is \$500,000:

Special Item No. 132-8 Purchase of Equipment

Special Item No. 132-12 Maintenance, Repair Service and Repair Parts/Spare Parts

Special Item No. 132-32 Term Software Licenses

Special Item No. 132-33 Perpetual Software Licenses

Special Item No. 132-34 Maintenance of Software

b. The Maximum Order value for the following Special Item Numbers (SINs) is \$25,000:

Special Item Number 132-50 - Training Courses

12. ORDERING PROCEDURES FOR FEDERAL SUPPLY SCHEDULE CONTRACTS

Ordering activities shall use the ordering procedures of Federal Acquisition Regulation (FAR) 8.405 when placing an order or establishing a BPA for supplies or services. These procedures apply to all schedules.

a. FAR 8.405-1 Ordering procedures for supplies, and services not requiring a statement of work.

b. FAR 8.405-2 Ordering procedures for services requiring a statement of work.

13. FEDERAL INFORMATION TECHNOLOGY/TELECOMMUNICATION STANDARDS

REQUIREMENTS: ordering activities acquiring products from this Schedule must comply with the provisions of the Federal Standards Program, as appropriate (reference: NIST Federal Standards Index). Inquiries to determine whether or not specific products listed herein comply with Federal Information Processing Standards (FIPS) or Federal Telecommunication Standards (FED-STDS), which are cited by ordering activities, shall be responded to promptly by the Contractor.

13.1 FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATIONS (FIPS PUBS):

Information Technology products under this Schedule that do not conform to Federal Information Processing Standards (FIPS) should not be acquired unless a waiver has been granted in accordance with the applicable "FIPS Publication." Federal Information Processing Standards Publications (FIPS PUBS) are issued by the U.S. Department of Commerce, National Institute of Standards and Technology (NIST), pursuant to National Security Act. Information concerning their availability and applicability should be obtained from the National Technical Information Service (NTIS), 5285 Port Royal Road, Springfield, Virginia 22161. FIPS PUBS include voluntary standards when these are adopted for Federal use. Individual orders for FIPS PUBS should be referred to the NTIS Sales Office, and orders for subscription service should be referred to the NTIS Subscription Officer, both at the above address, or telephone number (703) 487-4650.

13.2 FEDERAL TELECOMMUNICATION STANDARDS (FED-STDS): Telecommunication products under this Schedule that do not conform to Federal Telecommunication Standards (FED-STDS) should not be acquired unless a waiver has been granted in accordance with the applicable "FED-STD." Federal Telecommunication Standards are issued by the U.S. Department of Commerce, National Institute of Standards and Technology (NIST), pursuant to National Security Act. Ordering information and information concerning the availability of FED-STDS should be obtained from the GSA, Federal Supply Service, Specification Section, 470 East L'Enfant Plaza, Suite 8100, SW, Washington, DC 20407, telephone number (202)619-8925. Please include a self-addressed mailing label when requesting information by mail. Information concerning their applicability can be obtained by writing or calling the U.S. Department of Commerce, National Institute of Standards and Technology, Gaithersburg, MD 20899, telephone number (301)975-2833.

14. CONTRACTOR TASKS / SPECIAL REQUIREMENTS (C-FSS-370) (NOV 2001)

- (a) **Security Clearances:** The Contractor may be required to obtain/possess varying levels of security clearances in the performance of orders issued under this contract. All costs associated with obtaining/possessing such security clearances should be factored into the price offered under the Multiple Award Schedule.
- (b) **Travel:** The Contractor may be required to travel in performance of orders issued under this contract. Allowable travel and per diem charges are governed by Pub .L. 99-234 and FAR Part 31, and are reimbursable by the ordering agency or can be priced as a fixed price item on orders placed under the Multiple Award Schedule. Travel in performance of a task order will only be reimbursable to the extent authorized by the ordering agency. The Industrial Funding Fee does NOT apply to travel and per diem charges.
- (c) **Certifications, Licenses and Accreditations:** As a commercial practice, the Contractor may be required to obtain/possess any variety of certifications, licenses and accreditations for specific FSC/service code classifications offered. All costs associated with obtaining/ possessing such certifications, licenses and accreditations should be factored into the price offered under the Multiple Award Schedule program.
- (d) **Insurance:** As a commercial practice, the Contractor may be required to obtain/possess insurance coverage for specific FSC/service code classifications offered. All costs associated with obtaining/possessing such insurance should be factored into the price offered under the Multiple Award Schedule program.
- (e) **Personnel:** The Contractor may be required to provide key personnel, resumes or skill category descriptions in the performance of orders issued under this contract. Ordering activities may require agency approval of additions or replacements to key personnel.
- (f) **Organizational Conflicts of Interest:** Where there may be an organizational conflict of interest as determined by the ordering agency, the Contractor's participation in such order may be restricted in accordance with FAR Part 9.5.
- (g) **Documentation/Standards:** The Contractor may be requested to provide products or services in accordance with rules, regulations, OMB orders, standards and documentation as specified by the agency's order.
- (h) **Data/Deliverable Requirements:** Any required data/deliverables at the ordering level will be as specified or negotiated in the agency's order.
- (i) **Government-Furnished Property:** As specified by the agency's order, the Government may provide property, equipment, materials or resources as necessary.
- (j) **Availability of Funds:** Many Government agencies' operating funds are appropriated for a specific fiscal year. Funds may not be presently available for any orders placed under the contract or any option year. The



Government's obligation on orders placed under this contract is contingent upon the availability of appropriated funds from which payment for ordering purposes can be made. No legal liability on the part of the Government for any payment may arise until funds are available to the ordering Contracting Officer.

- (k) Overtime: For professional services, the labor rates in the Schedule should not vary by virtue of the Contractor having worked overtime. For services applicable to the Service Contract Act (as identified in the Schedule), the labor rates in the Schedule will vary as governed by labor laws (usually assessed a time and a half of the labor rate).

15. CONTRACT ADMINISTRATION FOR ORDERING ACTIVITIES: Any ordering activity, with respect to any one or more delivery orders placed by it under this contract, may exercise the same rights of termination as might the GSA Contracting Officer under provisions of FAR 52.212-4, paragraphs (l) Termination for the ordering activity's convenience, and (m) Termination for Cause (See 52.212-4)

16. GSA Advantage!

GSA Advantage! is an on-line, interactive electronic information and ordering system that provides on-line access to vendors' schedule prices with ordering information. GSA Advantage! will allow the user to perform various searches across all contracts including, but not limited to:

- (1) Manufacturer;
- (2) Manufacturer's Part Number; and
- (3) Product categories.

Agencies can browse GSA Advantage! by accessing the Internet World Wide Web utilizing a browser (ex.: Netscape). The Internet address is <http://www.fss.gsa.gov/>.

17. PURCHASE OF OPEN MARKET ITEMS

NOTE: Open Market Items are also known as incidental items, noncontract items, non-Schedule items, and items not on a Federal Supply Schedule contract. ODCs (Other Direct Costs) are not part of this contract and should be treated as open market purchases. Ordering Activities procuring open market items must follow FAR 8.402(f).

For administrative convenience, an ordering activity contracting officer may add items not on the Federal Supply Multiple Award Schedule (MAS) -- referred to as open market items -- to a Federal Supply Schedule blanket purchase agreement (BPA) or an individual task or delivery order, **only if-**

- (1) All applicable acquisition regulations pertaining to the purchase of the items not on the Federal Supply Schedule have been followed (e.g., publicizing (Part 5), competition requirements (Part 6), acquisition of commercial items (Part 12), contracting methods (Parts 13, 14, and 15), and small business programs (Part 19));
- (2) The ordering activity contracting officer has determined the price for the items not on the Federal Supply Schedule is fair and reasonable;
- (3) The items are clearly labeled on the order as items not on the Federal Supply Schedule; and
- (4) All clauses applicable to items not on the Federal Supply Schedule are included in the order.

18. CONTRACTOR COMMITMENTS, WARRANTIES AND REPRESENTATIONS

a. For the purpose of this contract, commitments, warranties and representations include, in addition to those agreed to for the entire schedule contract:

- (1) Time of delivery/installation quotations for individual orders;
 - (2) Technical representations and/or warranties of products concerning performance, total system performance and/or configuration, physical, design and/or functional characteristics and capabilities of a product/equipment/ service/software package submitted in response to requirements which result in orders under this schedule contract.
 - (3) Any representations and/or warranties concerning the products made in any literature, description, drawings and/or specifications furnished by the Contractor.
- b. The above is not intended to encompass items not currently covered by the GSA Schedule contract.

19. OVERSEAS ACTIVITIES

The terms and conditions of this contract shall apply to all orders for installation, maintenance and repair of equipment in areas listed in the pricelist outside the 48 contiguous states and the District of Columbia, except as indicated below:

Not Applicable

Upon request of the Contractor, the ordering activity may provide the Contractor with logistics support, as available, in accordance with all applicable ordering activity regulations. Such ordering activity support will be provided on a reimbursable basis, and will only be provided to the Contractor's technical personnel whose services are exclusively required for the fulfillment of the terms and conditions of this contract.

20. BLANKET PURCHASE AGREEMENTS (BPAs)

The use of BPAs under any schedule contract to fill repetitive needs for supplies or services is allowable. BPAs may be established with one or more schedule contractors. The number of BPAs to be established is within the discretion of the ordering activity establishing the BPA and should be based on a strategy that is expected to maximize the effectiveness of the BPA(s). Ordering activities shall follow FAR 8.405-3 when creating and implementing BPA(s).

21. CONTRACTOR TEAM ARRANGEMENTS

Contractors participating in contractor team arrangements must abide by all terms and conditions of their respective contracts. This includes compliance with Clauses 552.238-74, Industrial Funding Fee and Sales Reporting, i.e., each contractor (team member) must report sales and remit the IFF for all products and services provided under its individual contract.

22. INSTALLATION, DEINSTALLATION, REINSTALLATION

The Davis-Bacon Act (40 U.S.C. 276a-276a-7) provides that contracts in excess of \$2,000 to which the United States or the District of Columbia is a party for construction, alteration, or repair (including painting and decorating) of public buildings or public works with the United States, shall contain a clause that no laborer or mechanic employed directly upon the site of the work shall received less than the prevailing wage rates as determined by the Secretary of Labor. The requirements of the Davis-Bacon Act do not apply if the construction work is incidental to the furnishing of supplies, equipment, or services. For example, the requirements do not apply to simple installation or alteration of a public building or public work that is incidental to furnishing supplies or equipment under a supply contract. However, if the construction, alteration or repair is segregable and exceeds \$2,000, then the requirements of the Davis-Bacon Act applies.

The ordering activity issuing the task order against this contract will be responsible for proper administration and enforcement of the Federal labor standards covered by the Davis-Bacon Act. The proper Davis-Bacon wage



determination will be issued by the ordering activity at the time a request for quotations is made for applicable construction classified installation, deinstallation, and reinstallation services under SIN 132-8 or 132-9.

23. SECTION 508 COMPLIANCE.

If applicable, Section 508 compliance information on the supplies and services in this contract are available in Electronic and Information Technology (EIT) at the following:

www.LENSEC.com

www.gsaadvantage.gov

(enter LENSEC GSA contract # GS-35F-0645K)

The EIT standard can be found at: www.Section508.gov/.

24. PRIME CONTRACTOR ORDERING FROM FEDERAL SUPPLY SCHEDULES.

Prime Contractors (on cost reimbursement contracts) placing orders under Federal Supply Schedules, on behalf of an ordering activity, shall follow the terms of the applicable schedule and authorization and include with each order

- (a) A copy of the authorization from the ordering activity with whom the contractor has the prime contract (unless a copy was previously furnished to the Federal Supply Schedule contractor); and
- (b) The following statement:

This order is placed under written authorization from _____ dated _____. In the event of any inconsistency between the terms and conditions of this order and those of your Federal Supply Schedule contract, the latter will govern.

25. INSURANCE—WORK ON A GOVERNMENT INSTALLATION (JAN 1997)(FAR 52.228-5)

- (a) The Contractor shall, at its own expense, provide and maintain during the entire performance of this contract, at least the kinds and minimum amounts of insurance required in the Schedule or elsewhere in the contract.
- (b) Before commencing work under this contract, the Contractor shall notify the Contracting Officer in writing that the required insurance has been obtained. The policies evidencing required insurance shall contain an endorsement to the effect that any cancellation or any material change adversely affecting the Government's interest shall not be effective—
 - (1) For such period as the laws of the State in which this contract is to be performed prescribe; or
 - (2) Until 30 days after the insurer or the Contractor gives written notice to the Contracting Officer, whichever period is longer.
- (c) The Contractor shall insert the substance of this clause, including this paragraph (c), in subcontracts under this contract that require work on a Government installation and shall require subcontractors to provide and maintain the insurance required in the Schedule or elsewhere in the contract. The Contractor shall maintain a copy of all subcontractors' proofs of required insurance, and shall make copies available to the Contracting Officer upon request.

26. SOFTWARE INTEROPERABILITY.

Offerors are encouraged to identify within their software items any component interfaces that support open standard interoperability. An item's interface may be identified as interoperable on the basis of participation in a Government



agency-sponsored program or in an independent organization program. Interfaces may be identified by reference to an interface registered in the component registry located at <http://www.core.gov>.

27. ADVANCE PAYMENTS

A payment under this contract to provide a service or deliver an article for the United States Government may not be more than the value of the service already provided or the article already delivered. Advance or pre-payment is not authorized or allowed under this contract. (31 U.S.C. 3324)





**TERMS AND CONDITIONS APPLICABLE TO PURCHASE OF
GENERAL PURPOSE COMMERCIAL INFORMATION TECHNOLOGY EQUIPMENT
(SPECIAL ITEM NUMBER 132-8)**

1. MATERIAL AND WORKMANSHIP

All equipment furnished hereunder must satisfactorily perform the function for which it is intended.

2. ORDER

Written orders, EDI orders (GSA Advantage! and FACNET), credit card orders, and orders placed under blanket purchase agreements (BPA) agreements shall be the basis for purchase in accordance with the provisions of this contract. If time of delivery extends beyond the expiration date of the contract, the Contractor will be obligated to meet the delivery and installation date specified in the original order.

For credit card orders and BPAs, telephone orders are permissible.

3. TRANSPORTATION OF EQUIPMENT

FOB DESTINATION. Prices cover equipment delivery to destination, for any location within the geographic scope of this contract.

4. INSTALLATION AND TECHNICAL SERVICES

The equipment is not self-installable and it requires skilled technical person to do the installation work.

a. **INSTALLATION.** When the equipment provided under this contract is not normally self-installable, the Contractor's technical personnel shall be available to the ordering activity, at the ordering activity's location, to install the equipment and to train ordering activity personnel in the use and maintenance of the equipment. The charges, if any, for such services are listed below, or in the price schedule:

Refer to [Annexure I](#)

a. **INSTALLATION, DEINSTALLATION, REINSTALLATION.** The Davis-Bacon Act (40 U.S.C. 276a-276a-7) provides that contracts in excess of \$2,000 to which the United States or the District of Columbia is a party for construction, alteration, or repair (including painting and decorating) of public buildings or public works with the United States, shall contain a clause that no laborer or mechanic employed directly upon the site of the work shall received less than the prevailing wage rates as determined by the Secretary of Labor. The requirements of the Davis-Bacon Act do not apply if the construction work is incidental to the furnishing of supplies, equipment, or services. For example, the requirements do not apply to simple installation or alteration of a public building or public work that is incidental to furnishing supplies or equipment under a supply contract. However, if the construction, alteration or repair is segregable and exceeds \$2,000, then the requirements of the Davis-Bacon Act applies.

The ordering activity issuing the task order against this contract will be responsible for proper administration and enforcement of the Federal labor standards covered by the Davis-Bacon Act. The proper Davis-Bacon wage determination will be issued by the ordering activity at the time a request for quotations is made for applicable construction classified installation, deinstallation, and reinstallation services under SIN 132-8 or SIN 132-9.

c. **OPERATING AND MAINTENANCE MANUALS.** The Contractor shall furnish the ordering activity with one (1) copy of all operating and maintenance manuals which are normally provided with the equipment being purchased.



5. INSPECTION/ACCEPTANCE

The Contractor shall only tender for acceptance those items that conform to the requirements of this contract. The ordering activity reserves the right to inspect or test any equipment that has been tendered for acceptance. The ordering activity may require repair or replacement of nonconforming equipment at no increase in contract price. The ordering activity must exercise its post acceptance rights (1) within a reasonable time after the defect was discovered or should have been discovered; and (2) before any substantial change occurs in the condition of the item, unless the change is due to the defect in the item.

6. WARRANTY

- a. Unless specified otherwise in this contract, the Contractor’s standard commercial warranty as stated in the contract’s commercial pricelist will apply to this contract.
- b. The Contractor warrants and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract.
- c. **Limitation of Liability.** Except as otherwise provided by an express or implied warranty, the Contractor will not be liable to the ordering activity for consequential damages resulting from any defect or deficiencies in accepted items.
- d. If inspection and repair of defective equipment under this warranty will be performed at the Contractor's plant, the address is as follows:

The address will be provided during contract execution as inspection and repair could be done at different locations. Testing and repair of digital video servers could be done at the contractor’s head office located at,
1800 Bering Drive, Ste. 751
Houston, TX - 77054

7. PURCHASE PRICE FOR ORDERED EQUIPMENT

The purchase price that the ordering activity will be charged will be the ordering activity purchase price in effect at the time of order placement, or the ordering activity purchase price in effect on the installation date (or delivery date when installation is not applicable), whichever is less.

8. RESPONSIBILITIES OF THE CONTRACTOR

The Contractor shall comply with all laws, ordinances, and regulations (Federal, State, City or otherwise) covering work of this character, and shall include all costs, if any, of such compliance in the prices quoted in this offer.

9. TRADE-IN OF INFORMATION TECHNOLOGY EQUIPMENT

When an ordering activity determines that Information Technology equipment will be replaced, the ordering activity shall follow the contracting policies and procedures in the Federal Acquisition Regulation (FAR), the policies and procedures regarding disposition of information technology excess personal property in the Federal Property Management Regulations (FPMR) (41 CFR 101-43.6), and the policies and procedures on exchange/sale contained in the FPMR (41 CFR part 101-46).



TERMS AND CONDITIONS APPLICABLE TO MAINTENANCE, REPAIR SERVICE AND REPAIR PARTS/SPARE PARTS FOR GOVERNMENT-OWNED GENERAL PURPOSE COMMERCIAL INFORMATION TECHNOLOGY EQUIPMENT (AFTER EXPIRATION OF GUARANTEE/WARRANTY PROVISIONS AND/OR WHEN REQUIRED SERVICE IS NOT COVERED BY GUARANTEE/WARRANTY PROVISIONS) AND FOR LEASED EQUIPMENT (SPECIAL ITEM NUMBER 132-12)

1. SERVICE AREAS

a. The maintenance and repair service rates listed herein are applicable to any ordering activity location within a **200** mile radius of the Contractor's service points. If any additional charge is to apply because of the greater distance from the Contractor's service locations, the mileage rate or other distance factor shall be stated in paragraphs 7.d and 8.d of this Special Item Number 132-12.

b. When repair services cannot be performed at the ordering activity installation site, the repair services will be performed at the Contractor's plant(s) listed below:

The address will be provided during contract execution as inspection and repair could be done at different locations. Testing and repair of digital video servers could be done at the contractor's head office located at,

1800 Bering Drive, Ste 751
Houston, TX - 77054

2. MAINTENANCE ORDER

a. Agencies may use written orders, EDI orders, credit card orders, or BPAs, for ordering maintenance under this contract. The Contractor shall confirm orders within fifteen (15) calendar days from the date of receipt, except that confirmation of orders shall be considered automatic for renewals for maintenance (Special Item Number 132-12). Automatic acceptance of order renewals for maintenance service shall apply for machines which may have been discontinued from use for temporary periods of time not longer than 120 calendar days. If the order is not confirmed by the Contractor as prescribed by this paragraph, the order shall be considered to be confirmed by the Contractor.

b. The Contractor shall honor orders for maintenance for the duration of the contract period or a lesser period of time, for the equipment shown in the pricelist. Maintenance service shall commence on a mutually agreed upon date, which will be written into the maintenance order. Maintenance orders shall not be made effective before the expiration of any applicable maintenance and parts guarantee/warranty period associated with the purchase of equipment. Orders for maintenance service shall not extend beyond the end of the contract period.

c. Maintenance may be discontinued by the ordering activity on thirty (30) calendar days written notice, or shorter notice when agreed to by the Contractor; such notice to become effective thirty (30) calendar days from the date on the notification. However, the ordering activity may extend the original discontinuance date upon written notice to the Contractor, provided that such notice is furnished at least ten (10) calendar days prior to the original discontinuance date.

d. Annual Funding. When annually appropriated funds are cited on a maintenance order, the period of maintenance shall automatically expire on September 30th of the contract period, or at the end of the contract period, whichever occurs first. Renewal of a maintenance order citing the new appropriation shall be required, if maintenance is to continue during any remainder of the contract period.

e. Cross-year Funding Within Contract Period. Where an ordering activity's specific appropriation authority provides for funds in excess of a 12 month, fiscal year period, the ordering activity may place an order under this schedule contract for a period up to the expiration of the contract period, notwithstanding the intervening fiscal years.

f. Ordering activities should notify the Contractor in writing thirty (30) calendar days prior to the expiration of maintenance service, if maintenance is to be terminated at that time. Orders for continued maintenance will be required if maintenance is to be continued during the subsequent period.

3. REPAIR SERVICE AND REPAIR PARTS/SPARE PARTS ORDERS

a. Agencies may use written orders, EDI orders, credit card orders, blanket purchase agreements (BPAs), or small order procedures for ordering repair service and/or repair parts/spare parts under this contract. Orders for repair service shall not extend beyond the end of the contract period.

b. When repair service is ordered, only one chargeable repairman shall be dispatched to perform repair service, unless the ordering activity agrees, in advance, that additional repair personnel are required to effect repairs.

4. LOSS OR DAMAGE

When the Contractor removes equipment to his establishment for repairs, the Contractor shall be responsible for any damage or loss, from the time the equipment is removed from the ordering activity installation, until the equipment is returned to such installation.

5. SCOPE

a. The Contractor shall provide maintenance for all equipment listed herein, as requested by the ordering activity during the contract term. Repair service and repair parts/spare parts shall apply exclusively to the equipment types/models within the scope of this Information Technology Schedule.

b. Equipment placed under maintenance service shall be in good operating condition.

(1) In order to determine that the equipment is in good operating condition, the equipment shall be subject to inspection by the Contractor, without charge to the ordering activity.

(2) Costs of any repairs performed for the purpose of placing the equipment in good operating condition shall be borne by the Contractor, if the equipment was under the Contractor's guarantee/warranty or maintenance responsibility prior to the effective date of the maintenance order.

(3) If the equipment was not under the Contractor's responsibility, the costs necessary to place the equipment in proper operating condition are to be borne by the ordering activity, in accordance with the provisions of Special Item Number 132-12 (or outside the scope of this contract).

6. RESPONSIBILITIES OF THE ORDERING ACTIVITY

a. Ordering activity personnel shall not perform maintenance or attempt repairs to equipment while such equipment is under the purview of a maintenance order, unless agreed to by the Contractor.

b. Subject to security regulations, the ordering activity shall permit access to the equipment which is to be maintained or repaired.

c. If the Ordering Activity desires a factory authorized/certified service personnel then this should be clearly stated in the task or delivery order.



7. RESPONSIBILITIES OF THE CONTRACTOR

a. For equipment not covered by a maintenance contract or warranty, the Contractor's repair service personnel shall complete repairs as soon as possible after notification by the ordering activity that service is required. Within the service areas, this repair service should normally be done within 4 hours after notification.

b. If the Ordering Activity task or delivery order specifies a factory authorized/certified service personnel then the Contractor is obligated to provide such a factory authorized/certified service personnel for the equipment to be repaired or serviced, unless otherwise agreed to in advance between the Agency and the Contractor.

8. MAINTENANCE RATE PROVISIONS

a. The Contractor shall bear all costs of maintenance, including labor, parts, and such other expenses as are necessary to keep the equipment in good operating condition, provided that the required repairs are not occasioned by fault or negligence of the ordering activity.

b. REGULAR HOURS

The basic monthly rate for each make and model of equipment shall entitle the ordering activity to maintenance service during a mutually agreed upon nine (9) hour principal period of maintenance, Monday through Friday, exclusive of holidays observed at the ordering activity location.

c. AFTER HOURS

Should the ordering activity require that maintenance be performed outside of Regular Hours, charges for such maintenance, if any, will be specified in the pricelist. Periods of less than one hour will be prorated to the nearest quarter hour.

d. TRAVEL AND TRANSPORTATION

If any charge is to apply, over and above the regular maintenance rates, because of the distance between the ordering activity location and the Contractor's service area, the charge will be:

The travel and transportation charges will be reviewed on case to case basis depending on the equipment being shipped.

e. QUANTITY DISCOUNTS

Quantity discounts from listed maintenance service rates for multiple equipment owned and/or leased by a ordering activity are indicated below: None

Quantity Range	Discounts
\$500,000 - \$1,999,999.00 Units	___5%___ additional
\$2,000,000 & up Units	___10%___ additional

9. REPAIR SERVICE RATE PROVISIONS

a. CHARGES. Charges for repair service will include the labor charge, computed at the rates set forth below, for the time during which repairmen are actually engaged in work, and, when applicable, the charge for travel or transportation.

b. MULTIPLE MACHINES. When repairs are ordered by a ordering activity on two or more machines located in one or more buildings within walking distance of each other, the charges will be computed from the time the repairman commences work on the first machine, until the work is completed on the last machine. The time required to go from one machine to another, or from one building to another, will be considered actual work



performance, and chargeable to the ordering activity, provided the time consumed in going between machines (or buildings) is reasonable.

c. TRAVEL OR TRANSPORTATION

(1) AT THE CONTRACTOR'S SHOP

(a) When equipment is returned to the Contractor's shop for adjustments or repairs which are not covered by the guarantee/warranty provision, the cost of transportation, packing, etc., from the ordering activity location to the Contractor's plant, and return to the ordering activity location, shall be borne by the ordering activity.

(b) The ordering activity should not return defective equipment to the Contractor for adjustments and repairs or replacement without his prior consultation and instruction.

(2) AT THE ORDERING ACTIVITY LOCATION (Within Established Service Areas)

When equipment is repaired at the ordering activity location, and repair service rates are established for service areas or zones, the listed rates are applicable to any ordering activity location within such service areas or zones. No extra charge, time, or expense will be allowed for travel or transportation of repairmen or machines to or from the ordering activity office; such overhead is included in the repair service rates listed.

(3) AT THE ORDERING ACTIVITY LOCATION (Outside Established Service Areas)

(a) The repair service rates listed for subparagraph (2) above apply, except that a travel charge of \$0.40 per mile for repairmen will apply to the round-trip distance between the geographic limits of the applicable service area and the ordering activity location. Such charge will apply as an additional charge, but it will be limited to one round trip for each request that is made by the ordering activity for repair service, regardless of whether repairs are performed at the ordering activity location or at the Contractor's shop.

(b) When the overall travel charge computed at the above mileage rate is unreasonable (considering the time required for travel, actual and necessary transportation costs, and the allowable ordering activity per diem rate for each night the repairman is required to remain overnight at the ordering activity location), the ordering activity shall have the option of reimbursing the Contractor for actual costs, provided that the actual costs are reasonable and allowable. The Contractor shall furnish the ordering activity with a report of travel performed and related expenses incurred. The report shall include departure and arrival dates, times, and the applicable mode of travel.

d. LABOR RATES

(1) REGULAR HOURS

The Regular Hours repair service rates listed herein shall entitle the ordering activity to repair service during the period 8:00 a.m. to 5:00 p.m., Monday through Friday, exclusive of holidays observed at the ordering activity location. There shall be no additional charge for repair service which was requested during Regular Hours, but performed outside the Regular Hours defined above, at the convenience of the Contractor.

(2) AFTER HOURS

When the ordering activity requires that repair service be performed outside the Regular Hours defined above, except Sundays and Holidays observed at the ordering activity location, the After Hours repair service rates listed herein shall apply. The Regular Hours rates defined above shall apply when repair service is requested during Regular Hours, but performed After Hours at the convenience of the Contractor.

(3) SUNDAYS AND HOLIDAYS



When the ordering activity requires that repair service be performed on Sundays and Holidays observed at the ordering activity location, the Sundays and Holidays repair service rates listed herein shall apply. When repair service is requested to be performed during Regular Hours and/or After Hours, but is performed at the convenience of the Contractor on Sundays or Holidays observed at the ordering activity location, the Regular Hours and/or After Hours repair service rates, as applicable, shall apply.

REPAIR SERVICE RATES

LOCATION	MINIMUM CHARGE*	REGULAR HOURS PER HOUR**	AFTER HOURS PER HOUR**	SUNDAYS AND HOLIDAYS PER HOUR
CONTRACTOR'S SHOP	\$170	\$85/hr	\$105/hr	\$150/hr
ORDERING ACTIVITY LOCATION (WITHIN ESTABLISHED SERVICE AREAS)	\$270	\$135/hr	\$200/hr	\$275/hr
ORDERING ACTIVITY LOCATION (OUTSIDE ESTABLISHED SERVICE AREAS)	\$270	\$135/hr	\$200/hr	\$275/hr

*MINIMUM CHARGES INCLUDE Two (2) FULL HOURS ON THE JOB.

**FRACTIONAL HOURS, AT THE END OF THE JOB, WILL BE PRORATED TO THE NEAREST QUARTER HOUR.

Unless agreed upon by the customer and LENSEC in writing for specific project(s), the only Established Service Area LENSEC has set-up at this stage at their Houston, TX based office.

10. REPAIR PARTS/SPARE PARTS RATE PROVISIONS

All parts, furnished as spares or as repair parts in connection with the repair of equipment, unless otherwise indicated in this pricelist, shall be new, standard parts manufactured by the equipment manufacturer. All parts shall be furnished at prices indicated in the Contractor's commercial pricelist dated 7/30/2014, at a discount of 15 % from such listed prices.

11. GUARANTEE/WARRANTY—REPAIR SERVICE AND REPAIR PARTS/SPARE PARTS

a. REPAIR SERVICE

All repair work will be guaranteed/warranted for a period of six (6) months.

b. REPAIR PARTS/SPARE PARTS

All parts, furnished either as spares or repairs parts will be guaranteed/warranted for a period one year.

12. INVOICES AND PAYMENTS

a. Maintenance Service

(1) Invoices for maintenance service shall be submitted by the Contractor on a quarterly or monthly basis, after the completion of such period. Maintenance charges must be paid in arrears (31 U.S.C. 3324). PROMPT PAYMENT DISCOUNT, IF APPLICABLE, SHALL BE SHOWN ON THE INVOICE.

(2) Payment for maintenance service of less than one month's duration shall be prorated at 1/30th of the monthly rate for each calendar day.



b. Repair Service and Repair Parts/Spare Parts

Invoices for repair service and parts shall be submitted by the Contractor as soon as possible after completion of work. Payment under blanket purchase agreements will be made quarterly or monthly, except where cash payment procedures are used. Invoices shall be submitted separately to each ordering activity office ordering services under the contract. The cost of repair parts shall be shown as a separate item on the invoice, and shall be priced in accordance with paragraph #10, above. PROMPT PAYMENT DISCOUNT, IF APPLICABLE, SHALL BE SHOWN ON THE INVOICE.





**TERMS AND CONDITIONS APPLICABLE TO
TERM SOFTWARE LICENSES (SPECIAL ITEM NUMBER 132-32),
PERPETUAL SOFTWARE LICENSES (SPECIAL ITEM NUMBER 132-33) AND
MAINTENANCE (SPECIAL ITEM NUMBER 132-34) OF GENERAL PURPOSE
COMMERCIAL INFORMATION TECHNOLOGY SOFTWARE**

1. INSPECTION/ACCEPTANCE

The Contractor shall only tender for acceptance those items that conform to the requirements of this contract. The ordering activity reserves the right to inspect or test any software that has been tendered for acceptance. The ordering activity may require repair or replacement of nonconforming software at no increase in contract price. The ordering activity must exercise its post acceptance rights (1) within a reasonable time after the defect was discovered or should have been discovered; and (2) before any substantial change occurs in the condition of the software, unless the change is due to the defect in the software.

2. GUARANTEE/WARRANTY

a. Unless specified otherwise in this contract, the Contractor’s standard commercial guarantee/warranty as stated in the contract’s commercial pricelist will apply to this contract.

Refer terms in Annexure II

b. The Contractor warrants and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract.

c. Limitation of Liability. Except as otherwise provided by an express or implied warranty, the Contractor will not be liable to the ordering activity for consequential damages resulting from any defect or deficiencies in accepted items.

3. TECHNICAL SERVICES

The Contractor, without additional charge to the ordering activity, shall provide a hot line technical support number 713-395-0800 x 1 for the purpose of providing user assistance and guidance in the implementation of the software. The technical support number is available from 6:00 AM CST to 6:00 PM CST.

4. SOFTWARE MAINTENANCE

a. Software maintenance service shall include the following:

LENSEC warrants that any Software updates and fixes that are created by LENSEC will be supplied as part of the Telephone and Remote Software Support Plan. Provided that Customer has used and maintained the Software in accordance with LENSEC’s written specifications for such Software, if Customer notifies LENSEC that the Software is not functioning in accordance with such Software Specifications during the term of the Telephone and Remote Software Support Plan (the "Software Notification"), LENSEC will, without charge to Customer and upon receipt of such Software from Customer in the event an On-Site Service Plan is not in effect, (i) repair the Software so that it conforms to the Software Specifications or replace the Software with conforming Software and, if applicable, ship the repaired or replacement Software to Customer, or (ii) at the sole discretion of LENSEC, return Customer’s payment for that Software and terminate all other obligations under this Agreement as to that Software, with such remedy being the sole and exclusive remedy of Customer for breach of this warranty. In the event that during the term of the Telephone and Remote Software Support Plan Customer has not used or maintained the Software in accordance with the Software Specifications or, if applicable, does not deliver the Software to LENSEC within thirty



(30) days of the Software Notification, then the provisions of Section 1.3(a)(1) above shall apply with respect to the repair, replacement, support and/or servicing of the Software.

Software maintenance as a product includes the publishing of bug/defect fixes via patches and updates/upgrades in function and technology to maintain the operability and usability of the software product. It may also include other no charge support that are included in the purchase price of the product in the commercial marketplace. No charge support includes items such as user blogs, discussion forums, on-line help libraries and FAQs (Frequently Asked Questions), hosted chat rooms, and limited telephone, email and/or web-based general technical support for user's self diagnostics.

Software maintenance as a product does NOT include the creation, design, implementation, integration, etc. of a software package. These examples are considered software maintenance as a service.

Software Maintenance as a product is billed at the time of purchase.

_____ 2. Software Maintenance as a Service (SIN 132-34)

Software maintenance as a service creates, designs, implements, and/or integrates customized changes to software that solve one or more problems and is not included with the price of the software. Software maintenance as a service includes person-to-person communications regardless of the medium used to communicate: telephone support, on-line technical support, customized support, and/or technical expertise which are charged commercially. Software maintenance as a service is billed arrears in accordance with 31 U.S.C. 3324.

Software maintenance as a service is billed in arrears in accordance with 31 U.S.C. 3324.

b. Invoices for maintenance service shall be submitted by the Contractor on a quarterly or monthly basis, after the completion of such period. Maintenance charges must be paid in arrears (31 U.S.C. 3324). **PROMPT PAYMENT DISCOUNT, IF APPLICABLE, SHALL BE SHOWN ON THE INVOICE.**

5. PERIODS OF TERM LICENSES (132-32) AND MAINTENANCE (132-34)

a. The Contractor shall honor orders for periods for the duration of the contract period or a lesser period of time.

b. Term licenses and/or maintenance may be discontinued by the ordering activity on thirty (30) calendar days written notice to the Contractor.

c. **Annual Funding.** When annually appropriated funds are cited on an order for term licenses and/or maintenance, the period of the term licenses and/or maintenance shall automatically expire on September 30 of the contract period, or at the end of the contract period, whichever occurs first. Renewal of the term licenses and/or maintenance orders citing the new appropriation shall be required, if the term licenses and/or maintenance is to be continued during any remainder of the contract period.

d. **Cross-Year Funding Within Contract Period.** Where an ordering activity's specific appropriation authority provides for funds in excess of a 12 month (fiscal year) period, the ordering activity may place an order under this



schedule contract for a period up to the expiration of the contract period, notwithstanding the intervening fiscal years.

e. Ordering activities should notify the Contractor in writing thirty (30) calendar days prior to the expiration of an order, if the term licenses and/or maintenance is to be terminated at that time. Orders for the continuation of term licenses and/or maintenance will be required if the term licenses and/or maintenance is to be continued during the subsequent period.

6. CONVERSION FROM TERM LICENSE TO PERPETUAL LICENSE

a. The ordering activity may convert term licenses to perpetual licenses for any or all software at any time following acceptance of software. At the request of the ordering activity the Contractor shall furnish, within ten (10) calendar days, for each software product that is contemplated for conversion, the total amount of conversion credits which have accrued while the software was on a term license and the date of the last update or enhancement.

b. Conversion credits which are provided shall, within the limits specified, continue to accrue from one contract period to the next, provided the software remains on a term license within the ordering activity.

c. The term license for each software product shall be discontinued on the day immediately preceding the effective date of conversion from a term license to a perpetual license.

d. The price the ordering activity shall pay will be the perpetual license price that prevailed at the time such software was initially ordered under a term license, or the perpetual license price prevailing at the time of conversion from a term license to a perpetual license, whichever is the less, minus an amount equal to _____% of all term license payments during the period that the software was under a term license within the ordering activity.

LENSEC software agreement does not have provision for converting term license to perpetual license. Any related terms can be discussed and mutually agreed upon by both the parties.

7. TERM LICENSE CESSATION

a. After a software product has been on a continuous term license for a period of 12 months, a fully paid-up, non-exclusive, perpetual license for the software product shall automatically accrue to the ordering activity. The period of continuous term license for automatic accrual of a fully paid-up perpetual license does not have to be achieved during a particular fiscal year; it is a written Contractor commitment which continues to be available for software that is initially ordered under this contract, until a fully paid-up perpetual license accrues to the ordering activity. However, should the term license of the software be discontinued before the specified period of the continuous term license has been satisfied, the perpetual license accrual shall be forfeited.

b. The Contractor agrees to provide updates and maintenance service for the software after a perpetual license has accrued, at the prices and terms of Special Item Number 132-34, if the licensee elects to order such services. Title to the software shall remain with the Contractor.

8. UTILIZATION LIMITATIONS - (132-32, 132-33, AND 132-34)

a. Software acquisition is limited to commercial computer software defined in FAR Part 2.101.

b. When acquired by the ordering activity, commercial computer software and related documentation so legend shall be subject to the following:

(1) Title to and ownership of the software and documentation shall remain with the Contractor, unless otherwise specified.

(2) Software licenses are by site and by ordering activity. An ordering activity is defined as a cabinet level or independent ordering activity. The software may be used by any subdivision of the ordering activity (service, bureau, division, command, etc.) that has access to the site the software is placed at, even if the subdivision did not participate in the acquisition of the software. Further, the software may be used on a sharing basis where multiple agencies have joint projects that can be satisfied by the use of the

software placed at one ordering activity's site. This would allow other agencies access to one ordering activity's database. For ordering activity public domain databases, user agencies and third parties may use the computer program to enter, retrieve, analyze and present data. The user ordering activity will take appropriate action by instruction, agreement, or otherwise, to protect the Contractor's proprietary property with any third parties that are permitted access to the computer programs and documentation in connection with the user ordering activity's permitted use of the computer programs and documentation. For purposes of this section, all such permitted third parties shall be deemed agents of the user ordering activity.

(3) Except as is provided in paragraph 8.b(2) above, the ordering activity shall not provide or otherwise make available the software or documentation, or any portion thereof, in any form, to any third party without the prior written approval of the Contractor. Third parties do not include prime Contractors, subcontractors and agents of the ordering activity who have the ordering activity's permission to use the licensed software and documentation at the facility, and who have agreed to use the licensed software and documentation only in accordance with these restrictions. This provision does not limit the right of the ordering activity to use software, documentation, or information therein, which the ordering activity may already have or obtains without restrictions.

(4) The ordering activity shall have the right to use the computer software and documentation with the computer for which it is acquired at any other facility to which that computer may be transferred, or in cases of disaster recovery, the ordering activity has the right to transfer the software to another site if the ordering activity site for which it is acquired is deemed to be unsafe for ordering activity personnel; to use the computer software and documentation with a backup computer when the primary computer is inoperative; to copy computer programs for safekeeping (archives) or backup purposes; to transfer a copy of the software to another site for purposes of benchmarking new hardware and/or software; and to modify the software and documentation or combine it with other software, provided that the unmodified portions shall remain subject to these restrictions.

(5) "Commercial Computer Software" may be marked with the Contractor's standard commercial restricted rights legend, but the schedule contract and schedule pricelist, including this clause, "Utilization Limitations" are the only governing terms and conditions, and shall take precedence and supersede any different or additional terms and conditions included in the standard commercial legend.

9. SOFTWARE CONVERSIONS - (132-32 AND 132-33)

Full monetary credit will be allowed to the ordering activity when conversion from one version of the software to another is made as the result of a change in operating system, or from one computer system to another. Under a perpetual license (132-33), the purchase price of the new software shall be reduced by the amount that was paid to purchase the earlier version. Under a term license (132-32), conversion credits which accrued while the earlier version was under a term license shall carry forward and remain available as conversion credits which may be applied towards the perpetual license price of the new version.

10. DESCRIPTIONS AND EQUIPMENT COMPATIBILITY

The Contractor shall include, in the schedule pricelist, a complete description of each software product and a list of equipment on which the software can be used. Also, included shall be a brief, introductory explanation of the modules and documentation which are offered.

11. RIGHT-TO-COPY PRICING

The Contractor shall insert the discounted pricing for right-to-copy licenses.



**USA COMMITMENT TO PROMOTE
SMALL BUSINESS PARTICIPATION
PROCUREMENT PROGRAMS**

PREAMBLE

Progressive Systems LLC., dba LENSEC LLC provides commercial products and services to ordering activities. We are committed to promoting participation of small, small disadvantaged and women-owned small businesses in our contracts. We pledge to provide opportunities to the small business community through reselling opportunities, mentor-protégé programs, joint ventures, teaming arrangements, and subcontracting.

COMMITMENT

To actively seek and partner with small businesses.

To identify, qualify, mentor and develop small, small disadvantaged and women-owned small businesses by purchasing from these businesses whenever practical.

To develop and promote company policy initiatives that demonstrate our support for awarding contracts and subcontracts to small business concerns.

To undertake significant efforts to determine the potential of small, small disadvantaged and women-owned small business to supply products and services to our company.

To insure procurement opportunities are designed to permit the maximum possible participation of small, small disadvantaged, and women-owned small businesses.

To attend business opportunity workshops, minority business enterprise seminars, trade fairs, procurement conferences, etc., to identify and increase small businesses with whom to partner.

To publicize in our marketing publications our interest in meeting small businesses that may be interested in subcontracting opportunities.

We signify our commitment to work in partnership with small, small disadvantaged and women-owned small businesses to promote and increase their participation in ordering activity contracts. To accelerate potential opportunities please contact,

Mr. Neel Adhikari, COO
LENSEC LLC.
1800 Bering Drive, Ste. 751
Houston, TX – 77057
Ph: 713 395 0800
Fax: 713 395 0597





G.7 ORDERING INFORMATION (GSAR 552.216-73) (SEP 1999) (ALTERNATE II-SEP 1999)

(a) In accordance with the Placement of Orders clause of this solicitation, the offeror elects to receive orders placed by GSA's Federal Supply Service (FSS) by either [] facsimile transmission or [] computer-to-computer Electronic Data Interchange (EDI).

(b) An offeror electing to receive computer-to-computer EDI is requested to indicate below the name, address, and telephone number of the representative to be contacted regarding establishment of an EDI interface.
Neelabh Adhikari, Progressive Systems LLC, dba LENSEC LLC., 1800 Bering Drive, Ste 751, Houston, TX - 77057
Tel: 713 395 0800 x 7342

(c) An offeror electing to receive orders by facsimile transmission is requested to indicate below the telephone number(s) for facsimile transmission equipment where orders should be forwarded.

Progressive Systems LLC., dba LENSEC LLC.
Tel: 713 395 0800 x 7342
Fax: 713 395 0597

(d) For mailed orders, the offeror is requested to include the postal mailing address(es) where paper form orders should be mailed.

Progressive Systems LLC., dba LENSEC LLC.
1800 Bering Drive, Ste 751
Houston, TX – 77054

(e) Offerors marketing through dealers are requested to indicate below whether those dealers will be participating in the proposed contract.

YES []

NO []

If "yes" is checked, ordering information to be inserted above shall reflect that in addition to offeror's name, address, and facsimile transmission telephone number, orders can be addressed to the offeror's name, c/o nearest local dealer. In this event, two copies of a list of participating dealers shall accompany this offer, and shall also be included in Contractor's Federal Supply Schedule pricelist.



List of Participating Dealers

No dealers are part of LENSEC GSA contract # GS-35F-0645K



Please contact your LENSEC sales representative for GSA approved Price List dated 07/30/2014



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
LENSEC Digital Video Servers and Enterprise-Wide Video Management Software									
132-8	LS-IP-SVR-250-4	LENSEC Digital Video Surveillance Server with user friendly and feature rich LENSEC Software with 1 x 250 GB Serial ATA Hard Drive. Server suitable for four (4) fixed/varifocal lens network cameras archiving at 2 frames/second, activity detection for approx. 10 hrs/day, image with medium compression and 640x480 resolution and storage space suitable for 12-15 days. Server fully configured with interactive map showing camera locations.	\$6,999.00	15.00%	\$5,950.00	\$5,995.00	1	USA	1*
132-32	LS-IP-SVR-SWCONF-4L	LENSEC Digital Video Management Software with user friendly interface for viewing live and recorded video across multiple locations, custom developed map, effective user data management and configuration of server suitable for four (4) network cameras.	\$4,699.00	15.00%	\$3,995.00	\$4,025.00	1	USA	6 months
132-8	LS-IP-SVR-500-8	Mid-Sized, LENSEC Digital Video Surveillance Server with user friendly and feature rich LENSEC Software with 500 GB Serial ATA storage. Server suitable for eight (8) fixed/varifocal lens network cameras archiving at 2 frames/second, activity detection for approx. 10 hrs/day, image with medium compression and 640x480 resolution and storage space suitable for 12-15 days. Server fully configured with interactive map showing camera locations.	\$10,499.00	15.00%	\$8,925.00	\$8,992.00	1	USA	1*
132-32	LS-IP-SVR-SWCONF-8L	LENSEC Digital Video Management Software with user friendly interface for viewing live and recorded video across multiple locations, custom developed map, effective user data management and configuration of server suitable for eight (8) network cameras.	\$7,699.00	15.00%	\$6,545.00	\$6,595.00	1	USA	6 months
132-8	LS-IP-SVR-1000-16	High capacity, LENSEC Digital Video Surveillance Server with user friendly and feature rich LENSEC Software with One (1) TeraByte Serial ATA storage, one (1) DualCore processor, and 1 GB of Memory. Server suitable for sixteen (16) fixed/varifocal lens network cameras archiving at 2 frames/second, activity detection for approx. 10 hrs/day, image with medium compression and 640x480 resolution and storage space suitable for 12-15 days. Server fully configured with interactive map showing camera locations.	\$13,860.00	15.00%	\$11,781.00	\$11,870.00	1	USA	1*
132-32	LS-IP-SVR-SWCONF-16L	LENSEC Digital Video Management Software with user friendly interface for viewing live and recorded video across multiple locations, custom developed map, effective user data management and configuration of server suitable for sixteen (16) network cameras.	\$9,899.00	15.00%	\$8,415.00	\$8,479.00	1	USA	6 months
132-8	LS-IP-SVR-1500-32	High capacity, LENSEC Digital Video Surveillance Server with user friendly and feature rich LENSEC Software with One and half (1.5) TeraByte Serial ATA storage, two (2) DualCore processors, and 2 GB of Memory. Server suitable for thirty two (32) fixed/varifocal lens network cameras archiving at 2 frames/second, activity detection for approx. 10 hrs/day, image with medium compression and 640x480 resolution and storage space suitable for 12-15 days. Server fully configured with interactive map showing camera locations.	\$17,499.00	15.00%	\$14,875.00	\$14,987.00	1	USA	1*
132-32	LS-IP-SVR-SWCONF-32L	LENSEC Digital Video Management Software with user friendly interface for viewing live and recorded video across multiple locations, custom developed map, effective user data management and configuration of server suitable for thirty two (32) network cameras.	\$12,899.00	15.00%	\$10,965.00	\$11,048.00	1	USA	6 months
132-8	LS-IP-SVR-1500-45	High capacity, LENSEC Digital Video Surveillance Server with user friendly and feature rich LENSEC Software with One and half (1.5) TeraByte Serial ATA storage, two (2) DualCore processors, and 2 GB of Memory. Server suitable for forty five (45) fixed/varifocal lens network cameras archiving at 2 frames/second, activity detection for approx. 10 hrs/day, image with medium compression and 640x480 resolution and storage space suitable for 12-15 days. Server fully configured with interactive map showing camera locations.	\$21,999.00	15.00%	\$18,700.00	\$18,841.00	1	USA	1*
132-32	LS-IP-SVR-SWCONF-45L	LENSEC Digital Video Management Software with user friendly interface for viewing live and recorded video across multiple locations, custom developed map, effective user data management and configuration of server suitable for forty five (45) network cameras.	\$15,999.00	15.00%	\$13,600.00	\$13,702.00	1	USA	6 months
132-8	LS-IP-SVR-1.5 TB-SATA-Dual Pro-5U-CONFIG	Dell PowerEdge 1800/Eqv. 5U Server (without LENSEC software) with Six (6) qty. 250 GB SATA hard drives, 2 x 3.2 GHz processor and 2 x 1.0 GB RAM with WIN Server 2003 OS, Anti-virus and information security software. Price includes staging and configuration with interactive custom map showing camera locations. This server price package is valid with the purchase of LENSEC Digital Video Management Software only.	\$10,990.00	15.00%	\$9,342.00	\$9,413.00	1	USA	1
132-8	LS-HD-500-SATA-ADD	Dell/HP Hard Drive 500GB 7.2K RPM Universal SATA 3Gbps 3.5-in HotPlug.	\$299.00	15.00%	\$254.15	\$256.07	1	USA	1
132-8	LS-HD-1TB-SATA-ADD	Dell/HP Hard Drive 1TB 7.2K RPM Universal SATA 3Gbps 3.5-in HotPlug.	\$349.00	15.00%	\$296.65	\$298.89	1	USA	1
132-8	LS-HD-2TB-SATA-ADD	Dell/HP Hard Drive 2TB 7.2K RPM Universal SATA 3Gbps 3.5-in HotPlug.	\$579.00	15.00%	\$492.15	\$495.87	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years	
New Product Add July 2014	132-8	LS-HD-4TB-SATA-ADD	Dell/HP Hard Drive 4TB 7.2K RPM Universal SATA 3Gbps 3.5-in HotPlug.	\$ 890.00	15.00%	\$ 756.50	\$ 762.22	1	USA	1
	132-32	LS-IP-SVR-SW-1L	LENSEC Digital Video Management Software with user friendly interface for viewing live and recorded video across multiple locations. Licensing fee per camera.	\$675.00	15.00%	\$574.00	\$579.00	1	USA	6 months
	132-32	LS-IP-SVR-CONFIG	Custom configuration of server - LENSEC Software and OS installation, Software configuration, Loading of custom maps and HTML linkage, Testing and Quality Assurance	\$2,000.00	15.00%	\$1,700.00	\$1,713.00	1	USA	6 months
	132-32	LS-IP-SVR-MAP	Custom and Interactive map development - Map development in HTML showing camera locations. Price per map page.	\$200.00	15.00%	\$170.00	\$172.00	1	USA	6 months
New Product Add July 2014	132-32	LS-PV-VMS-ENT	Perspective VMS - Version 1.x (Enterprise Edition) Camera License - LENSEC Perspective Video Management Software with user friendly interface for viewing live and recorded video across multiple locations. Enterprise Edition is designed for large-scale deployments allowing for system expansion to an unlimited number of cameras, servers and users. Enterprise Edition allows for integration to 3rd-party applications such as Physical Access Control Systems (PACS), RFID, Video Analytics, and more. Licensing fee per camera.	\$ 289.00	15.00%	\$ 245.65	\$ 247.51	1	USA	6 months
	132-32	LS-PV-SVR-ENT	Perspective VMS - Version 1.x (Enterprise Edition) Server License - Licensing fee per server.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	6 months
New Product Add July 2014	132-32	LS-PV-VMS-STD	Perspective VMS - Version 1.x (Standard Edition) Camera License - LENSEC Perspective Video Management Software with user friendly interface for viewing live and recorded video across multiple locations. Standard Edition is designed for mid-scale deployments allowing for system expansion to 64 cameras, 5 archive servers and 25 users. Licensing fee per camera.	\$ 135.00	15.00%	\$ 114.75	\$ 115.62	1	USA	6 months
	132-32	LS-PV-SVR-STD	Perspective VMS - Version 1.x (Standard Edition) Server License - Licensing fee per server.	\$ 495.00	15.00%	\$ 420.75	\$ 423.93	1	USA	6 months
New Product Add July 2014	132-32	LS-PV-VMS-EXP	Perspective VMS - Version 1.x (Express Edition) Camera License - LENSEC Perspective Video Management Software with user friendly interface for viewing live and recorded video. Express Edition is designed for small-scale deployments allowing for system expansion to 10 cameras with 1 archive server and 10 users. Licensing fee per camera.	\$ 49.00	15.00%	\$ 41.65	\$ 41.96	1	USA	6 months
	132-32	LS-LCV-BASE-STN	LENSEC Command View core software is a secure IP based video surveillance video wall or desktop monitoring platform. Command View supports an unlimited number of IP camera inputs to scale to your systems current and future needs. Create custom camera groups and camera view based on user role and login credentials. Command View eliminates the need for any multiplexers and is supported on common off the shelf Intel / PC workstations. License pricing is for Command View Software license installed in each work station. Price of hardware and installation services is quoted separately.	\$ 1,729.00	15.00%	\$1,469.65	\$1,480.76	1	USA	6 months
	132-32	LS-LCV-20-CAM	License pricing per camera for displaying up to 20 cameras in the Command Video Software. The total number of cameras that can be displayed at a time would depend on quantity and technical specifications of monitors and work stations.	\$ 45.00	15.00%	\$38.25	\$38.54	1	USA	6 months
	132-32	LS-LCV-50-CAM	License pricing per camera for displaying between 21 and 50 cameras in the Command Video Software. The total number of cameras that can be displayed at a time would depend on quantity and technical specifications of monitors and work stations. E.g. List pricing for 45 cameras would be 20*45 + 25*35 = \$1,775.00.	\$ 35.00	15.00%	\$29.75	\$29.97	1	USA	6 months
	132-32	LS-LCV-100-CAM	License pricing per camera for displaying between 51 and 100 cameras in the Command Video Software. The total number of cameras that can be displayed at a time would depend on quantity and technical specifications of monitors and work stations. E.g. List pricing for 75 cameras would be 50*35 + 25*22 = \$2,300.00.	\$ 22.00	15.00%	\$18.70	\$18.84	1	USA	6 months
	132-32	LS-LCV-500-CAM	License pricing per camera for displaying between 101 and 500 cameras in the Command Video Software. The total number of cameras that can be displayed at a time would depend on quantity and technical specifications of monitors and work stations. E.g. List pricing for 300 cameras would be 100*22 + 200*11 = \$4,400.00.	\$ 11.00	15.00%	\$9.35	\$9.42	1	USA	6 months
	132-32	LS-LCV-ENT	License pricing for displaying more than 500 cameras in the Command Video Software. Pricing for Enterprise-wide Command View Solution will be quoted after doing the scope assessment. The total number of cameras that can be displayed at a time would depend on quantity and technical specifications of monitors and work stations.	\$ 6.00	15.00%	\$5.10	\$5.14	1	USA	6 months
* Warranty for LenSec Software is 6 months										
	132-8	Network IP Cameras	(Camera hardware bundled with LENSEC Services - Turnkey Solution Pricing)							
	132-8	LS-IP-CAM-AX210-4.0	Axis 210 Network Camera with support for video motion detection and fixed iris 4.0mm lens for indoor use. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, Camera information tracking, Testing and Quality Assurance.	\$824.00	15.00%	\$701.00	\$707.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AX210-2.5/6.0/8.0	Axis 210 Network Camera with support for video motion detection and fixed iris 2.5/4.0/8.0mm lens for indoor use. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, Camera information tracking, Testing and Quality Assurance.	\$891.00	15.00%	\$758.00	\$764.00	1	USA	1
132-8	LS-IP-CAM-AX211	Axis 211 Network Camera with support for video motion detection, DC iris varifocal lens for outdoor use and suitable for power over Ethernet. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,049.00	15.00%	\$892.00	\$899.00	1	USA	1
132-8	LS-IP-PTZ-AX212	Axis 212 Pan/Tilt/Zoom indoor Network camera without moving parts, 3 x Optical zoom, 140 degrees pan, 105 degrees tilt, two way audio, simultaneous M-JPEG and MPEG4 streams. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,109.00	15.00%	\$942.65	\$949.77	1	USA	1
132-8	LS-IP-PTZ-AX212-V	Axis 212 Vandal resistant pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,199.00	15.00%	\$1,019.15	\$1,026.85	1	USA	1
132-8	LS-IP-PTZ-AX213	Axis 213 Pan/Tilt/Zoom Network camera, 26 x Optical zoom, Auto-focus and Ceiling/Desktop mounted. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,549.00	15.00%	\$2,167.00	\$2,184.00	1	USA	1
132-8	LS-IP-PTZ-AX214	Axis 214 Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,299.00	15.00%	\$1,954.15	\$1,968.92	1	USA	1
132-8	LS-IP-PTZ-AX215	Axis 215 compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,699.00	15.00%	\$1,444.15	\$1,455.06	1	USA	1
132-8	LS-IP-PTZ-AX215-PTZE	Outdoor IP66 rated Axis 215 compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio, and pre-mounted wall bracket. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,399.00	15.00%	\$2,039.15	\$2,054.56	1	USA	1
132-8	LS-IP-JOYSTK-AXT8311	AxisT8311 Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-JOYSTK-AXT8311-HW	AxisT8311 Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later. Camera power supply only.	\$469.00	15.00%	\$398.65	\$401.66	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-KEYPD-AXT8312	Axis T8312 Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$789.00	15.00%	\$670.65	\$675.72	1	USA	1
132-8	LS-IP-KEYPD-AXT8312-HW	Axis T8312 Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later. Camera power supply only.	\$529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-JOGLD-AXT8313	Axis T8313 Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-JOGLD-AXT8313-HW	Axis T8313 Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later. Camera power supply only.	\$469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-CAM-AX221	Axis 221 Network Camera with day and night feature and progressive scan CCD, support for video motion detection, 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,699.00	15.00%	\$1,445.00	\$1,456.00	1	USA	1
132-8	LS-IP-CAM-AX232D	Axis 232D Network Dome Camera with 35X optical and 12X digital zoom, 128X wide dynamic range, image stabilization feature, high speed and precise pan/tilt support, and two-way audio support. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$3,429.00	15.00%	\$2,915.00	\$2,937.00	1	USA	1
132-8	LS-IP-CAM-AX216FD	Axis 216FD Dome camera with Varifocal DC-iris lens, 1/4" progressive scan CCD, up to VGA 640x480 resolution at 30 fps frame rate, simultaneous Motion JPEG and MPEG-4, Video Motion Detection, I/O for alarm/event handling, two-way audio support with built-in microphone and Power over Ethernet. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,079.00	15.00%	\$918.00	\$925.00	1	USA	1
132-8	LS-IP-CAM-AX209FD-R	Axis 209FD-R Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
132-8	LS-IP-CAM-AX216FD-V	Axis 216FD Dome camera with Vandal Proof dome, Varifocal DC-iris lens, 1/4" progressive scan CCD, up to VGA 640x480 resolution at 30 fps frame rate, simultaneous Motion JPEG and MPEG-4, Video Motion Detection, I/O for alarm/event handling, two-way audio support with built-in microphone, and Power over Ethernet. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,149.00	15.00%	\$977.00	\$985.00	1	USA	1
132-8	LS-IP-CAM-AX216MFD	Axis 216MFD Dome camera with 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,219.00	15.00%	\$1,036.15	\$1,043.98	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MF. Item	PRODUCT DESCRIPTION	MSRP/ MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AX216MFD-V	Axis 216MFD Dome camera with Vandal Proof dome, 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,289.00	15.00%	\$1,095.65	\$1,103.93	1	USA	1
132-8	LS-IP-CAM-AX233D	Axis 233D Network Dome Camera with 35X optical and 12X digital zoom, 128X wide dynamic range, image stabilization feature, high speed and precise pan/tilt support, and two-way audio support. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$3,990.00	15.00%	\$3,391.50	\$3,417.13	1	USA	1
132-8	LS-IP-CAM-AX209FD	Axis 209FD, non-rugged version, fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet incl one-port Midspan. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-CAM-AX209MFD	Axis 209FD, non-rugged version, fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet includes one-port Midspan. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$949.00	15.00%	\$806.65	\$812.75	1	USA	1
132-8	LS-IP-CAM-AX209MFD-R	Axis 209MFD-R, Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,199.00	15.00%	\$1,019.15	\$1,026.85	1	USA	1
132-8	LS-IP-CAM-AXM3011	Axis M3011 Ultra-discreet fixed dome camera for recessed mounting in drop ceilings, fixed lens, 1/4" progressive scan CMOS sensor, multiple, individually configurable H.264 and Motion JPEG streams, max VGA 640 x 480 resolution at 30 fps, Video motion detection, Power over Ethernet only, one-port midspan included. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-CAM-AXM1011	Axis M1011 Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$399.00	15.00%	\$339.15	\$341.71	1	USA	1
132-8	LS-IP-CAM-AXM1054	Axis M1054 Small-sized indoor network camera. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Powered over Ethernet or by power supply. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MF. Item	PRODUCT DESCRIPTION	MSRP/ MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXM1103	Axis M1103 SVGA camera with fixed, 2.8 mm or 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$599.00	15.00%	\$509.15	\$513.00	1	USA	1
132-8	LS-IP-CAM-AXM1104	Axis M1104 HDTV camera with fixed, 2.8 mm or 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-CAM-AXM1114	Axis M1114 HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$949.00	15.00%	\$806.65	\$812.75	1	USA	1
132-8	LS-IP-CAM-AXM1114E	Axis M1114E Outdoor, IP66 rated, HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,109.00	15.00%	\$942.65	\$949.77	1	USA	1
132-8	LS-IP-CAM-AXM1113	Axis M1113 SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-CAM-AXM1113E	Axis M1113E Outdoor, IP66 rated SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 949.00	15.00%	\$806.65	\$812.75	1	USA	1
132-8	LS-IP-CAM-AXP1311	Axis P1311 Fixed, CS-mount lens, 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 949.00	15.00%	\$806.65	\$812.75	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXM3113-R	Axis M3113-R Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-CAM-AXM3113-VE	Axis M3113-VE Outdoor fixed dome in a flat, discreet and vandal-resistant casing with a weather shield. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-CAM-AXM3114-R	Axis M3114-R Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 949.00	15.00%	\$806.65	\$812.75	1	USA	1
132-8	LS-IP-CAM-AXM3114-VE	Axis M3114-VE Outdoor fixed dome in a flat, discreet and vandal-resistant casing with a weather shield. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 949.00	15.00%	\$806.65	\$812.75	1	USA	1
132-8	LS-IP-CAM-AXM3203	Axis M3203 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-CAM-AXM3203-V	Axis M3203-V Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$749.00	15.00%	\$636.65	\$641.46	1	USA	1
132-8	LS-IP-CAM-AXM3014	Axis M3014 Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet, one-port midspan included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$730.15	\$735.67	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP3343	Axis P3343 SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm or 2.6-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes smoked and clear transparent covers. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,369.00	15.00%	\$1,163.65	\$1,172.44	1	USA	1
132-8	LS-IP-CAM-AXP3343-V	Axis P3343 SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm or 2.6-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes smoked and clear transparent covers. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,439.00	15.00%	\$1,223.15	\$1,232.39	1	USA	1
132-8	LS-IP-CAM-AXP3343-VE	Axis P3343 SVGA, day/night, fixed dome with discreet, IP66 rated outdoor casing. Varifocal 3.3-12 mm or 2.6-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes smoked and clear transparent covers. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,699.00	15.00%	\$1,444.15	\$1,455.06	1	USA	1
132-8	LS-IP-CAM-AXP3344	Axis P3344 HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 3.3-12 mm or 2.5-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,539.00	15.00%	\$1,308.15	\$1,318.04	1	USA	1
132-8	LS-IP-CAM-AXP3344-V	Axis P3344-V HDTV, day/night, fixed dome with discreet Vandal-resistant indoor casing. Varifocal 3.3-12 mm or 2.5-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,599.00	15.00%	\$1,359.15	\$1,369.42	1	USA	1
132-8	LS-IP-CAM-AXP3344-VE	Axis P3344-VE HDTV, day/night, fixed dome with Vandal-resistant IP66 rated outdoor casing. Varifocal 3.3-12 mm or 2.5-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,849.00	15.00%	\$1,571.65	\$1,583.53	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP5532	Axis P5532 PTZ camera with 29x optical zoom, D1 resolution (720x480) and IP51 classification. H.264 and Motion JPEG, Day & Night, WDR, EIS, two-way audio, I/O. Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$3,399.00	15.00%	\$2,889.15	\$2,910.98	1	USA	1
132-8	LS-IP-CAM-AXP5532-E	Axis P5532-E Outdoor ready PTZ camera with 29x optical zoom, D1 resolution (720x480), IP66 and NEMA 4X classification. H.264 and Motion JPEG, Day & Night, WDR, Electronic Imaging Stabilization. Includes High PoE midspan, smoked and clear dome covers. Mounting brackets are not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$4,049.00	15.00%	\$3,441.65	\$3,467.66	1	USA	1
132-8	LS-IP-CAM-AXQ1755	Axis Q1755 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,549.00	15.00%	\$2,166.65	\$2,183.02	1	USA	1
132-8	LS-IP-CAM-AXQ1755-E	Axis Q1755-E Outdoor, IP66-rated, 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. Two-way audio. Arctic Temperature Control. Operation in -30 °C to 45 °C (-22 °F to 113 °F) when powered by IEEE 802.3af midspan or down to -40 °C (-40 °F) with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$3,079.00	15.00%	\$2,617.15	\$2,636.93	1	USA	1
132-8	LS-IP-CAM-AXQ1910	Axis Q1910 Indoor Thermal Network Camera, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$5,039.00	15.00%	\$4,283.15	\$4,315.52	1	USA	1
132-8	LS-IP-CAM-AXQ1910-E	Axis Q1910-E Outdoor ready Thermal Network Camera, IP66-rated, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$5,849.00	15.00%	\$4,971.65	\$5,009.22	1	USA	1
132-8	LS-IP-CAM-AXQ1921	Axis Q1921 Indoor Thermal Network Camera, 384x288 resolution, 30 fps, and 29° angle of view with 10 mm or 19 mm lens. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$6,699.00	15.00%	\$5,694.15	\$5,737.18	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXQ1921-E	Axis Q1921-E Outdoor ready Thermal Network Camera, IP66-rated, 384x288 resolution, 30 fps, and 29° angle of view with 10 mm or 19 mm lens. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$7,499.00	15.00%	\$6,374.15	\$6,422.32	1	USA	1
132-8	LS-IP-CAM-AXQ6032-E	Axis Q6032-E PTZ camera Outdoor-ready, IP66 and NEMA 4X-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR, EIS, Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes AXIS T91A61 Wall Bracket, smoked and clear transparent bubble and High PoE midspan. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$5,369.00	15.00%	\$4,563.65	\$4,598.14	1	USA	1
132-8	LS-IP-CAM-AXQ6034	Axis Q6034 HDTV 720p compliant high speed PTZ Dome camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP52. Includes Hi PoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$5,039.00	15.00%	\$4,283.15	\$4,315.52	1	USA	1
132-8	LS-IP-CAM-AXQ6034-E	Axis Q6034-E Top performance HDTV 720p compliant Outdoor ready, high speed PTZ camera with 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. Active Gate Keeper and auto tracking. Includes Hi PoE midspan, smoked and clear dome. Mounting brackets are not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$6,049.00	15.00%	\$5,141.65	\$5,180.50	1	USA	1
132-8	LS-IP-CAM-AXP5534	Axis P5534 HDTV 720p compliant PTZ camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes Hi PoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$4,199.00	15.00%	\$3,569.15	\$3,596.12	1	USA	1
132-8	LS-IP-CAM-AXP5534-KIT	Axis P5534 Bundle with unit of AXIS 5534 60Hz and 1 unit of AXIS T95A00 housing. Camera is delivered pre-mounted in the outdoor IP66 rated housing. Includes clear and smoked bubble. 100-240 VAC input. HDTV 720p compliant PTZ camera with 18x optical zoom. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night. Mounting bracket not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$5,299.00	15.00%	\$4,504.15	\$4,538.19	1	USA	1
132-8	LS-IP-CAM-AXP5534-E	Axis P5534-E PTZ camera HDTV 720P compliant outdoor ready, 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper. Includes High PoE 30 W midspan, smoked and clear dome. Mounting brackets are not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$4,899.00	15.00%	\$4,164.15	\$4,195.62	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP1343	Axis P1343 network camera SVGA, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,299.00	15.00%	\$1,104.15	\$1,112.49	1	USA	1
132-8	LS-IP-CAM-AXP1343-E	Axis P1343-E Outdoor, IP66-rated, SVGA, day/night, network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af compliant midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,699.00	15.00%	\$1,444.15	\$1,455.06	1	USA	1
132-8	LS-IP-CAM-AXP1344	Axis P1344 HDTV, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,499.00	15.00%	\$1,274.15	\$1,283.78	1	USA	1
132-8	LS-IP-CAM-AXP1344-E	Axis P1344-E Outdoor, IP66-rated, HDTV, day/night, fixed network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,849.00	15.00%	\$1,571.65	\$1,583.53	1	USA	1
132-8	LS-IP-CAM-AXP1346	Axis P1346 HDTV, day/night, fixed camera with varifocal 4-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,849.00	15.00%	\$1,571.65	\$1,583.53	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
 GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP1346-E	Axis P1346-E Outdoor, IP66-rated, HDTV, day/night, fixed camera with varifocal 4-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,399.00	15.00%	\$2,039.15	\$2,054.56	1	USA	1
132-8	LS-IP-CAM-AXP1347	Axis P1347 5MP, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,399.00	15.00%	\$2,039.15	\$2,054.56	1	USA	1
132-8	LS-IP-CAM-AXP1347-E	Axis P1347-E Outdoor, IP66-rated, 5MP, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,899.00	15.00%	\$2,464.15	\$2,482.77	1	USA	1
132-8	LS-IP-CAM-AXP3301	Axis P3301 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
132-8	LS-IP-CAM-AXP3301V	Axis P3301 Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,099.00	15.00%	\$934.15	\$941.21	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP3304	Axis P3304 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,199.00	15.00%	\$1,019.15	\$1,026.85	1	USA	1
132-8	LS-IP-CAM-AXP3304-V	Axis P3304-V Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,249.00	15.00%	\$1,061.65	\$1,069.67	1	USA	1
132-8	LS-IP-CAM-AXP3346	Axis P3346 3 MP, day/night fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,799.00	15.00%	\$1,529.15	\$1,540.71	1	USA	1
132-8	LS-IP-CAM-AXP3346-V	Axis P3346 3MP, day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,849.00	15.00%	\$1,571.65	\$1,583.53	1	USA	1
132-8	LS-IP-CAM-AXP3346-VE	Axis P3346 3MP, day/night fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$2,139.00	15.00%	\$1,818.15	\$1,831.89	1	USA	1
132-8	LS-IP-CAM-AXM3204	Axis M3204 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab. Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$730.15	\$735.67	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IF)	Date GSA Price (with IF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXM3204V	Axis M3204-V Camera with Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$929.00	15.00%	\$789.65	\$795.62	1	USA	1
132-8	LS-IP-CAM-AX7001	Axis M7001 1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only. NO midspan. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-CAM-AX7001-KIT	Axis M7001 Surveillance Kit with 1-channel video encoder and a small IP66 covert camera. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only with power out for the covert camera. NO midspan. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-PTZ-AXP5512	Axis P5512 Compact pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling and transparent cover smoked and clear. I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included). Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$1,899.00	15.00%	\$1,614.15	\$1,626.35	1	USA	1
132-8	LS-IP-PTZ-AXM5013	Axis M5013 Ceiling-mount mini PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$730.15	\$735.67	1	USA	1
132-8	LS-IP-PTZ-AXM5014	Axis M5014 Ceiling-mount mini PTZ dome camera with HDTV 720p resolution, 16:9 format and 3x digital zoom. 1280x720 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
132-8	LS-IP-PTZ-AXP5522	Axis P5522 PTZ camera with 18x optical zoom, D1 resolution (720x480) and IP51 classification in H.264 and Motion JPEG, Day & Night. Two way audio, four I/O and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$2,549.00	15.00%	\$2,166.65	\$2,183.02	1	USA	1
132-8	LS-IP-PTZ-AXP5522-E	Axis P5522-E Outdoor PTZ camera with 18x zoom, D1 resolution (720x480) and IP66 classification in H.264 and Motion JPEG, Day & Night. Includes High PoE midspan, smoked and clear dome covers. Brackets are sold separately. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$3,249.00	15.00%	\$2,761.65	\$2,782.52	1	USA	1
132-8	LS-IP-PTZ-AXP5512-E	Axis 5512-E Outdoor, IP66-rated pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 25/30 fps. Simultaneous H.264 and Motion JPEG. Power over Ethernet IEEE 802.3af, (midspan not included), clear and smoked dome bubble included. Brackets AXIS T91A are sold separately. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$2,549.00	15.00%	\$2,166.65	\$2,183.02	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-PTZ-AXQ6032	Axis Q6032 IP52, PTZ dome camera with 35x optical zoom. WDR, EIS. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan Extended D1 resolution (752x480) at 30fps in H.264 and Motion JPEG. Auto-tracking, Tour Recording. Two way audio, four I/O and external power with multi-connector cable (not included). Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$4,399.00	15.00%	\$3,739.15	\$3,767.41	1	USA	1
132-8	LS-IP-PTZ-AXQ6035	Axis Q6035 HDTV 1080p compliant high speed PTZ dome camera with 20x optical zoom for indoor use. Continuous 360° rotation. HDTV 1080p (1920x1080) @ 25/30 fps, HDTV 720p @ 50/60 fps in H.264, Day & Night, WDR, IP52. Two-way audio, I/O and external power with multi-connector cable (not included). Smoked and clear dome covers, mounting kit for hard and drop ceiling, and midspan are included. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$5,689.00	15.00%	\$4,835.65	\$4,872.19	1	USA	1
132-8	LS-IP-PTZ-AXQ6035-E	Axis Q6035-E HDTV 1080p compliant outdoor-ready, IP66 and NEMA 4X-rated, PTZ dome camera with 20x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, HDTV 720p @ 50 fps in H.264. Auto-tracking. Power through High PoE only. Smoked and clear transparent dome cover and High PoE midspan are included. Brackets are not included. Integration process including device Setup in the lab, functionality adjustment, Integration with LENSEC Software, system optimization, device information tracking, Testing and Quality Assurance.	\$6,699.00	15.00%	\$5,694.15	\$5,737.18	1	USA	1
132-8	LS-IP-CAM-IQ-511	IQeye 511 Mega Pixel camera, 30 images/second @ D1 (704 x 480), 20 images/second @ HDTV (1280 x 720), 15 images/second @ full resolution (1280 x 1024), LIGHTGRABBER™ 0.2 lux low light performance, user-selectable exposure window, low power, AC/DC or IEEE 802.3af Power-Over-Ethernet, digital Pan/Tilt/Zoom with no moving parts, Multi Zone Motion detection, Image cropping, Privacy zones, and bandwidth management tools. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,149.00	15.00%	\$977.00	\$985.00	1	USA	1
132-8	LS-IP-CAM-IQ-711	IQeye 711 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 1.3 MPix @ up to 30 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,129.00	15.00%	\$959.65	\$966.90	1	USA	1
132-8	LS-IP-CAM-IQ-702	IQeye 702 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 2.0 MPix @ up to 20 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,199.00	15.00%	\$1,020.00	\$1,028.00	1	USA	1
132-8	LS-IP-CAM-IQ-703	IQeye 703 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 3.1 MPix @ up to 12 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,349.00	15.00%	\$1,147.00	\$1,156.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-IQ-705	IQeye 705 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 5.0 MPix @ up to 10 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,499.00	15.00%	\$1,275.00	\$1,285.00	1	USA	1
132-8	LS-IP-CAM-IQ-751	IQeye 751 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 1.3MPix @ up to 30 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,139.00	15.00%	\$969.00	\$977.00	1	USA	1
132-8	LS-IP-CAM-IQ-752V7	IQeye 752 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 2.0 MPix @ up to 20 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,349.00	15.00%	\$1,147.00	\$1,156.00	1	USA	1
132-8	LS-IP-CAM-IQ-753	IQeye 753 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 3.1 MPix @ up to 12 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,499.00	15.00%	\$1,275.00	\$1,285.00	1	USA	1
132-8	LS-IP-CAM-IQ-753NL	IQeye 753 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 3.1 MPix @ up to 12 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. No Lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with Len Sec Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,229.00	15.00%	\$1,044.65	\$1,052.54	1	USA	1
132-8	LS-IP-CAM-IQ-755	IQeye 755 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 5.0 MPix @ up to 10 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,649.00	15.00%	\$1,402.00	\$1,413.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-IQ-D32SV	IQeye D32 Mega Pixel camera, Resolutions up to HD 1080p, H.264 Main Profile + MJPEG Compression, 30 fps @ SD480p, 15 fps @ HD1080p, Two-Way Audio with Built-in Microphone, 3-Axis Gimbal, Lightgrabber™ II Low-light Feature, Power Over Ethernet, Indoor mini Dome, ONVIF and PSIA Compliant, and Wide lens. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$ 929.00	15.00%	\$789.65	\$795.62	1	USA	1
132-8	LS-IP-CAM-IQ-M32	IQeye Alliance-mx H.264 High Definition 1080p Exterior Day/Night Vandal Dome camera, 1920x1080 at 15 fps, Day/Night Varifocal Lens, IEEE 802.3AF Power-Over-Ethernet, MultiStream (H.264 and MJPEG) low BW + high resolution, Wide Dynamic Range, On-camera multi-motion detection, PSIA & ONVIF compliant, Two-way audio, Low 3.8 Watts Power Consumption, and Light grabber low light feature. Integration process including camera Setup in the lab, Custom camera functionality adjustment, Integration with LENSEC Software, System optimization, Camera information tracking, Testing and Quality Assurance.	\$1,219.00	15.00%	\$1,036.15	\$1,043.98	1	USA	1
132-8	Network Video Converters								
132-8	LS-IP-VSVR-AX241Q	Axis 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$ 1,369.00	15.00%	\$1,164.00	\$1,173.00	1	USA	1
132-8	LS-IP-VSVR-AX241S	One Channel Analog to IP Video Converter, full frame-rate Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection and watch-dog functionality. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$731.00	\$737.00	1	USA	1
132-8	LS-IP-VSVR-AX241S-Blade	Axis 241S Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-VSVR-AX241Q-Blade-1U	Four Channel Analog to IP blade Video Converter w/o enclosure, full frame-rate Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection and watch-dog functionality. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance. Video Converter is without enclosure suitable for mounting in racks. Ideal for large installations.	\$1,199.00	15.00%	\$1,020.00	\$1,028.00	1	USA	1
132-8	LS-IP-VSVR-AX241Q-Blade-10U	Ten Qty. Four Channel Analog to IP blade Video Converters, full frame-rate Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection and watch-dog functionality. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance. Video Converter is without enclosure suitable for mounting in racks. Ideal for large installations.	\$11,299.00	15.00%	\$9,605.00	\$9,678.00	1	USA	1
132-8	LS-IP-VSVR-AX240Q	Axis 240Q 4 channel NTSC/PAL video encoder. Motion JPEG. Up to 24/20 total fps. I/O for alarm/event handling, RS-232/RS-485 for data and PTZ control. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$731.00	\$737.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-VSVR-AX240Q-Blade-1U	Axis 240Q Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation. Four Channel Analog to IP Blade Video Converter, 6 fps per channel Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection, watch-dog functionality and PTZ support. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$595.00	\$600.00	1	USA	1
132-8	LS-IP-VSVR-AX240Q-Blade - 10U	Ten (10) qty. Four Channel Analog to IP Video Blade Converter, 6 fps per channel Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection, watch-dog functionality and PTZ support. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$6,399.00	15.00%	\$5,440.00	\$5,481.00	1	USA	1
132-8	LS-IP-VSVR-AX243SA	Axis 243SA One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$1,199.00	15.00%	\$1,019.15	\$1,026.85	1	USA	1
132-8	LS-IP-VSVR-AX247S	Axis 247S 1 channel, high quality video up to 30/25 fps in all resolutions. Simultaneous Motion JPEG and MPEG-4. One-way audio, motion detection and security package including HTTPS encryption. Powered over Ethernet (IEEE 802.3af) with power out for the analog camera. No power supply included. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$730.15	\$735.67	1	USA	1
132-8	LS-IP-VSVR-AX282A	Axis 282A Bare board 1 channel video server with duplex audio for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$949.00	15.00%	\$806.65	\$812.75	1	USA	1
132-8	LS-IP-VSVR-AX282	Axis 282 Bare board 1 channel video server for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$730.15	\$735.67	1	USA	1
132-8	LS-IP-VSVR-AX241QA	Four Channel Analog to IP Video Converter, high frame-rate Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection, watch-dog functionality, two-way audio and remote P/T/Z control. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$1,499.00	15.00%	\$1,275.00	\$1,285.00	1	USA	1
132-8	LS-IP-VSVR-AX243Q-Blade-1U	Four channel Analog to IP Video Blade Server, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 or Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. ONLY COMPATIBLE WITH AXIS 291 1U VIDEO SERVER RACK. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$1,699.00	15.00%	\$1,444.15	\$1,455.06	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-VSVR-AXQ7401	One channel Analog to IP Video Blade Server, high quality full frame rate video up to 25/30 fps in D1 resolution, in H.264 or Motion JPEG. Support for individually configurable H.264 and Motion JPEG streams, video motion detection, active tampering alarm, two-way audio and audio detection, POE with power out for analog camera, and Memory card slot for local storage. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$1,019.00	15.00%	\$866.15	\$872.70	1	USA	1
132-8	LS-IP-VSVR-AXQ7404	Axis Q7404 Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$1,849.00	15.00%	\$1,571.65	\$1,583.53	1	USA	1
132-8	LS-IP-VSVR-AXQ7406	Axis Q7406 6 channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$2,499.00	15.00%	\$2,124.15	\$2,140.20	1	USA	1
132-8	LS-IP-VSVR-AXQ7900	Axis Q7900 4U 19" rack with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$6,699.00	15.00%	\$5,694.15	\$5,737.18	1	USA	1
132-8	LS-IP-VSVR-AXP7701	Axis P7701 1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$859.00	15.00%	\$730.15	\$735.67	1	USA	1
132-8	LS-IP-VSVR-AXP8221	Axis P8221 Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$599.00	15.00%	\$509.15	\$513.00	1	USA	1
132-8	LS-IP-Blade-SVR-RAK-4P	Video Converter Rack unit 19" wide with three expansions slots, compatible with all Axis Blade video servers, universal built-in power supply, One 10/100/1000Base-T output, 1U height. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-Blade-SVR-RAK-14P	Video Converter Rack, 4U, 19" wide with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$6,699.00	15.00%	\$5,694.15	\$5,737.18	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-Blade-SVR-RAK	Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels. (Will NOT hold AXIS 243Q blade). Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$2,229.00	15.00%	\$1,895.00	\$1,910.00	1	USA	1
132-8	Network IP Cameras	(Hardware Supply Only)							
132-8	LS-IP-CAM-AX210-2.5/6.0/8.0-HW	Axis 210 Network Camera with support for video motion detection and fixed iris 2.5/4.0/8.0mm lens for indoor use. Camera hardware supply only.	\$ 599.00	15.00%	\$509.15	\$513.00	1	USA	1
132-8	LS-IP-CAM-AX211-HW	Axis 211 Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. Includes vari-focal DC-iris lens, adjustable stand and power supply. Camera hardware supply only.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-PTZ-AX212-HW	Axis 212 Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply. Camera hardware supply only.	\$ 769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-PTZ-AX212-V-HW	Axis 212 Vandal resistant pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply. Camera hardware supply only.	\$ 819.00	15.00%	\$696.15	\$701.41	1	USA	1
132-8	LS-IP-PTZ-AX213-HW	Axis 213 Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions (up to 9.8 ft. NM=870). Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (NTSC). Two way, full duplex audio (when using the optional AXIS 213CM Connection Module). For ceiling mount or desktop use. Power supply included. Camera hardware supply only.	\$ 1,749.00	15.00%	\$1,486.65	\$1,497.88	1	USA	1
132-8	LS-IP-PTZ-AX214-HW	Axis 214 Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply. Camera hardware supply only.	\$ 1,529.00	15.00%	\$1,299.65	\$1,309.47	1	USA	1
132-8	LS-IP-PTZ-AX215-HW	Axis 215 Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Includes power supply, mounting kit for hard and drop ceiling and transparent cover smoked and clear. Camera hardware supply only.	\$ 1,169.00	15.00%	\$993.65	\$1,001.16	1	USA	1
132-8	LS-IP-PTZ-AX215-PTZE-HW	Axis 215, Outdoor, IP66-rated pan/tilt/zoom camera including auto-iris, automatic day/night, and autofocus 12x zoom lens. Up to 4CIF resolution at 30/25 fps. Simultaneous MPEG-4 and Motion JPEG. Pre-mounted wall bracket, 5-meter power and Ethernet cables. 100 - 240 V AC power input. Clear dome bubble. Camera hardware supply only.	\$ 1,639.00	15.00%	\$1,393.15	\$1,403.68	1	USA	1
132-8	LS-IP-JOYSTK-AXT8311-HW	AxisT8311 Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later. Camera power supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-KEYPD-AXT8312-HW	Axis T8312 Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later. Camera power supply only.	\$ 529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-JOGDL-AXT8313-HW	Axis T8313 Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later. Camera power supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-CAM-AX221-HW	Axis 221 High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camera. Camera hardware supply only.	\$ 1,169.00	15.00%	\$993.65	\$1,001.16	1	USA	1
132-8	LS-IP-CAM-AX232D-HW	Axis 232D Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply. Camera hardware supply only.	\$ 2,359.00	15.00%	\$2,005.15	\$2,020.30	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AX216FD-HW	Axis 216FD Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 739.00	15.00%	\$628.15	\$632.90	1	USA	1
132-8	LS-IP-CAM-AX209FD-R-HW	Axis 209FD-R Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan. Camera hardware supply only.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-CAM-AX216FD-V-HW	Axis 216FD Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 819.00	15.00%	\$696.15	\$701.41	1	USA	1
132-8	LS-IP-CAM-AX216MFD-HW	Axis 216MFD Dome camera with 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 859.00	15.00%	\$730.15	\$735.67	1	USA	1
132-8	LS-IP-CAM-AX216MFD-V-HW	Axis 216MFD Dome camera with Vandal Proof dome, 1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Camera hardware supply only.	\$ 899.00	15.00%	\$764.15	\$769.92	1	USA	1
132-8	LS-IP-CAM-AX233D-HW	Axis 233D Network Dome Camera with 35X optical and 12X digital zoom, 128X wide dynamic range, image stabilization feature, high speed and precise pan/tilt support, and two-way audio support. Camera hardware supply only.	\$ 2,919.00	15.00%	\$2,481.15	\$2,499.90	1	USA	1
132-8	LS-IP-CAM-AX209FD-HW	Axis 209FD, Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet. includes one-port Midspan. Camera hardware supply only.	\$ 529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-CAM-AX209MFD-HW	Axis 209FD Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan 800x600. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Digital PTZ. Power over Ethernet includes one-port Midspan. Camera hardware supply only.	\$ 649.00	15.00%	\$551.65	\$555.82	1	USA	1
132-8	LS-IP-CAM-AX209MFD-R-HW	Axis 209MFD-R, Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan. Camera hardware supply only.	\$ 819.00	15.00%	\$696.15	\$701.41	1	USA	1
132-8	LS-IP-CAM-AXM3011-HW	Axis M3011 Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection. Power over Ethernet only, one-port midspan included. Camera hardware supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-CAM-AXM1011-HW	Axis M1011 Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply. Camera hardware supply only.	\$ 209.00	15.00%	\$177.65	\$178.99	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXM1054-HW	Axis M1054 Small-sized indoor network camera. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Powered over Ethernet or by power supply. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Camera hardware supply only	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-CAM-AXM1103-HW	Axis M1103 SVGA camera with fixed, 2.8 mm or 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Camera hardware supply only	\$ 409.00	15.00%	\$347.65	\$350.28	1	USA	1
132-8	LS-IP-CAM-AXM1104-HW	Axis M1104 HDTV camera with fixed, 2.8 mm or 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Camera hardware supply only	\$ 529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-CAM-AXM1114-HW	Axis M1114 HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Camera hardware supply only	\$ 649.00	15.00%	\$551.65	\$555.82	1	USA	1
132-8	LS-IP-CAM-AXM1114E-HW	Axis M1114E Outdoor, IP66 rated, HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Camera hardware supply only	\$ 769.00	15.00%	\$653.65	\$658.59	1	USA	1
132-8	LS-IP-CAM-AXM1113-HW	Axis M1113 SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Camera hardware supply only	\$ 529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-CAM-AXM1113E-HW	Axis M1113E Outdoor, IP66 rated SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Camera hardware supply only	\$ 649.00	15.00%	\$551.65	\$555.82	1	USA	1
132-8	LS-IP-CAM-AXP1311-HW	Axis P1311 Fixed, CS-mount lens, 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 639.00	15.00%	\$543.15	\$547.25	1	USA	1
132-8	LS-IP-CAM-AXM3113-R-HW	Axis M3113-R Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included. Camera hardware supply only.	\$ 529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-CAM-AXM3113-VE-HW	Axis M3113-VE Outdoor fixed dome in a flat, discreet and vandal-resistant casing with a weather shield. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included. Camera hardware supply only.	\$ 529.00	15.00%	\$449.65	\$453.05	1	USA	1
132-8	LS-IP-CAM-AXM3114-R-HW	Axis M3114-R Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included. Camera hardware supply only.	\$ 639.00	15.00%	\$543.15	\$547.25	1	USA	1
132-8	LS-IP-CAM-AXM3114-VE-HW	Axis M3114-VE Outdoor fixed dome in a flat, discreet and vandal-resistant casing with a weather shield. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included. Camera hardware supply only.	\$ 639.00	15.00%	\$543.15	\$547.25	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXM3203-HW	Axis M3203 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-CAM-AXM3203-V-HW	Axis M3203-V Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 519.00	15.00%	\$441.15	\$444.48	1	USA	1
132-8	LS-IP-CAM-AXM3014-HW	Axis M3014 Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet, one-port midspan included. Camera hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1
132-8	LS-IP-CAM-AXP3343-HW	Axis P3343 SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm or 2.6-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 929.00	15.00%	\$789.65	\$795.62	1	USA	1
132-8	LS-IP-CAM-AXP3343-V-HW	Axis P3343 SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm or 2.6-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 979.00	15.00%	\$832.15	\$838.44	1	USA	1
132-8	LS-IP-CAM-AXP3343-VE-HW	Axis P3343 SVGA, day/night, fixed dome with discreet, IP66 rated outdoor casing. Varifocal 3.3-12 mm or 2.6-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,165.00	15.00%	\$990.25	\$997.73	1	USA	1
132-8	LS-IP-CAM-AXP3344-HW	Axis P3344 HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 3.3-12 mm or 2.5-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
132-8	LS-IP-CAM-AXP3344-V-HW	Axis P3344-V HDTV, day/night, fixed dome with discreet Vandal-resistant indoor casing. Varifocal 3.3-12 mm or 2.5-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,095.00	15.00%	\$930.75	\$937.78	1	USA	1
132-8	LS-IP-CAM-AXP3344-VE-HW	Axis P3344-VE HDTV, day/night, fixed dome with Vandal-resistant IP66 rated outdoor casing. Varifocal 3.3-12 mm or 2.5-6.0 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,279.00	15.00%	\$1,087.15	\$1,095.37	1	USA	1
132-8	LS-IP-CAM-AXP5532-HW	Axis P5532 PTZ camera with 29x optical zoom, D1 resolution (720x480) and IP51 classification. H.264 and Motion JPEG, Day & Night, WDR, EIS, two-way audio, I/O. Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings. Camera hardware supply only.	\$ 2,339.00	15.00%	\$1,988.15	\$2,003.17	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP5532-E-HW	Axis P5532-E Outdoor ready PTZ camera with 29x optical zoom, D1 resolution (720x480), IP66 and NEMA 4X classification. H.264 and Motion JPEG, Day & Night, WDR, Electronic Imaging Stabilization. Includes High PoE midspan, smoked and clear dome covers. Mounting brackets are not included. Camera hardware supply only.	\$ 2,809.00	15.00%	\$2,387.65	\$2,405.69	1	USA	1
132-8	LS-IP-CAM-AXQ1755-HW	Axis Q1755 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Camera hardware supply only.	\$ 1,749.00	15.00%	\$1,486.65	\$1,497.88	1	USA	1
132-8	LS-IP-CAM-AXQ1755-E-HW	Axis Q1755-E Outdoor, IP66-rated, 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. Two-way audio. Arctic Temperature Control. Operation in -30 °C to 45 °C (-22 °F to 113 °F) when powered by IEEE 802.3af midspan or down to -40 °C (-40 °F) with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Camera hardware supply only.	\$ 2,109.00	15.00%	\$1,792.65	\$1,806.20	1	USA	1
132-8	LS-IP-CAM-AXQ1910-HW	Axis Q1910 Indoor Thermal Network Camera, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Camera hardware supply only.	\$ 3,509.00	15.00%	\$2,982.65	\$3,005.19	1	USA	1
132-8	LS-IP-CAM-AXQ1910-E-HW	Axis Q1910-E Outdoor ready Thermal Network Camera, IP66-rated, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Camera hardware supply only.	\$ 4,089.00	15.00%	\$3,475.65	\$3,501.91	1	USA	1
132-8	LS-IP-CAM-AXQ1921-HW	Axis Q1921 Indoor Thermal Network Camera, 384x288 resolution, 30 fps, and 29° angle of view with 10 mm or 19 mm lens. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Camera hardware supply only.	\$ 4,669.00	15.00%	\$3,968.65	\$3,998.64	1	USA	1
132-8	LS-IP-CAM-AXQ1921-E-HW	Axis Q1921-E Outdoor ready Thermal Network Camera, IP66-rated, 384x288 resolution, 30 fps, and 29° angle of view with 10 mm or 19 mm lens. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Camera hardware supply only.	\$ 5,259.00	15.00%	\$4,470.15	\$4,503.93	1	USA	1
132-8	LS-IP-CAM-AXQ6032-E-HW	Axis Q6032-E PTZ camera Outdoor-ready, IP66 and NEMA 4X-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR, EIS. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-Flip. Progressive scan 4CIF resolution at 30fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes AXIS T91A61 Wall Bracket, smoked and clear transparent bubble and High PoE midspan. Camera hardware supply only.	\$ 3,735.00	15.00%	\$3,174.75	\$3,198.74	1	USA	1
132-8	LS-IP-CAM-AXQ6034-HW	Axis Q6034 HDTV 720p compliant high speed PTZ Dome camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP52. Includes Hi PoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings. Camera hardware supply only.	\$ 3,509.00	15.00%	\$2,982.65	\$3,005.19	1	USA	1
132-8	LS-IP-CAM-AXQ6034-E-HW	Axis Q6034-E Top performance HDTV 720p compliant Outdoor ready, high speed PTZ camera with 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. Active Gate Keeper and auto tracking. Includes Hi PoE midspan, smoked and clear dome. Mounting brackets are not included. Camera hardware supply only.	\$ 4,209.00	15.00%	\$3,577.65	\$3,604.69	1	USA	1
132-8	LS-IP-CAM-AXP5534-HW	Axis P5534 HDTV 720p compliant PTZ camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes Hi PoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings. Camera hardware supply only.	\$ 2,939.00	15.00%	\$2,498.15	\$2,517.03	1	USA	1
132-8	LS-IP-CAM-AXP5534-KIT-HW	Axis P5534 Bundle with unit of AXIS 5534 60Hz and 1 unit of AXIS T95A00 housing. Camera is delivered pre-mounted in the outdoor IP66 rated housing. Includes clear and smoked bubble. 100-240 VAC input. HDTV 720p compliant PTZ camera with 18x optical zoom. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night. Mounting bracket not included. Camera hardware supply only.	\$ 3,679.00	15.00%	\$3,127.15	\$3,150.78	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP5534-E-HW	Axis P5534-E PTZ camera HDTV 720P compliant outdoor ready, 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper. Includes High PoE 30 W midspan, smoked and clear dome. Mounting brackets are not included. Camera hardware supply only.	\$ 3,389.00	15.00%	\$2,880.65	\$2,902.42	1	USA	1
132-8	LS-IP-CAM-AXP1343-HW	Axis P1343 network camera SVGA, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 875.00	15.00%	\$743.75	\$749.37	1	USA	1
132-8	LS-IP-CAM-AXP1343-E-HW	Axis P1343-E Outdoor, IP66-rated, SVGA, day/night, network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af compliant midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Camera hardware supply only.	\$ 1,169.00	15.00%	\$993.65	\$1,001.16	1	USA	1
132-8	LS-IP-CAM-AXP1344-HW	Axis P1344 HDTV, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 990.00	15.00%	\$841.50	\$847.86	1	USA	1
132-8	LS-IP-CAM-AXP1344-E-HW	Axis P1344-E Outdoor, IP66-rated, HDTV, day/night, fixed network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Camera hardware supply only.	\$ 1,289.00	15.00%	\$1,095.65	\$1,103.93	1	USA	1
132-8	LS-IP-CAM-AXP1346-HW	Axis P1346 HDTV, day/night, fixed camera with varifocal 4-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. Wide Dynamic Range. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 1,289.00	15.00%	\$1,095.65	\$1,103.93	1	USA	1
132-8	LS-IP-CAM-AXP1346-E-HW	Axis P1346-E Outdoor, IP66-rated, HDTV, day/night, fixed camera with varifocal 4-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Camera hardware supply only.	\$ 1,639.00	15.00%	\$1,393.15	\$1,403.68	1	USA	1
132-8	LS-IP-CAM-AXP1347-HW	Axis P1347 5MP, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Camera hardware supply only.	\$ 1,639.00	15.00%	\$1,393.15	\$1,403.68	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXP1347-E-HW	Axis P1347-E Outdoor, IP66-rated, 5MP, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket and 5-meter Ethernet cable. Camera hardware supply only.	\$ 1,989.00	15.00%	\$1,690.65	\$1,703.43	1	USA	1
132-8	LS-IP-CAM-AXP3301-HW	Axis P3301 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-CAM-AXP3301V-HW	Axis P3301 Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 745.00	15.00%	\$633.25	\$638.04	1	USA	1
132-8	LS-IP-CAM-AXP3304-HW	Axis P3304 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 819.00	15.00%	\$696.15	\$701.41	1	USA	1
132-8	LS-IP-CAM-AXP3304-V-HW	Axis P3304-V Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply. Camera hardware supply only.	\$ 869.00	15.00%	\$738.65	\$744.23	1	USA	1
132-8	LS-IP-CAM-AXP3346-HW	Axis P3346 3 MP, day/night fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,229.00	15.00%	\$1,044.65	\$1,052.54	1	USA	1
132-8	LS-IP-CAM-AXP3346-V-HW	Axis P3346 3MP, day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,279.00	15.00%	\$1,087.15	\$1,095.37	1	USA	1
132-8	LS-IP-CAM-AXP3346-VE-HW	Axis P3346 3MP, day/night fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket. Camera hardware supply only.	\$ 1,459.00	15.00%	\$1,240.15	\$1,249.52	1	USA	1
132-8	LS-IP-CAM-AXM3204-HW	Axis M3204 Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MF. Item	PRODUCT DESCRIPTION	MSRP/ MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-AXM3204V-HW	Axis M3204-V Camera with Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Camera hardware supply only.	\$ 629.00	15.00%	\$534.65	\$538.69	1	USA	1
132-8	LS-IP-CAM-AX7001-HW	Axis M7001 1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only. NO midspan. Camera hardware supply only.	\$ 349.00	15.00%	\$296.65	\$298.89	1	USA	1
132-8	LS-IP-CAM-AX7001-KIT-HW	Axis M7001 1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only. NO midspan. Camera hardware supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-PTZ-AXP5512-HW	Axis P5512 Compact pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling and transparent cover smoked and clear. I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included). Camera hardware supply only.	\$ 1,289.00	15.00%	\$1,095.65	\$1,103.93	1	USA	1
132-8	LS-IP-PTZ-AXM5013-HW	Axis M5013 Ceiling-mount mini PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included. Camera hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1
132-8	LS-IP-PTZ-AXM5014-HW	Axis M5014 Ceiling-mount mini PTZ dome camera with HDTV 720p resolution, 16:9 format and 3x digital zoom. 1280x720 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included. Camera hardware supply only.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-PTZ-AXP5522-HW	Axis P5522 PTZ camera with 18x optical zoom, D1 resolution (720x480) and IP51 classification in H.264 and Motion JPEG, Day & Night. Two way audio, four I/O and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings. Camera hardware supply only.	\$ 1,749.00	15.00%	\$1,486.65	\$1,497.88	1	USA	1
132-8	LS-IP-PTZ-AXP5522-E-HW	Axis P5522-E Outdoor PTZ camera with 18x zoom, D1 resolution (720x480) and IP66 classification in H.264 and Motion JPEG, Day & Night. Includes High PoE midspan, smoked and clear dome covers. Brackets are sold separately. Camera hardware supply only.	\$ 2,219.00	15.00%	\$1,886.15	\$1,900.40	1	USA	1
132-8	LS-IP-PTZ-AXP5512-E-HW	Axis 5512-E Outdoor, IP66-rated pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 25/30 fps. Simultaneous H.264 and Motion JPEG. Power over Ethernet IEEE 802.3af, (midspan not included), clear and smoked dome bubble included. Brackets AXIS T91A are sold separately. Camera hardware supply only.	\$ 1,749.00	15.00%	\$1,486.65	\$1,497.88	1	USA	1
132-8	LS-IP-PTZ-AXQ6032-HW	Axis Q6032 IP52, PTZ dome camera with 35x optical zoom. WDR, EIS. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan Extended D1 resolution (752x480) at 30fps in H.264 and Motion JPEG. Auto-tracking, Tour Recording. Two way audio, four I/O and external power with multi-connector cable (not included). Camera hardware supply only.	\$ 3,039.00	15.00%	\$2,583.15	\$2,602.67	1	USA	1
132-8	LS-IP-PTZ-AXQ6035-HW	Axis Q6035 HDTV 1080p compliant high speed PTZ dome camera with 20x optical zoom for indoor use. Continuous 360° rotation. HDTV 1080p (1920x1080) @ 25/30 fps, HDTV 720p @ 50/60 fps in H.264, Day & Night, WDR, IP52. Two-way audio, I/O and external power with multi-connector cable (not included). Smoked and clear dome covers, mounting kit for hard and drop ceiling, and midspan are included. Camera hardware supply only.	\$ 3,969.00	15.00%	\$3,373.65	\$3,399.14	1	USA	1
132-8	LS-IP-PTZ-AXQ6035-E-HW	Axis Q6035-E HDTV 1080p compliant outdoor-ready, IP66 and NEMA 4X-rated, PTZ dome camera with 20x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, HDTV 720p @ 50 fps in H.264. Auto-tracking. Power through High PoE only. Smoked and clear transparent dome cover and High PoE midspan are included. Brackets are not included. Camera hardware supply only.	\$ 4,669.00	15.00%	\$3,968.65	\$3,998.64	1	USA	1
132-8	LS-IP-CAM-AXM1004-W-HW	AXIS M1004-W Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps and I/O ports. Video motion detection. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup protocol. Includes stand and clamp for easy mounting and power supply. Camera hardware supply only.	\$ 235.00	15.00%	\$ 199.75	\$ 201.26	1	USA	1

New Product Add
July 2014



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXM1013-HW	AXIS M1013 Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA 800 x 600 resolution at 30 fps. Video motion detection. Connects over wired Ethernet. MicroSD/SDHC memory card slot for edge storage. Includes stand and clamp for easy mounting and power supply. Camera hardware supply only.	\$ 215.00	15.00%	\$ 182.75	\$ 184.13	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1014-HW	AXIS M1014 Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection. Connects over wired Ethernet. MicroSD/SDHC memory card slot for edge storage. Includes stand and clamp for easy mounting and power supply. Camera hardware supply only.	\$ 269.00	15.00%	\$ 228.65	\$ 230.38	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1025-HW	AXIS M1025 Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p or 2 MP resolutions at 30 fps. Video motion detection. Connects over wired Ethernet and supports Power over Ethernet. Memory card slot for edge storage. HDMI output (Micro) for public view monitors. Includes stand and clamp for easy mounting and power supply. Camera hardware supply only.	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1033-W-HW	AXIS M1033-W Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA 800 x 600 resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Camera hardware supply only.	\$ 329.00	15.00%	\$ 279.65	\$ 281.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1034-W-HW	AXIS M1034-W Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes stand and clamp for easy mounting, optional extension for stand and power supply. Camera hardware supply only.	\$ 385.00	15.00%	\$ 327.25	\$ 329.72	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1144-L-HW	AXIS M1144-L HDTV camera with varifocal boardmount 2.5-6 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Integrated IR LED illumination up to 15 meters and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Camera hardware supply only.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1145-HW	AXIS M1145 HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM1145-L-HW	AXIS M1145-L HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. Optimized IR, a power-efficient LED technology that provides an adaptable angle of IR illumination up to 15 meters (50 feet) MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM2014-E-HW	AXIS M2014-E Compact, bullet-style HDTV network camera comprising a main unit and a separate IP66-rated camera unit. Edge storage using microSD card or NAS. Support for ACAP and AXIS Camera Companion. I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support. Includes stand and clamp for camera unit and DIN rail mount for main unit. Midspan not included. Camera hardware supply only.	\$ 469.00	15.00%	\$ 398.65	\$ 401.66	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXP1353-HW	AXIS P1353 Light-sensitive, SVGA resolution, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Lightfinder technology. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP1353-E-HW	AXIS P1353-E Outdoor, IP66-rated, Light-sensitive, SVGA, day/night, network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Lightfinder technology. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -30°C to +50°C when powered by IEEE 802.3af compliant midspan or -40°C to +50°C with AXIS T8123/-E High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included. Camera hardware supply only.	\$ 1,109.00	15.00%	\$ 942.65	\$ 949.77	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP1354-HW	AXIS P1354 Light-sensitive, HDTV resolution, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Lightfinder technology. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 935.00	15.00%	\$ 794.75	\$ 800.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP1354-E-HW	AXIS P1354-E Outdoor, IP66-rated, HDTV, day/night, fixed network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Lightfinder technology. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included. Camera hardware supply only.	\$ 1,229.00	15.00%	\$ 1,044.65	\$ 1,052.54	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP1355-HW	AXIS P1355 1080p HDTV resolution, day/night, fixed camera with varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP1355-E-HW	AXIS P1355-E Outdoor, IP66-rated, 1080p HDTV, day/night, fixed network camera with varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. WDR- dynamics contrast. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123/-E High PoE Midspans. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included. Camera hardware supply only.	\$ 1,345.00	15.00%	\$ 1,143.25	\$ 1,151.89	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP1357-HW	AXIS P1357 5MP resolution, day/night, fixed camera with varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 1,229.00	15.00%	\$ 1,044.65	\$ 1,052.54	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXP1357-E-HW	AXIS P1357-E Outdoor, IP66-rated, 5MP, day/night, fixed network camera with varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. WDR- dynamics contrast. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123/-E High PoE Midspans. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included. Camera hardware supply only.	\$ 1,519.00	15.00%	\$ 1,291.15	\$ 1,300.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AX211W-HW	AXIS 211W Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way, full duplex audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes antenna, adjustable stand and power supply Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1755-HW 60Hz w/POE	AXIS Q1755 60Hz with PoE midspan 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P, 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Includes one-port Midspan. Camera hardware supply only.	\$ 1,815.00	15.00%	\$ 1,542.75	\$ 1,554.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1765-LE-HW	AXIS Q1765-LE Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR-dynamic contrast. Video motion detection and active tampering alarm. Two way audio and I/O with multi-connector cable (not included). MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield, integrated wall/ceiling mount. Power supply or midspan not included. Camera hardware supply only.	\$ 1,635.00	15.00%	\$ 1,389.75	\$ 1,400.25	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1602-HW	AXIS Q1602 Extended D1 (768x576) resolution, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Lightfinder technology. Support for P-iris, multiple, individually configurable H.264 and Motion JPEG streams; Extended D1 resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1602-E-HW	AXIS Q1602-E Outdoor, IP66-rated, Extended D1 (768x576) resolution, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Lightfinder technology. Support for P-iris, multiple, individually configurable H.264 and Motion JPEG streams; Extended D1 resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Arctic Temperature Control. Operation in -30°C to +50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40°C to +50°C (-40 °F to 122 °F) with High PoE Midspan. Includes a removable sunshield and wall bracket. Midspan not included. Camera hardware supply only.	\$ 1,405.00	15.00%	\$ 1,194.25	\$ 1,203.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1604-HW	AXIS Q1604 HDTV, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Support for P-iris, Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at full frame rate. WDR-dynamic contrast and WDR-dynamic capture. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1604-E-HW	AXIS Q1604-E Outdoor, IP66-rated HDTV, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Support for P-iris, Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at full frame rate. WDR-dynamic contrast and WDR-dynamic capture. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Arctic Temperature Control, Operation in -30°C to +50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40°C to +50°C (-40 °F to 122 °F) with High PoE Midspan. Includes a removable sunshield and wall bracket. Midspan not included. Camera hardware supply only.	\$ 1,519.00	15.00%	\$ 1,291.15	\$ 1,300.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1614-HW	AXIS Q1614 HDTV, day/night, fixed camera with varifocal 2.8-8 mm P-Iris lens and remote back focus. Support for DC-iris, multiple, individually configurable H.264 and Motion JPEG streams; HDTV 720p or 1MP resolution at 50/60 frames per second. WDR - dynamic capture and Lightfinder technology for demanding lighting conditions. Video motion detection, active tampering alarm and shock detection. Two-way audio with built-in microphone, audio detection and I/O for alarm/event handling. Serial port for RS422/485 communication. Memory card slot for optional local video storage. Power over Ethernet or 8-28 V DC input. Power supply not included. Camera hardware supply only.	\$ 1,285.00	15.00%	\$ 1,092.25	\$ 1,100.50	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXQ1614-E-HW	AXIS Q1614-E Outdoor, IP66-rated HDTV, day/night, fixed camera with varifocal 2.8-8 mm P-Iris lens and remote back focus. Support for DC-iris, multiple, individually configurable H.264 and Motion JPEG streams; HDTV 720p or 1MP resolution at 50/60 frames per second. WDR - dynamic capture and Lightfinder technology for demanding lighting conditions Video motion detection, active tampering alarm and shock detection. Two-way audio, audio detection and I/O for alarm/event handling. Serial port for RS422/485 communication. Memory card slot for optional local video storage. Arctic Temperature Control, operation in -30°C to +50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40°C to +50°C (-40 °F to 122 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included. Camera hardware supply only.	\$ 1,635.00	15.00%	\$ 1,389.75	\$ 1,400.25	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AX209FD-R12-HW	AXIS 209FD-R M12 Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. No Midspan. Camera hardware supply only.	\$ 679.00	15.00%	\$ 577.15	\$ 581.51	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AX209MFD-R12-HW	AXIS 209MFD-R M12 Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. No Midspan. Camera hardware supply only.	\$ 795.00	15.00%	\$ 675.75	\$ 680.86	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3304-NPS-HW	AXIS P3304 - No Power Supply Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3304V-NPS-HW	AXIS P3304-V - No Power Supply Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 749.00	15.00%	\$ 636.65	\$ 641.46	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3114-VE-NC-HW	AXIS M3114-VE Nocap Outdoor fixed dome in a flat, discreet and vandal-resistant casing without weather shield for ceiling mounting. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXM3114-VE-NC-2-HW	AXIS M3114-VE Nocap 2mm Outdoor fixed dome in a flat, discreet and vandal-resistant casing without weather shield for ceiling mounting. Fixed, wide-angle lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3113-R-M12-HW	AXIS M3113-R M12 Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included. Camera hardware supply only.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3114-R-M12-HW	AXIS M3114-R M12 Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3114-R-M12-2-HW	AXIS M3114-R M12 2mm Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed, wide angle lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3004-V-HW	AXIS M3004-V Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 329.00	15.00%	\$ 279.65	\$ 281.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3005V-HW	AXIS M3005-V Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 445.00	15.00%	\$ 378.25	\$ 381.11	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3006V-HW	AXIS M3006-V Compact, indoor fixed mini dome with dust- and vandal-resistant casing. Easy mounting on wall or ceiling. Fixed, 134° lens, and digital PTZ can be used as digital varifocal to set the angle of view. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps or 3 MP resolution at 20 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3024-LVE-HW	AXIS M3024-LVE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens and built-in IR illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3025-VE-HW	AXIS M3025-VE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXM3026-VE-HW	AXIS M3026-VE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed, 106° lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps or 3 MP resolution at 20 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 759.00	15.00%	\$ 645.15	\$ 650.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3027-PVE-HW	AXIS M3027-PVE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 935.00	15.00%	\$ 794.75	\$ 800.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3007-P-HW	AXIS M3007-P Ultra-discreet, smoke detector-like indoor fixed mini dome with tamper-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. The camera comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet for easy installation. Midspan not included. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXM3007-PV-HW	AXIS M3007-PV Compact, indoor fixed mini dome with dust- and vandal-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Easy mounting on wall or ceiling. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 759.00	15.00%	\$ 645.15	\$ 650.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3301-NPS-HW	AXIS P3301 - No Power Supply Fixed dome with discreet and tamper-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3301V-NPS-HW	AXIS P3301-V - No Power Supply Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included. Camera hardware supply only.	\$ 635.00	15.00%	\$ 539.75	\$ 543.83	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3364-LV-6/12-HW	AXIS P3364-LV 12mm Light-sensitive, day/night fixed dome in a discreet, vandal-resistant indoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR - dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Camera hardware supply only.	\$ 935.00	15.00%	\$ 794.75	\$ 800.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3364-LVE-6/12-HW	AXIS P3364-LVE 12mm Light-sensitive, day/night fixed dome in a vandal-resistant, outdoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR - dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes 5m Ethernet cable with mounted gasket. Camera hardware supply only.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXP3367-V-HW	AXIS P3367-V 5MP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3367-VE-HW	AXIS P3367-VE 5MP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket. Camera hardware supply only.	\$ 1,405.00	15.00%	\$ 1,194.25	\$ 1,203.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3353-6/12-HW	AXIS P3353 12mm Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3363V-6/12-HW	AXIS P3363-V 12MM Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3363-VE-6/12-HW	AXIS P3363-VE 12MM Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket. Camera hardware supply only.	\$ 1,005.00	15.00%	\$ 854.25	\$ 860.71	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3354-6/12-HW	AXIS P3354 12MM Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXP3364-V-6/12-HW	AXIS P3364-V 12MM Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	Item	MFG. DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years	
New Product Add July 2014	132-8	LS-IP-CAM-AXP3364-VE-6/12-HW	AXIS P3364-VE 12MM Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 2.5-6 mm OR 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP3384-V-HW	AXIS P3384-V Day/night fixed dome with support for WDR – dynamic capture in a discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Light sensitivity with Lightfinder. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP3384-VE-HW	AXIS P3384-VE Day/night fixed dome with support for WDR – dynamic capture in a vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Light sensitivity with Lightfinder. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket. Camera hardware supply only.	\$ 1,285.00	15.00%	\$ 1,092.25	\$ 1,100.50	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AX212-V-HW	AXIS 212 PTZ-V Vandal resistant AXIS 212 PTZ Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP5544-HW	AXIS P5544 60HZ PTZ dome camera with 360-degree panoramic view, 18x optical zoom for indoor use. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes PoE+ midspan, clear dome covers and mounting kit for hard and drop ceilings Camera hardware supply only.	\$ 3,505.00	15.00%	\$ 2,979.25	\$ 3,001.76	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXM5013-V-HW	AXIS M5013-V Vandal resistant IP66- and IK10-rated. Hard ceiling-mount PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. Only PoE, midspan not included. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXM5014-V-HW	AXIS M5014-V Vandal resistant IP66- and IK10-rated. Hard ceiling-mount PTZ dome camera with HDTV 720p resolution and 3x digital zoom. 1280x720 @ 30fps in H.264 and Motion JPEG. Only PoE, midspan not included. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP5414-E-HW	AXIS P5414-E 60HZ Intelligent Direct Drive PTZ camera with HDTV 720p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included. Camera hardware supply only.	\$ 1,869.00	15.00%	\$ 1,588.65	\$ 1,600.65	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP5415-E-HW	AXIS P5415-E 60HZ Intelligent Direct Drive PTZ camera with HDTV 1080p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included. Camera hardware supply only.	\$ 2,335.00	15.00%	\$ 1,984.75	\$ 1,999.75	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ6042-HW	AXIS Q6042 60HZ IP52, PTZ dome camera with 36x optical zoom. WDR, EIS. Auto day/night functionality; min. illumination down to 0.5 lux in color and 0.008 in black/white. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan, extended D1 resolution (752x480) @ 30 fps in H.264 and Motion JPEG. Shock detection, autotracking, tour recording. Full size SD slot. Two way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings Camera hardware supply only.	\$ 2,865.00	15.00%	\$ 2,435.25	\$ 2,453.65	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
	132-8 LS-IP-CAM-AXQ6042-E-HW	AXIS Q6042-E 60HZ Outdoor-ready, IP66, IK10 and NEMA 4X classification, PTZ dome camera with 36x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-40 °F to 122 °F). WDR, EIS, Auto day/night functionality; min. illumination down to 0.5 lux in color and 0.008 in black/white. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, extended D1 resolution (752x480) @ 30fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, tour recording. Full size SD slot. Power through High PoE only. Includes clear transparent dome cover and High PoE midspan. No mounting bracket included (several different accessories available). Camera hardware supply only.	\$ 3,505.00	15.00%	\$ 2,979.25	\$ 3,001.76	1	USA	1
	132-8 LS-IP-CAM-AXQ6042-C-HW	AXIS Q6042-C 60HZ Actively cooled, outdoor-ready high-speed PTZ dome camera with 36x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. WDR, Active Gatekeeper, Tour recording and autotracking, EIS, Auto day/night mode down to 0.5 lux in color and 0.008 lux in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, Extended D1 resolution (752x480) @ 30 fps in H.264 and Motion JPEG. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included. (several different accessories available). Camera hardware supply only.	\$ 4,089.00	15.00%	\$ 3,475.65	\$ 3,501.91	1	USA	1
	132-8 LS-IP-CAM-AXQ6042-S-HW	AXIS Q6042-S 60HZ Stainless steel, (SS-316L) pressurized (5psi) High performance PTZ dome camera with 36x optical zoom. with IP66, IK10 and NEMA 4X classification. WDR, EIS, Auto day/night functionality; min. illumination down to 0.5 lux in color and 0.008 in black/white. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, extended D1 resolution (752x480) @ 30 fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, tour recording. Full size SD slot. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Mounting brackets and power adapter are not included (several different accessories available). Camera hardware supply only.	\$ 6,425.00	15.00%	\$ 5,461.25	\$ 5,502.52	1	USA	1
	132-8 LS-IP-CAM-AXQ6044-HW	AXIS Q6044 60HZ HDTV 720p compliant, high-speed PTZ dome camera with 18x optical zoom for indoor use. HDTV 720p @ 30 fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP52. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, Automatic Defogging, shock detection. Full-size SD slot. Two-way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings. Camera hardware supply only.	\$ 3,329.00	15.00%	\$ 2,829.65	\$ 2,851.03	1	USA	1
	132-8 LS-IP-CAM-AXQ6044-E-HW	AXIS Q6044-E 60HZ HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, automatic defogging, shock detection, Arctic Temperature Control enables operation and start up from from -40 °C to +50 °C (-40 °F to 122 °F). Active Gatekeeper, tour recording and autotracking. Includes High PoE midspan and clear dome cover. Mounting brackets are not included (several different accessories available) Camera hardware supply only.	\$ 3,975.00	15.00%	\$ 3,378.75	\$ 3,404.28	1	USA	1
	132-8 LS-IP-CAM-AXQ6044-S-HW	AXIS Q6044-S 60HZ Stainless steel, (SS-316L) pressurized (5psi) HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, automatic defogging, shock detection. Active Gatekeeper, tour recording and autotracking. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Mounting brackets and power adapter are not included (several different accessories available). Camera hardware supply only.	\$ 6,775.00	15.00%	\$ 5,758.75	\$ 5,802.27	1	USA	1
	132-8 LS-IP-CAM-AXQ6044-C-HW	AXIS Q6044-C 60HZ Actively cooled, outdoor-ready high-speed PTZ dome camera with 30x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C HDTV 720p compliant @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, automatic defogging, shock detection. Active Gatekeeper, tour recording and autotracking. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included. (several different accessories available). Camera hardware supply only.	\$ 4,555.00	15.00%	\$ 3,871.75	\$ 3,901.01	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
	132-8 LS-IP-CAM-AXQ6045-HW	AXIS Q6045 60HZ HDTV 1080p compliant, high-speed PTZ dome camera with 20x optical zoom for indoor use. HDTV 1080p (1920x1080) @ 30 fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52. Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings Camera hardware supply only.	\$ 3,565.00	15.00%	\$ 3,030.25	\$ 3,053.15	1	USA	1
	132-8 LS-IP-CAM-AXQ6045-E-HW	AXIS Q6045-E 60HZ Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK09 and NEMA 4X-rated PTZ dome camera with 20x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-40 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan are included. Brackets are not included (several different accessories available) Camera hardware supply only.	\$ 4,205.00	15.00%	\$ 3,574.25	\$ 3,601.26	1	USA	1
	132-8 LS-IP-CAM-AXQ6045-C-HW	AXIS Q6045-C 60HZ Actively cooled, outdoor-ready high-speed PTZ dome camera with 20x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included. (several different accessories available). Camera hardware supply only.	\$ 4,789.00	15.00%	\$ 4,070.65	\$ 4,101.41	1	USA	1
	132-8 LS-IP-CAM-AXQ6045-S-HW	AXIS Q6045-S 60HZ Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 20x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Brackets and power adapter are not included (several different accessories available). Camera hardware supply only.	\$ 7,009.00	15.00%	\$ 5,957.65	\$ 6,002.67	1	USA	1
	132-8 LS-IP-CAM-AXQ8721-E35-HW	AXIS Q8721-E 35mm 30 fps IP66-rated outdoor-ready pan tilt network camera for visual and thermal imaging is comprised of an AXIS Q1755 visual 10x optical zoom-and autofocus camera that delivers video in HDTV 1080i or 720p and an AXIS Q1921 thermal camera with 35mm lens that delivers 384x288 resolution in 30 fps. Preset accuracy of 0.02° and continues pan 360° endless. Temp spec. -30 °C to 45 °C (-22 °F to 113 °F). Requires: Power supply AXIS Q872X-E and wall- or column mount bracket. *US & Canada only Camera hardware supply only.	\$ 21,879.00	15.00%	\$ 18,597.15	\$ 18,737.68	1	USA	1
	132-8 LS-IP-CAM-AXQ8721-E60-HW	AXIS Q8721-E 60mm 30 fps IP66-rated outdoor-ready pan tilt network camera for visual and thermal imaging is comprised of an AXIS Q1755 visual 10x optical zoom-and autofocus camera that delivers video in HDTV 1080i or 720p and an AXIS Q1921 thermal camera with 60mm lens that delivers 384x288 resolution in 30 fps. Preset accuracy of 0.02° and continues pan 360° endless. Temp spec. -30 °C to 45 °C (-22 °F to 113 °F). Requires: Power supply AXIS Q872X-E and wall- or column mount bracket. *US & Canada only Camera hardware supply only.	\$ 24,449.00	15.00%	\$ 20,781.65	\$ 20,938.69	1	USA	1
	132-8 LS-IP-CAM-AXQ8722-E35-HW	AXIS Q8722-E 35mm 30 fps IP66-rated outdoor-ready pan tilt network camera for visual and thermal imaging is comprised of an AXIS Q1755 visual 10x optical zoom-and autofocus camera that delivers video in HDTV 1080i or 720p and an AXIS Q1922 thermal camera with 35mm lens that delivers 640x480 resolution in 30 fps. Preset accuracy of 0.02° and continues pan 360° endless. Temp spec. -30 °C to 45 °C (-22 °F to 113 °F). *US & Canada only Camera hardware supply only.	\$ 27,135.00	15.00%	\$ 23,064.75	\$ 23,239.04	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	Item	MFG. DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years	
New Product Add July 2014	132-8	LS-IP-CAM-AXQ8722-E60-HW	AXIS Q8722-E 60mm 30 fps IP66-rated outdoor-ready pan tilt network camera for visual and thermal imaging is comprised of an AXIS Q1755 visual 10x optical zoom-and autofocus camera that delivers video in HDTV 1080i or 720p and an AXIS Q1922 thermal camera with 60mm lens that delivers 640x480 resolution in 30 fps. Preset accuracy of 0.02° and continues pan 360° endless. Temp spec. -30 °C to 45 °C (-22 °F to 113 °F). *US & Canada only Camera hardware supply only.	\$ 29,705.00	15.00%	\$ 25,249.25	\$ 25,440.05	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1922-10/19-HW	AXIS Q1922 10mm 30 FPS Indoor Thermal Network Camera, 640x480 resolution, 30 fps, and 57° OR 32° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. *US & Canada only Camera hardware supply only.	\$ 8,175.00	15.00%	\$ 6,948.75	\$ 7,001.26	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1922-E-10/19-HW	AXIS Q1922-E 10mm 30 FPS Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 57° OR 32° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. *US & Canada only Camera hardware supply only.	\$ 8,759.00	15.00%	\$ 7,445.15	\$ 7,501.41	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1922-E35-HW	AXIS Q1922-E 35mm 30 FPS Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 18° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. *US & Canada only Camera hardware supply only.	\$ 9,815.00	15.00%	\$ 8,342.75	\$ 8,405.79	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1922-E60-HW	AXIS Q1922-E 60MM 30 FPS Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 10° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. *US & Canada only Camera hardware supply only.	\$ 12,385.00	15.00%	\$ 10,527.25	\$ 10,606.80	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1931-E-7/13-HW	AXIS Q1931-E 7mm 30 FPS Outdoor Thermal Network Camera for wall and ceiling mount, IP66-rated, 384x288 resolution, 30 fps, and 50° OR 28° angle of view. It supports ONVIF, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Camera hardware supply only.	\$ 4,089.00	15.00%	\$ 3,475.65	\$ 3,501.91	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1931-E35-HW	AXIS Q1931-E 35mm 30 FPS Outdoor Thermal Network Camera for wall and ceiling mount, IP66-rated, 384x288 resolution, 30 fps, and 10° angle of view. It supports ONVIF, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Camera hardware supply only.	\$ 4,905.00	15.00%	\$ 4,169.25	\$ 4,200.76	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXQ1931-E60-HW	AXIS Q1931-E 60mm 30 FPS Outdoor Thermal Network Camera for wall and ceiling mount, IP66-rated, 384x288 resolution, 30 fps, and 6° angle of view. It supports ONVIF, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform. Camera hardware supply only.	\$ 7,245.00	15.00%	\$ 6,158.25	\$ 6,204.79	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP1204-HW	AXIS P1204 Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going with a 90° angle vs the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP1214-HW	AXIS P1214 Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP1214-E-HW	AXIS P1214-E Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP1224-E-HW	AXIS P1224-E Miniature HDTV camera for discreet indoor/outdoor surveillance with 145° horizontal field of view. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-AXP8514-W/B/C-HW	AXIS P8514, White (Ft. Decal) White/Black/Chrome eye-level camera for face identification. covertly pre-installed at a height of 160cm (5.2 ft.) in a steel pipe with height indicator decal (scale in feet), it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. SVGA resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.) Ethernet cable with female RJ45 connector Camera hardware supply only.	\$ 759.00	15.00%	\$ 645.15	\$ 650.03	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-MIC-AX T8351	AXIS T8351 Microphone 3.5mm AXIS T8351 Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. Flexible to install, AXIS T8351 adapts to different installation scenarios thanks to a vast range of included accessories and to its dust-and-water proof casing.	\$ 165.00	15.00%	\$ 140.25	\$ 141.31	1	USA	1
New Product Add July 2014	132-8 LS-IP-MIC-AX T8353A	AXIS T8353A Microphone 3.5mm AXIS T8353A Microphone 3.5mm is an omnidirectional microphone with a 3.5mm adaptor, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. AXIS T8353A Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-MIC-AX T8353B	AXIS T8353B Microphone Phantom Power AXIS T8353B Microphone Phantom Power is an omnidirectional microphone with an XLR contact and a pigtail adaptor. Power ranges between 12-48V DC. It is compatible with phantom power devices, such as AXIS P8221 Network I/O Audio Module. AXIS T8353B Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA31WI-B5-HW	IQeye IQA31WI-B5 Alliance-pro H.264 WDR 720p Interior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 875.00	15.00%	\$ 743.75	\$ 749.37	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA32WI-B5-HW	IQeye IQA32WI-B5 Alliance-pro H.264 WDR 1080p Interior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA33WI-B5-HW	IQeye IQA33WI-B5 Alliance-pro H.264 WDR 3 MP Interior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 1,109.00	15.00%	\$ 942.65	\$ 949.77	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA31WE-B5-HW	IQeye IQA31WE-B5 Alliance-pro H.264 WDR 720p Exterior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 935.00	15.00%	\$ 794.75	\$ 800.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA32WE-B5-HW	IQeye IQA32WE-B5 Alliance-pro H.264 WDR 1080p Exterior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA33WE-B5-HW	IQeye IQA33WE-B5 Alliance-pro H.264 WDR 3 MP Exterior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA32WX-B5-HW	IQeye IQA32WX-B5 Alliance-pro H.264 WDR 1080p Extreme Exterior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA33WX-B5-HW	IQeye IQA33WX-B5 Alliance-pro H.264 WDR 3 MP Extreme Exterior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 1,285.00	15.00%	\$ 1,092.25	\$ 1,100.50	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA31WI-A3-HW	IQeye IQA31WI-A3 Alliance-pro H.264 WDR 720p Interior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA32WI-A3-HW	IQeye IQA32WI-A3 Alliance-pro H.264 WDR 1080p Interior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,109.00	15.00%	\$ 942.65	\$ 949.77	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA33WI-A3-HW	IQeye IQA33WI-A3 Alliance-pro H.264 WDR 3 MP Interior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,229.00	15.00%	\$ 1,044.65	\$ 1,052.54	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA31WE-A3-HW	IQeye IQA31WE-A3 Alliance-pro H.264 WDR 720p Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA32WE-A3-HW	IQeye IQA32WE-A3 Alliance-pro H.264 WDR 1080p Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA33WE-A3-HW	IQeye IQA33WE-A3 Alliance-pro H.264 WDR 3 MP Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,285.00	15.00%	\$ 1,092.25	\$ 1,100.50	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA32WX-A3-HW	IQeye IQA32WX-A3 Alliance-pro H.264 WDR 1080p Extreme Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,285.00	15.00%	\$ 1,092.25	\$ 1,100.50	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA33WX-A3-HW	IQeye IQA33WX-A3 Alliance-pro H.264 WDR 3 MP Extreme Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,405.00	15.00%	\$ 1,194.25	\$ 1,203.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQM51WR-B5-HW	IQeye IQM51WR-B5 Alliance-mx H.264 WDR 720p Interior/Exterior Day/Night Vandal Dome Camera built in IR, 3-13mm Lens. Camera hardware supply only.	\$ 759.00	15.00%	\$ 645.15	\$ 650.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQM52WR-B5-HW	IQeye IQM52WR-B5 Alliance-mx H.264 WDR 1080p Interior/Exterior Day/Night Vandal Dome Camera built in IR, 3-13mm Lens. Camera hardware supply only.	\$ 875.00	15.00%	\$ 743.75	\$ 749.37	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQM53WR-B5-HW	IQeye IQM53WR-B5 Alliance-mx H.264 WDR 3 MP Interior/Exterior Day/Night Vandal Dome Camera built in IR, 3-13mm Lens. Camera hardware supply only.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQM55NR-B5-HW	IQeye IQM55NR-B5 Alliance-mx H.264 WDR 5 MP Interior/Exterior Day/Night Vandal Dome Camera built in IR, 3-13mm Lens. Camera hardware supply only.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD51WV-F2-HW	IQeye IQD51WV-F2 Alliance-mini II H.264 WDR 720p Day/Night Vandal Dome, Fixed 2.8mm Lens. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD51WV-B7-HW	IQeye IQD51WV-B7 Alliance-mini II H.264 WDR 720p Day/Night Vandal Dome, 3-6mm Lens. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD52WV-F2-HW	IQeye IQD52WV-F2 Alliance-mini II H.264 WDR 1080p Day/Night Vandal Dome, Fixed 2.8mm Lens. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD52WV-B7-HW	IQeye IQD52WV-B7 Alliance-mini II H.264 WDR 1080p Day/Night Vandal Dome, 3-6mm Lens. Camera hardware supply only.	\$ 759.00	15.00%	\$ 645.15	\$ 650.03	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-IQD53WV-F2-HW	IQeye IQD53WV-F2 Alliance-mini II H.264 WDR 3 MP Day/Night Vandal Dome, Fixed 2.8mm Lens. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD53WV-B7-HW	IQeye IQD53WV-B7 Alliance-mini II H.264 WDR 3 MP Day/Night Vandal Dome, 3-6mm Lens. Camera hardware supply only.	\$ 875.00	15.00%	\$ 743.75	\$ 749.37	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD55NV-F11-HW	IQeye IQD55NV-F11 Alliance-mini II H.264 WDR 5 MP Day/Night Vandal Dome, Fixed 2.8mm Lens. Camera hardware supply only.	\$ 875.00	15.00%	\$ 743.75	\$ 749.37	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ865NE-V17-HW	IQeye IQ865NE-V17 Sentinel H.264 5 MP Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,869.00	15.00%	\$ 1,588.65	\$ 1,600.65	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ861WE-V6-HW	IQeye IQ861WE-V6 Sentinel H.264 WDR 720p Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,495.00	15.00%	\$ 1,270.75	\$ 1,280.35	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ861WE-V17-HW	IQeye IQ861WE-V17 Sentinel H.264 WDR 720p Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,519.00	15.00%	\$ 1,291.15	\$ 1,300.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ862WE-V6-HW	IQeye IQ862WE-V6 Sentinel H.264 WDR 1080p Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,615.00	15.00%	\$ 1,372.75	\$ 1,383.12	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ862WE-V17-HW	IQeye IQ862WE-V17 Sentinel H.264 WDR 1080p Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,635.00	15.00%	\$ 1,389.75	\$ 1,400.25	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ862WE-W2-HW	IQeye IQ862WE-W2 Sentinel H.264 WDR 1080p Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,765.00	15.00%	\$ 1,500.25	\$ 1,511.59	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ863WE-V6-HW	IQeye IQ863WE-V6 Sentinel H.264 WDR 3 MP Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,729.00	15.00%	\$ 1,469.65	\$ 1,480.76	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ863WE-V17-HW	IQeye IQ863WE-V17 Sentinel H.264 WDR 3 MP Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,755.00	15.00%	\$ 1,491.75	\$ 1,503.02	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ863WE-W2-HW	IQeye IQ863WE-W2 Sentinel H.264 WDR 3 MP Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,879.00	15.00%	\$ 1,597.15	\$ 1,609.22	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQR51NR-F9-HW	IQeye IQR51NR-F9 R5 Series H.264 720p Interior/Exterior Day/Night Camera built in IR, 3.6mm Lens AVAILABLE 5/5/14. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQR52NR-F9-HW	IQeye IQR52NR-F9 R5 Series H.264 1080p Interior/Exterior Day/Night Camera built in IR, 3.6mm Lens AVAILABLE 5/5/14. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQR53NR-F9-HW	IQeye IQR53NR-F9 R5 Series H.264 3 MP Interior/Exterior Day/Night Camera built in IR, 3.6mm Lens AVAILABLE 5/5/14. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ765NI-V17-HW	IQeye IQ765NI-V17 7 Series H.264 5 MP Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,335.00	15.00%	\$ 1,134.75	\$ 1,143.32	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ761WI-NL-HW	IQeye IQ761WI-NL 7 Series H.264 WDR 720p Camera, Remote Back Focus, NO LENS. Camera hardware supply only.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ761WI-V6-HW	IQeye IQ761WI-V6 7 Series H.264 WDR 720p Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,015.00	15.00%	\$ 862.75	\$ 869.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ761WI-V17-HW	IQeye IQ761WI-V17 7 Series H.264 WDR 720p Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,039.00	15.00%	\$ 883.15	\$ 889.82	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ762WI-NL-HW	IQeye IQ762WI-NL 7 Series H.264 WDR 1080p Camera, Remote Back Focus, NO LENS. Camera hardware supply only.	\$ 875.00	15.00%	\$ 743.75	\$ 749.37	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ762WI-V6-HW	IQeye IQ762WI-V6 7 Series H.264 WDR 1080p Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,075.00	15.00%	\$ 913.75	\$ 920.65	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ762WI-V17-HW	IQeye IQ762WI-V17 7 Series H.264 WDR 1080p Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,099.00	15.00%	\$ 934.15	\$ 941.21	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ762WI-W2-HW	IQeye IQ762WI-W2 7 Series H.264 WDR 1080p Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,225.00	15.00%	\$ 1,041.25	\$ 1,049.12	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ763WI-NL-HW	IQeye IQ763WI-NL 7 Series H.264 WDR 3 MP Camera, Remote Back Focus, NO LENS. Camera hardware supply only.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ763WI-V6-HW	IQeye IQ763WI-V6 7 Series H.264 WDR 3 MP Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,195.00	15.00%	\$ 1,015.75	\$ 1,023.43	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ763WI-V17-HW	IQeye IQ763WI-V17 7 Series H.264 WDR 3 MP Camera, Remote Back Focus, 3.3-10mm Lens. Camera hardware supply only.	\$ 1,215.00	15.00%	\$ 1,032.75	\$ 1,040.55	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ763WI-W2-HW	IQeye IQ763WI-W2 7 Series H.264 WDR 3 MP Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,225.00	15.00%	\$ 1,041.25	\$ 1,049.12	1	USA	1
	132-8 LS-IP-CAM-IQ-511-HW	IQeye 511 Mega Pixel camera, 30 images/second @ D1 (704 x 480), 20 images/second @ HDTV (1280 x 720), 15 images/second @ full resolution (1280 x 1024), LIGHTGRABBER™ 0.2 lux low light performance, user-selectable exposure window, low power, AC/DC or IEEE 802.3af Power-Over-Ethernet, digital Pan/Tilt/Zoom with no moving parts, Multi Zone Motion detection, Image cropping, Privacy zones, and bandwidth management tools. Camera hardware supply only.	\$ 869.00	15.00%	\$ 738.65	\$ 744.23	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-CAM-IQ-711-HW	IQeye 711 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 1.3 MPix @ up to 30 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Camera hardware supply only.	\$ 869.00	15.00%	\$738.65	\$744.23	1	USA	1
132-8	LS-IP-CAM-IQ-702-HW	IQeye 702 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 2.0 MPix @ up to 20 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Camera hardware supply only.	\$ 929.00	15.00%	\$789.65	\$795.62	1	USA	1
132-8	LS-IP-CAM-IQ-703-HW	IQeye 703 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 3.1 MPix @ up to 12 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Camera hardware supply only.	\$ 1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
132-8	LS-IP-CAM-IQ-705-HW	IQeye 705 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 5.0 MPix @ up to 10 images/second, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, Alarm I/O, and low power, AC or DC with Captive Screws. Includes wide varifocal lens. Camera hardware supply only.	\$ 1,159.00	15.00%	\$985.15	\$992.59	1	USA	1
132-8	LS-IP-CAM-IQ-751-HW	IQeye 751 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 1.3MPix @ up to 30 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Camera hardware supply only.	\$ 879.00	15.00%	\$747.15	\$752.80	1	USA	1
132-8	LS-IP-CAM-IQ-752V7-HW	IQeye 752 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 2.0 MPix @ up to 20 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Camera hardware supply only.	\$ 1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
132-8	LS-IP-CAM-IQ-753-HW	IQeye 753 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 3.1 MPix @ up to 12 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Camera hardware supply only.	\$ 1,159.00	15.00%	\$985.15	\$992.59	1	USA	1
132-8	LS-IP-CAM-IQ-753NL-HW	IQeye 753 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-DemandTM, 3.1 MPix @ up to 12 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View PortTM analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. No Lens. Camera hardware supply only.	\$ 939.00	15.00%	\$798.15	\$804.18	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
	132-8 LS-IP-CAM-IQ-755-HW	IQeye 755 Mega Pixel camera, Multi User Digital Pan/Tilt/Zoom with Resolution-On-Demand™, 5.0 MPix @ up to 10 images/second, <0.09 Lux IR Sensitive, LIGHTGRABBER IITM day/night low light performance, IEEE 802.3AF Power-Over-Ethernet, MultiStream low BW + hi resolution, CF Slot for backup or ZERO BANDWIDTH on-camera recording, Public View Port™ analog output, Include/Exclude Exposure window for Backlight Compensation, Privacy Zones, Digital Image Cropping, Wide Temperature Range, and Auto, manual, and scheduled day/night settings. Includes wide varifocal lens. Camera hardware supply only.	\$ 1,279.00	15.00%	\$1,087.15	\$1,095.37	1	USA	1
	132-8 LS-IP-CAM-IQ-D32SV-HW	IQeye D32 Mega Pixel camera, Resolutions up to HD 1080p, H.264 Main Profile + MJPEG Compression, 30 fps @ SD480p, 15 fps @ HD1080p, Two-Way Audio with Built-in Microphone, 3-Axis Gimbal, Lightgrabber™ II Low-light Feature, Power Over Ethernet, Indoor mini Dome, ONVIF and PSIA Compliant, and Wide lens. Camera hardware supply only.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
	132-8 LS-IP-CAM-IQ-M32-HW	IQeye Alliance-mx H.264 High Definition 1080p Exterior Day/Night Vandal Dome camera, 1920x1080 at 15 fps, Day/Night Varifocal Lens, IEEE 802.3AF Power-Over-Ethernet, MultiStream (H.264 and MJPEG) low BW + high resolution, Wide Dynamic Range, On-camera multi-motion detection, PSIA & ONVIF compliant, Two-way audio, Low 3.8 Watts Power Consumption, and Light grabber low light feature. Camera supply only.	\$ 939.00	15.00%	\$798.15	\$804.18	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA35NI-B6-HW	IQeye IQA35NI-B6 Alliance-pro H.264 5 MP Interior Day/Night Vandal Dome Camera, 3.3-12mm Lens. Camera hardware supply only.	\$ 1,229.00	15.00%	\$ 1,044.65	\$ 1,052.54	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA35NE-B6-HW	IQeye IQA35NE-B6 Alliance-pro H.264 5 MP Exterior Day/Night Vandal Dome Camera, 3.3-12mm Lens. Camera hardware supply only.	\$ 1,285.00	15.00%	\$ 1,092.25	\$ 1,100.50	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA35NX-B6-HW	IQeye IQA35NX-B6 Alliance-pro H.264 5 MP Extreme Exterior Day/Night Vandal Dome Camera, 3.3-12mm Lens. Camera hardware supply only.	\$ 1,405.00	15.00%	\$ 1,194.25	\$ 1,203.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA35NI-A3-HW	IQeye IQA35NI-A3 Alliance-pro H.264 5 MP Interior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,345.00	15.00%	\$ 1,143.25	\$ 1,151.89	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA35NE-A3-HW	IQeye IQA35NE-A3 Alliance-pro H.264 5 MP Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,405.00	15.00%	\$ 1,194.25	\$ 1,203.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQA35NX-A3-HW	IQeye IQA35NX-A3 Alliance-pro H.264 5 MP Extreme Exterior Day/Night Vandal Dome Camera, 3-8mm AZF Lens. Camera hardware supply only.	\$ 1,519.00	15.00%	\$ 1,291.15	\$ 1,300.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQM32NE-B5-HW	IQeye IQM32NE-B5 Alliance-mx H.264 1080p Interior/Exterior Day/Night Vandal Dome Camera, 3-13mm Lens. Camera hardware supply only.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD32SV-F1-HW	IQeye IQD32SV-F1 Alliance-mini H.264 1080p Vandal Dome Camera, Fixed 4.2mm Lens. Camera hardware supply only.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQD32SV-B7-HW	IQeye IQD32SV-B7 Alliance-mini H.264 1080p Vandal Dome Camera, 3-6mm Lens. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ865NE-V6-HW	IQeye IQ865NE-V6 Sentinel H.264 5 MP Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,845.00	15.00%	\$ 1,568.25	\$ 1,580.10	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ865NE-W2-HW	IQeye IQ865NE-W2 Sentinel H.264 5 MP Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,995.00	15.00%	\$ 1,695.75	\$ 1,708.56	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ030SI-V11-HW	IQeye IQ030SI-V11 3 Series H.264 480p Camera, Wall/Ceiling Mount, 3.5-9mm Lens. Camera hardware supply only.	\$ 409.00	15.00%	\$ 347.65	\$ 350.28	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ031SI-V11-HW	IQeye IQ031SI-V11 3 Series H.264 720p Camera, Wall/Ceiling Mount, 3.5-9mm Lens. Camera hardware supply only.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ032SI-V11-HW	IQeye IQ032SI-V11 3 Series H.264 1080p Camera, Wall/Ceiling Mount, 3.5-9mm Lens. Camera hardware supply only.	\$ 645.00	15.00%	\$ 548.25	\$ 552.39	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ762NI-V6-HW	IQeye IQ762NI-V6 7 Series H.264 1080p Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,075.00	15.00%	\$ 913.75	\$ 920.65	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ763NI-W2-HW	IQeye IQ763NI-W2 7 Series H.264 3.6 MP Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,225.00	15.00%	\$ 1,041.25	\$ 1,049.12	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ765NI-NL-HW	IQeye IQ765NI-NL 7 Series H.264 5 MP Camera, Remote Back Focus, NO LENS. Camera hardware supply only.	\$ 1,109.00	15.00%	\$ 942.65	\$ 949.77	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ765NI-V6-HW	IQeye IQ765NI-V6 7 Series H.264 5 MP Camera, Remote Back Focus, 12-40mm Lens. Camera hardware supply only.	\$ 1,309.00	15.00%	\$ 1,112.65	\$ 1,121.06	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-IQ765NI-W2-HW	IQeye IQ765NI-W2 7 Series H.264 5 MP Camera, Remote Back Focus, 1.8-3mm Lens. Camera hardware supply only.	\$ 1,459.00	15.00%	\$ 1,240.15	\$ 1,249.52	1	USA	1
	132-8	Network Video Converters (Hardware Supply Only)							
	132-8 LS-IP-VSVR-AX241Q-HW	Axis 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video. Hardware supply only	\$ 939.00	15.00%	\$798.15	\$804.18	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MF. Item	PRODUCT DESCRIPTION	MSRP/ MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-IP-VSVR-AX241S-HW	Axis 241S One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events. Hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1
132-8	LS-IP-VSVR-AX241S-Blade-HW	Axis 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video. Hardware supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-VSVR-AX241Q-Blade-HW	Axis 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video. Hardware supply only	\$ 819.00	15.00%	\$696.15	\$701.41	1	USA	1
132-8	LS-IP-VSVR-AX241Q-Blade-10U-HW	Ten Qty. Four Channel Analog to IP blade Video Converters, full frame-rate Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection and watch-dog functionality. Video Converter is without enclosure suitable for mounting in racks. Ideal for large installations. Hardware supply only.	\$ 7,889.00	15.00%	\$6,705.65	\$6,756.32	1	USA	1
132-8	LS-IP-VSVR-AX240Q-HW	Axis 240Q 4 channel NTSC/PAL video encoder. Motion JPEG. Up to 24/20 total fps. I/O for alarm/event handling. RS-232/RS-485 for data and PTZ control. Hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1
132-8	LS-IP-VSVR-AX240Q-Blade-1U-HW	Axis 240Q Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation. Hardware supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
132-8	LS-IP-VSVR-AX240Q-Blade -10U-HW	Ten (10) qty. Four Channel Analog to IP Video Blade Converter, 6 fps per channel Motion JPEG video, security package with IP filtering, HTTPS support, multi-level password protection, built-in video motion detection, watch-dog functionality and PTZ support. Integration process including video converter setup in the lab, Custom video converter functionality adjustment, Integration with LENSEC Software, Motion detection adjustment, System optimization, video converter information tracking, Testing and Quality Assurance.	\$ 4,499.00	15.00%	\$3,824.15	\$3,853.05	1	USA	1
132-8	LS-IP-VSVR-AX243SA-HW	Axis 243SA One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. Hardware supply only.	\$ 819.00	15.00%	\$696.15	\$701.41	1	USA	1
132-8	LS-IP-VSVR-AX247S-HW	Axis 247S 1 channel, high quality video up to 30/25 fps in all resolutions. Simultaneous Motion JPEG and MPEG-4. One-way audio, motion detection and security package including HTTPS encryption. Powered over Ethernet (IEEE 802.3af) with power out for the analog camera. No power supply included. Hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1
132-8	LS-IP-VSVR-AX282A-HW	Axis 282A Bare board 1 channel video server with duplex audio for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control. Hardware supply only.	\$ 649.00	15.00%	\$551.65	\$555.82	1	USA	1
132-8	LS-IP-VSVR-AX282-HW	Axis 282 Bare board 1 channel video server for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control. Hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	0
132-8	LS-IP-VSVR-AX241QA-HW	Axis 241Q High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. Hardware supply only.	\$ 999.00	15.00%	\$849.15	\$855.57	1	USA	1
132-8	LS-IP-VSVR-AX243Q-Blade-1U-HW	Axis 243Q Blade4 channel Blade Server, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 or Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. ONLY COMPATIBLE WITH AXIS 291 1U VIDEO SERVER RACK. Hardware supply only.	\$ 1,169.00	15.00%	\$993.65	\$1,001.16	1	USA	1
132-8	LS-IP-VSVR-AXQ7401-HW	Axis Q7401 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. Includes power supply. Hardware supply only.	\$ 699.00	15.00%	\$594.15	\$598.64	1	USA	1
132-8	LS-IP-VSVR-AXQ7404-HW	Axis Q7404 Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply. Hardware supply only.	\$ 1,289.00	15.00%	\$1,095.65	\$1,103.93	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
	132-8 LS-IP-VSVR-AXQ7406-HW	Axis Q7406 6 channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK. Hardware supply only.	\$ 1,749.00	15.00%	\$1,486.65	\$1,497.88	1	USA	1
	132-8 LS-IP-VSVR-AXQ7900-HW	Axis Q7900 4U 19" rack with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades. Hardware supply only.	\$ 4,669.00	15.00%	\$3,968.65	\$3,998.64	1	USA	1
	132-8 LS-IP-VSVR-AXP7701-HW	Axis P7701 1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply. Hardware supply only.	\$ 589.00	15.00%	\$500.65	\$504.43	1	USA	1
	132-8 LS-IP-VSVR-AXP8221-HW	Axis P8221 Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply. Hardware supply only.	\$ 409.00	15.00%	\$347.65	\$350.28	1	USA	1
	132-8 LS-IP-Blade-SVR-RAK-4P-HW	Video Converter Rack 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. Hardware supply only.	\$ 469.00	15.00%	\$398.65	\$401.66	1	USA	1
	132-8 LS-IP-Blade-SVR-RAK-14P-HW	Video Converter Rack, 4U, 19" wide with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades. Hardware supply only.	\$ 4,669.00	15.00%	\$3,968.65	\$3,998.64	1	USA	1
	132-8 LS-IP-Blade-SVR-RAK-HW	Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels. (Will NOT hold AXIS 243Q blade). Hardware supply only.	\$ 1,519.00	15.00%	\$1,291.15	\$1,300.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXM7014-HW	AXIS M7014 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	\$ 469.00	15.00%	\$ 398.65	\$ 401.66	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXP7214-HW	AXIS P7214 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXP7224-Blade-1U-HW	AXIS P7224 Video Encoder Blade Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXQ7424-R-HW	AXIS Q7424-R Video Encoder Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXQ7411-HW	AXIS Q7411 Video Encoder Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 VD and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXQ7414-HW	AXIS Q7414 Video Encoder Blade Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$ 1,169.00	15.00%	\$ 993.65	\$ 1,001.16	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-VSVR-AXQ7436-Blade-HW	AXIS Q7436 Video Encoder Blade 6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video motion detection. Active tampering alarm. Coax PTZ Control (Coaxitron). Compatible with the following video encoder chassis:AXIS Q7920, AXIS Q7900 and AXIS 2911U	\$ 1,405.00	15.00%	\$ 1,194.25	\$ 1,203.27	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXM7010-HW	AXIS M7010 Video Encoder Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC cards. PTZ support. Includes power supply.	\$ 2,335.00	15.00%	\$ 1,984.75	\$ 1,999.75	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXM7016-HW	AXIS M7016 Video Encoder Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 1,519.00	15.00%	\$ 1,291.15	\$ 1,300.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXP7210-HW	AXIS P7210 Video Encoder Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC cards. PTZ support. Includes power supply.	\$ 2,919.00	15.00%	\$ 2,481.15	\$ 2,499.90	1	USA	1
New Product Add July 2014	132-8 LS-IP-VSVR-AXP7216-HW	AXIS P7216 Video Encoder Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 1,869.00	15.00%	\$ 1,588.65	\$ 1,600.65	1	USA	1
New Product Add July 2014	132-8 LS-IP-PWR-AX 1U 310W	Spare power supply 1U 310W front Replacement power supply for AXIS Q7900 encoder rack	\$ 385.00	15.00%	\$ 327.25	\$ 329.72	1	USA	1
New Product Add July 2014	132-8 LS-IP-Rack-AX Q7920A	AXIS Q7920 Rack Slide Rails A Rack slides for AXIS Q7920 Video Encoder Chassis	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
	132-8 Camera Power Supply								
	132-8 LS-CAM-4PS	Four (4) port Camera Power Supply	\$257.00	15.00%	\$219.00	\$221.00	1	USA	1
	132-8 LS-CAM-8PS	Eight (8) port Camera Power Supply	\$293.00	15.00%	\$250.00	\$252.00	1	USA	1
	132-8 LS-CAM-16PS	Sixteen (16) port Camera Power Supply	\$336.00	15.00%	\$286.00	\$289.00	1	USA	1
	132-8 LS-CAM-32PS	Thirty two (32) port Camera Power Supply	\$549.00	15.00%	\$467.00	\$471.00	1	USA	1
	132-8 LS-CAM-4P-24V-PS	Four (4) port, 24V AC, Camera Power Supply	\$220.50	15.00%	\$188.00	\$190.00	1	USA	1
	132-8 LS-SP-8P	Eight (8) port surge protector block	\$153.00	15.00%	\$131.00	\$132.00	1	USA	1
	132-8 LS-CAM-8P-RAK-PS	Eight (8) port, 6-15 V DC, 4 amp Rack Mounted Power Supply	\$465.00	15.00%	\$396.00	\$399.00	1	USA	1
	132-8 LS-CAM-16P-RAK-PS	Sixteen (16) port, 6-15 V DC, 10 amp Rack Mounted Power Supply	\$550.00	15.00%	\$468.00	\$472.00	1	USA	1
	132-8 LS-CAM-8P-RAK-PS-AC	Eight (8) port, 24 V AC, 4 amp Rack Mounted Power Supply	\$350.00	15.00%	\$298.00	\$301.00	1	USA	1
	132-8 LS-SP-9P-RAK	Nine (9) port rack mounted surge protector	\$188.00	15.00%	\$160.00	\$162.00	1	USA	1
	132-8 LS-USC-CAM-ILSS	Network Camera Inline Surge Suppressor	\$33.00	15.00%	\$29.00	\$30.00	1	USA	1
	132-8 Power over Ethernet								
	132-8 LS-POE-PD-AC-1P	One (1) port Power Over Ethernet Midspan, AC input, 10/100BaseT	\$125.00	15.00%	\$106.25	\$107.05	1	USA	1
	132-8 LS-POE-PD-AC-6P	Six (6) port Power Over Ethernet Midspan, AC input, 10/100Base T	\$620.00	15.00%	\$527.00	\$530.98	1	USA	1
	132-8 LS-POE-PD-AC-12P	Twelve (12) port Power Over Ethernet Midspan, AC input, 10/100Base T	\$990.00	15.00%	\$841.50	\$847.86	1	USA	1
	132-8 LS-POE-PD-AC/G-1P	One (1) port Power Over Ethernet Midspan, AC input, 10/100/1000BaseT	\$150.00	15.00%	\$127.50	\$128.46	1	USA	1
	132-8 LS-POE-PD-AC/M-6P	Six (6) port Power Over Ethernet device with power management module	\$1,149.00	15.00%	\$977.00	\$985.00	1	USA	1
	132-8 LS-POE-PD-AC/M-12P	Twelve (12) port Power Over Ethernet device with power management module	\$1,489.00	15.00%	\$1,266.00	\$1,276.00	1	USA	1
	132-8 LS-POE-PD-AC/M-24P	Twenty four (24) port Power Over Ethernet device with power management module	\$1,990.00	15.00%	\$1,692.00	\$1,705.00	1	USA	1
	132-8 LS-POE-PD-AS-401/13	Power over Ethernet active splitter	\$125.00	15.00%	\$107.00	\$108.00	1	USA	1
	132-8 LS-POE-PD-PTZ-AC-6P	Six (6) port Power Over Ethernet device for PTZ camera	\$1,208.00	15.00%	\$1,027.00	\$1,035.00	1	USA	1
	132-8 LS-POE-PD-PTZ-AC-12P	Twelve (12) port Power Over Ethernet device for PTZ camera	\$1,696.00	15.00%	\$1,442.00	\$1,453.00	1	USA	1
	132-8 LS-POE-DLINK-24P-MGD	D-Link 24 port Managed Stackable Ethernet Switch with PoE, managed stackable 4 port 4 combo SFP 20 Gig stacking with POE, 24 x 10/100/1000Base-T, 2 x stack	\$1,499.00	15.00%	\$1,274.15	\$1,283.78	1	USA	1
	132-8 LS-POE-DLINK-24P-4SFP	D-Link Web Smart 24-Port Gigabit PoE Switch with 4 Combo SFP Slots	\$1,049.00	15.00%	\$891.65	\$898.39	1	USA	1
	132-8 LS-POE-DLINK-8P-2SFP	D-Link Web Smart 8 port GBE POE with 2 COMBO SFP: 10 Port - 2 Slot - 8, 2 x 10/100/1000Base-T - , 10/100/1000Base-T - Power Over Ethernet - 2 x SFP (mini-GBIC) Slot	\$449.00	15.00%	\$381.65	\$384.53	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-POE-CAMSW-4P	Four (4) port Power Over Ethernet switch	\$450.00	15.00%	\$382.50	\$385.39	1	USA	1
132-8	LS-POE-OUTSRC-1P	One (1) port Midspan POE injector	\$199.00	15.00%	\$169.15	\$170.43	1	USA	1
132-8	LS-POE-OUTRCH-1P	Cat5 LAN & POE extender/repeater (100m extension per unit)	\$399.00	15.00%	\$339.15	\$341.71	1	USA	1
132-8	LS-POE-EOCX-4P	Ethernet over Coax device; 4-port with 4-POE out	\$899.00	15.00%	\$764.15	\$769.92	1	USA	1
132-8	LS-POE-EOCX-1P	Ethernet over Coax device with POE out	\$499.00	15.00%	\$424.15	\$427.36	1	USA	1
132-8	LS-EOCX-RM-1U	Rack mount kit for Ethernet over Coax device; 8 units in 1U	\$99.00	15.00%	\$84.15	\$84.79	1	USA	1
132-8	LS-EOCX-1P	Ethernet over Coax device; single unit	\$389.00	15.00%	\$330.65	\$333.15	1	USA	1
132-8	LS-HW-12V-U	Universal power supply, 12V DC	\$49.00	15.00%	\$41.65	\$41.96	1	USA	1
132-8	LS-HW-RK-1U	Rackmount kit, 8 units in 1U, for Ethernet over coax device	\$119.00	15.00%	\$101.15	\$101.91	1	USA	1
132-8	LS-HW-RMPUSU	Power supply for 8 units in rackmount with wiring harness	\$139.00	15.00%	\$118.15	\$119.04	1	USA	1
132-8	LS-POE-NGEAR-12P	Netgear 24 ports and 12 ports POE switch, EN, Fast EN - 10Base-T, 100Base-TX + 2x10/100/1000Base-T/SFP (mini-GBIC)(uplink)	\$599.00	15.00%	\$509.15	\$513.00	1	USA	1
132-8	LS-POE-NGEAR-24P	Netgear 24 ports POE switch with 4 x Gigabit ports, EN, Fast EN - 10Base-T, 100Base-TX + 2x1000Base-T/SFP (mini-GBIC), 2x1000 Base-T, 1U, Layer 2 switching, Stackable	\$799.00	15.00%	\$679.15	\$684.28	1	USA	1
132-8	LS-POE-NGEAR-4P	Netgear 8-port 10/100/1000 Gigabit Switch with 4-port PoE - Switch - 8 x 10/100/1000 - desktop - PoE - DC power	\$349.00	15.00%	\$296.65	\$298.89	1	USA	1
132-8	LS-IP-CAM-POE-AX T8129 Ext	AXIS T8129 PoE Extender Power over Ethernet extender repeats the data signal and forward the PoE to the camera, PoE+ compliant it is compatible with all Axis cameras. No additional power supply is required. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	\$ 235.00	15.00%	\$ 199.75	\$ 201.26	1	USA	1
	132-8 Media Converters								
132-8	LS-MM-ST-CF-03	Media Converter - 100 Base TX (RJ45) - 100 Base FX, Multimode with ST-ST connection	\$348.00	15.00%	\$296.00	\$299.00	1	USA	1
132-8	LS-SM-SC-CF-03	Media Converter - 100 Base TX (RJ45) - 100 Base FX, Single mode with SC connection	\$807.00	15.00%	\$686.00	\$692.00	1	USA	1
132-8	LS-SM-SC-E-100BTX-FX-05	Media Converter - 100 Base TX (RJ45) - 100 Base FX, Single mode with SC connection	\$1,021.00	15.00%	\$868.00	\$875.00	1	USA	1
132-8	LS-SM-SC-BLADE-CFETF1014-105	Blade Media Converter - 100 Base TX (RJ45) - 100 Base FX, Single mode with SC connection	\$912.00	15.00%	\$776.00	\$782.00	1	USA	1
132-8	LS-MM-ST-BLADE-CFETF1011-105	Blade Media Converter - 100 Base TX (RJ45) - 100 Base FX, Multimode with ST-ST connection	\$447.00	15.00%	\$380.00	\$383.00	1	USA	1
132-8	LS-MED-CV-BLADE-RAK	Blade Media Converter Rack - CPSMC1300-100-na - 13 slot Point System Chassis with 48 V power supply	\$733.00	15.00%	\$624.00	\$629.00	1	USA	1
	132-8 Wireless Solution								
132-8	LS-WIRELESS-FM-DUAL-OUT	Fluidmesh FM2200E-D Duo dual-radio wireless mesh router operating at 2.4 GHz and 5.1-5.8 GHz including metal sun-shield pole mounting adapter video-server internal support plate internal power supply operating either with DC power at 12-24V or with low-voltage AC power at 12-24V. The price includes configuration, alignment, and testing of wireless node by a certified wireless engineer. Fiberglass enclosure not included.	\$5,799.00	15.00%	\$4,930.00	\$4,967.00	1	USA	1
132-8	LS-WIRELESS-FM-DUAL-HVPS	Fluidmesh FM2200 High Voltage Power Supply. Input 90-240V AC output 24V DC 35W UL-listed and CEmarked. The power supply kit includes a power cable and a mounting bracket to mount the power supply in the enclosure of Duo dual-radio wireless node.	\$399.00	15.00%	\$340.00	\$343.00	1	USA	1
132-8	LS-WIRELESS-FM-DUAL-IN	Fluidmesh FM2200E-ENDO Dual-radio wireless mesh router operating at 2.4 GHz and 5.1-5.8 GHz, for indoor use with external power supply operating at 12V DC or 110-240V AC. The price includes configuration, alignment, and testing of wireless node by a certified wireless engineer. Fiberglass/Steel enclosure not included.	\$3,799.00	15.00%	\$3,230.00	\$3,255.00	1	USA	1
132-8	LS-WIRELESS-FM-DUAL-IN-ENCL	Fluidmesh FM2200E-ENDO Dual-radio wireless mesh router operating at 2.4 GHz and 5.1-5.8 GHz, for indoor use with external power supply operating at 12V DC or 110-240V AC. Includes weather proof Steel Environmental Enclosure (16"X16"X9") for the Wireless Mesh Node and the power supply unit with Mounting Plate, (4) - 110 VAC Outlets, Thermostat Controlled Fan, Pole Mount Mounting bracket, Conduit Connector, Power Distribution Board, and 175 VA Power Transformer. The price includes configuration, alignment, and testing of wireless node by a certified wireless engineer.	\$5,990.00	15.00%	\$5,092.00	\$5,131.00	1	USA	1
132-8	LS-WIRELESS-FM-DUAL-RADIO-EC	Fluidmesh FM2200E-EC Extreme Cool Heating Kit, 100W heating kit to bring operating temperature up to -58 deg. F	\$849.00	15.00%	\$722.00	\$728.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-IN	Fluidmesh FM2100E-ENDO, Single-radio wireless mesh router operating at 2.4 GHz and 4.9-5.8 GHz, 5 Mbit/s Ethernet Throughput, Three (3) Ethernet Ports, for indoor use with external power supply operating at 12V DC or 110-240V AC. The price includes configuration, alignment, and testing of wireless node by a certified wireless engineer. Fiberglass/Steel enclosure not included.	\$2,399.00	15.00%	\$2,040.00	\$2,056.00	1	USA	1

New Product Add
July 2014



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-WIRELESS-FM-SGL-IN-ENCL	Fluidmesh FM2100E-ENDO, Single-radio wireless mesh router operating at 2.4 GHz and 4.9-5.8 GHz, 5 Mbit/s Ethernet Throughput, Three (3) Ethernet Ports, for indoor use with external power supply operating at 12V DC or 110-240V AC. Includes weather proof Steel Environmental Enclosure (16"X16"X9") for the Wireless Mesh Node and the power supply unit with Mounting Plate, (4) - 110 VAC Outlets, Thermostat Controlled Fan, Pole Mount Mounting bracket, Conduit Connector, Power Distribution Board, and 175 VA Power Transformer. The price includes configuration, alignment, and testing of wireless node by a certified wireless engineer.	\$4,690.00	15.00%	\$3,987.00	\$4,017.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-IN-15MB-EN	Fluidmesh FM2100E-ENDO-05, Enable 15Mbit/s Ethernet throughput in Single-radio wireless mesh router operating at 2.4 GHz and 4.9-5.8 GHz. The price includes configuration and testing of wireless node by a certified wireless engineer.	\$299.00	15.00%	\$255.00	\$257.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-IN-UN	Fluidmesh FM2100E-ENDO-UN, Enable UNLIMITED Ethernet throughput in Single-radio wireless mesh router operating at 2.4 GHz and 4.9-5.8 GHz, 5 Mbit/s Ethernet Throughput. The price includes configuration and testing of wireless node by a certified wireless engineer.	\$1,499.00	15.00%	\$1,275.00	\$1,285.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-15UN	Fluidmesh FM2100E-ENDO-UPG-15UN upgrade Ethernet throughput in Single-radio wireless mesh router operating at 2.4 GHz and 4.9-5.8 GHz from 15 Mbit/s to UNLIMITED. The price includes configuration and testing of wireless node by a certified wireless engineer.	\$899.00	15.00%	\$765.00	\$771.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-2.5MB-OUT	Fluidmesh FM1100E-HW Single Radio Wireless unit with 2.5 Mbit/s Ethernet throughput, quadri-band 2.4 GHz 5.1-5.8 GHz with integrated panel antenna. Including PoE injector and AC 90-240V Power Supply. The price includes configuration, alignment, and testing of wireless node by a certified wireless engineer. Fiberglass enclosure not included.	\$1,999.00	15.00%	\$1,700.00	\$1,713.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-5MB-EN	Fluidmesh FM1100E-05, Enable 5Mbit/s Ethernet throughput in Single Radio Wireless unit. The price includes configuration by a certified wireless engineer.	\$499.00	15.00%	\$425.00	\$429.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-10MB-EN	Fluidmesh FM1100E-10 Enable 10Mbit/s Ethernet throughput in Single Radio Wireless unit. The price includes configuration by a certified wireless engineer.	\$999.00	15.00%	\$850.00	\$857.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-15MB-EN	Fluidmesh FM1100E-15 Enable 15Mbit/s Ethernet throughput in Single Radio Wireless unit. The price includes configuration by a certified wireless engineer.	\$1,199.00	15.00%	\$1,020.00	\$1,028.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UNMB-EN	Fluidmesh FM1100E-UN Enable unlimited Ethernet throughput in Single Radio Wireless unit. The price includes configuration by a certified wireless engineer.	\$1,499.00	15.00%	\$1,275.00	\$1,285.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-0510	Fluidmesh FM1100E Upgrade Ethernet throughput in Single Radio Wireless unit from 5Mbits/s to 10Mbits/s. The price includes configuration by a certified wireless engineer.	\$349.00	15.00%	\$297.00	\$300.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-0515	Fluidmesh FM1100E Upgrade Ethernet throughput in Single Radio Wireless unit from 5Mbits/s to 15Mbits/s. The price includes configuration by a certified wireless engineer.	\$499.00	15.00%	\$425.00	\$429.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-05UN	Fluidmesh FM1100E Upgrade Ethernet throughput in Single Radio Wireless unit from 5Mbits/s to Unlimited. The price includes configuration by a certified wireless engineer.	\$849.00	15.00%	\$722.00	\$728.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-1015	Fluidmesh FM1100E Upgrade Ethernet throughput in Single Radio Wireless unit from 10Mbits/s to 15Mbits/s. The price includes configuration by a certified wireless engineer.	\$199.00	15.00%	\$170.00	\$172.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-10UN	Fluidmesh FM1100E Upgrade Ethernet throughput in Single Radio Wireless unit from 10Mbits/s to Unlimited. The price includes configuration by a certified wireless engineer.	\$499.00	15.00%	\$425.00	\$429.00	1	USA	1
132-8	LS-WIRELESS-FM-SGL-UPG-15UN	Fluidmesh FM1100E Upgrade Ethernet throughput in Single Radio Wireless unit from 15Mbits/s to Unlimited. The price includes configuration by a certified wireless engineer.	\$349.00	15.00%	\$297.00	\$300.00	1	USA	1
132-8	LS-WIRELESS-FM-AES	Fluidmesh Software plug-in to activate 128-bit AES Encryption. FIPS-197 Compliant. The price includes configuration by a certified wireless engineer.	\$849.00	15.00%	\$722.00	\$728.00	1	USA	1
132-8	LS-ANTNA-FM-SEC-4.9-6.0GHZ	Fluidmesh 4.9-6.0 GHz, 14-18 dBi, 45/60/90 or 120 Deg. Adjustable Sector Antenna with Nfemale Connector, 24"(L) X 6"(H) X 3"(W), and U-Bolts Mast Clamp for up to 2.5" O.D. included	\$825.00	15.00%	\$702.00	\$708.00	1	USA	1
132-8	LS-ANTNA-FM-PNL-5.1-5.8G-18db	Fluidmesh 5.150-5.875 GHz 18dBi Panel Antenna with N-Female Connector, 6"(L) X 6"(H) X 1"(W), Pole/Wall Mount Included	\$258.00	15.00%	\$220.00	\$222.00	1	USA	1
132-8	LS-ANTNA-FM-PNL-5.1-5.8G-23db	Fluidmesh 5.150-5.875 GHz 23dBi Panel Antenna with N-Female Connector, 12"(L) X 12"(H) X 0.6"(W), Pole/Wall Mount Included	\$285.00	15.00%	\$243.00	\$245.00	1	USA	1
132-8	LS-ANTNA-FM-SS-2.0-6.0GHZ	Fluidmesh Surge Suppressor, 2.0-6.0 GHz N-Male to N-Female	\$149.00	15.00%	\$127.00	\$128.00	1	USA	1
132-8	LS-ANTNA-FM-LMR400-6FT	Fluidmesh LMR 400 6ft cable assembly N-Male to N-Male	\$99.00	15.00%	\$85.00	\$86.00	1	USA	1
132-8	LS-ANTNA-FM-OMNI-4.9-5.872-10db	Fluidmesh 4.90-5.872 GHz 10 dBi Omni directional Antenna with N-Female Connector, 13"(L)	\$275.00	15.00%	\$234.00	\$236.00	1	USA	1
132-8	LS-ANTNA-FM-OMNI-2.4-2.4835-8db	Fluidmesh 2.400-2.4835 GHz 8 dBi Omni directional Antenna with N-Female Connector, 20"(L)	\$225.00	15.00%	\$192.00	\$194.00	1	USA	1
132-8	LS-ANTNA-FM-OMNI-4.9-5.0-9db	Fluidmesh 4.90-5.00 GHz 9 dBi Omni directional Antenna with N-Female Connector, 20.2" (L)	\$199.00	15.00%	\$170.00	\$172.00	1	USA	1
132-8	LS-ANTNA-FM-OMNI-5.72-5.875-9db	Fluidmesh 5.725-5.875 GHz 9dBi Omni directional Antenna with N-Female Connector, 15.7"(L)	\$375.00	15.00%	\$319.00	\$322.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years	
132-8	LS-ANTNA-FM-OMNI-Dual-2.4/2.48-5.15/5.85	Fluidmesh 2.400-2.480/5.150-5.850 GHz 6/8 dBi Dual Band Omni directional Antenna with N-Female Connector, 26"(L)	\$299.00	15.00%	\$255.00	\$257.00	1	USA	1	
132-8	LS-ANTNA-FM-LOG-2.3-6.5-8db	Fluidmesh 2.3-6.5 GHz 8 dBi Log Antenna, N-Female Connector, 6.3"(L) X 3.5"(H) X 1.3"(W), 2.0" O.D. MAX Mast Mount Included	\$249.00	15.00%	\$212.00	\$214.00	1	USA	1	
132-8	LS-ANTNA-FM-PNL-2.4-2.7-18db	Fluidmesh 2.40-2.70 GHz 18 dBi Panel Antenna with N-Female Connector, 12"(L) X 12"(H) X 0.6"(W), Pole/Wall Mount Included	\$275.00	15.00%	\$234.00	\$236.00	1	USA	1	
132-8	LS-ANTNA-FM-PNL-4.9-5.4-21db	Fluidmesh 4.90-5.40 GHz 21dBi Panel Antenna with N-Female Connector, 12"(L) X 12"(H) X 0.6"(W), Pole/Wall Mount Included	\$475.00	15.00%	\$404.00	\$408.00	1	USA	1	
132-8	LS-ANTNA-FM-PNL-2.40-2.48/4.94-5.85-18/20db	Fluidmesh 2.40-2.48/4.94-5.85 GHz, 18/20 dBi Panel Antenna with N-Female Connector, 15.1"(L) X 13.9"(H) X 1.9"(W), no mount included	\$590.00	15.00%	\$502.00	\$506.00	1	USA	1	
132-8	LS-ANTNA-FM-GRD-2.4-2.5-18db	Fluidmesh 2.40-2.50 GHz 18 dBi Grid Antenna with N-Female Connector, 16"(L) X 20"(H) X 15"(W), 2.0" O.D. MAX Mast Mount Included	\$275.00	15.00%	\$234.00	\$236.00	1	USA	1	
132-8	LS-ANTNA-FM-GRD-2.4-2.5-24db	Fluidmesh 2.40-2.50 GHz 24 dBi Grid Antenna with N-Female Connector, 23.5"(L) X 39.25"(H) X 15"(W), 2.0" O.D. MAX Mast Mount Included	\$475.00	15.00%	\$404.00	\$408.00	1	USA	1	
132-8	LS-ANTNA-FM-GRD-5.725-5.825-26db	Fluidmesh 5.725-5.825 GHz 26 dBi Grid Antenna with N-Female Connector, 16.8"(L) X 24"(H), 2.0" O.D. MAX Mast Mount Included	\$175.00	15.00%	\$149.00	\$151.00	1	USA	1	
132-8	LS-ANTNA-FM-GRD-5.725-5.825-29db	Fluidmesh 5.725-5.825 GHz 29 dBi Grid Antenna with N-Female Connector, 28.5"(L) X 36"(H), 2.0" O.D. MAX Mast Mount Included	\$249.00	15.00%	\$212.00	\$214.00	1	USA	1	
132-8	LS-ANTNA-FM-SEC-2.4-2.5-14db-90	Fluidmesh 2.40-2.50 GHz 14 dBi 90 Deg. Sector Antenna with N-Female Connector, 20"(L) X 7"(H) X 3.5"(W)	\$490.00	15.00%	\$417.00	\$421.00	1	USA	1	
132-8	LS-ANTNA-FM-SEC-2.4-2.5-14db-120	Fluidmesh 2.40-2.50 GHz 14 dBi 120 Deg. Sector Antenna with N-Female Connector, 20"(L) X 7"(H) X 3.5"(W)	\$490.00	15.00%	\$417.00	\$421.00	1	USA	1	
132-8	LS-ANTNA-FM-SEC-2.4-2.5-15db-180	Fluidmesh 2.40-2.50 GHz 15 dBi 180 Deg. Sector Panel Antenna with N-Female Connector, 41"(L) X 8.5"(H) X 6.5"(W)	\$1,090.00	15.00%	\$927.00	\$934.00	1	USA	1	
132-8	LS-ANTNA-FM-SEC-2.4-2.485-13db-120	Fluidmesh 2.40-2.485 GHz 13dBi 120 Deg. Sector Antenna with 18" PT N-Female Connector, 19.8"(L) X 3.1"(H) X 1.5"(W), Steel Bracket for 0.75"-2.4" O.D. Mast Included	\$549.00	15.00%	\$467.00	\$471.00	1	USA	1	
132-8	LS-ANTNA-FM-ANM-TRM	Fluidmesh Antenna Terminator, 50 Ohm, 1 Watt	\$99.00	15.00%	\$85.00	\$86.00	1	USA	1	
132-8	LS-ANTNA-FM-LMR400-6FT	Fluidmesh LMR 400 2ft cable assembly N-Male to N-Male	\$90.00	15.00%	\$77.00	\$78.00	1	USA	1	
132-8	LS-ANTNA-FM-LMR400-10FT	Fluidmesh LMR 400 10ft cable assembly N-Male to N-Male	\$99.00	15.00%	\$85.00	\$86.00	1	USA	1	
132-8	LS-ANTNA-FM-LMR400-15FT	Fluidmesh LMR 400 15ft cable assembly N-Male to N-Male	\$110.00	15.00%	\$94.00	\$95.00	1	USA	1	
132-8	LS-ANTNA-FM-LMR400-20FT	Fluidmesh LMR 400 20ft cable assembly N-Male to N-Male	\$120.00	15.00%	\$102.00	\$103.00	1	USA	1	
132-8	LS-ANTNA-FM-LMR600-25FT	Fluidmesh LMR 600 25ft cable assembly N-Male to N-Male	\$249.00	15.00%	\$212.00	\$214.00	1	USA	1	
132-8	LS-ANTNA-FM-LMR200-2FT	Fluidmesh LMR 200 2ft cable assembly N-Male to N-Male	\$90.00	15.00%	\$77.00	\$78.00	1	USA	1	
132-8	LS-ANTNA-FM-MXRM-MT	Fluidmesh Mount for MXRM 17 degrees	\$75.00	15.00%	\$64.00	\$65.00	1	USA	1	
132-8	LS-WIRELESS-FM-POE-2200	Fluidmesh Power over Ethernet Splitter. 802.3af IN, 12VDC and LAN OUT	\$90.00	15.00%	\$77.00	\$78.00	1	USA	1	
132-8	LS-ANTNA-FM-BA25	Fluidmesh Coaxial Adapter, SMA Male / N Female	\$25.00	15.00%	\$22.00	\$23.00	1	USA	1	
132-8	Camera Lens									
132-8	LS-CAM-LENS-FIX	1/3" Fixed lens- 2.8mm, 6.0 mm and 8.0 mm	\$141.00	15.00%	\$120.00	\$121.00	1	USA	1	
132-8	LS-CAM-LENS-VA	1/3" Vari focal lens - 3 mm - 8 mm	\$104.00	15.00%	\$89.00	\$90.00	1	USA	1	
132-8	Contact sales for more pricing options									
132-8	Camera Mounts									
132-8	LS-IP-CAM-OUT-MT-ENV	Outdoor Environmental Housing - Aluminum body, clear window, hinged, flip-flop opening	\$147.00	15.00%	\$125.00	\$126.00	1	USA	1	
132-8	LS-IP-CAM-OUT-HTR-MT-ENV	Outdoor Environmental Housing with Heater and Blower - Aluminum body, clear window, hinged, flip-flop opening	\$390.00	15.00%	\$332.00	\$335.00	1	USA	1	
132-8	LS-IP-CAM-IN-CNR-MT	Indoor Corner Housing - High impact plastic housing, tinted housing, tamper-proof fasteners	\$183.00	15.00%	\$156.00	\$158.00	1	USA	1	
132-8	LS-IP-CAM-IN-CLG DOM TL-MT	2"x2" Ceiling Domes - 8" Ceiling Dome, Ceiling Tile Mount With fixed camera bracket, dust cover and liner	\$153.00	15.00%	\$131.00	\$132.00	1	USA	1	
132-8	LS-IP-CAM-IN-CLG DOM REC-MT	Compact Recessed Ceiling Mount Domes - Includes one fixed camera bracket, liner, and decorative trim ring	\$202.00	15.00%	\$172.00	\$174.00	1	USA	1	
132-8	LS-IP-CAM-IN-CLG DOM RLS-MT	8" in-ceiling discreet dome with plenum rated formed aluminum back box and fixed camera mount, aluminum support rails for mounting dome in suspended ceiling	\$226.00	15.00%	\$193.00	\$195.00	1	USA	1	
132-8	LS-IP-CAM-IN-WEDGE-MT	Indoor surface mount Wedge, fixed camera bracket, clear window, plastic lower body	\$98.00	15.00%	\$84.00	\$85.00	1	USA	1	
132-8	LS-IP-CAM-IN/OUT-HVYDUTY-MT	Indoor heavy duty wall or ceiling mounted, all steel construction	\$305.00	15.00%	\$260.00	\$262.00	1	USA	1	
132-8	LS-IP-PTZ-IN-MT	Camera Dome housing for Axis IP PTZ camera	\$495.00	15.00%	\$421.00	\$425.00	1	USA	1	
132-8	LS-IP-PTZ-OUT-HTR-MT-ENV	Vandal Resistant Camera Dome housing for Axis IP PTZ camera with heater and blower	\$1,037.00	15.00%	\$882.00	\$889.00	1	USA	1	
132-8	LS-IP-CAM-IN/OUT-DOME-MT	Indoor/Outdoor Housing - 7" clear dome, w/ 24vac input, heater/blower, wall mount, 120 to 24VAC wall transformer	\$725.00	15.00%	\$617.00	\$622.00	1	USA	1	
132-8	LS-IP-CAM-OUT-DOME-WIRELESS-MT	Wireless, Outdoor dome housings, wall mount, clear dome, 12vdc input, w/ heater/blower, Includes transmitter and outdoor receiver	\$2,889.00	15.00%	\$2,456.00	\$2,475.00	1	USA	1	
132-8	LS-IP-CAM-OUT-WIRELESS-MT-ENV	Wireless Outdoor environmental housing, 12VDC input, Thermostatically controlled heater/blower, wall/pole mount, Includes transmitter and outdoor receiver	\$2,411.00	15.00%	\$2,050.00	\$2,066.00	1	USA	1	



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-AXT92E23	AXIS T92E23 Thermal Camera Housing Aluminum outdoor thermal housing for AXIS Q1910 and AXIS Q1921 with 10mm, 19mm or 35mm lens. Wallbracket and sunshield included.	\$ 1,055.00	15.00%	\$ 896.75	\$ 903.53	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AXT92E24	AXIS T92E24 Thermal Camera Housing Aluminum outdoor thermal housing for AXIS Q1921 with 60mm lens. Wallbracket and sunshield included.	\$ 1,869.00	15.00%	\$ 1,588.65	\$ 1,600.65	1	USA	1
New Product Add July 2014	132-8 LS-CAM-MT-AX T96A05-X	AXIS T96A05-V Dome Housing Black or White (5032-051) Black or White vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$ 155.00	15.00%	\$ 131.75	\$ 132.75	1	USA	1
New Product Add July 2014	132-8 LS-CAM-MT-AX-PDT-CL-IN	AXIS Pendant Dome Indoor Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount.	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-CAM-MT-AX-PDT-CL-OUT	AXIS Pendant Dome Outdoor Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-CAM-MT-AX-PDT-CL-VD	AXIS Pendant Vandal Dome Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	1
New Product Add July 2014	132-8 LS-CAM-MT-AX-PDT-SK-IN	Axis Pendant Dome Indoor Smoked Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount. Smoked Dome.	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX PDT-SK-OUT	Axis Pendant Dome Outdoor Smoked Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome.	\$ 705.00	15.00%	\$ 599.25	\$ 603.78	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX PDT-VD	Axis Pendant Vandal Dome Smoked Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome.	\$ 995.00	15.00%	\$ 845.75	\$ 852.14	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-GN	Gooseneck Wall Mount Gooseneck Wall mount for the AXIS Pendant Dome	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-PP	Parapet Mount Parapet Mount for the AXIS Pendant Dome	\$ 469.00	15.00%	\$ 398.65	\$ 401.66	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-PM	Pole Mount Adapter Pole mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings.	\$ 69.00	15.00%	\$ 58.65	\$ 59.09	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-CM	Corner Mount Adapter Corner mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings.	\$ 105.00	15.00%	\$ 89.25	\$ 89.92	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX C12ext	Ceiling Mount 12" Extension The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix	\$ 175.00	15.00%	\$ 148.75	\$ 149.87	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX C24ext	Ceiling Mount 24" Extension The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix	\$ 199.00	15.00%	\$ 169.15	\$ 170.43	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T95A61	AXIS T95A61 Wall Bracket Wall bracket for T95A00 and T95A10	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T95A62	AXIS T95A62 Ceiling Bracket Ceiling / Parapet bracket for AXIS T95A00 and T95A10 dome housing. Length: 48.5cm	\$ 235.00	15.00%	\$ 199.75	\$ 201.26	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T95A64	AXIS T95A64 Corner Bracket Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	\$ 105.00	15.00%	\$ 89.25	\$ 89.92	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T95A67	AXIS T95A67 Pole Bracket Pole bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	\$ 155.00	15.00%	\$ 131.75	\$ 132.75	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX Cnr 215PTZ-E	Corner Mount AXIS 215 PTZ-E Corner bracket for AXIS 215 PTZ-E.	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX PM 215PTZ-E	Pole Mount AXIS 215 PTZ-E Pole bracket for AXIS 215 PTZ-E.	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91A61	AXIS T91A61 Wall Bracket Wall Bracket. For use with AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes mounting plate. White.	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91A62	AXIS T91A62 Bracket Parapet Parapet Bracket. For use with AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. 67 x 36 cm / 26 x 14 inch. White.	\$ 225.00	15.00%	\$ 191.25	\$ 192.70	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	Item	MFG. DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91A63	AXIS T91A63 Ceiling Bracket Ceiling Bracket. 70 cm / 28 inch. For use with AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	\$ 139.00	15.00%	\$ 118.15	\$ 119.04	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91A67	AXIS T91A67 Pole Bracket Pole Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes steel pole straps. White. Requires mounting tool Part no: 21776	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91A64	AXIS T91A64 Corner Bracket Corner Bracket. Requires AXIS T91A61 Wall Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	\$ 95.00	15.00%	\$ 80.75	\$ 81.36	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91C67 SS	AXIS T91C67 Pole Bracket Stainless Steel Stainless steel pole mount for AXIS Q60-S	\$ 175.00	15.00%	\$ 148.75	\$ 149.87	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX 206/207	AXIS 206/207 Ceiling Mount Housing Indoor recessed ceiling housing for AXIS 206/ AXIS 207 (not wireless) Network Cameras. Bronze Smoked Dome.	\$ 175.00	15.00%	\$ 148.75	\$ 149.87	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-F-In	AXIS Indoor Fixed Housing Indoor, IP65 classified housing for AXIS 210, AXIS 211, AXIS 221 AXIS 223M Network Cameras.	\$ 175.00	15.00%	\$ 148.75	\$ 149.87	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-F-W	AXIS Fixed Wireless Housing Outdoor, IP65 classified housing for the AXIS 211W network camera. Removable antennae included.	\$ 585.00	15.00%	\$ 497.25	\$ 501.01	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-F-Out	AXIS Outdoor Fixed Housing Outdoor, IP65 classified housing with heater and blower for AXIS 211, AXIS 221and AXIS 223M Network Cameras. Can be pole mounted.	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T92A10	AXIS T92A10 Housing Outdoor IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Includes UL certified 110VAC power supply, heater and wall bracket with internal cable channel. Built in 12VDC camera power supply	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T92A20	AXIS T92A20 Housing Outdoor High PoE powered IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Also includes heater, wall bracket with internal cable channel and AXIS T8121 single port High PoE midspan.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-AX MT T93F20	AXIS T93F20 Protective Housing Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by PoE IEEE802.3af. Temperature range -40C to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 315.00	15.00%	\$ 267.75	\$ 269.77	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T92E20	AXIS T92E20 Outdoor Housing Outdoor PoE camera housing with window-/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$ 385.00	15.00%	\$ 327.25	\$ 329.72	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-22870F-In	AXIS Indoor Fixed Camera Dome Indoor, recessed ceiling housing for AXIS 210, AXIS 211, AXIS 221, and AXIS 223M Network Cameras.	\$ 235.00	15.00%	\$ 199.75	\$ 201.26	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-24866FW-In	AXIS Indoor Fixed Wall Housing Vandal-resistant, wall mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-24887 Cnr-In	AXIS Indoor Fixed Corner Housing Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX-24888 FC-In	AXIS Indoor Fixed Ceiling Housing Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	\$ 235.00	15.00%	\$ 199.75	\$ 201.26	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91C61 SS	AXIS T91C61 Wall Mount Stainless Steel Stainless steel wall mount bracket for AXIS Q60-S. AXIS T94S01D pendant kit is included.	\$ 525.00	15.00%	\$ 446.25	\$ 449.62	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T91D61	AXIS T91D61 Wall Mount Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White	\$ 99.00	15.00%	\$ 84.15	\$ 84.79	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T94P01B	AXIS T94P01B Corner Bracket Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.	\$ 95.00	15.00%	\$ 80.75	\$ 81.36	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T94H05L	AXIS T94H05L Recess Mount-L Recessed mount for AXIS P3364-L. For indoor use in drop ceilings installations.	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T94F01L	AXIS T94F01L Recessed Mount Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3006-V/M3007-PV,AXIS M3024-LVE/M3025-VE/M3026-VE.	\$ 105.00	15.00%	\$ 89.25	\$ 89.92	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T94B01L	AXIS T94B01L Recessed Mount Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3004-V/5-V	\$ 69.00	15.00%	\$ 58.65	\$ 59.09	1	USA	1
New Product Add July 2014	132-8 LS-IP-CAM-MT-AX T94S01D	AXIS T94S01D Pendant Kit Stainless Steel Stainless steel pendant kit for AXIS Q60-S with 1.5" NPT female thread.	\$ 155.00	15.00%	\$ 131.75	\$ 132.75	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years	
New Product Add July 2014	132-8	LS-IP-CAM-SHLD-AXQ872X-E	AXIS Q872X-E Sunshield Kit Sunshield for AXIS Q872X-E as sparepart. Including screws and washer	\$ 355.00	15.00%	\$ 301.75	\$ 304.03	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-Base-AXQ8721-E22	AXIS Q8721-E/22-E Base Base assembly for the AXIS Q8721-E/22-E.	\$ 819.00	15.00%	\$ 696.15	\$ 701.41	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T91A47-X	AXIS T91A47 Pole Mount 60-110mm AXIS T91A47 Pole Mount for Indoor and outdoor installations, for poles between 60-110 mm (2.4"-4.3") in diameter. AXIS T91A47 is compatible with all outdoor fixed and thermal cameras and most fixed outdoor dome cameras such as the AXIS P33-VE.	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T91A50	AXIS T91A50 Telescopic Ceiling Mount Indoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79"). Features a swivel action to prevent breaking if hit by forklifts or high vehicles. Can be mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum length of 5 m (197"). Compatible with all Axis pendant kits featuring a 1,5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	\$ 235.00	15.00%	\$ 199.75	\$ 201.26	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T91A51-In	AXIS T91A51 Ceiling Mount The indoor ceiling mount is ideal for low ceiling installations such as parking houses, with swivel action to prevent breaking if hit. Can be mounted in a sloped ceilings to compensate angles up to 45 degrees. Available accessory extension pipes (Not included) of 30 cm (12") or 1 meter (39") to enable correct camera height for the specific environment. Compatible with all Axis pendant kits featuring a 1,5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	\$ 139.00	15.00%	\$ 118.15	\$ 119.04	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T91B61	AXIS T91B61 Wall Mount Chromated and powder coated aluminum wall mount for AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T91B62	AXIS T91B62 Parapet Mount Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 225.00	15.00%	\$ 191.25	\$ 192.70	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T91B63	AXIS T91B63 Ceiling Mount Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 139.00	15.00%	\$ 118.15	\$ 119.04	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX Q603X-E	AXIS Q603X-E Smoked Dome C Stand alone HD quality smoked dome without line for the AXIS Q603X-E.	\$ 95.00	15.00%	\$ 80.75	\$ 81.36	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX Q60-X	AXIS Q60 Clear Dome D Clear or Smoked dome cover for AXIS Q60XX-E/-C series	\$ 95.00	15.00%	\$ 80.75	\$ 81.36	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T97A10	AXIS T97A10 Enclosure IP66-rated enclosure for AXIS Q7401, AXIS P8221 and AXIS P7701. Operating temperature ranges between 0 °C to 45 °C (32 °F to 113 °F). Optional accessories for impact resistance and polemount are available.	\$ 99.00	15.00%	\$ 84.15	\$ 84.79	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX 216FD-X	Drop ceiling mount for AXIS 216FD/216MFD/P3301, clear Drop ceiling mount kit for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras including clear OR smoked transparent cover.	\$ 69.00	15.00%	\$ 58.65	\$ 59.09	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX 216FD-V-X	Vandal-resistant casing for AXIS 216FD-V/216MFD-V/P3301-V, clear Vandal-resistant casing with clear OR smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V.	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX 225FD-X	ACC DOME AXIS 225FD Glass Clear Clear OR Smoked dome glass for AXIS 225FD	\$ 69.00	15.00%	\$ 58.65	\$ 59.09	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX WSFPA	VT Pole Mount Adapter WSFPA Pole mount adapter for AXIS T92A Housing. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX WCWA	VT Corner Mount WCWA Corner mount. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 69.00	15.00%	\$ 58.65	\$ 59.09	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-SHLD-AX T98A	AXIS T98A Sunshield Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$ 89.00	15.00%	\$ 75.65	\$ 76.22	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX T98A SS	AXIS T98A Mounting Bracket Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	\$ 69.00	15.00%	\$ 58.65	\$ 59.09	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX P3343/4	Drop Ceiling Kit Clear AXIS P3343/4 Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including clear OR smoked transparent bubble. For indoor use	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX P3346	Drop Ceiling Kit for AXIS P3346, Clear Drop ceiling mount for AXIS P3346, AXIS P3367-V and AXIS P3384-V including clear OR smoked bubble. For indoor use	\$ 85.00	15.00%	\$ 72.25	\$ 72.80	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX P3346-VX	Spare AXIS P3346-V Dome Kit Dome kit for AXIS P3346-V, P3367-V and AXIS P3384-V as spare part. Includes a clear bubble, mounted on a zinc alloy dome cover and a separate smoked bubble.	\$ 89.00	15.00%	\$ 75.65	\$ 76.22	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years	
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX P3346-LVX	Spare AXIS P3364-LV Dome Kit Dome kit for AXIS P3364-LV OR P3364-LVE. The dome is pre-mounted in the standard white OR black top cover casing.	\$ 89.00	15.00%	\$ 75.65	\$ 76.22	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-AX P553X4X	Drop Ceiling Kit AXIS P553X4X Original kit for mounting a AXIS P553X4X pan tilt zoom camera in a soft/drop ceiling	\$ 95.00	15.00%	\$ 80.75	\$ 81.36	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-SHLD-AX Q604X SS	AXIS Q604X-S Sunshield Stainless steel sunshield for AXIS Q604X-S	\$ 345.00	15.00%	\$ 293.25	\$ 295.47	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQA-CNR	IQeye IQA-CNR Alliance (pro & mx) Interior/Exterior Corner and Pole Mount Adapter, NO CAMERA	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQA-FG	IQeye IQA-FG Alliance (pro & mx) Interior/Exterior Vandal Dome Flush Mount Adapter, NO CAMERA.	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQA-PND	IQeye IQA-PND Alliance-pro Interior/Exterior Vandal Dome Pendant Mount Adapter, NO CAMERA.	\$ 149.00	15.00%	\$ 126.65	\$ 127.61	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQA-WM2	IQeye IQA-WM2 Alliance-pro Interior/Exterior Vandal Dome Wall Mount Adapter, IQAE-BOX included, NO CAMERA.	\$ 149.00	15.00%	\$ 126.65	\$ 127.61	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQAE-BOX	IQeye IQAE-BOX Alliance-pro Exterior Vandal Dome Back Box, NO CAMERA.	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQM-PND	IQeye IQM-PND Alliance-mx Interior/Exterior Vandal Dome Pendant Mount Adapter, NO CAMERA.	\$ 149.00	15.00%	\$ 126.65	\$ 127.61	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQM-WM2	IQeye IQM-WM2 Alliance-mx Interior/Exterior Vandal Dome Wall Mount Adapter, NO CAMERA.	\$ 149.00	15.00%	\$ 126.65	\$ 127.61	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQ800-PMA	IQeye IQ800-PMA Alliance & Sentinel Pole Mount Adapter.	\$ 119.00	15.00%	\$ 101.15	\$ 101.91	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQD4-PB5	IQeye IQD4-PB-5 Alliance-mini Dome Pendant Mount, Black, 5 Pack, NO CAMERA.	\$ 105.00	15.00%	\$ 89.25	\$ 89.92	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQD4-PG5	IQeye IQD4-PG-5 Alliance-mini Dome Pendant Mount, Beige, 5 Pack, NO CAMERA.	\$ 105.00	15.00%	\$ 89.25	\$ 89.92	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQ800-V6	IQeye IQ800-V6 Sentinel V6 Lens and Lens Cover Kit for IQ86X.	\$ 259.00	15.00%	\$ 220.15	\$ 221.81	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQ800-V7	IQeye IQ800-V7 Sentinel V7 Lens and Lens Cover Kit for IQ86X.	\$ 285.00	15.00%	\$ 242.25	\$ 244.08	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQ800-V17	IQeye IQ800-V17 Sentinel V17 Lens and Lens Cover Kit for IQ86X.	\$ 285.00	15.00%	\$ 242.25	\$ 244.08	1	USA	1
New Product Add July 2014	132-8	LS-IP-CAM-MT-IQ800-W2	IQeye IQ800-W2 Sentinel W2 Lens and Lens Cover Kit for IQ862/IQ863/IQ865.	\$ 409.00	15.00%	\$ 347.65	\$ 350.28	1	USA	1
	132-8	LS-IP-PTZ-HSG	Aluminum mount for IP PTZ Housing	\$260.00	15.00%	\$221.00	\$223.00	1	USA	1
	132-8	Server Cabinets								
	132-8	LS-RAK-24"x17"	Economic Wall Mount 12" height x 17" deep rack for network devices	519.00	15.00%	\$442.00	\$446.00	1	USA	1
	132-8	LS-RAK-38"x22"	Wall Mount 38" tall x22" deep cabinet for two servers	793.00	15.00%	\$675.00	\$681.00	1	USA	1
	132-8	LS-RAK-48"x25"	Floor Mount 48" tallx25" deep cabinet for two servers	1581.00	15.00%	\$1,344.00	\$1,355.00	1	USA	1
	132-8	LS-RAK-60"x25"	Floor Mount 60" tallx25" deep cabinet for two servers	1897.00	15.00%	\$1,613.00	\$1,626.00	1	USA	1
	132-8	LS-RELAY-RAK-45"	45" Rack space Aluminum Relay Rack, Black Finish, 12-24 Thread, 6 pieces	427.00	15.00%	\$363.00	\$366.00	1	USA	1
	132-8	LS-RAK-SLF	31/2" Rack shelf	74.00	15.00%	\$63.00	\$64.00	1	USA	1
	132-8	Monitoring Equipment								
	132-8	LS-M-PC	17" Flat CRT Color Monitor with small mini-tower PC and integration with LENSEC software	\$3,050.00	15.00%	\$2,593.00	\$2,613.00	1	USA	1
	132-8	Cables Supply								
	132-8	LS-CBL-CAT5 16/2 Siamese	CAT5e plenum cable with 16/2 power cable 1000 ft roll	\$470.00	15.00%	\$400.00	\$403.00	1	USA	1
	132-8	LS-CBL-CAT5 PLN	CAT 5e Cable Plenum 1000 ft roll	\$365.00	15.00%	\$311.00	\$314.00	1	USA	1
	132-8	LS-CBL-CAT5 PVC	CAT 5e Cable PVC 1000 ft roll	\$116.00	15.00%	\$99.00	\$100.00	1	USA	1
	132-8	LS-CBL-CAT6 PLN	CAT 6e Cable Plenum 1000 ft roll	\$713.00	15.00%	\$607.00	\$612.00	1	USA	1
	132-8	LS-CBL-18/2 P	18 gauge two pair power cable 1000 ft roll	\$190.00	15.00%	\$162.00	\$164.00	1	USA	1
	132-8	LS-CBL-14/2 P	14 gauge two pair power cable 1000 ft roll	\$420.00	15.00%	\$357.00	\$360.00	1	USA	1
	132-8	LS-PATCH-CBL-CAT5e-7'	Cat5e plenum patch cable with RJ-45 connectors - 7 FT	\$4.00	15.00%	\$4.00	\$5.00	1	USA	1
	132-8	LS-RJ45-CONN	RJ45 Connectors - bag of 100 units	\$55.00	15.00%	\$47.00	\$48.00	1	USA	1
	132-8	LS-CBL-18/2-NS-PLN	Cable - 1000 ft of Plenum 18/2 Cable Non-Shielded CMP	\$179.00	15.00%	\$153.00	\$155.00	1	USA	1
	132-8	LS-CBL-14/2-NS-PLN	Cable - 1000 ft of Plenum 14/2 Cable Non-Shielded CMP	\$419.00	15.00%	\$357.00	\$360.00	1	USA	1
	132-8	LS-CBL-22/2-PLN	Cable - 1000 ft of Plenum 22/2 Cable Individually-Shielded CMP	\$306.00	15.00%	\$261.00	\$263.00	1	USA	1
	132-8	LS-CBL-22/2-FS-PLN	Cable - 1000 ft of Plenum 22/2 Cable, Foil Shielded - CMP	\$138.00	15.00%	\$118.00	\$119.00	1	USA	1
	132-8	LS-CBL-COMP-22/3P-18/2-PLN	Cable - 22-3P Stranded and 18/2 Stranded plenum cable	\$648.00	15.00%	\$551.00	\$556.00	1	USA	1
	132-8	LS-CBL-22/2P-PLN	Cable - 22-2P Stranded plenum cable	\$221.00	15.00%	\$188.00	\$190.00	1	USA	1
	132-8	LS-CBL-20/2P-PLN	Cable - 20-2P Stranded plenum cable	\$284.00	15.00%	\$242.00	\$244.00	1	USA	1
	132-8	LS-CBL-62.5MM-1P-Fiber	Fiber wire - 62.5 AWG, Multimode and 2 pair -1000 ft	\$689.00	15.00%	\$586.00	\$591.00	1	USA	1
	132-8	LS-62.5MM-CONN-ST-ST	ST-ST Multimode Connector 62.5 Unicam Polymer	\$21.00	15.00%	\$18.00	\$19.00	1	USA	1
	132-8	LS-ST-ST-FIBER-6'	Fiber Patch Cable 6 ft long with ST-ST connectors	\$75.00	15.00%	\$64.00	\$65.00	1	USA	1
	132-8	LS-ST-ST-FIBER-50'	Fiber Patch Cable 50 ft long with ST-ST connectors	\$87.50	15.00%	\$75.00	\$76.00	1	USA	1
	132-8	LS-ST-ST-FIBER-300'	Fiber Patch Cable 300 ft long with ST-ST connectors	\$275.00	15.00%	\$234.00	\$236.00	1	USA	1
	132-8	LS-ST-ST-FIBER-100'	Fiber Patch Cable 100 ft long with ST-ST connectors	\$120.00	15.00%	\$102.00	\$103.00	1	USA	1
	132-8	LS-SC-SC-FIBER-100'	Fiber Patch Cable 100 ft long with SC-SC connectors	\$122.50	15.00%	\$105.00	\$106.00	1	USA	1
	132-8	LS-ST-SC-FIBER-50'	Fiber Patch Cable 50 ft long with ST-SC connectors	\$82.50	15.00%	\$71.00	\$72.00	1	USA	1
	132-8	LS-SC-SC-FIBER-50'	Fiber Patch Cable 50 ft long with SC-SC connectors	\$85.00	15.00%	\$73.00	\$74.00	1	USA	1
	132-8	LS-ST-SC-FIBER-30'	Fiber Patch Cable 30 ft long with ST-SC connectors	\$70.00	15.00%	\$60.00	\$61.00	1	USA	1
	132-8	LS-ST-ST-FIBER-400'	Fiber Patch Cable 400 ft long with ST-ST connectors	\$425.00	15.00%	\$362.00	\$365.00	1	USA	1
	132-8	Switches								
	132-8	LS-SW-5-10/100	5-port 10/100 Switch	\$122.00	15.00%	\$104.00	\$105.00	1	USA	1
	132-8	LS-SW-8-10/100	8-port 10/100 Switch	\$183.00	15.00%	\$156.00	\$158.00	1	USA	1
	132-8	LS-SW-16-10/100	16-port 10/100 Switch	\$366.00	15.00%	\$312.00	\$315.00	1	USA	1
	132-8	LS-SW-5-1GB	5-port 1 Gigabit Switch	\$190.00	15.00%	\$162.00	\$164.00	1	USA	1
	132-8	LS-SW-8-1GB	8-port 1 Gigabit Switch	\$305.00	15.00%	\$260.00	\$262.00	1	USA	1
	132-8	LS-SW-16-1GB	16-port 1 Gigabit Switch	\$671.00	15.00%	\$571.00	\$576.00	1	USA	1
	132-8	Server Reboot Box								
	132-8	LS-IP-REBOOT-8P	IP addressable Eight (8) port reboot box	\$1,098.00	15.00%	\$934.00	\$942.00	1	USA	1
	132-8	LS-IP-REBOOT-1P	IP addressable one (1) port reboot box	\$671.00	15.00%	\$571.00	\$576.00	1	USA	1
	132-8	LS-PHONE-REBOOT	Two port reboot box, needs phone line	\$336.00	15.00%	\$286.00	\$289.00	1	USA	1
	132-8	Lock Box								
	132-8	LS-LCK-BOX-5x5x2	Lock box for switch and reboot unit - 5"X5"X2"	\$49.00	15.00%	\$42.00	\$43.00	1	USA	1
	132-8	LS-LCK-BOX-11x11x3	Lock box for switch and reboot unit - 11"X11"X3"	\$74.00	15.00%	\$63.00	\$64.00	1	USA	1
	132-8	LS-LCK-BOX-15x18x4	Lock box for switch and reboot unit - 15"X18"X4"	\$104.00	15.00%	\$89.00	\$90.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

New Product Add

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

New Product Add
July 2014

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
	132-8 LS-LCK-BOX-20x24x5	Lock box for switch and reboot unit - 20"X24"X5"	\$171.00	15.00%	\$146.00	\$148.00	1	USA	1
	132-8 LS-LCK-BOX-30x24x6	Lock box for switch and reboot unit - 30"X24"X6"	\$354.00	15.00%	\$301.00	\$304.00	1	USA	1
	132-8	Solar Camera Solution							
	132-8 LS-SOLARCAM-VF2811-XT	Solar Wireless Outdoor IP Camera, Standard with Shade and Directional Antenna, Varifocal 2.8 - 11 mm Lens, 16W Auxiliary Solar Panel with Bracket and Connector Cable	\$ 3,149.00	15.00%	\$ 2,676.65	\$ 2,696.88	1	USA	1
	132-8 LS-SOLARCAM-VF1040-XT	Solar Wireless Outdoor IP Camera, Standard with Shade and Directional Antenna, Varifocal 10-40 mm Lens, 16W Auxiliary Solar Panel with Bracket and Connector Cable	\$ 3,329.00	15.00%	\$ 2,829.65	\$ 2,851.03	1	USA	1
	132-8 LS-SOLARCAM-VF2811-XT-IR	Solar Wireless Outdoor IP Camera, Standard with Shade and Directional Antenna, Varifocal 2.8 - 11 mm Lens, 16W Auxiliary Solar Panel with Bracket and Connector Cable, 45 Degrees IR	\$ 4,085.00	15.00%	\$ 3,472.25	\$ 3,498.49	1	USA	1
	132-8 LS-SOLARCAM-VF1040-XT-IR	Solar Wireless Outdoor IP Camera, Standard with Shade and Directional Antenna, Varifocal 10-40 mm Lens, 16W Auxiliary Solar Panel with Bracket and Connector Cable, 15 Degrees IR	\$ 4,265.00	15.00%	\$ 3,625.25	\$ 3,652.64	1	USA	1
	132-8 LS-SOLARCAM-HUB	Solar Wireless Outdoor IP Camera Hub with Directional Antenna and (1) 50 ft RF Low Loss Cables. Includes configuration of hub for Perspective Video Management Software.	\$ 2,919.00	15.00%	\$ 2,481.15	\$ 2,499.90	1	USA	1
	132-8	ACCESS CONTROL SOLUTION							
	132-8	Access Control Software							
	132-8 LS-DNA-550-DL-1800SVR	NPower DNA- 5 Client Connection 50 Sub controllers.MS SQL Server with 5 user licenses, Dell PowerEdge 1800 server with 4 GB RAM and 2 x 2.8 G Hz processor	\$23,348.00	15.00%	\$19,846.00	\$19,995.00	1	USA	1
	132-8 LS-DNA-550-DL-2850SVR	NPower DNA- 5 Client Connection 50 Sub controllers, MS SQL Server with 5 user licenses, Dell PowerEdge 2850 server with 2U thickness, 4 GB RAM, 2 x 2.8 G Hz processor, redundant power supply, RAID 1 configuration and 1 GB fiber Ethernet card.	\$28,182.00	15.00%	\$23,955.00	\$24,135.00	1	USA	1
	132-8 LS-DNA-550-SOFTWARE	NPower DNA software with 5 Client Connection and suitable for 50 Sub controllers. Scope includes installation, configuration, integration with controller(s)/sub-controller(s) and testing of software.	\$17,848.00	15.00%	\$15,171.00	\$15,285.00	1	USA	1
	132-8 LS-DNA-SC-10-SOFTWARE	NPower DNA software - Additional 10 subcontrollers. Scope includes installation, configuration, integration with controller(s)/sub-controller(s) and testing of software. Access Control and CCTV Software integration fee will be charged extra per site basis.	\$1,418.00	15.00%	\$1,206.00	\$1,216.00	1	USA	1
	132-8 LS-DNA-CWS-1-SOFTWARE	NPower DNA software - Additional 1 Client User. Scope includes setting up of client workstation.	\$2,520.00	15.00%	\$2,142.00	\$2,159.00	1	USA	1
	132-8 LS-DNA-DVRI	Seamless DVR Integration Provides DVR software functionality from within DNA interface. Recorded video is displayed from within DNA (Events Manager).	\$8,438.00	15.00%	\$7,173.00	\$7,227.00	1	USA	1
	132-8	Access Control - Controllers and Sub Controllers							
	132-8 LS-E2-SSPE-OP-NC	Includes SSP/E Controller, OPTOHUB mux, NIC with teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/E supports up to 64 sub controllers	\$6,318.00	15.00%	\$5,371.00	\$5,412.00	1	USA	1
	132-8 LS-E2-SSPE-OP	Includes SSP/E Controller, OPTOHUB mux, teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/E supports up to 64 sub controllers	\$5,515.00	15.00%	\$4,688.00	\$4,724.00	1	USA	1
	132-8 LS-E2-SSPE-NC	Includes SSP/E Controller, NIC with teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/E supports up to 64 sub controllers	\$4,460.00	15.00%	\$3,791.00	\$3,820.00	1	USA	1
	132-8 LS-E2-SSPE	Includes SSP/E Controller, teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/E supports up to 64 sub controllers	\$3,846.00	15.00%	\$3,270.00	\$3,295.00	1	USA	1
	132-8 LS-E2-SSP-OP	Includes SSP/E Controller, OPTOHUB mux, teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/E supports up to 64 sub controllers	\$4,603.00	15.00%	\$3,913.00	\$3,943.00	1	USA	1
	132-8 LS-E2-SSP	Includes SSP Controller, teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/E supports up to 64 sub controllers	\$2,805.00	15.00%	\$2,385.00	\$2,403.00	1	USA	1
	132-8 LS-E2-SSPC-OP-NC	Includes SSP/C Controller, OPTOHUB mux, NIC with teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/C supports up to 16 sub-controllers	\$3,975.00	15.00%	\$3,379.00	\$3,405.00	1	USA	1
	132-8 LS-E2-SSPC-NC	Includes SSP/C Controller, NIC with teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/C supports up to 16 sub-controllers	\$2,263.00	15.00%	\$1,924.00	\$1,939.00	1	USA	1
	132-8 LS-E2-SSPC	Includes SSP/C Controller, teal 16 x 20 x 4 Enclosure, Tamper Switch , SMP-10 Power Supply & PD-10 Power Distribution Board. The SSP/C supports up to 16 sub-controllers	\$1,722.00	15.00%	\$1,464.00	\$1,475.00	1	USA	1
	132-8 LS-RSC-1C	14x12 Teal Enclosure with a single Door Sub-Controller (connectivity for 1 reader). 2 Relay outputs and 2 supervised inputs	\$766.00	15.00%	\$652.00	\$657.00	1	USA	1
	132-8 LS-RSC-2C	14x12 Teal Enclosure with a Dual Door Sub-Controller. Supports 2 Readers, 8 Supervised Inputs, and 6 Relay Outputs	\$1,329.00	15.00%	\$1,130.00	\$1,139.00	1	USA	1
	132-8 LS-ISC-16C	14x12 Teal Enclosure with a 16 Input Sub-Controller. 16 Supervised inputs and 2 relay outputs	\$1,607.00	15.00%	\$1,366.00	\$1,377.00	1	USA	1
	132-8 LS-OSC-16C	14x12 Teal Enclosure with a 16 Output Sub-Controller. 16 Supervised inputs and 2 relay outputs	\$1,607.00	15.00%	\$1,366.00	\$1,377.00	1	USA	1
	132-8 LS-E3-2RSC2	Two RSC-2 dual door Sub-Controllers with tamper switch in Teal 16 x 20 x 4 enclosure.	\$2,546.00	15.00%	\$2,165.00	\$2,182.00	1	USA	1



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	in USD Warranty in Years
132-8	LS-E3-RSC2-ISC16	A single dual door Sub-Controller with a single ISC-16 input Sub-Controllers with tamper switch in Teal 16 x 20 x 4 enclosure.	\$3,084.00	15.00%	\$2,622.00	\$2,642.00	1	USA	1
132-8	LS-E3-RSC2-OSC6	A single dual door Sub-Controller and single 16 output Sub-Controller with tamper switch in Teal 16 x 20 x 4 enclosure.	\$3,084.00	15.00%	\$2,622.00	\$2,642.00	1	USA	1
132-8	LS-E3-2ISC-16	Two ISC-16 input Sub-Controllers with tamper switch in Teal 16 x 20 x 4 enclosure.	\$3,623.00	15.00%	\$3,080.00	\$3,104.00	1	USA	1
132-8	LS-E3-2OSC-16	Two IOSC-16 output Sub-Controllers with tamper switch in Teal 16 x 20 x 4 enclosure.	\$3,623.00	15.00%	\$3,080.00	\$3,104.00	1	USA	1
132-8	LS-E3-ISC16-OSC-16	A single ISC-16 input Sub-Controller and a single JSC-16 output Sub-Controller with tamper switch in Teal 16 x 20 x 4 enclosure.	\$3,623.00	15.00%	\$3,080.00	\$3,104.00	1	USA	1
132-8	LS-OO-LPDU-HD16	Heavy Duty Open Options Lock Power Distribution Unit for 16 doors Includes: Teal 16X20X6 enclosure with cabinet lock, tamper switch, two power supply chargers rated and selectable at 10amp@24V or 20amp@12V, two PDD-8PCI 8 point power distribution modules.	\$2,259.00	15.00%	\$1,921.00	\$1,936.00	1	USA	1
132-8	LS-OO-LPDU-STD-16	Standard Open Options Lock Power Distribution Unit for 16 doors Includes: Teal 16X20X6 enclosure with cabinet lock, tamper switch, power supply charger rated and selectable at 10amp@24V or 20amp@12V, two (2) PDD-8PCI 8 point power distribution modules.	\$1,611.00	15.00%	\$1,370.00	\$1,381.00	1	USA	1
132-8	LS-OO-LPDU-STD-8	Standard Open Options Lock Power Distribution Unit for 8 doors Includes: Teal 16X20X6 enclosure with cabinet lock, tamper switch, power supply charger rated and selectable at 10amp@24V or 20amp@12V, one (1) PDD-8PCI 8 point power distribution modules.	\$1,418.00	15.00%	\$1,206.00	\$1,216.00	1	USA	1
132-8	Badging Station								
132-8	LS-DNA-IPID-CAM	DNA Integrated Photo Badging Identification Module with Camera, camera stand and One (1) client license	\$16,514.00	15.00%	\$14,037.00	\$14,143.00	1	USA	1
132-8	LS-CARD-PRNTR-DTC550	FAR DTC550 Double Sided Printer with magnetic strip encoder + 1 Roll of color ribbon	\$8,990.00	15.00%	\$7,641.50	\$7,699.24	1	USA	1
132-8	LS-MAG-CARD-30MM	Proximity ID Card with magnetic strip, PVC, white and 30 MM thick. Price per card.	\$1.00	15.00%	\$1.00	\$2.00	1	USA	1
132-8	LS-PROX-CARD-FPISO	Flexiso Imageable (credit card thickness) Card Glossy white, .76mm thick, custom color graphics available on front and back with customer applied artwork. Print directly on to card. Price per card.	\$8.00	15.00%	\$7.00	\$8.00	1	USA	1
132-8	LS-CARD-PRNTR-RIBBON	FAR DTC525 Printer - YMCO color ribbon with resin black and clear overlay panel - approx. 300 cards/ribbon	\$275.00	15.00%	\$234.00	\$236.00	1	USA	1
132-8	Access Control Field Devices								
132-8	LS-DOOR-HW-1078C	Door hardware - 3/4" Recessed Steel Door/Closed Loop with wire leads - 7/8" Gap, Brown	\$13.00	15.00%	\$12.00	\$13.00	1	USA	1
132-8	LS-DOOR-HW-1045T	Door hardware - Surface mount, Screw terminals, 1 1/4" - 3" Gap, Magenta color	\$13.00	15.00%	\$12.00	\$13.00	1	USA	1
132-8	LS-DOOR-HW-SURFACE-2505A	Door hardware - Industrial Surface mount terminal contact, Closed loop, SPDT extra wide 3" gap, Aluminum housing, white color	\$50.00	15.00%	\$43.00	\$44.00	1	USA	1
132-8	LS-GB-5812-RND	GE CaddX 5812 Acoustic Glassbreak Detector	\$43.00	15.00%	\$37.00	\$38.00	1	USA	1
132-8	LS-IR-DETECT-DS775	Infrared Detector - DS775 - 50 ft x 50 ft	\$108.00	15.00%	\$92.00	\$93.00	1	USA	1
132-8	LS-IR-DETECT-DT435T	Infrared Detector - DT 435T - 35'X 30' Dual TEC PIR	\$108.00	15.00%	\$92.00	\$93.00	1	USA	1
132-8	LS-IR-DETECT-DT901	Infrared Detector - DT901 - 50'X40' 90'X70' Dual Tech PIR	\$338.00	15.00%	\$288.00	\$291.00	1	USA	1
132-8	LS-IR-DETECT-DT907	Infrared Detector - DT907 - 120' x 15' - 200' x 15' Dual Tech PIR	\$413.00	15.00%	\$352.00	\$355.00	1	USA	1
132-8	LS-IND-FP1524A	Indala Curve FlexPass Wall switch proximity reader Black	\$300.00	15.00%	\$255.00	\$257.00	1	USA	1
132-8	LS-IND-FP1511A	Indala Curve FlexPass Slim proximity reader Black	\$300.00	15.00%	\$255.00	\$257.00	1	USA	1
132-8	LS-DOOR-CRASH-BAR-ASSLY	Door Automation Kit for Access Control - Includes Electric Panic Device (Crash Bar), Transfer Hinge and Power Supply	\$3,000.00	15.00%	\$2,550.00	\$2,570.00	1	USA	1
132-8	LS-DOOR-RX-EL-KIT	Door Automation Kit for Access Control - Includes RX EL Retrofit Kit, LX Switch, Power Supply and Transfer Hinge. Scope does not include supply of crash bar and/or electric panic device.	\$2,097.00	15.00%	\$1,783.00	\$1,797.00	1	USA	1
132-8	LS-DOOR-STRIKE-IR-ASSLY	Door Automation Kit for Access Control - Rim Strike, Power Supply and Motion Detector	\$1,280.00	15.00%	\$1,088.00	\$1,097.00	1	USA	1

Price List for the Equipment Installation

	Installation: Description	List Price	Discount	Price (w/o Fee)	Price (with Fee)	Unit of Measure	Country of Origin	Warranty
132-8	Server Installation/Site Configuration: On-site integration with LENSEC IP surveillance system includes connecting the server to the cameras and network, access to user maps, configuration of software to allow web control, configuration of software for Remote Diagnostics and end-user training	\$2,000.00	15.00%	\$1,700.00	\$1,713.00	1	USA	45 days
132-8	Indoor Network camera placement, aiming, focusing and installation of camera with housing. Installation rate per camera	\$425.00	15.00%	\$362.00	\$365.00	1	USA	45 days
132-8	Outdoor Network camera placement, aiming, focusing and installation of camera with housing. Installation rate per camera	\$550.00	15.00%	\$468.00	\$472.00	1	USA	45 days
132-8	Indoor camera housing installation and adjustment. Installation rate per camera housing.	\$183.00	15.00%	\$156.00	\$158.00	1	USA	45 days
132-8	Outdoor camera housing installation and adjustment. Installation rate per camera housing.	\$366.00	15.00%	\$312.00	\$315.00	1	USA	45 days
132-8	Camera and Cable: CAT5e cabling labor, firewall intrusion, drilling, and power supply. Camera placement, aiming, focusing and installation of camera with housing. Per camera and cable run. Cable runs between two networking nodes not to exceed 100 meters according to IEEE standards. Price does not include supply and installation of conduit.	\$2,050.00	15.00%	\$1,743.00	\$1,757.00	1	USA	45 days
132-8	Installation of power and switching equipment in locations where camera cables terminate other than where the server is installed.	\$1,050.00	15.00%	\$893.00	\$900.00	1	USA	45 days
132-8	Trenching/directional boring of cables or wireless equipment installation and configuration. Miscellaneous hardware as required will be quoted separately. Labor rate per hour.	\$135.00	0.00%	\$135.00	\$137.00	1	USA	45 days
132-8	Conduit : Supply and Installation. 3 inch EMT conduit - Rate / ft	\$32.00	15.00%	\$28.00	\$29.00	1	USA	45 days
132-8	Conduit : Supply and Installation. 1 inch EMT conduit - Rate / ft	\$24.00	15.00%	\$21.00	\$22.00	1	USA	45 days



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	07/30/14 Unit of Measure	Country of Origin	Warranty in Years
132-8		As-built CAD Drawing: For the CCTV Security System showing location of devices, cable routing, IDF/MDF locations, legend for the drawing and necessary information as needed. This drawing will be furnished after the installation is complete. Architectural CAD drawing for the building will be provided the customer and/or their architect. Price is for a specific system layout.	\$3,000.00	15.00%	\$2,550.00	\$2,570.00	1	USA	45 days
132-8		Access Control Server Installation/Site Configuration: On-site installation of Access Control Server includes configuration of Access Control DNA software for controllers, Sub-controllers,	\$2,000.00	15.00%	\$1,700.00	\$1,713.00	1	USA	45 days
132-8		Import of Student Data: Import of student data from an existing database in to Access Control DNA database	\$12,500.00	15.00%	\$10,625.00	\$10,705.00	1	USA	45 days
132-8		Access Control Cable and Field Devices: Installation of Access Control cable and field devices. Scoping and pricing would depend on the system configuration and layout.	\$135.00	0.00%	\$135.00	\$137.00	1	USA	45 days
132-8		LENSEC Project Management & Installation Labor Rate (per hour)							
132-8		Regular Work Hours (8:00 A.M. - 5:00 P.M. Local Time)	\$135.00	0.00%	\$135.00	\$137.00	1	USA	45 days
132-8		After Hours	\$200.00	0.00%	\$200.00	\$202.00	1	USA	45 days
132-8		Weekends and Holidays	\$275.00	0.00%	\$275.00	\$278.00	1	USA	45 days

Price List for Customer Service

	LenSec Annual Service Fee	GSA Discount (% from list)	GSA Annual Service Fee	Unit of Measure	Country of Origin	Warranty in Years
132-12	Service : Tech Support, Maintenance & Software Updates					
132-12	Service Fee paid annually that covers for limited equipment warranty by the manufacturer, server maintenance, remote support for server and camera, telephone calls for technical support, and LENSEC software update during the service period. Service contract will be valid for one year and service extension can be done based on mutual evaluation and agreement.	Paid at the beginning of each year based on 15% per annum of the system price	0.00%	Paid at the beginning of each year based on 15% per annum of the system price	Years	USA One Year with option to extend service based on mutual agreement
132-34	Service Fee paid annually that covers for remote technical support for LENSEC Video Management Software and software updates during the service period. Service contract will be valid for one year and service extension can be done based on mutual evaluation and agreement.	Paid at the beginning of each year based on 15% per annum of LENSEC Software Licensing Fee	0.00%	Paid at the beginning of each year based on 15% per annum of LENSEC Software Licensing Fee	Years	USA One Year with option to extend service based on mutual agreement
132-12	Service Fee paid annually that covers for limited equipment warranty by the manufacturer, access control server and software maintenance, remote support for field devices and telephone calls for technical support. Service contract will be valid for one year and service extension can be done based on mutual evaluation and agreement.	Paid at the beginning of each year based on 18% per annum of the system price	0.00%	Paid at the beginning of each year based on 18% per annum of LENSEC Software Licensing Fee	Years	USA One Year with option to extend service based on mutual agreement
132-12	LS-PV-VMS-ENT-SM	Perspective VMS - (Enterprise Edition) Software Maintenance Agreement - This software maintenance support plan entitles the customer to all versions (minor and major) and hotfix releases (incremental) for the software product purchased during the service period. It also includes access to our knowledge base, FAQs, release notes, and any forthcoming documentation for the software product purchased. Software Maintenance fee is paid annually per license. Service contract will be valid for one year and service extension can be acquired based on mutual evaluation and agreement	\$ 43.00	0.00%	\$ 43.00	\$ 43.32 1 USA 1
132-12	LS-PV-VMS-ENT-SMP	Perspective VMS - (Enterprise Edition) Software Maintenance Plus Agreement - This software maintenance plus support plan entitles the customer to all version (minor and major) and hot-fix releases (incremental) for the software product purchased during the service period. Includes email and telephone technical support for software related issues as well as access to our knowledge base, FAQs, release notes, and any forthcoming documentation for the software product purchased. During the period of the service contract, up to 8 hours of LENSEC Professional Services may be provided at no additional charge, as pertains to the particular scope and size of the project. All active maintenance customers receive loyalty preferred pricing on select LENSEC software products and professional services. Software Maintenance Plus fee will be valid for one year and service extension can be done based on mutual evaluation and agreement. Software Maintenance Plus fee is paid annually per license.	\$ 52.00	0.00%	\$ 52.00	\$ 52.39 1 USA 1
132-12	LS-PV-VMS-STD-SM	Perspective VMS - (Standard Edition) Software Maintenance Agreement - This software maintenance support plan entitles the customer to all versions (minor and major) and hotfix releases (incremental) for the software product purchased during the service period. It also includes access to our knowledge base, FAQs, release notes, and any forthcoming documentation for the software product purchased. Software Maintenance fee is paid annually per license. Service contract will be valid for one year and service extension can be acquired based on mutual evaluation and agreement	\$ 20.00	0.00%	\$ 20.00	\$ 20.15 1 USA 1

New Product Add July 2014

New Product Add July 2014

New Product Add July 2014



General Services Administration - Federal Supply Services FCIS

Parts List for the Equipment for LenSec Integrated Video and Access Control System

Company: Progressive Systems LLC., dba LenSec LLC.
GS-35F-0645K

Date 07/30/14

in USD

	MFG. Item	PRODUCT DESCRIPTION	MSRP/MLP	GSA Discount (% from list)	Discounted Price (w/o IFF)	Date GSA Price (with IFF)	Unit of Measure	Country of Origin	Warranty in Years
New Product Add July 2014	132-12 LS-PV-VMS-STD-SMP	Perspective VMS - (Standard Edition) Software Maintenance Plus Agreement - This software maintenance plus support plan entitles the customer to all version (minor and major) and hot-fix releases (incremental) for the software product purchased during the service period. Includes email and telephone technical support for software related issues as well as access to our knowledge base, FAQs, release notes, and any forthcoming documentation for the software product purchased. During the period of the service contract, up to 8 hours of LENSEC Professional Services may be provided at no additional charge, as pertains to the particular scope and size of the project. All active maintenance customers receive loyalty preferred pricing on select LENSEC software products and professional services. Software Maintenance Plus fee will be valid for one year and service extension can be done based on mutual evaluation and agreement. Software Maintenance Plus fee is paid annually per license.	\$ 24.00	0.00%	\$ 24.00	\$ 24.18	1	USA	1
New Product Add July 2014	132-12 LS-PV-VMS-EXP-SM	Perspective VMS - (Express Edition) Software Maintenance Agreement - This software maintenance support plan entitles the customer to all versions (minor and major) and hotfix releases (incremental) for the software product purchased during the service period. It also includes access to our knowledge base, FAQs, release notes, and any forthcoming documentation for the software product purchased. Software Maintenance fee is paid annually per license. Service contract will be valid for one year and service extension can be acquired based on mutual evaluation and agreement	\$ 6.00	0.00%	\$ 6.00	\$ 6.05	1	USA	1
New Product Add July 2014	132-12 LS-PV-VMS-RSM	Perspective VMS - Remote Status Monitoring - This remote monitoring support plan entitles the customer to all version (minor and major) and hot-fix releases (incremental) for the software product purchased during the service period. Includes email and telephone technical support for software related issues as well as access to our knowledge base, FAQs, release notes, and any forthcoming documentation for the software product purchased. During the period of the service contract, up to 8 hours of LENSEC Professional Services may be provided at no additional charge, as pertains to the particular scope and size of the project. All active maintenance customers receive loyalty preferred pricing on select LENSEC software products and professional services. This service includes LENSEC's Remote Status Monitoring (RSM). RSM helps ensure maximum uptime of your system by proactively monitoring the up/down status of each camera and server in your surveillance network. If a camera or server is determined to be off line, LENSEC's customer service professionals will remotely diagnose and attempt to remedy the problem to ensure your system is always online and operational. In the event of a hardware failure, LENSEC's customer service team can work remotely with customer's own server support personnel to have them retrieve the defective device and return to LENSEC for repair/replacement if the hardware is covered under warranty. In addition to RSM, server assessment reports, remote diagnostic support and remote hardware support are offered in this support plan. The Remote Monitoring fee will be valid for one year and service extensions can be done on initial evaluation and agreement. The fee is paid annually per license. The	\$ 48.00	0.00%	\$ 48.00	\$ 48.36	1	USA	1