



GENERAL SERVICES ADMINISTRATION

Federal Acquisition Service

Authorized Federal Supply Schedule FSS Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA *Advantage!®*, a menu-driven database system. The INTERNET address GSA *Advantage!®* is: GSAAdvantage.gov.

Multiple Award Schedule

FSC Group: Information Technology

FSC Class: 7010

Contract number: GS-35F-228BA

Contract period: March 1, 2024 – February 28, 2029

WAVEBAND COMMUNICATIONS, INC.

1912 Liberty Road Unit 14

Eldersburg, MD 21784

(800) 806-1076

Fax: (866) 211-3422

www.wvbandcoms.com

Contract administration source:

Nick Hohman

E-mail: nickhohman@wvbandcoms.com

Business size: SMALL

For more information on ordering, go to the following website: <https://www.gsa.gov/schedules>

Effective Date: 06/21/2024

Modification #: PS-0062

Prices Shown Herein are Net (discount deducted)

CUSTOMER INFORMATION

1a. Table of awarded special item number(s) with appropriate cross-reference to item descriptions and awarded price(s).

SINs	Recovery	SIN Title
54151S	54151SRC	Purchasing of new electronic equipment
OLM	OLMSTLOC OLMRC	Order-Level Materials (OLM's)

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract. This price is the Government price based on a unit of one, exclusive of any quantity/dollar volume, prompt payment, or any other concession affecting price. Those contracts that have unit prices based on the geographic location of the customer, should show the range of the lowest price, and cite the areas to which the prices apply. See Page 5

2. Maximum order:

SINs	Maximum Order
54151S	\$500,000
OLM	\$250,000

3. Minimum order: \$100

4. Geographic coverage (delivery area). Domestic and Overseas Delivery

5. Point(s) of production

1912 Liberty Road Unit 14
Eldersburg, MD 21784

6. Government Net Prices (discounts already deducted.)

7. Quantity discounts. None

8. Prompt payment terms: 2% 25 Days, Net 30 from receipt of invoice or date of acceptance, whichever is later. Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

9. Foreign items: Country of Origin listed on GSA Advantage

10a. Time of delivery: 7 days ARO

10b. Expedited Delivery. Items available for expedited delivery are noted in this price list. For those items that can be delivered quicker than the normal delivery times offered by 308 SYSTEMS, and where customers request expedited delivery, 308 will provide expedited delivery of services and/or tasks as negotiated in and at the time of order.

10c. Overnight and 2-day delivery. Ordering activities may request overnight and 2-Day Delivery of items and documentation. If requested, the increased delivery costs (Federal Express or other shippers) will be reimbursed by the ordering activity, as negotiated in the order or at the time of request for overnight or 2-Day delivery.

10d. Urgent Requirements: Contact Contractor

11. F.O.B. point(s): Destination

12a. Ordering address(es).

WAVEBAND COMMUNICATIONS, L.L.C.

ATTN: Mr. Nick Hohman

1912 Liberty Road Unit 14

Eldersburg, MD 21784

Phone: (800) 806-1076

E-mail: nickhohman@wvbandcoms.com

12b. Ordering procedures: See Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment address(es).

WAVEBAND COMMUNICATIONS, L.L.C.

ATTN: Mr. Nick Hohman

1912 Liberty Road Unit 14

Eldersburg, MD 21784

Phone: (800) 806-1076

E-mail: nickhohman@wvbandcoms.com

14. Warranty provision.

a. Unless specified otherwise in this contract, the Contractor's standard commercial warranty as stated in the contract's commercial pricelist will apply to this contract. 1 year against manufacture defects

b. The Contractor warrants and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract.

c. Limitation of Liability. Except as otherwise provided by an express or implied warranty, the Contractor will not be liable to the ordering activity for consequential damages resulting from any defect or deficiencies in accepted items.

d. If inspection and repair of defective equipment under this warranty will be performed at the Contractor's plant, the address is as follows:

WAVEBAND COMMUNICATIONS, L.L.C.

1912 Liberty Road Unit 14

Eldersburg, MD 21784

15. Export packing charges, if applicable. Not Applicable

16. Terms and conditions of rental, maintenance, and repair (if applicable). Not Applicable

17. Terms and conditions of installation (if applicable). Not Applicable

18a. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable). Not Applicable

18b. Terms and conditions for any other services (if applicable). Not Applicable

19. List of service and distribution points (if applicable). Not Applicable

20. List of participating dealers (if applicable). Not Applicable

21. Preventive maintenance (if applicable). Not Applicable

22a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants). Not Applicable

22b. If applicable, indicate that Section 508 compliance information is available for the information and communications technology (ICT) products and services and show where full details can be found (e.g. contractor's website or other location.) ICT accessibility standards can be found at: <https://www.Section508.gov/> :
Not Applicable

23. Unique Entity Identifier (UEI) number. MLVLHFM1P989

24. Notification regarding registration in System for Award Management (SAM) database.
Contractor registered and active in SAM

SIN	Manufacturer Name	Manufacturer Part#	Product Name	Product Description	UOM	Contract Price with IFF
33411	3M CORPORATION	17ADJ-WING	RETAIL FIXTURE DISPLAY	Command(TM) 17ADJ-WING Mixed Selection of Products Damage Free Hanging. Holds Strongly. Removes Cleanly.	CS	\$ 432.64
33411	3M CORPORATION	17QP-TOP	RETAIL FIXTURE DISPLAY	Command(TM) Mixed Selection of Products 17QP-TOP These products are Consumer Business Group products that represent : bulk, semi finished, retail displays, fixtures for stores, multi product promotions, seasonal or bonus offerings etc.	CS	\$ 555.64
33411	3M CORPORATION	2090-36NB-D	RETAIL FIXTURE DISPLAY	ScotchBlue Quarter Pallet Display 2090-36NB-D Quarter Pallet Display 2090-36NC-QP-D	CS	\$ 472.33
33411	3M CORPORATION	2090-48NB-D	RETAIL FIXTURE DISPLAY	ScotchBlue Quarter Pallet Display 2090-48NB-D Quarter Pallet Display 2090-48NC-QP-D	CS	\$ 472.60
33411	3M CORPORATION	2090-VAR-NB-D	RETAIL FIXTURE DISPLAY	ScotchBlue Mixed Selection of Product 2090-VAR-NB-D Mixed Selection of Products 2090-VAR-QP-D	CS	\$ 472.24
33411	3M CORPORATION	311-1081	EARPLUGS	3M(TM) E-A-R(TM) Classic(TM) Earplugs 311-1081, Corded, Econopack Dispenser Box, 1500 EA/Case 3M(TM) E-A-R(TM) Classic(TM) corded earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam	CS	\$ 438.76
33411	3M CORPORATION	311-1101	EARPLUGS	3M(TM) E-A-R(TM) Classic(TM) Earplugs 311-1101, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Classic(TM) corded earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam, these dispoa	EA	\$ 592.81
33411	3M CORPORATION	311-1105	EARPLUGS	3M(TM) E-A-R(TM) Classic(TM) Plus Earplugs 311-1105, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Classic(TM) corded foam earplugs set the standard in hearing protection as the world's first foam earplugs. Classic(TM) Plus earplugs are slightlyl	CS	\$ 714.27
33411	3M CORPORATION	311-1106	EARPLUGS	3M(TM) E-A-R(TM) Classic(TM) Earplugs 311-1106, Corded, Small Size, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Classic(TM) corded earplugs set the standard in hearing protection as the world's first foam earplugs. Classic(TM) Small earplugs are slighl	CS	\$ 667.33
33411	3M CORPORATION	311-1115	EARPLUGS	3M(TM) E-A-R(TM) EXPRESS(TM) Pod Plugs(TM) Earplugs 311-1115, Corded, Assorted Color Grips, Pillow Pack, 400 Pair/Case 3M(TM) E-A-R(TM) Express(TM) Pod Plugs(TM) corded earplugs feature advanced "no-roll", slow-recovery foam and assorted color grips	CS	\$ 421.71
33411	3M CORPORATION	311-1127	EARPLUGS	3M(TM) E-A-R(TM) EXPRESS(TM) Pod Plugs(TM) Earplugs 311-1127, Metal Detectable, Corded, Pillow Pack, 400 Pair/Case 3M(TM) E-A-R(TM) Express(TM) Pod Plugs(TM) feature advanced "no-roll" foam tips and paddle-style grips to make getting a good fit easir	EA	\$ 517.41

33411	3M CORPORATION	311-1250	EARPLUGS	3M(TM) E-A-Rsoft(TM) Yellow Neons(TM) Earplugs 311-1250, Corded, Poly Bag, Regular Size, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) Yellow Neons(TM) earplugs seal the earcanal with soft, slow-recovery foam for excellent noise reduction and comfort.	CS	\$	473.86
33411	3M CORPORATION	311-1251	EARPLUGS	3M(TM) E-A-Rsoft(TM) Yellow Neons(TM) Earplugs 311-1251, Corded, Poly Bag, Large Size, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) Yellow Neons(TM) corded earplugs seal the earcanal with soft, slow-recovery foam for excellent noise reduction and comfort. Lag	CS	\$	569.77
33411	3M CORPORATION	311-1254	EARPLUGS	3M(TM) E-A-Rsoft(TM) SuperFit(TM) Earplugs 311-1254, Corded, Poly Bag, Regular Size, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) corded foam earplugs seal the earcanal with soft, slow-recovery foam for excellent noise reduction and reliable hearing protectin	CS	\$	699.50
33411	3M CORPORATION	311-4101	EARPLUGS	3M(TM) E-A-R(TM) Classic(TM) Earplugs 311-4101, Metal Detectable, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Classic(TM) Metal Detectable earplugs were specially developed for food processing and other industries where it is critical to keep earplugsf	CS	\$	1,199.17
33411	3M CORPORATION	311-4106	EARPLUGS	3M(TM) E-A-Rsoft(TM) Earplugs 311-4106, Metal Detectable, Corded, Poly Bag, Regular Size, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) Metal Detectable earplugs were specially developed for food processing and other industries where it is critical to keep eap	EA	\$	792.97
33411	3M CORPORATION	311-4109	EARPLUGS	3M(TM) E-A-Rsoft(TM) SuperFit(TM) Earplugs 311-4109, Metal Detectable, 2000 Pair/Case The 3M(TM) E-A-Rsoft(TM) SuperFit(TM) Metal Detectable earplug with metal detectable cord.	CS	\$	1,060.45
33411	3M CORPORATION	311-4110	EARPLUGS	3M(TM) E-A-Rsoft(TM) Earplugs AV 311-4110, Metal Detectable, Corded, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) Metal Detectable Earplugs AV were specifically developed for the food industry, where it is critical to keep earplugs from contaminating product	CS	\$	681.82
33411	3M CORPORATION	312-1222	EARPLUGS	3M(TM) E-A-R(TM) E-Z-Fit(TM) Earplugs 312-1222, Corded, Poly Bag, 2000 Pair/Case With its bell-shaped design, 3M(TM) E-A-R(TM) E-Z-Fit(TM) corded foam earplugs provide a low-pressure seal for excellent attenuation and reliable, comfortable hearing po	CS	\$	726.93
33411	3M CORPORATION	312-1223	EARPLUGS	3M(TM) E-A-R(TM) TaperFit(TM) 2 Earplugs 312-1223, Corded, Regular Size, 2000 Pair/Case 3M(TM) E-A-R(TM) TaperFit(TM) 2 corded earplugs provide a comfortable, individualized fit and excellent attenuation. Its smooth foam expands in the earcanal to hl	CS	\$	717.32
33411	3M CORPORATION	312-1224	EARPLUGS	3M(TM) E-A-R(TM) TaperFit(TM) 2 Earplugs 312-1224, Corded, Large Size, 2000 Pair/Case 3M(TM) E-A-R(TM) TaperFit(TM) 2 large-size corded foam earplugs are designed to fit comforatbly in larger earcanals. Its smooth foam expands in the earcanal to hel	CS	\$	757.88

33411	3M CORPORATION	312-1260	EARPLUGS	3M(TM) E-A-Rsoft(TM) FX(TM) Earplugs 312-1260, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) FX(TM) corded earplugs feature a bell shape and super-soft, slow-recovery foam to effectively seal the earcanal and provide reliable hearing protecto	EA	\$	566.49
33411	3M CORPORATION	312-6001	EARPLUGS	3M(TM) E-A-Rsoft(TM) Grippers(TM) Earplugs 312-6001, Corded, 2000 Pair/Case 3M(TM) E-A-Rsoft(TM) Grippers(TM) earplugs unique grip rings help create a soft, noise-blocking seal for effective hearing protection. Ideal for people with larger earcanals	EA	\$	1,001.44
33411	3M CORPORATION	318-1002	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) Earplugs 318-1002, Uncorded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) uncorded foam earplugs provide all-day hearing comfort, convenience and protection. Constructed of 3M(TM) E-A-Rform(TM) foam, these earl	EA	\$	570.40
33411	3M CORPORATION	318-1003	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) Earplugs 318-1003, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) corded push-to-fit foam earplugs provide extended hearing comfort, convenience and protection. Constructed of 3M(TM) E-A-Rform(TM) foam, h	EA	\$	1,074.91
33411	3M CORPORATION	318-1005	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) Earplugs 318-1005, Corded, Poly Bag, 1500 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) corded push-to-fit foam earplugs combine comfort, convenience and protection. Constructed of 3M(TM) E-A-Rform(TM) foam, these earplugs fet	CS	\$	695.54
33411	3M CORPORATION	318-1008	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) Earplugs 318-1008, with Grip Rings, Uncorded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) with patented Grip Rings uncorded push-to-fit foam earplugs gently seal the earcanal to enhance fit.	CS	\$	839.82
33411	3M CORPORATION	318-1009	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) Earplugs 318-1009, with Grip Rings, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) with patented Grip Rings corded push-to-fit foam earplugs gently seal the earcanal to enhance fit.	EA	\$	1,359.58
33411	3M CORPORATION	318-3000	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) Earplugs 318-3000, Metal Detectable, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) Metal Detectable corded earplugs were specially developed for food processing and other industries where it is criticalt	EA	\$	1,846.55
33411	3M CORPORATION	318-4001	EARPLUGS	3M(TM) E-A-R(TM) Push-Ins(TM) SofTouch(TM) Earplugs 318-4001, Corded, Poly Bag, 2000 Pair/Case 3M(TM) E-A-R(TM) Push-Ins(TM) SofTouch(TM) corded foam earplugs feature 3M(TM) E-A-Rform(TM) Foam, engineered for all-day comfort and hearing protection, h	EA	\$	1,442.65
33411	3M CORPORATION	320-1000	EARPLUGS	3M(TM) E-A-Rflex(TM) 28 Banded Hearing Protector 320-1000, 100 EA/Case 3M(TM) E-A-Rflex(TM) 28 banded hearing protector features soft, E-A-Rform(TM) foam tips that reacts to body temperature for enhanced comfort and fit.	EA	\$	566.85

33411	3M CORPORATION	320-2001	EARPLUGS	3M(TM) E-A-R(TM) Caboflex(TM) Model 600 Hearing Protector 320-2001, 100 Pair/Case 3M(TM) E-A-R(TM) Caboflex(TM) band-style hearing protector features soft, conical tips that swivel for easier fitting and greater comfort.	EA	\$	924.92
33411	3M CORPORATION	321-2101	EARPLUGS	3M(TM) E-A-R Caps(TM) Model 200 Hearing Protector 321-2101, 100 EA/Case 3M(TM) E-A-R Caps(TM) feature comfortable foam caps on a flexible band block the earcanal opening. Flexible band holds caps in place. Easy to put on and remove.	EA	\$	583.22
33411	3M CORPORATION	340-4004	AUDITORY EARTIPS	3M(TM) E-A-R(TM) UltraFit(TM) Earplugs 340-4004, Corded, Poly Bag, 400 Pair/Case The 3M(TM) E-A-R(TM) UltraFit(TM) corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals.	CS	\$	503.02
33411	3M CORPORATION	340-4007	EARPLUGS	3M(TM) E-A-R(TM) UltraFit(TM) Earplugs 340-4007, Metal Detectable, Corded, Poly Bag, 400 Pair/Case The 3M(TM) E-A-R(TM) UltraFit(TM) corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Metl	EA	\$	595.90
33411	3M CORPORATION	340-4014	3M E-A-R ULTRAFIT EARPLUGS 340-4014,	The 3M E-A-R UltraFit corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Premolded, triple flange earplug s fit comfortably in a wide range of ear sizes No need to roll earplugs befor	EA	\$	1,614.85
33411	3M CORPORATION	340-4017	3M E-A-R ULTRAFIT EARPLUGS 340-4017,	3M E-A-R UltraFit Earplugs 340-4017, Metal Detectable, Corded, Econopack, 2000 Pair/Case. The 3M E-A-R UltraFit corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Metal-detectable ba	EA	\$	1,750.09
33411	3M CORPORATION	340-4036	AUDITORY EARTIPS	3M(TM) E-A-R(TM) UltraFit(TM) Earplugs 340-4036, Corded, Poly Bag, 400 Pair/Case The 3M(TM) E-A-R(TM) UltraFit(TM) cloth cord earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals.	EA	\$	794.22
33411	3M CORPORATION	340-8001	EARPLUGS	3M(TM) E-A-R(TM) UltraFit(TM) 27 Earplugs 340-8001, Uncorded, 400 Pair/Case The 3M(TM) E-A-R(TM) UltraFit(TM) corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Ergonomic pistol grip for n	KT	\$	507.86
33411	3M CORPORATION	340-8002	EARPLUGS	3M(TM) E-A-R(TM) UltraFit(TM) 27 Earplugs 340-8002, Corded, 400 Pair/Case The 3M(TM) E-A-R(TM) UltraFit(TM) corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Ergonomic pistol grip for ane	CS	\$	696.41
33411	3M CORPORATION	350-1001	EARPLUGS	3M(TM) E-A-Rflex(TM) Banded Hearing Protector with Foam Tips, 10 Bands 350-1001, 100 EA/Case 3M(TM) E-A-Rflex(TM) banded hearing protector with foam tips features a unique hinged band fits a wide range of head sizes, and can be worn in three differet	EA	\$	1,152.03

33411	3M CORPORATION	350-1100	EARPLUGS	3M(TM) E-A-Rflex(TM) Hearing Protector with UltraFit(TM) Tips 350-1100, 100 EA/Case 3M(TM) E-A-Rflex(TM) banded hearing protector with UltraFit(TM) tips features a unique hinged band fits a wide range of head sizes, and can be worn in three differen	CS	\$	1,353.01
33411	3M CORPORATION	370-TEPL-25	M PELTOR 370-TEPL-25 ULTRAFIT LARGE REPL	The 3M Peltor TEP-100 EU Tactical Earplug Replacement Tri-Flange Eartips - LARGE	EA	\$	34.99
33411	3M CORPORATION	370-TEPS-25	3M PELTOR 370-TEPS-25 ULTRAFIT SMALL REP	The 3M Peltor TEP-100 EU Tactical Earplug Replacement Tri-Flange Eartips - SMALL. Our 3M Peltor Comtac Headsets have been tested and approved for use in critical applications by the U.S. Military, Police Forces, and Fire Departments nationwide. Weh	EA	\$	34.99
33411	3M CORPORATION	39181	3M™ BULK HEADLIGHT KIT, 39181, 1 PER CAS	3M(TM) Bulk Headlight Kit, 39181, 1 per case This 3M Headlight Lens Restoration Kit is a collection of professional-grade products assembled specifically for removing the cloudy, yellowed haze that builds up on automotive headlight lenses. Kits use	CS	\$	659.98
33411	3M CORPORATION	393-1100	3M™ E-A-RFIT™ DUAL-EAR VALIDATION SYSTEM	3M(TM) E-A-Rfit(TM) Dual-Ear Validation System 393-1100 3M(TM) E-A-Rfit(TM) Dual-Ear Validation System helps determine whether workers are receiving adequate protection from their hearing protector by measuring across 7 standard frequencies in underf	EA	\$	1,963.30
33411	COMPLY HEARING COMPONENT 40-50030-11		MILITARY NC EAR TIPS	Military-grade Comply Canal Tips are engineered to deliver maximum noise reduction for mission-critical communication. Extremely soft viscoelastic Comply foam conforms to the ear canal to maintain an acoustic seal and retain the device in the ear.l	KT	\$	437.79
33411	3M CORPORATION	420-2096-25A	3M PELTOR ULTRAFIT REPLACEMENT TIPS 4	3M(TM) Peltor(TM) UltraFit(TM) Replacement Tips 420-2096-25A, Gray, 25 pr/cs. Our 3M Peltor Comtac Headsets have been tested and approved for use in critical applications by the U.S. Military, Police Forces, and Fire Departments nationwide. We have m	EA	\$	38.61
33411	3M CORPORATION	85099-00000	3M™ EARGAGE, EAR MEASURE 85099-00000, 50	3M(TM) Eargage, Ear Measure 85099-00000, 50 EA/Case Ear Gage(TM) ear canal sizing tool is designed to provide a general indication of the size of the ear canal opening as a guide to initial earplug size selection.	EA	\$	571.07
33411	3M CORPORATION	90542-QP-6	3M™ WORKTUNES™ WITH BLUETOOTH WIRELESS	3M(TM) WorkTunes(TM) with Bluetooth(R) Wireless Technology Earmuff Display 90542-QP-6, 6 eaches/display 3M(TM) Worktunes(TM) Wireless Hearing Protector with Bluetooth(R) Technology provides entertainment and hearing protection in one easy to use andc	CS	\$	656.70
33411	3M CORPORATION	9502+	DISPOSABLE RESPIRATOR	3M(TM) Particulate Respirator 9502+N95, 500 ea/Case The 3M(TM) 9502+ Particulate Respirator, N95 is a vertical flat-fold disposable respirator designed to help provide comfortable, reliable worker protection against non-oil based particles.	CS	\$	420.61
33411	LARSEN	A4	MOUNTING ADAPTER	Adapter / BSA / BA / SO239 to NMO Mount	EA	\$	6.89
33411	LARSEN	BA	BULKHEAD ADAPTER MOUNT HARDWARE	Larsen Bulkhead Adapter Mount Hardware	EA	\$	18.15

33411	LARSEN	BAHEXNUT	LARSEN HEX, NUT FOR BULKHEAD ADAPTER	Hex, Nut for Bulkhead Adapter	EA	\$	2.88
33411	LARSEN	BALL1B	BLACK WHIP TIP W490 & W540, 10 PER PACKA	Black Whip Tip W490 & W540, 10 Per Package	EA	\$	5.79
33411	LARSEN	BALL2B	COMMUNICATIONS EQUIPMENT	Hex, Nut for Bulkhead Adapter. Black Whip Tip Q for NMOQ and NLAQ / Round; 10 Per Package. Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	6.21
33411	LARSEN	BALL3B	BLACK ROD TIPS NON-TAPERED	Black Whip Tip UHF Gain Antenna / Round, 10 Per Package	EA	\$	5.79
33411	LARSEN	BALL4	ROD TIP FOR WBQ800 ANTENNA	Rod Tip WBQ800 Antennas	EA	\$	5.79
33411	LARSEN	BANOHardware	BULKHEAD ADAPTER	Black Whip Tip UHF Gain Antenna / Round, 10 Per Package	EA	\$	14.85
33411	SILYNX COMMUNICATIONS, INC BAT-003		MBITR DUAL BATTERY SPLITTER	MBITR Dual Battery splitter	EA	\$	304.00
33411	SILYNX COMMUNICATIONS, INC BAT-201		MBITR SINGLE BATTERY SPLITTER	MBITR Single Battery splitter	EA	\$	266.00
33411	SILYNX COMMUNICATIONS, INC BATAD5590-001		MBITR/152 BA5590 BATTERY ADAPTOR	MBITR/152 BA5590 Battery adaptor	EA	\$	266.00
33411	SILYNX COMMUNICATIONS, INC BATAD5590-002		TWO BA5590 ADAPTOR FOR ONE MBITR/152 RAD	Two BA5590 adaptor for One MBITR/152 Radio	EA	\$	304.00
33411	SILYNX COMMUNICATIONS, INC BATAD5590-003		ONE BA5590 ADAPTOR FOR TWO MBITR/152 RAD	One BA5590 adaptor for Two MBITR/152 Radios	EA	\$	266.00
33411	LARSEN	BATTBOLT	LARSEN BATTBOLT	Battery Bolt with Terminal, 3/8 Ring Leads	EA	\$	11.97
33411	LARSEN	BNC174	CONNECTOR BNC CRIMP PLUG FOR RG-174/U	Connector, BNC Crimp Plug, RG-174/U	EA	\$	6.78
33411	LARSEN	BNCCRIMP	BNCCRIMP : CONNECTOR BNC CRIMP MALE RG58	Connector, BNC Crimp / Male, RG-58	EA	\$	6.78
33411	LARSEN	BNCQ	136-512 PORT ANT BNC, 23"	Pulse / Larsen - 136-512 Portable Antenna BNC, 23" BNC Base / Whip, Unity, 136 - 512 MHz, .070 Dia Stainless Whip. This is a quarter wave portable antenna. Fits any BNC female connector. Antenna fits GE MPI, PLS; Motorola HT90, HT440 Maxon; Midland;	EA	\$	16.09
33411	LARSEN	BSA118B	BSA118B : BASE STATION OMNI ANTENNA	Radial Base / Whip, 3 dB, 118 - 121 MHz, Mounting Hardware Included	EA	\$	132.35
33411	LARSEN	BSA118KIT	BSA118KIT BASE STATION OMNI ANTENNA	Base Mount Kit, 118 - 121 MHz, .070 Dia Stainless Radialls @ 24	EA	\$	83.04
33411	LARSEN	BSA132B	BSA132B BASE STATION OMNI ANTENNA	Radial Base / Whip, 3 dB, 131 - 135 MHz, Mounting Hardware Included	EA	\$	115.71
33411	LARSEN	BSA150B	BSA150B VHF BASE STATION ANTENNA	Radial Base / Whip, 3 dB, 144 - 174 MHz, Mounting Hardware Included	EA	\$	118.79
33411	LARSEN	BSA150C	LARSEN144-174MHZ 3DB BASE STATION ANTENA	Radial Base / Whip, 3 dB, 144 - 174 MHz, Mounting Hardware Included. Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	92.02
33411	LARSEN	BSA220C	BASE STATION OMNI ANTENNA	Radial Base / Whip, 3 dB, 200 - 225 MHz, Mounting Hardware Included	EA	\$	107.77
33411	LARSEN	BSA406C	BSA406CCBASE STATION OMNI ANTENNA	Radial Base / Whip, 3.4 dB, 406 - 420 MHz, Mounting Hardware Included	EA	\$	93.71
33411	LARSEN	BSA440C	UHF BASE STATION ANTENNA	Radial Base / Whip, 3.4 dB, 440 - 460 MHz, Mounting Hardware Included	EA	\$	102.63
33411	LARSEN	BSA450C	UHF BASE STATION ANTENNA	Radial Base / Whip, 3.4 dB, 450 - 470 MHz, Mounting Hardware Included	EA	\$	93.71

33411	LARSEN	BSA45C	LOW BAND BASE STATION ANTENNA	Radial Base / Whip, Unity, 45 - 50 MHz, Mounting Hardware Included. We have made significant investments in our inventory, and can delivery immediately. For Large/Bulk quantities call 667-205-9294, or email nickhohman@wvbandcoms.com time receivea	CS	\$	162.33
33411	LARSEN	BSA45KIT	GROUND PLANE KIT FOR BSA45C	Ground Plane Kit for BSA45C For Large/Bulk quantities call 667-205-9294, or email nickhohman@wvbandcoms.com time receive a quootation within 30 minutes.	EA	\$	134.33
33411	LARSEN	BSAKIT	BASE MOUNT KIT, 144 - 512 MHZ	Radial Base / Whip, Unity, 45 - 50 MHz, Mounting Hardware Included. Larsen BSAKIT, is an omni base station ground plane kit that converts PO or NMO mobile antennas for base applications in the 144 - 512 MHz frequency range. Power rating is 200 wattsa	EA	\$	57.28
33411	SILYNX COMMUNICATIONS, INC CA0004-04		MOTOROLA XTS/MTS/ASTRO PX502A CABLE ADAP	Motorola XTS/MTS/Astro PX502A cable adaptor. TAN	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0004-05		MOTOROLA XTS/MTS/ASTRO PX502A CABLE ADAP	Motorola XTS/MTS/Astro PX502A cable adaptor. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0004-07		PUBLIC SAFETY CIRCULAR DOMED PTT FOR USE	Public Safety Circular Domed PTT for use with Clarus/XPR. Integrated Motorola XTS connector. BLACK	EA	\$	280.25
33411	SILYNX COMMUNICATIONS, INC CA0005-03		PRR SIDE CONNECTOR (SWITCH BOX) CABLE AD	PRR Side Connector (Switch box) cable adaptor. BLACK	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0005-04		PRR SIDE CONNECTOR (SWITCH BOX) CABLE AD	PRR Side Connector (Switch box) cable adaptor. TAN	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0006-09		HELICOPTER INTERCOM (HELO) CABLE ADAPTOR	Helicopter Intercom (HELO) cable adaptor. Rev01. BLACK	EA	\$	251.75
33411	SILYNX COMMUNICATIONS, INC CA0006-12		HELICOPTER INTERCOM (HELO) CABLE ADAPTOR	Helicopter Intercom (HELO) cable adaptor. Rev01. TAN	EA	\$	251.75
33411	SILYNX COMMUNICATIONS, INC CA0006-T-00		HELICOPTER INTERCOM (HELO) CABLE ADAPTOR	Helicopter Intercom (HELO) cable adaptor. Rev02. TAN	EA	\$	251.75
33411	SILYNX COMMUNICATIONS, INC CA0008-10		VEHICLE INTERCOM SYSTEM (VIS) CABLE ADAP	Vehicle Intercom System (VIS) cable adaptor. BLACK	EA	\$	242.25
33411	SILYNX COMMUNICATIONS, INC CA0008-11		VEHICLE INTERCOM SYSTEM (VIS) CABLE ADAP	Vehicle Intercom System (VIS) cable adaptor. TAN	EA	\$	242.25
33411	SILYNX COMMUNICATIONS, INC CA0015-18		CIRCUMAUURAL HEADSET ADAPTOR, DUAL COMMS.	Circumaural headset adaptor, Dual Comms. Rev01. TAN Only	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0015-DU-T-00		CIRCUMAUURAL HEADSET ADAPTOR, DUAL COMMS.	Circumaural headset adaptor, Dual Comms. Rev02. TAN Only	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0015-DU-T-01		DUAL DOWNLEAD PELTOR HEADSET ADAPTOR FOR	Dual downlead Peltor headset adaptor for Clarus, Dual Downlead, NATO wiring. TAN	EA	\$	266.00
33411	SILYNX COMMUNICATIONS, INC CA0015-N-B-00		CIRCUMAUURAL HEADSET ADAPTOR, NATO WIRING	Circumaural headset adaptor, NATO wiring. BLACK	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0015-N-T-00		CIRCUMAUURAL HEADSET ADAPTOR, NATO WIRING	Circumaural headset adaptor, NATO wiring. TAN	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0015-V5-T-00		PELTOR COMTAC V HEADSET 5-POLE, SMART AD	Peltor Comtac V headset 5-pole, smart adaptor. TAN	EA	\$	204.25
33411	SILYNX COMMUNICATIONS, INC CA0020-B-00		OPSCORE AMP HEADSET TO CLARUS CONTROL BO	Opscore AMP headset to Clarus control box cable adaptor, Fischer connector to Silynx QDC. Rev02. BLACK	EA	\$	223.25
33411	SILYNX COMMUNICATIONS, INC CA0020-T-00		OPSCORE AMP HEADSET TO CLARUS CONTROL BO	Opscore AMP headset to Clarus control box cable adaptor, Fischer connector to Silynx QDC. Rev02. TAN	EA	\$	223.25

33411	SILYNX COMMUNICATIONS, INC CA0035-03	MBITR/PRC117/152 20M SUBMERSIBLE 10-PIN	MBITR/PRC117/152 20m Submersible 10-pin cable adaptor. BLACK	EA	\$	375.25
33411	SILYNX COMMUNICATIONS, INC CA0035-04	MBITR/PRC117/152 20M SUBMERSIBLE 10-PIN	MBITR/PRC117/152 20m Submersible 10-pin cable adaptor. TAN	EA	\$	375.25
33411	SILYNX COMMUNICATIONS, INC CA0035-10	THALES IMBITR PRC-148C/D 10-PIN MARITIME	Thales IMBITR PRC-148C/D 10-pin maritime cable adaptor. BLACK	EA	\$	375.25
33411	SILYNX COMMUNICATIONS, INC CA0035-12	THALES IMBITR PRC-148C/D 10-PIN MARITIME	Thales IMBITR PRC-148C/D 10-pin maritime cable adaptor. TAN	EA	\$	375.25
33411	SILYNX COMMUNICATIONS, INC CA0083-01	TETRAPOL TPH-700 CABLE ADAPTOR. BLACK ON	Tetrapol TPH-700 cable adaptor. BLACK Only	EA	\$	190.00
33411	SILYNX COMMUNICATIONS, INC CA0095-02	SMARTPHONE CABLE ADAPTOR. BLACK	Smartphone cable adaptor. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC CA0095-03	SMARTPHONE CABLE ADAPTOR. TAN	Smartphone cable adaptor. TAN	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC CA0117-103	MOTOROLA APX/XPR7550/MTP6550(TETRA)/SRX2	Motorola APX/XPR7550/MTP6550(TETRA)/SRX2200/XPR7580/DP460 cable adaptor. Rev02. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0117-105	MOTOROLA APX/XPR7550/MTP6550(TETRA)/SRX2	Motorola APX/XPR7550/MTP6550(TETRA)/SRX2200/XPR7580/DP4601 cable adaptor. Rev02. TAN	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0117-115	PUBLIC SAFETY CIRCULAR DOMED PTT FOR USE	Public Safety Circular Domed PTT for use with Clarus/XPR. Integrated Motorola APX connector. BLACK	EA	\$	280.25
33411	SILYNX COMMUNICATIONS, INC CA0123-04	MOTOROLA GP388, EX500, EX600, GL2000, GP	Motorola GP388, EX500, EX600, GL2000, GP328plus, GP338plus, GP344 and PRO5150 Elite cable adaptor. BLACK Only	EA	\$	166.25
33411	SILYNX COMMUNICATIONS, INC CA0128-07	MBITR/PRC117/152 6-PIN CABLE ADAPTOR. BL	MBITR/PRC117/152 6-pin cable adaptor. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC CA0128-09	MBITR/PRC117/152 6-PIN CABLE ADAPTOR. TA	MBITR/PRC117/152 6-pin cable adaptor. TAN	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC CA0133-01	MOTOROLA GP300 CONNECTOR CABLE ADAPTOR.	Motorola GP300 connector cable adaptor. BLACK	EA	\$	147.25
33411	SILYNX COMMUNICATIONS, INC CA0133-02	MOTOROLA GP300 CONNECTOR CABLE ADAPTOR.	Motorola GP300 connector cable adaptor. TAN	EA	\$	147.25
33411	SILYNX COMMUNICATIONS, INC CA0133-05	PUBLIC SAFETY CIRCULAR DOMED PTT FOR USE	Public Safety Circular Domed PTT for use with Clarus/XPR. Integrated Motorola M1 connector. BLACK	EA	\$	280.25
33411	SILYNX COMMUNICATIONS, INC CA0137-06	HIROSE 6-PIN QUICK DETACH CABLE ADAPTOR.	Hirose 6-pin quick detach cable adaptor. (Requires quick detach radio adaptor. See "Adaptor" section on price list). TAN	EA	\$	199.50
33411	SILYNX COMMUNICATIONS, INC CA0137-07	HIROSE 6-PIN QUICK DETACH CABLE ADAPTOR.	Hirose 6-pin quick detach cable adaptor. (Requires quick detach radio adaptor. See "Adaptor" section on price list)BLACK	EA	\$	199.50
33411	SILYNX COMMUNICATIONS, INC CA0148-01	MOTOROLA MTP750 / GP360 / HT1250 / HT150	Motorola MTP750 / GP360 / HT1250 / HT1500 XLS / HT750 cable adaptor. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0148-02	MOTOROLA MTP750 / GP360 / HT1250 / HT150	Motorola MTP750 / GP360 / HT1250 / HT1500 XLS / HT750 cable adaptor. TAN	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0175-100	DUAL COMMS SPLITTER CABLE ADAPTOR. BLACK	Dual Comms Splitter cable adaptor. BLACK	EA	\$	223.25
33411	SILYNX COMMUNICATIONS, INC CA0175-101	DUAL COMMS SPLITTER CABLE ADAPTOR. TAN	Dual Comms Splitter cable adaptor. TAN	EA	\$	223.25
33411	SILYNX COMMUNICATIONS, INC CA0185-00	HARRIS JAGUAR P5300, P5400, P5500, P7300	Harris JAGUAR P5300, P5400, P5500, P7300, XG-75 connector cable adaptor. BLACK	EA	\$	175.75

33411	SILYNX COMMUNICATIONS, INC CA0185-01	HARRIS JAGUAR P5300, P5400, P5500, P7300	Harris JAGUAR P5300, P5400, P5500, P7300, XG-75 connector cable adaptor. TAN	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0192-00	HARRIS RF7800S RADIO CABLE ADAPTOR. BLAC	Harris RF7800S Radio cable adaptor. BLACK	EA	\$	251.75
33411	SILYNX COMMUNICATIONS, INC CA0192-01	HARRIS RF7800S RADIO CABLE ADAPTOR. TAN	Harris RF7800S Radio cable adaptor. TAN	EA	\$	251.75
33411	SILYNX COMMUNICATIONS, INC CA0197-00	CABLE ADAPTOR FOR CIVILIAN HEADSET (IPHO	Cable adaptor for civilian headset (iPhone/Samsung). Adaptor only, does not include headset. BLACK Only	EA	\$	147.25
33411	SILYNX COMMUNICATIONS, INC CA0202-00	KENWOOD NX300 / TK5210 CABLE ADAPTOR. TA	Kenwood NX300 / TK5210 cable adaptor. TAN	EA	\$	147.25
33411	SILYNX COMMUNICATIONS, INC CA0202-01	KENWOOD NX300 / TK5210 CABLE ADAPTOR. BL	Kenwood NX300 / TK5210 cable adaptor. BLACK	EA	\$	147.25
33411	SILYNX COMMUNICATIONS, INC CA0202-03	PUBLIC SAFETY CIRCULAR DOMED PTT FOR USE	Public Safety Circular Domed PTT for use with Clarus/XPR. Integrated Kenwood NX300/5400 connector. BLACK	EA	\$	280.25
33411	SILYNX COMMUNICATIONS, INC CA0203-00	HARRIS M/A-COM JAGUAR 700P, P5100, P5130	Harris M/A-COM Jaguar 700P, P5100, P5130, P7100, P7130, P7150, P7170, P7200 cable adaptor. TAN	EA	\$	156.75
33411	SILYNX COMMUNICATIONS, INC CA0208-01	YAESU/VERTEX ONE-PIN RIGHT ANGLE 3.5MM (	Yaesu/Vertex One-Pin Right Angle 3.5mm (VTX-354-G6-5) cable adaptor. BLACK Only	EA	\$	147.25
33411	SILYNX COMMUNICATIONS, INC CA0211-00	KENWOOD TK-3170 CABLE ADAPTOR. BLACK ONL	Kenwood TK-3170 cable adaptor. BLACK Only	EA	\$	128.25
33411	SILYNX COMMUNICATIONS, INC CA0211-02	BAOFENG UV5R CABLE ADAPTOR. BLACK ONLY	Baofeng UV5R cable adaptor. BLACK Only	EA	\$	128.25
33411	SILYNX COMMUNICATIONS, INC CA0211-03	PUBLIC SAFETY CIRCULAR DOMED PTT FOR USE	Public Safety Circular Domed PTT for use with Clarus/XPR. Integrated Kenwood 2-pin connector. BLACK	EA	\$	280.25
33411	SILYNX COMMUNICATIONS, INC CA0216-00	SEPURA SP3 / STP8038 CABLE ADAPTOR. BLAC	Sepura SP3 / STP8038 cable adaptor. BLACK Only	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC CA0218-00	VERTEX VX537, VX530 CABLE ADAPTOR. BLACK	Vertex VX537, VX530 cable adaptor. BLACK	EA	\$	180.50
33411	SILYNX COMMUNICATIONS, INC CA0218-01	VERTEX VX537, VX530 CABLE ADAPTOR. TAN	Vertex VX537, VX530 cable adaptor. TAN	EA	\$	180.50
33411	SILYNX COMMUNICATIONS, INC CA0219-00	VERTEX VX820, VX821, VX824, VX829, VX920	Vertex VX820, VX821, VX824, VX829, VX920, VX921, VX924, VX929 cable adaptor. BLACK	EA	\$	180.50
33411	SILYNX COMMUNICATIONS, INC CA0219-01	VERTEX VX820, VX821, VX824, VX829, VX920	Vertex VX820, VX821, VX824, VX829, VX920, VX921, VX924, VX929 cable adaptor. TAN	EA	\$	180.50
33411	SILYNX COMMUNICATIONS, INC CA0223-00	MOTOROLA XPR 3500E/MTP3550/MTP3250 CABLE	Motorola XPR 3500e/MTP3550/MTP3250 cable adaptor. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0227-00	KENWOOD 2-PIN CONNECTOR, CABLE ADAPTOR F	Kenwood 2-pin connector, cable adaptor for Clarus Pro System. BLACK	EA	\$	80.75
33411	SILYNX COMMUNICATIONS, INC CA0252-00	HARRIS UNITY XG-100P / XL-200P CABLE ADA	Harris Unity XG-100P / XL-200P cable adaptor. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0252-02	HARRIS UNITY XG-100P / XL-200P CABLE ADA	Harris Unity XG-100P / XL-200P cable adaptor. TAN	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0256-00	BENDIX KING GHP/COMMANDER/KNGP150 CABLE	Bendix King GHP/Commander/KNGP150 cable adaptor. BLACK	EA	\$	237.50
33411	SILYNX COMMUNICATIONS, INC CA0257-00	BAOFENG BF-F9V2/UV-82 CABLE ADAPTOR. BLA	Baofeng BF-F9V2/UV-82 cable adaptor. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC CA0280-00	SEPURA AIRWAVE RADIO CABLE ADAPTOR. BLAC	Sepura Airwave Radio cable adaptor. BLACK Only	EA	\$	185.25

33411	SILYNX COMMUNICATIONS, INC CA0312-00	YAESU VX6R/ FT-270/ HX40/ HS150 CABLE AD	Yaesu VX6R/ FT-270/ HX40/ HS150 cable adaptor. BLACK	EA	\$	180.50
33411	SILYNX COMMUNICATIONS, INC CA0323-00	TELEX RADIO CABLE ADAPTOR, 4-PIN XLR FEM	Telex radio cable adaptor, 4-pin XLR Female. BLACK Only	EA	\$	237.50
33411	SILYNX COMMUNICATIONS, INC CA0323-01	TELEX RADIO CABLE ADAPTOR, 4-PIN XLR MAL	Telex radio cable adaptor, 4-pin XLR Male. BLACK Only	EA	\$	237.50
33411	SILYNX COMMUNICATIONS, INC CA0350-00	OPSCORE AMP HEADSET TO CLARUS CONTROL BO	Opscore AMP headset to Clarus control box cable adaptor, Fischer connector to Silynx QDC. Rev01. BLACK	EA	\$	223.25
33411	SILYNX COMMUNICATIONS, INC CA0350-01	OPSCORE AMP HEADSET TO CLARUS CONTROL BO	Opscore AMP headset to Clarus control box cable adaptor, Fischer connector to Silynx QDC. Rev01. TAN	EA	\$	223.25
33411	SILYNX COMMUNICATIONS, INC CA0358-00	RADIO ACTIVE DESIGNS (RAD) CABLE ADAPTOR	Radio Active Designs (RAD) cable adaptor, 4-pin XLR Female. BLACK Only	EA	\$	237.50
33411	SILYNX COMMUNICATIONS, INC CA0378-B-00	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor without EUD. BLACK	EA	\$	494.00
33411	SILYNX COMMUNICATIONS, INC CA0378-B-01	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor with EUD. BLACK	EA	\$	608.00
33411	SILYNX COMMUNICATIONS, INC CA0378-T-00	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor without EUD. TAN	EA	\$	494.00
33411	SILYNX COMMUNICATIONS, INC CA0378-T-01	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor with EUD. TAN	EA	\$	608.00
33411	SILYNX COMMUNICATIONS, INC CFX2ITEB-006	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed 3.5mm Smart Phone Connector, with onboard AAA auxiliary battery for use with radios that do not power headset. BLACK	EA	\$	631.75
33411	SILYNX COMMUNICATIONS, INC CFX2ITEB-007	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Motorola GP300 adaptor, with onboard AAA auxiliary battery for use with radios that do not power headset. BLACK	EA	\$	631.75
33411	SILYNX COMMUNICATIONS, INC CFX2ITEB-11	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Kenwood TK3170 two-pin adaptor, with onboard AAA auxiliary battery for use with radios that do not power headset. BLACK	EA	\$	631.75
33411	SILYNX COMMUNICATIONS, INC CFX2ITEB-11-01	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Kenwood two-pin adaptor (Baofeng compatible) with onboard AAA auxiliary battery. BLACK	EA	\$	631.75
33411	SILYNX COMMUNICATIONS, INC CFX2ITEB-16	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Hirose 6-pin connector, with onboard AAA auxiliary battery for use with radios that do not power headset. BLACK (Separate radio adaptor required see Radio Adaptor section of this price list)	EA	\$	631.75
33411	SILYNX COMMUNICATIONS, INC CFX2ITNB-001	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed MBITR/PRC117/152 6-pin adaptor. BLACK	EA	\$	589.00
33411	SILYNX COMMUNICATIONS, INC CFX2ITNB-002	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Motorola APX adaptor. BLACK	EA	\$	589.00
33411	SILYNX COMMUNICATIONS, INC CFX2ITNB-003	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Motorola XTS adaptor. BLACK	EA	\$	589.00
33411	SILYNX COMMUNICATIONS, INC CFX2ITNB-19	CLARUS FX2. CONTROL BOX, FIXED DUAL IN-E	CLARUS FX2. Control Box, fixed dual in-ear headset, fixed Kenwood NX300 adaptor. BLACK	EA	\$	589.00
33411	SILYNX COMMUNICATIONS, INC CFX2SSB-001	CLARUS FX2. CONTROL BOX, FIXED SINGLE IN	CLARUS FX2. Control Box, fixed single in-ear headset, fixed MBITR/PRC117/152 6-pin adaptor. BLACK	EA	\$	589.00
33411	SILYNX COMMUNICATIONS, INC CFX2SSB-002	CLARUS FX2. CONTROL BOX, FIXED SINGLE IN	CLARUS FX2. Control Box, fixed single in-ear headset, fixed Motorola APX adaptor. BLACK	EA	\$	589.00

33411	SILYNX COMMUNICATIONS, INC CFX2SSB-003	CLARUS FX2. CONTROL BOX, FIXED SINGLE IN	CLARUS FX2. Control Box, fixed single in-ear headset, fixed Motorola XTS/MTS adaptor. BLACK	EA	\$	589.00
33411	SILYNX COMMUNICATIONS, INC CON000196	MOTOROLA GP344 WITH EXPO PANEL ADAPTORS	Motorola GP344 with expo panel adaptors to 6-pin Hirose quick detach adaptor	EA	\$	90.25
33411	SILYNX COMMUNICATIONS, INC CON000230	MOTOROLA APX / MTP850FUG TO 6-PIN HIROSE	Motorola APX / MTP850FuG to 6-pin Hirose quick detach adaptor	EA	\$	90.25
33411	SILYNX COMMUNICATIONS, INC CON000233	MOTOROLA HT750 WITH EXPO PANEL ADAPTORS	Motorola HT750 with expo panel adaptors to 6-pin Hirose quick detach adaptor	EA	\$	90.25
33411	SILYNX COMMUNICATIONS, INC CON000244	HARRIS XG-75 TO 6-PIN HIROSE QUICK DETAC	Harris XG-75 to 6-pin Hirose quick detach adaptor	EA	\$	90.25
33411	SILYNX COMMUNICATIONS, INC CON000276	HARRIS UNITY XG-100P AND XL- TO 6-PIN HI	Harris UNITY XG-100P and XL- to 6-pin Hirose quick detach adaptor	EA	\$	90.25
33411	SILYNX COMMUNICATIONS, INC CON400494	MOTOROLA XTS TO 6-PIN HIROSE QUICK DETAC	Motorola XTS to 6-pin Hirose quick detach adaptor	EA	\$	90.25
33411	LARSEN	CX1000	COAX CABLE 1000 FT ROLL	EA	\$	411.55
33411	LARSEN	CXCOAX	COAX CABLE	EA	\$	4.95
			HELICAL & 1/4 WAVE KD CAP, BLACK, 25/PACKAGE. We have made significant investements in our inventory, and can delivery immediately. For Large/Bulk quantities call 667-205-9294, or email nickhohman@wvbandcoms.com time receive a quoatation within 30			
33411	SILYNX COMMUNICATIONS, INC CXPRQH-B-02	CLARUS XPR CONTROL BOX, SINGLE LEAD. BLA	CLARUS XPR control box, single lead. BLACK	EA	\$	413.25
33411	SILYNX COMMUNICATIONS, INC CXPRQH-D-02	CLARUS XPR CONTROL BOX, SINGLE LEAD. TAN	CLARUS XPR control box, single lead. TAN	EA	\$	413.25
33411	SILYNX COMMUNICATIONS, INC DC001-DT-00	WEATHER / WATERPROOF / DUST CAP, MALE QD	Weather / waterproof / dust Cap, Male QDC. TAN	EA	\$	61.75
33411	SILYNX COMMUNICATIONS, INC DC002-BLK-00	WEATHER / WATERPROOF / DUST CAP, MALE QD	Weather / waterproof / dust Cap, Male QDC. BLACK	EA	\$	61.75
33411	LARSEN	DS1000	COAX CABLE	CS	\$	764.29
33411	LARSEN	DSCOAX	COAX CABLE DS-RG58A/U DUAL SHIELD	EA	\$	4.95
33411	3M CORPORATION	EARBUD2600N	IN-EAR HEADSET	EA	\$	691.99
			3M(TM) PELTOR(TM) E-A-R buds(TM) Noise Isolating Headphones EARBud2600N, 10/CS Hearing protection that's music to your ears. MP3 player compatible. 82dB maximum playback volume limitation. Easy access volume control module.			
33411	LARSEN	EF2405NMO	ELEVATED FEED ANTENNA WITH SPRING BASE	EA	\$	71.21
			Elevated Feed, NMO Mount, 5 dBi (w/ground plane), 2400 - 2500 MHz ACTUAL FREQUENCY 2400-2500 MHZ ANTENNA MOUNT TYPE NMO ANTENNA MOUNTING OPTION-DIRECT ROHS COMPLIANT YES-RoHS-6 FREQUENCY RANGE-2400-6000 MHZ			
33411	SILYNX COMMUNICATIONS, INC EP-003-L-L	COMPLY™ FOAM EAR TIPS, 3-PAIRS, SIZE - L	Comply™ Foam Ear Tips, 3-pairs, size - Large. BLACK	EA	\$	14.25
33411	SILYNX COMMUNICATIONS, INC EP-003-M-M	COMPLY™ FOAM EAR TIPS, 3-PAIRS, SIZE - M	Comply™ Foam Ear Tips, 3-pairs, size - Medium. BLACK	EA	\$	14.25
33411	SILYNX COMMUNICATIONS, INC EP-003-S-S	COMPLY™ FOAM EAR TIPS, 3-PAIRS, SIZE - S	Comply™ Foam Ear Tips, 3-pairs, size - Small. BLACK	EA	\$	14.25
33411	SILYNX COMMUNICATIONS, INC EP-025-L-L	COMPLY™ FOAM EAR TIPS, 25-PAIRS, SIZE -	Comply™ Foam Ear Tips, 25-pairs, size - Large. BLACK	EA	\$	104.50
33411	SILYNX COMMUNICATIONS, INC EP-025-M-M	COMPLY™ FOAM EAR TIPS, 25-PAIRS, SIZE -	Comply™ Foam Ear Tips, 25-pairs, size - Medium. BLACK	EA	\$	104.50

33411	SILYNX COMMUNICATIONS, INC EP-025-S-S		COMPLY™ FOAM EAR TIPS, 25-PAIRS, SIZE -	Comply™ Foam Ear Tips, 25-pairs, size - Small. BLACK	EA	\$	104.50
33411	SILYNX COMMUNICATIONS, INC EP-100-L-L		COMPLY™ FOAM EAR TIPS, 100-PAIRS, SIZE -	Comply™ Foam Ear Tips, 100-pairs, size - Large. BLACK	EA	\$	342.00
33411	SILYNX COMMUNICATIONS, INC EP-100-M-M		COMPLY™ FOAM EAR TIPS, 100-PAIRS, SIZE -	Comply™ Foam Ear Tips, 100-pairs, size - Medium. BLACK	EA	\$	342.00
33411	SILYNX COMMUNICATIONS, INC EP-100-S-S		COMPLY™ FOAM EAR TIPS, 100-PAIRS, SIZE -	Comply™ Foam Ear Tips, 100-pairs, size - Small. BLACK	EA	\$	342.00
33411	SILYNX COMMUNICATIONS, INC ERC000054-00		CUSTOM USER MOLDABLE EAR BUD RETENTION S	Custom User Moldable Ear Bud Retention System Upgrade for Clarus, XPR, FX2, Pro, Lite, and all Silynx In-Ear. 1-Pair, BLACK, 3-sizes foam tips, User Guide. **Available only as upgrade in non-retail packaging**	EA	\$	35.15
33411	LARSEN	FB	ADAPTER, FME TO BNC MALE	Adapter, FME to BNC Male	EA	\$	6.37
33411	LARSEN	FB2406	UHF BASE STATION ANTENNA	Description ACTUAL FREQUENCY 406-420 MHZ ANTENNA MOUNT TYPE WALL/POLE ROHS COMPLIANT YES-RoHS-6 FREQUENCY RANGE 45-470 MHZ BASE STATION ANT Please follow and like us:	CS	\$	143.17
33411	LARSEN	FB2406W/A	TUNNABLE BASE STATION ANTENNA	Base/Whip Only, 3 dB, 406 - 420 MHz	EA	\$	132.94
33411	LARSEN	FB2420W/A	FIELD TUNABLE BASE STATION	ANTENNA WIRELESS 5.4DBI 440MHZ WALL MOUNT	EA	\$	132.94
33411	LARSEN	FB2450	UHF BASE STATION ANTENNA	Base Station, 3 dB, 450 - 470 MHz, Mounting Hardware Included We have made significant investements in our inventory, and can delivery immediately. For Large/Bulk quantities call 667-205-9294, or email nickhohman@wvbandcoms.com time receive a quoa	CS	\$	143.17
33411	LARSEN	FB2450W/A	UHF COMMERCIAL 450 - 470 MHZ BASE / WHIP	Base/Whip only, 3 dB, 450 - 470 MHz	CS	\$	132.94
33411	LARSEN	FB2BRACKET	MOUNTING BRACKET FOR BASE STATION	Mount Bracket / FB2 Base	EA	\$	29.24
33411	LARSEN	FB35T800	800 MHZ BASE STATION ANTENNA	Blade Base, 5 dB, 806 - 866 MHz, 5 Arm Mounting Bracket Included	EA	\$	154.48
33411	LARSEN	FB35T800WA	BASE STATION ANTENNA 806-866MHZ	Mount Bracket / FB2 Base. Technical specs: WHIP ASSY., BS BLADE, 806-866 MHz ACTUAL FREQUENCY 806-866 MHZ FREQUENCY 806-866 MHZ ANTENNA MOUNT TYPE BASE STATION GAIN 7.200 ROHS COMPLIANT YES-RoHS-6 PACKAGE FAMILY BASE STATION ANTENNA F	EA	\$	125.93
33411	LARSEN	FB35T825	BLADE ANTENNA	Blade Base, 5 dB, 806 - 866 MHz, 5 Arm Mounting Bracket Included	EA	\$	154.48
33411	LARSEN	FB35T825WA	BASE STATION ANTENNA 806-866MHZ	Blade Base / Whip Only, 5 dB, 824 - 896 MHz. We have made significant investements in our inventory, and can delivery immediately. For Large/Bulk quantities call 667-205-9294, or email nickhohman@wvbandcoms.com time receive a quoatation within 30m	EA	\$	125.93
33411	LARSEN	FB35T900	800/900MHZ BAND BASE STATION ANTENNA	Blade Base, 5 dB, 890 - 960 MHz, 5 Arm Mounting Bracket Included Technical Specs: FB35T900 BLADE BS 5DB 890-960 MHZ NPB ACTUAL FREQUENCY 890-960 MHZ ANTENNA MOUNT TYPE WALL/POLE ROHS COMPLIANT YES-RoHS-6 FREQUENCY RANGE 406-2485 BASE STA	CS	\$	127.35

33411	LARSEN	FB35T900WA	BASE STATION ANTENNA 890-960MHZ	Blade Base / Whip Only, 5 dB, 890 - 960 MHz Technical Specs: FB35T900WA WHIP ASSY., BS BLADE, 890-960 MHz ACTUAL FREQUENCY 890-960 MHZ FREQUENCY 890-960 MHZ ANTENNA MOUNT TYPE BASE STATION GAIN 7.200 ROHS COMPLIANT YES-RoHS-6 PACKAGE FA	EA	\$	125.93
33411	LARSEN	FB3740WA	BASE STATION ANTENNA 740-806MHZ	Base / Whip Only, 5 dB, 740 - 806 MHz Technical Specs: ANT WHIP BS, 3DB, 740-806 PBC ACTUAL FREQUENCY 740-806 MHZ ANTENNA MOUNT TYPE BASE STATION GAIN 3.000 ROHS COMPLIANT YES-RoHS-6 PACKAGE FAMILY BASE STATION ANTENNA FREQUENCY RANGE7	EA	\$	99.55
33411	LARSEN	FB3800	800 MHZ BASE BLADE ANTENNA	Blade Base, 3 dB, 806 - 866 MHz, 5 Arm Mounting Bracket Included. Technical Specifications alpha frequency 800 Band horizontal beamwidth (deg) 360 deg front-to-back ratio (dB) N/A mounting hdw. included (Y/N) Y maximum power input (W) 150W p	CS	\$	154.48
33411	LARSEN	FB3800WA	BLADE BASE 806-866MHZ ANTENNA	Blade Base / Whip Only, 3 dB, 806 - 866 MHz	KT	\$	125.93
33411	LARSEN	FB3825	BLADE BASE, 3 DB, 824 - 896 MHZ	Blade Base, 3 dB, 824 - 896 MHz, 5 Arm Mounting Bracket Included	CS	\$	134.33
33411	LARSEN	FB3825WA	BLADE BASE / WHIP ONLY, 3 DB, 824 - 896	Blade Base / Whip Only, 3 dB, 824 - 896 MHz	CS	\$	125.93
33411	LARSEN	FB3900	BLADE BASE / WHIP ONLY, 3 DB, 890 - 960	Blade Base / Whip Only, 3 dB, 890 - 960 MHz	CS	\$	154.48
33411	LARSEN	FB3900WA	BLADE BASE / WHIP ONLY, 3 DB, 890 - 960	Blade Base / Whip Only, 3 dB, 890 - 960 MHz	EA	\$	125.93
33411	LARSEN	FB3BRACKET	MOUNT BRACKET / 5 ARM BLADE / ROUND BS.	Pulse / Larsen - Mounting bracket Blade Base, 3 dB, 890 - 960 MHz, 5 Arm Mounting Bracket Included	EA	\$	26.08
33411	LARSEN	FB45T2400	COMMUNICATIONS EQUIPMENT	Blade Base / Whip Only, 3 dB, 890 - 960 MHz	EA	\$	108.70
33411	LARSEN	FB45T2400WA	COMMUNICATIONS EQUIPMENT	Round Base / Whip Only, 5 dB, 2400 - 2485 MHz	EA	\$	80.35
33411	SILYNX COMMUNICATIONS, INC	FC0004-B-00	MOTOROLA XTS/MTS/ASTRO PX502A CABLE ADAP	Motorola XTS/MTS/Astro PX502A cable adaptor for FORTIS control box. BLACK	EA	\$	209.00
33411	SILYNX COMMUNICATIONS, INC	FC0004-T-00	MOTOROLA XTS/MTS/ASTRO PX502A CABLE ADAP	Motorola XTS/MTS/Astro PX502A cable adaptor for FORTIS control box. TAN	EA	\$	209.00
33411	SILYNX COMMUNICATIONS, INC	FC0006-B-00	HELICOPTER INTERCOM FOR FORTIS CONTROL B	Helicopter Intercom for FORTIS control box. BLACK	EA	\$	308.75
33411	SILYNX COMMUNICATIONS, INC	FC0006-T-00	HELICOPTER INTERCOM FOR FORTIS CONTROL B	Helicopter Intercom for FORTIS control box. TAN	EA	\$	308.75
33411	SILYNX COMMUNICATIONS, INC	FC0008-T-00	VIC-3 VEHICLE INTERCOM SYSTEM (VIS) CABL	VIC-3 Vehicle Intercom System (VIS) cable adaptor for FORTIS. TAN	EA	\$	299.25
33411	SILYNX COMMUNICATIONS, INC	FC0015-DU-B-00	CIRCUMAURAL HEADSET ADAPTOR FOR FORTIS C	Circumaural headset adaptor for FORTIS control box, dual comms. BLACK	EA	\$	261.25
33411	SILYNX COMMUNICATIONS, INC	FC0015-DU-T-00	CIRCUMAURAL HEADSET ADAPTOR FOR FORTIS C	Circumaural headset adaptor for FORTIS control box, dual comms. TAN	EA	\$	261.25
33411	SILYNX COMMUNICATIONS, INC	FC0015-DU-T-01	PELTOR DUAL DOWNLEAD HEADSET ADAPTOR FOR	Peltor dual downlead headset adaptor for FORTIS control box. TAN	EA	\$	304.00
33411	SILYNX COMMUNICATIONS, INC	FC0015-N-B-00	CIRCUMAURAL HEADSET NEXUS ADAPTOR FOR FO	Circumaural headset Nexus adaptor for FORTIS control box, NATO wiring. BLACK	EA	\$	237.50
33411	SILYNX COMMUNICATIONS, INC	FC0015-N-T-00	CIRCUMAURAL HEADSET NEXUS ADAPTOR FOR FO	Circumaural headset Nexus adaptor for FORTIS control box, NATO wiring. TAN	EA	\$	237.50

33411	SILYNX COMMUNICATIONS, INC FC0015-V5-B-00	PELTOR COMTAC V HEADSET 5-POLE, SMART AD	Peltor Comtac V headset 5-pole, smart adaptor for FORTIS control box. BLACK	EA	\$	304.00
33411	SILYNX COMMUNICATIONS, INC FC0015-V5-T-00	PELTOR COMTAC V HEADSET 5-POLE, SMART AD	Peltor Comtac V headset 5-pole, smart adaptor for FORTIS control box. TAN	EA	\$	304.00
33411	SILYNX COMMUNICATIONS, INC FC0020-B-00	OPSCORE AMP HEADSET TO FORTIS CONTROL BO	OPSCORE AMP headset to FORTIS control box cable adaptor, Fischer connector to Silynx MQDC. BLACK	EA	\$	304.00
33411	SILYNX COMMUNICATIONS, INC FC0020-T-00	OPSCORE AMP HEADSET TO FORTIS CONTROL BO	OPSCORE AMP headset to FORTIS control box cable adaptor, Fischer connector to Silynx MQDC. TAN	4F	\$	304.00
33411	SILYNX COMMUNICATIONS, INC FC0035-B-00	MBITR/PRC117/152 10-PIN MARITIME CABLE A	MBITR/PRC117/152 10-pin maritime cable adaptor for FORTIS control box. BLACK	EA	\$	384.75
33411	SILYNX COMMUNICATIONS, INC FC0035-B-01	THALES IMBITR PRC-148C/D 10-PIN MARITIME	Thales IMBITR PRC-148C/D 10-pin maritime cable adaptor for FORTIS control box. BLACK	EA	\$	384.75
33411	SILYNX COMMUNICATIONS, INC FC0035-T-00	MBITR/PRC117/152 10-PIN MARITIME CABLE A	MBITR/PRC117/152 10-pin maritime cable adaptor for FORTIS control box. TAN	EA	\$	384.75
33411	SILYNX COMMUNICATIONS, INC FC0035-T-01	THALES IMBITR PRC-148C/D 10-PIN MARITIME	Thales IMBITR PRC-148C/D 10-pin maritime cable adaptor for FORTIS control box. TAN	EA	\$	384.75
33411	SILYNX COMMUNICATIONS, INC FC0095-B-00	SMARTPHONE CABLE ADAPTOR FOR FORTIS CONT	Smartphone cable adaptor for FORTIS control box. BLACK	EA	\$	228.00
33411	SILYNX COMMUNICATIONS, INC FC0095-T-00	SMARTPHONE CABLE ADAPTOR FOR FORTIS CONT	Smartphone cable adaptor for FORTIS control box. TAN	EA	\$	228.00
33411	SILYNX COMMUNICATIONS, INC FC0117-B-00	MOTOROLA APX/XPR7550/MTP6550(TETRA)/SRX2	Motorola APX/XPR7550/MTP6550(TETRA)/SRX2200/XPR7580/DP460 cable adaptor for FORTIS control box. BLACK	EA	\$	209.00
33411	SILYNX COMMUNICATIONS, INC FC0117-T-00	MOTOROLA APX/XPR7550/MTP6550(TETRA)/SRX2	Motorola APX/XPR7550/MTP6550(TETRA)/SRX2200/XPR7580/DP4601 cable adaptor for FORTIS control box. TAN	EA	\$	209.00
33411	SILYNX COMMUNICATIONS, INC FC0128-B-00	MBITR/PRC117/152 6-PIN CABLE ADAPTOR FOR	MBITR/PRC117/152 6-pin cable adaptor for FORTIS control box. BLACK	EA	\$	228.00
33411	SILYNX COMMUNICATIONS, INC FC0128-T-00	MBITR/PRC117/152 6-PIN CABLE ADAPTOR FOR	MBITR/PRC117/152 6-pin cable adaptor for FORTIS control box. TAN	EA	\$	228.00
33411	SILYNX COMMUNICATIONS, INC FC0319-00	RADIO COMMS CABLE ADAPTOR TAIT TP9400 FO	Radio Comms Cable Adaptor Tait TP9400 for FORTIS control box. BLACK	EA	\$	209.00
33411	SILYNX COMMUNICATIONS, INC FC0360-T-00	AA BATTERY IN-LINE CABLE ADAPTOR WITH SI	AA battery in-line cable adaptor with Silynx MQDC for FORTIS control box. TAN	EA	\$	470.25
33411	SILYNX COMMUNICATIONS, INC FC0361-T-00	COMM PORT 1 SPLITTER FOR FORTIS CONTROL	Comm Port 1 Splitter for FORTIS control box. TAN	EA	\$	270.75
33411	SILYNX COMMUNICATIONS, INC FC0378-B-00	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor without EUD for FORTIS control box. BLACK	EA	\$	508.25
33411	SILYNX COMMUNICATIONS, INC FC0378-B-01	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor with EUD for FORTIS control box. BLACK	EA	\$	622.25
33411	SILYNX COMMUNICATIONS, INC FC0378-T-00	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor without EUD for FORTIS control box. TAN	EA	\$	508.25
33411	SILYNX COMMUNICATIONS, INC FC0378-T-01	L3/HARRIS PRC-163 19-PIN CABLE ADAPTOR W	L3/Harris PRC-163 19-pin cable adaptor with EUD for FORTIS control box. TAN	EA	\$	622.25
33411	3M CORPORATION FL1511	3M™ PELTOR™ FL1511 MULTI-BUTTON 6-PIN NA	3M(TM) PELTOR(TM) FL1511 Multi-Button 6-Pin NATO Wired PTT The FL1500 Series Push-to-Talk (PTT) offers a unique design that was developed to meet the growing need of radio users to monitor multi-channel radios. This version of the multi-button PTT wl	CS	\$	481.30

33411	3M CORPORATION	FL5018-02	RADIO HEADSET PUSH TO TALK ADAPTER	3M(TM) Peltor(TM) Push-To-Talk (PTT) FL5018-02, 1 ea/cs sku#70071557527. NATO wiring - used with ComTac, SwatTac Compatible with Motorola HT1000, MT2000, MTS2000, MTX838, MTX2000, MTX8000, MTX9000, JT1000, XTS1500, XTS2500, XTS3000, XTS3500, XTS5	CS	\$	295.75
33411	3M CORPORATION	FL5030-02	3M PELTOR FL5030-02 RADIO ADAPTER HT75	3M(TM) Peltor(TM) Push-To-Talk (PTT) Adapter FL5030-02, 1 ea/cs. Sku#70071557535 Peltor FL5030-02 push-to-talk (PTT) radio adapter cable for Motorola HT, MTX, and PRO type Number 07318640053038. NATO plug for ComTac, Swat-Tac series Compatible with	CS	\$	244.67
33411	3M CORPORATION	FL5063-02	PELTOR COMTAC 4 PTT ADAPTER	3M(TM) Peltor(TM) PTT Adaptor FL5063-02, Motorola Turbo, NATO Wiring, 1 ea/cs	CS	\$	285.37
33411	3M CORPORATION	FL5601-02	ADAPTER FOR MBITR, PRC148, PRC117, PRC	PELTOR 3M SKU#70071531118 3M(TM) Peltor(TM) Push-To-Talk (PTT) Adapter Military Radios FL5601-02, with 6-PIN MIL-C-55116 Connector, 1 ea/cs. Compatible with MBITR, PRC148, PRC117, PRC-150 radios.	EA	\$	296.12
33411	3M CORPORATION	FL5601-09	3M™ PELTOR™ PUSH-TO-TALK (PTT) ADAPTER F	3M(TM) PELTOR(TM) Push-To-Talk (PTT) Adapter FL5601-09, 1 EA/Case Push-To-Talk (PTT) adapter: AN/VIC-3 Adaptor 30" Straight Cable, AP-107 Bail-Out	CS	\$	601.97
33411	3M CORPORATION	FL5701	3M™ PELTOR™ DUAL PUSH-TO-TALK (PTT) ADAP	3M(TM) PELTOR(TM) DUAL Push-To-Talk (PTT) Adapter Military Radios FL5701, with 6-PIN MIL-C-55116 Connector, 1 EA/Case DUAL Push-to-talk (PTT) adapter for AN/PRC-148 MBITR, AN/PRC150/152 FALCON SERIES, AN/PRC-117, AN/PRC-119 - 6-PIN MIL-C-55116 Connet	CS	\$	670.40
33411	3M CORPORATION	FL6007-WS5 GB	3M™ PELTOR™ GROUND MECHANIC WS™ SOLUTION	3M(TM) PELTOR(TM) Ground Mechanic WS(TM) Solutions Aircraft Adaptor FL6007-WS5, Hi-Viz, 1 EA/CS Bluetooth(R) Adaptor for Ground Mechanic Headsets	CS	\$	462.36
33411	3M CORPORATION	FL6007-WS5-01 GB	3M™ PELTOR™ WS™ ADAPTER, FL6007-WS5-01 G	3M(TM) PELTOR(TM) WS(TM) Adapter, FL6007-WS5-01 GB, Neutrik Plug, 10 EA/CS 3M(TM) PELTOR(TM) WS(TM) Aircraft Adapter	EA	\$	4,751.97
33411	LARSEN	FM	ADAPTER, FME TO MPL (MINI UHF)	Round Base, 5 dB, 2400 - 2485 MHz, 5 Arm Mounting Bracket Included	EA	\$	7.47
33411	LARSEN	FMECJ174	COMMUNICATIONS EQUIPMENT	Round Base / Whip Only, 5 dB, 2400 - 2485 MHz	EA	\$	5.59
33411	LARSEN	FMECP58	COMMUNICATIONS EQUIPMENT	Adapter, FME to MPL (Mini UHF)	EA	\$	5.59
33411	LARSEN	FN	COMMUNICATIONS EQUIPMENT	Connector, FME Crimp Plug, RG-58/U	EA	\$	10.10
33411	LARSEN	FP	ADAPTER, FME TO PL259	Adapter, FME to PL259. Larsen is proud to present the HyPer Connect System . . . a breakthrough in radio connectors. HyPer Connect is a universal master connector system for all major radio brands. Features: Factory pre-installed for greater reli	EA	\$	6.54
33411	LARSEN	FSF	COMMUNICATIONS EQUIPMENT	Adapter, FME to N Male	EA	\$	6.49
33411	LARSEN	FSM	PULSE / LARSEN - FME/M - SMA/M ADAPTER	LARSEN FME male to SMA male adapter.	EA	\$	5.69
33411	LARSEN	FT	COMMUNICATIONS EQUIPMENT	Adapter, FME to SMA Female	EA	\$	6.49
33411	SILYNX COMMUNICATIONS, INC FTIS-2-B-01		FORTIS, CONTROL BOX, 2-COM PORTS, AAA BA	FORTIS, control box, 2-COM ports, AAA battery chamber. BLACK	EA	\$	955.00
33411	SILYNX COMMUNICATIONS, INC FTIS-2-T-01		FORTIS, CONTROL BOX, 2-COM PORTS, AAA BA	FORTIS, control box, 2-COM ports, AAA battery chamber. TAN	EA	\$	955.00

33411	SILYNX COMMUNICATIONS, INC FTIS-3-B-01		FORTIS, CONTROL BOX, 3-COM PORTS, POWERE	FORTIS, control box, 3-COM ports, powered via radio. BLACK	EA	\$	1,169.00
33411	SILYNX COMMUNICATIONS, INC FTIS-3-T-01		FORTIS, CONTROL BOX, 3-COM PORTS, POWERE	FORTIS, control box, 3-COM ports, powered via radio. TAN	EA	\$	1,169.00
33411	SILYNX COMMUNICATIONS, INC FTIS-HS-0010-B-01		FORTIS HEADSET, IN-EAR MICROPHONE, AUXIL	FORTIS headset, in-ear microphone, auxiliary jack, embedded ear retainers. For use only with FORTIS control box. Includes 3-pair foam tips (S,M,L), wind guard, cleaning kit. BLACK	EA	\$	494.00
33411	SILYNX COMMUNICATIONS, INC FTIS-HS-0010-T-01		FORTIS HEADSET, IN-EAR MICROPHONE, AUXIL	FORTIS headset, in-ear microphone, auxiliary jack, embedded ear retainers. For use only with FORTIS control box. Includes 3-pair foam tips (S,M,L), wind guard, cleaning kit. TAN	EA	\$	494.00
33411	GL BATTERIES	GLCH-6	TRI-CHEM CHARGER 6 BANK FOR MOTOROLA HT7	Tri chemistry charger brings your Motorola HT750 two-way radio batteries back to full capacity. 3-4 hour charge times, Charge up to 6 batteries at once. Indicator LED lights let you know where your battery is at during the charging process. (Red - In	EA	\$	479.00
33411	GL BATTERIES	GLCH-6-6	6 BANK CHARGER FOR TAIT TP9100 BATTERIES	6 Bank Charger for use with Tait TP9100 Lithium Batteries. Designed for reliable performance and high durability. This charger is supplied with an adaptor and 6 replaceable adaptor cups. FEATURES: UL, CE and RoHS certified to ensure proper adapter sa	EA	\$	479.00
33411	GL BATTERIES	GLCH-68923	6 BANK CHARGER FOR MOTOROLA XTS3000/3500	6 Bank Charger for use with Motorola XTS3000,XTS3500,XTS5000 Nickel based chemsityr batteries. Designed for reliable performance and high durability. This charger is supplied with an adaptor and 6 replaceable adaptor cups. FEATURES: UL, CE andRoHS ce	EA	\$	479.00
33411	GL BATTERIES	GLCH-68923,GLCUP-QL320	6 BANK CHARGER FOR ZEBRA QL220/ QL320 PR	6 Bank Charger for Zebra QL220,QL220, QL320, QL320+ Printer models. Premium quality Adaptor Cup for Zebra battery and equivalents. It is designed for perfect performance and high durability. Uses high impact Polycarbonate plastic housings for ruggedn	EA	\$	479.00
33411	GL BATTERIES	GLCH-68923-GLCUP-9858	6 BANK CHARGER FOR MOTOROLA XTS 1500/ XT	6 Bank Charger for use with Motorola XTS1500,XTS2500,MT1500,PR1500 Nickel based chemsityr batteries. Designed for reliable performance and high durability. This charger is supplied with an adaptor and 6 replaceable adaptor cups. FEATURES: UL, CE and	EA	\$	479.00
33411	GL BATTERIES	GLCH-68923-GLCUP-9858L	6 BANK CHARGER FOR MOTOROLA XTS 1500/ XT	6 Bank Charger for use with Motorola XTS1500,XTS2500,MT1500,PR1500 Lithium based chemsityr batteries. Designed for reliable performance and high durability. This charger is supplied with an adaptor and 6 replaceable adaptor cups. FEATURES: UL, CE and	EA	\$	479.00
33411	GL BATTERIES	GLCH-68923LI	6 BANK CHARGER FOR MOTOROLA XTS 3000/ XT	6 Bank Charger for use with Motorola XTS3000,XTS3500,XTS5000 Lithium Batteries. Designed for reliable performance and high durability. This charger is supplied with an adaptor and 6 replaceable adaptor cups. FEATURES: UL, CE and RoHS certifiedto ensu	EA	\$	479.00
33411	GL BATTERIES	GLE1210-LI32	3200 MAH BATTERY FOR HARRIS P5100, P5200	3200 Mah Battery for 5100, 700, 700P, 700PGE, 700PI, 7100P, 710P, Jaguar 10P, Jaguar 5100, Jaguar 700, Jaguar 700P, Jaguar 700PI, Jaguar 7100P, Jaguar 710P, Jaguar J700P, Jaguar J700Pi, Jaguar P1150, Jaguar P5100, Jaguar P5130, Jaguar P5150, Jaguar P	EA	\$	78.00

33411	GL BATTERIES	GLHRP5400LIP41	4100 BATTERY FOR HARRIS P5300/ P5400/ P5	4100 High Capacity Battery for Harris/L3 P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550,P5570, P7300, P7350, P7370, XG-25P, XG-75 Handheld Radios. Includes Belt Clip and comes with a 1 year warranty	EA	\$	92.49
33411	GL BATTERIES	GLK-33-LI20	2000 MAH LITHIUM ION BATTERY FOR KENWOOD	2000 MAH Lithium ION Premium quality Kenwood KNB-33L two-way radio replacement battery is compatible with the original equipment. It is designed for perfect performance and high durability. Japanese cells (Pana./Sanyo)Uses high impact Polycarbonate p	EA	\$	68.00
33411	GL BATTERIES	GLM-4077S-LI34	HIGH CAPACITY BATTERY FOR MOTOROLA	High Capacity Battery for Motorola XPR6100 / XPR6300 / XPR6350 / XPR6380 / XPR6500 / XPR6550 / XPR6580 / MOTOTRBO Series. Battery is impress compatible and is constucted using the highest quality components including Japenesse Panasonic Cells. Includ	EA	\$	75.97
33411	GL BATTERIES	GLM-4475S-LI26	3400 MAH LITHIUM ION BATTERY FOR MOTOROL	3400 Mah Lithium Ion Battery for Motorola HT750, Motorola HT1250 Series Portable Radio.	EA	\$	87.63
33411	GL BATTERIES	GLM-4497-LI25	LITHIUM BATTERY FOR MOTOROLA CP200 RADIO	Premium quality Motorola comparable NNTN4497 two-way radio replacement battery is compatible with the original equipment. It is designed for perfect performance and high durability. Japanese cells (Pana./Sanyo) Uses high impact Polycarbonate plastic	EA	\$	59.97
33411	GL BATTERIES	GLM-4808S-LI34	HIGH CAPACITY BATTERY FOR MOTOROLA R7	High Capacity Battery for Motorola R7 Portable Radios. Battery is impress compaible. Battery includes belt clip and is made of the highest quality components including Panasonic Japenesse Cells.	EA	\$	69.35
33411	GL BATTERIES	GLM-6129S-LI34	3400 MAH IMPRESS COMATIBLE BATTERY	3400 Mah Impress comatible battery for Motorola APX4000,XPR3300 / XPR3500 / XPR7350 / XPR7380 / XPR7550 / XPR7580 Portable Radios. Battery includes belt clip and is made of the highest quality components including Panasonic Japenesse Cells.	EA	\$	75.97
33411	GL BATTERIES	GLM-70348-LI51	5100 MAH LITHIUM ION BATTERY	5100 Mah Lithium Ion Battery for Motorool APX6000, APX7000, APX8000 Series Portable radios.	EA	\$	113.05
33411	GL BATTERIES	GLM-7038S-LI	3400 MAH SMART BATTERY FOR MOTOROLA	3400 Mah Smart Battery for Motorola APX6000, APX6000XE, APX7000, APX8000, APX8000XE. Battery is constucted with the highest quality panasonic cells. This battery is impress compatible which will extend the life of your battery.	EA	\$	103.55
33411	GL BATTERIES	GLM-9013-LI24	2400 LITHIUM ION BATTERY FOR MOTOROLA HT	2400 Lithium Ion Premium quality battery for the Motorola HT750. The battery is designed for perfect performance and high durability.Japanese cells (Pana./Sanyo) Uses high impact Polycarbonate plastic housings for ruggedness Includes resistance welde	EA	\$	68.97
33411	GL BATTERIES	GLM-9818-LI25	2500 MAH LITHIUM ION BATTERY FOR MOTOROL	2500 mah Lithium Ion Motorola XTS2500 two-way radio replacement battery is compatible with the original equipment. It is designed for perfect performance and high durability.Japanese cells (Pana./Sanyo) Uses high impact Polycarbonate plastic housings	EA	\$	68.00
33411	GL BATTERIES	GLM8923H40	3600 MAH BATTERY FOR MOTOROLA XTS3000/ X	3600 Mah High Capacity Battery For Motorola XTS3000, XTS3500, XTS5000 Handheld Radio. Dimensions 6.14 x 2.32 x 0.96 in (155.9 x 59 x 24.5 mm) Weight 13.22 oz (374.7 g	EA	\$	74.49

33411	GL BATTERIES	GLTA-TP9100-LI25	TAIT TPA-BA-203 REPLACEMENT BATTERY	Premium quality Tait TPA-BA-203 two-way radio replacement battery is compatible with the original equipment. It is designed for perfect performance and high durability. Japanese cells (Pana./Sanyo) Uses high impact Polycarbonate plastic housings for	EA	\$	68.97
33411	GL BATTERIES	GLZEBQLN420LI50	5000 MAH BATTERY FOR ZEBRA QL420 PRINTER	5000 MAH high capacity battery for Zebra QL420 Printer	EA	\$	68.00
33411	LARSEN	GPS0002	ANT, GPS 3V, MCX, BLACK	LARSEN Low profile 26 dB 3 or 5V black GPS antenna. Magnet mount. Includes 17' of RG-174 coaxial cable and MCX connector.	EA	\$	39.67
33411	LARSEN	GPS0006	GPS, ANTENNA SMB	LARSEN GPS 1575.4 MHz 5V black magnetic mount antenna with 17' RG174 cable and an installed SMB connector	EA	\$	39.10
33411	LARSEN	GPS0010	COMMUNICATIONS EQUIPMENT	Black Active GPS, 1575.4 MHz, 17' RG-174, SMB	EA	\$	39.67
33411	LARSEN	GPS0012	ACTIVE GPS ANTENNA WITH MAGNETIC MOUNT	Black Active GPS, 1575.4 MHz, 17' RG-174, BNC SKU GPS0012 Mfg Part Number GPS0012 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 1575 Mhz GPS Bands Single, Multi SISO or MIMO SISO Frequency 1 1575	EA	\$	39.67
33411	LARSEN	GPS3VDM	BLACK GPS ANTENNA	GPS 3 Volt Direct Mount, 5 dBic, 1575.42 MHz, 16.4' RG-174, No Conn	EA	\$	44.63
33411	LARSEN	GPSCP00	BLACK TRIBAND PIFA EXTERIOR MOUNT	Black Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, TNC/SMA	EA	\$	101.40
33411	LARSEN	GPSCP01	GPS TRIBAND ANTENNA	White Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, No Conn	EA	\$	110.70
33411	LARSEN	GPSCP02	ACTIVE GPS ANTENNA PLUS 2G 3G CELLULAR	Black Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, No Conn/SMA	EA	\$	110.70
33411	LARSEN	GPSCP03	WHITE GPS ANTENNA	White Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, No Conn/SMA	EA	\$	101.40
33411	LARSEN	GPSCP04	GPS ANTENNA	Black Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, No Conn/SMA	CS	\$	110.70
33411	LARSEN	GPSCP08	ACTIVE GPS PLUS 2G, AND 3G	Black Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, SMA/SMA	EA	\$	110.70
33411	LARSEN	GPSCP09	ACTIVE GPS ANTENNA PLUS 2G 3G CELLULAR	White Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, MPL/SMA	EA	\$	110.70
33411	LARSEN	GPSCP10	ACTIVE GPS ANTENNA PLUS 2G 3G CELLULAR	Black Triband PIFA Exterior Mount, 824-960/1710-1990/1575.42 MHz, MPL/SMA.	EA	\$	110.70
33411	LARSEN	GPSCPM00	BLACK TRIBAND MAGNETIC MOUNT, 824-960/17	Black Triband Magnetic Mount, 824-960/1710-1990/1575.42 MHz, TNC/SMA	EA	\$	131.16
33411	LARSEN	GPSCPM02	ACTIVE GPS CELLULAR ANTENNA BLACK	Black Triband Magnetic Mount, 824-960/1710-1990/1575.42 MHz, No Conn/SMA. (photo comes in black color).	CS	\$	123.96
33411	LARSEN	GPSCW1502	ACTIVE GPS & VHF ANTENNA BLACK	GPSCW, 136-174/1575.5 MHz, 16' RG-174, SMB (GPS)/SMA (VHF)	EA	\$	99.17
33411	LARSEN	GPSCW3E8001	GPS & 800MHZ BLACK ANTENNA	GPSCW Enclosed, 3 dB, 806-896/1575.4 MHz, 16' 4" RG-174, SMA (GPS)/SMA (800)	EA	\$	104.96
33411	LARSEN	GPSCW3E8003	ACTIVE GPS ANTENNA PLUS 806-896 MHZ	GPSCW Enclosed, 3 dB, 806-896/1575.4 MHz, 16' 4" RG-174, FME (GPS)/SMA (800)	EA	\$	104.96
33411	LARSEN	GPSCW4501	ACTIVE GPS PLUS UHF 406-512 MHZ	GPS Combi Whip, 406-512/1575.4 MHz, 16' RG-174, SMA (GPS)/SMA (UHF)	EA	\$	99.17
33411	LARSEN	GPSCW4502	ANTENNA GPS AND UHF	GPS Combi Whip, 406-512/1575.4 MHz, 16' RG-174, SMB (GPS)/SMA (UHF)	EA	\$	99.17

33411	LARSEN	GPSCWCP00	LARSEN GPS/CELL/PCS ANTENNA - BOLT - TNC	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-174/16' RG-174, TNC/SMA	EA	\$	104.96
33411	LARSEN	GPSCWCP01	ACTIVE GPS ANTENNA PLUS CELLULAR	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-74/16' RG-174, No Conn/SMA	EA	\$	104.96
33411	LARSEN	GPSCWCP02	GPS, CELLULAR ANTENNA BLACK	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-74/16' RG-174, No Conn/SMB	EA	\$	104.96
33411	LARSEN	GPSCWCP03	ACTIVE GPS PLUS 2G, 3G CELLULAR	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-74/16' RG-174, SMA/MPL	EA	\$	104.96
33411	LARSEN	GPSCWCP04	GPS MULTIBAND ANTENNA	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-74/16' RG-174, SMA/SMA	EA	\$	104.96
33411	LARSEN	GPSCWCP05	GPS MULTI-BAND ANTENNA BLACK	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-74/16' RG-174, TNC/TNC	EA	\$	104.96
33411	LARSEN	GPSCWCP11	ACTIVE GPS & MULTI-BAND ANTENNA (BLACK)	Roof Mnt Tri Band, 824-960/1710-1990/1575.42 MHz, 16' RG-74/16' RG-174, SMB/SMA	EA	\$	104.96
33411	LARSEN	GPSDM02	ACTIVE GPS ANTENNA DIRECT MOUNT	Black GPS Direct Mount, 1575.4 MHz, 17' RG-174, MCX	EA	\$	57.91
33411	LARSEN	GPSDM04	GPS ANTENNA	Black GPS Direct Mount, 1575.4 MHz, 17' RG-174, MMCX. Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	62.04
33411	LARSEN	GPSDM06	BLACK GPS ANTENNA DIRECT MOUNT	Black GPS Direct Mount, 1575.4 MHz, 17' RG-174, SMB	EA	\$	56.40
33411	LARSEN	GPSDM08	GPS MULTI BAND ANTENNA BLACK	Black GPS Direct Mount, 1575.4 MHz, 17' RG-174, MMCX. LARSEN Low profile 28 dB black 5V GPS antenna. Includes bolt mount for 3/4" hole and 17' RG174 cable with SMA connector. Frequency-1575.42 MHz, Amplifier Gain 28 dB, Mobile Antenna Mounting Type P	EA	\$	53.85
33411	LARSEN	GPSDM12	GPS ANTENNA BLACK	Black GPS Direct Mount, 1575.4 MHz, 17' RG-174, No Conn	EA	\$	53.85
33411	LARSEN	GPSDM700/5800GGT	GPS MULTI-BAND PUBLIC SAFETY ANTENNA	The Pulse/Larsen GPSDM700/5800GGT is a body mount antenna operates from 698 thru 5875 MHz, including LTE. The antenna is ideal for voice, mobile data, Public Safety, WLAN and asset tracking applications. The antenna mount can accommodate up to a 5/8"	EA	\$	114.20
33411	LARSEN	GPSNMO02	PULSE / LARSEN - ANTENNA, GPS, 5V, BLACK	LARSEN Low profile 26 dB black 5V GPS antenna. Requires ground plane. Order Motorola style mount separately. Black GPS NMO, 1575.4 MHz Product Specifications: Frequency-1575.42 MHz Amplifier Gain 26 dB Mobile Antenna Mounting Type NMO RF C	EA	\$	64.78
33411	LARSEN	GPSNMO07	GPSNMO07 PULSE-LARSEN WHITE LOW PROFILE	White GPS NMO, 1575.4 MHz. The Pulse-Larsen GPSNMO07 is a White Low Profile Omnidirectional GPS Antenna operating at 1575.4 MHz with NMO Mount Base. 17' RG-58/U cable and SMB Connector included. This antenna features a hemispherical RF pattern, has r	EA	\$	99.38
33411	LARSEN	GPSNMO08	BLACK GPS NMO, 1575.4 MHZ. 17' RG-58U/D,	Black GPS NMO, 1575.4 MHz. 17' RG-58U/D, SMB	EA	\$	95.00
33411	LARSEN	GPSNMO09	COMMUNICATIONS EQUIPMENT	White GPS NMO, 17' RG-58U/D, SMA	EA	\$	100.09
33411	LARSEN	GPSNMO10	BLACK GPS NMO, 17' RG-58U/D, SMA	Black GPS NMO, 17' RG-58U/D, SMA. The Pulse-Larsen GPSNMO10 is a Black Low Profile Omnidirectional GPS Antenna operating at 1575.4 MHz with NMO Mount Base. 17' RG-58/U cable and SMA Male Connector included.	EA	\$	102.28

33411	LARSEN	GROMMETS	100 PKG GROMMETS	Plastic Grommets, 3/4 Hole Mount, 100/Pkg	EA	\$	19.45
33411	LARSEN	HP34	PULSE / LARSEN - 3/4" PLASTIC HOLE PLUGS	Plastic Grommets, 3/4 Hole Mount, 100/Pkg	EA	\$	3.54
33411	LARSEN	HP38	HOLE PLUGS FOR 3/8 , 6 PER PACKAGE	Hole Plugs for 3/8 , 6 Per Package	EA	\$	3.52
33411	SILYNX COMMUNICATIONS, INC	HS0003-59	EAGLE 20M SUBMERSIBLE MARITIME HEADSET.	EAGLE 20m Submersible Maritime Headset. Left side over-the-ear speaker with ear cup, and acoustic tube assembly, latex ear tip. Dynamic boom mic, for use with Clarus control boxes. BLACK	EA	\$	484.50
33411	SILYNX COMMUNICATIONS, INC	HS0013-BLK-00	CLARUS PORTEGO PRO DUAL IN-EAR HEADSET,	Clarus Portego PRO dual in-ear headset, in-ear microphone, with Micro Boom mic socket. Includes foam tips, all sizes. BLACK	EA	\$	370.50
33411	SILYNX COMMUNICATIONS, INC	HS0013-BLK-08	CLARUS PORTEGO STD DUAL IN-EAR HEADSET,	Clarus Portego STD dual in-ear headset, in-ear microphone, without Micro Boom mic socket. Includes foam tips, all sizes. BLACK	EA	\$	351.50
33411	SILYNX COMMUNICATIONS, INC	HS0013-BLK-SS-00	SINGLE-SIDED CLARUS PORTEGO SNG IN-EAR H	Single-sided Clarus Portego SNG in-ear headset, in-ear microphone. Includes foam tips, all sizes. BLACK	EA	\$	251.75
33411	SILYNX COMMUNICATIONS, INC	HS0013-DT-00	CLARUS PORTEGO PRO DUAL IN-EAR HEADSET,	Clarus Portego PRO dual in-ear headset, in-ear microphone, with Micro Boom mic socket. Includes foam tips, all sizes. TAN	EA	\$	370.50
33411	SILYNX COMMUNICATIONS, INC	HS0013-DT-08	CLARUS PORTEGO STD DUAL IN-EAR HEADSET,	Clarus Portego STD dual in-ear headset, in-ear microphone, without Micro Boom mic socket. Includes foam tips, all sizes. TAN	EA	\$	351.50
33411	SILYNX COMMUNICATIONS, INC	HS0013-DT-SS-00	SINGLE-SIDED CLARUS PORTEGO SNG IN-EAR H	Single-sided Clarus Portego SNG in-ear headset, in-ear microphone. Includes foam tips, all sizes. TAN	EA	\$	251.75
33411	LARSEN	HS1	COMMUNICATIONS EQUIPMENT	Hole Plugs for 3/4 , 5 Per Package	EA	\$	83.39
33411	LARSEN	HSBLADE	COMMUNICATIONS EQUIPMENT	Hole Saw Blades, 2 Per Package	EA	\$	37.07
33411	SILYNX COMMUNICATIONS, INC	HUS000310	DUST CAP, RUBBER. TAN	Dust Cap, rubber. TAN	EA	\$	19.00
33411	SILYNX COMMUNICATIONS, INC	HUS000310-01	DUST CAP, RUBBER. BLACK	Dust Cap, rubber. BLACK	EA	\$	19.00
33411	SILYNX COMMUNICATIONS, INC	HUS009901	EAGLE HEADBAND	Eagle Headband	EA	\$	57.00
33411	3M CORPORATION	HY79	EAR MUFF HYGEINE KIT	3M(TM) Peltor(TM) Earmuff Hygiene Kit HY79, Black Earseals, 1 kt/cs	EA	\$	20.28
33411	SILYNX COMMUNICATIONS, INC	IN0007-B-00	CLARUS CONTROL BOX, SINGLE LEAD. BLACK	CLARUS control box, single lead. BLACK	EA	\$	527.25
33411	SILYNX COMMUNICATIONS, INC	IN0007-D-00	CLARUS CONTROL BOX, SINGLE LEAD. TAN	CLARUS control box, single lead. TAN	EA	\$	527.25
33411	LARSEN	KD13FREQ	1/4 WAVE (SPECIFY FREQUENCY 406 - 960 MH	1/4 Wave (Specify Frequency 406 - 960 MHz) SKU KD13FREQ Mfg Part Number KD13FREQ Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO Frequency 1 406-960 MHz OK for Outdoor Use No Veh	EA	\$	24.79
33411	LARSEN	KD14FREQ	1/4 WAVE (SPECIFY FREQUENCY 406 - 960 MH	1/4 Wave (Specify Frequency 406 - 960 MHz) SKU KD14FREQ Mfg Part Number KD14FREQ Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO Frequency 1 406-960 MHz OK for Outdoor Use No Veh	EA	\$	24.79

33411	LARSEN	KD14FREQHW1	1/2 WAVE (SPECIFY FREQUENCY 315 - 409 MH	1/2 Wave (Specify Frequency 315 - 409 MHz), Black Cap Specs: SKU KD14FREQHW1 Mfg Part Number KD14FREQHW1 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 300-400 MHz Bands Single, Multi SISO or MIMO SI	EA	\$	51.86
33411	LARSEN	KD14FREQHW2	COMMUNICATIONS EQUIPMENT	1/2 Wave (Specify Frequency 416 - 504 MHz), Black Cap Specs: SKU KD14FREQHW2 Mfg Part Number KD14FREQHW2 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO S	EA	\$	47.51
33411	LARSEN	KD19FREQ	COMMUNICATIONS EQUIPMENT	1/4 Wave (Specify Frequency 406 - 960 MHz)	EA	\$	25.45
33411	LARSEN	KD22FREQHQ1	COMMUNICATIONS EQUIPMENT	KD HQ (Specify Frequency 136 - 141 MHz), Blue Cap specs: SKU KD22FREQHQ1 Mfg Part Number KD22FREQHQ1 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 30-140 MHz Bands Single, Multi SISO or MIMO SI	EA	\$	28.00
33411	LARSEN	KD22FREQHQ2	COMMUNICATIONS EQUIPMENT	KD HQ (Specify Frequency 142 - 149MHz), Green Cap Specs: SKU KD22FREQHQ2 Mfg Part Number KD22FREQHQ2 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 30-140 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	28.00
33411	LARSEN	KD22FREQHQ3	LARSEN YELLOW CAP KULDUCKIE WHIP ANTENNA	KD HQ (Specify Frequency 150 - 161 MHz), Yellow Cap SKU KD22FREQHQ3 Mfg Part Number KD22FREQHQ3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO Freque	EA	\$	28.00
33411	LARSEN	KD22FREQHQ4	KULDUCKIE WHIP ANTENNA	KD HQ (Specify Frequency 162 - 174 MHz), Red Cap SKU KD22FREQHQ4 Mfg Part Number KD22FREQHQ4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO Frequency	EA	\$	28.00
33411	LARSEN	KD22VHF1	HELICAL ANTENNA	Unity, Helical (Specify Frequency 136 - 141 MHz), Blue Cap	EA	\$	23.75
33411	LARSEN	KD22VHF2	KD22VHF2 :KULDUCKIE WHIP ANTENNA	Unity, Helical (Specify Frequency 142 - 149 MHz), Green Cap Specs: SKU KD22VHF2 Mfg Part Number KD22VHF2 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO	EA	\$	23.13
33411	LARSEN	KD22VHF4	KULDUCKIE WHIP ANTENNA	Unity, Helical (Specify Frequency 162 - 174 MHz), Red Cap Specs: SKU KD22VHF4 Mfg Part Number KD22VHF4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO S	EA	\$	23.13
33411	LARSEN	KD2FREQHQ1	COMMUNICATIONS EQUIPMENT	Unity, Helical (Specify Frequency 150 - 161 MHz), Yellow Cap	EA	\$	26.60
33411	LARSEN	KD2FREQHQ2	KULDUCKIE WHIP ANTENNA WITH MX-TYPE CONN	Helical 1/4 WAVE, (Specify Frequency 142-149 MHz), Green Cap SKU KD2FREQHQ2 Mfg Part Number KD2FREQHQ2 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISOF	EA	\$	27.32

33411	LARSEN	KD2FREQHQ3	KULDUCKIE WHIP ANTENNA WITH MX-TYPE CONN	Helical 1/4 WAVE, (Specify Frequency 150-161 MHz), Yellow Cap SKU KD2FREQHQ3 Mfg Part Number KD2FREQHQ3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	26.60
33411	LARSEN	KD2FREQHQ4	KULDUCKIE WHIP ANTENNA WITH MX-TYPE CON	Helical 1/4 WAVE, (Specify Frequency 162-174 MHz), Red Cap Specs: SKU KD2FREQHQ4 Mfg Part Number KD2FREQHQ4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or M	EA	\$	26.60
33411	LARSEN	KD3FREQHQ1	KULDUCKIE WHIP ANTENNA WITH TNC-MALE CON	Helical 1/4 Wave, (Specify Frequency 136 - 141 MHz), Blue Cap SKU KD3FREQHQ1 Mfg Part Number KD3FREQHQ1 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 30-140 MHz Bands Single, Multi SISO or MIMO SISO F	EA	\$	32.93
33411	LARSEN	KD3FREQHQ2	KD3FREQHQ2 : KULDUCKIE WHIP ANTENNA WITH	Helical 1/4 Wave, (Specify Frequency 142 - 149 MHz), Green Cap Specs: SKU KD3FREQHQ2 Mfg Part Number KD3FREQHQ2 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or	EA	\$	35.57
33411	LARSEN	KD3FREQHQ3	KULDUCKIE WHIP ANTENNA WITH TNC-MALE CO	Helical 1/4 Wave, (Specify Frequency 150 - 161 MHz), Yellow Cap Specs: SKU KD3FREQHQ3 Mfg Part Number KD3FREQHQ3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO o	EA	\$	32.93
33411	LARSEN	KD3FREQHQ4	KD3FREQHQ4 : KULDUCKIE WHIP ANTENNA WITH	Helical 1/4 Wave, (Specify Frequency 162 - 174 MHz), Red Cap Specs: SKU KD3FREQHQ4 Mfg Part Number KD3FREQHQ4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or M	EA	\$	32.93
33411	LARSEN	KD3FREQHQ5	KULDUCKIE WHIP ANTENNA WITH TNC-MALE	Helical 1/4 Wave, (Specify Frequency 220-225 MHz), Orange Cap Specs: SKU KD3FREQHQ5 Mfg Part Number KD3FREQHQ5 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO orM	EA	\$	32.93
33411	LARSEN	KD4150T	KULDUCKIE WHIP ANTENNA WITH BNC-MALE CON	Helical VHF, 130 - 180 MHz SKU KD4150T Mfg Part Number KD4150T Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 30-300 MHz (VHF) Bands Single, Multi SISO or MIMO SISO Frequency 1 130-180 MHz Connector B	EA	\$	22.06
33411	LARSEN	KD4FREQHQ3	KD4FREQHQ3 150-161 MHZ, UNITY GAIN, 1/4	Helical 1/4 Wave, (Specify Frequency 150 - 161 MHz), Yellow Cap. KuLDUCKIE Whip Antenna with BNC-Male connector SKU KD4FREQHQ3 Mfg Part Number KD4FREQHQ3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Categor	EA	\$	30.06

33411	LARSEN	KD4FREQHQ4	KULDUCKIE WHIP ANTENNA WITH BNC-MALE CON	Helical 1/4 Wave, (Specify Frequency 162 - 174 MHz), Red Cap Specs: SKU KD4FREQHQ4 Mfg Part Number KD4FREQHQ4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or	EA	\$	30.11
33411	LARSEN	KD4UHF	COMMUNICATIONS EQUIPMENT	UHF Helical (Specify Frequency 406 - 512 MHz)	EA	\$	20.37
33411	LARSEN	KD4VHF1	LARSEN VHF BLUE CAP ANTENNA	VHF Helical, (Specify Frequency 136 - 141 MHz), Blue Cap	EA	\$	22.06
33411	LARSEN	KD4VHF2	LARSEN VHF GREEN CAP ANTENNA	VHF Helical, (Specify Frequency 142 - 149 MHz), Green Cap	EA	\$	22.06
33411	LARSEN	KD4VHF3	LARSEN VHF YELLOW CAP ANTENNA	VHF Helical, (Specify Frequency 150 - 161 MHz), Yellow Cap	EA	\$	22.06
33411	LARSEN	KD4VHF4	LARSEN VHF ANTENNA	VHF Helical, (Specify Frequency 162 - 174 MHz), Red Cap Specs: SKU KD4VHF4 Mfg Part Number KD4VHF4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SIS	EA	\$	22.06
33411	LARSEN	KD7FREQHQ1	COMMUNICATIONS EQUIPMENT	Helical 1/4 Wave, (Specify Frequency 136 - 141 MHz), Blue Cap SKU KD7FREQHQ1 Mfg Part Number KD7FREQHQ1 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 30-140 MHz Bands Single, Multi SISO or MIMO SISOF	EA	\$	27.58
33411	LARSEN	KD7FREQHQ2	LARSEN GREEN CAP 1/4 WAVE ANTENNA	Helical 1/4 Wave, (Specify Frequency 142 - 149 MHz), Green Cap	EA	\$	27.58
33411	LARSEN	KD7FREQHQ3	YELLOW CAP ANTENNA LARSEN	Helical 1/4 Wave, (Specify Frequency 150 - 161 MHz), Yellow Cap	EA	\$	27.58
33411	LARSEN	KD7FREQHQ4	KULDUCKIE WHIP ANTENNA WITH KR-TYPE CONN	Helical 1/4 Wave, (Specify Frequency 162 - 174 MHz), Red Cap	EA	\$	27.58
33411	LARSEN	KD9FREQHQ1	1/4 WAVE ANTENNA	Helical 1/4 Wave (Specify Frequency 136 - 141 MHz)	EA	\$	45.94
33411	LARSEN	KD9FREQHQ2	COMMUNICATIONS EQUIPMENT	Helical 1/4 Wave, (Specify Frequency 142 - 149 MHz), Blue Cap	EA	\$	45.94
33411	LARSEN	KD9FREQHQ3	KULDUCKIE WHIP ANTENNA WITH PL-259 CONNE	Helical 1/4 Wave, (Specify Frequency 150 - 161 MHz), Green Cap	EA	\$	47.17
33411	LARSEN	KD9FREQHQ4	COMMUNICATIONS EQUIPMENT	Helical 1/4 Wave, (Specify Frequency 162 - 174 MHz), Yellow Cap Specs: SKU KD9FREQHQ4 Mfg Part Number KD9FREQHQ4 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO	EA	\$	45.94
33411	LARSEN	KG144O/S	ON GLASS ANTENNA	On Glass, Outside Only, 2 dBi, 144 - 160 MHz Specs: SKU KG144OS Mfg Part Number KG144O/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO Frequen	EA	\$	70.34
33411	LARSEN	KG144UD	KG144UD : GLASS MOUNTED WHIP ANTENNA	On Glass, 2 dBi, 144 - 160 MHz, 14 UD, PL259 Specs: SKU KG144UD Mfg Part Number KG144UD Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO Frequenc	EA	\$	109.47
33411	LARSEN	KG144UDFME	LARSEN ON GLASS ANTENNA	On Glass, 2 dBi, 144 - 160 MHz, 14 UD, FME	EA	\$	113.39
33411	LARSEN	KG160O/S	COMMUNICATIONS EQUIPMENT	On Glass, Outside Only, 2 dBi, 160 - 174 MHz	EA	\$	72.07
33411	LARSEN	KG160UD	COMMUNICATIONS EQUIPMENT	On Glass, 2 dBi, 160 - 174 MHz, 14 UD, No Conn	EA	\$	104.73

33411	LARSEN	KG2/700/S	COMMUNICATIONS EQUIPMENT	On Glass Inside Only, 144 - 148 / 442 - 448 MHz, 14 CX, FME Crimp	EA	\$	86.55
33411	LARSEN	KG3E786UD	COMMUNICATIONS EQUIPMENT	On Glass, 2/4.2 dBi, 144 - 148 / 442 - 448 MHz, 14 CX, FME TO PL259	EA	\$	55.49
33411	LARSEN	KG3E825O/S	ON GLASS ANTENNA 3 DB 806-896MHZ	On Glass, Outside Only, Enclosed, 3 dB, 806 - 896 MHz	EA	\$	37.47
33411	LARSEN	KG3E825UD	GLASS MOUNTED WHIP ANTENNA 806-896MHZ	On Glass, Enclosed, 3 dB, 806 - 896 MHz, 14 UD Specs: SKU KG3E825UD Mfg Part Number KG3E825UD Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO Fr	EA	\$	55.24
33411	LARSEN	KG3E825UDFME	GLASS MOUNTED WHIP ANTENNA 806-896MHZ	On Glass, Enclosed, 3 dB, 806 - 896 MHz, 14 UD, FME Specs: SKU KG3E825UDFME Mfg Part Number KG3E825UDFME Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800- 1000 MHz Bands Single, Multi SISO or MIM	EA	\$	61.06
33411	LARSEN	KG3E825UDMPL	COMMUNICATIONS EQUIPMENT	On Glass, Enclosed, 3 dB, 806 - 896 MHz, 14 UD, MPL Specs: SKU KG3E825UDMPL Mfg Part Number KG3E825UDMPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800- 1000 MHz Bands Single, Multi SISO or M	EA	\$	56.01
33411	LARSEN	KG3E825UDTNC	COMMUNICATIONS EQUIPMENT	On Glass, Enclosed, 3 dB, 806 - 896 MHz, 14 UD, TNC Specs: SKU KG3E825UDTNC Mfg Part Number KG3E825UDTNC Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800- 1000 MHz Bands Single, Multi SISO or	EA	\$	61.06
33411	LARSEN	KG3E900O/S	GLASS MOUNTED WHIP ANTENNA	On Glass, Outside Only, Enclosed, 3 dB, 890 - 960 MHz Specs: SKU KG3E900OS Mfg Part Number KG3E900O/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO S	EA	\$	37.35
33411	LARSEN	KG3E900UD	LARSEN GLASS MOUNTED ANTENNA	On Glass, Enclosed, 3 dB, 890 - 960 MHz, 14 UD, MPL	EA	\$	59.36
33411	LARSEN	KG3E900UDFME	GLASS MOUNTED WHIP ANTENNA	On Glass, Enclosed, 3 dB, 890 - 960 MHz, 14 UD, FME Specs: SKU KG3E900UDFME Mfg Part Number KG3E900UDFME Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800- 1000 MHz Bands Single, Multi SISO or M	EA	\$	59.61
33411	LARSEN	KG3E900UDMPL	COMMUNICATIONS EQUIPMENT	On Glass, Enclosed, 3 dB, 890 - 960 MHz, 14 UD, MPL Specs: Specific Frequency 890-960 MHz Gain dBi 3 dBi Mobile Antenna Mounting Type Glass Whip Material Stainless Steel Whip Length 13 in RF Connectors Mini UHF Male Cable Length 14 ft C	EA	\$	57.26
33411	LARSEN	KG406O/S	ON GLASS, OUTSIDE ONLY, 2 DBI, 406 - 420	On Glass, Outside Only, 2 dBi, 406 - 420 MHz	EA	\$	57.71
33411	LARSEN	KG406UD	COMMUNICATIONS EQUIPMENT	On Glass, 2 dBi, 406 - 420 MHz, 14 UD, No Conn Specs: Manufacturer Larsen Product Description 406-420 MHz On-Glass antenna. 2.4 dB gain, half- wave collinear. No ground plane required. Includes cable Frequency (MHz) 406-420 MHz (Tunable)Pr	EA	\$	81.10

33411	LARSEN	KG406UDPL	GLASS MOUNTED WHIP ANTENNA	On Glass, 2 dBi, 406 - 420 MHz, 14' UD, PL259T Specs: SKU KG406UDPL Mfg Part Number KG406UDPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO Freq	EA	\$	89.35
33411	LARSEN	KG420O/S	GLASS MOUNTED WHIP ANTENNA 420-440 MHz	Larsen On Glass, Outside Only, 2 dBi, 420 - 440 MHz Specs: SKU KG420OOS Mfg Part Number KG420O/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO Fr	EA	\$	57.71
33411	LARSEN	KG420UDPL	ON GLASS ANTENNA	On Glass, 2 dBi, 406 - 420 MHz, 14' UD, PL259T	EA	\$	89.35
33411	LARSEN	KG450O/S	LARSEN ON GLASS, OUTSIDE ONLY, 2 DBI, 45	Larsen on Glass, Outside Only, 2 dBi, 450 - 470 MHz Specs: SKU KG450OOS Mfg Part Number KG450O/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO Fr	EA	\$	52.46
33411	LARSEN	KG450UD	LARSEN ON GLASS ANTENNA 450-470 MHz	On Glass, 2 dBi, 450 - 470 MHz, 14' UD, No Conn	EA	\$	83.80
33411	LARSEN	KG450UDFME	GLASS MOUNTED WHIP ANTENNA 450-470MHZ	On Glass, 2 dBi, 450 - 470 MHz, 14' UD, FME Specs: SKU KG450UDFME Mfg Part Number KG450UDFME Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO Frequen	EA	\$	91.07
33411	LARSEN	KG450UDMPL	LARSEN ON GLASS, 2 DB, 450 - 470 MHz, 14	Larsen On Glass, 2 dB, 450 - 470 MHz, 14' UD, MPL Specs; SKU KG450UDMPL Mfg Part Number KG450UDMPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SIS	EA	\$	91.07
33411	LARSEN	KG450UDPL	LARSEN GLASS MOUNTED WHIP ANTENNA	Larsen On Glass, 2 dBi, 450 - 470 MHz, 14' UD, PL259T Specs: SKU KG450UDPL Mfg Part Number KG450UDPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISOF	EA	\$	87.69
33411	LARSEN	KG470O/S	LARSEN ON GLASS, OUTSIDE ONLY, 2 DBI, 47	Larsen On Glass, Outside Only, 2 dBi, 470 - 490 MHz	EA	\$	63.00
33411	LARSEN	KG470UD	LARSEN ON GLASS 470-490 MHZ ANTENNA	Larsen On Glass, 2 dBi, 470 - 490 MHz, 14' UD, No Conn	EA	\$	85.49
33411	LARSEN	KG490O/S	LARSEN ON GLASS, OUTSIDE ONLY, 2 DBI, 49	Larsen On Glass, Outside Only, 2 dBi, 490 - 512 MHz	EA	\$	57.71
33411	LARSEN	KG490UD	LARSEN ON GLASS ANTENNA 490-512 MHZ	Larsen On Glass, 2 dBi, 490 - 512 MHz, 14' UD, No Conn Specs: SKU KG490UD Mfg Part Number KG490UD Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 470-600 MHz Bands Single, Multi SISO or MIMO SISO Fr	EA	\$	85.49
33411	LARSEN	KG825UDI/S	LARSEN ON GLASS ANTENNA	On Glass, Inside Only, 14' UD Specs: KU KG825UDIS Mfg Part Number KG825UDI/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO OK for Outdoor Use No Vehicular No Ground Plane Req	EA	\$	23.08

33411	LARSEN	KGFFREQO/S3	LARSEN ON GLASS 150 - 159 MHZ	Larsen On Glass, Outside Only, Disguise, Unity, 150 - 159 MHz	EA	\$	67.64
33411	LARSEN	KGFFREQO/S4	LARSEN ON GLASS ANTENNA	Larsen On Glass, Outside Only, Disguise, Unity, 160 - 170 MHz	EA	\$	67.64
33411	LARSEN	KGFFREQUDPL2	LARSEN GLASS MOUNTED WHIP ANTENNA	Larsen On Glass, Disguise, Unity, 140 - 149 MHz, 14 UD, PL259 Specs: SKU KGFFREQUDPL2 Mfg Part Number KGFFREQUDPL2 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SI	EA	\$	103.53
33411	LARSEN	KGFFREQUDPL3	LARSEN ON GLASS ANTENNA	Larsen On Glass, Disguise, Unity, 150 - 159 MHz, 14 UD, PL259 SKU KGFFREQUDPL3 Mfg Part Number KGFFREQUDPL3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or M	EA	\$	103.53
33411	LARSEN	KGFFREQUDPL4	LARSEN ON GLASS 160-170 MHZ ANTENNA	Larsen On Glass, Disguise, Unity, 160 - 170 MHz, 14 UD, PL259	EA	\$	113.03
33411	LARSEN	KGREINSTALL	PULSE / LARSEN - REINSTALLATION KIT-KG S	Pulse / Larsen - Reinstallation Kit-KG Series Glass Mount Antennas. Description KG glass mount reinstall kit. Includes adhesives, allen wrenches, alcohol wipes, and instructions.Compatible Antenna KG Series Mfg. Warranty-2 Years	EA	\$	11.14
33411	LARSEN	KGREINSTALLDC	KG ON GLASS, DIE CUT REINSTALL KIT	KG On Glass, Die Cut Reinstall Kit	EA	\$	11.59
33411	LARSEN	KGSWIVEL.073	LARSEN KG SWIVEL MOUNT FOR .073 RODS	KG Swivel Mount for .073 Rods	EA	\$	11.98
33411	LARSEN	KGSWIVEL.100	LARSEN KG SWIVEL MOUNT FOR .100 RODS	Larsen KG Swivel Mount for .100 Rods	EA	\$	11.98
33411	LARSEN	KGU825O/S	800 MHZ ANTENNA	Larsen On Glass, Outside Only, Unity, 806 - 896 MHz. The Larsen KGU825O/S Kulglass glass mount antenna with 806-896 MHz frequency range. Inside coupler, cable, and connector not included.	EA	\$	29.08
33411	LARSEN	KGU825UD	COMMUNICATIONS EQUIPMENT	Larsen On Glass; Unity; 806 - 896 MHz; 17 Ft. UD; No Conn Specs: SKU KGU825UD Mfg Part Number KGU825UD Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SI	EA	\$	50.65
33411	LARSEN	KGU825UDMPL	LARSEN KGU825UDMPL 806-896 MHZ GLASS MOU	Larsen KGU825UDMPL 806-896 MHz Glass Mount Antenna Rated for 60 watts, unity gain, 1/2 wave Includes 14 feet of RG58A/U cable and a Mini UHF connector Frequency: 806 - 896 MHz 12 month warranty	EA	\$	55.71
33411	LARSEN	KGUHFUDI/S	INSIDE MOUNT ONLY FOR GLASS MOUNTED WHIP	Larsen On Glass, Inside Only, UHF, 14 UD, No Conn Specs: SKU KGUHFUDIS Mfg Part Number KGUHFUDI/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO OK for Outdoor Use No Vehicular	EA	\$	24.68
33411	LARSEN	KGVHFUDI/S	LARSEN GLASS MOUNTED WHIP ANTENNA INSIDE	On Glass, Inside Only, UHF, 14 UD, No Conn Specs: SKU KGVHFUDIS Mfg Part Number KGVHFUDI/S Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO OK for Outdoor Use No Vehicular No G	EA	\$	29.06

33411	3M CORPORATION	LEP-200	IN-EAR HEADSET	3M(TM) PELTOR(TM) Level Dependent Earplug, LEP-200 The 3M(TM) PELTOR(TM) Level Dependent Earplug helps protect your hearing, and can help improve situational awareness and communications in challenging environments. Wireless connectivity for monitorn	CS	\$	516.99
33411	LARSEN	LM150B	LARSEN LM150B ANTENNA FOR LM - LID MOUNT	Larsen Coil / Whip, 3 dB, 144 - 174 MHz, .100 Dia Black Whip Specs: SKU LM150B Mfg Part Number LM150B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	44.35
33411	LARSEN	LM150BCO	LARSEN LM150BCO-ANTENNA FOR LM	Larsen LM Coil, 3 dB, 144 - 174 MHz. LM150BCO : Antenna for LM - Lid Mount Kit- No Whip Base coil only is available for purchase in increments of 5. Specs: SKU LM150BCO Mfg Part Number LM150BCO Manufacturer Pulse Electronics / Larsen Antennas P	EA	\$	28.20
33411	LARSEN	LM150C	VHF ANTENNA FOR MOBILE RADIO	Coil / Whip, 3 dB, 144 - 174 MHz, .100 Dia Black Whip. Larsen LM150C base loaded 5/8 wave antenna operates within the VHF frequency range, 144-174 MHz. This vehicle antenna offers a high performance, 3 dB gain. Maximum power input is 200 watts.The 49	EA	\$	38.73
33411	LARSEN	LM406C	UHF ANTENNA MOBILE RADIO	Larsen Base / Whip; 3.4 dB; 406 - 420 MHz; .100 Dia Stainless Whip Product Specs: SKU LM406C Mfg Part Number LM406C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, MultiS	EA	\$	44.35
33411	LARSEN	LM440C	UHF ANTENNA FOR MOBILE RADIO	Larsen Base / Whip; 3.4 dB; 440 - 460 MHz; .100 Dia Stainless Whip Product Specs: SKU LM440C Mfg Part Number LM440C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SIS	EA	\$	44.35
33411	LARSEN	LM450C	LARSEN UHF MOBILE ANTENNA	Larsen Base / Whip; 3.4 dB; 450 - 470 MHz; .100 Dia Stainless Whip Specs: SKU LM450C Mfg Part Number LM450C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or	EA	\$	44.35
33411	LARSEN	LM800	LARSEN 806-866 MHZ STAINLESS SPRING WHIP	Larsen Stainless Spring / Whip, Enclosed, 4.5 dB, 806 - 866 MHz, .100 Dia Whip	EA	\$	44.35
33411	LARSEN	LM825	824-896 MHZ ANTENNA	Larsen Stainless Spring / Whip, Enclosed, 4.5 dB, 824 - 896 MHz, .100 Dia Whip specs: SKU LM825 Mfg Part Number LM825 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, MultiS	EA	\$	44.35
33411	LARSEN	LM900	LARSEN SPRING WHIP 890-960 MHZ	Larsen Stainless Spring / Whip, Enclosed, 4.5 dB, 890 - 960 MHz, .100 Dia Whip	EA	\$	44.35
33411	LARSEN	LMB	PULSE / LARSEN - 3/4" MOUNT FOR LM AND C	LARSEN 3/4" hole permanent mount for the LM and CM series antennas. No coax or connector supplied. Product Specifications: Specific Frequency 0-1000 MHz Description-Larsen 3/4" mounting hardwareonly. Cable Length 0 ft Cable Type No Cable Su	EA	\$	8.79

33411	LARSEN	LP152NMO	LARSEN LP152NMO BLACK UNITY GAIN ANTENNA	Larsen Black NMO Low Profile, Unity, 151.02 - 152.98 MHz Specs: SKU LP152NMO Mfg Part Number LP152NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	90.96
33411	LARSEN	LP154NMO	LARSEN BLACK LOW PROFILE UNITY GAIN ANTE	Larsen Black NMO Low Profile, Unity, 152.96 - 155.04 MHz Specs: SKU LP152NMO Mfg Part Number LP152NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	90.96
33411	LARSEN	LP156NMO	LARSEN BLACK NMO LOW PROFILE	Black NMO Low Profile, Unity, 154.42 - 156.58 MHz Specs: SKU LP156NMO Mfg Part Number LP156NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO Frequ	EA	\$	90.96
33411	LARSEN	LP158NMO	BLACK LOW PROFILE UNITY GAIN ANTENNA	Black NMO Low Profile, Unity, 156.38 - 158.62 MHz Product Specs: SKU LP158NMO Mfg Part Number LP158NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO S	EA	\$	90.96
33411	LARSEN	LP160NMO	BLACK LOW PROFILE UNITY GAIN ANTENNA	Black NMO Low Profile, Unity, 154.42 - 156.58 MHz Specs: SKU LP160NMO Mfg Part Number LP160NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISO Frequ	EA	\$	90.96
33411	LARSEN	LP162NMO	LARSEN BLACK NMO LOW PROFILE ANTENNA	Black NMO Low Profile, Unity, 160.29 - 162.71 MHz Product Specs: SKU LP162NMO Mfg Part Number LP162NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO S	EA	\$	90.96
33411	LARSEN	LP169NMO	BLACK LOW PROFILE UNITY GAIN ANTENNA	Larsen Black NMO Low Profile, Unity, 167.68 - 170.32 MHz Specs: SKU LP169NMO Mfg Part Number LP169NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SISOF	EA	\$	90.96
33411	LARSEN	LP406NMO	BLACK LOW PROFILE UNITY GAIN ANTENNA FOR	LARSEN 406-420 MHz Mirage low profile unity gain black antenna, 100 watts. Order Motorola/NMO style mount and cable separately. SKU LP406NMO Mfg Part Number LP406NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna	EA	\$	63.30
33411	LARSEN	LP420NMOW	COMMUNICATIONS EQUIPMENT	White NMO Low Profile, Unity, 406 - 420 MHz	EA	\$	60.17
33411	LARSEN	LP450NMO	PULSE / LARSEN - 450-470 MIRAGE ANTENNA,	LARSEN 450-470 MHz Mirage low profile unity gain black antenna, 100 watts. Order Motorola/NMO style mount and cable separately. pecific Frequency 450-470 MHz Gain dBi 2.15 dBi Mobile Antenna Mounting Type NMO Antenna Material Plastic RF Conne	EA	\$	57.66

33411	LARSEN	LP450NMOW	LARSEN 450-470 MIRAGE ANTENNA WHITE	Larsen 450-470 Mirage Antenna White (LP450NMOW) Gain dBi 2.15 dBi Mobile Antenna Mounting Type NMO Antenna Material Plastic RF Connectors No Connector Maximum Power 100 W Item Height 1.5 in Color White Mfg. Warranty 2 Years	EA	\$	60.17
33411	LARSEN	LP470NMOW	470-490 MIRAGE ANT, WHITE	White NMO Low Profile, Unity, 470 - 490 MHz. Mirage low profile unity gain white antenna, 100 watts. Order Motorola/NMO style mount and cableseparately.	EA	\$	60.17
33411	LARSEN	LP490NMOW	WHITE NMO LOW PROFILE; UNITY; 490 - 512	White NMO Low Profile; Unity; 490 - 512 MHz	EA	\$	60.17
33411	LARSEN	LP800NMO	806-960 MIRAGE ANT, BLACK	Black NMO Low Profile, Unity, 806 - 960 MHz. Mirage low profile unity gain black antenna. 100 watts.	EA	\$	61.63
33411	LARSEN	LP800SMA	LARSEN LOW PROFILE, 806-960MHZ, 2.14DBI	LP800SMA: Antenna, Low Profile, 806-960MHz, 2.14dBi, Direct Mount with Pigtail, SMA-Male, 17ft RG-58U UD, ISM868, ISM915, Ruggedized, Outdoor Specs: SKU LP800SMA Mfg Part Number LP800SMA Manufacturer Pulse Electronics / Larsen Antennas Produc	EA	\$	67.53
33411	LARSEN	LPT450NMO	BLACK LOW PROFILE NMO ANTENNA 450-470MHZ	Black NMO Transit Antenna, Unity, 450 - 470 MHz. Specs: SKU LPT450NMO Mfg Part Number LPT450NMO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO F	EA	\$	32.01
33411	LARSEN	LPT800/900NMO	LARSEN 806-960 SHADOW ANTENNA BLACK	LARSEN 806-960 MHz Shadow 0dB low profile black antenna. Order Motorola/NMO style mount separately. Specs: Specific Frequency 806-960 MHz Gain dBi 2.15 dBi Mobile Antenna Mounting Type NMO Antenna Material Plastic RF Connectors No ConnectorM	EA	\$	37.21
33411	LARSEN	LPT825/19NMOHF	TRANSIT ANT, CELL/PCS-BLK	Black Dual Band Cell/PCS NMO Transit, 3 dBi/4 dBi, 806-960/1710-1990/2400 MHz. Order NMOKHFstyle mount separately Specs: Manufacturer Larsen Model # LPT825/19NMOHF Product Description Transit Ant, Cell/PCS Product Narrative Multi band t	EA	\$	32.42
33411	SILYNX COMMUNICATIONS, INC	LV-K-002-00	LOW-VIS KIT CIVILIAN HEADSET ADAPTOR (CA	Low-vis Kit Civilian Headset Adaptor (CA0197-00) and Key Fob PTT (PT0008-00)	EA	\$	451.25
33411	LARSEN	MHW150C	MOBILE HALF WAVE ANTENNA	Coil / Whip; 2.5 dB; 144 - 174 MHz; .100 Dia Stainless Whip Specs: SKU MHW150C Mfg Part Number MHW150C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, Multi SISO or MIMO SIS	EA	\$	58.32
33411	SILYNX COMMUNICATIONS, INC	MICHS0004-02	CLARUS MICRO BOOM MIC FOR OPS CORE HELME	Clarus Micro Boom mic for Ops Core helmet strap for Portego PRO headset. BLACK only	EA	\$	166.25
33411	SILYNX COMMUNICATIONS, INC	MICHS0004-03	CLARUS MICRO BOOM MIC FOR OPS CORE HELME	Clarus Micro Boom mic for Ops Core helmet strap for Portego PRO headset w/ crocodile clip. BLACK only	EA	\$	166.25
33411	SILYNX COMMUNICATIONS, INC	MICHS0007-05	VEST MOUNTED DIF BOOM MICROPHONE (BLACK	Vest mounted dif boom microphone (Black vest clip) for Portego PRO headset. BLACK	EA	\$	175.75
33411	SILYNX COMMUNICATIONS, INC	MICHS0007-06	VEST MOUNTED DIF BOOM MICROPHONE (TAN VE	Vest mounted dif boom microphone (Tan vest clip) for Portego PRO headset. TAN	EA	\$	175.75
33411	LARSEN	MM34	MAG MOUNT HOUSING FOR 3/4" HOLES	Rectangular Mag Mount housing for 3/4" holes. The manufacturer warranty is 2-years.	EA	\$	26.21

33411	LARSEN	MMC/P3ESMA	PULSE / LARSEN - IN-VEHICLE ANTENNA,CELL	LARSEN 806-896 &1850-1990 MHz 1.86 dB magnet mount antenna with 12' RG58 dual shield cable and installed SMA connector. Larsen MMC/P3ESMA magnetic mount dual band cellular antenna significantly reduces dropped calls and increases your cell phones ran	EA	\$	52.55
33411	3M CORPORATION	MRX21A2WS6-NA	3M PELTOR WS ALERT XP, BLACK, HEADBAND	With Bluetooth wireless communication, noise-cancelling boom microphone, integrated FM-Radio and level-dependent function for ambient listening, the WS ALERT XP Headset not only helps protect you against hazardous noise, but also makes it easy tom	EA	\$	379.01
33411	LARSEN	MS3E800FME	MAG GAIN ANTENNA WITH PRE-ATTACHED 12 FO	Mini Mag Gain Antenna With Pre-Attached 12 Foot SuperFlex Coax Cable Specs: SKU MS3E800FME Mfg Part Number MS3E800FME Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, MultiSI	EA	\$	62.09
33411	3M CORPORATION	MT13H220A	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ProTac III Slim Headset, Black, Headband The ProTac III hearing protector helps protect against hazardous and nuisance noise, while allowing environmental sounds to be reproduced by the electronic circuit, limited to 82dB. ProTac II	CS	\$	874.95
33411	3M CORPORATION	MT13H220P3E	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ProTac III Slim Headset, Black, Hard Hat Attached The ProTac III hearing protector helps protect against hazardous and nuisance noise, while allowing environmental sounds to be reproduced by the electronic circuit, limited to 82dB.P	CS	\$	874.95
33411	3M CORPORATION	MT13H221A	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ProTac III Headset, Black, Headband The ProTac III hearing protector helps protect against hazardous and nuisance noise, while allowing environmental sounds to be reproduced by the electronic circuit, limited to 82dB. ProTac III hep	EA	\$	936.63
33411	3M CORPORATION	MT13H221P3E	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ProTac III Headset, Black, Hard Hat Attached The ProTac III hearing protector helps protect against hazardous and nuisance noise, while allowing environmental sounds to be reproduced by the electronic circuit, limited to 82dB. ProTc	EA	\$	936.63
33411	3M CORPORATION	MT13H222A	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ProTac Hunter (Slim) Headset, Green, Headband The ProTac Hunter hearing protector helps protect against hazardous and nuisance noise, while allowing environmental sounds to be reproduced by the electronic circuit, limited to 82dB. r	CS	\$	961.47
33411	3M CORPORATION	MT15H7AWS5-77	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) ProTac XP Communication Headset featuring Bluetooth(R) technology - Headband 3M(TM) Peltor(TM) WS(TM) ProTac XP is an active-hearing hearing protector that features Bluetooth(R) technology. The Bluetooth function enables wor	CS	\$	781.55

33411	3M CORPORATION	MT15H7AWS6	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset Headband MT15H7AWS6, 10 ea/Case The 3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset integrates hearing protection, Bluetooth(R) communication, and a noise-cancelling speech microphone to deliver a wireless, had	EA	\$	490.84
33411	3M CORPORATION	MT15H7AWS6-111	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset Headband MT15H7AWS6-111, FLX2, 10 ea/Case The 3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset integrates hearing protection, Bluetooth(R) communication, and a noise-cancelling speech microphone to deliver a wie	CS	\$	638.53
33411	3M CORPORATION	MT15H7B-07 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) TacticalPro 2-Way Communications Headset MT15H7B-07 SV, Neckband, 1 ea/cs This is the 3M(TM) PELTOR(TM) TacticalPro Headset, neckband model. Hearing protection and environmental listening with two-way radio connectivity.	CS	\$	559.38
33411	3M CORPORATION	MT15H7BWS6-111	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset Neckband MT15H7BWS6-111, FLX2, 10 ea/Case The 3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset integrates hearing protection, Bluetooth(R) communication, and a noise-cancelling speech microphone to deliver a wie	EA	\$	689.26
33411	3M CORPORATION	MT15H7P3EWS6	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset Hard Hat Attached MT15H7P3EWS6, 10 ea/Case The 3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset integrates hearing protection, Bluetooth(R) communication, and a noise-cancelling speech microphone to deliver a wr	CS	\$	495.51
33411	3M CORPORATION	MT15H7P3EWS6-111	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset Hard Hat Attached MT15H7P3EWS6-111, FLX2, 10 ea/Case The 3M(TM) PELTOR(TM) WS(TM) ProTac XPI Headset integrates hearing protection, Bluetooth(R) communication, and a noise-cancelling speech microphone to dl	CS	\$	626.60
33411	3M CORPORATION	MT20H682BB-09 GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Hearing Defender Headset MT20H682BB-09 GN, Neckband Green, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazardous Steady-State and Impulse o	CS	\$	542.79
33411	3M CORPORATION	MT20H682BB-09 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) V Hearing Defender Headset MT20H682BB-09 SV, Neckband, Black, 10 ea/Case The improved 3M(TM) PELTOR(TM) SwatTac(TM) V is a reliable rugged solution you can count on * Helps Protect from Hazardous Steady-State and Impuls	EA	\$	542.79
33411	3M CORPORATION	MT20H682BB-09N CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, neckband, MI input, dynamic boom mic, coyote brown, MT20H682BB-09N CY ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivity to help replc	EA	\$	716.97

33411	3M CORPORATION	MT20H682BB-09N GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, neckband, MI input, dynamic boom mic, green, MT20H682BB-09N GN ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivity to help replicate su	EA	\$	716.97
33411	3M CORPORATION	MT20H682BB-09N SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) VI NIB headset, neckband, MI input, dynamic boom mic, black, MT20H682BB-09N SV ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivity to help replicate o	EA	\$	716.97
33411	3M CORPORATION	MT20H682BB-19 CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682BB-19 CY, Neckband, Dual Lead, Standard Dynamic Mic, NATO Wiring, Coyote, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazad	EA	\$	960.17
33411	3M CORPORATION	MT20H682BB-19 GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682BB-19 GN, Neckband, DL, Standard Dynamic Mic, NATO Wiring, Green, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazardous Sta	CS	\$	960.17
33411	3M CORPORATION	MT20H682BB-19 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) V Headset MT20H682BB-19 SV, Neckband, Dual Lead, Standard Dynamic Mic, NATO Wiring, Black, 10 ea/Case The improved 3M(TM) PELTOR(TM) SwatTac(TM) V is a reliable rugged solution you can count on * Helps Protect from Hazad	EA	\$	960.17
33411	3M CORPORATION	MT20H682BB-19N CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, neckband, dual lead, standard dynamic mic, MI input, NATO wiring, Coyote, MT20H682BB-19N CY ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater ses	EA	\$	1,373.20
33411	3M CORPORATION	MT20H682BB-19N GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, neckband, DL, standard dynamic mic, MI input, NATO wiring, Green, MT20H682BB-19N GN ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivit	EA	\$	1,373.20
33411	3M CORPORATION	MT20H682BB-19N SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) VI NIB headset, neckband, dual lead, standard dynamic mic, MI input, NATO wiring, Black, MT20H682BB-19N SV ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater ses	EA	\$	1,373.20
33411	3M CORPORATION	MT20H682BB-47 CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682BB-47 CY, Neckband, Single Lead, Standard Dynamic Mic, NATO Wiring, Coyote, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Haa	EA	\$	852.88

33411	3M CORPORATION	MT20H682BB-47 GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682BB-47 GN, Neckband, Single Lead, Standard Dynamic Mic, NATO Wiring, Green, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazr	CS	\$	852.88
33411	3M CORPORATION	MT20H682BB-47 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) V Headset MT20H682BB-47 SV, Neckband, Single Lead, Standard Dynamic Mic, NATO Wiring, Black, 10 ea/Case The improved 3M(TM) PELTOR(TM) SwatTac(TM) V is a reliable rugged solution you can count on * Helps Protect from Haa	CS	\$	852.88
33411	3M CORPORATION	MT20H682BB-47N CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, neckband, single lead, standard dynamic mic, MI input, NATO wiring, Coyote, MT20H682BB-47N CY ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater e	EA	\$	1,163.75
33411	3M CORPORATION	MT20H682BB-47N GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, neckband, single lead, standard dynamic mic, MI input, NATO wiring, Green, MT20H682BB-47N GN ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sn	EA	\$	1,163.75
33411	3M CORPORATION	MT20H682BB-47N SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) VI NIB headset, neckband, single lead, standard dynamic mic, MI input, NATO wiring, Black, MT20H682BB-47N SV ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater e	EA	\$	1,163.75
33411	3M CORPORATION	MT20H682FB-09 CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Hearing Defender Headset MT20H682FB-09 CY, Foldable, Coyote Brown, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazardous Steady-State and m	CS	\$	542.79
33411	3M CORPORATION	MT20H682FB-09 GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Hearing Defender Headset MT20H682FB-09 GN, Foldable, Green, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazardous Steady-State and ImpulseN	EA	\$	542.79
33411	3M CORPORATION	MT20H682FB-09 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) V Hearing Defender Headset MT20H682FB-09 SV, Foldable, Black, 10 ea/Case The improved 3M(TM) PELTOR(TM) SwatTac(TM) V is a reliable rugged solution you can count on * Helps Protect from Hazardous Steady-State and Impuls	CS	\$	542.79
33411	3M CORPORATION	MT20H682FB-09N CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, foldable, MI input, dynamic boom mic, Coyote brown, MT20H682FB-09N CY ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivity to help replc	EA	\$	716.97

33411	3M CORPORATION	MT20H682FB-09N GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, foldable, MI input, dynamic boom mic, green, MT20H682FB-09N GN ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivity to help replicate su	EA	\$	716.97
33411	3M	MT20H682FB-09N GNS	3M PELTOR COMTAC VI HEARING DEFENDER HEA	Tactical environments can be full of loud sounds making it hard to hear communication from your team. The ComTac VI uses Omni-directional microphones and high-fidelity speakers that replicates sound clearly and accurately. The microphone is designed	EA	\$	759.97
33411	3M CORPORATION	MT20H682FB-09N SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) VI NIB headset, foldable, MI input, dynamic boom mic, Black, MT20H682FB-09N SV ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sensitivity to help replicate o	EA	\$	716.97
33411	3M CORPORATION	MT20H682FB-19 CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682FB-19 CY, Foldable, Dual Lead, Standard Dynamic Mic, NATO Wiring, Coyote, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazad	EA	\$	960.17
33411	3M CORPORATION	MT20H682FB-19 GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682FB-19 GN, Foldable, Dual Lead, Standard Dynamic Mic, NATO Wiring, Green, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazaro	EA	\$	960.17
33411	3M CORPORATION	MT20H682FB-19 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) V Headset MT20H682FB-19 SV, Foldable, Dual Lead, Standard Dynamic Mic, NATO Wiring, Black, 10 ea/Case The improved 3M(TM) PELTOR(TM) SwatTac(TM) V is a reliable rugged solution you can count on * Helps Protect from Hazad	CS	\$	960.17
33411	3M CORPORATION	MT20H682FB-19N CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, foldable, dual lead, standard dynamic mic, MI input, NATO wiring, Coyote, MT20H682FB-19N CY ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater ses	EA	\$	1,373.20
33411	3M	MT20H682FB-19N CYS	3M PELTOR COMTAC VI DUAL COMM HEADSET, C	Tactical environments can be full of loud sounds making it hard to hear communication from your team. The ComTac VI uses Omni-directional microphones and high-fidelity speakers that replicates sound clearly and accurately. The microphone is designed	EA	\$	1,375.00
33411	3M CORPORATION	MT20H682FB-19N GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, foldable, dual lead, standard dynamic mic, MI input, NATO wiring, Green, MT20H682FB-19N GN ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater seni	EA	\$	1,373.20

33411	3M	MT20H682FB-19N GNS	3M PELTOR COMTAC DUAL COMM HEADSET, GREE	Tactical environments can be full of loud sounds making it hard to hear communication from your team. The ComTac VI uses Omni-directional microphones and high-fidelity speakers that replicates sound clearly and accurately. The microphone is designed	EA	\$	1,375.00
33411	3M CORPORATION	MT20H682FB-19N SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) VI NIB headset, foldable, dual lead, standard dynamic mic, MI input, NATO wiring, Black, MT20H682FB-19N SV ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater ses	EA	\$	1,373.20
33411	3M CORPORATION	MT20H682FB-47 GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) V Headset MT20H682FB-47 GN, Foldable, Single Lead, Standard Dynamic Mic, NATO Wiring, Green, 10 ea/Case The improved 3M(TM) PELTOR(TM) ComTac(TM) V is a reliable, rugged solution you can count on * Helps Protect from Hazr	CS	\$	852.88
33411	3M CORPORATION	MT20H682FB-47 SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) V Headset MT20H682FB-47 SV, Foldable, Single Lead, Standard Dynamic Mic, NATO Wiring, Black, 10 ea/Case The improved 3M(TM) PELTOR(TM) SwatTac(TM) V is a reliable rugged solution you can count on * Helps Protect from Haa	CS	\$	852.88
33411	3M CORPORATION	MT20H682FB-47N CY	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB Headset, Foldable, Single Lead, Standard Dynamic Mic, MI Input, NATO Wiring, Coyote, MT20H682FB-47N CY ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater e	EA	\$	1,163.75
33411	3M	MT20H682FB-47N CYS	3M PELTOR COMTAC VI SINGLE COMM HEADSET,	Tactical environments can be full of loud sounds making it hard to hear communication from your team. The ComTac VI uses Omni-directional microphones and high-fidelity speakers that replicates sound clearly and accurately. The microphone is designed	EA	\$	1,159.00
33411	3M CORPORATION	MT20H682FB-47N GN	OVER-EAR HEADSET	3M(TM) PELTOR(TM) ComTac(TM) VI NIB headset, foldable, single lead, standard dynamic mic, MI input, NATO wiring, Green, MT20H682FB-47N GN ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater sn	EA	\$	1,163.75
33411	3M CORPORATION	MT20H682FB-47N SV	OVER-EAR HEADSET	3M(TM) PELTOR(TM) SwatTac(TM) VI NIB headset, foldable, single lead, standard dynamic mic, MI input, NATO wiring, Black, MT20H682FB-47N SV ComTac(TM) VI has been improved with new omni-directional microphones and high fidelity speakers with greater e	EA	\$	1,163.75
33411	3M	MT20H682HPS-09 CY	3M™ PELTOR™ COMTAC™ V HEARING DEFENDER H	3M™ PELTOR™ ComTac™ V Hearing Defender Headset MT20H682HPS-09 CY, IHPS Attachment, Coyote Brown	EA	\$	1,125.59
33411	3M	MT20H682HPS-47N CY	3M™ PELTOR™ COMTAC™ VI NIB HEADSET	3M™ PELTOR™ ComTac™ VI NIB Headset MT20H682HPS-47N CY, IHPS Attachment, Single Lead, Coyote Brown,	EA	\$	1,274.48
33411	3M CORPORATION	MT53H7A4602-NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom FRS Headset MT53H7A4602-NA, Headband, 10 ea/Case 3M(TM) PELTOR(TM) FRS Headset is a hearing protector with built-in analog two-way communication radio, programmed to operate on the 22 FRS channels. The noise-cancelling, voie	EA	\$	612.18

33411	3M CORPORATION	MT53H7B4602-NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom FRS Headset MT53H7B4602-NA, Neckband, 10 ea/Case 3M(TM) PELTOR(TM) FRS Headset is a hearing protector with built-in analog two-way communication radio, programmed to operate on the 22 FRS channels. The noise-cancelling, voie	EA	\$	612.18
33411	3M CORPORATION	MT53H7BWS5	OVER-EAR HEADSET	3M(TM) Peltor(TM) WS Communications Headset XP MT53H7BWS5, Neckband Model, 1 ea/cs Features Bluetooth(R) technology for hands free communication while connected to a mobile radio.	CS	\$	628.87
33411	3M CORPORATION	MT53H7P3E4602-NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom FRS Headset MT53H7P3E4602-NA, Hard Hat Attached, 10 ea/Case 3M(TM) PELTOR(TM) FRS Headset is a hearing protector with built-in analog two-way communication radio, programmed to operate on the 22 FRS channels. The noise-cancld	CS	\$	612.18
33411	3M CORPORATION	MT73H450A-77 GB	OVER-EAR HEADSET	3M(TM) PELTOR(TM) CH-5 High Attenuation Headset - MT73H450A-77 GB - Flex Connector - Headband - 31dB NRR 3M(TM) PELTOR(TM) High Attenuation Headset CH-5 helps create a high signal-to-noise ratio that enables critical communication via noise cancellig	CS	\$	414.94
33411	3M CORPORATION	MT73H450A-86	OVER-EAR HEADSET	3M(TM) PELTOR(TM) CH-5 High Attenuation Headset - MT73H450A-86 - NATO Wired - Headband - 31dB NRR 3M(TM) PELTOR(TM) High Attenuation Headset CH-5 that helps create a high signal-to-noise ratio that enables critical communication via noise cancellingb	CS	\$	424.71
33411	3M CORPORATION	MT73H7A4610NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom Plus Headset MT73H7A4610NA, Headband, 5 ea/Case The 3M(TM) PELTOR(TM) LiteCom Plus Headset is a hearing protector with an integrated analog two-way radio and a noise-cancelling speech microphone to deliver a wireless, handsf	EA	\$	802.56
33411	3M CORPORATION	MT73H7A4610WS6NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom Plus Headset MT73H7A4610WS6NA, Headband, 5 ea/Case 3M(TM) PELTOR(TM) WS(TM) LiteCom Plus Headset is a hearing protector with an integrated analog two-way radio, Bluetooth(R) communication, and a noise-cancelling speeh	EA	\$	895.80
33411	3M CORPORATION	MT73H7A4D10NA GB	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom PRO III Headset, Headband, MT73H7A4D10NA GB, 1 EA/Case 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is a hearing protector with an integrated programmable two-way radio, Bluetooth(R) communication and a noise-cane	EA	\$	1,186.83
33411	3M CORPORATION	MT73H7B4610NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom Plus Headset MT73H7B4610NA, Neckband, 5 ea/Case The 3M(TM) PELTOR(TM) LiteCom Plus Headset is a hearing protector with an integrated analog two-way radio and a noise-cancelling speech microphone to deliver a wireless, handsf	CS	\$	802.56
33411	3M CORPORATION	MT73H7B4610WS6NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom Plus Headset MT73H7B4610WS6NA, Neckband, 5 ea/Case 3M(TM) PELTOR(TM) WS(TM) LiteCom Plus Headset is a hearing protector with an integrated analog two-way radio, Bluetooth(R) communication, and a noise-cancelling speeh	EA	\$	895.80

33411	3M CORPORATION	MT73H7B4D10NA GB	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset MT73H7B4D10NA GB, Bright Yellow, Neckband, 5 ea/Case 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is a hearing protector with an integrated programmable two-way radio, Bluetooth(R) communication ad	EA	\$	1,186.83
33411	3M CORPORATION	MT73H7B4D10NA-50	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom PRO III Headset - NeckBand- Intrinsically Safe - MT73H7B4D10NA-50 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is an Intrinsically Safe hearing protector with built-in analog and digital programmable two-way commn	EA	\$	1,425.10
33411	3M CORPORATION	MT73H7F4D10NA-50	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom PRO III Headset - Headband - Intrinsically Safe - MT73H7F4D10NA-50 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is an Intrinsically Safe hearing protector with built-in analog and digital programmable two-way comu	EA	\$	1,425.10
33411	3M CORPORATION	MT73H7P3E4610NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom Plus Headset MT73H7P3E4610NA, Hard Hat Attached, 5 ea/Case The 3M(TM) PELTOR(TM) LiteCom Plus Headset is a hearing protector with an integrated analog two-way radio and a noise-cancelling speech microphone to deliver a wiree	EA	\$	802.56
33411	3M CORPORATION	MT73H7P3E4610WS6NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom Plus Headset MT73H7P3E4610WS6NA, Hard Hat Attached, 5 ea/Case 3M(TM) PELTOR(TM) WS(TM) LiteCom Plus Headset is a hearing protector with an integrated analog two-way radio, Bluetooth(R) communication, and a noise-cancld	EA	\$	895.80
33411	3M CORPORATION	MT73H7P3E4D10NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom PRO III Headset - Hard Hat Attached - MT73H7P3E4D10-NA 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is a hearing protector with built-in analog and digital programmable two-way communication radio, level-dependen	CS	\$	1,186.83
33411	3M CORPORATION	MT73H7P3E4D10NA GB	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset MT73H7P3E4D10NA GB, Bright Yellow, Hard Hat Attached, 5 ea/Case 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is a hearing protector with an integrated programmable two-way radio, Bluetooth(R) commn	EA	\$	1,186.83
33411	3M CORPORATION	MT73H7P3E4D10NA-50	OVER-EAR HEADSET	3M(TM) PELTOR(TM) WS(TM) LiteCom PRO III Headset - Hard Hat Attached - Intrinsically Safe - MT73H7P3E4D10NA-50 3M(TM) PELTOR(TM) WS(TM) LiteCom Pro III Headset is an Intrinsically Safe hearing protector with built-in analog and digital programmable w	EA	\$	1,425.10
33411	3M CORPORATION	MT7H7B4010-NA-50	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom Pro II Two Way Radio Headset MT7H7B4010-NA-50, Communications Headset Nkbn 1 EA/Case LiteCom Pro II Two-way Radio Headset MT7H7B4010-NA-50, Communications Headset Neckband	KT	\$	1,205.92
33411	3M CORPORATION	MT7H7B4610-NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom Plus 2-Way Radio Headset, MT7H7B4610-NA, Neckband 1 EA/Case The 3M PELTOR LiteCom Plus, all-in-one two-way radio headset allows two-way conversation on up to 30 channels and has a range of up to 9,500 feet. Level dependent i	CS	\$	851.90

33411	3M CORPORATION	MT7H7P3E4610-NA	OVER-EAR HEADSET	3M(TM) PELTOR(TM) LiteCom Plus Two Way Radio Headset, MT7H7P3E4610-NA, Hard Hat Attached, 1 EA/Case The 3M PELTOR LiteCom Plus, all-in-one two-way radio headset allows two-way conversation on up to 30 channels and has a range of up to 9,500 feet. Lee	CS	\$	851.90
33411	SILYNX COMMUNICATIONS, INC MWPTT-004		MICRO WIRELESS PTT (MWPTT) WITH REMOTE P	Micro Wireless PTT (MWPTT) with Remote PTT Interface, Picatinny Rail compatible. For use with Clarus, C4OPS and FORTIS. TAN	EA	\$	285.00
33411	SILYNX COMMUNICATIONS, INC MWPTT-006		MICRO WIRELESS PTT (MWPTT) PICATINNY RAI	Micro Wireless PTT (MWPTT) Picatinny Rail compatible. No remote PTT interface. For use with Clarus, C4OPS and FORTIS. TAN	EA	\$	266.00
33411	SILYNX COMMUNICATIONS, INC MWPTT-K-004-01		MICRO WIRELESS PTT (MWPTT) WITH REMOTE P	Micro Wireless PTT (MWPTT) with Remote PTT Interface with Single Finger remote PTT with hook and loop "ring". Picatinny Rail compatible. For use with Clarus, C4OPS and FORTIS. TAN	EA	\$	318.25
33411	LARSEN	NCRIMP	COMMUNICATIONS EQUIPMENT	Connector, Male Solder, RG-8 Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	9.72
33411	LARSEN	NMO150/450/800	PULSE / LARSEN - TRI BAND VHF, UHF, 800	LARSEN 150/450/800 tri-band black unity gain antenna. Molded ABS base. Order Motorola style mounts separately. Product Specifications: Frequency 150-165 MHz / 450-470 MHz / 806-960 MHz Gain dBi 2 dBi GPS Included No Mobile Antenna MountingT	EA	\$	34.16
33411	LARSEN	NMO150B	PULSE / LARSEN - 144-174 NMO ANTENNA,BLA	Larsen NMO150B base-loaded 5/8 wave antenna only (black) operates within the VHF frequency range, 144-174 MHz. This vehicle antenna delivers high performance, with a gain of 3 dB (with ground plane). Maximum power input is 200 watts. The 49 inch whip	EA	\$	34.45
33411	LARSEN	NMO150BCO	144-174 NMO COIL, BLACK	LARSEN 144-174 MHz NMO black loading coil only. Requires 19616 whip and NMO mount.	EA	\$	21.46
33411	LARSEN	NMO150BK	COMMUNICATIONS EQUIPMENT	NMO Coil, 3 dB, 144 - 174 MHz	EA	\$	48.05
33411	LARSEN	NMO150C	FIELD TUNEABLE ANTENNA	HW Coil / Whip, 2.5 dB, 144 - 174 MHz, .100 Dia Black Whip	EA	\$	30.12
33411	LARSEN	NMO150CK	COMMUNICATIONS EQUIPMENT	Larsen NMO150C base-loaded 5/8 wave antenna only operates within the VHF frequency range, 144-174 MHz. This vehicle antenna delivers high performance, with a gain of 3 dB (with ground plane). Maximum power input is 200 watts. The 49 inch whip antenn	EA	\$	49.44
33411	LARSEN	NMO2/70B	PULSE / LARSEN - 144-148/440-450 OPEN CO	The Larsen NMO150B base-loaded 5/8 wave antenna only (black) operates within the VHF frequency range, 144-174 MHz. This vehicle antenna delivers high performance, with a gain of 3 dB (with ground plane). Maximum power input is 200 watts. The 49 i	EA	\$	78.46
33411	LARSEN	NMO2/70BCO	COMMUNICATIONS EQUIPMENT	NMO HW Coil, 2.5 dB, 144 - 174 MHz	EA	\$	45.93
33411	LARSEN	NMO2/70C	COMMUNICATIONS EQUIPMENT	Coil / Whip, 2.4 dB/4 dB,144-148/440-450 MHz, .100 Dia Black Whip	EA	\$	71.03
33411	LARSEN	NMO2/70SH	144-148/440-450 MHZ ANTENNA	Spring Base/Whip Enclosed, Unity, 144-148/440-450 MHz, .100 Dia Stainless Whip	EA	\$	44.40
33411	LARSEN	NMO220B	COMMUNICATIONS EQUIPMENT	Spring Base/Whip Enclosed, Unity, 144-148/440-450 MHz, .100 Dia Stainless Whip	EA	\$	46.24

33411	LARSEN	NMO220BCO	COMMUNICATIONS EQUIPMENT	NMO HW Coil, 2.5 dB, 218 MHz	EA	\$	32.66
33411	LARSEN	NMO220C	COMMUNICATIONS EQUIPMENT	Coil/Whip, 3 dB, 220-225 MHz, .100 Dia Black Whip	EA	\$	40.88
33411	LARSEN	NMO220CHW	COMMUNICATIONS EQUIPMENT	NMO Coil, 3 dB, 220-225 MHz	EA	\$	53.40
33411	LARSEN	NMO220HWBCO	LARSEN MULTI-BAND UHF VHF ANTENNA	NMO220HWBCO : Multi-Band UHF VHF Omnidirectional Whip Antenna- No Whip Base coil only Specs: SKU NMO220HWBCO Mfg Part Number NMO220HWBCO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz B	EA	\$	45.52
33411	LARSEN	NMO34B	COMMUNICATIONS EQUIPMENT	NMO Coil, Unity, 30 - 35 MHz	EA	\$	43.23
33411	LARSEN	NMO38THK	COMMUNICATIONS EQUIPMENT	NMO Coil, Unity, 34 - 40 MHz	EA	\$	10.65
33411	LARSEN	NMO3E700B	COMMUNICATIONS EQUIPMENT	Coil / Whip, Unity, 34 - 40 MHz, .100 Dia Stainless Whip	EA	\$	27.95
33411	LARSEN	NMO3E900B	896-964 3.2DB CLOSED COIL	LARSEN 896-964 MHz 3.2dB gain, Motorola style antenna that fits on NMO series mounts. Enclosed coil, black finish. Order mount separately	EA	\$	26.42
33411	LARSEN	NMO406C	COMMUNICATIONS EQUIPMENT	Base / Whip, 3 dB, 890 - 960 MHz, .100 Dia Whip	EA	\$	32.34
33411	LARSEN	NMO406CHW	COMMUNICATIONS EQUIPMENT	Base / Whip, 3 dBd/5.2 dBi, 406-430 MHz, .100 Non-Tapered Stainless Whip	EA	\$	57.42
33411	LARSEN	NMO406HWBCO	COMMUNICATIONS EQUIPMENT	Base / Whip, 3.4 dB, 406 - 420 MHz, .100 Dia Stainless Whip	EA	\$	34.46
33411	LARSEN	NMO40C	LARSEN LOW BAND ANTENNA	Coil / Whip, Unity, 40 - 50 MHz, .100 Dia Stainless Whip	EA	\$	45.27
33411	LARSEN	NMO40UBNCSPRING	LARSEN NMO MOUNT WHIP ANTENNAS	NMO Coil, Unity, 40 - 50 MHz specs	EA	\$	74.65
33411	LARSEN	NMO420C	LARSEN NMO WHIP ANTENNA 420 - 440 MHZ	Base / Whip; 3.4 dB; 420 - 440 MHz; .100 Dia Stainless Whip. Specs: SKU NMO420C Mfg Part Number NMO420C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO S	EA	\$	32.59
33411	LARSEN	NMO420CHW	LARSEN NMO COIL WHIP 420-440 MHZ	NMO HW Coil / Whip; 5.5 dB; 420 - 440 MHz; .100 Dia Stainless Whip Specs: SKU NMO420CHW Mfg Part Number NMO420CHW Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SIS	EA	\$	57.86
33411	LARSEN	NMO4303CS	430-450 MHZ WHIP ANTENNA	Base / Whip, 3 dBd / 5.2 dBi, 430 - 450 MHz, .100 Non-Tapered Stainless Whip	EA	\$	53.46
33411	LARSEN	NMO440B	LARSEN 440-460MHZ NMO MOUNT WHIP	Base / Whip, 3.4 dB, 440 - 460 MHz, .100 Dia Black Whip Specs: SKU NMO440B Mfg Part Number NMO440B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO F	EA	\$	36.07
33411	LARSEN	NMO440C	LARSEN NMO MOUNT & WHIP 440-460 MHZ	Base / Whip, 3.4 dB, 440 - 460 MHz, .100 Dia Stainless Whip Specs: SKU NMO440C Mfg Part Number NMO440C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO S	EA	\$	32.59
33411	LARSEN	NMO440CHW	LARSEN NMO 440-460 MHZ ANTENNA	Larsen NMO HW Coil / Whip, 5.5 dB, 440 - 460 MHz, .100 Dia Stainless Whip	EA	\$	57.86
33411	LARSEN	NMO4503CS	450-470 ANTENNA W/ SPRING	LARSEN 450-470 MHz 200 watt 3 dB gain 5/8 wave base loaded mobile antenna withspring. Order Motorlola style mount separately.	EA	\$	56.41

33411	LARSEN	NMO450B	COMMUNICATIONS EQUIPMENT	NMO HW Coil / Whip, 5.5 dB, 440 - 460 MHz, .100 Dia Stainless Whip	EA	\$	35.80
33411	LARSEN	NMO450C	PULSE / LARSEN - 450-470 3.4 DB NMO COLL	LARSEN 450-470 MHz NMO 200 watt 3.4dB gain collinear mobile antenna only. Order desired NMO mount separately. Specific Frequency 450-475 MHz Gain dBi 5.6 dBi Mobile Antenna Mounting Type NMO Whip Material Stainless Steel Whip Length 33 in RFC	EA	\$	35.89
33411	LARSEN	NMO450CHW	LARSEN NMO HW COIL 450-470 MHZ	NMO HW Coil / Whip, 5.5 dB, 450 - 470 MHz, .100 Dia Stainless Whip	EA	\$	63.17
33411	LARSEN	NMO450HWBCO	LARSEN NMO 440-490 MHZ ANTENNA	NMO HW Coil, 5.5 dB, 440 - 490 MHz Specs: SKU NMO450HWBCO Mfg Part Number NMO450HWBCO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO Frequency 1 44	EA	\$	40.51
33411	LARSEN	NMO470C	LARSEN NMO MOUNT WHIP ANTENNAS	Larsen Base / Whip; 3.4 dB; 470 - 490 MHz; .100 Dia Stainless Whip Specs: SKU NMO470C Mfg Part Number NMO470C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or M	EA	\$	35.58
33411	LARSEN	NMO4903CS	COMMUNICATIONS EQUIPMENT	Base / Whip, 3.4 dB, 470 - 490 MHz, .100 Dia Stainless Whip	EA	\$	56.29
33411	LARSEN	NMO50B	COMMUNICATIONS EQUIPMENT	NMOHF Enclosed Coil Whip, 4 dBi, 4900-5350 MHz	EA	\$	42.32
33411	LARSEN	NMO5E2400B	2.4-2.5 GHZ 5DB DUAL CLSD COIL HIFREQ ST	Coil / Whip, Unity, 47 - 54 MHz, .100 Dia Black Whip. Mobile Antenna Frequency Range 2400-2500 Connector Type None Mobile Antenna Specs 2 Gain 5 dB Bandwidth 100 MHz Power (watts) 100 Whip Material 17-7PH Stainless Steel Whip Length 8.54"	EA	\$	34.79
33411	LARSEN	NMO5E2400BK	COMMUNICATIONS EQUIPMENT	Coil / Whip, Unity, 50 - 54 MHz, .100 Dia Stainless Whip	EA	\$	45.14
33411	LARSEN	NMO5E825B	COMMUNICATIONS EQUIPMENT	Base / Whip Enclosed, 5 dBi, 2400 - 2500 MHz	EA	\$	42.11
33411	LARSEN	NMO5E900B	890-960MHZ ANTENNA	Base / Whip, Enclosed, 5 dB, 890 - 960 MHz, .070 Dia Twin Coil Whip	EA	\$	42.11
33411	LARSEN	NMO5T800B	COMMUNICATIONS EQUIPMENT	Base / Whip, Enclosed, 5 dB, 824 - 896 MHz, .070 Dia Twin Coil Whip	EA	\$	31.93
33411	LARSEN	NMO5T825B	LARSEN ANTENNA 824-896MHZ	Base / Whip, 5 dB, 824 - 896 MHz, .100 Dia Twin Coil Whip specs: SKU NMO5T825B Mfg Part Number NMO5T825B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMOS	EA	\$	32.17
33411	LARSEN	NMO5T900B	LARSEN 5 DB 900 MHZ ANTENNA ONLY	LARSEN 5 dB gain 890-960 MHz black twin open coil antenna. Order Motorola style mount separately.	EA	\$	34.43
33411	LARSEN	NMO700	740-806 3.4 DB ANTENNA	LARSEN 740-806 MHz 3.4 dB mobile antenna. 200 watt. Order NMO/Motorola style mount separately.Stainless Spring Base / Whip; Enc; 3.4 dB; 740 - 806 MHz; .100 Dia Stainless Whip Specs: SKU NMO700 Mfg Part Number NMO700 Manufacturer Pulse Ele	EA	\$	37.91

33411	LARSEN	NMO800	LARSEN NMO MOBILE ANTENNA 806-866MHZ	Base / Whip, 5 dB, 890 - 960 MHz, .100 Dia Twin Coil Whip Manufacturer Larsen Model # NMO800 Product Description 800-866 NMO Mobile Frequency (MHz) 806-866 Product Narrative 3.4dB gain collinear roof top antenna Gain (dB) 3.4 Maximum	EA	\$	37.91
33411	LARSEN	NMO800B	LARSEN 3.4 DB; 806 - 866 MHZ ANTENNA	Spring Base / Whip, Enclosed, 3.4 dB, 806 - 866 MHz, .100 Dia Stainless Whip Specs: SKU NMO800B Mfg Part Number NMO800B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Mul	EA	\$	40.19
33411	LARSEN	NMO825	COMMUNICATIONS EQUIPMENT	Stainless Spring Base / Whip, Enc, 3.4 dB, 806 - 866 MHz, .100 Dia Whip	EA	\$	34.46
33411	LARSEN	NMO825B	COMMUNICATIONS EQUIPMENT	Spring Base / Whip; Enclosed; 3.4 dB; 824 - 896 MHz; .100 Dia Stainless Whip specs: SKU NMO825B Mfg Part Number NMO825B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi	EA	\$	39.12
33411	LARSEN	NMO900	PULSE / LARSEN - 890-960 MHZ NMO ANTENNA	LARSEN 890-960 MHz NMO style mobile antenna only. Order desired NMO style mounting kit separately.	EA	\$	38.18
33411	LARSEN	NMO900B	COMMUNICATIONS EQUIPMENT	Spring Base / Whip, Enclosed, 3.4 dB, 824 - 896 MHz, .100 Dia Stainless Whip	EA	\$	38.82
33411	LARSEN	NMOC/P3E	ANT, CELL/PCS, ROOF	LARSEN 806-896/1850-1990 MHz dual band 1.8 dB antenna only. Order Motorola or NMOKHF style mount separately. Quantity per unit of issue is 1	EA	\$	25.53
33411	LARSEN	NMOC/P3EUD	LARSEN CELLULAR ANTENNA	Base Whip Enc, 4 dBi, 806-896/1850-1990 MHz, 17 UD, MPL, NMO Mount	EA	\$	39.32
33411	LARSEN	NMOC/P3EUDFME	LARSEN CELLULAR ANTENNA	Base Whip Enc, 4 dBi, 806-896/1850-1990 MHz, 17 UD, FME Inst, NMO Mount Specific Frequency 824-960 MHz / 1850-1990 MHz Gain dBi 4 dBi Mobile Antenna Mounting Type High Frequency NMO Whip Material Plastic Whip Length 4.7 in RF Connectors FM	EA	\$	43.01
33411	LARSEN	NMOC/P3EUDMPL	LARSEN CELL ANTENNA	LARSEN 824-960/1850-1990 MHz dual band 1.8 dB antenna. Includes high frequency 3/4" hole mount with 17' RG58/U dual shield and Mini UHF connector. Specs: Specific Frequency 824-960 MHz / 1850-1990 MHz Gain dBi 4 dBi Mobile Antenna Mounting Typ	EA	\$	43.01
33411	LARSEN	NMOC/P3EUDSMA	CELLULAR PCS DUAL BAND NMO MOUNT ANTENNA	NMOC/P3EUDSMA : Cellular PCS Dual Band NMO Mount Antenna For 3G Cellular With 17 Foot RG58/U Cable Specs: SKU NMOC/P3EUDSMA Mfg Part Number NMOC/P3EUDSMA Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 6	EA	\$	43.01
33411	LARSEN	NMOC/P3EUDTNC	COMMUNICATIONS EQUIPMENT	Pulse / Larsen Antennas - Cell/PCS Roof Mount Antenna with 17. The Larsen NMOC/P3EUDFME dual band mobile cellular antenna significantly reduces dropped calls and increases your cell phone+s range within the cellular (824 - 960 MHz) and PCS (1850 - 19	EA	\$	45.78

33411	LARSEN	NMOCAPB	BLACK PLASTIC RAIN CAP FOR NMO MOUNTS	Black Plastic Rain Cap for NMO Mounts. Mechanical Specifications Plastic MAKROBLEND Color Black Ingress Protection IP66 with Superseal Overall Lenght 1.70 x 1.0 High (Inches) Environmental Specifications Operating Temperature -30/+85 C Wei	EA	\$	5.25
33411	LARSEN	NMOHF	3/4" HOLE HIFREQ NMO STYLE MOUNT ONLY FO	LARSEN 27 MHz-6 GHz permanent body mount requiring 3/4" hole. Includes mounting hardware only, no coax or connectors.	EA	\$	7.34
33411	LARSEN	NMOHFGPSBNC SMA	LARSEN GPS ANTENNA PLUS NMO	NMOHFGPSBNC SMA : Combination Active GPS Roof Mount Antenna Plus NMO for Additional Antenna And Cables Specs: SKU NMOHFGPSBNC SMA Mfg Part Number NMOHFGPSBNC SMA Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Singl	EA	\$	77.15
33411	LARSEN	NMOHFGPSFMENOCNN	COMMUNICATIONS EQUIPMENT	Direct Feed 3/4" Hole, Combination GPS/NMOHF Mount, 17' RG-58 (NMOHF) / 17' RG-174 (GPS), FME/No Conn Specifications Manufacturer Larsen Part Number NMOHFGPSFMENOCNN Frequency Range 1574.4 - 1576.4MHz Gain (dB) 26dB +/- 2 Voltage 3-5 Size	EA	\$	96.87
33411	LARSEN	NMOHFGPSFMESMA	COMMUNICATIONS EQUIPMENT	Direct Feed 3/4" Hole, Combination GPS/NMOHF Mount 17' RG-58 (NMOHF) / 17' RG-174 (GPS), BNC Male/SMA Male	EA	\$	96.87
33411	LARSEN	NMOHFGPSNOCNN	LARSEN GPS ANTENNA	NMOHFGPSNOCNN - Larsen GPS Antenna with built in NMO mount , No Connectors Specifications Manufacturer Larsen Part Number NMOHFGPSNOCNN Frequency Range 1574.4 - 1576.4MHz Gain (dB) 26dB +/- 2 Voltage 3-5 Size 2" W x 1.5" L x 0.7" H Whip	EA	\$	96.87
33411	LARSEN	NMOHFGPSSMASMA	COMMUNICATIONS EQUIPMENT	Direct Feed 3/4 Inch Hole; Combination GPS/NMOHF Mount; 17 Ft. RG-58 (NMOHF) / 17 Ft. RG-174 (GPS); SMA/SMA SKU NMOHFGPSSMASMA Mfg Part Number NMOHFGPSSMASMA Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single	EA	\$	96.87
33411	LARSEN	NMOHFTHK	THICK SURFACE NMO MOUNT	Direct Feed 3/4" Hole, Combination GPS/NMOHF Mount, 17' RG-58 (NMOHF) / 17' RG-174 (GPS), No Conn. Product Specifications: Description 0-6 GHz 3/4" hole mount for surfaces up to 1/2" thick. Features a fully weatherized cable interface for a t	EA	\$	21.22
33411	LARSEN	NMOKDS	3/4" HOLE NMO STYLE MOUNT W/17' DS COAX	Larsen 3/4" Hole NMO Style Mount w/17' DS Coax & No Connector	EA	\$	22.35
33411	LARSEN	NMOKFME	PULSE / LARSEN - 0-1000 MHZ, 3/4" STAINL	The Larsen NMOKFME vehicle roof mount antenna installation hardware kit is a NMO mount for Motorola-style mobile antennas 0-1000 MHz. This nickel-plated stainless steel permanent mount is for a 3/4 inch hole in mounting surfaces. The Larsen mobile an	EA	\$	19.02
33411	LARSEN	NMOKHFCX	LARSEN - 0-6000 MHZ, 3/4" MOUNT, RG58A/U	The Larsen NMOKHFCXMPL vehicle roof mount antenna installation hardware kit is a NMO mount for Motorola-style mobile antennas 0-1000 MHz. This nickel, copper and zinc alloy permanent mount is for a 3/4 inch hole in mounting surfaces from 0.1 to 0.03i	EA	\$	14.18
33411	LARSEN	NMOKHFCXFME	COMMUNICATIONS EQUIPMENT	NMO High Frequency Mount, 17' RG-58A/U, FME Crimp	EA	\$	16.21
33411	LARSEN	NMOKHFCXTHK	COMMUNICATIONS EQUIPMENT	NMO High Frequency Mount, 17' RG-58A/U, Mini UHF	EA	\$	34.73

33411	LARSEN	NMOKHFDS	3/4" MOUNT, 0-1 GHZ	LARSEN 0-1000 MHz 3/4" hole antenna mount. Includes 17' RG58A/U dualshield cable. Purchase connector separately.	EA	\$	24.22
33411	LARSEN	NMOKHFDSTHK	THICK MOUNT, RG58A/U DS	LARSEN 0-6 GHz 3/4" hole antenna mount for surfaces up to 1/2" thick. Includes 17' RG58A/U dual shield cable. Order connector separately.	EA	\$	43.42
33411	LARSEN	NMOKHFUD25	LARSEN 0-6000 MHZ, 3/4" MOUNT,RG58/U,NO	The Larsen NMOKHFUD25 vehicle roof mount antenna installation hardware kit is a special application NMO mount for high frequency Motorola-style mobile antennas 0-6000 MHz. Center pin is removable to function as a standard or high frequency mount. Thi	EA	\$	19.05
33411	LARSEN	NMOKHFUDFME25	COMMUNICATIONS EQUIPMENT	NMOKHFUD with 35' Of Coax. Larsen is proud to present the HyPer Connect System . . . a breakthrough in radio connectors. HyPer Connect is a universal master connector system for all major radio brands. Features: Factory pre-installed for greate	EA	\$	23.10
33411	LARSEN	NMOKHFUDMPL	LARSEN NMO MOUNT	NMO High Frequency Mount, 17 RG-58/U Dual Shield, FME	EA	\$	21.08
33411	LARSEN	NMOKHFUDSMAI	COMMUNICATIONS EQUIPMENT	NMO High Frequency Mount, 17 RG-58/U Dual Shield, MPL	EA	\$	25.14
33411	LARSEN	NMOKHFUDSMARPI	PULSE/LARSEN ROOF MOUNTING KIT MOTOROLA	NMO High Frequency Mount, 17 RG-58/U Dual Shield, SMA Installed	EA	\$	25.53
33411	LARSEN	NMOKHFUDTHK	PULSE / LARSEN - 0-6000 MHZ, 3/4" MOUNT,	The Larsen NMOKHFUD vehicle roof mount antenna installation hardware kit is a special application NMO mount for high frequency Motorola-style mobile antennas 0-6000 MHz. Center pin is removable to function as a standard or high frequency mount. Thisn	EA	\$	36.51
33411	LARSEN	NMOKHFUDTHK25	PULSE / LARSEN - THICK MOUNT, 25' RG58/T	LARSEN 0-6 GHz 3/4" hole antenna mount for surfaces up to 1/2" thick. Includes 25' RG58/U dual shield cable. Order connector separately. Specific Frequency 0-6000 MHz Description 0-6 GHz 3/4" hole mount for surfaces up to 1/2" thick. Features af	EA	\$	42.81
33411	LARSEN	NMOKHFUDTNC	LARSEN NMO HIGH FREQUENCY MOUNT	NMO High Frequency Mount - 17 foot RG-58/U Dual Shield - TNC-Male specs: SKU NMOKHFUDTNC Mfg Part Number NMOKHFUDTNC Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount Style NMO	EA	\$	21.32
33411	LARSEN	NMOKHFUDTNCI	LARSEN NMO HIGH FREQUENCY MOUNT TNC MALE	NMO High Frequency Mount - 17 foot RG-58/U Dual Shield - TNC-Male Installed Specs: SKU NMOKHFUDTNCI Mfg Part Number NMOKHFUDTNCI Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount	EA	\$	22.93
33411	LARSEN	NMOKMPL	NMO 3/4" MOUNT/ MINI UHF MOBILE RADIO	LARSEN NMO 3/4" hole permanent mount. Includes 17' RG58/U and mini UHF connector. Larsen NMOKMPL vehicle roof mount antenna installation hardware kit is a NMO mount for Motorola-style mobile antennas 0-1000 MHz. This nickel-plated stainless steel p	EA	\$	17.72
33411	LARSEN	NMOKUD20TNCI	LARSEN NMO MOUNT - 20 FOOT UD, TNC	NMO Mount - 20 foot UD (RG-58U Dual Shield) - TNC Installed Specs: SKU NMOKUD20TNCI Mfg Part Number NMOKUD20TNCI Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount Style NMO Conn	EA	\$	26.54

33411	LARSEN	NMOKUD25MPL	LARSEN NMO MOUNT - 25 FOOT UD (RG-58U DU	NMO Mount - 25 foot UD (RG-58U Dual Shield) Cable with MPL Mini UHF / Mini PL-259 Connector Specs: SKU NMOKUD25MPL Mfg Part Number NMOKUD25MPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NM	EA	\$	22.29
33411	LARSEN	NMOKUD38THK	LARSEN NMO 3/8 INCH THICK MOUNT	NMO 3/8 Inch Thick Mount - 17 foot UD (RG-58U Dual Shield) - No Connector Specs: SKU NMOKUD38THK Mfg Part Number NMOKUD38THK Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount Sty	EA	\$	22.11
33411	LARSEN	NMOKUDFME	3/4" HOLE NMO STYLE MOUNT W/17' UD COAX	NMO Mount, 25' UD, MPL Crimp	EA	\$	19.59
33411	LARSEN	NMOKUDMPLI	LARSEN 3/4 INCH NMO MOUNT WITH 17 FOOT U	NMOKUDMPLI: 3/4 Inch NMO Mount with 17 foot UD (RG-58U) Dual Shield Cable & MPL-Mini UHF / Mini PL-259 Connector Installed Product Specs: SKU NMOKUDMPLI Mfg Part Number NMOKUDMPLI Manufacturer Pulse Electronics / Larsen Antennas Product Condi	EA	\$	21.54
33411	LARSEN	NMOKUDNOCONN30	COMMUNICATIONS EQUIPMENT	NMO Mount - 30 foot UD (RG-58U Dual Shield) - No Connector Product Specs: SKU NMOKUDNOCONN30 Mfg Part Number NMOKUDNOCONN30 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount Styl	EA	\$	23.26
33411	LARSEN	NMOKUDSMAI	LARSEN NMO MOUNT SMA MALE INSTALLED	NMO Mount - 17 foot UD (RG-58U Dual Shield) - SMA Male Installed Specs: SKU NMOKUDSMAI Mfg Part Number NMOKUDSMAI Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount Style NMO C	EA	\$	25.60
33411	LARSEN	NMOKUDSMBI	NMO MOUNT - 17 FOOT UD (RG-58U DUAL SHIE	NMO Mount - 17 foot UD (RG-58U Dual Shield) - SMB Installed Product Specs: SKU NMOKUDSMBI Mfg Part Number NMOKUDSMBI Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Thru Hole NMO mount Mount Style NMOCc	EA	\$	25.60
33411	LARSEN	NMOKUDTNC	LARSEN - 3/4" HOLE MOUNT TNC, BLK	The Larsen NMOKUDTNC vehicle roof mount antenna installation hardware kit is a NMO mount for Motorola-style mobile antennas 0-1000 MHz. This nickel-plated stainless steel permanent mount is for a 3/4 inch hole in mounting surfaces.The Larsen mobile a	EA	\$	20.54
33411	LARSEN	NMOMM	LARSEN MAG MOUNT SQUARE UHF CONNECTOR	NMO Magnetic Mount - Square - 12 foot CX (RG-58U) - UHF Type Connector Specs: SKU NMOMM Mfg Part Number NMOMM Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMOM	EA	\$	64.81
33411	LARSEN	NMOMMBNC	COMMUNICATIONS EQUIPMENT	NMO Magnetic Mount - Square - 12 foot CX (RG-58U) - BNC Product Specs: SKU NMOMMBNC Mfg Part Number NMOMMBNC Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMO	EA	\$	64.81

33411	LARSEN	NMOMMDSFME	LARSEN NMO MAGNETIC MOUNT - SQUARE	NMO Magnetic Mount - Square - 12 foot DS - FME Specs: SKU NMOMMDSFME Mfg Part Number NMOMMDSFME Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMO Mount Connect	EA	\$	75.37
33411	LARSEN	NMOMMFME	NMO MAGNETIC MOUNT - SQUARE - 12 FOOT CX	NMO Magnetic Mount - Square - 12 foot CX (RG-58U) Specs: SKU NMOMMFME Mfg Part Number NMOMMFME Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMO Mount Connecto	EA	\$	64.81
33411	LARSEN	NMOMMMPL	LARSEN NMO MAGNETIC MOUNT - SQUARE	NMO Magnetic Mount - Square - 12 foot CX (RG-58U) - MPL Product Specs: SKU NMOMMMPL Mfg Part Number NMOMMMPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMO M	EA	\$	64.81
33411	LARSEN	NMOMMNOCONN	LARSEN NMO MAG MOUNT 12 FT CX (RG-58U)	NMO Magnetic Mount - Square - 12 foot CX (RG-58U) - No Connector SKU NMOMMNOCONN Mfg Part Number NMOMMNOCONN Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMO Mou	EA	\$	60.89
33411	LARSEN	NMOMMPL	NMO MAGNETIC MOUNT - SQUARE - 12 FOOT CX	Larsen NMO Magnetic Mount - Square - 12 foot CX (RG-58U) - PL259 Product Specs: SKU NMOMMPL Mfg Part Number NMOMMPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magneti	EA	\$	64.81
33411	LARSEN	NMOMMR	LARSEN - 0-3000 MHZ, MAGNET MOUNT, RG58A	The Larsen NMO MMR magnetic antenna mount is for use with Motorola-style, NMO antennas. This Motorola-style magnet mount provides temporary, easily removable mounts for mobile antennas. This high frequency, 0 - 3000 MHz. NMO mount features a full	EA	\$	34.19
33411	LARSEN	NMOMMR200RPSMA	LARSEN NMO MOUNT WITH SMA CONNECTOR	Pulse / Larsen 3.5 Inch diameter magnetic roof mount for NMO antennas. Magnet features 80 lbs. pull strength. 12 Foot LMR200 with reverse polarity SMA connector. Product Specs: SKU NMOMMR200RPSMA Mfg Part Number NMOMMR200RPSMA Manufacturer Pul	EA	\$	54.08
33411	LARSEN	NMOMMR200SMA	PULSE / LARSEN - MAGNET MOUNT, SMA	Larsen High frequency magnet mount. Features a fully weatherized cable interface and a center pin that removes to convert it from a standard to a high frequency mount. Zinc alloy body plated with copper and nickel. Nickle plated brass ring. For use w	EA	\$	50.46
33411	LARSEN	NMOMMRBNC	LARSEN NMO MAG MOUNT WITH BNC CONNECTOR	Pulse /Larsen 3.5 Inch diameter magnetic roof mount for NMO antennas. Magnet features 80 lbs. pull strength. 12 foot RG-58U cable with BNC connector. Product Specs: SKU NMOMMRBNC Mfg Part Number NMOMMRBNC Manufacturer Pulse Electronics / La	EA	\$	33.31

33411	LARSEN	NMOMMRDSFME	NMO 3.5 INCH ROUND MAGNETIC MOUNT - 12 F	NMO 3.5 Round Mag Mount, 12 DS, FME. Pulse /Larsen 3.5 Inch diameter magnetic roof mount for NMO style antennas. Magnet features 80 lbs. pull strength. 12 foot RG58A/U Dual-Shield cable with FME connector. Product Specs: SKU NMOMMRDSFME Mfg	EA	\$	34.28
33411	LARSEN	NMOMMRDSN	PULSE / LARSEN - 0-3000 MHZ, MAGNET MOUN	NMO 3.5 Round Mag Mount, 12 DS, N Product Specs: SKU NMOMMRDSN Mfg Part Number NMOMMRDSN Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style Magnetic NMO Mount Connector N-	EA	\$	38.82
33411	LARSEN	NMOMMRDSSMA	PULSE / LARSEN - 0-3000 MHZ, MAGNET MOUN	Larsen NMOMMRDSSMA vehicle antenna magnetic mount is for use with Motorola-style, NMO mobile antennas. This Motorola-style magnet mount provides temporary, easily removable mounts for mobile antennas. Product Specifications: Frequency 0-3000M	EA	\$	37.74
33411	LARSEN	NMOMMRDSSMAR/P	LARSEN NMO HIGH FREQUENCY MOUNT	NMO 3.5 Round Mag Mount, 12 DS, RP SMA Specs: Specific Frequency 27-6000 MHz Description NMO High Frequency 3.5" Magnetic Mount with 12' RG-58A/U dual shield cable with SMA RP connector. Cable Length 12 ft Cable Type RG-58A/U RF Connector R	EA	\$	36.72
33411	LARSEN	NMOMMRDSTNC	COMMUNICATIONS EQUIPMENT	NMO 3.5 Round Mag Mount, 12 DS, TNC Specific Frequency 0-3000 MHz. Description: High frequency magnet mount. Features a fully weatherized cable interface and a center pin that removes to convert it from a standard to a high frequency mount. Zinca	EA	\$	36.72
33411	LARSEN	NMOMMRMPL	LARSEN 0-3000 MHZ, MAGNET MNT, MINI UHF	Larsen NMOMMRMPL vehicle antenna magnetic mounti for use with Motorola-style mobile antennas. This Motorola-style magnet mount provides temporary, easily removable vehicle mounting for mobile antennas. Product Specifications: Frequency 0-3000 M	EA	\$	35.39
33411	LARSEN	NMOMMRUD25NC	PULSE / LARSEN - MAG. MOUNT, 25'/ NO CON	Motorola-style magnet bases provide temporary, easily removable mounts for antennas. Thread size 1-1/8"-18. Product Specifications: Frequency 100-6000 MHz Description Motorola-style magnet bases provide temporary, easily removable mounts fora	EA	\$	57.20
33411	LARSEN	NMOMMRUDNOCONN	NMO 3.5 INCH ROUND MAGNETIC MOUNT - 12 F	NMO 3.5 Round Mag Mount, 12' UD, No Conn Product Specs: SKU NMOMMRUDNOCONN Mfg Part Number NMOMMRUDNOCONN Manufacturer Pulse Electronics / Larsen Antennas Product Condition New NMO Mount Type Magnetic NMO Mount Mount Style NMO MAGNETIC M	EA	\$	30.58
33411	LARSEN	NMOMMUDSMART	LARSEN NMO MAG MOUNT	NMO Mag Mount, 12' UD, SMA Reverse Thread	EA	\$	69.49
33411	LARSEN	NMOQ52C	COMMUNICATIONS EQUIPMENT	Base / Whip, Unity, 52 - 88 MHz, .100 Dia Stainless Whip SKU NMOQ52C Mfg Part Number NMOQ52C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 30-140 MHz Bands Single, Multi SISO or MIMO SISO Frequency1	EA	\$	25.35
33411	LARSEN	NMOQ700B	740-806 MHZ ANTENNA	Base / Whip, Unity, 740-806 MHz, .100 Dia Whip	EA	\$	19.06

33411	LARSEN	NMOQ800B	806-896 NMO ANTENNA,BLACK	LARSEN 806-896 MHz NMO black unity gain base loaded quarterwave antenna only Order desired NMO 3/4" mount separately	EA	\$	19.06
33411	LARSEN	NMOQ88C	COMMUNICATIONS EQUIPMENT	Base / Whip, Unity, 88 - 136 MHz, .100 Dia Stainless Whip Manufacturer Larsen Model # NMOQ88C Product Description 88-136 Field Tunable 1/4 Wave Frequency (MHz) 88-136 Product Narrative Quarterwave antenna with Makroblend polymer base. UsableB	EA	\$	21.87
33411	LARSEN	NMOQB	136-512 1/4 WAVE, BLACK WHIP ANTENNA	LARSEN 136-512 MHz quarter wave mobile antenna. Black. Order desired NMO 3/4" mount separately. pecific Frequency 136-512 MHz Gain dBi 2 dBi GPS Included No Mobile Antenna Mounting Type NMO RF Connectors No Connector Maximum Power 200 W Colo	EA	\$	20.09
33411	LARSEN	NMOQBASE1B	LARSEN NMOQ BASE FOR .070 DIA WHIPS	NMOQ Base for .070 Dia Whips SKU NMOQBASE1B Mfg Part Number NMOQBASE1B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO OK for Outdoor Use Yes Vehicular Yes Ground Plane RequiredN	EA	\$	15.70
33411	LARSEN	NMOQBASE2B	PULSE NMOQ BASE FOR .100 WHIP ANTENNAS	NMOQ Base for .100 Dia Whips Product Specs: SKU NMOQBASE2B Mfg Part Number NMOQBASE2B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO OK for Outdoor Use Yes Vehicular Yes G	EA	\$	14.83
33411	LARSEN	NMOQBASE3B	QUARTER WAVE OMNIDIRECTINAL WHIP ANTENNA	NMOQ Base for .070 Dia Whips Product Specs: SKU NMOQBASE3B Mfg Part Number NMOQBASE3B Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Bands Single, Multi SISO or MIMO SISO OK for Outdoor Use Yes Vehicular Yes Grou	EA	\$	14.83
33411	LARSEN	NMOQC	136-512 NMO 1/4 WAVE ANTENNA ONLY	LARSEN 136-512 MHz NMO quarter wave mobile antenna only. Order desired NMO 3/4" mount separately. Product Specifications: Frequency-136-512 MHz Gain dBi 2 dBi GPS Included No Mobile Antenna Mounting Type-NMO RF Connectors-No Connector Max	EA	\$	20.54
33411	LARSEN	NMOQSPEC800B	806-896 MHZ NMO, BLACK	LARSEN 806-896 MHz NMO unity gain base loaded quarterwave antenna. Order desired NMO 3/4" mount separately. Black.	EA	\$	18.17
33411	LARSEN	NMOQSPEC900B	SPEC BASE / WHIP; UNITY; 890 - 960 MHZ;	Spec Base / Whip, Unity, 890 - 960 MHz, .070 Dia Whip	EA	\$	16.98
33411	LARSEN	NMOQSPECB	COMMUNICATIONS EQUIPMENT	Spec Base / Whip, Unity, 136 - 960 MHz, .070 Dia Whip	EA	\$	19.84
33411	LARSEN	NMOQW152	LARSEN-152-162 1/4 WAVE ANTENNA	LARSEN 152-162 MHz unity gain 1/4 wave chrome pre-tuned antenna. Order NMO/ Motorola style mount separately. Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	12.94
33411	LARSEN	NMOQW450	450-470 1/4 WAVE ANTENNA, UNITY, PRE-TUN	LARSEN 450-470 MHz unity gain 1/4 wave chrome pre-tuned antenna. Order NMO/ Motorola style mount separately. Product Specifications: Specific Frequency 450-470 MHz Gain dBi 2 dBi Mobile Antenna Mounting Type-NMO Whip Material-Stainless SteelW	EA	\$	12.59

33411	LARSEN	NMOQW800	806-896 1/4 WAVE ANTENNA, PRETUNE CHROME	LARSEN 806-896 MHz quarter wave chrome pre-tuned antenna. Order NMO/Motorola style mount separately. Product Specifications: Specific Frequency 806-896 MHz Gain dBi-2 dBi Mobile Antenna Mounting Type-NMO Whip Material-Stainless Steel WhipL	EA	\$	12.99
33411	LARSEN	NMOSPEC825	LARSEN STAINLES SPEC BASE WHIP	Stainless Spec Base / Whip, 3 dB, 824 - 896 MHz, .070 Dia Stainless Whip specs: SKU NMOSPEC825 Mfg Part Number NMOSPEC825 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, M	EA	\$	20.15
33411	LARSEN	NMOSPEC900	LARSEN STAINLESS SPEC BASE WHIP ANTENNA	Stainless Spec Base / Whip, 3 dB, 890 - 960 MHz, .070 Dia Stainless Whip	EA	\$	20.15
33411	LARSEN	NMOU150D	LARSEN NMO VHF DISGUISE ANTENNA	NMO Mounted Cellular Look Alike VHF Disguise Antenna, 150 - 165 MHz	EA	\$	28.93
33411	LARSEN	NMOU155D	NMO MOUNTED CELLULAR LOOK ALIKE VHF DISG	NMO Mounted Cellular Look Alike VHF Disguise Antenna, 155 - 170 MHz. Product Specs: SKU NMOU155D Mfg Part Number NMOU155D Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 140-300 MHz Bands Single, M	EA	\$	31.58
33411	LARSEN	NMOUHFBASEB	LARSEN - UHF NMO COIL, BLACK	LARSEN UHF coil. Use with appropriate whip for desired frequency. Black finish to match Kulrod T(TM) whips.	EA	\$	14.29
33411	LARSEN	NMOWB150B	PULSE / LARSEN - 134-174 1/2 WAVE ANTENN	High frequency magnet mount. Features a fully weatherized cable interface and a center pin that removes to convert it from a standard to a high frequency mount. Zinc alloy body plated with copper and nickel. Nickle plated brass ring. For use with Mot	EA	\$	47.07
33411	LARSEN	NMOWB150BCO	LARSEN 135-174 MHZ NMO LOADING COIL BLAC	LARSEN 135-174 MHz NMO loading coil only. Black finish to match Kulrod whips. Specific Frequency 135-174 MHz Compatible Antenna NMOWB150B Mfg. Warranty 2 Years	EA	\$	37.61
33411	LARSEN	NMOWB150BK	COMMUNICATIONS EQUIPMENT	Wideband NMO Coil, 2.5 dB, 135 - 174 MHz	EA	\$	67.99
33411	LARSEN	NMOWB150C	135-174 WIDEBAND HALF WAVE MOBILE ANT, 2	Wideband NMO Coil, .100 Dia, 2.5 dB, 135 - 174 MHz. Type Wideband 1/2 wave Gain 0 dBd 2 dBi Frequency 135-174 MHz Model NMOWB150C Power Rating 100 Watts Whip Color Stainless Max Height 51.75 Inch Cable Assembly/Mount Order Separately Wei	EA	\$	50.40
33411	LARSEN	NMOWB406BCO	LARSEN 1/2 WAVE WHIP BASE COIL ONLY	Wideband NMO Coil, 3.5 dB, 406 - 512 MHz. Product Specs: SKU NMOWB406BCO Mfg Part Number NMOWB406BCO Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Style 1/2 Wave Whip Base Coil Only Antenna Category 400-490	EA	\$	24.68
33411	LARSEN	NMOWB406C	MOBILE ANTENNA 3.5 DB, 406 - 430 MHZ	Coil/Stainless Whip, 3.5 dB, 406 - 430 MHz, Wide Band. The Pulse-Larsen NMOWB406C is a Wide Band Whip Omnidirectional Antenna operating at 406 - 430 MHz with NMO Mount Base Founded in 1965 as Larsen Electronics, the company was acquired in 1999 by R	EA	\$	60.25

33411	LARSEN	NMOWB40C	WIDE BAND LOW BAND LARSEN ANTENNA	Wide Band Low Band, Unity, 5 MHz, Tunable Bandwidth, 40 - 50 MHz. Product Specs: anufacturer Larsen Model # NMOWB40 Product Description 40-50 MHz Antenna Frequency (MHz) 40-50 Product Narrative Wideband base loaded quarterwave chrom	EA	\$	34.75
33411	LARSEN	NMOWB430C	ULSE-LARSEN WIDE BAND WHIP 430-455 MHZ	Coil/Stainless Whip, 3.5 dB, 430 - 455 MHz, Wide Band Antenna with NMO mount. The Pulse-Larsen NMOWB430C is a Wide Band Whip Omnidirectional Antenna operating at 430-455 MHz with NMO Mount Base. Founded in 1965 as Larsen Electronics, the company wasa	EA	\$	62.10
33411	LARSEN	NMOWB450C	PULSE-LARSEN WIDE BAND WHIP 450 -475 MHZ	Wideband Stainless Whip with Spring, 450 - 475 MHz. The Pulse-Larsen NMOWB450C is a Wide Band Whip Omnidirectional Antenna operating at 450 - 475 MHz with NMO Mount Base. Founded in 1965 as Larsen Electronics, the company was acquired in 1999 by Radi	EA	\$	60.23
33411	LARSEN	NMOWB470C	PULSE LARSEN WIDE BAND WHIP 470 -495 MHZ	Coil/Stainless Whip, 3.5 dB, 470 - 495 MHz, Wide Band.The Pulse-Larsen NMOWB470C is a Wide Band Whip Omnidirectional Antenna operating at 470 - 495 MHz with NMO Mount Base PRODUCT SPECS: SKU NMOWB470C Mfg Part Number NMOWB470C Manufacturer Pul	EA	\$	60.25
33411	LARSEN	NMOWB490C	PULSE-LARSEN WIDE BAND WHIP 490 - 515 MH	Coil/Stainless Whip, 3.5 dB, 490 - 515 MHz, Wide Band SKU NMOWB490C Mfg Part Number NMOWB490C Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Style Wide Band Whip Antenna Category 470-600 MHz Polarity VerticalB	EA	\$	60.25
33411	LARSEN	NMOWBQB	COMMUNICATIONS EQUIPMENT	LARSEN 150-170 MHz wide band quarter wave black antenna with spring. Order Motorola style mount separately. Product Specifications: Frequency 150-170 MHz Gain dBi 2 dBi Mobile Antenna Mounting Type NMO Whip Material Stainless Steel Whip L	EA	\$	38.26
33411	LARSEN	NMOWBQC	LARSEN -150-170 WIDEBAND ANTENNA, CHROME	LARSEN 150-170 MHz wide band quarter wave chrome antenna with spring. Order Motorola style mount separately. Product Specifications: Specific Frequency 150-170 MHz Gain dBi 2 dBi Mobile Antenna Mounting Type- NMO Whip Material-Stainless SteelW	EA	\$	27.23
33411	LARSEN	OCBRACKET	LARSEN OCBRACKET	Omni Ceiling Mounting Bracket for Wall Or Ceiling Mount	EA	\$	7.70
33411	LARSEN	OLMMNT	COMMUNICATIONS EQUIPMENT	O Ring / LM Mounts, 3 Per Package	EA	\$	3.54
33411	LARSEN	OM450BCO	SELF MOUNTING NO GROUND PLANE ANTENNA	OM450BCO : Self Mounting No Ground Plane Required Antenna(440 - 490 MHz) with 17 Foot RG58AU Cable with PL259 Connector- No Whip Base coil only Specs: SKU OM450BCO Mfg Part Number OM450BCO Manufacturer Pulse Electronics / Larsen Antennas Prod	EA	\$	60.73
33411	LARSEN	OM450CK	COMMUNICATIONS EQUIPMENT	LARSEN 450-470 MHz 2.5 dB antenna no ground plane required. Includes 17' RG-58A/U cable connected to coil and UHF male connector.	EA	\$	82.00

33411	LARSEN	OM800UD	LARSEN 3 DB; 806 - 866 MHZ ANTENNA	Larsen Self Mounting No Ground Plane Required Antenna with 17 Foot RG58AU Cable. Product Specs: SKU OM800UD Mfg Part Number OM800UD Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Band	EA	\$	60.73
33411	LARSEN	OM800UDMPL	COMMUNICATIONS EQUIPMENT	Larsen Coil / Whip; 3 dB; 806 - 866 MHz; 14 Ft. UD; MPL; .070 Dia Whip Specs: SKU OM800UDMPL Mfg Part Number OM800UDMPL Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi	EA	\$	64.60
33411	LARSEN	OM900UD	890-900 MHZ ANTENNA	Base / Whip, 3 dB, 890 - 960 MHz, 14 UD, No Conn, .070 Dia Whip. Self Mounting No Ground Plane Required Antenna with 17 Foot RG58AU Cable. Specs: SKU OM900UD Mfg Part Number OM900UD Manufacturer Pulse Electronics / Larsen Antennas ProductC	EA	\$	58.52
33411	LARSEN	ONMOANT	COMMUNICATIONS EQUIPMENT	Coil / Whip, 3 dB, 824 - 896 MHz, 14 UD, MPL, .070 Dia Whip	EA	\$	3.45
33411	LARSEN	ONMOMNT	COMMUNICATIONS EQUIPMENT	Base / Whip, 3 dB, 890 - 960 MHz, 14 UD, No Conn, .070 Dia Whip	EA	\$	3.45
33411	LARSEN	OPOMNT	O RING / NMO PO MOUNT; 3 PER PACKAGE	O Ring / NMO Coils & Bases, 3 Per Package	EA	\$	2.31
33411	3M CORPORATION	P3000	EARPLUGS	3M(TM) Tri-Flange(TM) Earplugs P3000, Corded, 400 Pair/Case 3M(TM) Tri-Flange(TM) corded reusable earplugs features a proven, triple-flange design and pliable, premolded material to provide clean and comfortable hearing protection. Fits flexibly in o	CS	\$	457.80
33411	3M CORPORATION	P3001	EARPLUGS	3M(TM) Tri-Flange(TM) Earplugs P3001, Cloth, Corded, 400 Pair/Case 3M(TM) Tri-Flange(TM) cloth corded reusable earplugs features a proven, triple-flange design and pliable, premolded material to provide clean and comfortable hearing protection. Fitsf	EA	\$	470.93
33411	SILYNX COMMUNICATIONS, INC	PKG000040	CLARUS/FORTIS KIT POUCH WITH ZIPPER BLAC	Clarus/FORTIS kit pouch with zipper black and red with Silynx logo	EA	\$	23.75
33411	LARSEN	PL259	LARSEN UHF MALE PL259-RG58, 142	LARSEN UHF male solder Female and UG175 adaptor for use on RG55, 58, 141 and 142 cables. Specifications: RF Connectors:UHF Male RF Impedance:50 Ohms Mfg. Warranty:2 Years Compatible BELDEN 7806A 8219 8240 8259 8262 83242 9201 9203 9273	EA	\$	6.40
33411	LARSEN	PO150B	COMMUNICATIONS EQUIPMENT	Connector, Solder Teflon Dielec, RG-58	EA	\$	46.45
33411	LARSEN	PO150BCO	COMMUNICATIONS EQUIPMENT	PO150BCO (PO150BCO 144-174 MHz, USED ON PO-150, SO-239 MOUNT) Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	37.07
33411	LARSEN	PO150C	COMMUNICATIONS EQUIPMENT	Coil / Whip, 3 dB, 144 - 174 MHz, .100 Dia Black Whip	EA	\$	40.89
33411	LARSEN	POUHFBASEB	COMMUNICATIONS EQUIPMENT	PO Mount, 17 CX, No Conn	EA	\$	20.52
33411	LARSEN	PQ	COMMUNICATIONS EQUIPMENT	PO Mag Mount, 12 CX, UHF Type Conn	EA	\$	23.60
33411	SILYNX COMMUNICATIONS, INC	PT0008-00	AUTOMOBILE KEY FOB WIRELESS PTT. FOR USE	Automobile Key FOB Wireless PTT. For use with Clarus, C4OPS and FORTIS. BLACK	EA	\$	304.00

33411	SILYNX COMMUNICATIONS, INC PT0016-00	SINGLE FINGER REMOTE PTT WITH HOOK AND L	Single Finger remote PTT with hook and loop "ring", 3.5mm jack. Compatible with MWPTT-004. BLACK.	EA	\$	80.75
33411	SILYNX COMMUNICATIONS, INC PT0020-B-00	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to MBITR/PRC 152/117 6-Pin connector, 18" Length, Straight cable, NATO wiring. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-B-02	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Motorola MTP850 connector, 18" Length, Straight cable, NATO wiring. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-B-03	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Motorola XTS/MTS connector, 18" Length, Straight cable, NATO wiring. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-B-04	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Motorola APX connector, 18" Length, Straight cable, NATO wiring. BLACK	EA	\$	185.25
33411	3M PT0020-B-10	SILYNX U94 NEXUS FEMALE TO 19 PIIN PRC-1	Silynx U94 Nexus Female to 19 Piin PRC-163 Connector, Straight cable NATO Wiring 18 Black	EA	\$	759.05
33411	SILYNX COMMUNICATIONS, INC PT0020-B-11	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Harris XL200/XG100 connector, 18" Length, Straight cable, NATO wiring. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-B-17	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to 6-pin Hirose connector, 18" Length, Straight cable, NATO wiring. BLACK	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-D-00	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to MBITR/PRC 152/117 6-Pin connector, 18" Length, Straight cable, NATO wiring. TAN	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-D-02	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Motorola MTP850 connector, 18" Length, Straight cable, NATO wiring. TAN	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-D-03	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Motorola XTS/MTS connector, 18" Length, Straight cable, NATO wiring. TAN	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-D-04	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to Motorola APX connector, 18" Length, Straight cable, NATO wiring. TAN	EA	\$	185.25
33411	SILYNX COMMUNICATIONS, INC PT0020-D-17	SILYNX DESIGN U94 CHEST PTT NEXUS FEMALE	SILYNX DESIGN U94 Chest PTT Nexus Female to 6-pin Hirose connector, 18" Length, Straight cable, NATO wiring. TAN	EA	\$	185.25
33411	LARSEN Q	COMMUNICATIONS EQUIPMENT	PO Base Only, 406 - 512 MHZ	EA	\$	8.49
33411	LARSEN Q52	COMMUNICATIONS EQUIPMENT	PL259 Base / Whip, Unity, 144 - 512 MHz, .070 Dia Stainless Whip	EA	\$	14.79
33411	LARSEN Q800	COMMUNICATIONS EQUIPMENT	Stainless Cone / Whip, Unity, 136 - 512 MHz, .070 Dia Stainless Whip	EA	\$	6.52
33411	LARSEN Q88	COMMUNICATIONS EQUIPMENT	Stainless Q Base / Whip, Unity, 52 - 88 MHz, .100 Dia Stainless Whip	EA	\$	10.58
33411	LARSEN Q900	COMMUNICATIONS EQUIPMENT	Q Cone .100 & W030, 806 - 896 MHz	EA	\$	6.26
33411	LARSEN Q900B	COMMUNICATIONS EQUIPMENT	Stainless Q Base / Whip, Unity, 88 - 136 MHz, .100 Dia Stainless Whip	EA	\$	8.01
33411	LARSEN QB	COMMUNICATIONS EQUIPMENT	Q Cone .100 & W035, 890 - 960 MHz	EA	\$	9.65
33411	LARSEN QCONE.073	COMMUNICATIONS EQUIPMENT	Q Base / Whip, Unity, 890 - 960 MHz, .100 Dia Whip	EA	\$	3.64
33411	LARSEN QCONE.073B	COMMUNICATIONS EQUIPMENT	Cone / Whip, Unity, 136 - 512 MHz, .070 Dia Whip	EA	\$	4.83
33411	LARSEN QCONE.100	COMMUNICATIONS EQUIPMENT	Stainless Q Base, .073 Dia	EA	\$	3.98
33411	LARSEN QCONE.100B	COMMUNICATIONS EQUIPMENT	Q Base, .073 Dia	EA	\$	4.83

33411	LARSEN	QCONE.125	COMMUNICATIONS EQUIPMENT	Stainless Q Base, .100 Dia	EA	\$	3.98
33411	LARSEN	QCONE.125B	COMMUNICATIONS EQUIPMENT	Q Base, .100 Dia	EA	\$	4.83
33411	LARSEN	RO2404NM	COMMUNICATIONS EQUIPMENT	Gaskets for SBK, 3 Per Package	EA	\$	61.25
33411	LARSEN	RO4910NM	COMMUNICATIONS EQUIPMENT	Radome Omni, 8 dBi, 2.4 - 2.5 GHz, N Male	EA	\$	68.91
33411	LARSEN	RO5210NM	COMMUNICATIONS EQUIPMENT	Radome Omni, 6 dBi, 5200 - 5350 MHz, N Female	EA	\$	68.91
33411	LARSEN	RO5410NM	COMMUNICATIONS EQUIPMENT	Radome Omni, 10 dBi, 5470 - 5725 MHz, N Male	EA	\$	68.91
33411	LARSEN	RO5805NF	COMMUNICATIONS EQUIPMENT	Radome Omni, 5 dBi, 5150-5825 MHz, N Female	EA	\$	68.91
33411	LARSEN	RO5805NM	COMMUNICATIONS EQUIPMENT	Radome Omni, 10 dBi, 5470 - 5725 MHz, N Male	EA	\$	68.91
33411	LARSEN	RO5806NF	COMMUNICATIONS EQUIPMENT	Radome Omni, 5 dBi, 5150-5825 MHz, N Female	EA	\$	54.89
33411	LARSEN	RO5810NM	COMMUNICATIONS EQUIPMENT	Radome Omni, 6 dBi, 5725 - 5825 MHz, N Female	EA	\$	68.91
33411	LARSEN	SB240012RPSMA	COMMUNICATIONS EQUIPMENT	Dual Band Radome Omni, 3 dBi / 4.5 dBi, 806 - 960 / 1710 - 2170 MHz, N Male, 15"	EA	\$	30.63
33411	LARSEN	SB2400MMCX3	COMMUNICATIONS EQUIPMENT	Stealth Blade, Unity / 2.14 dBi, 2400 - 2500 MHz, 3 RG-174, No Conn	EA	\$	29.10
33411	LARSEN	SB2400MMCX6	COMMUNICATIONS EQUIPMENT	Stealth Blade, Unity / 2.14 dBi, 2400 - 2500 MHz, 6 RG-174, No Conn	EA	\$	29.87
33411	LARSEN	SB2400SMA3	STEALTH BLADE ANTENNA FOR 2.4 GHZ WITH R	Stealth Blade, Unity / 2.14 dBi, 2400 - 2500 MHz, 3 RG-174, MMCX SPECS: SKU SB2400SMA3 Mfg Part Number SB2400SMA3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 2.4-2.5 GHz WIFI / WLAN Bands Singl	EA	\$	29.32
33411	LARSEN	SB2400SMA6	ANTENNA	Stealth Blade Antenna for 2.4 GHz with RG174 Coax Cable Specs: SKU SB2400SMA6 Mfg Part Number SB2400SMA6 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 2.4-2.5 GHz WIFI / WLAN Bands Single, Multi SI	EA	\$	30.09
33411	LARSEN	SB2400SMB3	STEALTH ANTENNA	SB2400SMB3 : Stealth Blade Antenna for 2.4 GHz with RG174 Coax Cable Specs: KU SB2400SMB3 Mfg Part Number SB2400SMB3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 2.4-2.5 GHz WIFI / WLAN Bands Singl	EA	\$	29.32
33411	LARSEN	SB2400SMB6	LARSEN SB2400SMB6 STEALTH BLADE ANTENNA	Stealth Blade, Unity / 2.14 dBi, 2400 - 2500 MHz, 6 RG-174, SMB Specs: SKU SB2400SMB6 Mfg Part Number SB2400SMB6 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 2.4-2.5 GHz WIFI / WLAN Bands Single	EA	\$	30.09
33411	LARSEN	SB45012	STEALTH BLADE ANTENNA FOR 450-470 MHZ	Stealth Blade, 450 - 470 MHz, 12 RG-316, No Conn Specs: SKU SB45012 Mfg Part Number SB45012 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MIMO SISO Frequ	EA	\$	32.26
33411	LARSEN	SB450FME12	LARSEN SB450FME12 STEALTH ANTENNA	Larsen 450-470 Adhesive Mount Stealth Blade AntennaBlack (SB450FME12) Specs: ain dBi 2.15 dBi Mobile Antenna Mounting Type Adhesive Antenna Material Plastic RF Connectors FME Female Cable Length 12 ft Coaxial Cable Series RG-316 Maximum Po	EA	\$	52.46

33411	LARSEN	SB450MPL12	STEALTH BLADE ANTENNA FOR 450-470 MHZ WI	Stealth Blade Antenna for 450-470 MHz with RG316 Coax Cable specs: SKU SB450MPL12 Mfg Part Number SB450MPL12 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 400-490 MHz Bands Single, Multi SISO or MI	EA	\$	52.46
33411	LARSEN	SB80012	COMMUNICATIONS EQUIPMENT	Stealth Blade, 450 - 470 MHz, 12 RG-316, FME Crimp	EA	\$	22.97
33411	LARSEN	SB8003	STEALTH BLADE ANTENNA FOR 806-896 MHZ WI	Stealth Blade Antenna for 806-896 MHz with RG174 Coax Cable SKU SB8003 Mfg Part Number SB8003 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO Frequ	EA	\$	21.59
33411	LARSEN	SB800FME12	LARSEN BLADE ANTENNA 806-896MHZ	Stealth Blade, 806 - 896 MHz, 12 RG-174, with RG174 Coax Cable	EA	\$	26.99
33411	LARSEN	SB800FME3	STEALTH BLADE; 806 - 896 MHZ; 3 FT. RG-1	Stealth Blade; 806 - 896 MHz; 3 Ft. RG-174; FME Crimp Specs: SKU SB800FME3 Mfg Part Number SB800FME3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	25.45
33411	LARSEN	SB800MPL12	LARSEN 806-896 MHZ BLADE ANTENNA	Larsen 806-896 MHz flexible blade style antenna. 2.14dBi gain. 12' RG174 with Mini UHF connector installed. Black. Mounts via adhesive tape. Key Features dBi Fain: 2.15 Cable Length: 12' Mfg. Warranty: 2 Years	EA	\$	30.87
33411	LARSEN	SB800MPL3	896-896 MHZ ANTENNA	Stealth Blade; 806 - 896 MHz; 3 Ft. RG-174; MPL Crimp Specs: SKU SB800MPL3 Mfg Part Number SB800MPL3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	29.32
33411	LARSEN	SB800SMA12	STEALTH BLADE ANTENNA FOR 806-896 MHZ W	Stealth Blade Antenna for 806-896 MHz with RG174 Coax Cable Specs: SKU SB800SMA12 Mfg Part Number SB800SMA12 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or M	EA	\$	30.87
33411	LARSEN	SB800SMA3	LARSEN ANTENNA FOR 806-896 MHZ WITH RG17	Stealth Blade Antenna for 806-896 MHz with RG174 Coax Cable Specs: SKU SB800SMA3 Mfg Part Number SB800SMA3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIM	EA	\$	29.32
33411	LARSEN	SB800TNC12	STEALTH BLADE ANTENNA FOR 806-896 MHZ WI	Stealth Blade; 806 - 896 MHz; 12 Ft. RG-174; TNC Crimp Specs: SKU SB800TNC12 Mfg Part Number SB800TNC12 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO	EA	\$	30.87
33411	LARSEN	SB800TNC3	LARSEN BLADE 806 - 896 MHZ; 3 FT. RG-174	Stealth Blade; 806 - 896 MHz; 3 Ft. RG-174; TNC Crimp Specs: SKU SB800TNC3 Mfg Part Number SB800TNC3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO	EA	\$	29.32

33411	LARSEN	SB90012	COMMUNICATIONS EQUIPMENT	Stealth Blade; 890 - 960 MHz; 12 Ft. RG-174; No Conn Specs: SKU SB90012 Mfg Part Number SB90012 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO Fre	EA	\$	23.14
33411	LARSEN	SB9003	STEALTH BLADE ANTENNA FOR 890-960 MHZ WI	Stealth Blade; 890 - 960 MHz; 3 Ft. RG-174; No Conn Specs: SKU SB9003 Mfg Part Number SB9003 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIMO SISO Freque	EA	\$	21.59
33411	LARSEN	SB900SMA12	STEALTH BLADE ANTENNA FOR 890-960 MHZ WI	Stealth Blade Antenna for 890-960 MHz with RG174 Coax Cable Specs: SKU SB900SMA12 Mfg Part Number SB900SMA12 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or M	EA	\$	29.32
33411	LARSEN	SB900SMA3	COMMUNICATIONS EQUIPMENT	Stealth Blade Antenna for 890-960 MHz with RG174 Coax Cable Specs: SKU SB900SMA3 Mfg Part Number SB900SMA3 Manufacturer Pulse Electronics / Larsen Antennas Product Condition New Antenna Category 800-1000 MHz Bands Single, Multi SISO or MIM	EA	\$	30.87
33411	3M CORPORATION	SF611AS	SAFETY GLASSES	3M(TM) SecureFit(TM) Safety Glasses SF611AS, Grey Polarized Anti-scratch Lens, 20 EA/case Get quality, durability and versatility all in one with 3M(TM) SecureFit(TM) 600 Series Protective Eyewear. Choose from a variety of features, including 3M(TM)S	CS	\$	1,008.69
33411	3M CORPORATION	SF613AS	SAFETY GLASSES	3M(TM) SecureFit(TM) Safety Glasses SF613AS, Smart Lens(TM) Photochromic Lens, 20 EA/Case Get quality, durability and versatility all in one with 3M(TM) SecureFit(TM) 600 Series Protective Eyewear. Choose from a variety of features, including 3M(TM)S	CS	\$	827.12
33411	LARSEN	SPDA171800	COMMUNICATIONS EQUIPMENT	Adaptor, NMOHF to SMA	EA	\$	14.61
33411	LARSEN	SPDA171900	COMMUNICATIONS EQUIPMENT	Spanner Wrench for PO or NMO Mounts	EA	\$	14.61
33411	LARSEN	SPDA172400	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 1710 - 1850 MHz, TNC, 6 1/2	EA	\$	14.61
33411	LARSEN	SPDA17832	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 2400 - 2500 MHz, TNC, 4	EA	\$	14.61
33411	LARSEN	SPDA17918	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 824 - 894 MHz, TNC, 8	EA	\$	13.38
33411	LARSEN	SPDA17RP2400/5900	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 872 - 964 MHz, TNC, 8	EA	\$	19.63
33411	LARSEN	SPDA17RP918	9 INCH DIPOLE ANTENNA	Dipole - Center Fed, 2400 - 2500 MHz, TNC RP, 4	EA	\$	15.06
33411	LARSEN	SPDA241800	COMMUNICATIONS EQUIPMENT	Antenna Dipole, Blade, 2.4-2.5-4.9-5.9 GHz	EA	\$	13.38
33411	LARSEN	SPDA241900	*1850-1990 PORT ANT SMA	LARSEN 1850-1990 MHz portable "Spots" antenna. Articulating right angle. Full 1/2 wave dipole. Center fed. SMA connector. 6.5"	EA	\$	13.38
33411	LARSEN	SPDA242400	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 1710 - 1850 MHz, SMA, 6 1/2	EA	\$	13.38
33411	LARSEN	SPDA24832	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 2400 - 2500 MHz, SMA, 4	EA	\$	13.38
33411	LARSEN	SPDA24918	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 824 - 894 MHz, SMA, 9	EA	\$	13.38
33411	LARSEN	SPDA24RP2400	COMMUNICATIONS EQUIPMENT	Dual Band Dipole - Center Fed, 824 - 894 / 1850 - 1990 MHz, SMA, 7 1/2"	EA	\$	13.38

33411	LARSEN	SPDA24RP918	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 890 - 960 MHz, SMA, 8	EA	\$	13.38
33411	LARSEN	SPDP242400	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 2400 - 2500 MHz, SMARP, 4	EA	\$	13.38
33411	LARSEN	SPDP24832	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, 890 - 960 MHz, SMARP, 8	EA	\$	13.38
33411	LARSEN	SPDP24918	COMMUNICATIONS EQUIPMENT	Dipole - Center Fed, Fixed Right Angle, 2400 - 2500 MHz, N Female, 3.5	EA	\$	13.38
33411	LARSEN	SPEN14832	806-866 PORT MD 7 ANTENNA	LARSEN 806-866 MHz 7" 1/2 wave end fed portable "Spots" antenna with M7 x 1.0 connector. Compatible with Harris Ma/com 5300P 5400P 7300P XG-75P. Product Specifications: Frequency 806-866 MHz Item Height 7 in RF Connector MD (M7 X 1.0) Right A	EA	\$	38.96
33411	LARSEN	SPHL10160IC	RF ANTENNA	Helical - Standard - 1/4 Wave, 150 - 162 MHz, 1/4-32x3/16, 8	EA	\$	16.54
33411	LARSEN	SPRING	COMMUNICATIONS EQUIPMENT	Helical Short - 1/4 Wave, 800 - 864 MHz, SMA M T2, 2 3/4	EA	\$	16.92
33411	LARSEN	SPWB21150	COMMUNICATIONS EQUIPMENT	Stainless Shock Spring	EA	\$	41.28
33411	LARSEN	SPWB22150	COMMUNICATIONS EQUIPMENT	Shock Spring	EA	\$	32.80
33411	LARSEN	SPWB24150	PULSE / LARSEN - 136-174 PORTABLE WIDE B	Wide Band VHF, 136 - 174 MHz, SMA F T2, 6.7", Johnson	EA	\$	36.17
33411	LARSEN	SPWH14832	782-882 MHZ PORTABLE ANTENNA	1/4 wave antenna 782-882 Mhz antenna for Harris P7300 Series Radio. Also compatible with GE MPA, MPD, MRK, MTL, PLS, TPX, Prism radios. Woman-Owned, Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax	EA	\$	24.09
33411	LARSEN	SPWH21832	COMMUNICATIONS EQUIPMENT	Whip - Standard - 1/4 Wave, 400 - 512 MHz, SMA M T1, 6	EA	\$	20.13
33411	LARSEN	SPWH21FT	1/4 WAVE, FIELD TUNABLE, WHIP	Whip - Standard - 1/4 Wave, Field Tunable, 400 - 512 MHz, SMA F T1	EA	\$	20.13
33411	3M CORPORATION	TEP-100	EAR PLUG CASE	3M(TM) PELTOR(TM) TEP-100C Tactical Earplug Replacement Case, 1 ea/cs SKU#70071656287 Features Portable charging compartment - Retention cord storage posts - Charging status LED - Earplug clips - Micro B USB charging port - Sealing ring S	EA	\$	335.64
33411	3M CORPORATION	TEP-200	IN-EAR HEADSET	3M(TM) PELTOR(TM) Tactical Earplug, TEP-200 The 3M(TM) PELTOR(TM) Tactical Earplug helps protect your hearing, and can help improve situational awareness and communications in challenging environments. Wireless connectivity for monitoring radio or cl	EA	\$	571.32
33411	LARSEN	TMB34	COMMUNICATIONS EQUIPMENT	Whip - Standard - 1/4 Wave, 863 - 973 MHz, SMA M T2, 3	EA	\$	6.41
33411	LARSEN	TMB34B	LARSEN MOBILE ANTENNA MOUNT	Whip - Standard - 1/4 Wave, Field Tunable, 400 - 5 12 MHz, SMA M T2, 7	EA	\$	9.45
33411	LARSEN	TMB34D	LARSEN MOBILE ANTENNA MOUNT	Stainless TMB 3/4 Mount	EA	\$	11.50
33411	LARSEN	TMB38	MOUNT FOR MOBILE ANTENNA	TMB 3/4 Mount	EA	\$	5.98
33411	LARSEN	TMB38B	3/8" HOLE BLACK TRUNK GUTTER MNT 'L' BRK	Stainless TMB 3/4 Mount for Dodge Truck	EA	\$	9.05
33411	LARSEN	TMB58	MOBILE MOUNT BRACKET	TMB58 5/8", MOBILE MOUNT BRACKETS, STAINLESS STEEL, TRUNK GUTTER BRACKET	EA	\$	5.98
33411	LARSEN	TMB58B	COMMUNICATIONS EQUIPMENT	TMB 3/8 Mount	EA	\$	9.05
33411	LARSEN	TMBOM	TMB BRACKET	OM Stainless TMB Bracket	EA	\$	11.88
33411	LARSEN	TNC	COMMUNICATIONS EQUIPMENT	TMB 5/8 Mount	EA	\$	4.85

33411	LARSEN	TNCCBJ	COMMUNICATIONS EQUIPMENT	Connector, Male Solder, RG-58	EA	\$	7.49
33411	LARSEN	TNCCJ	COMMUNICATIONS EQUIPMENT	Connector, TNC Angle Plug, 58/U	EA	\$	4.23
33411	LARSEN	TNCCRIMP	COMMUNICATIONS EQUIPMENT	Connector, TNC Crimp B Jack, 58/U	EA	\$	2.86
33411	LARSEN	TNCQ	COMMUNICATIONS EQUIPMENT	1/4 Wave Antenna (136 - 512 MHz) for TNC Mount. Small Business Call, fax, or email for quantity quotes or with your questions, Ph - 800-806-1076, Fax 866-211-3422. nickhohman@wvbandcoms.com	EA	\$	23.96
33411	SILYNX COMMUNICATIONS, INC TX0001-12		SILYNX CORDURA CARRY BAG. ZIPPERED, MULT	Silynx Cordura Carry Bag. Zippered, multi-compartment, with handles. For Clarus/Fortis system and/or other accessories. MADE IN USA. TAN	EA	\$	80.75
33411	SILYNX COMMUNICATIONS, INC TXT000029		SILYNX CORDURA CARRY BAG. ZIPPERED, MULT	Silynx Cordura Carry Bag. Zippered, multi-compartment, with handles. For Clarus/Fortis system and/or other accessories. MADE IN USA. BLACK	EA	\$	28.50
33411	SILYNX COMMUNICATIONS, INC U94PTT-002		U94 CHEST PTT NEXUS FEMALE TO MOTOROLA A	U94 Chest PTT Nexus Female to Motorola APX connector, 18" Length, NATO wiring, Straight cable. BLACK Only	EA	\$	232.75
33411	SILYNX COMMUNICATIONS, INC U94PTT-003		U94 CHEST PTT NEXUS FEMALE TO MOTOROLA X	U94 Chest PTT Nexus Female to Motorola XTS/MTS connector, 18" Length, Straight cable, NATO wiring. BLACK Only	EA	\$	232.75
33411	3M CORPORATION	VP340-4004	AUDITORY EARTIPS	3M(TM) E-A-R(TM) UltraFit(TM) Earplugs VP340-4004, Corded, Vending Pack, 500 Pair/Case Specifically packaged for vending application.The 3M(TM) E-A-R(TM) UltraFit(TM) corded earplug features a proprietary, triple-flange design and pliable, premolded	EA	\$	628.00
33411	LARSEN	W155	LARSEN ANTENNA MOUNT	Whip, 5/8 Over 1/2 Enclosed, 420 - 440 MHz, .100 Dia Stainless Whip	EA	\$	19.09
33411	LARSEN	W200	136-960 MHZ ANTENNA	Whip, 144 - 148 / 442 - 448 MHz, .100 Dia Stainless Whip	EA	\$	5.36
33411	LARSEN	W490	VHF ANTENNA	Whip, 1/4 Wave, 88 - 265 MHz, .100 Dia Stainless Whip	EA	\$	8.27
33411	LARSEN	W490/.125	LOW BAND ANTENNA	Whip, 1/4 Wave, 88 - 265 MHz, .100 Dia Black Whip	EA	\$	11.89
33411	LARSEN	W490B	LOW BAND ANTENNA	Whip, 5/8 Wave, 27-174 MHz, .125 Dia Stainless Whip, 49	EA	\$	12.99
33411	3M CORPORATION	WTD2600	3M PELTOR WORKTUNES	PELTOR 3M SKU#70071524469 3M(TM) Peltor(TM) WorkTunes(TM) 26 Digital Radio Hearing Protector WTD2600, 1 ea/cs	EA	\$	83.33
33411	BEE	WV-2074B-150	LEATHER SWIVEL CASE FOR MOTOROLA APX4000	This swivel case is made of top quality leather designed to take on the toughest of environments. Compatible with Motorola APX 4000. Our cases are built to last and have been field-tested in over 30 countries.	EA	\$	65.00
33411	BEE	WV-2091B	LEATHER CASE FOR MOTOROLA CP200 HANDHELD	Made from genuine high-quality leather, these cases are designed to handle the toughest of environments. Compatible with Motorola CP200. Our cases are built to last and have been field-tested in over 30 countries.	EA	\$	67.00
33411	BEE	WV-2091B-150	LEATHER CASE FOR MOTOROLA CP200 HANDHELD	Made from genuine high-quality leather, these cases are designed to handle the toughest of environments. Compatible with Motorola CP200. Our cases are built to last and have been field-tested in over 30 countries.	EA	\$	67.00
33411	MULTIPLIER	WV-6039-LI	HIGH CAPACITY BATTERY FOR MOTOROLA APX40	You know your radio is your lifeline this is why keeping you radio powered is not an option. Waveband batteries are manufactured with the highest quality components like matched cells from top Japanese cell manufactures, gold plated contacts, premiu	EA	\$	79.60

33411	3M CORPORATION	WV-MT20H682FB-09N-CY	COMTAC VI HEARING DEFENDER COYOTE BROWN	3M PELTOR ComTac VI NIB headset, foldable, MI input, dynamic boom mic, Coyote brown, MT20H682FB-09N CY UPC Code: 00076308944056, 3M Catalog #: MT20H682FB-09N CY, 3M Stock#: 7100202848, Previous 3M Stock #: 70071732476 ComTac VI has been imp	CS	\$	565.01
33411	MULTIPLIER	WVBMPA3VLIXTHC2	HARRIS XL-200 HANDHELD RADIO BATTERY	High capacity rechargeable battery for XL-185P, XL-185Pi, XL-200P, XL-200Pi. Features Japanese cells and IP67 rated (7.2V / 5000 mAh / 33.5 Wh / Li-Ion). 50% greater run time compared to standard capacity battery (3100 mAh). Radio is noticeably moe	EA	\$	109.99
33411	3M CORPORATION	X4P51E	EARMUFFS	3M(TM) PELTOR(TM) X4 Earmuffs X4P51E, Hard Hat Attached, 10 EA/Case X4 Earmuff for Full Brim Models	EA	\$	476.46
33411	LARSEN	YA3406WN	YAGI ANTENNA	Whip for OM825	KT	\$	153.14
33411	LARSEN	YA5740W	YAGI ANTENNA	Yagi, 5 Elem, 11.2 dBi, 406 - 430 MHz, N Female, Welded Elements	EA	\$	125.80
33411	LARSEN	YA5825W	YAGI ANTENNA	Yagi, 7 Elem, 11 dBi, 740 - 806 MHz, N Female, Welded Elements	CS	\$	125.80
33411	LARSEN	YA6740W	YAGI ANTENNA	Yagi, 7 Elem, 11 dBi, 824 - 896 MHz, N Female, Welded Elements	CS	\$	125.80
33411	LARSEN	YA6900W	YAGI ANTENNA	Yagi, 4 Elem, 8 dBi, 806 - 866 MHz, N Female, Welded Elements	CS	\$	110.22
33411	LARSEN	YAGIKITHD	YAGI ANTENNA 800MHZ	Yagi, 4 Elem, 8 dBi, 824 - 896 MHz, N Female, Welded Elements	EA	\$	17.99