



GENERAL SERVICES ADMINISTRATION MULTIPLE AWARD SCHEDULE

Federal Supply Service Authorized Federal Supply Schedule Price List and Terms and Conditions

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is: GSAAdvantage.gov.

WHITAKER BROTHERS

Business Machines, Inc.

Contract Number: GS-35F-309DA

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at: www.fss.gsa.gov.

NOTE: Installation must be incidental to, in conjunction with and in direct support of the products sold under SIN 33411 of this contract and cannot be purchased separately. If the construction, alteration or repair is segregable and exceeds \$2,000, then the requirements of the Davis-Bacon Act apply. In applying the Davis-Bacon Act, ordering activities are required to incorporate wage rate determinations into orders, as applicable.

Whitaker Brothers Business Machines, Inc.

3 Taft Court, Rockville, MD 20850

Phone: 800-243-9226 or 301-354-3000

Fax: 301-354-3003

email: gsa@whitakerbrothers.com

Visit our website: www.whitakerbrothers.com

Contract Period: May 13, 2016 - May 12, 2021

SPECIAL ITEM NUMBER: 33411 PURCHASE OF NEW EQUIPMENT

**Business Size: Small Business (~60 employees)
Veteran-Owned**

Effective November 2020
Supplement #2
Mod # 0011



Customer Information

- 1a. **Awarded Special Item Number:** 33411 Purchase of New Equipment
- 1b. **Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract:** SIN 33411: Model MHDD-N @ \$4,166.75 each.
- 1c. **If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided:** Not Applicable
2. **Maximum Order:** \$500,000
3. **Minimum Order:** \$500.00 USD
4. **Geographic Coverage (Delivery Area):** Domestic and overseas delivery.
5. **Points of Production:** Rockville, Montgomery County, MD; Germany
6. **Discount from List Prices:** Prices herein are net (discounts deducted).
7. **Quantity Discounts:** Consult with contractor.
8. **Prompt Payment Terms:** None.
- 9a. **Government purchase cards are accepted at or below the micro-purchase threshold:** Yes.
- 9b. **Government purchase cards are accepted above the micro-purchase threshold:** Yes.
10. **Foreign Item(s):** Germany
- 11a. **Time of delivery:** 30 days ARO.
- 11b. **Expedited Delivery:** Is offered and will be negotiated on the Task Order level. When expedited delivery is required, the Contractor will bill the agency the difference between Standard Delivery and Expedited Delivery.
- 11c. **Overnight and 2-day Delivery:** Same as 11b.
- 11d. **Urgent Requirements:** Same as 11b.
12. **FOB Points:** FOB Destination dock to dock to 48 Contiguous States & The District of Columbia. Alaska, Hawaii, Puerto Rico and Overseas are F.O.B. inland carrier point of exportation.
- 13a. **Ordering address:**
Whitaker Brothers Business Machines, Inc.
3 Taft Court
Rockville, MD 20850
www.whitakerbrothers.com

POC: Ms. Vivian Kambanis, Gov't. Sales Assistant
301-354-3000 x121 or gsa@whitakerbrothers.com
- 13b. **Ordering procedures:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs) are found in Federal Acquisition Regulation (FAR) 8.405-3.



Customer Information

14. **Payment Address:** Whitaker Brothers Business Machines, Inc.
3 Taft Court
Rockville, MD 20850

Attention: Ms. Wanda Smith, Accounts Receivable
301-354-3000 x104 or wsmith@whitakerbrothers.com
15. **Warranty provision:** Manufacturer's Standard Commercial Warranty ("MSCW")
16. **Export packing charges, if applicable:** Consult with contractor.
17. **Terms and conditions of Government purchase card acceptance:** Accept any above micro-purchase threshold.
18. **Terms and conditions of rental, maintenance, and repair:** N/A, Open Market.
19. **Terms and conditions of installation:** N/A.
20. **Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices:** None
- 20a. **Terms and conditions for any other services:** Restocking Fees: 20% - 25% of purchase price. Fee is based upon specific manufacturer fee..
21. **List of service and distribution points:** United States.
22. **Participating dealers:** None.
23. **Preventive Maintenance:** Manufacturer Maintenance Plans are available upon request and on an open market basis.
- 24a. **Special attributes such as environmental attributes:** N/A.
- 24b. **If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.)** The EIT standards can be found at: www.Section508.gov/: N/A
25. **Data Universal Number System (DUNS):** 02-429-2732
26. **Notification regarding registration in System for Award Management (SAM) database:** Registered



**TERMS AND CONDITIONS APPLICABLE TO PURCHASE OF GENERAL
PURPOSE COMMERCIAL INFORMATION TECHNOLOGY NEW EQUIPMENT
(SPECIAL ITEM NUMBER 33411)**

1. MATERIAL AND WORKMANSHIP

All equipment furnished hereunder must satisfactorily perform the function for which it is intended.

2. ORDER

Written orders, EDI orders (GSA Advantage! and FACNET), credit card orders, and orders placed under blanket purchase agreements (BPA) agreements shall be the basis for purchase in accordance with the provisions of this contract. If time of delivery extends beyond the expiration date of the contract, the Contractor will be obligated to meet the delivery and installation date specified in the original order.

For credit card orders and BPAs, telephone orders are permissible.

3. TRANSPORTATION OF EQUIPMENT

FOB DESTINATION. Prices cover equipment delivery to destination, for any location within the geographic scope of this contract.

4. INSTALLATION AND TECHNICAL SERVICES

a. INSTALLATION. When the equipment provided under this contract is not normally self-installable, the Contractor's technical personnel shall be available to the ordering activity, at the ordering activity's location, to install the equipment and to train ordering activity personnel in the use and maintenance of the equipment. The charges, if any, for such services are listed below, or in the price schedule: See Attached Pricelist

b. INSTALLATION, DEINSTALLATION, REINSTALLATION. The Davis-Bacon Act (40 U.S.C. 276a-276a-7) provides that contracts in excess of \$2,000 to which the United States or the District of Columbia is a party for construction, alteration, or repair (including painting and decorating) of public buildings or public works with the United States, shall contain a clause that no laborer or mechanic employed directly upon the site of the work shall receive less than the prevailing wage rates as determined by the Secretary of Labor. The requirements of the Davis-Bacon Act do not apply if the construction work is incidental to the furnishing of supplies, equipment, or services. For example, the requirements do not apply to simple installation or alteration of a public building or public work that is incidental to furnishing supplies or equipment under a supply contract. However, if the construction, alteration or repair is segregable and exceeds \$2,000, then the requirements of the Davis-Bacon Act applies.

The ordering activity issuing the task order against this contract will be responsible for proper administration and enforcement of the Federal labor standards covered by the Davis-Bacon Act. The proper Davis-Bacon wage determination will be issued by the ordering activity at the time a request for quotations is made for applicable construction classified installation, deinstallation, and reinstallation services under SIN 33411.

c. OPERATING AND MAINTENANCE MANUALS. The Contractor shall furnish the ordering activity with one (1) copy of all operating and maintenance manuals which are normally provided with the equipment being purchased.

5. INSPECTION/ACCEPTANCE

The Contractor shall only tender for acceptance those items that conform to the requirements of this contract. The ordering activity reserves the right to inspect or test any equipment that has been tendered for acceptance. The ordering activity may require repair or replacement of nonconforming equipment at no increase in contract price. The ordering activity must exercise its postacceptance rights (1) within a reasonable time after the defect was discovered or should have been discovered; and (2) before any substantial change occurs in the condition of the item, unless the change is due to the defect in the item.



**TERMS AND CONDITIONS APPLICABLE TO PURCHASE OF GENERAL
PURPOSE COMMERCIAL INFORMATION TECHNOLOGY NEW EQUIPMENT
(SPECIAL ITEM NUMBER 33411)**

6. WARRANTY

a. Unless specified otherwise in this contract, the Contractor's standard commercial warranty as stated in the contract's commercial pricelist will apply to this contract.

7. RESPONSIBILITIES OF THE CONTRACTOR

The Contractor shall comply with all laws, ordinances, and regulations (Federal, State, City or otherwise) covering work of this character, and shall include all costs, if any, of such compliance in the prices quoted in this offer.

8. TRADE-IN OF INFORMATION TECHNOLOGY EQUIPMENT

When an ordering activity determines that Information Technology equipment will be replaced, the ordering activity shall follow the contracting policies and procedures in the Federal Acquisition Regulation (FAR), the policies and procedures regarding disposition of information technology excess personal property in the Federal Property Management Regulations (FPMR) (41 CFR 101-43.6), and the policies and procedures on exchange/sale contained in the FPMR (41 CFR part 101-46).



WHITAKER BROTHERS BUSINESS MACHINES, INC.
#GS-35F-309DA
November 2020
Mod #: 0011

AUTHORIZED GSA PRICING - SIN 33411

Please Call to Confirm Pricing

MFR NAME	PART NUMBER	PRODUCT NAME	PRODUCT DESCRIPTION	GSA PRICE	COO
PROTON	PROT-4-G	Proton T-4 Hard Drive Degausser	NSA Evaluated and on the EPL. Produces a bi-directional field that provides a 20,000 Gauss positive (+2 Tesla) & 20,000 Gauss negative (-2 Tesla) field. Uses patented "Reverse Polarity" EMP technology to create highest flux field available. 45-60 second duty cycle sanitizes longitudinal and perpendicular media. DUAL VOLTAGE automatically converts between 120 & 240V, 60/50 Hz, single phase. Portable (128 lbs.) and optional deployment cases available. 19"H x 10"W x 26"D. Accommodates magnetic media within 1" x 6" x 4.3". Fully automatic - no drawer to open or close. Insert media into top slot and push START. Includes digital cycle counter & status display.	\$16,583.00	US
PROTON	PROT-1.5-G	Proton T-1.5 Hard Drive Drawer Degaussr	A powerful, high speed, automatic drawer-style degausser that meets DoD and DSS requirements for sanitizing unclassified media. Field strength: 15,000 G (1.5 Tesla) minimum, 17,000 G (1.7 Tesla) maximum. Cycle time: 3 seconds, manufacturer guaranteed up to 4 TB hard drives, continuous duty cycle. DUAL VOLTAGE automatically switches between 120 & 240V, throughput: 1200/hr (3.5" drives) and 4800/hr (laptop drives). Erases longitudinal and perpendicular magnetic media, no adapters required, simple operation - insert media into drawer, close and push start. 12"H x 12"W x 20"L, extremely compact & portable (48 lbs.). Made in USA.	\$ 5,250.00	US
PHISTON	PHIMEDIADICE-G	Mediadice Optical Media Destroyer	Completely disintegrates CDs, DVDs, and Blu-Ray discs at the push of a button. Also destroys plastic cards, credit cards, IDs, and licenses, leaving behind recyclable residue. Plugs into a standard outlet (120V/15 Amps). Fully automated - after properly connecting the vacuum, simply load up to 200 discs and push the button. Completely pulverizes media into a fine residue, with particle sizes averaging 2.25 square mm. Does not require lubrication or constant maintenance to maintain its sharp, high grade steel blades. Weight: 113 lbs. Perfect for desktop use. Dimensions: 15.5"L x 28"W x 9.5"H. No adaptors needed. Made in USA.	\$ 5,412.00	US
HSM	HSM1772-1	HDS 150-1 Hard Drive Shredder (20 Amps)	A durable, mixed media destroyer that can handle hard drives, CDs, DVDs, solid state drives, USB sticks, credit/store cards and other media. Powerful 2 HP motor destroys up to 750 drives/hour. 120V - with dedicated 20 Amp line. Creates 1.5" residue. Multi-function element for intuitive operation. Integrated hour meter, bin-full signal and shut-off. Energy saving unit with low operating noise levels. HEPA air filtration system and internal carbon-based pre-filter included. Safety interlock switches on all access panels, auto reverse eliminates material jams, removable waste container for easy emptying. Throat: 6.5" x 11.5" x 2.4". 43.5"H x 46.8"W x 31.3"D.	\$19,688.06	DE
HSM	HSM1772-2	HDS 150-2 Hard Drive Shredder (30 Amps)	A durable, mixed media destroyer that can handle hard drives, CDs, DVDs, solid state drives, USB sticks, credit/store cards and other media. Powerful 2 HP motor destroys up to 1,250 drives/hour. 120V - with dedicated 30 Amp line. Creates 1.5" residue. Multi-function element for intuitive operation. Integrated hour meter, bin-full signal and shut-off. Energy saving unit with low operating noise levels. HEPA air filtration system and internal carbon-based pre-filter included. Safety interlock switches on all access panels, auto reverse eliminates material jams, removable waste container for easy emptying. Throat: 6.5" x 11.5" x 2.4". 43.5"H x 46.8"W x 31.3"D.	\$20,861.98	DE



WHITAKER BROTHERS BUSINESS MACHINES, INC.
 #GS-35F-309DA
 November 2020
 Mod #: 0011

AUTHORIZED GSA PRICING - SIN 33411

Please Call to Confirm Pricing

MFR NAME	PART NUMBER	PRODUCT NAME	PRODUCT DESCRIPTION	GSA PRICE	COO
HSM	HSM1778-G	HSM 230-1 Hard Drive & Media Shredder	An extremely durable, high performance, single stage shredder that destroys hard drives, credit cards, CDs/DVDs, floppies, USB sticks, cell phones and more at a rate of 2,000 items/hour. Residue size: 0.78" x random". Multi-function operation, display element, emergency STOP, lockable casters, and removable side panels for easy maintenance. All metal feed chute with plexiglass viewing window. 63"H x 35"W x 73"D (w/o opt. conveyor). Approximately 1,697 lbs. Dual feed openings: 9" x 6" x 1.5" and 8.5" x 8". 3 Phase/208V/60 Hz. UL Approved. Convenient residue bin (with sensor to alert operator) for discharge or optional conveyor available.	\$24,705.00	DE
HSM	HSM1777-G	HSM 230-2 Hard Drive & Media Shredder	An extremely durable, high performance, dual stage shredder that destroys hard drives, credit cards, CDs/DVDs, floppies, USB sticks, cell phones and more at a rate of 2,500 items/hour. Residue size: 4/10" x 1-1/8". Multi-function operation, display element, emergency STOP, lockable casters, and removable side panels for easy maintenance. All metal feed chute with plexiglass viewing window. 63"H x 35"W x 73"D (w/o opt. conveyor). Approximately 1,697 lbs. Dual feed openings: 9" x 6" x 1.5" and 8.5" x 8". 3 Phase/208V/60 Hz. UL Approved. Convenient residue bin (with sensor to alert operator) for discharge or optional conveyor available.	\$35,967.00	DE
BOW INDS	MHDD-N	MHDD-N NSA Manual Hard Drive Crusher	NSA/CSS Evaluated and Listed for second stage destruction of 1", 0.65" 1.65" and laptop drives. A manually operated HD destroyer with easy operation - just drop drive into slot, close safety door and turn handle 8 rotations. Compact (16.5"H x 7.25"W x 9.25"D), lightweight (49 lbs.) and portable. FAST destruction cycle of 8 seconds or less. Bends/breaks platters, damages heads, motor & circuit board. 100 to 250 VAC / 50 or 60 Hz (specify). No messy fluids or external components to deal with. Handles all 3.5" Form Factor Drives including 0.65", 1" and 1.65" high drives; destroys 2.5" laptop hard drives; handles SSD drives in 3.5" and 2.5" Form Factor with optional SSD module.	\$ 4,166.75	US
BOW INDS	MX2-N	MX-2 NSA Automatic Hard Drive Crusher	NSA/CSS Evaluated and Listed for second stage destruction of 1", 0.65" 1.65" and laptop drives. An automatic, motor driven HD destroyer with the ability to continue destroying manually if power goes out! 21"H x 7.25"W x 11.625"D, lightweight (63 lbs.) and portable. FAST destruction cycle of 10 seconds per drive or less (8 seconds or less with hand crank). Bends/breaks platters, damages heads, motor & circuit board. 100 to 250 VAC / 50 or 60 Hz (specify) No messy fluids or external components to deal with. Handles all 3.5" Form Factor Drives including 0.65", 1" and 1.65" high drives; destroys 2.5" laptop hard drives; handles SSD drives in 3.5" and 2.5" Form Factor with optional SSD module.	\$ 5,164.23	US