



Confidential Price List

August 2017



1 MAXplus Dispatch Processor



Illustration 1: MAXplus Dispatch Processor plate.

Complete Dispatch Workstation providing interfaces to all common audio accessories. The MAXplus also includes a Intel i3-2310E COM Express Processor with 4 GB of ECC ram, eliminating the need for a separate PC at the Dispatch Position. All of your dispatch position electronics in one sturdy, industry leading small form factor that can be placed anywhere convenient to the Dispatcher. Cfast based SATA SSD storage is included as well as DVI based graphics and four USB ports for keyboards, mice, touchscreens, P25 and P25 FIPS communication support. Includes power supply and mounting

| Part Number | Description | SIN | Price |
|----------------|--|--------|---------------------|
| 750M-MAXplus | 100500 MAXplus Audio and Accessory Interface with Integrated i3 CPU | 132-8 | \$5,800 |
| 750M-250-MNT | MAXplus spare mounting plate | 132-8 | \$49 |
| 750M-500-001 | 100508MS MS Position Speaker, Cube, with Activity LED and Volume Control | 132-8 | \$322 |
| 750M-400-000 | 100501MJ Operator Headset Jack, Single Line, Up to 2 Per Position | 132-8 | \$322 |
| TSM-100-22-TG | Touch Screen Monitor 22" Wide Screen, Medical Grade Monitor | 132-8 | \$1575 ^B |
| NTSM-100-22 | Non-Touch Screen Monitor 22" Wide Screen | 132-8 | \$450 ^B |
| 750M-DM-000 | Console Desk Microphone, 6ft. Cable, Dynamic Noise Canceling | 132-8 | \$580 |
| 750M-DM-001 | Console Desk Microphone 6ft. Cable, Electret Omni-Directional Microphone | 132-8 | \$245 |
| 750M-FTSW-000 | Console Position Footswitch, Single | 132-8 | \$290 |
| 750M-OPT-HS6 | Console Position Handset with PTT & 6' Coiled cord | 132-8 | \$387 |
| 750M-OPT-HS25 | Console Position Handset with PTT & 25' Coiled cord | 132-8 | \$387 |
| 750M-100SL-000 | Console Position Seat License, Up to 100 Channels | 132-33 | \$5,800 |
| 750M-SIPSL-000 | Console Position SIP Telephone License, Up to 100 Telephone Lines | 132-33 | \$2,490 |



Illustration 2: Cube Speaker



Illustration 3: 100501MJ Headset Jackbox

2 Mindshare Standalone Rackmount Input / Output Interface

The Mindshare 40218-IO Network Relay Unit is used to support up to 18 remotely controlled relays, and monitor up to 18 digital inputs across an IP network. There is no limit to the number of I/Os that can be placed on the network and monitored from one or more console positions. Connections are made through 25 pair Cat3 cables and the rack mount hardware is included.

| | | | |
|--------------|---|-------|---------|
| 750M-195-000 | 400218-IO Master Aux I/O Rack Mount 18 Relays | 132-8 | \$1,951 |
|--------------|---|-------|---------|



3 Mindshare Radio Interfaces

The Mindshare Radio Interface is a network audio interface that enables connection of radios or other analog audio sources to the Mindshare console system. It is specifically engineered for the radio control application with features specific to radio systems and a flexible interface for audio and control signals that allow virtually any radio system to be interfaced into the Mindshare RoIP (Radio over IP) environment. Serial control of various manufacturer's radios is supported to enable interface to DMR, NXDN, and P25 radio systems.



Mindshare 100116LT Interface Card and Cage

The 100116LT is the multi-unit card cage version of the Mindshare Radio Interface Card. Up to 16 of the Mindshare 100116LT cards may be installed into the Mindshare card cage (100016MC), providing a high density, easily maintainable solution for those systems requiring multiple Mindshare radio interfaces at a single location.




Illustration 4: 100016MC Card Cage

Mindshare 100101LT Interface Card

The 100101LT is a single card housed in a compact metal enclosure. The card is mounted on edge guides that allow the card to be removed without disconnecting its power, network, and radio connections. A handle on the front panel helps to facilitate easy removal. A single 100101LT is used at a location with a single radio and network connection. The 100101LT card is identical electrically to the 100116LT card, with the only difference being the front faceplate.



| Part Number | Description | SIN | Price |
|---------------|--|-------|---------|
| 750M-300-000 | 100016MC - Mindshare Card Cage. 16 Slot, Dual Ethernet Connections, 3 Power supply inputs, no cards included | 132-8 | \$3,000 |
| 750M-100-000 | 100116LT - Single Line Radio Interface card for Mindshare Card Cage | 132-8 | \$902 |
| 750M-100-001 | 100101LT - Single Line Radio Card with enclosure | 132-8 | \$1,305 |
| 750M-101-000 | 100101LTNOB Mindshare Single Line Card Housing, no card. | 132-8 | \$400 |
| 750M-MRI-PS | 12V Power Supply for 100101LT enclosures | 132-8 | \$30 |
| 750M-MRI-HAND | Engineering Debug Handset for MRI Card | 132-8 | \$99 |
| 750M-700-012 | 400700 12 Channel 50 Pair Backplane Connector, Audio and Recorder Outputs | 132-8 | \$483 |

Radio Card Interface Options

| | | | |
|---------------|--|-------|---------|
| 750M-100-TRBO | DMR Control Station Interface for TRBO radios | 132-8 | \$1,250 |
| 750M-190-000 | 400190LT, Mindshare MRI ACom Style Intercom Adapter | 132-8 | \$119 |
| 750M-191-000 | 40485 - RS485 Radio Interface Adapter for E.F.J. Fifty-Three-Hundred Radio | 132-8 | \$99 |

Other Cards for 100016MC Card Cage

| | | | |
|--------------|--|-------|---------|
| 750M-125-000 | 400125 LAC Legacy Audio Interface Card, Rack Mount Face | 132-8 | \$1,015 |
| 750M-125-001 | 400125 LAC Legacy Audio Interface Card, Single Unit Enclosure Face Plate | 132-8 | \$1,015 |
| 750M-150-000 | 400150 Aux I/O Relay Card, Rack Mount Face Plate | 132-8 | \$564 |
| 750M-150-001 | 400150 Aux I/O Relay Card, 1-Up Face Plate | 132-8 | \$564 |

3.1 Mindshare Voter Comparator

The Mindshare Voting System is a VoIP based, time synchronized, distributed or centralized, voting system allowing deployment on IP backbone allowing for unprecedented control and real time monitoring of the voting system from any console position or any location on the network.

| Part Number | Description | SIN | Price |
|----------------|--|-------|----------|
| 750M-VOTER-000 | 100601VT Multi-Channel IP Based Voting Comparator for use with Mindshare Radio Interface Cards. Single Voter Comparator | 132-8 | \$8,000 |
| 750M-VOTER-001 | 100601VT/R Multi-Channel IP Based Voting Comparator for use with Mindshare Radio Interface Cards. Dual Voter Comparator Configuration for Redundancy | 132-8 | \$15,000 |

4 Mindshare P25 CSSI and DFSI Interfaces

The Mindshare product line supports both DFSI and CSSI based P25 interface. FIPS140-2 encryption is an optional feature on any system and is supported from the field radio to the console itself, true End-To-End government level encryption.

Mindshare CSSI Interface Options

| | | | |
|--------------|--|--------|----------|
| 750M-P25-100 | MS-CSSI-GS - P25 CSSI Gateway Server / Includes 4 Voice Streams and Pre-Loaded Server | 132-8 | \$48,300 |
| 750M-P25-101 | MS-CSSI-GS-R - P25 CSSI Redundant Gateway Server, Includes 4 Voice Streams and Pre-Loaded Server | 132-8 | \$38,000 |
| 750M-P25-110 | MS-CSSI-CHLIC - P25 CSSI Channel (Voice Stream) License, Per Channel | 132-33 | \$3,000 |

Mindshare DFSI Interface Options

| | | | |
|--------------|---|--------|----------|
| 750M-P25-200 | MS-CAR-GS - P25 DFSI supporting multiple consoles to individual radios via DFSI, Includes Server | 132-8 | \$18,500 |
| 750M-P25-201 | MS-CAR-GS-R - Redundant P25 DFSI installation | 132-8 | \$16,250 |
| 750M-P25-210 | MS-CAR-GS-ST – CAR Stream License, Per DFSI radio connection | 132-33 | \$1,545 |
| 750M-P25-220 | MS-DFSI-1-1 – Single console DFSI interface license. Allows 1 console to talk to multiple DFSI stations. Does not allow multiple consoles to operate radios simultaneously. | 132-33 | \$1,155 |

Mindshare P25 Console Features for DFSI or CSSI systems

| | | | |
|--------------|---|--------|---------|
| 750M-P25-300 | MS-OPT-P25T-8 - Console P25 Feature License, required for each position in addition to standard console software license. Includes position dongle. | 132-33 | \$4,995 |
| 750M-P25-310 | MS-P25-POS-ENC - P25 Position Encryption, FIPS140-2 Encryption Dongle, with KFD interface connector. | 132-8 | \$1,850 |
| 750M-P25-900 | MS-P25-OPTIM - P25 System Optimization / Engineering (Per Position) | 132-12 | \$4,000 |

5 Mindshare Integrated Systems

Let the experts in Mindshare products pre-build and configure the majority of your system.

| Part Number | Description | SIN | Price |
|----------------|---|--------|----------|
| Advantage |  <p>2 EA. (22" Non-Touch Monitor Desktop Mount, Single Headset Interface Jack, Footswitch, Select and Unselect Speakers, MAXplus Position Interface, Keyboard, Mouse and Mindshare User License.) Also includes 8 ea. 100116LT Radio Interfaces, AC/DC 12V power supply and 24 Port Ethernet Switch.</p> | 132-8 | \$29,875 |
| MS-84 ASMBY-R | Pre-configured and wired 70" open Relay Rack, including: 1 Ea. Mindshare Card Cage with 12 Channel Backplane Daughterboard, 2 Ea. Punch Block/Cable Kits, DC Power Supply with UPS Backup System, 24 Port Ethernet Switch, and 4 Ea. Mindshare Radio Interface (MRI) Cards. | 132-8 | \$15,500 |
| MS-84 ASMBY-R2 | Pre-configured and wired 70" open Relay Rack, including: 2 Ea Mindshare Card Cages each with 12 Channel Backplane Daughterboard, 4 Ea Punch Block/Cable Kits, 2 Redundant DC Power Supplies each with UPS Backup System, Dual 24 Port Ethernet Switches, and 4 Ea Mindshare Radio Interface (MRI) Cards. | 132-8 | \$19,320 |
| MS-84 ASMBY-C | Pre-configured and wired 72" Locking Cabinet, including: 1 Ea. Mindshare Card Cage with 12 Channel Backplane Daughterboard, 2 Ea. Punch Block/Cable Kits, DC Power Supply with UPS Backup System, 24 Port Ethernet Switch, and 4 Ea. Mindshare Radio Interface (MRI) Cards | 132-8 | \$27,370 |
| MS-MISCEQU-1 | Mindshare Engineering Service Optimization Hardware | 132-12 | \$5,000 |
| MS-MISCSRV-1 | Mindshare Engineering Service Optimization Services | 132-12 | \$5,000 |

6 Mindshare Standard Warranty and Conditions

This warranty applies within the fifty (50) United States, the District of Columbia and Canada.

LIMITED WARRANTY MINDSHARE DISPATCH CONSOLE COMMUNICATION PRODUCTS

Each Product manufactured and delivered under this Agreement to Purchaser is warranted by CSS Mindshare, LLC to be free from defects in workmanship under normal and proper use for a period of one year following its date of delivery. The obligation of CSS Mindshare, LLC under this warranty is limited to repairing or replacing, at CSS Mindshare, LLC's sole option, free of charge, FOB CSS Mindshare, LLC, any Product which fails within the one year warranty period and is returned by requesting an RMA in advance of the return to CSS Mindshare, LLC with a written description of the claimed defect.

The foregoing warranty will not apply if the Product fails to function due to abuse, misuse, accident, neglect, unauthorized repair or incorrect installation, failure due to electrostatic discharge, exceeding environmental specifications of the equipment, failure of electrical power, air conditioning or humidity control or causes other than under ordinary or expected use after delivery.

CSS cannot be responsible in any way for any ancillary equipment not furnished by CSS which is attached to or used in connection with the Product, or for operation of the Product with any ancillary equipment and all such equipment is expressly excluded from this warranty. Because each system which may use the Product is unique, CSS disclaims liability for range, coverage, or operation of the system as a whole under this warranty.

THE FOREGOING LIMITED WARRANTIES AND LIMITATIONS OF REMEDIES ARE EXCLUSIVE WARRANTIES REMEDIES AND ARE IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OF MERCHANTABILITY. THE STATED EXPRESS WARRANTIES AND REMEDIES ARE IN LIEU OF ALL LIABILITIES OR OBLIGATIONS OF MANUFACTURER FOR DAMAGES FOR BREACH OF WARRANTY, INCLUDING BUT NOT LIMITED TO, DIRECT, INDIRECT, CONSEQUENTIAL, SPECIAL AND INCIDENTAL DAMAGES.

IN NO EVENT WILL EITHER CSS MINDSHARE, LLC OR PURCHASER BE LIABLE FOR (i) SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR (ii) ANY DAMAGES RESULTING FROM LOSS OF DATA, FRUSTRATION OF ECONOMIC OR BUSINESS EXPECTATIONS, LOSS OF PROFITS, REVENUES OR USE ARISING OUT OF OR IN CONNECTION WITH THIS AGREEMENT OR THE USE OR PERFORMANCE OF ANY PRODUCTS OR SERVICES SOLD OR PROVIDED HEREUNDER, REGARDLESS OF WHETHER CSS MINDSHARE, LLC OR PURCHASER, AS APPLICABLE, HAS BEEN NOTIFIED IN ADVANCE OF SUCH DAMAGES. THE REMEDIES PROVIDED FOR IN THIS AGREEMENT ARE THE SOLE AND EXCLUSIVE REMEDIES FOR BOTH PARTIES.

Items Marked with a superscript "B" will be discounted at the reduced rate of 20%.