



**The Department of Veterans Affairs
Federal Supply Service - Authorized Federal Supply Schedule Price List**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage is: www.GSAAdvantage.gov

FSC Group 65, Part II, Section A, Medical Equipment and Supplies, FSC Class: 6515 and 6530

For more information on ordering Federal Supply Schedules click on the FSS Schedules button at www.fss.gsa.gov.

**Contract No.: V797D-30283 - Contract Period: September 15, 2013 to September 14, 2023
Incorporating Contract Modification P0018 for Price Increases**

Contractor: The Prometheus Group

One Washington Street, Suite 3171
Dover, NH 03820
Phone # 603-749-0733 Fax # 603-749-0511
Web Site: www.theprogrp.com
Service Disabled Veteran-Owned Small Business
TIN – 020440957

CUSTOMER INFORMATION:

<p>1a. Awarded Special Item Numbers: A-14(g) Medical Diagnostic Instruments A-55 Electrodes, Universal, Lead wires and Cables A-62 EMG Apparatus A-63 Urodynamic Measurement Apparatus A-72 Stimulators, Muscle, Nerve and Pain Control</p> <p>2. Maximum Order: A-14(g): \$100,000, A-55: \$25,000, A-62: \$100,000, A-63: \$50,000, A-72: \$50,000</p> <p>3. Minimum Order: \$40</p> <p>4. Geographic Coverage: The 50 US States, DC and PR</p> <p>5. Point of Production: US</p> <p>6. Prices herein are net, discount deducted.</p> <p>7. Quantity Discounts: None</p> <p>8. Prompt Payment Terms: Net 30 days</p> <p>9. Government purchase cards are accepted below and above the micro-purchase threshold.</p> <p>10. Foreign Items: N/A</p> <p>11a. Delivery Time: 21Days Upon Receipt of Order</p> <p>11b. Expedited: Overnight, with customer paying difference between standard and expedited shipping.</p> <p>12. F.O.B. Points: F.O.B. Destination to the 48 Contiguous US States/D.C.; Port of Exportation: AK, HI, P.R.</p> <p>13a. Ordering Address: The Prometheus Group One Washington Street, Suite 3171 Dover, NH 03820</p>	<p>13b. Ordering Procedures: For supplies and services, the ordering procedures and information on BPA's can be found at the GSA/FSS Schedule homepage (http://www.gsa.gov/bpa).</p> <p>14. Payment Address: The Prometheus Group One Washington Street, Suite 3171 Dover, NH 03820</p> <p>15. Warranty/Exchange Goods: Government's Return Goods Policy. See Below. FAR 52.212-4 (o) & (p), as supplemented by Prometheus Government Warranty Agreement. See Below</p> <p>16. Export Packing Charges: N/A</p> <p>17. Terms and conditions of Gov't Purchase Card acceptance: No maximum amount.</p> <p>18. Terms and conditions of rental, maintenance, and repair: None.</p> <p>19. Terms and conditions of Installation/Training: See Training Description Below.</p> <p>20. Terms and conditions of repair parts indicated, date of parts price lists and any discounts from list prices: N/A</p> <p>20a. Terms and conditions of other services: N/A</p> <p>21. List of service and distribution points: N/A</p> <p>22. List of participating dealers: N/A</p> <p>23. Preventive maintenance: N/A</p> <p>24a. Special attributes: N/A</p> <p>24b. Section 508 EIT supplies and services: NA</p> <p>25. DUNS Number: 625863568</p> <p>26. SAM registration: Yes, registered</p>
---	--



GOVERNMENT RETURN POLICY

Capital Equipment may be returned within 60 days from invoice date, subject to a 10% restocking fee. Disposable Products that are in original condition, not used, undamaged and unmarked may be returned for full credit within 60 days from invoice date.

PROMETHEUS GOVERNMENT WARRANTY AGREEMENT

The Prometheus Group warrants equipment to be free from defects in material and workmanship as follows: One (1) year from the date of shipment to the government, subject to the terms, conditions, limitations, and exclusions specified herein.

1. **Service:** The Prometheus Group of New Hampshire, Ltd., hereafter "The Prometheus Group", shall provide, for the term of this warranty, repair of defective Prometheus Group units. This warranty shall include all parts and labor charges. The government must obtain a Return Authorization Number (by calling Prometheus Technical Support at 1-800-272-8492) and must return the defective unit, at the government's own expense to The Prometheus Group. The Prometheus Group will repair or replace the unit. Should the item be replaced, then whatever remaining warranty may be in effect remains on the "new" "replaced" unit. The Prometheus Group shall return, at The Prometheus Group's own expense, the repaired or replacement Prometheus Group unit.
2. **Exclusions:** The following conditions are excluded from service under this warranty:
 - A. **Preventative maintenance.** Preventative maintenance, defined as maintenance performed for the purpose of preventing a malfunction, is excluded from service under this warranty.
 - B. **Repair of damage or malfunction of Prometheus Group equipment resulting from abuse, accident, modification, or other cause other than normal usage, including but not limited to operator error, failure of other user-supplied equipment, and equipment operation in excess of design specifications is excluded from service under this warranty.**
 - C. **Loss due to fire, flood, robbery, burglary, theft, vandalism, radioactive contamination, or other natural disasters or Acts of God is excluded from service under this warranty**
 - D. **Replacement of batteries, accessories and expendables such as electrodes, are excluded from service under this warranty.**
3. **Optional Warranty Extension:** This warranty may be renewed or extended by written agreement and acceptance of both parties. The Prometheus Group shall waive any inspection and conditional repair requirements for uninterrupted warranty extensions.
4. **Limitation of Remedy:** Except as otherwise provided by an express warranty, The Prometheus Group will not be liable to the Government for consequential damages resulting from any defect or deficiencies in accepted items.
5. **Assignment:** This warranty shall not be assigned by the purchaser without prior written consent of The Prometheus Group.

Training and Support

The Prometheus Group provides a number of useful tools to customers including a customer service hotline and technical support for the life of the product.

The Prometheus Group has a team of regional sales managers across the continental US, who provide demonstrations prior to the purchase of a system. In addition, they provide one day on site clinical training which encompass clinical equipment operation, equipment settings, interpretation, protocols and mentoring with staff personnel once a purchase is made.

The technical support number is 1-800-272-8492 and is staffed M-F, 9-5 Eastern Time. If you have any additional questions, please check our FAQs at www.theprogroupp.com or email us at info@theprogroupp.com.



**The Prometheus Group
FSS Price List
Effective Date: 10/15/2019**

Incorporating Modification P00018 Price Increase - See Starred Items****

SIN	Product Number	Description	UOM	FSS Price \$	Price Increase ****
A-62	2583	Pathway Preamplifier, Available in White or Gray, 5 Feet, Use with Pathway EMG Systems	EA	203.52	
A-62	3660	Pathway Adapter, Use with Pathway NMR 400, MR and TR Series to Connect Internal Sensors or Lead Wire Sets	EA	49.75	
A-55	5338	6 Foot Electrode Lead Wire Set, Use with Easytrode Pregelled Electrodes	ST	53.62	****
A-62	6320	Pathway Vaginal/Rectal EMG Sensor	EA	29.40	
A-72	6330	Pathway Vaginal EMG/Stimulation Sensor	EA	37.99	
A-72	6340	Pathway Rectal EMG/Stimulation Sensor	EA	37.99	
A-14g	6425	Pathway Rectal Silicon Pressure Sensor, Use with Morpheus PMR Option or Pathway CTS 2000	EA	45.23	
A-55	6750	Pathway Electrodes, Bag of 100 (Rectangular, 3 Snaps in a Row Style), Use with Pathway EMG Systems	EA	121.86	****
A-55	6801	Easytrode Pregelled Electrodes, Bag of 150 (Square, Individual Snap Style). Use with 6 foot Electrode Lead Wire Set	BG	49.75	
A-14g	7351	10 ft Interface Cable for Air-Charged Catheters	EA	542.71	****
A-55	7400	Disposable Lead Wire Electrodes, Bag of 75 / 25 Patients, Square Electrode, 24 inch Lead Wire, .060 Female Pin	BG	113.07	
A-63	7435	Pump Tubing (for Vented or Non-Vented Urodynamic Applications) (Box of 25)	BX	180.90	
A-14g	7808	10 ft Interface Cable for Water Perfused Catheters	EA	542.71	****
A-62	8610	Pathway TR-10 Single Channel EMG Trainer, Includes one Pathway TR-10 Single Channel EMG Trainer Operator's Guide, One Carry Pouch, One Pathway TR-10 Single Channel EMG Trainer Module providing One Channel of EMG, Starter Accessory Package:One Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583),One Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750) Salient Characteristics: Continuous operation or work/rest prompts, LED Visual Display, Hand-held portability, Carry case, Convenient 9V Battery with LED battery check, Easy to operate, Goal types include: Above Tone, Below Tone	EA	384.42	
A-62	8615	Pathway TR-10C Single Channel EMG Trainer with Compliance Feature, Includes one Pathway Utilities CD Software Program, One Computer Serial Interface Cable, One Pathway TR-10C Single Channel EMG Trainer with Compliance Feature Operator's Guide, One Carry Pouch, One Pathway TR-10C Single Channel EMG Trainer with Compliance Feature Module providing One Channel of EMG, Starter Accessory Package: (1) – Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, LED Visual Display, Hand-held portability, Carry case, Convenient 9V Battery with LED battery check, Easy to operate, Goal types include: Above Tone, Below Tone	EA	474.87	
A-62	8620	Pathway TR-20 Dual Channel EMG Trainer, Includes one Pathway TR-20 Dual Channel EMG Trainer Operator's Guide, One Carry Pouch, One Pathway TR-20 Dual Channel EMG Trainer Module providing Two Channels of EMG, Starter Accessory Package: (2) – Pathway Preamplifier, Available in White or Gray,5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, LED Visual Display, Hand-held portability, Carry case, Convenient 9V Battery with LED battery check, Easy to operate, Goal types include: Above Tone, Below Tone, Plus: Matrixed Audio Tone and A/B Ratio	EA	843.27	****



The Prometheus Group
FSS Price List
Effective Date: 10/15/2019

Incorporating Modification P00018 Price Increase - See Starred Items****

SIN	Product Number	Description	UOM	FSS Price \$	Price Increase ****
A-62	8625	Pathway TR-20C Dual Channel EMG Trainer with Compliance Feature, Includes one Pathway Utilities CD Software Program, One Computer Serial Interface Cable, One Pathway TR-20C Dual Channel EMG Trainer with Compliance Feature Operator's Guide, One Carry Pouch, One Pathway TR-20C Dual Channel EMG Trainer with Compliance Feature Module providing Two Channels of EMG, Starter Accessory Package: (2) – Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, LED Visual Display, Hand-held portability, Carry case, Convenient 9V Battery with LED battery check, Easy to operate, Goal types include: Above Tone, Below Tone, Plus: Matrixed Audio Tone and A/B Ratio	EA	809.55	
A-62	9250	Telesis Software for the Pathway MR Series, Includes one Telesis Software for the Pathway MR Series CD, One USB Serial Interface Cable, One Telesis Software for the Pathway MR Series Operator's Guide, Salient Characteristics: Password Protection and Patient Identifiers, Input Associates and Service Locations, Extensive Library of Treatment Displays to Include Animated Video Clips, Diagnosis and Plan of Care, Program Generated Documents	EA	900.00	
A-62	9275	Primus Software for the Pathway MR Series, Includes one Primus Software for the Pathway MR Series CD, One USB Serial Interface Cable, One Primus Software for the Pathway MR Series Operator's Guide, Salient Characteristics: Password Protection and Patient Identifiers, Input Associates and Service Locations, Three Basic Application Protocols with EMG, Waveform Displays, Diagnosis and Plan of Care, Program Generated Documents	EA	447.74	
A-62	9700	Pathway MR-10 Single Channel EMG System with Alpha/Numeric LCD Display, Includes one Pathway MR-10 Single Channel EMG System with Alpha/Numeric LCD Display Operator's Guide, One Carry Pouch, One Pathway MR-10 Single Channel EMG System with Alpha/Numeric LCD Display Module providing One Channel of EMG, Starter Accessory Package: (1) – Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, Automatic Data Storage, USB Communication to PC, Hand-held portability, Carry case, Convenient 9V Battery, Easy to operate, Goal types include: Above Tone, Below Tone, Maximum Display with Marker, Multiple Software options available	EA	678.39	
A-62	9710	Pathway MR-20 Dual Channel EMG System with Alpha/Numeric LCD Display, Includes one Pathway MR-20 Dual Channel EMG System with Alpha/Numeric LCD Display Operator's Guide, One Carry Pouch, One Pathway MR-20 Dual Channel EMG System with Alpha/Numeric LCD Display Module providing Two Channels of EMG, Starter Accessory Package: (2) – Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, Automatic Data Storage, USB Communication to PC, Hand-held portability, Carry case, Convenient 9V Battery, Easy to operate, Goal types include: Above Tone, Below Tone, Maximum Display with Marker. Plus: Matrixed Audio Tone and A/B Ratio, Multiple Software options available	EA	1261.81	



The Prometheus Group
FSS Price List
Effective Date: 10/15/2019

Incorporating Modification P00018 Price Increase - See Starred Items****

SIN	Product Number	Description	UOM	FSS Price \$	Price Increase ****
A-62	9715	Pathway MR-15 Single Channel EMG System with Vivid Tri-Color LED Display, Includes one Pathway MR-15 Single Channel EMG System with Vivid Tri-Color LED Display Operator's Guide, One Carry Pouch, One Pathway MR-15 Single Channel EMG System with Vivid Tri-Color LED Display Module providing One Channel of EMG, Starter Accessory Package: (1) – Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, Automatic Data Storage, USB Communication to PC, Hand-held portability, Carry case, Convenient 9V Battery, Easy to operate, Goal types include: Above Tone, Below Tone, Maximum Display with Marker, Multiple Software options available	EA	859.30	
A-62	9725	Pathway MR-25 Dual Channel EMG System with Vivid Tri-Color LED Display, Includes one Pathway MR-25 Dual Channel EMG System with Vivid Tri-Color LED Display Operator's Guide, One Carry Pouch, One Pathway MR-25 Dual Channel EMG System with Vivid Tri-Color LED Display Module providing Two Channels of EMG, Starter Accessory Package: (2) – Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), (1)– Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Continuous operation or work/rest prompts, Automatic Data Storage, USB Communication to PC, Hand-held portability, Carry case, Convenient 9V Battery, Easy to operate, Goal types include: Above Tone, Below Tone, Maximum Display with Marker, Plus: Matrixed Audio Tone and A/B Ratio, Multiple Software options available	EA	1623.62	
A-62	2583RUG	Ruggedized Pathway EMG Preamplifier, Use with Pathway EMG Systems	EA	271.36	
A-72	ARM	Anorectal Manometry with Paradoxical EMG, Providing 4 Channels of Directional Anorectal Manometry, 1 Channel of Compliance Balloon Pressure, 1 Channel of External Pelvic Muscle or Intracavity Rectal EMG, Salient Characteristics: Configure and Save User Defined Protocols, Repeatable Free Style or Structured Depth Studies, Rest, Squeeze and Optional Push Measurements, Recto Anal Inhibitory Reflex (RAIR), Rectal Sensations, Capacity and Compliance, Balloon Expulsion Study, Simultaneous EMG and Manometry Studies, Quick Review and Print of Graphic and Statistical Results, Integrate Multiple Studies into 1 Document, Calculate the Functional Length of the Anal Canal, Determine the High Pressure Zone (HPZ), Automatically Generate Superlative Chart Note and Narrative Documents, Add Study Attachments to Include a Comprehensive Physiology Report, Create and Store Phrase Templates for Subsequent Studies, Review, Edit, and transfer Study and Attachment Specific Chart Note and Narrative Documents	EA	7116.58	****
A-72	CTS-1500B	Pathway CTS 1500 Pelvic Muscle Rehabilitation System, One Pathway CTS 1500 Pelvic Muscle Rehabilitation System Module providing one Channel of Vaginal and Rectal Intracavity EMG or External Pelvic Muscle EMG, One Channel of Accessory Muscle EMG, One Channel of Vaginal and Rectal Electrical Stimulation, Salient Characteristics: Comprehensive Menu of User Defined Treatment Parameters, Dropdown List of Default and User Defined Protocols, On Screen Audio and Visual Goal Adjustments with Matrixed Audio Feedback, Synchronize Vaginal or Rectal EMG with Stimulation, 12.5, 50, 100 and 200Hz Treatment Protocols, Extensive Library of Treatment Displays to Include Animated Video Clips, Quick Review and Print of Graphic and Statistical Results, Integrate Multiple Treatments into a Single Session, Automatically Construct Chart Note and Narrative Documents, Formulate Home Programs, Add Questionnaires, Histories and Exams, Track and Optimize Patient Progress	EA	5971.11	****



The Prometheus Group
FSS Price List
Effective Date: 10/15/2019

Incorporating Modification P00018 Price Increase - See Starred Items****

SIN	Product Number	Description	UOM	FSS Price \$	Price Increase ****
A-72	CTS-2000B	Pathway CTS 2000 Pelvic Muscle Rehabilitation System, One Pathway CTS 2000 Pelvic Muscle Rehabilitation System Module providing one Channel of Vaginal and Rectal Intracavity EMG or External Pelvic Muscle EMG, One Channel of Accessory Muscle EMG, One Channel of Vaginal and Rectal Electrical Stimulation, One Channel of Rectal Pressure Manometry, Salient Characteristics: Simultaneous Pelvic and Accessory Muscle EMG with Rectal Pressure, On Screen Audio and Visual Goal Adjustments with Matrixed Audio Feedback, Synchronize Vaginal or Rectal EMG with Stimulation, 12.5, 50, 100 and 200Hz Treatment Protocols, Extensive Library of Treatment Displays to Include Animated Video Clips, Quick Review and Print of Graphic and Statistical Results, Integrate Multiple Treatments into a Single Session, Automatically Construct Chart Note and Narrative Documents, Formulate Home Programs, Add Questionnaires, Histories and Exams, Track and Optimize Patient Progress	EA	7914.57	
A-63	CURO	Complex Urodynamics, Providing 1 Channel of Abdominal Pressure, 1 or 2 Channels of Urethral Pressure, 2 Channels of Calculated Pressure, 1 Channel of Vaginal and Rectal Intracavity EMG or External Pelvic Muscle EMG, 1 Channel of Accessory Muscle EMG, 1 Channel of Flow Volume, 1 Channel of Flow Rate, 1 Channel of Average Flow Rate, 1 Channel of Infusion Pump Volume, Salient Characteristics: Algorithms Automatically Edit Study Markers in Real Time, Automatic Artifact Removal, Custom Markers, Quick Review and Print of Study Traces, Statistical Results and Nomograms, Multiple Study Integration, Post Processing with Automatic Recalculation of Study Results, Automatic Positioning of Lowest Leak Value, Automatic Calculation of Baseline Subtraction, Automatic Marker Placement to Include Peak Pura and Pclos, Automatic Marker Placement of Void Begin, Void End, Maximum Flow Rate, Maximum and Minimum Pelvic Muscle and Accessory Muscle EMG, Study Attachments to Include the ICS POP-Q Exam	EA	7019.10	****
A-72	EMG/S	Two Channel EMG with Stimulation, Providing One Channel of Vaginal and Rectal Intracavity EMG or External Pelvic Muscle EMG, One Channel of Accessory Muscle EMG, One Channel of Vaginal and Rectal Electrical Stimulation, Salient Characteristics: Configure and Save User Defined Protocols, Dropdown List of Embedded and Modified Protocols, Visual Goal Adjustment with Matrixed Audio Feedback, Measure Resting Pressure, Synchronize Vaginal or Rectal Pelvic Muscle EMG with Stimulation, 12.5, 50, 100 and 200Hz Treatment, protocols, Choose from a Comprehensive Library of Treatment Displays to Include Animated Video Clips, Quick Review and Print of Graphic and Statistical Results, Integrate Multiple Treatments into a Single Session, Automatically Construct Chart Note and Narrative Documents, Formulate Home Programs, Review, Edit and Transfer Treatment Specific Chart Note and Narrative Documents, Track and Optimize Patient Progress	EA	2437.19	****
A-63	MOR0118	Morpheus Control Module, Includes one High Resolution All-In-One Touchscreen Computer with Operator's Guide, One Color Printer with Operator's Guide, One Power Supply, One Custom Constructed Point of Care Cart with Hydraulic Height Positioning, One Isolation Transformer, One USB Serial Interface Cable, One Morpheus Control Module Software Setup Operator's Guide, One Morpheus Control Module providing Two Channels of EMG, One Channel of Balloon Pressure, One Channel of Electrical Stimulation, Four Channels of Pressure Manometry, Salient Characteristics: One Hardware Architecture with Unlimited Channel Expansion, One Software Platform with Shared Databases, Morpheus Control Module REQUIRED for PMR, EMG/S, EMG, ARM, CUR0, UROE Options	EA	10041.21	****



The Prometheus Group
FSS Price List
Effective Date: 10/15/2019

Incorporating Modification P00018 Price Increase - See Starred Items****

SIN	Product Number	Description	UOM	FSS Price \$	Price Increase ****
A-62	NMR 400	Pathway NMR 400 Quad Channel EMG System, Includes one USB Serial Interface Cable, One Pathway NMR 400 Quad Channel EMG System CD Software Program, One Pathway NMR 400 Quad Channel EMG System Operator's Guide, One Pathway NMR 400 Quad Channel EMG System Module providing Four Channels of EMG for Muscle Profiling, Multiple Accessory Muscle Monitoring and Antagonist/Protagonist Muscle Patterning, Starter Accessory Package: Four Pathway Preamplifier, Available in White or Gray, 5 feet, Use with Pathway EMG Systems (2583), One Pathway Electrodes Sample Packet, (Rectangular, 3 Snap in a Row Style), Use with Pathway EMG Systems (6750), Salient Characteristics: Password Protection and Patient Identifiers, Input Associates and Service Locations, Extensive Library of Treatment Displays to Include Animated Video Clips, Diagnosis and Plan of Care, Program Generated Documents	EA	3844.22	
A-62	PDUO	Pathway DUO for Pediatric Voiding Dysfunction, 1 Pathway DUO for Pediatric Voiding Dysfunction Module providing 1 Channel of External Pelvic Muscle EMG, 1 Channel of Accessory Muscle EMG, 1 Channel of Uroflowmetry Volume and 1 Channel of Uroflowmetry Rate, Salient Characteristics: On Screen Audio and Visual Goal Adj. with Matrixed Audio Feedback, Extensive Library of Treatment Displays to include Animated Video Clips, Simultaneous Measurement of Pelvic Floor and Accessory Muscle EMG with Flow/Volume, Auto Void Begin/End with Artifact Removal, Auto-Calibration, USB or Bluetooth Wireless Communication, Uroflowmetry with 2 Channel EMG and 2 Channel EMG Biofeedback Options, Quick Review and Print of Graphic and Statistical Results, Integrate Multiple Treatments or Studies into 1 Session, Automatically Construct Chart Note and Narrative Documents, Formulate Home Programs, Add Questionnaires, Histories and Exams, Track and Optimize Patient Progress, Adult and Pediatric Symptom Scores	EA	8050.25	
A-63	PMR	Pelvic Muscle Rehabilitation, Providing 1 Channel of Vaginal and Rectal Intracavity EMG or External Pelvic Muscle EMG, 1 Channel of Accessory Muscle EMG, 1 Channel of Vaginal and Rectal Electrical Stimulation, 1 Channel of Rectal Pressure Manometry, Salient Characteristics: Display Pelvic Muscle EMG, Accessory Muscle EMG and Rectal Pressure Manometry Simultaneously, Configure and Save User Defined Protocols, Visual Goal Adjustment with Matrixed Audio Feedback, Measure Resting Pressure, Synchronize Vaginal or Rectal Pelvic Muscle EMG w/Stimulation, 12.5, 50, 100 and 200Hz Treatment Protocols, Choose from a Comprehensive Library of Treatment Displays to Include Animated Video Clips, Quick Review/Print of Graphic and Statistical Results, Integrate Multiple Treatments into a Single Session, Automatically Construct Chart Note and Narrative Documents, Formulate Home Programs, Review, Edit and Transfer Treatment Specific Chart Notes and Narrative Documents, Track and Optimize Patient Progress	EA	5879.40	
A-72	PPOC-AP	Point of Care Cart for High Resolution All-In-One Touchscreen Computer, Salient Characteristics: Hydraulic Height Positioning, Cable Management Channels, Keyboard Holder with Extended Mouse Tray, Printer Shelf, Equipment and Isolation Transformer Brackets, Four Locking Casters, Column Accessory Attachments	EA	2261.31	
A-72	PPOC-CTS	Point of Care Cart for CTS 2000, Pathway CTS 1500 or Pathway DUO, Salient Characteristics: Hydraulic Height Positioning, Notebook Computer Shelf, Printer Shelf, Equipment Bracket, Locking Casters, Wire Basket	EA	497.49	
A14g	PPOC-QS	Point of Care Cart for QuickScan Bladder Ultrasound, Salient Characteristics: Hydraulic Height Positioning, Tablet Locking Bracket, Locking Casters, Wire Basket	EA	452.26	



**The Prometheus Group
FSS Price List
Effective Date: 10/15/2019**

Incorporating Modification P00018 Price Increase - See Starred Items****

SIN	Product Number	Description	UOM	FSS Price \$	Price Increase ****
A-63	RTCU / MODULE	RealTime 360 Endorectal Ultrasound for Fecal Incontinence, Includes one Endorectal Ultrasound Probe with USB Cable, One Morpheus RealTime 360 Endorectal Ultrasound for Fecal Incontinence CD Software Program, One Morpheus RealTime 360 Endorectal Ultrasound for Fecal Incontinence Operator's Guide, Starter Accessory Package: (1) – Ultrasound Gel, .25 liter, (1) – CIVCO Non-Sterile Latex Probe Cover...Box of 24 (610-795), Salient Characteristics: 360 Degree Visualization of Endorectal Structures, High Resolution Images, Handheld Probe with Button for Instant Image and Save, No Calibration Required, Patient Data Storage: Greater than 500 Patient Records, Adjustable Gain, Intensity, Contrast and Power, Multiple Image Capture and Edit, Measures Distances, Calculates Areas and Circumferences, Calculates Angles and Percentages, Image Annotations, CINE (Video Recording) Function, Document Edit with Observations and Transfer	EA	7937.19	
A-63	RTCU-S-8	RealTime 360 Endorectal Ultrasound for Fecal Incontinence, Includes 1 High Resolution All-In-One Touchscreen Computer with User's Guide, 1 Color Printer with User's Guide, 1 Endorectal Ultrasound Probe w/ USB Cable, 1 Morpheus RealTime 360 Endorectal Ultrasound for Fecal Incontinence CD Software Program, 1 Morpheus RealTime 360 Endorectal Ultrasound for Fecal Incontinence User's Guide, Starter Accessory Package: (1) – Ultrasound Gel, .25 liter, (1) – CIVCO Non-Sterile Latex Probe Cover...Box of 24 (610-795), Salient Characteristics: 360 Degree Visualization of Endorectal Structures, High Resolution Images, Handheld Probe w/Button for Instant Image and Save, No Calib. Required, Patient Data Storage: Greater than 500 Patient Records, Adj. Gain, Intensity, Contrast and Power, Multiple Image Capture and Edit, Measures Distances, Calculates Areas and Circumferences, Calculates Angles and Percentages, Image Annotations, CINE (Video Recording) Function, Document Edit w/Observations and Transfer	EA	10723.62	****
A-72	STM-10	Pathway STM-10 Vaginal and Rectal Intracavity Stimulator, Includes one Pathway STM-10 Vaginal and Rectal Intracavity Stimulator Clinician Operator's Guide, One Pathway STM-10 Vaginal and Rectal Intracavity Stimulator Patient Operator's Guide, One Carry Pouch, One Pathway STM-10 Vaginal and Rectal Intracavity Stimulator Module providing One Channel of Electrical Stimulation, Salient Characteristics: 12.5, 50, Sequential 12.5/50, 100 and 200Hz Frequencies, Microprocessor Controlled, Powered by a Readily Available 9V Battery, Programmable Treatment Time and On/Off Intervals, Treatment Protocol Storage, Treatment Compliance Monitor	EA	384.42	
A-72	UG	Ultrasound Gel, .25 liter	EA	9.05	
A-63	URO-S-N	Uroflowmetry, Includes one Notebook Computer with Operator's Guide, One Color Printer with Operator's Guide, One USB Serial Interface Cable, One Uroflowmetry Load Cell, One Morpheus Uroflowmetry CD Software Program, One Morpheus Uroflowmetry Operator's Guide Providing one Channel of Uroflowmetry Flow Volume, One Channel of Uroflowmetry Flow Rate, One Channel of Uroflowmetry Average Flow Rate, Salient Characteristics: Configure and Save User Defined Protocols, Dropdown list of Embedded and Modified Protocols, Auto-Calibration, Automatic Void Detection and Artifact Removal, Automatic Void Begin/End, USB or Bluetooth Wireless Communication, Quick Review and Print of Study Traces, Statistical Results and Nomograms, Integrate Studies and Choose which Studies to Incorporate Into Documents, Post Processing with Automatic Recalculation of Study Results Automatic Marker Placement of Void Begin, Void End, Maximum Flow Rate, Add Study Attachments to Include the ICS POP-Q Exam	EA	2577.89	
A-63	US	Uroflowmetry Stand, Height Adjustable	EA	361.81	