

4915 Industrial Way, Coeur d'Alene, ID 83815

**E-Mail: 21st@wheelchairs.com
http://www.wheelchairs.com**

DEPARTMENT OF VETERANS AFFAIRS

Dental and Other Medical Schedules Authorized Federal Supply Schedule Price List (Catalog) PATIENT MOBILITY

Supplement #1 – Modification #0001

Contract Number.....	V797P-3126m
Contract Period.....	February 15, 2007 through February 14, 2012
Contractor's Contact Information	21 st Century SCIENTIFIC Inc. 4915 Industrial Way Coeur d'Alene, ID 83815 Telephones: (208) 667-8800 (800) 448-3680 FAX: (208) 667-6600 E-Mail: 21st@wheelchairs.com http://www.wheelchairs.com
Business Size.....	Small

Information for Ordering Offices

Awarded Items:	
F-1 Manual Wheelchairs.....	See Manual Wheelchair Section of the FSS Price List
F-2 Power Wheelchairs	See Power Wheelchair Sections of the FSS Price List
F-INP Introduction of New Products.....	See Power & Manual Gurney Section of the FSS Price List
F-INP includes manual and power gurneys.	
Maximum Order Limitation.....	\$100,000.00 per purchase order
Minimum Order	\$50.00
Point Of Production.....	4915 Industrial Way, Coeur d'Alene, ID 83815
Basic Discount	See Net Prices, Discount Deducted

Items Included in this FSS Price List

- BOUNDER Plus H-FRAME POWER WHEELCHAIR**
- BIG BOUNDER H-FRAME POWER WHEELCHAIR**
- BOUNDER Plus CONVENTIONAL FRAME POWER WHEELCHAIR**
- BOUNDER Plus MANUAL WHEELCHAIRS**
- BOUNDER Plus POWER & MANUAL GURNEYS**
- REPLACEMENT PARTS**

Quantity Discounts	None
Annual Rebate Discount	None
Prompt Payment Terms	NET 30 days
Delivery	Stock Wheelchairs & Gurneys: 5 to 14 days ARO (after receipt of order) Non-Stock Wheelchairs & Gurneys: 10 to 45 days ARO Custom Wheelchairs & Gurneys: 15 to 90 days ARO Applies to SINS F-1, F-2, and F-INP.
Expedited Delivery	Within 72 hours ARO for stocked wheelchairs. Government customers will pay any additional shipping charges over and above the FOB destination
F.O.B. Point	Destination: 48 contiguous states and District of Columbia; Point of Exportation: Alaska, Hawaii and Puerto Rico
Geographic Coverage	50 states, District of Columbia and Puerto Rico
Return Goods	Commercial
Warranty	Commercial Warranty Applies in conjunction with government clauses. 21st Century Scientific, Inc.'s commercial warranty, set forth above, is incorporated into this contract as a supplement to, not a replacement for paragraphs 52.212-4(o) & (p) of the solicitation, which are also part of the contract.
Foreign Items	None
Ordering Address	21st Century SCIENTIFIC Inc. 4915 Industrial Way, Coeur d'Alene, ID 83815
Payment Address	21st Century SCIENTIFIC Inc. 4915 Industrial Way, Coeur d'Alene, ID 83815
Distribution Points	4915 Industrial Way, Coeur d'Alene, ID 83815
Participating Dealers	None
Credit Card Acceptance	Yes

US Government Ordering Instructions

1. Use our brochures and this 14th Edition FSS PRICE LIST to determine what to order and your prices. ALL PRICES ARE NET (discounts have already been deducted).
2. To order a **BOUNDER** wheelchair or gurney, or to receive a free quotation, make a copy of the relevant **FSS PRICE LIST**, fill it in, then FAX, phone or mail the information to 21st. This is the preferred approach, especially if the wheelchair or gurney has several custom features. **When ordering a BOUNDER wheelchair or gurney, also include a copy of your US Government Purchase Order. YOU WILL AUTOMATICALLY RECEIVE THE FSS PRICES SHOWN IN THIS PRICE LIST.**
3. If you need to purchase an item "off contract", contact the factory for pricing and availability. A separate purchase order is normally not necessary.
4. If you need more brochures, catalogs, price lists or binders, refer to the Literature listings in the Replacement Parts section of this price list to determine what to order.

4915 Industrial Way, Coeur d'Alene, ID 83815

**E-Mail: 21st@wheelchairs.com
http://www.wheelchairs.com**

FAX, PHONE IN OR MAIL COMPLETED FORM TO 21st Century SCIENTIFIC Inc.

This is an order! Our PO No: _____

This is a Quotation Request Only

Ship To:	Bill To:
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

BOUNDER *Plus* H-FRAME POWER WHEELCHAIR

User Data:

Name: _____ Ht: ___' ___" Wt: _____ lb. D.O.B.: _____ Disability: _____

Driving Skills: good fair poor **Eye-To-Hand Coordination:** good fair poor

Judgment: good fair poor **Equipment Usage:** light typical heavy abusive

Aggressiveness: timid typical hot rodder **Must Operate:** on thick carpets in rain and/or snow on steep hills

Previous Chair Make & Model: _____

Other Information: _____

New Chair Data:

Seat Width..: _____ " **Seat Depth.....:** _____ " **Seat Height.....:** _____ "

Back Height: _____ " **Max Overall Width:** _____ " **Max Overall Length:** _____ "

Desired Top Speed Of New Chair (1-11.6 MPH) _____ **Power Seating Needed:** Recline Tilt Elevate Other

Other Notes: _____

INSTRUCTIONS FOR FILLING OUT THIS FORM:
Thank you for choosing 21st Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may FAX this form to 21st at (208) 667-6600 for review. A detailed written quote will be faxed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

This Form Was Completed By: _____ **Date:** _____ **Phone:** _____ **FAX:** _____

BOUNDER Plus H-FRAME POWER WHEELCHAIR

STANDARD FEATURES

- For users up to 500 lbs (or who are tough on equipment or want more speed)
- 16" to 20" seat widths in 1" increments (12" to 15" available at extra cost)
 - Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
 - Fast! Top speeds up to 11.6 MPH (18.7 kph)
 - Super Torque 3 Motors & Brakes (ST3M&B)
 - Quiet non-slip Panther synchronous gearbelt drive
 - Sliding dual group 27 battery box
 - UEIG electronics (6 programs)
 - Built in taillights •Battery condition meter
 - Smart brake release switch (for easy attendant pushing)
 - Heavy duty 12 position adjustable suspension forks
- Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's)
 - 9"x3.50" metal caster wheels •12.75" x 4.00" steel drive wheels
 - 0.120" wall seat rails and back posts
 - Black powder coated frame
 - Sheet Metal Seat Pan
 - Sling back upholstery attached with machine screws
 - Quick adjust clutches (combination belt tensioner and belt release mechanism)
 - Detachable desk length arms •Reinforced arm mounts
 - Anti-tipping wheelie wheels
 - Fully automatic 8A Dual Mode charger (charges Gel-Cell and lead acid batteries)
 - Detailed Owner's Manual •Easy to service and maintain

POPULAR OPTIONS

- Independent drive wheel suspension
 - Front Rigging (footrests or legrests, each with many options)
 - Arm options •Headrests
 - 8"x2" front caster wheels
- Power seating systems: recline, tilt, reverse tilt & seat elevator
 - 2 or more power seating systems combined on same chair
 - Dual independent power elevating legrests (DIPLR)
- UEIG PSSV (ECU & through-the-joystick proportional control of power seating)
 - Programmer for electronics •Colored (non-black) frame
- Specialty controls (sip & puff, switch controls, head arrays, etc.; DX or ASL)
 - Frame reinforcements •Custom seat depth, seat height, back height, etc.
 - Upholstery and solid seating options
- Hand / chin control customizations & mounting options (many to choose from)
 - Lighting package (it's 24V and bright!) •Electric horn (it's LOUD)
- Electric leg bag emptier (for unattended leg bag draining) •Positioning straps
 - Wheel locks (with or without wheel lock extensions)
 - Extended 3 year warranty

WARRANTY*

- TWO year warranty on entire chair
 - 5 year warranty on Super Torque 3 Motor & Brake drive trains**
 - 10 year H-Frame base warranty •5 year H-Frame seat warranty
- * Limited warranties – some restrictions apply. See complete warranty for more information
 ** Includes motors, brakes, drive wheels, drive wheel sprockets (drive belts, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

TOP SPEED CHART

SPEEDS ARE APPROXIMATE. ACTUAL SPEEDS CAN VARY BY AS MUCH AS ± 10%.
 CODES NOT LISTED ARE EITHER CUSTOM, NOT AVAILABLE OR NOT POSSIBLE.

ST3M&B 12.75"x4.00" REAR WHEELS PANTHER DRIVE	
MOTOR SPROCKET	TOP SPEED
28 Tooth	11.6 MPH (18.7 kph)
26 Tooth	10.8 MPH (17.4 kph)
24 Tooth	10.0 MPH (16.1 kph)
22 Tooth	9.1 MPH (14.6 kph)

DRIVE TRAIN CONFIGURATION NOTES:

- 1) Generally, configurations with higher top speeds tend to have reduced hill-climbing capability (less torque) and reduced range.
- 2) Do not order drive train configurations with top speeds that exceed the physical or mental capabilities of the driver. Fast chairs are usually not appropriate for children.
- 3) If the motor sprocket size is increased, speed increases, and hill climbing capability decreases.
- 4) The Panther drive systems supplied with BOUNDER Plus H-Frame chairs do not slip in the rain or snow.
- 5) The Panther drive systems supplied with BOUNDER Plus H-Frame chairs are very quiet but can be heard over the motors, and a slight vibration can be felt.
- 6) BOUNDER Plus chairs include ST3M&B. ST3M&B are necessary if you want to be able to go up steep hills and also be able to have top speeds above 8.5 MPH on level surfaces. A top speed of 11.6 MPH is only recommended for users weighing 150 lbs. or less. Select top speeds of 10.8 MPH or less for users up to 250 lbs.; 10.0 MPH or less for users between 250 and 400 lbs., and 9.1 MPH or less for users over 400 lbs.

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
BASIC MODELS			
BOUNDER Plus			
* BPH PWC W/ ELECT	___B022	BOUNDER Plus H-Frame power wheelchair SEAT & BASE w/ UE1G electronics	\$5,846.47
* BPH PWB W/ ELECT	___B022B	BOUNDER Plus H-Frame power chair BASE only w/ UE1G electronics (requires 21st power seating)	\$5,010.86
CONSTRUCTION OPTIONS			
BASE WIDTH			
STD BASE WIDTH	___B151	Standard base width (25.5" overall width)	Standard
* NAR BASE WIDTH	___B152	Narrow base width (23.5" overall width)	\$222.83
* XNAR BASE WIDTH	___B153	Extra narrow base width (22" overall width)	\$334.24
BASE LENGTH			
* SHORT BASE	___B202	Short H-Frame power base	Standard
* LONG BASE	___B203	Long H-Frame power base	\$167.12
* XLONG BASE	___B203X	Xtra Long H-Frame power base	\$278.54
SUSPENSION			
* IDWS	___B209	Independent drive wheel suspension	\$557.07
* 21st POWER SEATING SYSTEMS			
(many systems can be combined, contact factory for available combinations)			
* PRS 80	___B301A	80 degree power recline system (E1003)	\$2,785.36
* PRS 40	___B301B	40 degree power recline system (E1003)	\$2,785.36
* SBPRS 70	___B303A	70 degree sliding back power recline system (E1004)	\$3,342.43
* SBPRS 40	___B303B	40 degree sliding back power recline system (E1004)	\$3,342.43
* PTS 50	___B305A	50 degree power tilt system (E1002)	\$2,785.36
* PTS 30	___B305B	30 degree power tilt system (E1002)	\$2,785.36
* RPTS 30	___B306A	30 degree reverse power tilt system	\$2,785.36
* PSE2 13	___B308A	Power seat elevator 2 (13" vert rise)	\$2,896.77
* PSE2 8	___B308B	Power seat elevator 2 (8" vert rise)	\$2,896.77
* PSTAND	___B311	Power standing system	\$6,406.32
POWER SEATING HEAVY DUTY UPGRADES, LOCKOUTS & OPTIONS			
PS HD	___B361	Power seating sys heavy duty upgrade (250-400 lbs users) (each system) (K0108)	\$557.07
* TILT LO	___B371	Power tilt system lockout	\$125.34
* ELEVATE LO	___B373	Power seat elevator lockout	\$125.34
* PSTAND LO	___B374	Power standing system lockout	No Charge
PSS JOYSWITCH	___B380	Joyswitch 4-way power seating system control (K0108)	\$835.61
CAPTAIN'S (VAN STYLE) SEATS			
* RECARO ES	___B392	Recaro ES power seating system (incl Ergomed ES seat mfg by RECARO & DX ACC1)	\$2,757.50
* CUS CAPT SEAT	___B393	Custom Captain's (van) seat	Off Contract
BASE COLOR			
BLACK	___B4001	Standard black powder coat	Standard
RED	___B4002	Red powder coat	\$55.71

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
BLUE	___B4003	Blue powder coat	\$55.71
DARK GREEN	___B4004	Dark green powder coat	\$55.71
YELLOW	___B4005	Yellow powder coat	\$55.71
LIGHT GRAY	___B4006	Light gray powder coat	\$55.71
WHITE	___B4007	White powder coat	\$55.71
TEAL	___B4008	Teal powder coat	\$55.71
LAVENDER	___B4009	Lavender powder coat	\$55.71
PINK	___B4010	Pink powder coat	\$55.71
* CUS PC	___B4021	Custom powder coat color	\$194.98
* NON-BLACK SAF	___B4046	Paint seat, arms and front rigging same color as rest of chair or gurney	\$167.12
FRAME REINFORCEMENTS			
* SBP	___B4109	Solid back posts	\$445.66
* CBPT	___B4113	Cross strut between backpost handle tips	\$75.20
SEAT DEPTH			
* HF STD SD	___B4421	Std seat depth (short or long base) ___16" ___17" ___18"	Standard
* HF LONG SD	___B4423	Long seat depth (short or long base) ___19" ___20"	\$278.54
HF XLONG SD	___B4425	X-long seat depth (long base only) ___21" ___22" ___23"	\$557.07
HF CUS SD	___B4426	H-Frame custom seat depth (xlong base) (24" & deeper; specify depth: _____)	\$668.49
* HF SHORT SD	___B4427	Short seat depth (short base only) ___12" ___13" ___14" ___15"	\$278.54
SEAT WIDTH			
HF BP STD SW	___B4521P	Standard BOUNDER Plus HF seat width ___16" ___17" ___18" ___19" ___20"	Standard
* HF NAR SW	___B4523	Narrow BOUNDER Plus HF seat width ___12" ___13" ___14" ___15"	\$278.54
* SEAT HEIGHT			
HF STD SH	___B4601H	Standard seat height (21")	Standard
* HF XNAR SH	___B4601N	Standard 20" seat height (no charge, chairs ordered w/ extra narrow base only)	No Charge
* CAPT SH	___B4606	Standard 22" or 24" captain's seat height	No Charge
HF HIGH SH	___B4615	High seat height ___22" ___23" ___24" ___25"	\$278.54
* HF LOW SH	___B4616	Low seat height (K0108) ___19" ___20"	\$278.54
HF XLOW SH	___B4616X	H-Frame extra low 18" seat height (for chairs w/ extra narrow base only)	\$278.54
* HF CUS SH	___B4619	H-Frame custom seat height (specify height: _____)	Off Contract
FIXED BACK STYLE & HEIGHT			
* HF STD BH	___B4701H	Standard 90 deg back height w/ 7 deg bend ___16" ___18" ___20"	Standard
* HF CUS BH	___B4710	Custom 90 deg back height w/ 7 deg bend ___15" ___17" ___19" ___21" ___22" ___23" ___24"	\$167.12
* HF CUS L BH	___B4710L	Custom low 90 deg back height w/7 deg bend ___12" ___13" ___14" ___15"	\$167.12
* CS945BH	___B4711	Custom straight 94.5 degree backpost height (front mounted uph or solid back)(for SMP BACK or SS ADJ ARM) (specify height: _____)	\$389.95
* CBHASBA	___B4712	Custom back height w/ adj seat-to-back angle (20 deg of adj)(400 lb limit)(specify height: _____) ___90 ___95 ___100 ___105 ___110	\$584.93
* CBHWSBA	___B4713	Custom back height w/welded seat-to-back angle (specify height: _____)(specify angle: _____)	\$584.93
* CB&BBH	___B4714	Custom back height and/or back bend height	Off Contract

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
TILT/RECLINE/STANDING BACK STYLE & HEIGHT			
* STD REC BH	___B4715R	Straight 94.5 deg recline system backpost height ___ 24"	No Charge
* STD TILT BH	___B4715T	Straight 94.5 deg tilt or standing system backpost height ___18" ___24"	No Charge
* CTRBH	___B4716	Custom tilt, recline or standing system backpost height (specify height:_____)	\$167.12
* CTRSBA	___B4717	Custom tilt and/or recline system seat-to-back angle (specify angle:_____)	\$111.41
CAPTAIN'S BACK HEIGHT			
* STD CAPT BH	___B4731	Standard captain's seat back height ___16" ___18" ___20"	No Charge
* CUS CAPT BH	___B4732	Custom captain's back height (specify height:_____)	\$167.12
HEADRESTS			
* PHR	___B4801	Power headrest	\$1,392.68
* ACPHR	___B4802	Adjustable center post headrest (6" x 12.5" pad) (E0955/E1028)	\$194.98
* RHR	___B4803	10" high removable sling headrest	\$139.27
* CSHR	___B4804	Custom size or style headrest for ACPHR or RHR	Off Contract
* FRONT RIGGING			
* FR70	___B5001	70 deg swingaway footrests	\$128.13
* FR60	___B5002	60 deg swingaway footrests	\$128.13
* FR55	___B5003	55 deg swingaway footrests	\$128.13
* FR90	___B5004	90 deg swingaway footrests	\$194.98
* LRL	___B5005	Low profile elevating legrests (E0990)	\$194.98
* LRH	___B5007	High profile (gooseneck) elevating legrests (E0990)	\$194.98
* LRH90	___B50079	90 degree high profile elevating legrests	\$278.54
* DIPLR	___B5008	Dual indep pwr elev legrest mechanisms (actuators, sw box, legrests) (E1010)	\$1,336.97
ELR PRM	___B5010	Elevating legrest push rod mechanism (links legrests to recline)	\$362.10
* RFR	___B5014	Reinforced footrests (footrests not included)	\$222.83
* RLR	___B5016	Reinforced elevating legrests (LRL or LRH not included)	\$278.54
* OFFSET FR	___B5018	Offset front rigging (specify offset)	\$167.12
* TAPER FR	___B5019	Tapered front rigging (specify taper)	\$222.83
CP ON FR	___B5020	Install calf pads on footrests	\$111.41
* QRL	___B5023	Quad release levers	\$41.78
* CUS SFPW	___B5029	Custom welded on steel footplates (specify size)(order heelloops separately)	\$111.41
CUS SFP FLIP UP	___B5030	Custom flip up Steel footplates (specify size)(order heelloops separately)	\$155.98
OFFP	___B5031	Oversized footplates (less heel loops)	\$100.27
OFFP HL	___B5031H	Oversized footplates w/ heel loops	\$105.84
* WFBPB	___B5032	1-piece wooden foot board, painted	\$69.63
SMFB	___B5032M	1 piece sheet metal foot board, painted	\$89.13
* WFBU	___B5033	1-piece wooden foot board, upholstered w/ pad	\$89.13
* CFB	___B5034	Custom 1-piece foot board	Off Contract
* CUS CM FB	___B5035	Custom center mount, angle adjustable footboard	Off Contract
CUS PEACM FB	___B5036E	Custom power elevating, articulating center mount footboard	Off Contract
* PSTAND FBKS	___B5036	Power standing system flip up footboard and knee support	No Charge
* FPHL	___B5041	Heel loops	\$22.28
* FPAS	___B5042	Ankle straps	\$39.00
* FPTL	___B5043	Pair of toe loops	\$39.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
SLS	___B5044	Single leg (calf) strap, black w/ velcro	\$22.28
HLS	___B5045	H-type leg (calf) strap, black w/ velcro	\$33.42
STD CALF PADS	___B5046	Std calf pads (Naugahyde only) (only if legrests or CP ON FR ordered)	No Charge
* CALF FLAT	___B5047	Flat calf pads	\$66.85
CALF TROUGH	___B5048	Trough calf pads	\$97.49
CALF CUSTOM	___B5049	Custom calf pads	Off Contract
RCPM	___B5050	Recessed calf pad mounts (specify 1" or 2")	\$111.41
CCPM	___B5051	Custom calf pad mounts	Off Contract
FPRB2	___B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$41.78
RFPE	___B5062	Reduced footplate extension and adjustment range	\$222.83
AAFP	___B5072	Angle adjustable front rigging extensions	\$167.12
* FR PED	___B5075	Pediatric front rigging (reduces footplate size and extension adjustment range)	\$222.83
CFR	___B5081	Custom front rigging	Off Contract
HF NFR&NFP	___B5091H	Credit for no front rigging and no front posts	\$-16.71
NFR	___B5092	No front rigging	No Charge
NCP	___B5093	Credit for no calf pads (legrests or CP ON FR only)	\$-5.57
ARMS			
STD DLDA	___B5101	Standard desk length detachable arms	Standard
FLDA	___B5102	Full length detachable arms	\$66.85
DLADA	___B5103	Desk length adj detachable arms (E0973)	\$116.99
FLADA	___B5105	Full length adj detachable arms (E0973)	\$116.99
FLIP UP ARMS	___B5107	Add flip up to DLDA, FLDA, DLADA or FLADA	\$167.12
* DL ART ARM	___B5108	Desk length articulating arms	\$250.68
* FL ART ARM	___B5109	Full length articulating arms	\$250.68
* DL SL ARM	___B5110	Desk length sliding arms	\$250.68
* FL SL ARM	___B5111	Full length sliding arms	\$250.68
* DL SS ADJ ARM	___B5112	Desk length self-supporting adj arms	\$278.54
* DL SS ADJ ARM CS	___B5112C	Desk length self-supporting adj arms for captain's seat	\$278.54
* FL SS ADJ ARM	___B5113	Full length self-supporting adj arms	\$278.54
* FL SS ADJ ARM CS	___B5113C	Full length self-supporting adj arms for captain's seat	\$278.54
ARM UPH MOD	___B5113M	Upholstery modesty arm panels for use with SS ADJ ARMS	\$44.57
* RECARO FU ARMS	___B5114	Recaro flip up arms (for recaro seats only)	\$501.36
* ONDA	___B5116	Offset non-detachable arms	\$139.27
* INDA	___B5117	Inline non-detachable arms	\$139.27
* PARMS	___B5121	Pediatric arms (lower arm assembly is 3" lower)	\$83.56
* RAT	___B5131	Reinforced arm tips	\$55.71
CAH	___B5132	Custom Arm Height	\$222.83
* CARMS	___B5134	Custom arms	Off Contract
* NARMS	___B5135	Credit for no arms	\$-16.71
ARMREST PADS			
* STD ARMREST PADS	___B5141	Std upholstered armrest pads	Standard
* WATERFALL ARP	___B5142	Waterfall armrest pads	\$41.78
* TROUGH ARP	___B5143	Trough armrest pads	\$122.56
* FLAT ARP	___B5144	Flat armrest pads	\$55.71
* NARROW FLAT ARP	___B5145	Narrow flat armrest pads	\$55.71
CARP	___B5146	Custom armrest pads	Off Contract
* NARP	___B5147	Credit for no armrest pads	\$-3.34
WHEELCHAIR SEATS & SEAT CUSHIONS			
SMP SEAT	___B5205	Flat powder coated sheet metal pan seat	Standard
* HF SD SEAT UPH	___B5206	H-Frame super duty screw-on sling seat upholstery	\$278.54

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
* SMP DROP SEAT	___B5233	Flat powder coated drop sheet metal seat (specify 1" or 2" drop)	\$389.95
* SMP DROP SEAT ADJ	___B5234	Flat powder coated sheet metal pan drop seat with adjustable brackets	\$417.80
* SMP SEAT CUSHION	___B5242	Upholstered foam seat cushion (up to 3"; specify thickness: _____)	\$111.41
* SPEC SEAT FOAM	___B5262A	Special seat foam up to 24" wide (Pudgee, Sunmate, etc.)(each 1/2" thickness)	\$55.71
SPEC SEAT FOAM OS	___B5262B	Special seat foam 25" and wider (Pudgee, Sunmate, etc.)(each 1/2" thickness)	\$83.56
CSSC	___B5263	Custom seat or seat cushion	Off Contract
NO SEAT	___B5271	No seat attached to seat rails	No Charge

WHEELCHAIR BACKS & BACK CUSHIONS

* SD BACK UPH NC	___B5303N	BOUNDER Plus & Big BOUNDER super duty screw-on sling back upholstery N/C	Standard
* FCWB ADJ	___B5324	Foam covered wood back with adjustable brackets, 1" thick foam (up to 24" wide)	\$167.12
* FCWB CURVED ADJ	___B5325	Foam covered curved wood back with adjustable brackets, 1" thick foam	\$278.54
SMPB FLAT	___B5331	Flat powder coated sheet metal pan back	\$111.41
* SMPB CURVED	___B5332	Curved powder coated sheet metal pan back	\$167.12
SMPB CURVED ADJ	___B5333	Curved sheet metal pan back w/ adj brackets	\$222.83
* SMP BACK CUSHION	___B5342	Upholstered foam back cushion (up to 2"; specify thickness: _____)	\$111.41
* SPEC BACK FOAM	___B5362A	Special back foam up to 24" wide (Pudgee, Sunmate, etc.)(each 1/2" thickness)	\$55.71
SPEC BACK FOAM OS	___B5362B	Special back foam 25" and wider (Pudgee, Sunmate, etc.)(each 1/2" thickness)	\$83.56
CBBC	___B5363	Custom back or back cushion	Off Contract
SB MOD FLAP	___B5369	Modesty flap, velcros between seat and back upholstery	\$41.78
NO BACK	___B5371	No back attached to backposts	No Charge

* UPHOLSTERY COLOR

STD BLACK NAUG	___B5401	Standard black Naugahyde upholstery	Standard
* BLACK SOFLEECE 3	___B5411	Sofleece 3 fabric upholstery (for use on cushions, solid seats & backs only)	\$55.71
BLACK FAB	___B5431	Black fabric upholstery	No Charge
CAMO FAB	___B5434	Camouflage fabric upholstery	No Charge
CUS UPH	___B5451	Custom upholstery	Off Contract

CONTROL BOXES & REMOTE DISPLAY

STD RHC	___B6001	Right hand control	Standard
LHC	___B6002	Left hand control	No Charge
UE1G DHC T	___B6005	UE1G Driver Hand Control with toggle power, select & aux1 switches	Standard
* RD	___B6011	Remote Display separate from joystick & switches	\$250.68
* CB KEY LOCK	___B6012	Add key switch at front of hand control	\$83.56
HC SP	___B6013	Add speed pot to hand ctrl instead of AUX SW 1	\$83.56
* CB CHIN BIB	___B6023R	Bib mounted chin control	\$557.07
* CB CHIN FRONT	___B6027	Chin control with front facing switches	\$557.07
* ACDC	___B6029	Attendant control / dual control	\$668.49
* AC ONLY	___B6031	Attendant control only (no driver control)	\$334.24
* CB JRP	___B6039	Joystick retention plate	\$111.41
* CUS CB	___B6041	Custom hand, foot, head or chin control	Off Contract

HAND & CHIN CONTROL MOUNTS & EXTENSIONS

* STD HC MOUNT	___B6111	Standard hand control mount	Standard
STD HC EXT	___B6112	Standard hand control extension slide	Standard

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
* SA EXT	___B6115	Swingaway hand control extension slide (E1028)	\$167.12
* MIDLINE HC EXT	___B6116	Midline hand control extension slide	\$194.98
* CC MOUNT	___B6121	Chin control mount	\$222.83
* POWER CC MOUNT	___B6122	Power chin control mount	\$668.49
* CC BIB MOUNT	___B6131	Chin control bib mount	\$278.54
CUS CTRL MOUNT	___B6171	Custom control mount	Off Contract
* CUS EXT SLIDE	___B6172	Custom extension slide	Off Contract

DRIVE MODULES

UE1G Premium 6-Program Wheelchair Electronics & Options

UE1G V14 NC	___B6291N	UE1G V14 electronics	No Charge
UE1G PSSV 1	___B6293A	UE1G variable speed power seating system module, one actuator (E2310)	\$668.49
UE1G PSSV M	___B6293B	UE1G variable speed power seating system module, multiple actuators (E2311)	\$1,336.97
UE1G ESSS	___B6296E	UE1G emergency stop and select switch	\$69.63
UE1G RPS	___B6296P	UE1G remote power switch	\$69.63
* UE1G PS OVERRIDE	___B6298B	UE1G power seating override switch (specify seating system)	\$222.83
UE1G PRGMR	___B6299	UE1G plug-in programmer	\$278.54

* DX Programmable Electronics

call factory

ASL (Adaptive Switch Labs) Wheelchair Control Systems

call factory

PG DRIVES Programmable Electronics

call factory

DRIVE MODULE MOUNTS

* USM HF	___B6702	Drive module mounted under H-Frame wheelchair seat	Standard
BACK MOUNT HF	___B6703H	Drive module mounted on back of H-Frame chair	\$111.41
* OBBM HF	___B6706	Drive module mounted over H-Frame battery box	No Charge
CUS DM MNT	___B6711	Custom drive module mount	Off Contract

RESPIRATOR & OXYGEN BOTTLE MOUNTS

* RESP SHELF	___B6801	Fixed position respirator shelf	\$222.83
* RESP GIMBAL SHELF	___B6803	Gimbal mounted respirator shelf	\$668.49
* RESP BBOX U1	___B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$222.83
RESP BAU1 GEL-CELL	___B6812	Respirator U1 gel-cell battery	\$105.84
RESP BC12-6	___B6813	Respirator 12.6V auto charger	\$139.27
SE O2 BOT HLD	___B6901	Single E size oxygen bottle holder	\$306.39
DE O2 BOT HLD	___B6902	Dual E size oxygen bottle holder	\$417.80
TE O2 BOT HLD	___B6902T	Triple E size oxygen bottle holder	\$529.22

MOTORS & BRAKES

* ST3M&B NC	___B7003N	BOUNDER Plus & Big BOUNDER super torque 3 motors & brakes N/C	Standard
* ST1SM&B NC	___B7006N	Super torque 1S motors & brakes N/C (for extra narrow base only)	No Charge

DRIVE WHEEL OPTIONS

* DW 13M SMOOTH	___B7054	12.75"x4.00" metal drive wheels w/ smooth tires	Standard
* DW 13M KNOBBY	___B7055	12.75"x4.00" metal drive wheels w/ knobby tires	No Charge
STD DT&T	___B7071	Thorn resist inner tubes & gray tires	Standard
DWI HD	___B7073	High density airless drive wheel inserts	\$94.70

PANTHER DRIVES (Slower speeds can be programmed through the electronics)

FSP	___B7352	Factory to select best Panther drive	No Charge
P28H	___B7358H	11.6 MPH 28 tooth motor Panther sprockets	No Charge
P26H	___B7359H	10.8 MPH 26 tooth motor Panther sprockets	No Charge
P24H	___B7360H	10.0 MPH 24 tooth motor Panther sprockets	No Charge

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
P22H	___ B7361H	9.1 MPH 22 tooth motor Panther sprockets	Standard

CASTER WHEEL & FORK OPTIONS

XDCBF 9X3.50M	___ B7441X	9"x3.50" Xtra duty caster barrels, suspension forks & metal casters	Standard
XDCBF 8X2	___ B7442X	8"x2.00" Xtra duty caster barrels, suspension forks & casters	\$83.56
STD CT&T	___ B7481	Standard full pneumatic caster tubes & gray tires	Standard
FFCW HD	___ B7483	High density flat-free gray caster tires	\$83.56

VEHICLE TIEDOWNS

* TD DSI	___ B7602	Weld in Driving Systems tiedown bar	\$278.54
* EZ LOCK TD	___ B7603	Install EZ Lock tiedown crossbar and bolt onto chair	\$278.54
4P TD	___ B7604	4 Point wheelchair tiedown for unoccupied wheelchair	\$222.83

BATTERY BOXES

STD BBOXD27	___ B7701	Standard dual group 27 sliding battery box	Standard
* BBOXD24	___ B7713	Dual group 24 sliding battery box	\$111.41
* BBOXD22NF	___ B7715	Dual group 22NF battery box	\$167.12

BATTERIES

BA27 GEL-CELL	___ B7802	Pair, group 27 gel-cell batteries (E2371)	\$473.51
BA24 GEL-CELL	___ B7804	Pair, group 24 gel-cell batteries (E2363)	\$445.66
BA22NF GEL-CELL	___ B7806	Pair, group 22NF gel-cell batteries	\$311.96

* BATTERY CHARGERS

STD BCDM8	___ B7903	Dual mode 8A Lester auto charger	Standard
* BCDM12	___ B7904	Dual mode 12A Lester auto charger	\$111.41
* BCDM12W	___ B7908	Dual mode 12A Lester world-wide auto charger	\$111.41
* NBC	___ B7911	Credit for no battery charger	-\$41.78

ACCESSORIES

* HF LP	___ B8006	Safety Illumination package for all H-Frames	\$167.12
* HL2	___ B8007	2nd headlamp	\$46.79
* HORN	___ B8021	24V Safety audio alert	\$139.27
* LB2	___ B8032	Electric leg bag emptier 2	\$306.39
* FAN	___ B8041	Fan with hi-off-lo speed control	\$139.27
* SSAI	___ B8045	Specialty switch accessory interface	\$278.54
* 24/12PC	___ B8046	24V to 12V power converter (5A maximum load)	\$278.54
DW FENDERS	___ B8052	Drive wheel fenders	\$278.54
* MIRROR	___ B8091	Rear view mirror	\$44.57
WL HF	___ B8102	Wheel locks on H-frame power chair	\$111.41
WLE	___ B8105	Wheel lock extensions (pair)	\$27.85

* SEAT POSITIONING STRAPS (Do not use as seat belts in vehicles)

PS FLIP LATCH S	___ B8201	60" flip latch seat mount positioning strap	\$27.85
PS PUSH BUTTON S	___ B8202	60" push button seat mount positioning strap	\$27.85
PS PINCH BUCKLE S	___ B8203	60" pinch buckle seat mount positioning strap	\$27.85
PS VELCRO S	___ B8204	60" velcro closure seat mount positioning strap	\$27.85
* PS CUS S	___ B8211	Custom seat mount positioning strap (specify buckle type and length)	\$55.71

CHEST POSITIONING STRAPS (Do not use as seat belts in vehicles)

PS FLIP LATCH C	___ B8251	60" flip latch chest mount positioning strap	\$55.71
PS PUSH BUTTON C	___ B8252	60" push button chest mount positioning strap	\$55.71
PS PINCH BUCKLE C	___ B8253	60" pinch buckle chest mount positioning strap	\$55.71
PS VELCRO C	___ B8454	60" velcro closure chest mount positioning strap	\$55.71

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	FSS Net Price
PS CUS C	___ B8261	Custom chest mount positioning strap (specify buckle type and length)	\$83.56

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

* BP HF PWC WAR	___ B9022	BOUNDER Plus H-frame power wheelchair standard warranty	Standard
-----------------	-----------	---	-----------------

EXTENDED WARRANTIES

EL3 EWAR	___ B9102	Extend UE1 Series electronics warranty to 3 years	\$278.54
BP PC3 EWAR	___ B9203	Extend BOUNDER Plus entire power chair warranty to 3 years	\$557.07

SPECIAL SERVICE OPTIONS

* EBO	___ B9301	Emergency Build Order	Off Contract
* EEC	___ B9302	Engineering and evaluation charge	Off Contract

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

BASIC MODELS

BOUNDER Plus

B022 BPH PWC W/ ELECT. BOUNDER PLUS H-FRAME POWER WHEELCHAIR SEAT & BASE W/ UE1G ELECTRONICS. THIS IS A COMPLETE CHAIR. 16", 17", 18", 19" AND 20" WIDE. 12" - 15" WIDE AVAILABLE AT EXTRA COST. FOR WIDER WIDTHS, ORDER A BIG BOUNDER. PRICE INCLUDES UE1G ELECTRONICS. TO UPGRADE ELECTRONICS, USE B022A SEAT AND BASE WITHOUT ELECTRONICS OR B022C BASE ONLY WITHOUT ELECTRONICS. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER B022B BASE ONLY WITH UE1G ELECTRONICS OR B022C BASE ONLY WITHOUT ELECTRONICS.

B022B BPH PWB W/ ELECT. BOUNDER PLUS H-FRAME POWER CHAIR BASE ONLY W/ UE1G ELECTRONICS (REQUIRES 21ST POWER SEATING). FOR USE WITH 21ST POWER RECLINE, TILT, REVERSE TILT, ELEVATE, OR POWER ELEVATING LEGRESTS ONLY. NOT AVAILABLE FOR USE WITH OTHER SEATING SYSTEMS. PRICE INCLUDES UE1G ELECTRONICS. FOR SEAT WIDTHS OF 21" AND WIDER, ORDER A BIG BOUNDER.

CONSTRUCTION OPTIONS

BASE WIDTH

B152 NAR BASE WIDTH. NARROW BASE WIDTH (23.5" OVERALL WIDTH). REQUIRES DUAL GROUP 24 SLIDING BATTERY BOX. SEAT WIDTHS FROM 12" TO 18", SEAT DEPTHS FROM 12" TO 18", BACK HEIGHTS FROM 12" TO 20" NO ADDITIONAL CHARGE. SOME RESTRICTIONS APPLY, CONTACT FACTORY FOR MORE INFORMATION.

B153 XNAR BASE WIDTH. EXTRA NARROW BASE WIDTH (22" OVERALL WIDTH). REQUIRES DUAL GROUP 22NF BATTERY BOX AND ST1S MOTORS AND BRAKES WITH 22 TOOTH PANTHER SPROCKETS. SEAT WIDTHS FROM 12" TO 18", SEAT DEPTHS FROM 12" TO 18", BACK HEIGHT FROM 12" TO 20", NO CHARGE. STANDARD SEAT HEIGHT IS 20". 9"X3.50" FRONT CASTERS ARE NOT AVAILABLE, 8"X2" FRONT CASTERS ARE NO CHARGE. SOME RESTRICTIONS APPLY, CONTACT FACTORY FOR MORE INFORMATION.

BASE LENGTH

B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 19". SEAT DEPTHS FROM 16" TO 20" CAN NORMALLY BE INSTALLED. A 15" DEEP SEAT PAN CAN ALSO BE INSTALLED. A FEW SPECIAL CONDITIONS REQUIRE THE LONG WHEELBASE: 1) CHAIRS THAT HAVE A 19" SEAT HEIGHT, INDEPENDENT DRIVE WHEEL SUSPENSION AND A POWER TILT SYSTEM; 2) CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER; AND 3) CHAIRS THAT HAVE BOTH A POWER SEAT ELEVATOR AND A POWER TILT SYSTEM. USERS WHO WEIGH OVER 300 LB USUALLY REQUIRE A LONG BASE INSTEAD.

B203 LONG BASE. LONG H-FRAME POWER BASE. STANDARD FOR ALL SEAT DEPTHS 20" OR GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. CHAIRS THAT HAVE BOTH A POWER SEAT ELEVATOR AND A POWER TILT SYSTEM REQUIRE A LONG WHEELBASE. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.

B203X XLONG BASE. XTRA LONG H-FRAME POWER BASE. 6" LONGER THAN THE SHORT BASE. FOR USE WITH POWER CHAIR SEAT DEPTHS GREATER THEN 23" AND GURNEY MATTRESS PAN LENGTHS GREATER THEN 54".

SUSPENSION

B209 IDWS. INDEPENDENT DRIVE WHEEL SUSPENSION. ONLY AVAILABLE FOR USERS UP TO 500 LB.

21st POWER SEATING SYSTEMS

(many systems can be combined, contact factory for available combinations)

B301A PRS 80. 80 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).

B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).

B303A SBPRS 70. 70 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).

B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).

Stk# Note

B305A PTS 50. 50 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).

B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).

B306A RPTS 30. 30 DEGREE REVERSE POWER TILT SYSTEM. REAR OF SEAT TILTS UPWARD 30 DEGREES SO USER CAN MORE EASILY TRANSFER INTO AND OUT OF CHAIR. FRONT RIGGING ATTACHES TO FRONT POSTS WELDED TO BASE.

B308A PSE2 13. POWER SEAT ELEVATOR 2 (13" VERT RISE). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 13 INCHES. 250 LB MAXIMUM USER WEIGHT. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

B308B PSE2 8. POWER SEAT ELEVATOR 2 (8" VERT RISE). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 8 INCHES. FOR USERS WEIGHING 250 - 500 LB. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

B311 PSTAND. POWER STANDING SYSTEM. SEAT AND BACK ARTICULATE TO PLACE USER IN A STANDING POSITION. USER CAN DRIVE AT SLOW SPEEDS IN STANDING POSITION ON LEVEL SURFACES ONLY. INCLUDES PSTAND LO, PSTAND FBKS AND CHOICE OF DL SS ADJ ARM OR FL SS ADJ ARM AT NO CHARGE. DRIVE MODULE MOUNTED OVER THE BATTERY BOX (OBBM HF) AND CHEST MOUNT POSITIONING STRAP IS REQUIRED. USERS UP TO 200 LB, MAY DRIVE IN THE STANDING POSITION. USERS BETWEEN 200 LB AND 300 LB MAY REQUIRE A LONG BASE, DRIVE LOCKOUT WHEN STANDING OR MAY NOT BE ABLE TO STAND COMPLETELY, CONTACT FACTORY FOR RESTRICTIONS.

POWER SEATING HEAVY DUTY UPGRADES, LOCKOUTS & OPTIONS

B371 TILT LO. POWER TILT SYSTEM LOCKOUT. SPECIFY COMPLETE (STOP), SLOW OR MEDIUM SPEED DRIVE LOCKOUT.

B373 ELEVATE LO. POWER SEAT ELEVATOR LOCKOUT. SPECIFY COMPLETE (STOP), SLOW OR MEDIUM SPEED DRIVE LOCKOUT.

B374 PSTAND LO. POWER STANDING SYSTEM LOCKOUT. PSTAND LO IS NO CHARGE WITH POWER STANDING SYSTEM. SPECIFY COMPLETE (STOP), SLOW OR MEDIUM SPEED DRIVE LOCKOUT.

CAPTAIN'S (VAN STYLE) SEATS

B392 RECARO ES. RECARO ES POWER SEATING SYSTEM (INCL ERGOMED ES SEAT MFG BY RECARO & DX ACC1). RECARO ERGOMED ES STANDARD FEATURES INCLUDE: 1) FULLY PADDED HEADREST WITH HEIGHT AND TILT ADJUSTMENT, 2) ELECTRIC RECLINE ADJUSTMENT, 3) SEAT BACK RELEASE ON BOTH SIDES, 4) STEEL SHELL CONSTRUCTION SEAT FRAME, 5) ADJUSTABLE BACKREST SIDE BOLSTERS, 6) BACKREST POCKET, 7) ELECTRIC DOUBLE CHAMBER RECARO AIRMATIC FOR LUMBAR SUPPORT, 8) ELECTRIC HEIGHT ADJUSTMENT, 9) ELECTRIC TILT ADJUSTMENT, 10) EXTENDABLE SEAT CUSHION, 11) ILLUMINATED CONTROLS, INTEGRATED INTO SEAT 12) CLIMATE CONTROL PACKAGE (RECARO VENT SYSTEM WITH SEAT CUSHION AND BACKREST HEATING)(INCLUDES DX-ACC1 24V TO 12V POWER SUPPLY) 13) BLACK CLOTH UPHOLSTERY STANDARD. CAN BE COMBINED WITH PSE2 OR PTS, AS WELL AS DIPLR (DUAL INDEPENDENT POWER ELEVATING LEGRESTS) ON SOME CHAIRS.

PRICE INCLUDES INSTALLATION ON A SPECIAL CONVENTIONAL (TUBE STYLE) FRAME THAT IS 17.75" WIDE AND 18" DEEP, OR A STANDARD H-FRAME. SEAT HEIGHT WILL BE APPROXIMATELY 22" FOR CONVENTIONAL FRAME POWER CHAIRS, 24" OR 26" HIGH ON H-FRAME POWER CHAIRS AND 20" FOR MANUAL CHAIRS.

THE RECARO ES SEAT REPLACES THE DS SEAT AS OF 2005.

B393 CUS CAPT SEAT. CUSTOM CAPTAIN'S (VAN) SEAT. CUSTOM CAPTAIN'S STYLE SEATS CAN SOMETIMES BE INSTALLED ON H-FRAME BASES. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

BASE COLOR

B4021 CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!

B4046 NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR OR GURNEY. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.

FRAME REINFORCEMENTS

B4109 SBP. SOLID BACK POSTS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.

B4113 CBPT. CROSS STRUT BETWEEN BACKPOST HANDLE TIPS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.

SEAT DEPTH

B4421 HF STD SD. STD SEAT DEPTH (SHORT OR LONG BASE). 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note	Stk#	Note
	THE BACKPOSTS. TO COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT DEPTH AVAILABLE WITH LONG BASE.		FOR SCBPRS RECLINERS, SLING UPHOLSTERY WILL BE 18" HIGH AND START 6" ABOVE SEAT RAILS. SHEET METAL PANS AND SOLID BACKS CAN BE INSTALLED AT ADDITIONAL COST. DIMENSIONS FOR SOLID AND SHEET METAL PAN BACKS ARE SIMILAR. PRICE INCLUDES SLING BACK UPHOLSTERY.
B4423	HF LONG SD. LONG SEAT DEPTH (SHORT OR LONG BASE). H-FRAME 19" AND 20" SEAT DEPTHS CAN BE INSTALLED ON EITHER A SHORT OR A LONG WHEELBASE FRAME. HOWEVER, A LONG BASE PROVIDES BETTER WEIGHT DISTRIBUTION AND IS RECOMMENDED FOR MOST USERS. THE COST OF THE LONG WHEELBASE FRAME IS ADDITIONAL.	B4715T	STD TILT BH. STRAIGHT 94.5 DEG TILT OR STANDING SYSTEM BACKPOST HEIGHT. SPECIFY 18" OR 24". AVAILABLE FOR 21ST TILT SYSTEM CHAIRS, WITH OR WITHOUT A RECLINING BACK AND CHAIRS WITH A POWER STANDING SYSTEM. 18" OR 24" HIGH SLING BACK UPHOLSTERY ON CONVENTIONAL FRAME CHAIRS, 17" OR 23" HIGH SLING BACK UPHOLSTERY ON H-FRAME CHAIRS. BACK UPHOLSTERY MOUNTS ON FRONT OF BACKPOSTS. BACKPOSTS ARE STRAIGHT AND MEASURE 18.3 OR 24.3" FROM THE SEAT RAIL TO THE TOP OF BACKPOSTS, AND FORM AN ANGLE OF 94.5 DEGREES WITH THE SEAT RAIL. EFFECTIVE BACK UPHOLSTERY HEIGHT IS 18" OR 24" ABOVE THE SEAT RAILS. FOR CUSTOM TILT ANGLE, ORDER CTRBSA AT ADDITIONAL EXPENSE. HANDLES ARE WELDED ONTO THE BACKPOSTS AT A HEIGHT OF APPROXIMATELY 37" ABOVE THE GROUND. PRICE INCLUDES THE SLING BACK UPHOLSTERY. SHEET METAL PANS AND SOLID BACKS CAN BE INSTALLED AT ADDITIONAL COST.
B4427	HF SHORT SD. SHORT SEAT DEPTH (SHORT BASE ONLY). NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. SOME RESTRICTIONS APPLY. CONTACT FACTORY FOR DETAILS.	B4716	CTRBH. CUSTOM TILT, RECLINE OR STANDING SYSTEM BACKPOST HEIGHT (SPECIFY HEIGHT:). AVAILABLE ONLY FOR CHAIRS WITH 21ST TILT AND/OR RECLINE SYSTEMS. BACKPOSTS ARE FABRICATED TO THE HEIGHT YOU SPECIFY TO THE NEAREST INCH, FROM 12 TO 32 INCHES. FOR SOME SYSTEMS, BACK HEIGHTS OF LESS THAN 18" CANNOT BE FABRICATED. CONTACT FACTORY FOR MORE INFORMATION.
SEAT WIDTH		B4717	CTRSBA. CUSTOM TILT AND/OR RECLINE SYSTEM SEAT-TO-BACK ANGLE (SPECIFY ANGLE:). SPECIFY THE ANGLE IN DEGREES. ALLOWS CUSTOMIZATION OF THE ANGLE BETWEEN THE SEAT AND THE BACK ON 21ST TILT SYSTEMS. 94.5 DEGREES IS STANDARD; ANY OTHER ANGLE REQUIRES THIS UPCHARGE. CTRBSA IS ONLY AVAILABLE FOR 21ST TILT SYSTEMS. PRICE DOES NOT INCLUDE CTRBH ABOVE.
B4523	HF NAR SW. NARROW BOUNDER PLUS HF SEAT WIDTH. NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED.	CAPTAIN'S BACK HEIGHT	
SEAT HEIGHT		B4731	STD CAPT BH. STANDARD CAPTAIN'S SEAT BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK.
NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE ADJUSTED TO 20", 20.5" OR 21" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT. RECARO SEAT HEIGHTS MAY BE SLIGHTLY HIGHER.		B4732	CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT (SPECIFY HEIGHT:). SPECIFY BACK HEIGHT FROM 12" TO 28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK, IN 1" INCREMENTS.
B4601N	HF XNAR SH. STANDARD 20" SEAT HEIGHT (NO CHARGE, CHAIRS ORDERED W/ EXTRA NARROW BASE ONLY). FOR ALL OTHER H-FRAME CONFIGURATIONS USE B4601H, HF STD SH WITH A STANDARD SEAT HEIGHT OF 21".	HEADRESTS	
B4606	CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.	B4801	PHR. POWER HEADREST. POWER HEADREST MOVES UP AND FORWARD TO USE; RETRACTS BACK AND DOWN TO STORE. PRIMARILY FOR USE WITH POWER TILT AND/OR RECLINE SYSTEMS, BUT CAN ALSO BE INSTALLED ON SOME STANDARD CHAIRS. A 24" HIGH OR HIGHER BACK HEIGHT IS REQUIRED FOR INSTALLATION OF THE POWER HEADREST. CONTACT FACTORY FOR ADDITIONAL DETAILS. INCLUDES CONTROL SWITCH BOX (UNLESS JOYSTICK PSS CONTROL) AND 7" HIGH X 10" WIDE UPHOLSTERED PAD HEADREST. SPECIFY COLOR.
B4616	HF LOW SH. LOW SEAT HEIGHT (K0108). SOME RESTRICTIONS APPLY FOR CHAIRS WITH POWER SEATING SYSTEMS. CONTACT FACTORY FOR MORE INFORMATION.	B4802	ACPHR. ADJUSTABLE CENTER POST HEADREST (6" X 12.5" PAD) (E0955/E1028). ATTACHES TO MOUNT PLATE CENTERED BETWEEN BACKPOSTS. HEADREST ADJUSTS TO AND FRO AND CAN BE TILTED OVER A WIDE ARC BOTH VERTICALLY OR HORIZONTALLY. INCLUDES LARGE HEADREST PAD (ABOUT 6" HIGH X 12.5" WIDE) WITH 2" DEEP CURVE TO CRADLE BACK OF HEAD.
B4619	HF CUS SH. H-FRAME CUSTOM SEAT HEIGHT. UNDER CERTAIN CONDITIONS A CHAIR CAN BE MADE WITH A LOWER SEAT TO FLOOR HEIGHT. CONTACT THE FACTORY FOR AVAILABILITY AND PRICES.	B4803	RHR. 10" HIGH REMOVABLE SLING HEADREST. SLING UPHOLSTERY HEADREST SLIPS INTO ENDS OF BACKPOSTS OF 21ST POWER TILT AND/OR RECLINE SYSTEMS. CAN ALSO BE USED ON 21ST CHAIRS WITH STRAIGHT BACKPOSTS. INCLUDES HEADREST SLING UPHOLSTERY AND POSTS. ALSO INCLUDES MODIFYING BACKPOSTS TO ACCOMMODATE HEADREST IF REQUIRED. SPECIFY UPHOLSTERY COLOR. FOR HEIGHTS OTHER THAN 10", ORDER CSHR.
FIXED BACK STYLE & HEIGHT		B4804	CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR OR RHR. ANY SIZE BUT STANDARD 6" HIGH X 12.5" WIDE WITH 2" DEEP CURVE FOR ACPHR. ANY SIZE BUT STANDARD 10" HIGH X BACKPOST WIDTH FOR RHR.
B4701H	HF STD BH. STANDARD 90 DEG BACK HEIGHT W/ 7 DEG BEND. STANDARD BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS. IF YOU NEED A CUSTOM BACK HEIGHT (OTHER THAN 16", 18" OR 20") ORDER HF CUS BH. IF YOU NEED A CUSTOM BACK BEND HEIGHT (OTHER THAN 9.5"), ORDER CB&BBHC.	FRONT RIGGING	
B4710	HF CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND. CUSTOM HEIGHT BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS. IF YOU NEED A CUSTOM BACK BEND HEIGHT, ORDER CB&BBHC.	BOUNDER CHAIRS DO NOT INCLUDE FRONT RIGGING. YOU MUST ORDER FRONT RIGGING SEPARATELY IF IT IS NEEDED.	
B4710L	HF CUS L BH. CUSTOM LOW 90 DEG BACK HEIGHT W/7 DEG BEND. NO CHARGE WHEN NARROW BASE WIDTH OR EXTRA NARROW BASE WIDTH ARE ORDERED.	B5001	FR70. 70 DEG SWINGAWAY FOOTRESTS. FR70 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.
B4711	CS945BH. CUSTOM STRAIGHT 94.5 DEGREE BACKPOST HEIGHT (FRONT MOUNTED UPH OR SOLID BACK)(FOR SMP BACK OR SS ADJ ARM) (SPECIFY HEIGHT:). BACKPOSTS ARE STRAIGHT AND WELDED TO THE SEAT RAIL AT 94.5 DEGREES. THERE IS NO BACK BEND AT THE SMALL OF THE BACK. THE BACK UPHOLSTERY OR SOLID BACK IS ATTACHED TO THE FRONT OF THE BACKPOSTS. PUSH HANDLES ARE WELDED PARALLEL TO GROUND. THIS ITEM IS REQUIRED IF INSTALLING A CURVED SHEET METAL PAN BACK OR SELF SUPPORTING ARMS. NOTE: THE EFFECTIVE SEAT DEPTH IS USUALLY DECREASED BY ABOUT 1.5". SPECIFY BACK HEIGHT FROM 12 TO 28 INCHES.	B5002	FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 17", 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. FOR CONVENTIONAL FRAMES: USUALLY NECESSARY FOR CASTER WHEEL CLEARANCE WHEN 9"X3.50" FRONT WHEELS ARE INSTALLED. FR60 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.
B4712	CBHASBA. CUSTOM BACK HEIGHT W/ ADJ SEAT-TO-BACK ANGLE (20 DEG OF ADJ)(400 LB LIMIT)(SPECIFY HEIGHT:).). ALLOWS SEAT TO BACK ANGLE TO BE SET AT 90, 95, 100, 105 OR 110. ATTACHED W/ SCREWS. 400 LB MAXIMUM USER WEIGHT. SPECIFY BACK STYLE, HEIGHT AND ANGLE.	B5003	FR55. 55 DEG SWINGAWAY FOOTRESTS. FR55 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.
B4713	CBHWSBA. CUSTOM BACK HEIGHT W/WELDED SEAT-TO-BACK ANGLE (SPECIFY HEIGHT:).). FOR CHAIRS WITHOUT TILT OR RECLINE SYSTEMS. SPECIFY BACK HEIGHT AND SEAT TO BACK ANGLE BETWEEN SEAT RAIL AND BACKPOST FROM 90 DEGREES (VERTICAL) TO 180 DEGREES (HORIZONTAL).	B5004	FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR.
B4714	CB&BBH. CUSTOM BACK HEIGHT AND/OR BACK BEND HEIGHT. SPECIFY BACKPOST STYLE, BACK HEIGHT AND THE BACK BEND HEIGHT (IF APPLICABLE) ABOVE THE TOP OF THE SEAT RAILS. REQUIRED IF BACK BEND HEIGHT IS DIFFERENT THAN 9.5" ABOVE THE SEAT RAILS. CONTACT FACTORY FOR PRICE.	B5005	LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR.
TILT/RECLINE/STANDING BACK STYLE & HEIGHT			
B4715R	STD REC BH. STRAIGHT 94.5 DEG RECLINE SYSTEM BACKPOST HEIGHT. AVAILABLE ONLY FOR CHAIRS WITH 21ST RECLINE (OR TILT AND RECLINE) SYSTEMS. 24" HIGH SLING BACK UPHOLSTERY MOUNTS ON FRONT OF BACKPOSTS. BACKPOSTS ARE STRAIGHT AND MEASURE 24.3" FROM THE SEAT RAIL TO THE TOP OF THE BACKPOST. HANDLES ARE WELDED ONTO THE BACK AT A HEIGHT OF APPROXIMATELY 37" ABOVE THE GROUND. EFFECTIVE BACK UPHOLSTERY HEIGHT IS 24.3" ABOVE THE SEAT RAILS. FOR CONVENTIONAL CHAIRS WITH PRS RECLINERS, SLING UPHOLSTERY WILL BE 24" HIGH. FOR TILT & PRS RECLINE, SLING UPHOLSTERY WILL BE 23" HIGH AND START 1" ABOVE SEAT RAILS (EXCEPT FOR 19" AND 20" SEAT HEIGHT CHAIRS). FOR H-FRAMES WITH PRS RECLINERS, SLING UPHOLSTERY WILL BE 22" HIGH.		

